



5.43. Occupied Bandwidth for SA_Part22-24-27(Channel:501702, Bandwidth:25, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:65, RB Position:0)




5.44. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:25, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:65, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	23.62	26.26	25	Pass




5.45. Occupied Bandwidth for SA_Part22-24-27(Channel:535500, Bandwidth:25, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:65, RB Position:0)




5.46. Occupied Bandwidth for SA_Part22-24-27(Channel:501702, Bandwidth:25, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:65, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2508.51	99	26	1	Peak	23.69	26.39	25	Pass




5.47. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:25, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:65, RB Position:0)



5.48. Occupied Bandwidth for SA_Part22-24-27(Channel:535500, Bandwidth:25, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:65, RB Position:0)




5.49. Occupied Bandwidth for SA_Part22-24-27(Channel:502200, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)




5.50. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	28.12	30.94	30	Pass




5.51. Occupied Bandwidth for SA_Part22-24-27(Channel:534996, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)




5.52. Occupied Bandwidth for SA_Part22-24-27(Channel:502200, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)




5.53. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)




5.54. Occupied Bandwidth for SA_Part22-24-27(Channel:534996, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)




5.55. Occupied Bandwidth for SA_Part22-24-27(Channel:502200, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)




5.56. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)



5.57. Occupied Bandwidth for SA_Part22-24-27(Channel:534996, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)




5.58. Occupied Bandwidth for SA_Part22-24-27(Channel:502200, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)




5.59. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	28.19	31.02	30	Pass




5.60. Occupied Bandwidth for SA_Part22-24-27(Channel:534996, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)



5.61. Occupied Bandwidth for SA_Part22-24-27(Channel:502704, Bandwidth:35, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:92, RB Position:0)




5.63. Occupied Bandwidth for SA_Part22-24-27(Channel:534498, Bandwidth:35, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:92, RB Position:0)




5.64. Occupied Bandwidth for SA_Part22-24-27(Channel:502704, Bandwidth:35, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:92, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2513.52	99	26	1	Peak	33.13	36	35	Pass



5.65. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:35, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:92, RB Position:0)




5.66. Occupied Bandwidth for SA_Part22-24-27(Channel:534498, Bandwidth:35, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:92, RB Position:0)




5.67. Occupied Bandwidth for SA_Part22-24-27(Channel:502704, Bandwidth:35, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:92, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2513.52	99	26	1	Peak	33.17	36.02	35	Pass



5.68. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:35, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:92, RB Position:0)




5.69. Occupied Bandwidth for SA_Part22-24-27(Channel:534498, Bandwidth:35, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:92, RB Position:0)




5.70. Occupied Bandwidth for SA_Part22-24-27(Channel:502704, Bandwidth:35, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:92, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2513.52	99	26	1	Peak	33	36.06	35	Pass



5.71. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:35, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:92, RB Position:0)




5.72. Occupied Bandwidth for SA_Part22-24-27(Channel:534498, Bandwidth:35, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:92, RB Position:0)




5.73. Occupied Bandwidth for SA_Part22-24-27(Channel:503202, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2516.01	99	26	1	Peak	38.19	41.13	40	Pass




5.74. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	38.2	41.05	40	Pass




5.75. Occupied Bandwidth for SA_Part22-24-27(Channel:534000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)



5.76. Occupied Bandwidth for SA_Part22-24-27(Channel:503202, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)




5.77. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)




5.78. Occupied Bandwidth for SA_Part22-24-27(Channel:534000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2670	99	26	1	Peak	38.12	41.12	40	Pass




5.79. Occupied Bandwidth for SA_Part22-24-27(Channel:503202, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2516.01	99	26	1	Peak	38.07	41.03	40	Pass




5.80. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)




5.81. Occupied Bandwidth for SA_Part22-24-27(Channel:534000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2670	99	26	1	Peak	38.1	41.06	40	Pass



5.82. Occupied Bandwidth for SA_Part22-24-27(Channel:503202, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)




5.83. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)




5.84. Occupied Bandwidth for SA_Part22-24-27(Channel:534000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2670	99	26	1	Peak	38.06	41.11	40	Pass




5.85. Occupied Bandwidth for SA_Part22-24-27(Channel:503700, Bandwidth:45, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:119, RB Position:0)




5.86. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:45, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:119, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	42.7	45.64	45	Pass




5.87. Occupied Bandwidth for SA_Part22-24-27(Channel:533496, Bandwidth:45, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:119, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2667.48	99	26	1	Peak	42.73	45.76	45	Pass



5.88. Occupied Bandwidth for SA_Part22-24-27(Channel:503700, Bandwidth:45, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:119, RB Position:0)




5.89. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:45, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:119, RB Position:0)




5.90. Occupied Bandwidth for SA_Part22-24-27(Channel:533496, Bandwidth:45, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:119, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2667.48	99	26	1	Peak	42.73	45.61	45	Pass




5.91. Occupied Bandwidth for SA_Part22-24-27(Channel:503700, Bandwidth:45, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:119, RB Position:0)



5.92. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:45, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:119, RB Position:0)




5.93. Occupied Bandwidth for SA_Part22-24-27(Channel:533496, Bandwidth:45, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:119, RB Position:0)




5.94. Occupied Bandwidth for SA_Part22-24-27(Channel:503700, Bandwidth:45, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:119, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2518.5	99	26	1	Peak	42.69	45.67	45	Pass




5.95. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:45, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:119, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	42.71	45.74	45	Pass



5.96. Occupied Bandwidth for SA_Part22-24-27(Channel:533496, Bandwidth:45, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:119, RB Position:0)




5.97. Occupied Bandwidth for SA_Part22-24-27(Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)




5.98. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	47.58	50.86	50	Pass




5.99. Occupied Bandwidth for SA_Part22-24-27(Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)




5.100. Occupied Bandwidth for SA_Part22-24-27(Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2521.02	99	26	1	Peak	47.5	50.58	50	Pass




5.101. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	47.55	50.74	50	Pass




5.102. Occupied Bandwidth for SA_Part22-24-27(Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)




5.103. Occupied Bandwidth for SA_Part22-24-27(Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)




5.104. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)




5.105. Occupied Bandwidth for SA_Part22-24-27(Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)




5.106. Occupied Bandwidth for SA_Part22-24-27(Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)




5.107. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)




5.108. Occupied Bandwidth for SA_Part22-24-27(Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)




5.109. Occupied Bandwidth for SA_Part22-24-27(Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)




5.110. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)



5.111. Occupied Bandwidth for SA_Part22-24-27(Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)




5.112. Occupied Bandwidth for SA_Part22-24-27(Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)




5.113. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	57.98	61.04	60	Pass



5.114. Occupied Bandwidth for SA_Part22-24-27(Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)




5.115. Occupied Bandwidth for SA_Part22-24-27(Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)




5.116. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	57.77	61.01	60	Pass




5.117. Occupied Bandwidth for SA_Part22-24-27(Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)




5.118. Occupied Bandwidth for SA_Part22-24-27(Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)



5.119. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)




5.120. Occupied Bandwidth for SA_Part22-24-27(Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)



5.121. Occupied Bandwidth for SA_Part22-24-27(Channel:506202, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2531.01	99	26	1	Peak	67.65	70.88	70	Pass




5.122. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)




5.123. Occupied Bandwidth for SA_Part22-24-27(Channel:531000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)




5.124. Occupied Bandwidth for SA_Part22-24-27(Channel:506202, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:189, RB Position:0)




5.125. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:189, RB Position:0)



5.126. Occupied Bandwidth for SA_Part22-24-27(Channel:531000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:189, RB Position:0)




5.127. Occupied Bandwidth for SA_Part22-24-27(Channel:506202, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:189, RB Position:0)




5.128. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:189, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	67.44	70.82	70	Pass




5.129. Occupied Bandwidth for SA_Part22-24-27(Channel:531000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:189, RB Position:0)




5.130. Occupied Bandwidth for SA_Part22-24-27(Channel:506202, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:189, RB Position:0)




5.131. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:189, RB Position:0)



5.132. Occupied Bandwidth for SA_Part22-24-27(Channel:531000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:189, RB Position:0)




5.133. Occupied Bandwidth for SA_Part22-24-27(Channel:507204, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)




5.134. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	77.27	80.7	80	Pass



5.135. Occupied Bandwidth for SA_Part22-24-27(Channel:529998, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)




5.136. Occupied Bandwidth for SA_Part22-24-27(Channel:507204, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)




5.137. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)



5.138. Occupied Bandwidth for SA_Part22-24-27(Channel:529998, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)




5.139. Occupied Bandwidth for SA_Part22-24-27(Channel:507204, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)



5.140. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	77.19	80.81	80	Pass




5.141. Occupied Bandwidth for SA_Part22-24-27(Channel:529998, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)




5.142. Occupied Bandwidth for SA_Part22-24-27(Channel:507204, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2536.02	99	26	1	Peak	77.36	80.98	80	Pass




5.143. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	77.11	80.72	80	Pass




5.144. Occupied Bandwidth for SA_Part22-24-27(Channel:529998, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2649.99	99	26	1	Peak	77.32	80.78	80	Pass




5.145. Occupied Bandwidth for SA_Part22-24-27(Channel:508200, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)




5.146. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)




5.147. Occupied Bandwidth for SA_Part22-24-27(Channel:528996, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)




5.148. Occupied Bandwidth for SA_Part22-24-27(Channel:508200, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:245, RB Position:0)




5.149. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:245, RB Position:0)




5.150. Occupied Bandwidth for SA_Part22-24-27(Channel:528996, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:245, RB Position:0)



5.151. Occupied Bandwidth for SA_Part22-24-27(Channel:508200, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:245, RB Position:0)



5.152. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:245, RB Position:0)



5.153. Occupied Bandwidth for SA_Part22-24-27(Channel:528996, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2644.98	99	26	1	Peak	87.44	91.02	90	Pass

