



3.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-68.31	-13	55.31	Pass	401
0.15	30	0.01	RMS	0.6	-64.26	-13	51.26	Pass	2986
30	1000	0.1	RMS	918.846	-54.7	-13	41.7	Pass	9701
1000	3000	1	RMS	2971	-44.49	-13	31.49	Pass	2001
3000	3690	1	RMS	3423	-40.28	-13	27.28	Pass	691
3690	3810	1	RMS	3701.1	19.28	60	40.72	Pass	401
3810	7000	1	RMS	6975	-57.12	-13	44.12	Pass	3191
7000	26500	1	RMS	25030	-42.56	-13	29.56	Pass	19503




3.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-68.1	-13	55.1	Pass	401
0.15	30	0.01	RMS	15.84	-64.6	-13	51.6	Pass	2986
30	1000	0.1	RMS	704.8	-55.4	-13	42.4	Pass	9701
1000	3000	1	RMS	2749	-44.87	-13	31.87	Pass	2001
3000	3690	1	RMS	3370	-40.43	-13	27.43	Pass	691
3690	3810	1	RMS	3748.8	20.09	60	39.91	Pass	401
3810	7000	1	RMS	6908	-57.19	-13	44.19	Pass	3191
7000	26500	1	RMS	25096	-42.12	-13	29.12	Pass	19503




3.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.47	-13	54.47	Pass	401
0.15	30	0.01	RMS	11	-64.27	-13	51.27	Pass	2986
30	1000	0.1	RMS	981.188	-54.57	-13	41.57	Pass	9701
1000	3000	1	RMS	2919	-45.05	-13	32.05	Pass	2001
3000	3690	1	RMS	3378	-40.61	-13	27.61	Pass	691
3690	3810	1	RMS	3771.3	4.45	60	55.55	Pass	401
3810	7000	1	RMS	3810	-40.81	-13	27.81	Pass	3191
7000	26500	1	RMS	25186	-42.73	-13	29.73	Pass	19503




3.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-67.64	-13	54.64	Pass	401
0.15	30	0.01	RMS	0.6	-65.04	-13	52.04	Pass	2986
30	1000	0.1	RMS	854.704	-55.09	-13	42.09	Pass	9701
1000	3000	1	RMS	2977	-44.58	-13	31.58	Pass	2001
3000	3690	1	RMS	3409	-40.21	-13	27.21	Pass	691
3690	3810	1	RMS	3726.3	19.95	60	40.05	Pass	401
3810	7000	1	RMS	3821	-53.32	-13	40.32	Pass	3191
7000	26500	1	RMS	25026	-42.4	-13	29.4	Pass	19503




3.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.35	-13	55.35	Pass	401
0.15	30	0.01	RMS	26.25	-64.95	-13	51.95	Pass	2986
30	1000	0.1	RMS	702.7	-55.72	-13	42.72	Pass	9701
1000	3000	1	RMS	2975	-44.62	-13	31.62	Pass	2001
3000	3690	1	RMS	3403	-40.31	-13	27.31	Pass	691
3690	3810	1	RMS	3773.7	20.13	60	39.87	Pass	401
3810	7000	1	RMS	6975	-56.28	-13	43.28	Pass	3191
7000	26500	1	RMS	25513	-42.75	-13	29.75	Pass	19503




3.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-67.52	-13	54.52	Pass	401
0.15	30	0.01	RMS	0.6	-62.57	-13	49.57	Pass	2986
30	1000	0.1	RMS	914.043	-54.84	-13	41.84	Pass	9701
1000	3000	1	RMS	2960	-44.53	-13	31.53	Pass	2001
3000	3690	1	RMS	3394	-40.39	-13	27.39	Pass	691
3690	3810	1	RMS	3778.2	4.48	60	55.52	Pass	401
3810	7000	1	RMS	3812	-33.82	-13	20.82	Pass	3191
7000	26500	1	RMS	24084	-42.5	-13	29.5	Pass	19503




3.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.029	-67.63	-13	54.63	Pass	401
0.15	30	0.01	RMS	0.6	-65.15	-13	52.15	Pass	2986
30	1000	0.1	RMS	963.076	-55.13	-13	42.13	Pass	9701
1000	3000	1	RMS	2971	-44.67	-13	31.67	Pass	2001
3000	3690	1	RMS	3413	-40.54	-13	27.54	Pass	691
3690	3810	1	RMS	3751.2	20.2	60	39.8	Pass	401
3810	7000	1	RMS	3846	-55.81	-13	42.81	Pass	3191
7000	26500	1	RMS	25556	-41.98	-13	28.98	Pass	19503




3.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-65.81	-13	52.81	Pass	401
0.15	30	0.01	RMS	0.6	-62.02	-13	49.02	Pass	2986
30	1000	0.1	RMS	878.519	-54.62	-13	41.62	Pass	9701
1000	3000	1	RMS	2962	-45	-13	32	Pass	2001
3000	3690	1	RMS	3423	-40.31	-13	27.31	Pass	691
3690	3810	1	RMS	3798.9	19.52	60	40.48	Pass	401
3810	7000	1	RMS	3823	-51.61	-13	38.61	Pass	3191
7000	26500	1	RMS	24816	-42.95	-13	29.95	Pass	19503




3.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-67.35	-13	54.35	Pass	401
0.15	30	0.01	RMS	0.6	-63.74	-13	50.74	Pass	2986
30	1000	0.1	RMS	800.2	-55.1	-13	42.1	Pass	9701
1000	3000	1	RMS	2757	-44.54	-13	31.54	Pass	2001
3000	3690	1	RMS	3686	-38.07	-13	25.07	Pass	691
3690	3810	1	RMS	3777	1.37	60	58.63	Pass	401
3810	7000	1	RMS	3815	-35.18	-13	22.18	Pass	3191
7000	26500	1	RMS	23251	-33.45	-13	20.45	Pass	19503




3.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.43	-13	54.43	Pass	401
0.15	30	0.01	RMS	0.6	-62.69	-13	49.69	Pass	2986
30	1000	0.1	RMS	699.4	-55.17	-13	42.17	Pass	9701
1000	3000	1	RMS	2986	-44.63	-13	31.63	Pass	2001
3000	3690	1	RMS	3391	-40.45	-13	27.45	Pass	691
3690	3810	1	RMS	3701.1	19.23	60	40.77	Pass	401
3810	7000	1	RMS	3848	-53.96	-13	40.96	Pass	3191
7000	26500	1	RMS	24804	-42.46	-13	29.46	Pass	19503



3.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-69.54	-13	56.54	Pass	401
0.15	30	0.01	RMS	0.6	-64.44	-13	51.44	Pass	2986
30	1000	0.1	RMS	748.5	-55.71	-13	42.71	Pass	9701
1000	3000	1	RMS	2994	-44.34	-13	31.34	Pass	2001
3000	3690	1	RMS	3419	-40.39	-13	27.39	Pass	691
3690	3810	1	RMS	3798.9	19.7	60	40.3	Pass	401
3810	7000	1	RMS	3848	-50.62	-13	37.62	Pass	3191
7000	26500	1	RMS	25967	-42.86	-13	29.86	Pass	19503



1. LTE_Band4


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-13	Pass	2986
30	1000	0.1	RMS	840.9	-63.66	-13	Pass	9701
1000	1700	1	RMS	1700	-51.24	-13	Pass	701
1700	1765	1	RMS	1710.238	24.65	60	Pass	401
1765	3000	1	RMS	2956	-48.82	-13	Pass	1236
3000	12000	1	RMS	11948	-41.37	-13	Pass	9002
12000	20000	1	RMS	19394	-32.87	-13	Pass	8001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.87	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.72	-13	Pass	2986
30	1000	0.1	RMS	848.8	-63.77	-13	Pass	9701
1000	1700	1	RMS	1700	-51.59	-13	Pass	701
1700	1765	1	RMS	1710.238	23.76	60	Pass	401
1765	3000	1	RMS	2960	-48.79	-13	Pass	1236
3000	12000	1	RMS	11957	-41.32	-13	Pass	9002
12000	20000	1	RMS	19402	-32.92	-13	Pass	8001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-13	Pass	2986
30	1000	0.1	RMS	849.1	-63.75	-13	Pass	9701
1000	1700	1	RMS	1700	-52.47	-13	Pass	701
1700	1765	1	RMS	1732.013	23.15	60	Pass	401
1765	3000	1	RMS	2962	-48.79	-13	Pass	1236
3000	12000	1	RMS	11851	-41.37	-13	Pass	9002
12000	20000	1	RMS	19413	-32.94	-13	Pass	8001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.79	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.8	-13	Pass	2986
30	1000	0.1	RMS	851.602	-63.76	-13	Pass	9701
1000	1700	1	RMS	1699	-52.5	-13	Pass	701
1700	1765	1	RMS	1732.013	22.58	60	Pass	401
1765	3000	1	RMS	2954	-48.79	-13	Pass	1236
3000	12000	1	RMS	11854	-41.34	-13	Pass	9002
12000	20000	1	RMS	19401	-32.91	-13	Pass	8001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-13	Pass	2986
30	1000	0.1	RMS	852.702	-63.51	-13	Pass	9701
1000	1700	1	RMS	1699	-52.51	-13	Pass	701
1700	1765	1	RMS	1753.788	24.65	60	Pass	401
1765	3000	1	RMS	2953	-48.78	-13	Pass	1236
3000	12000	1	RMS	11850	-41.37	-13	Pass	9002
12000	20000	1	RMS	19706	-32.95	-13	Pass	8001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.32	-13	Pass	2986
30	1000	0.1	RMS	972.982	-63.8	-13	Pass	9701
1000	1700	1	RMS	1700	-52.51	-13	Pass	701
1700	1765	1	RMS	1753.788	23.8	60	Pass	401
1765	3000	1	RMS	2957	-48.79	-13	Pass	1236
3000	12000	1	RMS	11948	-41.36	-13	Pass	9002
12000	20000	1	RMS	19398	-32.87	-13	Pass	8001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.22	-13	Pass	2986
30	1000	0.1	RMS	855.704	-63.72	-13	Pass	9701
1000	1700	1	RMS	1700	-49.4	-13	Pass	701
1700	1765	1	RMS	1710.075	24.67	60	Pass	401
1765	3000	1	RMS	2949	-48.82	-13	Pass	1236
3000	12000	1	RMS	11951	-41.27	-13	Pass	9002
12000	20000	1	RMS	19399	-32.9	-13	Pass	8001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.09	-13	Pass	2986
30	1000	0.1	RMS	853.703	-63.65	-13	Pass	9701
1000	1700	1	RMS	1700	-51.53	-13	Pass	701
1700	1765	1	RMS	1710.238	23.88	60	Pass	401
1765	3000	1	RMS	2953	-48.77	-13	Pass	1236
3000	12000	1	RMS	11854	-41.37	-13	Pass	9002
12000	20000	1	RMS	19405	-32.91	-13	Pass	8001



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.16	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.73	-13	Pass	2986
30	1000	0.1	RMS	841.4	-63.74	-13	Pass	9701
1000	1700	1	RMS	1699	-52.5	-13	Pass	701
1700	1765	1	RMS	1731.2	23.18	60	Pass	401
1765	3000	1	RMS	2947	-48.77	-13	Pass	1236
3000	12000	1	RMS	11952	-41.32	-13	Pass	9002
12000	20000	1	RMS	19401	-32.91	-13	Pass	8001



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.81	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.14	-13	Pass	2986
30	1000	0.1	RMS	997.899	-63.85	-13	Pass	9701
1000	1700	1	RMS	1699	-52.52	-13	Pass	701
1700	1765	1	RMS	1731.2	22.63	60	Pass	401
1765	3000	1	RMS	2957	-48.79	-13	Pass	1236
3000	12000	1	RMS	11846	-41.35	-13	Pass	9002
12000	20000	1	RMS	19404	-32.88	-13	Pass	8001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.48	-13	Pass	2986
30	1000	0.1	RMS	865.311	-63.79	-13	Pass	9701
1000	1700	1	RMS	1693	-52.52	-13	Pass	701
1700	1765	1	RMS	1752.163	24.51	60	Pass	401
1765	3000	1	RMS	2955	-48.79	-13	Pass	1236
3000	12000	1	RMS	11852	-41.32	-13	Pass	9002
12000	20000	1	RMS	19403	-32.91	-13	Pass	8001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.17	-13	Pass	2986
30	1000	0.1	RMS	856.005	-63.72	-13	Pass	9701
1000	1700	1	RMS	1698	-52.55	-13	Pass	701
1700	1765	1	RMS	1752.163	23.72	60	Pass	401
1765	3000	1	RMS	2953	-48.78	-13	Pass	1236
3000	12000	1	RMS	11850	-41.37	-13	Pass	9002
12000	20000	1	RMS	19403	-32.85	-13	Pass	8001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.95	-13	Pass	2986
30	1000	0.1	RMS	851.101	-63.74	-13	Pass	9701
1000	1700	1	RMS	1700	-51.01	-13	Pass	701
1700	1765	1	RMS	1710.238	24.64	60	Pass	401
1765	3000	1	RMS	2952	-48.86	-13	Pass	1236
3000	12000	1	RMS	11850	-41.33	-13	Pass	9002
12000	20000	1	RMS	19404	-32.89	-13	Pass	8001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.22	-13	Pass	2986
30	1000	0.1	RMS	855.404	-63.88	-13	Pass	9701
1000	1700	1	RMS	1700	-51.55	-13	Pass	701
1700	1765	1	RMS	1710.238	23.85	60	Pass	401
1765	3000	1	RMS	2956	-48.78	-13	Pass	1236
3000	12000	1	RMS	11857	-41.3	-13	Pass	9002
12000	20000	1	RMS	19402	-32.84	-13	Pass	8001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.83	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.74	-13	Pass	2986
30	1000	0.1	RMS	848.3	-63.75	-13	Pass	9701
1000	1700	1	RMS	1696	-52.53	-13	Pass	701
1700	1765	1	RMS	1730.225	23.29	60	Pass	401
1765	3000	1	RMS	2956	-48.82	-13	Pass	1236
3000	12000	1	RMS	11854	-41.36	-13	Pass	9002
12000	20000	1	RMS	19400	-32.88	-13	Pass	8001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.22	-13	Pass	2986
30	1000	0.1	RMS	844.6	-63.71	-13	Pass	9701
1000	1700	1	RMS	1700	-52.51	-13	Pass	701
1700	1765	1	RMS	1730.225	22.71	60	Pass	401
1765	3000	1	RMS	2943	-48.83	-13	Pass	1236
3000	12000	1	RMS	11848	-41.39	-13	Pass	9002
12000	20000	1	RMS	19402	-32.93	-13	Pass	8001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.94	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.77	-13	Pass	2986
30	1000	0.1	RMS	839.4	-63.84	-13	Pass	9701
1000	1700	1	RMS	1694	-52.54	-13	Pass	701
1700	1765	1	RMS	1750.213	24.56	60	Pass	401
1765	3000	1	RMS	2960	-48.78	-13	Pass	1236
3000	12000	1	RMS	11851	-41.33	-13	Pass	9002
12000	20000	1	RMS	19400	-32.96	-13	Pass	8001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.13	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.75	-13	Pass	2986
30	1000	0.1	RMS	850.201	-63.69	-13	Pass	9701
1000	1700	1	RMS	1700	-52.57	-13	Pass	701
1700	1765	1	RMS	1750.213	23.85	60	Pass	401
1765	3000	1	RMS	2944	-48.85	-13	Pass	1236
3000	12000	1	RMS	11942	-41.36	-13	Pass	9002
12000	20000	1	RMS	19397	-32.96	-13	Pass	8001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-13	Pass	2986
30	1000	0.1	RMS	855.804	-63.77	-13	Pass	9701
1000	1700	1	RMS	1700	-50.75	-13	Pass	701
1700	1765	1	RMS	1710.563	24.7	60	Pass	401
1765	3000	1	RMS	2957	-48.8	-13	Pass	1236
3000	12000	1	RMS	11952	-41.35	-13	Pass	9002
12000	20000	1	RMS	19408	-32.9	-13	Pass	8001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.18	-13	Pass	2986
30	1000	0.1	RMS	852.602	-63.85	-13	Pass	9701
1000	1700	1	RMS	1700	-51.25	-13	Pass	701
1700	1765	1	RMS	1710.563	23.82	60	Pass	401
1765	3000	1	RMS	2957	-48.82	-13	Pass	1236
3000	12000	1	RMS	11854	-41.31	-13	Pass	9002
12000	20000	1	RMS	19402	-32.93	-13	Pass	8001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.19	-13	Pass	2986
30	1000	0.1	RMS	853.703	-63.73	-13	Pass	9701
1000	1700	1	RMS	1699	-52.51	-13	Pass	701
1700	1765	1	RMS	1727.95	23.49	60	Pass	401
1765	3000	1	RMS	2956	-48.82	-13	Pass	1236
3000	12000	1	RMS	11845	-41.31	-13	Pass	9002
12000	20000	1	RMS	19401	-32.89	-13	Pass	8001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.07	-13	Pass	2986
30	1000	0.1	RMS	846.7	-63.74	-13	Pass	9701
1000	1700	1	RMS	1697	-52.54	-13	Pass	701
1700	1765	1	RMS	1727.95	22.94	60	Pass	401
1765	3000	1	RMS	2958	-48.85	-13	Pass	1236
3000	12000	1	RMS	11845	-41.3	-13	Pass	9002
12000	20000	1	RMS	19401	-32.92	-13	Pass	8001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-13	Pass	2986
30	1000	0.1	RMS	846	-63.65	-13	Pass	9701
1000	1700	1	RMS	1695	-52.52	-13	Pass	701
1700	1765	1	RMS	1745.5	24.65	60	Pass	401
1765	3000	1	RMS	2943	-48.81	-13	Pass	1236
3000	12000	1	RMS	11949	-41.37	-13	Pass	9002
12000	20000	1	RMS	19401	-33	-13	Pass	8001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.26	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.18	-13	Pass	2986
30	1000	0.1	RMS	852.302	-63.81	-13	Pass	9701
1000	1700	1	RMS	1698	-52.55	-13	Pass	701
1700	1765	1	RMS	1745.5	23.88	60	Pass	401
1765	3000	1	RMS	2943	-48.85	-13	Pass	1236
3000	12000	1	RMS	11953	-41.36	-13	Pass	9002
12000	20000	1	RMS	19395	-32.95	-13	Pass	8001



1.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.9	-13	Pass	2986
30	1000	0.1	RMS	837.2	-63.57	-13	Pass	9701
1000	1700	1	RMS	1700	-50.63	-13	Pass	701
1700	1765	1	RMS	1710.725	24.49	60	Pass	401
1765	3000	1	RMS	2957	-48.8	-13	Pass	1236
3000	12000	1	RMS	11841	-41.33	-13	Pass	9002
12000	20000	1	RMS	19408	-32.93	-13	Pass	8001



1.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.41	-13	Pass	2986
30	1000	0.1	RMS	853.103	-63.73	-13	Pass	9701
1000	1700	1	RMS	1700	-51.24	-13	Pass	701
1700	1765	1	RMS	1710.725	23.59	60	Pass	401
1765	3000	1	RMS	2949	-48.8	-13	Pass	1236
3000	12000	1	RMS	11949	-41.36	-13	Pass	9002
12000	20000	1	RMS	19406	-32.88	-13	Pass	8001



1.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.17	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.3	-13	Pass	2986
30	1000	0.1	RMS	851.802	-63.8	-13	Pass	9701
1000	1700	1	RMS	1698	-52.46	-13	Pass	701
1700	1765	1	RMS	1725.675	23.66	60	Pass	401
1765	3000	1	RMS	2957	-48.83	-13	Pass	1236
3000	12000	1	RMS	11949	-41.38	-13	Pass	9002
12000	20000	1	RMS	19400	-32.88	-13	Pass	8001



1.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.8	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.2	-13	Pass	2986
30	1000	0.1	RMS	834.4	-63.63	-13	Pass	9701
1000	1700	1	RMS	1700	-52.49	-13	Pass	701
1700	1765	1	RMS	1725.675	23.09	60	Pass	401
1765	3000	1	RMS	2950	-48.82	-13	Pass	1236
3000	12000	1	RMS	11849	-41.34	-13	Pass	9002
12000	20000	1	RMS	19726	-32.9	-13	Pass	8001



1.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.44	-13	Pass	2986
30	1000	0.1	RMS	852.502	-63.62	-13	Pass	9701
1000	1700	1	RMS	1695	-52.55	-13	Pass	701
1700	1765	1	RMS	1740.788	24.4	60	Pass	401
1765	3000	1	RMS	2959	-48.79	-13	Pass	1236
3000	12000	1	RMS	11953	-41.35	-13	Pass	9002
12000	20000	1	RMS	19403	-32.92	-13	Pass	8001



1.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-13	Pass	2986
30	1000	0.1	RMS	848.7	-63.84	-13	Pass	9701
1000	1700	1	RMS	1700	-52.54	-13	Pass	701
1700	1765	1	RMS	1740.788	23.76	60	Pass	401
1765	3000	1	RMS	2952	-48.8	-13	Pass	1236
3000	12000	1	RMS	11846	-41.41	-13	Pass	9002
12000	20000	1	RMS	19402	-32.9	-13	Pass	8001



1.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.36	-13	Pass	2986
30	1000	0.1	RMS	853.903	-63.79	-13	Pass	9701
1000	1700	1	RMS	1700	-51.11	-13	Pass	701
1700	1765	1	RMS	1711.05	24.52	60	Pass	401
1765	3000	1	RMS	2948	-48.84	-13	Pass	1236
3000	12000	1	RMS	11953	-41.36	-13	Pass	9002
12000	20000	1	RMS	19404	-32.91	-13	Pass	8001



1.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	Pass	2986
30	1000	0.1	RMS	846.7	-63.69	-13	Pass	9701
1000	1700	1	RMS	1700	-50	-13	Pass	701
1700	1765	1	RMS	1711.05	23.89	60	Pass	401
1765	3000	1	RMS	2947	-48.86	-13	Pass	1236
3000	12000	1	RMS	11951	-41.36	-13	Pass	9002
12000	20000	1	RMS	19393	-32.92	-13	Pass	8001



1.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.51	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.29	-13	Pass	2986
30	1000	0.1	RMS	852.502	-63.68	-13	Pass	9701
1000	1700	1	RMS	1698	-52.18	-13	Pass	701
1700	1765	1	RMS	1723.563	24.18	60	Pass	401
1765	3000	1	RMS	2950	-48.83	-13	Pass	1236
3000	12000	1	RMS	11954	-41.4	-13	Pass	9002
12000	20000	1	RMS	19401	-32.82	-13	Pass	8001



1.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.41	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.11	-13	Pass	2986
30	1000	0.1	RMS	847.2	-63.76	-13	Pass	9701
1000	1700	1	RMS	1697	-52.43	-13	Pass	701
1700	1765	1	RMS	1723.563	23.64	60	Pass	401
1765	3000	1	RMS	2945	-48.85	-13	Pass	1236
3000	12000	1	RMS	11845	-41.36	-13	Pass	9002
12000	20000	1	RMS	19402	-32.94	-13	Pass	8001



1.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-13	Pass	2986
30	1000	0.1	RMS	846.9	-63.9	-13	Pass	9701
1000	1700	1	RMS	1700	-52.48	-13	Pass	701
1700	1765	1	RMS	1736.075	23.44	60	Pass	401
1765	3000	1	RMS	2956	-48.79	-13	Pass	1236
3000	12000	1	RMS	11844	-41.38	-13	Pass	9002
12000	20000	1	RMS	19400	-32.95	-13	Pass	8001



1.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.48	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.62	-13	Pass	2986
30	1000	0.1	RMS	850.401	-63.75	-13	Pass	9701
1000	1700	1	RMS	1694	-52.56	-13	Pass	701
1700	1765	1	RMS	1736.075	23	60	Pass	401
1765	3000	1	RMS	2952	-48.85	-13	Pass	1236
3000	12000	1	RMS	11949	-41.39	-13	Pass	9002
12000	20000	1	RMS	19712	-32.9	-13	Pass	8001



2. LTE_Band66


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.82	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.91	-13	Pass	2986
30	1000	0.1	RMS	833.8	-63.71	-13	Pass	9701
1000	1700	1	RMS	1700	-51.32	-13	Pass	701
1700	1790	1	RMS	1710.125	24.73	60	Pass	401
1790	3000	1	RMS	2957	-48.78	-13	Pass	1211
3000	12000	1	RMS	11950	-41.27	-13	Pass	9002
12000	20000	1	RMS	19401	-32.95	-13	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	Pass	2986
30	1000	0.1	RMS	824.3	-63.74	-13	Pass	9701
1000	1700	1	RMS	1700	-51.54	-13	Pass	701
1700	1790	1	RMS	1710.125	23.8	60	Pass	401
1790	3000	1	RMS	2950	-48.79	-13	Pass	1211
3000	12000	1	RMS	11846	-41.4	-13	Pass	9002
12000	20000	1	RMS	19398	-32.93	-13	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	Pass	2986
30	1000	0.1	RMS	833.8	-63.71	-13	Pass	9701
1000	1700	1	RMS	1700	-52.47	-13	Pass	701
1700	1790	1	RMS	1744.325	24.6	60	Pass	401
1790	3000	1	RMS	2953	-48.75	-13	Pass	1211
3000	12000	1	RMS	11950	-41.37	-13	Pass	9002
12000	20000	1	RMS	19401	-32.93	-13	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.87	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.61	-13	Pass	2986
30	1000	0.1	RMS	849.4	-63.7	-13	Pass	9701
1000	1700	1	RMS	1694	-52.52	-13	Pass	701
1700	1790	1	RMS	1744.325	23.8	60	Pass	401
1790	3000	1	RMS	2954	-48.83	-13	Pass	1211
3000	12000	1	RMS	11850	-41.39	-13	Pass	9002
12000	20000	1	RMS	19401	-32.94	-13	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.32	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.32	-13	Pass	2986
30	1000	0.1	RMS	850.701	-63.74	-13	Pass	9701
1000	1700	1	RMS	1692	-52.53	-13	Pass	701
1700	1790	1	RMS	1778.75	24.85	60	Pass	401
1790	3000	1	RMS	2950	-48.79	-13	Pass	1211
3000	12000	1	RMS	11839	-41.33	-13	Pass	9002
12000	20000	1	RMS	19402	-32.93	-13	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.13	-13	Pass	2986
30	1000	0.1	RMS	843.4	-63.81	-13	Pass	9701
1000	1700	1	RMS	1693	-52.55	-13	Pass	701
1700	1790	1	RMS	1778.75	23.83	60	Pass	401
1790	3000	1	RMS	2956	-48.81	-13	Pass	1211
3000	12000	1	RMS	11948	-41.29	-13	Pass	9002
12000	20000	1	RMS	19405	-32.92	-13	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.43	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.88	-13	Pass	2986
30	1000	0.1	RMS	851.301	-63.8	-13	Pass	9701
1000	1700	1	RMS	1700	-50.52	-13	Pass	701
1700	1790	1	RMS	1710.125	24.63	60	Pass	401
1790	3000	1	RMS	2955	-48.78	-13	Pass	1211
3000	12000	1	RMS	11845	-41.39	-13	Pass	9002
12000	20000	1	RMS	19407	-32.92	-13	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.7	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.53	-13	Pass	2986
30	1000	0.1	RMS	848.2	-63.61	-13	Pass	9701
1000	1700	1	RMS	1700	-51.54	-13	Pass	701
1700	1790	1	RMS	1710.125	23.71	60	Pass	401
1790	3000	1	RMS	2950	-48.79	-13	Pass	1211
3000	12000	1	RMS	11847	-41.36	-13	Pass	9002
12000	20000	1	RMS	19396	-32.93	-13	Pass	8001



2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.69	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.49	-13	Pass	2986
30	1000	0.1	RMS	832.7	-63.72	-13	Pass	9701
1000	1700	1	RMS	1694	-52.53	-13	Pass	701
1700	1790	1	RMS	1743.65	24.66	60	Pass	401
1790	3000	1	RMS	2955	-48.83	-13	Pass	1211
3000	12000	1	RMS	11850	-41.35	-13	Pass	9002
12000	20000	1	RMS	19404	-32.96	-13	Pass	8001



2.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.95	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.9	-13	Pass	2986
30	1000	0.1	RMS	850.901	-63.69	-13	Pass	9701
1000	1700	1	RMS	1696	-52.57	-13	Pass	701
1700	1790	1	RMS	1743.65	23.78	60	Pass	401
1790	3000	1	RMS	2956	-48.77	-13	Pass	1211
3000	12000	1	RMS	11847	-41.4	-13	Pass	9002
12000	20000	1	RMS	19402	-32.94	-13	Pass	8001



2.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	Pass	2986
30	1000	0.1	RMS	846.8	-63.85	-13	Pass	9701
1000	1700	1	RMS	1694	-52.53	-13	Pass	701
1700	1790	1	RMS	1777.175	24.72	60	Pass	401
1790	3000	1	RMS	2956	-48.85	-13	Pass	1211
3000	12000	1	RMS	11841	-41.38	-13	Pass	9002
12000	20000	1	RMS	19403	-32.96	-13	Pass	8001



2.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.08	-13	Pass	2986
30	1000	0.1	RMS	841.2	-63.74	-13	Pass	9701
1000	1700	1	RMS	1694	-52.53	-13	Pass	701
1700	1790	1	RMS	1777.175	23.8	60	Pass	401
1790	3000	1	RMS	2949	-48.79	-13	Pass	1211
3000	12000	1	RMS	11950	-41.29	-13	Pass	9002
12000	20000	1	RMS	19403	-32.87	-13	Pass	8001



2.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.44	-13	Pass	2986
30	1000	0.1	RMS	847.4	-63.66	-13	Pass	9701
1000	1700	1	RMS	1700	-51.19	-13	Pass	701
1700	1790	1	RMS	1710.125	24.67	60	Pass	401
1790	3000	1	RMS	2954	-48.81	-13	Pass	1211
3000	12000	1	RMS	11854	-41.38	-13	Pass	9002
12000	20000	1	RMS	19398	-32.96	-13	Pass	8001



2.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	Pass	2986
30	1000	0.1	RMS	851.301	-63.73	-13	Pass	9701
1000	1700	1	RMS	1700	-51.39	-13	Pass	701
1700	1790	1	RMS	1710.125	23.65	60	Pass	401
1790	3000	1	RMS	2953	-48.86	-13	Pass	1211
3000	12000	1	RMS	11847	-41.36	-13	Pass	9002
12000	20000	1	RMS	19401	-32.78	-13	Pass	8001



2.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.04	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.97	-13	Pass	2986
30	1000	0.1	RMS	850.301	-63.8	-13	Pass	9701
1000	1700	1	RMS	1694	-52.55	-13	Pass	701
1700	1790	1	RMS	1742.75	24.61	60	Pass	401
1790	3000	1	RMS	2957	-48.82	-13	Pass	1211
3000	12000	1	RMS	11849	-41.41	-13	Pass	9002
12000	20000	1	RMS	19410	-32.93	-13	Pass	8001



2.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-13	Pass	2986
30	1000	0.1	RMS	848.5	-63.74	-13	Pass	9701
1000	1700	1	RMS	1700	-52.56	-13	Pass	701
1700	1790	1	RMS	1742.75	23.62	60	Pass	401
1790	3000	1	RMS	2950	-48.83	-13	Pass	1211
3000	12000	1	RMS	11951	-41.39	-13	Pass	9002
12000	20000	1	RMS	19406	-32.83	-13	Pass	8001



2.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.19	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.34	-13	Pass	2986
30	1000	0.1	RMS	861.808	-63.79	-13	Pass	9701
1000	1700	1	RMS	1699	-52.52	-13	Pass	701
1700	1790	1	RMS	1775.15	24.76	60	Pass	401
1790	3000	1	RMS	2950	-48.79	-13	Pass	1211
3000	12000	1	RMS	11952	-41.4	-13	Pass	9002
12000	20000	1	RMS	19400	-32.89	-13	Pass	8001



2.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.87	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.96	-13	Pass	2986
30	1000	0.1	RMS	847	-63.85	-13	Pass	9701
1000	1700	1	RMS	1699	-52.54	-13	Pass	701
1700	1790	1	RMS	1775.15	23.86	60	Pass	401
1790	3000	1	RMS	2943	-48.85	-13	Pass	1211
3000	12000	1	RMS	11952	-41.27	-13	Pass	9002
12000	20000	1	RMS	19409	-32.94	-13	Pass	8001



2.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-13	Pass	2986
30	1000	0.1	RMS	848.6	-63.7	-13	Pass	9701
1000	1700	1	RMS	1700	-51.08	-13	Pass	701
1700	1790	1	RMS	1710.575	24.49	60	Pass	401
1790	3000	1	RMS	2958	-48.82	-13	Pass	1211
3000	12000	1	RMS	11849	-41.38	-13	Pass	9002
12000	20000	1	RMS	19412	-32.92	-13	Pass	8001



2.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.01	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.75	-13	Pass	2986
30	1000	0.1	RMS	850.101	-63.68	-13	Pass	9701
1000	1700	1	RMS	1700	-51.18	-13	Pass	701
1700	1790	1	RMS	1710.575	23.65	60	Pass	401
1790	3000	1	RMS	2945	-48.84	-13	Pass	1211
3000	12000	1	RMS	11954	-41.42	-13	Pass	9002
12000	20000	1	RMS	19407	-32.92	-13	Pass	8001



2.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.41	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.21	-13	Pass	2986
30	1000	0.1	RMS	854.303	-63.76	-13	Pass	9701
1000	1700	1	RMS	1699	-52.46	-13	Pass	701
1700	1790	1	RMS	1740.5	24.58	60	Pass	401
1790	3000	1	RMS	2952	-48.82	-13	Pass	1211
3000	12000	1	RMS	11848	-41.37	-13	Pass	9002
12000	20000	1	RMS	19401	-32.92	-13	Pass	8001



2.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.65	-13	Pass	2986
30	1000	0.1	RMS	851.602	-63.71	-13	Pass	9701
1000	1700	1	RMS	1695	-52.55	-13	Pass	701
1700	1790	1	RMS	1740.5	23.76	60	Pass	401
1790	3000	1	RMS	2957	-48.82	-13	Pass	1211
3000	12000	1	RMS	11847	-41.37	-13	Pass	9002
12000	20000	1	RMS	19403	-32.9	-13	Pass	8001



2.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	Pass	2986
30	1000	0.1	RMS	845.7	-63.86	-13	Pass	9701
1000	1700	1	RMS	1694	-52.55	-13	Pass	701
1700	1790	1	RMS	1770.425	24.64	60	Pass	401
1790	3000	1	RMS	2949	-48.81	-13	Pass	1211
3000	12000	1	RMS	11851	-41.37	-13	Pass	9002
12000	20000	1	RMS	19404	-32.94	-13	Pass	8001



2.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.8	-13	Pass	2986
30	1000	0.1	RMS	855.905	-63.72	-13	Pass	9701
1000	1700	1	RMS	1697	-52.53	-13	Pass	701
1700	1790	1	RMS	1770.425	23.95	60	Pass	401
1790	3000	1	RMS	2958	-48.83	-13	Pass	1211
3000	12000	1	RMS	11850	-41.36	-13	Pass	9002
12000	20000	1	RMS	19407	-32.89	-13	Pass	8001



2.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.14	-13	Pass	2986
30	1000	0.1	RMS	853.703	-63.81	-13	Pass	9701
1000	1700	1	RMS	1700	-50.44	-13	Pass	701
1700	1790	1	RMS	1710.8	24.44	60	Pass	401
1790	3000	1	RMS	2962	-48.82	-13	Pass	1211
3000	12000	1	RMS	11847	-41.31	-13	Pass	9002
12000	20000	1	RMS	19401	-32.89	-13	Pass	8001



2.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.28	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.88	-13	Pass	2986
30	1000	0.1	RMS	839	-63.83	-13	Pass	9701
1000	1700	1	RMS	1700	-51.5	-13	Pass	701
1700	1790	1	RMS	1710.8	23.6	60	Pass	401
1790	3000	1	RMS	2957	-48.82	-13	Pass	1211
3000	12000	1	RMS	11954	-41.33	-13	Pass	9002
12000	20000	1	RMS	19401	-32.94	-13	Pass	8001



2.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-13	Pass	2986
30	1000	0.1	RMS	850.101	-63.77	-13	Pass	9701
1000	1700	1	RMS	1700	-52.48	-13	Pass	701
1700	1790	1	RMS	1738.25	24.27	60	Pass	401
1790	3000	1	RMS	2956	-48.78	-13	Pass	1211
3000	12000	1	RMS	11852	-41.41	-13	Pass	9002
12000	20000	1	RMS	19397	-32.96	-13	Pass	8001



2.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.94	-13	Pass	2986
30	1000	0.1	RMS	851.201	-63.77	-13	Pass	9701
1000	1700	1	RMS	1700	-52.59	-13	Pass	701
1700	1790	1	RMS	1738.25	23.6	60	Pass	401
1790	3000	1	RMS	2953	-48.89	-13	Pass	1211
3000	12000	1	RMS	11844	-41.26	-13	Pass	9002
12000	20000	1	RMS	19401	-32.95	-13	Pass	8001



2.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.94	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.52	-13	Pass	2986
30	1000	0.1	RMS	873.316	-63.71	-13	Pass	9701
1000	1700	1	RMS	1693	-52.54	-13	Pass	701
1700	1790	1	RMS	1765.7	24.12	60	Pass	401
1790	3000	1	RMS	2954	-48.85	-13	Pass	1211
3000	12000	1	RMS	11950	-41.31	-13	Pass	9002
12000	20000	1	RMS	19401	-32.96	-13	Pass	8001



2.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.35	-13	Pass	2986
30	1000	0.1	RMS	852.602	-63.77	-13	Pass	9701
1000	1700	1	RMS	1695	-52.56	-13	Pass	701
1700	1790	1	RMS	1765.7	23.52	60	Pass	401
1790	3000	1	RMS	2947	-48.85	-13	Pass	1211
3000	12000	1	RMS	11954	-41.38	-13	Pass	9002
12000	20000	1	RMS	19394	-32.96	-13	Pass	8001



2.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.08	-13	Pass	2986
30	1000	0.1	RMS	849.1	-63.8	-13	Pass	9701
1000	1700	1	RMS	1700	-51.18	-13	Pass	701
1700	1790	1	RMS	1711.025	24.49	60	Pass	401
1790	3000	1	RMS	2953	-48.77	-13	Pass	1211
3000	12000	1	RMS	11852	-41.34	-13	Pass	9002
12000	20000	1	RMS	19401	-32.93	-13	Pass	8001



2.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-13	Pass	2986
30	1000	0.1	RMS	849.1	-63.81	-13	Pass	9701
1000	1700	1	RMS	1700	-51.65	-13	Pass	701
1700	1790	1	RMS	1711.025	23.67	60	Pass	401
1790	3000	1	RMS	2957	-48.83	-13	Pass	1211
3000	12000	1	RMS	11953	-41.43	-13	Pass	9002
12000	20000	1	RMS	19406	-32.95	-13	Pass	8001



2.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.36	-13	Pass	2986
30	1000	0.1	RMS	848.1	-63.63	-13	Pass	9701
1000	1700	1	RMS	1700	-52.49	-13	Pass	701
1700	1790	1	RMS	1736	23.87	60	Pass	401
1790	3000	1	RMS	2958	-48.86	-13	Pass	1211
3000	12000	1	RMS	11847	-41.42	-13	Pass	9002
12000	20000	1	RMS	19401	-32.88	-13	Pass	8001

