


2.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	Pass	2986
30	1000	0.1	RMS	985.791	-63.86	-13	Pass	9701
1000	1700	1	RMS	1699	-52.45	-13	Pass	701
1700	1790	1	RMS	1736	23.3	60	Pass	401
1790	3000	1	RMS	2954	-48.79	-13	Pass	1211
3000	12000	1	RMS	11949	-41.35	-13	Pass	9002
12000	20000	1	RMS	19403	-32.94	-13	Pass	8001



2.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-66.86	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.55	-13	Pass	2986
30	1000	0.1	RMS	870.414	-63.87	-13	Pass	9701
1000	1700	1	RMS	1696	-52.54	-13	Pass	701
1700	1790	1	RMS	1760.975	24.6	60	Pass	401
1790	3000	1	RMS	2947	-48.86	-13	Pass	1211
3000	12000	1	RMS	11850	-41.33	-13	Pass	9002
12000	20000	1	RMS	19400	-32.95	-13	Pass	8001



2.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.66	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.27	-13	Pass	2986
30	1000	0.1	RMS	851.201	-63.72	-13	Pass	9701
1000	1700	1	RMS	1699	-52.55	-13	Pass	701
1700	1790	1	RMS	1760.975	24.17	60	Pass	401
1790	3000	1	RMS	2957	-48.86	-13	Pass	1211
3000	12000	1	RMS	11846	-41.38	-13	Pass	9002
12000	20000	1	RMS	19401	-32.89	-13	Pass	8001



1. LTE_Band71


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.71	-13	Pass	2986
30	653	0.1	RMS	465.3	-63.19	-13	Pass	6231
653	709	0.1	RMS	663.3	21.11	60	Pass	561
709	1000	0.1	RMS	892.5	-61.91	-13	Pass	2911
1000	3000	1	RMS	2653	-46.59	-13	Pass	2001
3000	10000	1	RMS	9959	-41.78	-13	Pass	7001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:133147, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.28	-13	Pass	2986
30	653	0.1	RMS	652.6	-63.21	-13	Pass	6231
653	709	0.1	RMS	663.3	20.32	60	Pass	561
709	1000	0.1	RMS	962.8	-61.91	-13	Pass	2911
1000	3000	1	RMS	2648	-46.59	-13	Pass	2001
3000	10000	1	RMS	9955	-41.68	-13	Pass	7001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:133297, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.18	-13	Pass	2986
30	653	0.1	RMS	480.8	-63.12	-13	Pass	6231
653	709	0.1	RMS	678.3	21.19	60	Pass	561
709	1000	0.1	RMS	914.1	-61.96	-13	Pass	2911
1000	3000	1	RMS	2640	-46.56	-13	Pass	2001
3000	10000	1	RMS	9957	-41.72	-13	Pass	7001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:133297, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.98	-13	Pass	2986
30	653	0.1	RMS	495.7	-63.35	-13	Pass	6231
653	709	0.1	RMS	678.3	20.11	60	Pass	561
709	1000	0.1	RMS	933.5	-61.94	-13	Pass	2911
1000	3000	1	RMS	2644	-46.58	-13	Pass	2001
3000	10000	1	RMS	9952	-41.74	-13	Pass	7001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:133447, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.01	-13	Pass	2986
30	653	0.1	RMS	500.8	-63.07	-13	Pass	6231
653	709	0.1	RMS	693.3	21.01	60	Pass	561
709	1000	0.1	RMS	710.6	-58.73	-13	Pass	2911
1000	3000	1	RMS	2641	-46.58	-13	Pass	2001
3000	10000	1	RMS	9957	-41.72	-13	Pass	7001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:133447, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.28	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.86	-13	Pass	2986
30	653	0.1	RMS	491.5	-63.13	-13	Pass	6231
653	709	0.1	RMS	693.3	20.2	60	Pass	561
709	1000	0.1	RMS	710.5	-59.73	-13	Pass	2911
1000	3000	1	RMS	2638	-46.59	-13	Pass	2001
3000	10000	1	RMS	9963	-41.78	-13	Pass	7001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:133172, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.96	-13	Pass	2986
30	653	0.1	RMS	491.9	-63.17	-13	Pass	6231
653	709	0.1	RMS	663.6	21.74	60	Pass	561
709	1000	0.1	RMS	936	-61.88	-13	Pass	2911
1000	3000	1	RMS	1327	-46.06	-13	Pass	2001
3000	10000	1	RMS	9953	-41.73	-13	Pass	7001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:133172, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.05	-13	Pass	2986
30	653	0.1	RMS	450.9	-63.32	-13	Pass	6231
653	709	0.1	RMS	663.6	20.84	60	Pass	561
709	1000	0.1	RMS	928.2	-62.05	-13	Pass	2911
1000	3000	1	RMS	2642	-46.6	-13	Pass	2001
3000	10000	1	RMS	9959	-41.76	-13	Pass	7001



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:133297, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.94	-13	Pass	2986
30	653	0.1	RMS	498.4	-63.18	-13	Pass	6231
653	709	0.1	RMS	676.1	21.66	60	Pass	561
709	1000	0.1	RMS	924.9	-61.76	-13	Pass	2911
1000	3000	1	RMS	1352	-46.35	-13	Pass	2001
3000	10000	1	RMS	9954	-41.78	-13	Pass	7001



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:133297, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.78	-13	Pass	2986
30	653	0.1	RMS	501.8	-63.25	-13	Pass	6231
653	709	0.1	RMS	676.1	20.55	60	Pass	561
709	1000	0.1	RMS	894.8	-61.95	-13	Pass	2911
1000	3000	1	RMS	2642	-46.62	-13	Pass	2001
3000	10000	1	RMS	9952	-41.74	-13	Pass	7001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.09	-13	Pass	2986
30	653	0.1	RMS	515.7	-63.06	-13	Pass	6231
653	709	0.1	RMS	688.6	21.64	60	Pass	561
709	1000	0.1	RMS	945.2	-61.97	-13	Pass	2911
1000	3000	1	RMS	1377	-45.71	-13	Pass	2001
3000	10000	1	RMS	9956	-41.76	-13	Pass	7001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:133422, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.73	-13	Pass	2986
30	653	0.1	RMS	521.7	-63.13	-13	Pass	6231
653	709	0.1	RMS	688.6	20.74	60	Pass	561
709	1000	0.1	RMS	899.5	-61.78	-13	Pass	2911
1000	3000	1	RMS	2642	-46.58	-13	Pass	2001
3000	10000	1	RMS	9957	-41.68	-13	Pass	7001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.15	-13	Pass	2986
30	653	0.1	RMS	431.4	-63.2	-13	Pass	6231
653	709	0.1	RMS	663.8	20.94	60	Pass	561
709	1000	0.1	RMS	915.6	-61.98	-13	Pass	2911
1000	3000	1	RMS	2643	-46.61	-13	Pass	2001
3000	10000	1	RMS	9957	-41.8	-13	Pass	7001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:133197, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.87	-13	Pass	2986
30	653	0.1	RMS	440.9	-63.28	-13	Pass	6231
653	709	0.1	RMS	663.8	20.34	60	Pass	561
709	1000	0.1	RMS	898.4	-62	-13	Pass	2911
1000	3000	1	RMS	2645	-46.61	-13	Pass	2001
3000	10000	1	RMS	9954	-41.72	-13	Pass	7001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:133297, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.11	-13	Pass	2986
30	653	0.1	RMS	491	-63.3	-13	Pass	6231
653	709	0.1	RMS	673.8	21.01	60	Pass	561
709	1000	0.1	RMS	945.7	-61.94	-13	Pass	2911
1000	3000	1	RMS	2644	-46.62	-13	Pass	2001
3000	10000	1	RMS	9956	-41.7	-13	Pass	7001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:133297, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.66	-13	Pass	401
0.15	30	0.01	RMS	0.16	-59.14	-13	Pass	2986
30	653	0.1	RMS	426.8	-63.35	-13	Pass	6231
653	709	0.1	RMS	673.8	20.08	60	Pass	561
709	1000	0.1	RMS	937.5	-61.88	-13	Pass	2911
1000	3000	1	RMS	2651	-46.62	-13	Pass	2001
3000	10000	1	RMS	9957	-41.73	-13	Pass	7001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.48	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.77	-13	Pass	2986
30	653	0.1	RMS	506.1	-63.21	-13	Pass	6231
653	709	0.1	RMS	683.8	21.1	60	Pass	561
709	1000	0.1	RMS	900.2	-61.73	-13	Pass	2911
1000	3000	1	RMS	2640	-46.58	-13	Pass	2001
3000	10000	1	RMS	9955	-41.69	-13	Pass	7001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:133397, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.06	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.28	-13	Pass	2986
30	653	0.1	RMS	488	-63.28	-13	Pass	6231
653	709	0.1	RMS	683.8	20.01	60	Pass	561
709	1000	0.1	RMS	911.7	-61.79	-13	Pass	2911
1000	3000	1	RMS	2643	-46.61	-13	Pass	2001
3000	10000	1	RMS	9948	-41.67	-13	Pass	7001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.45	-13	Pass	2986
30	653	0.1	RMS	456.7	-63.25	-13	Pass	6231
653	709	0.1	RMS	664.1	21.56	60	Pass	561
709	1000	0.1	RMS	905.8	-61.99	-13	Pass	2911
1000	3000	1	RMS	1328	-46.29	-13	Pass	2001
3000	10000	1	RMS	9966	-41.77	-13	Pass	7001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:133222, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.58	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.73	-13	Pass	2986
30	653	0.1	RMS	652.3	-63.37	-13	Pass	6231
653	709	0.1	RMS	664.1	20.61	60	Pass	561
709	1000	0.1	RMS	932	-61.86	-13	Pass	2911
1000	3000	1	RMS	2643	-46.6	-13	Pass	2001
3000	10000	1	RMS	9952	-41.68	-13	Pass	7001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:133322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.07	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.16	-13	Pass	2986
30	653	0.1	RMS	504.7	-63.26	-13	Pass	6231
653	709	0.1	RMS	674.1	21.42	60	Pass	561
709	1000	0.1	RMS	887.7	-61.91	-13	Pass	2911
1000	3000	1	RMS	1348	-46.23	-13	Pass	2001
3000	10000	1	RMS	9957	-41.72	-13	Pass	7001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:133322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.48	-13	Pass	2986
30	653	0.1	RMS	489.6	-63.38	-13	Pass	6231
653	709	0.1	RMS	674.1	20.57	60	Pass	561
709	1000	0.1	RMS	890.7	-62.01	-13	Pass	2911
1000	3000	1	RMS	2644	-46.63	-13	Pass	2001
3000	10000	1	RMS	9963	-41.72	-13	Pass	7001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.61	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.25	-13	Pass	2986
30	653	0.1	RMS	519.9	-63.06	-13	Pass	6231
653	709	0.1	RMS	679.1	21.49	60	Pass	561
709	1000	0.1	RMS	907.4	-62	-13	Pass	2911
1000	3000	1	RMS	1358	-46.3	-13	Pass	2001
3000	10000	1	RMS	9965	-41.76	-13	Pass	7001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.68	-13	Pass	2986
30	653	0.1	RMS	526.3	-63.37	-13	Pass	6231
653	709	0.1	RMS	679.1	20.6	60	Pass	561
709	1000	0.1	RMS	903.1	-61.91	-13	Pass	2911
1000	3000	1	RMS	2648	-46.62	-13	Pass	2001
3000	10000	1	RMS	9969	-41.77	-13	Pass	7001



1. n71 15kHz


1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.38	-13	59.38	Pass	401
0.15	30	0.01	RMS	0.15	-70.98	-13	57.98	Pass	2986
30	653	0.1	RMS	473.7	-64.62	-13	51.62	Pass	6231
653	708	0.1	RMS	667	5.45	60	54.55	Pass	551
708	1000	0.1	RMS	888.3	-63.63	-13	50.63	Pass	2921
1000	3000	1	RMS	2869	-48.75	-13	35.75	Pass	2001
3000	10000	1	RMS	9000	-57.95	-13	44.95	Pass	7001




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-67.99	-13	54.99	Pass	401
0.15	30	0.01	RMS	0.15	-69.58	-13	56.58	Pass	2986
30	653	0.1	RMS	472.4	-64.66	-13	51.66	Pass	6231
653	708	0.1	RMS	663.3	18.76	60	41.24	Pass	551
708	1000	0.1	RMS	892.2	-63.44	-13	50.44	Pass	2921
1000	3000	1	RMS	2876	-48.77	-13	35.77	Pass	2001
3000	10000	1	RMS	8986	-58.04	-13	45.04	Pass	7001




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-69.17	-13	56.17	Pass	401
0.15	30	0.01	RMS	0.15	-70.08	-13	57.08	Pass	2986
30	653	0.1	RMS	476.8	-64.58	-13	51.58	Pass	6231
653	708	0.1	RMS	667.6	18.25	60	41.75	Pass	551
708	1000	0.1	RMS	908.1	-63.4	-13	50.4	Pass	2921
1000	3000	1	RMS	2869	-48.76	-13	35.76	Pass	2001
3000	10000	1	RMS	8931	-58.03	-13	45.03	Pass	7001




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.15	-70.03	-13	57.03	Pass	2986
30	653	0.1	RMS	494.9	-64.64	-13	51.64	Pass	6231
653	708	0.1	RMS	678.7	5.57	60	54.43	Pass	551
708	1000	0.1	RMS	896.6	-63.54	-13	50.54	Pass	2921
1000	3000	1	RMS	2869	-48.73	-13	35.73	Pass	2001
3000	10000	1	RMS	8989	-58.03	-13	45.03	Pass	7001




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-67.82	-13	54.82	Pass	401
0.15	30	0.01	RMS	0.15	-69.8	-13	56.8	Pass	2986
30	653	0.1	RMS	487.5	-64.47	-13	51.47	Pass	6231
653	708	0.1	RMS	678.3	18.55	60	41.45	Pass	551
708	1000	0.1	RMS	915	-63.55	-13	50.55	Pass	2921
1000	3000	1	RMS	2870	-48.73	-13	35.73	Pass	2001
3000	10000	1	RMS	8908	-58.03	-13	45.03	Pass	7001




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-68.17	-13	55.17	Pass	401
0.15	30	0.01	RMS	0.15	-68.28	-13	55.28	Pass	2986
30	653	0.1	RMS	631.8	-64.67	-13	51.67	Pass	6231
653	708	0.1	RMS	682.7	18.06	60	41.94	Pass	551
708	1000	0.1	RMS	890.6	-63.47	-13	50.47	Pass	2921
1000	3000	1	RMS	2868	-48.77	-13	35.77	Pass	2001
3000	10000	1	RMS	8999	-58.02	-13	45.02	Pass	7001




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	0.15	-71.1	-13	58.1	Pass	2986
30	653	0.1	RMS	637.6	-64.68	-13	51.68	Pass	6231
653	708	0.1	RMS	693.5	5.59	60	54.41	Pass	551
708	1000	0.1	RMS	708	-56.13	-13	43.13	Pass	2921
1000	3000	1	RMS	2868	-48.73	-13	35.73	Pass	2001
3000	10000	1	RMS	8903	-58.05	-13	45.05	Pass	7001




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-68.27	-13	55.27	Pass	401
0.15	30	0.01	RMS	0.15	-69.53	-13	56.53	Pass	2986
30	653	0.1	RMS	474.3	-64.63	-13	51.63	Pass	6231
653	708	0.1	RMS	693.3	18.49	60	41.51	Pass	551
708	1000	0.1	RMS	710.6	-63.36	-13	50.36	Pass	2921
1000	3000	1	RMS	2869	-48.72	-13	35.72	Pass	2001
3000	10000	1	RMS	8912	-58	-13	45	Pass	7001




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-68.81	-13	55.81	Pass	401
0.15	30	0.01	RMS	0.15	-69.35	-13	56.35	Pass	2986
30	653	0.1	RMS	481.8	-64.6	-13	51.6	Pass	6231
653	708	0.1	RMS	697.7	18.06	60	41.94	Pass	551
708	1000	0.1	RMS	898.9	-63.51	-13	50.51	Pass	2921
1000	3000	1	RMS	2869	-48.74	-13	35.74	Pass	2001
3000	10000	1	RMS	8980	-58.05	-13	45.05	Pass	7001




1.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.44	-13	59.44	Pass	401
0.15	30	0.01	RMS	0.16	-70.86	-13	57.86	Pass	2986
30	653	0.1	RMS	652.7	-64.24	-13	51.24	Pass	6231
653	708	0.1	RMS	674.5	0.81	60	59.19	Pass	551
708	1000	0.1	RMS	708.7	-59.06	-13	46.06	Pass	2921
1000	3000	1	RMS	2869	-48.76	-13	35.76	Pass	2001
3000	10000	1	RMS	8898	-58.04	-13	45.04	Pass	7001




1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.028	-68.24	-13	55.24	Pass	401
0.15	30	0.01	RMS	0.15	-69.21	-13	56.21	Pass	2986
30	653	0.1	RMS	485.1	-64.58	-13	51.58	Pass	6231
653	708	0.1	RMS	663.5	19.1	60	40.9	Pass	551
708	1000	0.1	RMS	899.5	-63.56	-13	50.56	Pass	2921
1000	3000	1	RMS	2873	-48.74	-13	35.74	Pass	2001
3000	10000	1	RMS	8928	-58.02	-13	45.02	Pass	7001




1.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-67.47	-13	54.47	Pass	401
0.15	30	0.01	RMS	0.15	-68.78	-13	55.78	Pass	2986
30	653	0.1	RMS	481.8	-64.74	-13	51.74	Pass	6231
653	708	0.1	RMS	677.5	19.09	60	40.91	Pass	551
708	1000	0.1	RMS	906.4	-63.67	-13	50.67	Pass	2921
1000	3000	1	RMS	2869	-48.75	-13	35.75	Pass	2001
3000	10000	1	RMS	8900	-58.04	-13	45.04	Pass	7001




1.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.43	-13	60.43	Pass	401
0.15	30	0.01	RMS	0.15	-70.91	-13	57.91	Pass	2986
30	653	0.1	RMS	496.8	-64.62	-13	51.62	Pass	6231
653	708	0.1	RMS	676.5	0.87	60	59.13	Pass	551
708	1000	0.1	RMS	708.1	-52.64	-13	39.64	Pass	2921
1000	3000	1	RMS	2871	-48.71	-13	35.71	Pass	2001
3000	10000	1	RMS	8996	-58.08	-13	45.08	Pass	7001




1.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-67.77	-13	54.77	Pass	401
0.15	30	0.01	RMS	0.15	-69.09	-13	56.09	Pass	2986
30	653	0.1	RMS	474.7	-64.65	-13	51.65	Pass	6231
653	708	0.1	RMS	673.5	18.86	60	41.14	Pass	551
708	1000	0.1	RMS	911.2	-63.48	-13	50.48	Pass	2921
1000	3000	1	RMS	2869	-48.69	-13	35.69	Pass	2001
3000	10000	1	RMS	8933	-58.04	-13	45.04	Pass	7001




1.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-67.86	-13	54.86	Pass	401
0.15	30	0.01	RMS	0.15	-68.92	-13	55.92	Pass	2986
30	653	0.1	RMS	477.2	-64.68	-13	51.68	Pass	6231
653	708	0.1	RMS	687.5	18.9	60	41.1	Pass	551
708	1000	0.1	RMS	914.8	-63.5	-13	50.5	Pass	2921
1000	3000	1	RMS	2870	-48.72	-13	35.72	Pass	2001
3000	10000	1	RMS	8912	-58.03	-13	45.03	Pass	7001




1.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.28	-13	60.28	Pass	401
0.15	30	0.01	RMS	0.15	-71.17	-13	58.17	Pass	2986
30	653	0.1	RMS	477	-64.64	-13	51.64	Pass	6231
653	708	0.1	RMS	687.3	0.87	60	59.13	Pass	551
708	1000	0.1	RMS	708	-43.22	-13	30.22	Pass	2921
1000	3000	1	RMS	2872	-48.72	-13	35.72	Pass	2001
3000	10000	1	RMS	8984	-58.05	-13	45.05	Pass	7001




1.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-68.24	-13	55.24	Pass	401
0.15	30	0.01	RMS	0.15	-69.22	-13	56.22	Pass	2986
30	653	0.1	RMS	635.1	-64.68	-13	51.68	Pass	6231
653	708	0.1	RMS	683.5	18.91	60	41.09	Pass	551
708	1000	0.1	RMS	883	-63.49	-13	50.49	Pass	2921
1000	3000	1	RMS	2872	-48.78	-13	35.78	Pass	2001
3000	10000	1	RMS	9001	-58.04	-13	45.04	Pass	7001




1.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-68.62	-13	55.62	Pass	401
0.15	30	0.01	RMS	0.16	-69.99	-13	56.99	Pass	2986
30	653	0.1	RMS	470.9	-64.7	-13	51.7	Pass	6231
653	708	0.1	RMS	697.5	18.89	60	41.11	Pass	551
708	1000	0.1	RMS	708.1	-62.35	-13	49.35	Pass	2921
1000	3000	1	RMS	2868	-48.74	-13	35.74	Pass	2001
3000	10000	1	RMS	8965	-58.06	-13	45.06	Pass	7001




1.28. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.18	-13	60.18	Pass	401
0.15	30	0.01	RMS	0.15	-70.61	-13	57.61	Pass	2986
30	653	0.1	RMS	652.3	-63.96	-13	50.96	Pass	6231
653	708	0.1	RMS	675.9	-0.18	60	60.18	Pass	551
708	1000	0.1	RMS	708.5	-50.91	-13	37.91	Pass	2921
1000	3000	1	RMS	2868	-48.74	-13	35.74	Pass	2001
3000	10000	1	RMS	8988	-58.01	-13	45.01	Pass	7001




1.29. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-68.04	-13	55.04	Pass	401
0.15	30	0.01	RMS	0.15	-69.34	-13	56.34	Pass	2986
30	653	0.1	RMS	475.1	-64.55	-13	51.55	Pass	6231
653	708	0.1	RMS	663.5	18.67	60	41.33	Pass	551
708	1000	0.1	RMS	884.6	-63.56	-13	50.56	Pass	2921
1000	3000	1	RMS	2870	-48.76	-13	35.76	Pass	2001
3000	10000	1	RMS	9001	-58.1	-13	45.1	Pass	7001




1.30. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-68.11	-13	55.11	Pass	401
0.15	30	0.01	RMS	0.15	-68.42	-13	55.42	Pass	2986
30	653	0.1	RMS	468.6	-64.69	-13	51.69	Pass	6231
653	708	0.1	RMS	682.4	18.47	60	41.53	Pass	551
708	1000	0.1	RMS	883.1	-63.54	-13	50.54	Pass	2921
1000	3000	1	RMS	2872	-48.74	-13	35.74	Pass	2001
3000	10000	1	RMS	8909	-58.06	-13	45.06	Pass	7001




1.31. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.02	-13	60.02	Pass	401
0.15	30	0.01	RMS	0.16	-71.27	-13	58.27	Pass	2986
30	653	0.1	RMS	483.3	-64.63	-13	51.63	Pass	6231
653	708	0.1	RMS	677.2	-0.28	60	60.28	Pass	551
708	1000	0.1	RMS	708	-45.66	-13	32.66	Pass	2921
1000	3000	1	RMS	2869	-48.74	-13	35.74	Pass	2001
3000	10000	1	RMS	8909	-58.04	-13	45.04	Pass	7001




1.32. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-67.82	-13	54.82	Pass	401
0.15	30	0.01	RMS	0.15	-69.28	-13	56.28	Pass	2986
30	653	0.1	RMS	479.8	-64.68	-13	51.68	Pass	6231
653	708	0.1	RMS	671	18.77	60	41.23	Pass	551
708	1000	0.1	RMS	877.4	-63.68	-13	50.68	Pass	2921
1000	3000	1	RMS	2872	-48.76	-13	35.76	Pass	2001
3000	10000	1	RMS	8931	-58.06	-13	45.06	Pass	7001




1.33. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-68.39	-13	55.39	Pass	401
0.15	30	0.01	RMS	0.15	-69.94	-13	56.94	Pass	2986
30	653	0.1	RMS	487.2	-64.58	-13	51.58	Pass	6231
653	708	0.1	RMS	689.9	18.41	60	41.59	Pass	551
708	1000	0.1	RMS	893.7	-63.55	-13	50.55	Pass	2921
1000	3000	1	RMS	2871	-48.75	-13	35.75	Pass	2001
3000	10000	1	RMS	8901	-58.07	-13	45.07	Pass	7001




1.34. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.58	-13	59.58	Pass	401
0.15	30	0.01	RMS	0.15	-71.47	-13	58.47	Pass	2986
30	653	0.1	RMS	461	-64.67	-13	51.67	Pass	6231
653	708	0.1	RMS	682.2	-0.44	60	60.44	Pass	551
708	1000	0.1	RMS	708.3	-43.03	-13	30.03	Pass	2921
1000	3000	1	RMS	2868	-48.76	-13	35.76	Pass	2001
3000	10000	1	RMS	9000	-58.08	-13	45.08	Pass	7001




1.35. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-68.26	-13	55.26	Pass	401
0.15	30	0.01	RMS	0.15	-70.26	-13	57.26	Pass	2986
30	653	0.1	RMS	479.4	-64.73	-13	51.73	Pass	6231
653	708	0.1	RMS	678.5	18.6	60	41.4	Pass	551
708	1000	0.1	RMS	884.7	-63.62	-13	50.62	Pass	2921
1000	3000	1	RMS	2869	-48.74	-13	35.74	Pass	2001
3000	10000	1	RMS	8900	-58.03	-13	45.03	Pass	7001



1.36. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-68.96	-13	55.96	Pass	401
0.15	30	0.01	RMS	0.15	-69.52	-13	56.52	Pass	2986
30	653	0.1	RMS	480.8	-64.52	-13	51.52	Pass	6231
653	708	0.1	RMS	697.4	18.43	60	41.57	Pass	551
708	1000	0.1	RMS	708.5	-62.16	-13	49.16	Pass	2921
1000	3000	1	RMS	2865	-48.73	-13	35.73	Pass	2001
3000	10000	1	RMS	8903	-58.07	-13	45.07	Pass	7001



2. n66


2.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.69	-13	59.69	Pass	401
0.15	30	0.01	RMS	0.18	-71.22	-13	58.22	Pass	2986
30	1000	0.1	RMS	900.734	-63.84	-13	50.84	Pass	9701
1000	1700	1	RMS	1700	-43.85	-13	30.85	Pass	701
1700	1790	1	RMS	1711.025	15.16	60	44.84	Pass	401
1790	3000	1	RMS	2874	-48.74	-13	35.74	Pass	1211
3000	7000	1	RMS	6931	-61.13	-13	48.13	Pass	4001
7000	20000	1	RMS	19899	-47.88	-13	34.88	Pass	13002




2.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.93	-13	55.93	Pass	401
0.15	30	0.01	RMS	0.16	-71.45	-13	58.45	Pass	2986
30	1000	0.1	RMS	887.025	-63.68	-13	50.68	Pass	9701
1000	1700	1	RMS	1700	-52.29	-13	39.29	Pass	701
1700	1790	1	RMS	1710.125	21.3	60	38.7	Pass	401
1790	3000	1	RMS	2873	-48.7	-13	35.7	Pass	1211
3000	7000	1	RMS	6841	-60.52	-13	47.52	Pass	4001
7000	20000	1	RMS	18293	-47.86	-13	34.86	Pass	13002



2.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.5	-13	60.5	Pass	401
0.15	30	0.01	RMS	0.18	-71.18	-13	58.18	Pass	2986
30	1000	0.1	RMS	875.918	-63.8	-13	50.8	Pass	9701
1000	1700	1	RMS	1700	-52.5	-13	39.5	Pass	701
1700	1790	1	RMS	1714.625	21.29	60	38.71	Pass	401
1790	3000	1	RMS	2870	-48.73	-13	35.73	Pass	1211
3000	7000	1	RMS	6859	-60.82	-13	47.82	Pass	4001
7000	20000	1	RMS	19894	-47.91	-13	34.91	Pass	13002




2.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.81	-13	59.81	Pass	401
0.15	30	0.01	RMS	0.25	-71.18	-13	58.18	Pass	2986
30	1000	0.1	RMS	900.134	-63.75	-13	50.75	Pass	9701
1000	1700	1	RMS	1696	-52.68	-13	39.68	Pass	701
1700	1790	1	RMS	1746.125	15.02	60	44.98	Pass	401
1790	3000	1	RMS	2872	-48.75	-13	35.75	Pass	1211
3000	7000	1	RMS	6923	-61.11	-13	48.11	Pass	4001
7000	20000	1	RMS	18293	-47.89	-13	34.89	Pass	13002




2.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.55	-13	59.55	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-13	58.51	Pass	2986
30	1000	0.1	RMS	892.929	-63.84	-13	50.84	Pass	9701
1000	1700	1	RMS	1692	-52.71	-13	39.71	Pass	701
1700	1790	1	RMS	1742.75	21.05	60	38.95	Pass	401
1790	3000	1	RMS	2870	-48.73	-13	35.73	Pass	1211
3000	7000	1	RMS	6932	-61.11	-13	48.11	Pass	4001
7000	20000	1	RMS	19905	-47.89	-13	34.89	Pass	13002



2.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.04	-13	60.04	Pass	401
0.15	30	0.01	RMS	0.19	-71.42	-13	58.42	Pass	2986
30	1000	0.1	RMS	883.523	-63.76	-13	50.76	Pass	9701
1000	1700	1	RMS	1696	-52.68	-13	39.68	Pass	701
1700	1790	1	RMS	1747.025	21.15	60	38.85	Pass	401
1790	3000	1	RMS	2868	-48.68	-13	35.68	Pass	1211
3000	7000	1	RMS	6922	-61.12	-13	48.12	Pass	4001
7000	20000	1	RMS	19902	-47.86	-13	34.86	Pass	13002




2.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.24	-13	60.24	Pass	401
0.15	30	0.01	RMS	0.21	-71.45	-13	58.45	Pass	2986
30	1000	0.1	RMS	897.632	-63.8	-13	50.8	Pass	9701
1000	1700	1	RMS	1699	-52.64	-13	39.64	Pass	701
1700	1790	1	RMS	1776.275	14.92	60	45.08	Pass	401
1790	3000	1	RMS	1790	-44.68	-13	31.68	Pass	1211
3000	7000	1	RMS	6929	-61.12	-13	48.12	Pass	4001
7000	20000	1	RMS	19900	-47.84	-13	34.84	Pass	13002




2.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.02	-13	60.02	Pass	401
0.15	30	0.01	RMS	0.18	-70.49	-13	57.49	Pass	2986
30	1000	0.1	RMS	889.026	-63.72	-13	50.72	Pass	9701
1000	1700	1	RMS	1660	-52.73	-13	39.73	Pass	701
1700	1790	1	RMS	1775.15	21.04	60	38.96	Pass	401
1790	3000	1	RMS	2868	-48.74	-13	35.74	Pass	1211
3000	7000	1	RMS	3551	-61.03	-13	48.03	Pass	4001
7000	20000	1	RMS	19916	-47.81	-13	34.81	Pass	13002




2.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.26	-13	60.26	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-13	58.43	Pass	2986
30	1000	0.1	RMS	893.93	-63.76	-13	50.76	Pass	9701
1000	1700	1	RMS	1700	-52.66	-13	39.66	Pass	701
1700	1790	1	RMS	1779.425	20.88	60	39.12	Pass	401
1790	3000	1	RMS	2865	-48.77	-13	35.77	Pass	1211
3000	7000	1	RMS	6925	-61.07	-13	48.07	Pass	4001
7000	20000	1	RMS	19905	-47.9	-13	34.9	Pass	13002




2.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.74	-13	59.74	Pass	401
0.15	30	0.01	RMS	0.16	-71.14	-13	58.14	Pass	2986
30	1000	0.1	RMS	897.332	-63.72	-13	50.72	Pass	9701
1000	1700	1	RMS	1700	-34.92	-13	21.92	Pass	701
1700	1790	1	RMS	1711.7	9.86	60	50.14	Pass	401
1790	3000	1	RMS	2872	-48.72	-13	35.72	Pass	1211
3000	7000	1	RMS	6928	-61.13	-13	48.13	Pass	4001
7000	20000	1	RMS	19894	-47.85	-13	34.85	Pass	13002




2.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.74	-13	60.74	Pass	401
0.15	30	0.01	RMS	0.21	-71.31	-13	58.31	Pass	2986
30	1000	0.1	RMS	890.628	-63.66	-13	50.66	Pass	9701
1000	1700	1	RMS	1700	-51.8	-13	38.8	Pass	701
1700	1790	1	RMS	1710.35	21.46	60	38.54	Pass	401
1790	3000	1	RMS	2866	-48.73	-13	35.73	Pass	1211
3000	7000	1	RMS	6842	-60.53	-13	47.53	Pass	4001
7000	20000	1	RMS	19899	-47.85	-13	34.85	Pass	13002




2.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.06	-13	60.06	Pass	401
0.15	30	0.01	RMS	0.15	-70.42	-13	57.42	Pass	2986
30	1000	0.1	RMS	902.936	-63.81	-13	50.81	Pass	9701
1000	1700	1	RMS	1700	-52.46	-13	39.46	Pass	701
1700	1790	1	RMS	1729.25	21.34	60	38.66	Pass	401
1790	3000	1	RMS	2871	-48.74	-13	35.74	Pass	1211
3000	7000	1	RMS	6918	-60.36	-13	47.36	Pass	4001
7000	20000	1	RMS	19892	-47.87	-13	34.87	Pass	13002




2.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.68	-13	60.68	Pass	401
0.15	30	0.01	RMS	0.17	-70.87	-13	57.87	Pass	2986
30	1000	0.1	RMS	880.721	-63.8	-13	50.8	Pass	9701
1000	1700	1	RMS	1700	-45.38	-13	32.38	Pass	701
1700	1790	1	RMS	1749.95	9.05	60	50.95	Pass	401
1790	3000	1	RMS	1790	-46.48	-13	33.48	Pass	1211
3000	7000	1	RMS	6930	-61.06	-13	48.06	Pass	4001
7000	20000	1	RMS	19898	-47.79	-13	34.79	Pass	13002




2.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.07	-13	59.07	Pass	401
0.15	30	0.01	RMS	0.19	-71.05	-13	58.05	Pass	2986
30	1000	0.1	RMS	898.032	-63.66	-13	50.66	Pass	9701
1000	1700	1	RMS	1697	-52.29	-13	39.29	Pass	701
1700	1790	1	RMS	1735.325	21.36	60	38.64	Pass	401
1790	3000	1	RMS	2868	-48.75	-13	35.75	Pass	1211
3000	7000	1	RMS	6942	-60.38	-13	47.38	Pass	4001
7000	20000	1	RMS	18294	-47.88	-13	34.88	Pass	13002




2.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.01	-13	60.01	Pass	401
0.15	30	0.01	RMS	0.2	-71.38	-13	58.38	Pass	2986
30	1000	0.1	RMS	899.734	-63.86	-13	50.86	Pass	9701
1000	1700	1	RMS	1697	-52.68	-13	39.68	Pass	701
1700	1790	1	RMS	1754.225	21.21	60	38.79	Pass	401
1790	3000	1	RMS	2869	-48.71	-13	35.71	Pass	1211
3000	7000	1	RMS	6927	-61.11	-13	48.11	Pass	4001
7000	20000	1	RMS	19931	-47.87	-13	34.87	Pass	13002




2.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.02	-13	60.02	Pass	401
0.15	30	0.01	RMS	0.15	-71.35	-13	58.35	Pass	2986
30	1000	0.1	RMS	886.925	-63.77	-13	50.77	Pass	9701
1000	1700	1	RMS	1700	-51.73	-13	38.73	Pass	701
1700	1790	1	RMS	1776.725	8.99	60	51.01	Pass	401
1790	3000	1	RMS	1790	-35.67	-13	22.67	Pass	1211
3000	7000	1	RMS	6931	-61.08	-13	48.08	Pass	4001
7000	20000	1	RMS	19899	-47.82	-13	34.82	Pass	13002




2.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.25	-13	60.25	Pass	401
0.15	30	0.01	RMS	0.17	-71.6	-13	58.6	Pass	2986
30	1000	0.1	RMS	897.932	-63.82	-13	50.82	Pass	9701
1000	1700	1	RMS	1690	-52.73	-13	39.73	Pass	701
1700	1790	1	RMS	1760.525	21.1	60	38.9	Pass	401
1790	3000	1	RMS	2863	-48.72	-13	35.72	Pass	1211
3000	7000	1	RMS	3521	-61.03	-13	48.03	Pass	4001
7000	20000	1	RMS	18281	-47.87	-13	34.87	Pass	13002




2.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.17	-71.13	-13	58.13	Pass	2986
30	1000	0.1	RMS	881.922	-63.78	-13	50.78	Pass	9701
1000	1700	1	RMS	1700	-52.63	-13	39.63	Pass	701
1700	1790	1	RMS	1779.425	21.08	60	38.92	Pass	401
1790	3000	1	RMS	2876	-48.76	-13	35.76	Pass	1211
3000	7000	1	RMS	3559	-61	-13	48	Pass	4001
7000	20000	1	RMS	19906	-47.86	-13	34.86	Pass	13002




2.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.17	-13	60.17	Pass	401
0.15	30	0.01	RMS	0.23	-72.18	-13	59.18	Pass	2986
30	1000	0.1	RMS	895.531	-63.79	-13	50.79	Pass	9701
1000	1700	1	RMS	1700	-36.94	-13	23.94	Pass	701
1700	1790	1	RMS	1711.925	6.66	60	53.34	Pass	401
1790	3000	1	RMS	1790	-40.52	-13	27.52	Pass	1211
3000	7000	1	RMS	6934	-61.08	-13	48.08	Pass	4001
7000	20000	1	RMS	19905	-47.86	-13	34.86	Pass	13002




2.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.01	-13	60.01	Pass	401
0.15	30	0.01	RMS	0.18	-71.14	-13	58.14	Pass	2986
30	1000	0.1	RMS	911.341	-63.72	-13	50.72	Pass	9701
1000	1700	1	RMS	1700	-51.44	-13	38.44	Pass	701
1700	1790	1	RMS	1710.575	21.41	60	38.59	Pass	401
1790	3000	1	RMS	2869	-48.73	-13	35.73	Pass	1211
3000	7000	1	RMS	6843	-60.81	-13	47.81	Pass	4001
7000	20000	1	RMS	19906	-47.89	-13	34.89	Pass	13002




2.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.52	-13	60.52	Pass	401
0.15	30	0.01	RMS	0.16	-70.89	-13	57.89	Pass	2986
30	1000	0.1	RMS	900.034	-63.8	-13	50.8	Pass	9701
1000	1700	1	RMS	1700	-52.39	-13	39.39	Pass	701
1700	1790	1	RMS	1749.275	21.23	60	38.77	Pass	401
1790	3000	1	RMS	2869	-48.69	-13	35.69	Pass	1211
3000	7000	1	RMS	6935	-61.13	-13	48.13	Pass	4001
7000	20000	1	RMS	19904	-47.82	-13	34.82	Pass	13002




2.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.73	-13	59.73	Pass	401
0.15	30	0.01	RMS	0.22	-71.22	-13	58.22	Pass	2986
30	1000	0.1	RMS	859.007	-63.78	-13	50.78	Pass	9701
1000	1700	1	RMS	1700	-37.59	-13	24.59	Pass	701
1700	1790	1	RMS	1748.375	6.17	60	53.83	Pass	401
1790	3000	1	RMS	1790	-38.63	-13	25.63	Pass	1211
3000	7000	1	RMS	6933	-61.12	-13	48.12	Pass	4001
7000	20000	1	RMS	19950	-47.87	-13	34.87	Pass	13002




2.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.24	-13	60.24	Pass	401
0.15	30	0.01	RMS	0.18	-71.66	-13	58.66	Pass	2986
30	1000	0.1	RMS	884.123	-63.62	-13	50.62	Pass	9701
1000	1700	1	RMS	1700	-52.2	-13	39.2	Pass	701
1700	1790	1	RMS	1725.65	21.33	60	38.67	Pass	401
1790	3000	1	RMS	2869	-48.73	-13	35.73	Pass	1211
3000	7000	1	RMS	6903	-60.68	-13	47.68	Pass	4001
7000	20000	1	RMS	19908	-47.83	-13	34.83	Pass	13002




2.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.26	-13	59.26	Pass	401
0.15	30	0.01	RMS	0.16	-71.42	-13	58.42	Pass	2986
30	1000	0.1	RMS	904.136	-63.81	-13	50.81	Pass	9701
1000	1700	1	RMS	1699	-52.65	-13	39.65	Pass	701
1700	1790	1	RMS	1764.35	21.2	60	38.8	Pass	401
1790	3000	1	RMS	2874	-48.66	-13	35.66	Pass	1211
3000	7000	1	RMS	6930	-61.11	-13	48.11	Pass	4001
7000	20000	1	RMS	19901	-47.86	-13	34.86	Pass	13002




2.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.67	-13	59.67	Pass	401
0.15	30	0.01	RMS	0.23	-71.46	-13	58.46	Pass	2986
30	1000	0.1	RMS	988.993	-63.83	-13	50.83	Pass	9701
1000	1700	1	RMS	1700	-41.6	-13	28.6	Pass	701
1700	1790	1	RMS	1746.575	6.37	60	53.63	Pass	401
1790	3000	1	RMS	1790	-37.29	-13	24.29	Pass	1211
3000	7000	1	RMS	6926	-61.11	-13	48.11	Pass	4001
7000	20000	1	RMS	19903	-47.83	-13	34.83	Pass	13002




2.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.84	-13	59.84	Pass	401
0.15	30	0.01	RMS	0.19	-71.51	-13	58.51	Pass	2986
30	1000	0.1	RMS	893.029	-63.86	-13	50.86	Pass	9701
1000	1700	1	RMS	1700	-52.62	-13	39.62	Pass	701
1700	1790	1	RMS	1740.5	21.31	60	38.69	Pass	401
1790	3000	1	RMS	2869	-48.77	-13	35.77	Pass	1211
3000	7000	1	RMS	6930	-61.1	-13	48.1	Pass	4001
7000	20000	1	RMS	19904	-47.83	-13	34.83	Pass	13002



2.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.04	-13	60.04	Pass	401
0.15	30	0.01	RMS	0.15	-71.11	-13	58.11	Pass	2986
30	1000	0.1	RMS	895.831	-63.74	-13	50.74	Pass	9701
1000	1700	1	RMS	1694	-52.63	-13	39.63	Pass	701
1700	1790	1	RMS	1779.2	21.27	60	38.73	Pass	401
1790	3000	1	RMS	2880	-48.71	-13	35.71	Pass	1211
3000	7000	1	RMS	6933	-61.15	-13	48.15	Pass	4001
7000	20000	1	RMS	19924	-47.88	-13	34.88	Pass	13002



--BLANK BELOW--