


1.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	18.27	30	11.73	Pass	401
849	850	0.02	RMS	849	-22.15	-13	9.15	Pass	401
850	859	0.1	RMS	850.81	-50.11	-13	37.11	Pass	401




1.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	844.475	4.76	30	25.24	Pass	401
849	850	0.051	RMS	849	-28.51	-13	15.51	Pass	401
850	859	0.1	RMS	850	-33.43	-13	20.43	Pass	401




1.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	823	-50.43	-13	37.43	Pass	401
823	824	0.02	RMS	824	-26.87	-13	13.87	Pass	401
824	839	0.1	RMS	824.45	18.37	30	11.63	Pass	401




1.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	822.953	-41.62	-13	28.62	Pass	401
823	824	0.15	RMS	824	-30.53	-13	17.53	Pass	401
824	839	0.1	RMS	835.888	0.25	30	29.75	Pass	401




1.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.513	18.27	30	11.73	Pass	401
849	850	0.02	RMS	849	-27.76	-13	14.76	Pass	401
850	869	0.1	RMS	850.095	-51.8	-13	38.8	Pass	401




1.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	836.85	0.41	30	29.59	Pass	401
849	850	0.15	RMS	849.003	-34.19	-13	21.19	Pass	401
850	869	0.1	RMS	850.665	-39.27	-13	26.27	Pass	401




1.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	823	-49.86	-13	36.86	Pass	401
823	824	0.02	RMS	824	-29.63	-13	16.63	Pass	401
824	844	0.1	RMS	824.55	18.47	30	11.53	Pass	401




1.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	822.76	-41.13	-13	28.13	Pass	401
823	824	0.2	RMS	823.998	-32.2	-13	19.2	Pass	401
824	844	0.1	RMS	835.55	-0.78	30	30.78	Pass	401




1.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	18.34	30	11.66	Pass	401
849	850	0.02	RMS	849	-31.21	-13	18.21	Pass	401
850	874	0.1	RMS	850	-51.76	-13	38.76	Pass	401



1.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	835.55	-0.82	30	30.82	Pass	401
849	850	0.2	RMS	849	-34.84	-13	21.84	Pass	401
850	874	0.1	RMS	850.06	-42.88	-13	29.88	Pass	401



5. n38_PC3


5.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2560	1	RMS	2556.788	-46.33	-25	21.33	Pass	401
2560	2565	1	RMS	2562.613	-45.32	-13	32.32	Pass	401
2565	2569	1	RMS	2569	-23.4	-10	13.4	Pass	401
2569	2570	0.051	RMS	2569.998	-23.52	-10	13.52	Pass	401
2570	2580	1	RMS	2570.825	20.93	30	9.07	Pass	401




5.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2560	1	RMS	2559.975	-39.74	-25	14.74	Pass	401
2560	2565	1	RMS	2565	-32.74	-13	19.74	Pass	401
2565	2569	1	RMS	2569	-26.5	-10	16.5	Pass	401
2569	2570	0.2	RMS	2569.995	-25.22	-10	15.22	Pass	401
2570	2580	1	RMS	2571.675	12.03	30	17.97	Pass	401




5.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	1	RMS	2619.15	20.67	30	9.33	Pass	401
2620	2621	0.051	RMS	2620	-25.25	-10	15.25	Pass	401
2621	2625	1	RMS	2621	-25.42	-10	15.42	Pass	401
2625	2630	1	RMS	2627.325	-44.44	-13	31.44	Pass	401
2630	2635	1	RMS	2632.413	-46.18	-25	21.18	Pass	401




5.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	1	RMS	2618.175	11.91	30	18.09	Pass	401
2620	2621	0.2	RMS	2620	-27.02	-10	17.02	Pass	401
2621	2625	1	RMS	2621	-27.38	-10	17.38	Pass	401
2625	2630	1	RMS	2625	-33.11	-13	20.11	Pass	401
2630	2635	1	RMS	2630.013	-40.23	-25	15.23	Pass	401




5.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.788	-46.61	-25	21.61	Pass	401
2550	2565	1	RMS	2562	-45.04	-13	32.04	Pass	401
2565	2569	1	RMS	2569	-26.89	-10	16.89	Pass	401
2569	2570	0.051	RMS	2569.998	-25.34	-10	15.34	Pass	401
2570	2590	1	RMS	2570.95	20.91	30	9.09	Pass	401




5.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.888	-42.08	-25	17.08	Pass	401
2550	2565	1	RMS	2564.963	-33.28	-13	20.28	Pass	401
2565	2569	1	RMS	2569	-30.54	-10	20.54	Pass	401
2569	2570	0.39	RMS	2570	-27.5	-10	17.5	Pass	401
2570	2590	1	RMS	2572	8.61	30	21.39	Pass	401




5.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	1	RMS	2618.95	20.93	30	9.07	Pass	401
2620	2621	0.051	RMS	2620	-26.29	-10	16.29	Pass	401
2621	2625	1	RMS	2621	-27.61	-10	17.61	Pass	401
2625	2640	1	RMS	2637.075	-45.56	-13	32.56	Pass	401
2640	2645	1	RMS	2644.425	-46.12	-25	21.12	Pass	401




5.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	1	RMS	2616.35	8.71	30	21.29	Pass	401
2620	2621	0.39	RMS	2620.005	-29.07	-10	19.07	Pass	401
2621	2625	1	RMS	2621	-30.92	-10	20.92	Pass	401
2625	2640	1	RMS	2625.113	-33	-13	20	Pass	401
2640	2645	1	RMS	2640.125	-41.4	-25	16.4	Pass	401




5.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2530	1	RMS	2526.113	-46.3	-25	21.3	Pass	401
2530	2565	1	RMS	2552.225	-45.69	-13	32.69	Pass	401
2565	2569	1	RMS	2569	-30.76	-10	20.76	Pass	401
2569	2570	0.051	RMS	2569.99	-29.04	-10	19.04	Pass	401
2570	2610	1	RMS	2571.1	20.8	30	9.2	Pass	401




5.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2530	1	RMS	2529.913	-42.98	-25	17.98	Pass	401
2530	2565	1	RMS	2565	-35	-13	22	Pass	401
2565	2569	1	RMS	2569	-32.7	-10	22.7	Pass	401
2569	2570	0.82	RMS	2570	-19.21	-10	9.21	Pass	401
2570	2610	1	RMS	2572.3	5.33	30	24.67	Pass	401




5.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2580	2620	1	RMS	2618.9	20.8	30	9.2	Pass	401
2620	2621	0.051	RMS	2620.005	-29.89	-10	19.89	Pass	401
2621	2625	1	RMS	2621	-31.29	-10	21.29	Pass	401
2625	2660	1	RMS	2638.475	-45.72	-13	32.72	Pass	401
2660	2665	1	RMS	2662.388	-46.02	-25	21.02	Pass	401



5.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2580	2620	1	RMS	2614.6	5.29	30	24.71	Pass	401
2620	2621	0.82	RMS	2620	-20.9	-10	10.9	Pass	401
2621	2625	1	RMS	2621.01	-33.37	-10	23.37	Pass	401
2625	2660	1	RMS	2625	-35.44	-13	22.44	Pass	401
2660	2665	1	RMS	2660.113	-43.52	-25	18.52	Pass	401



6. n41


6.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2481	2490.5	1	RMS	2488.553	-47.25	-25	22.25	Pass	401
2490.5	2495	1	RMS	2495	-24.91	-13	11.91	Pass	401
2495	2496	0.051	RMS	2495.998	-25.39	-13	12.39	Pass	401
2496	2506	1	RMS	2496.85	20.36	40	19.64	Pass	401




6.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2481	2490	1	RMS	2489.978	-36.54	-25	11.54	Pass	401
2490.5	2495	1	RMS	2495	-28.13	-13	15.13	Pass	401
2495	2496	0.2	RMS	2496	-26.32	-13	13.32	Pass	401
2496	2506	1	RMS	2504.275	11.57	40	28.43	Pass	401




6.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	1	RMS	2689.125	20.69	40	19.31	Pass	401
2690	2691	0.051	RMS	2690	-24.14	-10	14.14	Pass	401
2691	2695	1	RMS	2691	-24.37	-10	14.37	Pass	401
2695	2700	1	RMS	2697.375	-46.09	-13	33.09	Pass	401
2700	2705	1	RMS	2701.138	-49.93	-25	24.93	Pass	401




6.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	1	RMS	2681.85	11.81	40	28.19	Pass	401
2690	2691	0.2	RMS	2690.005	-27.01	-10	17.01	Pass	401
2691	2695	1	RMS	2691	-27.63	-10	17.63	Pass	401
2695	2700	1	RMS	2695	-32.87	-13	19.87	Pass	401
2700	2705	1	RMS	2700.038	-39.27	-25	14.27	Pass	401




6.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2441	2490.5	1	RMS	2486.911	-49.75	-25	24.75	Pass	401
2490.5	2495	1	RMS	2495	-34.96	-13	21.96	Pass	401
2495	2496	0.051	RMS	2495.998	-35.14	-13	22.14	Pass	401
2496	2546	1	RMS	2497.25	20.4	40	19.6	Pass	401




6.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2441	2490	1	RMS	2489.878	-36.63	-25	11.63	Pass	401
2490.5	2495	1	RMS	2494.989	-34.73	-13	21.73	Pass	401
2495	2496	1	RMS	2496	-19.29	-13	6.29	Pass	401
2496	2546	1	RMS	2500.25	4.18	40	35.82	Pass	401




6.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2640	2690	1	RMS	2688.75	20.69	40	19.31	Pass	401
2690	2691	0.051	RMS	2690	-35.12	-10	25.12	Pass	401
2691	2695	1	RMS	2691	-34.29	-10	24.29	Pass	401
2695	2740	1	RMS	2695	-49.48	-13	36.48	Pass	401
2740	2745	1	RMS	2743.763	-49.9	-25	24.9	Pass	401




6.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2640	2690	1	RMS	2643.75	5.6	40	34.4	Pass	401
2690	2691	1	RMS	2690	-20.47	-10	10.47	Pass	401
2691	2695	1	RMS	2691.03	-36.17	-10	26.17	Pass	401
2695	2740	1	RMS	2695	-37.3	-13	24.3	Pass	401
2740	2745	1	RMS	2740.775	-49.53	-25	24.53	Pass	401




6.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2391	2490.5	1	RMS	2490.251	-49.69	-25	24.69	Pass	401
2490.5	2495	1	RMS	2495	-29.37	-13	16.37	Pass	401
2495	2496	0.051	RMS	2495.998	-28.16	-13	15.16	Pass	401
2496	2596	1	RMS	2497	20.13	40	19.87	Pass	401




6.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2391	2490	1	RMS	2489.753	-37.7	-25	12.7	Pass	401
2490.5	2495	1	RMS	2495	-35.73	-13	22.73	Pass	401
2495	2495.5	1	RMS	2495.5	-31.4	-13	18.4	Pass	401
2496	2596	1	RMS	2593.75	1.67	40	38.33	Pass	401




6.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2690	1	RMS	2689	20.48	40	19.52	Pass	401
2690	2691	0.051	RMS	2690	-29.07	-10	19.07	Pass	401
2691	2695	1	RMS	2691	-30.36	-10	20.36	Pass	401
2695	2790	1	RMS	2695.475	-49.27	-13	36.27	Pass	401
2790	2795	1	RMS	2793.725	-49.92	-25	24.92	Pass	401



6.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2690	1	RMS	2605.5	2.44	40	37.56	Pass	401
2690.5	2691	1	RMS	2690.503	-33.83	-10	23.83	Pass	401
2691	2695	1	RMS	2691.02	-38.15	-10	28.15	Pass	401
2695	2790	1	RMS	2695	-38.88	-13	25.88	Pass	401
2790	2795	1	RMS	2790.138	-49.8	-25	24.8	Pass	401



1. n77(3700-3980)


1.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3695	1	RMS	3694.85	-42.96	-13	29.96	Pass	401
3695	3699	0.62	RMS	3698.97	-35.64	-13	22.64	Pass	401
3699	3700	0.051	RMS	3699.993	-25.24	-13	12.24	Pass	401
3700	3710	1	RMS	3700.825	19.67	40	20.33	Pass	401




1.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3695	1	RMS	3694.975	-34.16	-13	21.16	Pass	401
3695	3699	0.62	RMS	3699	-30.6	-13	17.6	Pass	401
3699	3700	0.39	RMS	3700	-23.61	-13	10.61	Pass	401
3700	3710	1	RMS	3701.975	11.42	40	28.58	Pass	401




1.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3970	3980	1	RMS	3979.1	20.45	40	19.55	Pass	401
3980	3981	0.051	RMS	3980.005	-25.72	-13	12.72	Pass	401
3981	3985	0.62	RMS	3981	-35.84	-13	22.84	Pass	401
3985	3995	1	RMS	3987.4	-42.29	-13	29.29	Pass	401




1.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3970	3980	1	RMS	3972.025	12.17	40	27.83	Pass	401
3980	3981	0.39	RMS	3980.003	-21.01	-13	8.01	Pass	401
3981	3985	0.62	RMS	3981	-22.89	-13	9.89	Pass	401
3985	3995	1	RMS	3985.075	-27.16	-13	14.16	Pass	401




1.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3688.25	-43.16	-13	30.16	Pass	401
3695	3699	0.62	RMS	3698.99	-39.31	-13	26.31	Pass	401
3699	3700	0.39	RMS	3700	-23.72	-13	10.72	Pass	401
3700	3750	1	RMS	3701.25	19.48	40	20.52	Pass	401




1.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3694.875	-36.04	-13	23.04	Pass	401
3695	3699	0.62	RMS	3698.93	-36.29	-13	23.29	Pass	401
3699	3700	0.39	RMS	3699.99	-34.75	-13	21.75	Pass	401
3700	3750	1	RMS	3738	4.07	40	35.93	Pass	401




1.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3930	3980	1	RMS	3978.75	20.31	40	19.69	Pass	401
3980	3981	0.39	RMS	3980.003	-24.9	-13	11.9	Pass	401
3981	3985	0.62	RMS	3981	-38.83	-13	25.83	Pass	401
3985	4035	1	RMS	3985	-42.43	-13	29.43	Pass	401




1.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3930	3980	1	RMS	3944.75	4.94	40	35.06	Pass	401
3980	3981	0.39	RMS	3980.05	-29.81	-13	16.81	Pass	401
3981	3985	0.62	RMS	3981.02	-28.5	-13	15.5	Pass	401
3985	4035	1	RMS	3985	-27.83	-13	14.83	Pass	401




1.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3686.25	-43.05	-13	30.05	Pass	401
3695	3699	0.62	RMS	3698.99	-38.02	-13	25.02	Pass	401
3699	3700	0.051	RMS	3699.99	-30.07	-13	17.07	Pass	401
3700	3800	1	RMS	3701	19.22	40	20.78	Pass	401




1.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3693	-37.72	-13	24.72	Pass	401
3695	3699	0.62	RMS	3698.97	-38.95	-13	25.95	Pass	401
3699	3700	0.39	RMS	3699.998	-35.11	-13	22.11	Pass	401
3700	3800	1	RMS	3773.5	1.15	40	38.85	Pass	401




1.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3880	3980	1	RMS	3979	20.09	40	19.91	Pass	401
3980	3981	0.051	RMS	3980.005	-29.47	-13	16.47	Pass	401
3981	3985	0.62	RMS	3981	-36.74	-13	23.74	Pass	401
3985	4085	1	RMS	3985.25	-42.81	-13	29.81	Pass	401



1.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3880	3980	1	RMS	3888	1.72	40	38.28	Pass	401
3980	3981	0.39	RMS	3980.01	-33.66	-13	20.66	Pass	401
3981	3985	0.62	RMS	3981.32	-34.17	-13	21.17	Pass	401
3985	4085	1	RMS	3996.5	-32.39	-13	19.39	Pass	401



2. n77(3450-3550)


2.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3435	3445	1	RMS	3444.35	-40.84	-13	27.84	Pass	401
3445	3449	0.62	RMS	3449	-35.34	-13	22.34	Pass	401
3449	3450	0.2	RMS	3449.995	-16.93	-13	3.93	Pass	401
3450	3460	1	RMS	3450.85	21.44	40	18.56	Pass	401




2.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3435	3445	1	RMS	3445	-32.86	-13	19.86	Pass	401
3445	3449	0.62	RMS	3449	-30.03	-13	17.03	Pass	401
3449	3450	0.2	RMS	3449.998	-25.45	-13	12.45	Pass	401
3450	3460	1	RMS	3458.25	13.46	40	26.54	Pass	401




2.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	1	RMS	3549.075	20.78	40	19.22	Pass	401
3550	3551	0.2	RMS	3550.003	-19.74	-13	6.74	Pass	401
3551	3555	0.62	RMS	3551	-36.16	-13	23.16	Pass	401
3555	3565	1	RMS	3555.2	-42.07	-13	29.07	Pass	401




2.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	1	RMS	3541.85	12.44	40	27.56	Pass	401
3550	3551	0.2	RMS	3550	-27.11	-13	14.11	Pass	401
3551	3555	0.62	RMS	3551	-30.44	-13	17.44	Pass	401
3555	3565	1	RMS	3555	-33.75	-13	20.75	Pass	401




2.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3401	-40.95	-13	27.95	Pass	401
3445	3449	0.62	RMS	3448.98	-37.87	-13	24.87	Pass	401
3449	3450	0.2	RMS	3449.995	-27.02	-13	14.02	Pass	401
3450	3500	1	RMS	3451.25	21.41	40	18.59	Pass	401




2.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3444.875	-34.63	-13	21.63	Pass	401
3445	3449	0.62	RMS	3447.31	-35.7	-13	22.7	Pass	401
3449	3450	0.2	RMS	3449.995	-36.73	-13	23.73	Pass	401
3450	3500	1	RMS	3481.5	5.62	40	34.38	Pass	401




2.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3548.75	20.65	40	19.35	Pass	401
3550	3551	0.2	RMS	3550	-30.61	-13	17.61	Pass	401
3551	3555	0.62	RMS	3551.01	-39.21	-13	26.21	Pass	401
3555	3605	1	RMS	3555.375	-42.38	-13	29.38	Pass	401



2.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3537	4.88	40	35.12	Pass	401
3550	3551	0.2	RMS	3550.003	-36.73	-13	23.73	Pass	401
3551	3555	0.62	RMS	3551.22	-34.66	-13	21.66	Pass	401
3555	3605	1	RMS	3555.125	-35.09	-13	22.09	Pass	401



--BLANK BELOW--


2.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-44.36	-13	31.36	Pass	401
3445	3449	0.62	RMS	3448.98	-37.23	-13	24.23	Pass	401
3449	3450	0.051	RMS	3449.998	-28.38	-13	15.38	Pass	401
3450	3550	1	RMS	3451	20.35	40	19.65	Pass	401




2.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3444.75	-37.16	-13	24.16	Pass	401
3445	3449	0.62	RMS	3448.67	-38.53	-13	25.53	Pass	401
3449	3450	0.2	RMS	3450	-38.53	-13	25.53	Pass	401
3450	3550	1	RMS	3540.25	2.53	40	37.47	Pass	401




2.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3549	21.02	40	18.98	Pass	401
3550	3551	0.2	RMS	3550	-22.48	-13	9.48	Pass	401
3551	3555	0.62	RMS	3551	-37.43	-13	24.43	Pass	401
3555	3655	1	RMS	3555	-44.19	-13	31.19	Pass	401



2.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3540.25	2.57	40	37.43	Pass	401
3550	3551	0.2	RMS	3550	-37.47	-13	24.47	Pass	401
3551	3555	0.62	RMS	3551.26	-37.46	-13	24.46	Pass	401
3555	3655	1	RMS	3555.5	-36.42	-13	23.42	Pass	401



1. n78(3450-3550)


1.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3435	3445	1	RMS	3444.5	-40.79	-13	27.79	Pass	401
3445	3449	0.62	RMS	3448.98	-35.22	-13	22.22	Pass	401
3449	3450	0.2	RMS	3450	-17.59	-13	4.59	Pass	401
3450	3460	1	RMS	3450.875	21.8	40	18.2	Pass	401




1.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3435	3445	1	RMS	3444.95	-33.1	-13	20.1	Pass	401
3445	3449	0.62	RMS	3449	-29.6	-13	16.6	Pass	401
3449	3450	0.2	RMS	3449.995	-23.88	-13	10.88	Pass	401
3450	3460	1	RMS	3458.25	13.75	40	26.25	Pass	401




1.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	1	RMS	3549.125	20.8	40	19.2	Pass	401
3550	3551	0.2	RMS	3550.005	-19.11	-13	6.11	Pass	401
3551	3555	0.62	RMS	3551	-36.11	-13	23.11	Pass	401
3555	3565	1	RMS	3555.525	-41.98	-13	28.98	Pass	401




1.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	1	RMS	3541.7	12.58	40	27.42	Pass	401
3550	3551	0.2	RMS	3550	-27.17	-13	14.17	Pass	401
3551	3555	0.62	RMS	3551	-31.44	-13	18.44	Pass	401
3555	3565	1	RMS	3555.05	-34.6	-13	21.6	Pass	401




1.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3431.625	-41.1	-13	28.1	Pass	401
3445	3449	0.62	RMS	3449	-37.77	-13	24.77	Pass	401
3449	3450	0.2	RMS	3449.995	-27.48	-13	14.48	Pass	401
3450	3500	1	RMS	3451.25	21.54	40	18.46	Pass	401




1.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3445	-34.25	-13	21.25	Pass	401
3445	3449	0.62	RMS	3448.99	-35.04	-13	22.04	Pass	401
3449	3450	0.2	RMS	3449.993	-37.24	-13	24.24	Pass	401
3450	3500	1	RMS	3459.625	5.86	40	34.14	Pass	401




1.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3548.75	20.62	40	19.38	Pass	401
3550	3551	0.2	RMS	3550	-28.13	-13	15.13	Pass	401
3551	3555	0.62	RMS	3551.01	-38.45	-13	25.45	Pass	401
3555	3605	1	RMS	3556	-42.5	-13	29.5	Pass	401




1.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3544.25	5.1	40	34.9	Pass	401
3550	3551	0.2	RMS	3550	-37.52	-13	24.52	Pass	401
3551	3555	0.62	RMS	3551.03	-35.97	-13	22.97	Pass	401
3555	3605	1	RMS	3555	-35.3	-13	22.3	Pass	401




1.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3441.25	-40.99	-13	27.99	Pass	401
3445	3449	0.62	RMS	3449	-36.29	-13	23.29	Pass	401
3449	3450	0.051	RMS	3450	-27.23	-13	14.23	Pass	401
3450	3550	1	RMS	3451	21.29	40	18.71	Pass	401




1.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3427.25	-35.47	-13	22.47	Pass	401
3445	3449	0.62	RMS	3445.03	-37.55	-13	24.55	Pass	401
3449	3450	0.2	RMS	3449.998	-37.87	-13	24.87	Pass	401
3450	3550	1	RMS	3463.75	2.34	40	37.66	Pass	401




1.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3549	20.39	40	19.61	Pass	401
3550	3551	0.2	RMS	3550.003	-23.16	-13	10.16	Pass	401
3551	3555	0.62	RMS	3551.07	-37.52	-13	24.52	Pass	401
3555	3655	1	RMS	3557.5	-42.44	-13	29.44	Pass	401



1.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3483	2.23	40	37.77	Pass	401
3550	3551	0.2	RMS	3550.003	-38.34	-13	25.34	Pass	401
3551	3555	0.62	RMS	3551.55	-38	-13	25	Pass	401
3555	3655	1	RMS	3555	-36.42	-13	23.42	Pass	401



3. n78(3700-3800)


3.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3695	1	RMS	3694.925	-43.07	-13	30.07	Pass	401
3695	3699	0.62	RMS	3698.99	-37.92	-13	24.92	Pass	401
3699	3700	0.4	RMS	3700	-19.2	-13	6.2	Pass	4
3700	3710	1	RMS	3700.85	19.25	40	20.75	Pass	401




3.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3695	1	RMS	3695	-34.6	-13	21.6	Pass	401
3695	3699	0.62	RMS	3698.98	-31.3	-13	18.3	Pass	401
3699	3700	0.39	RMS	3700	-23.78	-13	10.78	Pass	401
3700	3710	1	RMS	3708.075	11.06	40	28.94	Pass	401




3.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3790	3800	1	RMS	3799.15	19.56	40	20.44	Pass	401
3800	3801	0.4	RMS	3800	-18.31	-13	5.31	Pass	4
3801	3805	0.62	RMS	3801	-36.77	-13	23.77	Pass	401
3805	3815	1	RMS	3805.075	-42.34	-13	29.34	Pass	401




3.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3790	3800	1	RMS	3798.3	11.36	40	28.64	Pass	401
3800	3801	0.39	RMS	3800.003	-23.98	-13	10.98	Pass	401
3801	3805	0.62	RMS	3801	-29.29	-13	16.29	Pass	401
3805	3815	1	RMS	3805	-32.34	-13	19.34	Pass	401




3.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3694.125	-43.33	-13	30.33	Pass	401
3695	3699	0.62	RMS	3699	-39.76	-13	26.76	Pass	401
3699	3700	0.39	RMS	3699.998	-25.23	-13	12.23	Pass	401
3700	3750	1	RMS	3701.25	19.16	40	20.84	Pass	401




3.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3694.875	-36.34	-13	23.34	Pass	401
3695	3699	0.62	RMS	3698.93	-36.54	-13	23.54	Pass	401
3699	3700	0.39	RMS	3700	-35.46	-13	22.46	Pass	401
3700	3750	1	RMS	3746	3.9	40	36.1	Pass	401




3.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3750	3800	1	RMS	3798.75	19.3	40	20.7	Pass	401
3800	3801	0.39	RMS	3800.008	-25.22	-13	12.22	Pass	401
3801	3805	0.62	RMS	3801.01	-39.16	-13	26.16	Pass	401
3805	3855	1	RMS	3822.5	-42.42	-13	29.42	Pass	401




3.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3750	3800	1	RMS	3776.625	4.05	40	35.95	Pass	401
3800	3801	0.39	RMS	3800.003	-34.35	-13	21.35	Pass	401
3801	3805	0.62	RMS	3801.09	-34.15	-13	21.15	Pass	401
3805	3855	1	RMS	3805	-33.78	-13	20.78	Pass	401




3.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3692.75	-43.17	-13	30.17	Pass	401
3695	3699	0.62	RMS	3699	-38.38	-13	25.38	Pass	401
3699	3700	0.051	RMS	3700	-30.94	-13	17.94	Pass	401
3700	3800	1	RMS	3701	18.84	40	21.16	Pass	401




3.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-38.32	-13	25.32	Pass	401
3695	3699	0.62	RMS	3698.64	-39.16	-13	26.16	Pass	401
3699	3700	0.39	RMS	3699.998	-36.45	-13	23.45	Pass	401
3700	3800	1	RMS	3778.75	0.98	40	39.02	Pass	401




3.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3700	3800	1	RMS	3799	19.27	40	20.73	Pass	401
3800	3801	0.051	RMS	3800.008	-30.44	-13	17.44	Pass	401
3801	3805	0.62	RMS	3801.01	-38.35	-13	25.35	Pass	401
3805	3905	1	RMS	3810	-42.78	-13	29.78	Pass	401



3.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3700	3800	1	RMS	3777.25	0.93	40	39.07	Pass	401
3800	3801	0.39	RMS	3800.015	-35.55	-13	22.55	Pass	401
3801	3805	0.62	RMS	3801.07	-37.33	-13	24.33	Pass	401
3805	3905	1	RMS	3814.75	-35.69	-13	22.69	Pass	401



1. LTE_Band4


1.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-42.56	-13	Pass	401
1708	1709	1	RMS	1709	-34.91	-13	Pass	2
1709	1710	0.02	RMS	1710	-17.22	-13	Pass	401
1710	1712	0.1	RMS	1710.255	22.47	30	Pass	401



1.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-28.3	-13	Pass	401
1708	1709	1	RMS	1709	-21.84	-13	Pass	2
1709	1710	0.02	RMS	1709.995	-22.78	-13	Pass	401
1710	1712	0.1	RMS	1711.12	13.91	30	Pass	401




1.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-43.61	-13	Pass	401
1708	1709	1	RMS	1709	-36.03	-13	Pass	2
1709	1710	0.02	RMS	1709.998	-17.36	-13	Pass	401
1710	1712	0.1	RMS	1710.245	21.34	30	Pass	401




1.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-30.41	-13	Pass	401
1708	1709	1	RMS	1709	-23.47	-13	Pass	2
1709	1710	0.02	RMS	1709.998	-22.73	-13	Pass	401
1710	1712	0.1	RMS	1710.32	12.95	30	Pass	401




1.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.76	22.38	30	Pass	401
1755	1756	0.002	RMS	1755.004	-25.09	-13	Pass	501
1756	1757	1	RMS	1756	-34.97	-13	Pass	2
1757	1765	1	RMS	1757	-43.49	-13	Pass	401




1.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1753.865	13.85	30	Pass	401
1755	1756	0.02	RMS	1755	-23.06	-13	Pass	401
1756	1757	1	RMS	1756	-22.9	-13	Pass	2
1757	1765	1	RMS	1757.02	-29.65	-13	Pass	401




1.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.74	21.39	30	Pass	401
1755	1756	0.02	RMS	1755	-17.78	-13	Pass	401
1756	1757	1	RMS	1756	-36.08	-13	Pass	2
1757	1765	1	RMS	1757	-44.35	-13	Pass	401




1.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.305	12.96	30	Pass	401
1755	1756	0.02	RMS	1755	-24.01	-13	Pass	401
1756	1757	1	RMS	1756	-24.88	-13	Pass	2
1757	1765	1	RMS	1757	-31.74	-13	Pass	401




1.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1705.48	-42.25	-13	Pass	401
1708	1709	1	RMS	1709	-34.88	-13	Pass	2
1709	1710	0.03	RMS	1710	-19.02	-13	Pass	401
1710	1713	0.1	RMS	1710.24	22.25	30	Pass	401




1.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.94	-26.53	-13	Pass	401
1708	1709	1	RMS	1709	-23.71	-13	Pass	2
1709	1710	0.03	RMS	1710	-22.49	-13	Pass	401
1710	1713	0.1	RMS	1712.595	10.05	30	Pass	401




**1.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:19965,
Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-41.87	-13	Pass	401
1708	1709	1	RMS	1709	-34.79	-13	Pass	2
1709	1710	0.03	RMS	1710	-19.54	-13	Pass	401
1710	1713	0.1	RMS	1710.233	21.43	30	Pass	401




1.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-27.01	-13	Pass	401
1708	1709	1	RMS	1709	-24.85	-13	Pass	2
1709	1710	0.03	RMS	1710	-23.83	-13	Pass	401
1710	1713	0.1	RMS	1712.498	9.03	30	Pass	401




1.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.753	22.25	30	Pass	401
1755	1756	0.03	RMS	1755	-18.95	-13	Pass	401
1756	1757	1	RMS	1756	-34.55	-13	Pass	2
1757	1765	1	RMS	1759.78	-42.35	-13	Pass	401




1.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1752.743	9.89	30	Pass	401
1755	1756	0.03	RMS	1755	-23.9	-13	Pass	401
1756	1757	1	RMS	1756	-25.42	-13	Pass	2
1757	1765	1	RMS	1757.06	-28.32	-13	Pass	401




1.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.775	21.27	30	Pass	401
1755	1756	0.03	RMS	1755	-19.61	-13	Pass	401
1756	1757	1	RMS	1756	-34.86	-13	Pass	2
1757	1765	1	RMS	1757.02	-43.52	-13	Pass	401




1.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1752.788	8.98	30	Pass	401
1755	1756	0.03	RMS	1755.005	-24.79	-13	Pass	401
1756	1757	1	RMS	1756	-26.43	-13	Pass	2
1757	1765	1	RMS	1757.04	-29.08	-13	Pass	401



1.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-40.74	-13	Pass	401
1708	1709	1	RMS	1709	-33.68	-13	Pass	2
1709	1710	0.051	RMS	1710	-18.46	-13	Pass	401
1710	1715	0.1	RMS	1710.325	22.17	30	Pass	401



1.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.92	-25.72	-13	Pass	401
1708	1709	1	RMS	1709	-24.4	-13	Pass	2
1709	1710	0.051	RMS	1710	-24.8	-13	Pass	401
1710	1715	0.1	RMS	1711.763	7.88	30	Pass	401

