

A.2 Peak to Average Ratio

1. LTE_Band48


1.1. LTE Peak to Average Ratio_Part96(NTNV)(Subtest:1, Channel:55290, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3555	0.1	10	8.3	13	Pass




1.2. LTE Peak to Average Ratio_Part96(NTNV)(Subtest:2, Channel:55290, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3555	0.1	10	9.33	13	Pass




1.3. LTE Peak to Average Ratio_Part96(NTNV)(Subtest:3, Channel:55290, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3555	0.1	10	9.14	13	Pass




1.4. LTE Peak to Average Ratio_Part96(NTNV)(Subtest:4, Channel:55290, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3555	0.1	10	9.8	13	Pass




1.5. LTE Peak to Average Ratio_Part96(NTNV)(Subtest:5, Channel:55990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3625	0.1	10	8.3	13	Pass




1.6. LTE Peak to Average Ratio_Part96(NTNV)(Subtest:6, Channel:55990, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3625	0.1	10	9.14	13	Pass




1.7. LTE Peak to Average Ratio_Part96(NTNV)(Subtest:7, Channel:55990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3625	0.1	10	9.19	13	Pass




1.8. LTE Peak to Average Ratio_Part96(NTNV)(Subtest:8, Channel:55990, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3625	0.1	10	9.8	13	Pass




1.9. LTE Peak to Average Ratio_Part96(NTNV)(Subtest:9, Channel:56690, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3695	0.1	10	8.3	13	Pass




1.10. LTE Peak to Average Ratio_Part96(NTNV)(Subtest:10, Channel:56690, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3695	0.1	10	9.09	13	Pass




1.11. LTE Peak to Average Ratio_Part96(NTNV)(Subtest:11, Channel:56690, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3695	0.1	10	9.19	13	Pass




1.12. LTE Peak to Average Ratio_Part96(NTNV)(Subtest:12, Channel:56690, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3695	0.1	10	9.84	13	Pass




3. n48 30kHz

3.1. Peak to Average Ratio for SA_Part22-24-27(Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




3.2. Peak to Average Ratio for SA_Part22-24-27(Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3560.01	0.1	20	4.17	13	Pass




3.3. Peak to Average Ratio for SA_Part22-24-27(Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3560.01	0.1	20	5.34	13	Pass




3.4. Peak to Average Ratio for SA_Part22-24-27(Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3560.01	0.1	20	5.67	13	Pass




3.5. Peak to Average Ratio for SA_Part22-24-27(Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3560.01	0.1	20	6.28	13	Pass




3.6. Peak to Average Ratio for SA_Part22-24-27(Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3560.01	0.1	20	6.37	13	Pass




3.7. Peak to Average Ratio for SA_Part22-24-27(Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3560.01	0.1	20	6.33	13	Pass




3.8. Peak to Average Ratio for SA_Part22-24-27(Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3560.01	0.1	20	6.66	13	Pass




3.9. Peak to Average Ratio for SA_Part22-24-27(Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3560.01	0.1	20	6.56	13	Pass




3.10. Peak to Average Ratio for SA_Part22-24-27(Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)




3.11. Peak to Average Ratio for SA_Part22-24-27(Channel:641666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3624.99	0.1	20	4.36	13	Pass




3.12. Peak to Average Ratio for SA_Part22-24-27(Channel:641666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3624.99	0.1	20	4.5	13	Pass




3.13. Peak to Average Ratio for SA_Part22-24-27(Channel:641666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3624.99	0.1	20	5.58	13	Pass




3.14. Peak to Average Ratio for SA_Part22-24-27(Channel:641666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)




3.15. Peak to Average Ratio for SA_Part22-24-27(Channel:641666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3624.99	0.1	20	6.28	13	Pass




3.16. Peak to Average Ratio for SA_Part22-24-27(Channel:641666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3624.99	0.1	20	6.56	13	Pass




3.17. Peak to Average Ratio for SA_Part22-24-27(Channel:641666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




3.18. Peak to Average Ratio for SA_Part22-24-27(Channel:641666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3624.99	0.1	20	6.66	13	Pass




3.19. Peak to Average Ratio for SA_Part22-24-27(Channel:641666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3624.99	0.1	20	6.61	13	Pass




3.20. Peak to Average Ratio for SA_Part22-24-27(Channel:641666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3624.99	0.1	20	6.56	13	Pass




3.21. Peak to Average Ratio for SA_Part22-24-27(Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3690	0.1	20	4.55	13	Pass




3.22. Peak to Average Ratio for SA_Part22-24-27(Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3690	0.1	20	4.45	13	Pass




3.23. Peak to Average Ratio for SA_Part22-24-27(Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3690	0.1	20	5.34	13	Pass




3.24. Peak to Average Ratio for SA_Part22-24-27(Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3690	0.1	20	5.53	13	Pass




3.25. Peak to Average Ratio for SA_Part22-24-27(Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3690	0.1	20	6.33	13	Pass




3.26. Peak to Average Ratio for SA_Part22-24-27(Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3690	0.1	20	6.33	13	Pass




3.27. Peak to Average Ratio for SA_Part22-24-27(Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3690	0.1	20	6.37	13	Pass




3.28. Peak to Average Ratio for SA_Part22-24-27(Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3690	0.1	20	6.66	13	Pass




3.29. Peak to Average Ratio for SA_Part22-24-27(Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3690	0.1	20	6.61	13	Pass



3.30. Peak to Average Ratio for SA_Part22-24-27(Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3690	0.1	20	6.56	13	Pass



--BLANK BELOW--