








Mode	1																																																																																																
	Harmonic																																																																																																
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																
ANT	7																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>38.62</td><td>74.00</td><td>-35.38</td><td>56.88</td><td>34.40</td><td>11.39</td><td>64.05</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	38.62	74.00	-35.38	56.88	34.40	11.39	64.05	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>38.97</td><td>74.00</td><td>-35.03</td><td>57.23</td><td>34.40</td><td>11.39</td><td>64.05</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	38.97	74.00	-35.03	57.23	34.40	11.39	64.05	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4804.00	38.62	74.00	-35.38	56.88	34.40	11.39	64.05	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4804.00	38.97	74.00	-35.03	57.23	34.40	11.39	64.05	0.00	--	PEAK																																																																																						





Mode	2																																																										
	Harmonic																																																										
	2400-2483.5 Bluetooth BR_GFSK_CH39_2441MHz																																																										
ANT	7																																																										
Pol.	Horizontal							Vertical																																																			
Peak Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4882.00</td><td>40.58</td><td>74.00</td><td>-33.42</td><td>58.94</td><td>34.40</td><td>11.56</td><td>64.32</td></tr><tr><td>2</td><td>7323.00</td><td>42.06</td><td>74.00</td><td>-31.94</td><td>56.03</td><td>35.85</td><td>14.20</td><td>64.02</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4882.00	40.58	74.00	-33.42	58.94	34.40	11.56	64.32	2	7323.00	42.06	74.00	-31.94	56.03	35.85	14.20	64.02
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																			
1	4882.00	40.58	74.00	-33.42	58.94	34.40	11.56	64.32																																																			
2	7323.00	42.06	74.00	-31.94	56.03	35.85	14.20	64.02																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4882.00</td><td>39.14</td><td>74.00</td><td>-34.86</td><td>57.50</td><td>34.40</td><td>11.56</td><td>64.32</td></tr><tr><td>2</td><td>7323.00</td><td>41.18</td><td>74.00</td><td>-32.82</td><td>55.15</td><td>35.85</td><td>14.20</td><td>64.02</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4882.00	39.14	74.00	-34.86	57.50	34.40	11.56	64.32	2	7323.00	41.18	74.00	-32.82	55.15	35.85	14.20	64.02	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																			
1	4882.00	39.14	74.00	-34.86	57.50	34.40	11.56	64.32																																																			
2	7323.00	41.18	74.00	-32.82	55.15	35.85	14.20	64.02																																																			





Mode	3																																																																	
	Band Edge																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																	
ANT	7																																																																	
Pol.	Horizontal																																																																	
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2491.50</td><td>56.68</td><td>74.00</td><td>-17.32</td><td>39.72</td><td>32.37</td><td>9.24</td><td>30.65</td><td>6.00</td><td>160</td><td>0 PEAK</td></tr><tr><td>2</td><td>2491.50</td><td>31.89</td><td>54.00</td><td>-22.11</td><td>14.93</td><td>32.37</td><td>9.24</td><td>30.65</td><td>6.00</td><td>160</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2491.50	56.68	74.00	-17.32	39.72	32.37	9.24	30.65	6.00	160	0 PEAK	2	2491.50	31.89	54.00	-22.11	14.93	32.37	9.24	30.65	6.00	160	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2491.50	56.68	74.00	-17.32	39.72	32.37	9.24	30.65	6.00	160	0 PEAK																																																							
2	2491.50	31.89	54.00	-22.11	14.93	32.37	9.24	30.65	6.00	160	0 AVERAGE																																																							
	Fundamental																																																																	
																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>100.42</td><td>-----</td><td>-----</td><td>83.53</td><td>32.32</td><td>9.23</td><td>30.66</td><td>6.00</td><td>160</td><td>0 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>75.63</td><td>-----</td><td>-----</td><td>58.74</td><td>32.32</td><td>9.23</td><td>30.66</td><td>6.00</td><td>160</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	100.42	-----	-----	83.53	32.32	9.23	30.66	6.00	160	0 PEAK	2	2480.00	75.63	-----	-----	58.74	32.32	9.23	30.66	6.00	160	0 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2480.00	100.42	-----	-----	83.53	32.32	9.23	30.66	6.00	160	0 PEAK																																																							
2	2480.00	75.63	-----	-----	58.74	32.32	9.23	30.66	6.00	160	0 AVERAGE																																																							





Mode	3																																																																				
	Band Edge																																																																				
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																				
ANT	7																																																																				
Pol.	Vertical											Fundamental																																																									
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2491.15</td><td>55.73</td><td>74.00</td><td>-18.27</td><td>38.78</td><td>32.36</td><td>9.24</td><td>30.65</td><td>6.00</td><td>228</td><td>256</td><td>PEAK</td></tr><tr><td>2</td><td>2491.15</td><td>30.94</td><td>54.00</td><td>-23.06</td><td>13.99</td><td>32.36</td><td>9.24</td><td>30.65</td><td>6.00</td><td>228</td><td>256</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2491.15	55.73	74.00	-18.27	38.78	32.36	9.24	30.65	6.00	228	256	PEAK	2	2491.15	30.94	54.00	-23.06	13.99	32.36	9.24	30.65	6.00	228	256	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2491.15	55.73	74.00	-18.27	38.78	32.36	9.24	30.65	6.00	228	256	PEAK																																																									
2	2491.15	30.94	54.00	-23.06	13.99	32.36	9.24	30.65	6.00	228	256	AVERAGE																																																									
																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>99.11</td><td>-----</td><td>-----</td><td>82.22</td><td>32.32</td><td>9.23</td><td>30.66</td><td>6.00</td><td>228</td><td>256</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>74.32</td><td>-----</td><td>-----</td><td>57.43</td><td>32.32</td><td>9.23</td><td>30.66</td><td>6.00</td><td>228</td><td>256</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	99.11	-----	-----	82.22	32.32	9.23	30.66	6.00	228	256	PEAK	2	2480.00	74.32	-----	-----	57.43	32.32	9.23	30.66	6.00	228	256	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2480.00	99.11	-----	-----	82.22	32.32	9.23	30.66	6.00	228	256	PEAK																																																									
2	2480.00	74.32	-----	-----	57.43	32.32	9.23	30.66	6.00	228	256	AVERAGE																																																									





Mode	3																																																																																											
	Harmonic																																																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																											
ANT	7																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4960.00</td><td>39.48</td><td>74.00</td><td>-34.52</td><td>57.71</td><td>34.38</td><td>11.72</td><td>64.33</td></tr><tr><td>2</td><td>7440.00</td><td>41.07</td><td>74.00</td><td>-32.93</td><td>55.19</td><td>35.62</td><td>14.32</td><td>64.06</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4960.00	39.48	74.00	-34.52	57.71	34.38	11.72	64.33	2	7440.00	41.07	74.00	-32.93	55.19	35.62	14.32	64.06	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4960.00</td><td>38.61</td><td>74.00</td><td>-35.39</td><td>56.84</td><td>34.38</td><td>11.72</td><td>64.33</td></tr><tr><td>2</td><td>7440.00</td><td>41.11</td><td>74.00</td><td>-32.89</td><td>55.23</td><td>35.62</td><td>14.32</td><td>64.06</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4960.00	38.61	74.00	-35.39	56.84	34.38	11.72	64.33	2	7440.00	41.11	74.00	-32.89	55.23	35.62	14.32	64.06
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																				
1	4960.00	39.48	74.00	-34.52	57.71	34.38	11.72	64.33																																																																																				
2	7440.00	41.07	74.00	-32.93	55.19	35.62	14.32	64.06																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																				
1	4960.00	38.61	74.00	-35.39	56.84	34.38	11.72	64.33																																																																																				
2	7440.00	41.11	74.00	-32.89	55.23	35.62	14.32	64.06																																																																																				





Mode	4																																																																
	Band Edge																																																																
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																
ANT	12																																																																
Pol.	Horizontal																																																																
Peak																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>2384.36</td><td>56.07</td><td>74.00</td><td>-17.93</td><td>39.18</td><td>32.47</td><td>9.11</td><td>30.69</td><td>6.00</td><td>300</td><td>324 PEAK</td></tr><tr><td>2</td><td>2384.36</td><td>31.28</td><td>54.00</td><td>-22.72</td><td>14.39</td><td>32.47</td><td>9.11</td><td>30.69</td><td>6.00</td><td>300</td><td>324 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark	1	2384.36	56.07	74.00	-17.93	39.18	32.47	9.11	30.69	6.00	300	324 PEAK	2	2384.36	31.28	54.00	-22.72	14.39	32.47	9.11	30.69	6.00	300	324 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark																																																						
1	2384.36	56.07	74.00	-17.93	39.18	32.47	9.11	30.69	6.00	300	324 PEAK																																																						
2	2384.36	31.28	54.00	-22.72	14.39	32.47	9.11	30.69	6.00	300	324 AVERAGE																																																						
Fundamental																																																																	
																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>2402.00</td><td>93.70</td><td>-----</td><td>-----</td><td>76.74</td><td>32.49</td><td>9.15</td><td>30.68</td><td>6.00</td><td>300</td><td>324 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>68.91</td><td>-----</td><td>-----</td><td>51.95</td><td>32.49</td><td>9.15</td><td>30.68</td><td>6.00</td><td>300</td><td>324 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark	1	2402.00	93.70	-----	-----	76.74	32.49	9.15	30.68	6.00	300	324 PEAK	2	2402.00	68.91	-----	-----	51.95	32.49	9.15	30.68	6.00	300	324 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark																																																						
1	2402.00	93.70	-----	-----	76.74	32.49	9.15	30.68	6.00	300	324 PEAK																																																						
2	2402.00	68.91	-----	-----	51.95	32.49	9.15	30.68	6.00	300	324 AVERAGE																																																						



Mode	4																																																																	
	Band Edge																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																	
ANT	12																																																																	
Pol.	Vertical																																																																	
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2329.89</td><td>55.95</td><td>74.00</td><td>-18.05</td><td>39.48</td><td>32.24</td><td>8.95</td><td>30.72</td><td>6.00</td><td>294</td><td>93 PEAK</td></tr><tr><td>2</td><td>2329.89</td><td>31.16</td><td>54.00</td><td>-22.84</td><td>14.69</td><td>32.24</td><td>8.95</td><td>30.72</td><td>6.00</td><td>294</td><td>93 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2329.89	55.95	74.00	-18.05	39.48	32.24	8.95	30.72	6.00	294	93 PEAK	2	2329.89	31.16	54.00	-22.84	14.69	32.24	8.95	30.72	6.00	294	93 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2329.89	55.95	74.00	-18.05	39.48	32.24	8.95	30.72	6.00	294	93 PEAK																																																							
2	2329.89	31.16	54.00	-22.84	14.69	32.24	8.95	30.72	6.00	294	93 AVERAGE																																																							
																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>98.73</td><td>-----</td><td>-----</td><td>81.77</td><td>32.49</td><td>9.15</td><td>30.68</td><td>6.00</td><td>294</td><td>93 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>73.94</td><td>-----</td><td>-----</td><td>56.98</td><td>32.49</td><td>9.15</td><td>30.68</td><td>6.00</td><td>294</td><td>93 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	98.73	-----	-----	81.77	32.49	9.15	30.68	6.00	294	93 PEAK	2	2402.00	73.94	-----	-----	56.98	32.49	9.15	30.68	6.00	294	93 AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2402.00	98.73	-----	-----	81.77	32.49	9.15	30.68	6.00	294	93 PEAK																																																							
2	2402.00	73.94	-----	-----	56.98	32.49	9.15	30.68	6.00	294	93 AVERAGE																																																							





Mode	4																																																																																																	
	Harmonic																																																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																	
ANT	12																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.24</td><td>74.00</td><td>-34.76</td><td>57.50</td><td>34.40</td><td>11.39</td><td>64.05</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.24	74.00	-34.76	57.50	34.40	11.39	64.05	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>38.88</td><td>74.00</td><td>-35.12</td><td>57.14</td><td>34.40</td><td>11.39</td><td>64.05</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	38.88	74.00	-35.12	57.14	34.40	11.39	64.05	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	4804.00	39.24	74.00	-34.76	57.50	34.40	11.39	64.05	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	4804.00	38.88	74.00	-35.12	57.14	34.40	11.39	64.05	0.00	--	PEAK																																																																																							





Mode	5																																																																	
	Harmonic																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																	
ANT	12																																																																	
Pol.	Horizontal																																																																	
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>40.18</td><td>74.00</td><td>-33.82</td><td>58.54</td><td>34.40</td><td>11.56</td><td>64.32</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>41.89</td><td>74.00</td><td>-32.11</td><td>55.86</td><td>35.85</td><td>14.20</td><td>64.02</td><td>0.00</td><td>-- -- PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	40.18	74.00	-33.82	58.54	34.40	11.56	64.32	0.00	-- -- PEAK	2	7323.00	41.89	74.00	-32.11	55.86	35.85	14.20	64.02	0.00	-- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	4882.00	40.18	74.00	-33.82	58.54	34.40	11.56	64.32	0.00	-- -- PEAK																																																								
2	7323.00	41.89	74.00	-32.11	55.86	35.85	14.20	64.02	0.00	-- -- PEAK																																																								
Pol.	Vertical																																																																	
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>39.47</td><td>74.00</td><td>-34.53</td><td>57.83</td><td>34.40</td><td>11.56</td><td>64.32</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>41.47</td><td>74.00</td><td>-32.53</td><td>55.44</td><td>35.85</td><td>14.20</td><td>64.02</td><td>0.00</td><td>-- -- PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	39.47	74.00	-34.53	57.83	34.40	11.56	64.32	0.00	-- -- PEAK	2	7323.00	41.47	74.00	-32.53	55.44	35.85	14.20	64.02	0.00	-- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	4882.00	39.47	74.00	-34.53	57.83	34.40	11.56	64.32	0.00	-- -- PEAK																																																								
2	7323.00	41.47	74.00	-32.53	55.44	35.85	14.20	64.02	0.00	-- -- PEAK																																																								



Mode	6																																																																																																									
	Band Edge																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																									
ANT	12																																																																																																									
Pol.	Horizontal												Fundamental																																																																																													
Peak																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2489.20</td><td>56.30</td><td>74.00</td><td>-17.70</td><td>39.36</td><td>32.36</td><td>9.23</td><td>30.65</td></tr><tr><td>2</td><td>2489.20</td><td>31.51</td><td>54.00</td><td>-22.49</td><td>14.57</td><td>32.36</td><td>9.23</td><td>30.65</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2489.20	56.30	74.00	-17.70	39.36	32.36	9.23	30.65	2	2489.20	31.51	54.00	-22.49	14.57	32.36	9.23	30.65	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2480.00</td><td>96.26</td><td>-----</td><td>-----</td><td>79.37</td><td>32.32</td><td>9.23</td><td>30.66</td></tr><tr><td>2</td><td>2480.00</td><td>71.47</td><td>-----</td><td>-----</td><td>54.58</td><td>32.32</td><td>9.23</td><td>30.66</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2480.00	96.26	-----	-----	79.37	32.32	9.23	30.66	2	2480.00	71.47	-----	-----	54.58	32.32	9.23	30.66
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	2489.20	56.30	74.00	-17.70	39.36	32.36	9.23	30.65																																																																																																		
2	2489.20	31.51	54.00	-22.49	14.57	32.36	9.23	30.65																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	2480.00	96.26	-----	-----	79.37	32.32	9.23	30.66																																																																																																		
2	2480.00	71.47	-----	-----	54.58	32.32	9.23	30.66																																																																																																		





Mode	6																																																																
	Band Edge																																																																
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																
ANT	12																																																																
Pol.	Vertical																																																																
Peak																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>2480.02</td><td>56.05</td><td>74.00</td><td>-17.95</td><td>39.13</td><td>32.34</td><td>9.23</td><td>30.65</td><td>6.00</td><td>306</td><td>103 PEAK</td></tr><tr><td>2</td><td>2480.02</td><td>31.26</td><td>54.00</td><td>-22.74</td><td>14.34</td><td>32.34</td><td>9.23</td><td>30.65</td><td>6.00</td><td>306</td><td>103 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark	1	2480.02	56.05	74.00	-17.95	39.13	32.34	9.23	30.65	6.00	306	103 PEAK	2	2480.02	31.26	54.00	-22.74	14.34	32.34	9.23	30.65	6.00	306	103 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark																																																						
1	2480.02	56.05	74.00	-17.95	39.13	32.34	9.23	30.65	6.00	306	103 PEAK																																																						
2	2480.02	31.26	54.00	-22.74	14.34	32.34	9.23	30.65	6.00	306	103 AVERAGE																																																						
	Fundamental																																																																
																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>2480.00</td><td>100.07</td><td>-----</td><td>-----</td><td>83.18</td><td>32.32</td><td>9.23</td><td>30.66</td><td>6.00</td><td>306</td><td>103 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>75.28</td><td>-----</td><td>-----</td><td>58.39</td><td>32.32</td><td>9.23</td><td>30.66</td><td>6.00</td><td>306</td><td>103 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark	1	2480.00	100.07	-----	-----	83.18	32.32	9.23	30.66	6.00	306	103 PEAK	2	2480.00	75.28	-----	-----	58.39	32.32	9.23	30.66	6.00	306	103 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark																																																						
1	2480.00	100.07	-----	-----	83.18	32.32	9.23	30.66	6.00	306	103 PEAK																																																						
2	2480.00	75.28	-----	-----	58.39	32.32	9.23	30.66	6.00	306	103 AVERAGE																																																						





Mode	6																																																																																																																							
	Harmonic																																																																																																																							
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																							
ANT	12																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>39.83</td><td>74.00</td><td>-34.17</td><td>58.06</td><td>34.38</td><td>11.72</td><td>64.33</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.09</td><td>74.00</td><td>-31.91</td><td>56.21</td><td>35.62</td><td>14.32</td><td>64.06</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4960.00	39.83	74.00	-34.17	58.06	34.38	11.72	64.33	0.00	--	-- PEAK	2	7440.00	42.09	74.00	-31.91	56.21	35.62	14.32	64.06	0.00	--	-- PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>39.06</td><td>74.00</td><td>-34.94</td><td>57.29</td><td>34.38</td><td>11.72</td><td>64.33</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>41.95</td><td>74.00</td><td>-32.05</td><td>56.07</td><td>35.62</td><td>14.32</td><td>64.06</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4960.00	39.06	74.00	-34.94	57.29	34.38	11.72	64.33	0.00	--	-- PEAK	2	7440.00	41.95	74.00	-32.05	56.07	35.62	14.32	64.06	0.00	--	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	4960.00	39.83	74.00	-34.17	58.06	34.38	11.72	64.33	0.00	--	-- PEAK																																																																																																													
2	7440.00	42.09	74.00	-31.91	56.21	35.62	14.32	64.06	0.00	--	-- PEAK																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	4960.00	39.06	74.00	-34.94	57.29	34.38	11.72	64.33	0.00	--	-- PEAK																																																																																																													
2	7440.00	41.95	74.00	-32.05	56.07	35.62	14.32	64.06	0.00	--	-- PEAK																																																																																																													





Mode	6																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth EDR_8DPSK_CH0_2402MHz																																																																																																																													
ANT	12+7																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2383.97</td><td>51.18</td><td>74.00</td><td>-22.82</td><td>42.02</td><td>32.20</td><td>7.95</td><td>36.99</td><td>6.00</td><td>231</td><td>104</td><td>PEAK</td></tr><tr><td>2</td><td>2383.97</td><td>26.39</td><td>54.00</td><td>-27.61</td><td>17.23</td><td>32.20</td><td>7.95</td><td>36.99</td><td>6.00</td><td>231</td><td>104</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2383.97	51.18	74.00	-22.82	42.02	32.20	7.95	36.99	6.00	231	104	PEAK	2	2383.97	26.39	54.00	-27.61	17.23	32.20	7.95	36.99	6.00	231	104	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>99.52</td><td>74.73</td><td>24.79</td><td>90.21</td><td>32.32</td><td>7.98</td><td>36.99</td><td>6.00</td><td>231</td><td>104</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>74.73</td><td>74.73</td><td>0.00</td><td>65.42</td><td>32.32</td><td>7.98</td><td>36.99</td><td>6.00</td><td>231</td><td>104</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	99.52	74.73	24.79	90.21	32.32	7.98	36.99	6.00	231	104	PEAK	2	2402.00	74.73	74.73	0.00	65.42	32.32	7.98	36.99	6.00	231	104	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2383.97	51.18	74.00	-22.82	42.02	32.20	7.95	36.99	6.00	231	104	PEAK																																																																																																																		
2	2383.97	26.39	54.00	-27.61	17.23	32.20	7.95	36.99	6.00	231	104	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2402.00	99.52	74.73	24.79	90.21	32.32	7.98	36.99	6.00	231	104	PEAK																																																																																																																		
2	2402.00	74.73	74.73	0.00	65.42	32.32	7.98	36.99	6.00	231	104	AVERAGE																																																																																																																		





Mode	6																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth EDR_8DPSK_CH0_2402MHz																																																																																																																													
ANT	12+7																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2365.90</td><td>51.26</td><td>74.00</td><td>-22.74</td><td>42.24</td><td>32.10</td><td>7.92</td><td>37.00</td><td>6.00</td><td>381</td><td>66</td><td>PEAK</td></tr><tr><td>2</td><td>2365.90</td><td>26.47</td><td>54.00</td><td>-27.53</td><td>17.45</td><td>32.10</td><td>7.92</td><td>37.00</td><td>6.00</td><td>381</td><td>66</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2365.90	51.26	74.00	-22.74	42.24	32.10	7.92	37.00	6.00	381	66	PEAK	2	2365.90	26.47	54.00	-27.53	17.45	32.10	7.92	37.00	6.00	381	66	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>99.39</td><td>74.00</td><td>25.39</td><td>90.08</td><td>32.32</td><td>7.98</td><td>36.99</td><td>6.00</td><td>381</td><td>66</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>74.60</td><td>74.00</td><td>0.60</td><td>65.29</td><td>32.32</td><td>7.98</td><td>36.99</td><td>6.00</td><td>381</td><td>66</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	99.39	74.00	25.39	90.08	32.32	7.98	36.99	6.00	381	66	PEAK	2	2402.00	74.60	74.00	0.60	65.29	32.32	7.98	36.99	6.00	381	66	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2365.90	51.26	74.00	-22.74	42.24	32.10	7.92	37.00	6.00	381	66	PEAK																																																																																																																		
2	2365.90	26.47	54.00	-27.53	17.45	32.10	7.92	37.00	6.00	381	66	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2402.00	99.39	74.00	25.39	90.08	32.32	7.98	36.99	6.00	381	66	PEAK																																																																																																																		
2	2402.00	74.60	74.00	0.60	65.29	32.32	7.98	36.99	6.00	381	66	AVERAGE																																																																																																																		





Mode	6																																																																																																									
	Harmonic																																																																																																									
	2400-2483.5_Bluetooth EDR_8DPSK_CH0_2402MHz																																																																																																									
ANT	12+7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>40.26</td><td>74.00</td><td>-33.74</td><td>60.22</td><td>33.99</td><td>11.38</td><td>65.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	40.26	74.00	-33.74	60.22	33.99	11.38	65.33	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.48</td><td>74.00</td><td>-34.52</td><td>59.44</td><td>33.99</td><td>11.38</td><td>65.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	39.48	74.00	-34.52	59.44	33.99	11.38	65.33	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	4804.00	40.26	74.00	-33.74	60.22	33.99	11.38	65.33	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	4804.00	39.48	74.00	-34.52	59.44	33.99	11.38	65.33	0.00	---	---	PEAK																																																																																														




Mode	7																																																																																																				
	Harmonic																																																																																																				
	2400-2483.5_Bluetooth EDR_8DPSK_CH39_2441MHz																																																																																																				
ANT	12+7																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>40.47</td><td>74.00</td><td>-33.53</td><td>60.66</td><td>33.90</td><td>11.48</td><td>65.57</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	40.47	74.00	-33.53	60.66	33.90	11.48	65.57	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>40.19</td><td>74.00</td><td>-33.81</td><td>60.38</td><td>33.90</td><td>11.48</td><td>65.57</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	40.19	74.00	-33.81	60.38	33.90	11.48	65.57	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	4882.00	40.47	74.00	-33.53	60.66	33.90	11.48	65.57	0.00	---	PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	4882.00	40.19	74.00	-33.81	60.38	33.90	11.48	65.57	0.00	---	PEAK																																																																																										




Mode	8																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth EDR_8DPSK_CH78_2480MHz																																																																																																																													
ANT	12+7																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2498.76</td><td>51.61</td><td>74.00</td><td>-22.39</td><td>42.14</td><td>32.41</td><td>8.12</td><td>37.06</td><td>6.00</td><td>119</td><td>113</td><td>PEAK</td></tr><tr><td>2</td><td>2498.76</td><td>26.82</td><td>54.00</td><td>-27.18</td><td>17.35</td><td>32.41</td><td>8.12</td><td>37.06</td><td>6.00</td><td>119</td><td>113</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2498.76	51.61	74.00	-22.39	42.14	32.41	8.12	37.06	6.00	119	113	PEAK	2	2498.76	26.82	54.00	-27.18	17.35	32.41	8.12	37.06	6.00	119	113	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>103.76</td><td>-----</td><td>-----</td><td>94.11</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>119</td><td>113</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>78.97</td><td>-----</td><td>-----</td><td>69.32</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>119</td><td>113</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.76	-----	-----	94.11	32.60	8.10	37.05	6.00	119	113	PEAK	2	2480.00	78.97	-----	-----	69.32	32.60	8.10	37.05	6.00	119	113	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2498.76	51.61	74.00	-22.39	42.14	32.41	8.12	37.06	6.00	119	113	PEAK																																																																																																																		
2	2498.76	26.82	54.00	-27.18	17.35	32.41	8.12	37.06	6.00	119	113	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2480.00	103.76	-----	-----	94.11	32.60	8.10	37.05	6.00	119	113	PEAK																																																																																																																		
2	2480.00	78.97	-----	-----	69.32	32.60	8.10	37.05	6.00	119	113	AVERAGE																																																																																																																		



Mode	8																																																																			
	Band Edge																																																																			
	2400-2483.5_Bluetooth EDR_8DPSK_CH78_2480MHz																																																																			
ANT	12+7																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2489.85</td><td>51.17</td><td>74.00</td><td>-22.83</td><td>41.61</td><td>32.50</td><td>8.11</td><td>37.05</td><td>6.00</td><td>354</td><td>32 PEAK</td></tr><tr><td>2</td><td>2489.85</td><td>26.38</td><td>54.00</td><td>-27.62</td><td>16.82</td><td>32.50</td><td>8.11</td><td>37.05</td><td>6.00</td><td>354</td><td>32 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2489.85	51.17	74.00	-22.83	41.61	32.50	8.11	37.05	6.00	354	32 PEAK	2	2489.85	26.38	54.00	-27.62	16.82	32.50	8.11	37.05	6.00	354	32 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2489.85	51.17	74.00	-22.83	41.61	32.50	8.11	37.05	6.00	354	32 PEAK																																																									
2	2489.85	26.38	54.00	-27.62	16.82	32.50	8.11	37.05	6.00	354	32 AVERAGE																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>96.66</td><td>-----</td><td>-----</td><td>87.01</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>354</td><td>32 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>71.87</td><td>-----</td><td>-----</td><td>62.22</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>354</td><td>32 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	96.66	-----	-----	87.01	32.60	8.10	37.05	6.00	354	32 PEAK	2	2480.00	71.87	-----	-----	62.22	32.60	8.10	37.05	6.00	354	32 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2480.00	96.66	-----	-----	87.01	32.60	8.10	37.05	6.00	354	32 PEAK																																																									
2	2480.00	71.87	-----	-----	62.22	32.60	8.10	37.05	6.00	354	32 AVERAGE																																																									




Mode	8																																																																																																					
	Harmonic																																																																																																					
	2400-2483.5_Bluetooth EDR_8DPSK_CH78_2480MHz																																																																																																					
ANT	12+7																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.60</td><td>74.00</td><td>-34.40</td><td>59.51</td><td>33.92</td><td>11.59</td><td>65.42</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	39.60	74.00	-34.40	59.51	33.92	11.59	65.42	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.09</td><td>74.00</td><td>-33.91</td><td>60.00</td><td>33.92</td><td>11.59</td><td>65.42</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.09	74.00	-33.91	60.00	33.92	11.59	65.42	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	4960.00	39.60	74.00	-34.40	59.51	33.92	11.59	65.42	0.00	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	4960.00	40.09	74.00	-33.91	60.00	33.92	11.59	65.42	0.00	---	PEAK																																																																																											




Appendix D. Duty Cycle Plots

SISO ANT12/7:

DH5 on time (One Pulse) Plot on Channel 00



DH5 on time (Count Pulses) Plot on Channel 00




Note:


1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.

MIMO ANT12+7:

3DH5 on time (One Pulse) Plot on Channel 00



3DH5 on time (Count Pulses) Plot on Channel 00



Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. 3DH5 has the highest duty cycle worst case and is reported.