



	Ant8	5570	Large RU 996+484	4	14	15.90	97.89	0.09	15.99	≤23.98	-1.30	14.69	≤30.00	PASS
			Puncturing 40M	1	13.5	15.73	99.82	0.01	15.74	≤23.98	-1.30	14.44	≤30.00	PASS
				4	13	15.07	100.00	0.00	15.07	≤23.98	-1.30	13.77	≤30.00	PASS
			Puncturing 20M	1	12.5	14.75	99.63	0.02	14.77	≤23.98	-1.30	13.47	≤30.00	PASS
				8	13	15.13	100.00	0.00	15.13	≤23.98	-1.30	13.83	≤30.00	PASS
			Large RU 996+484	4	---	---	---	---	17.94	≤23.98	-1.30	16.64	≤30.00	PASS
	total	5570	Puncturing 40M	1	---	---	---	---	17.73	≤23.98	-1.30	16.43	≤30.00	PASS
				4	---	---	---	---	17.06	≤23.98	-1.30	15.76	≤30.00	PASS
			Puncturing 20M	1	---	---	---	---	16.77	≤23.98	-1.30	15.47	≤30.00	PASS
				8	---	---	---	---	17.09	≤23.98	-1.30	15.79	≤30.00	PASS

Note: The Duty Cycle Factor is compensated in the graph.



Maximum power spectral density

Test Result

Test Mode	Antenna	Freq(MHz)	MRU Type	MRU Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE20MIMO	Ant10	5180	52+26_OFDMA	1	6.23	≤11.00	PASS
			106+26_OFDMA	1	6.20	≤11.00	PASS
	Ant8	5180	52+26_OFDMA	1	6.56	≤11.00	PASS
			106+26_OFDMA	1	6.58	≤11.00	PASS
	total	5180	52+26_OFDMA	1	9.41	≤11.00	PASS
			106+26_OFDMA	1	9.40	≤11.00	PASS
	Ant10	5320	52+26_OFDMA	3	4.47	≤11.00	PASS
			106+26_OFDMA	2	4.90	≤11.00	PASS
	Ant8	5320	52+26_OFDMA	3	6.12	≤11.00	PASS
			106+26_OFDMA	2	6.12	≤11.00	PASS
	total	5320	52+26_OFDMA	3	8.04	≤11.00	PASS
			106+26_OFDMA	2	8.27	≤11.00	PASS
	Ant10	5500	52+26_OFDMA	1	4.74	≤11.00	PASS
			106+26_OFDMA	1	4.61	≤11.00	PASS
	Ant8	5500	52+26_OFDMA	1	6.86	≤11.00	PASS
			106+26_OFDMA	1	6.62	≤11.00	PASS
	total	5500	52+26_OFDMA	1	8.68	≤11.00	PASS
			106+26_OFDMA	1	8.43	≤11.00	PASS
	Ant10	5700	52+26_OFDMA	3	6.25	≤11.00	PASS
			106+26_OFDMA	2	5.85	≤11.00	PASS
	Ant8	5700	52+26_OFDMA	3	6.72	≤11.00	PASS
			106+26_OFDMA	2	6.27	≤11.00	PASS
	total	5700	52+26_OFDMA	3	9.36	≤11.00	PASS
			106+26_OFDMA	2	8.63	≤11.00	PASS
	Ant10	5745	52+26_OFDMA	1	1.57	≤30.00	PASS
			106+26_OFDMA	1	2.47	≤30.00	PASS
	Ant8	5745	52+26_OFDMA	1	3.64	≤30.00	PASS
			106+26_OFDMA	1	3.67	≤30.00	PASS
	total	5745	52+26_OFDMA	1	5.74	≤30.00	PASS
			106+26_OFDMA	1	6.12	≤30.00	PASS
	Ant10	5825	52+26_OFDMA	3	2.84	≤30.00	PASS
			106+26_OFDMA	2	2.93	≤30.00	PASS
	Ant8	5825	52+26_OFDMA	3	3.05	≤30.00	PASS
			106+26_OFDMA	2	3.17	≤30.00	PASS
	total	5825	52+26_OFDMA	3	5.96	≤30.00	PASS
			106+26_OFDMA	2	6.06	≤30.00	PASS
11BE80MIMO	Ant10	5210	Large RU 484+242	4	-0.10	≤11.00	PASS



11BE160MIMO	Ant8	5210	Puncturing 20M	4	0.02	≤11.00	PASS
			Large RU 484+242	4	0.33	≤11.00	PASS
	total	5210	Puncturing 20M	4	0.55	≤11.00	PASS
			Large RU 484+242	4	2.84	≤11.00	PASS
	Ant10	5290	Puncturing 20M	4	3.10	≤11.00	PASS
			Large RU 484+242	2	0.34	≤11.00	PASS
	Ant8	5290	Puncturing 20M	1	0.28	≤11.00	PASS
			Large RU 484+242	2	1.20	≤11.00	PASS
	total	5290	Puncturing 20M	1	1.03	≤11.00	PASS
			Large RU 484+242	2	3.51	≤11.00	PASS
	Ant10	5530	Puncturing 20M	1	3.55	≤11.00	PASS
			Large RU 484+242	2	0.09	≤11.00	PASS
	Ant8	5530	Puncturing 20M	4	0.24	≤11.00	PASS
			Large RU 484+242	4	1.37	≤11.00	PASS
	total	5530	Puncturing 20M	4	1.45	≤11.00	PASS
			Large RU 484+242	4	3.39	≤11.00	PASS
	Ant10	5610	Puncturing 20M	4	3.72	≤11.00	PASS
			Large RU 484+242	2	0.24	≤11.00	PASS
	Ant8	5610	Puncturing 20M	1	0.45	≤11.00	PASS
			Large RU 484+242	2	1.37	≤11.00	PASS
	total	5610	Puncturing 20M	1	0.98	≤11.00	PASS
			Large RU 484+242	2	3.44	≤11.00	PASS
	Ant10	5775	Puncturing 20M	1	3.32	≤11.00	PASS
			Large RU 484+242	4	-2.56	≤30.00	PASS
	Ant8	5775	Puncturing 20M	1	-2.78	≤30.00	PASS
			Puncturing 20M	4	-2.69	≤30.00	PASS
	total	5775	Puncturing 20M	4	-2.01	≤30.00	PASS
			Puncturing 20M	1	-2.56	≤30.00	PASS
	Ant10	5250	Puncturing 20M	4	-2.48	≤30.00	PASS
			Large RU 996+484	4	0.73	≤30.00	PASS
	Ant8	5250	Puncturing 20M	1	0.34	≤30.00	PASS
			Puncturing 20M	4	0.43	≤30.00	PASS
	total	5250	Puncturing 20M	1	-4.76	≤11.00	PASS
			Puncturing 20M	8	-4.84	≤11.00	PASS
	Ant10	5250	Puncturing 20M	1	-5.15	≤11.00	PASS
			Puncturing 20M	4	-4.93	≤11.00	PASS
	Ant8	5250	Puncturing 20M	1	-4.70	≤11.00	PASS
			Puncturing 20M	8	-4.84	≤11.00	PASS
	total	5250	Puncturing 20M	1	-4.77	≤11.00	PASS
			Puncturing 20M	8	-4.69	≤11.00	PASS




	total	5250	Large RU 996+484	4	-2.02	≤11.00	PASS
			Puncturing 40M	1	-1.78	≤11.00	PASS
				4	-1.96	≤11.00	PASS
			Puncturing 20M	1	-1.60	≤11.00	PASS
				8	-1.87	≤11.00	PASS
			Large RU 996+484	4	-4.93	≤11.00	PASS
	Ant10	5570	Puncturing 40M	1	-4.80	≤11.00	PASS
				4	-5.15	≤11.00	PASS
			Puncturing 20M	1	-5.00	≤11.00	PASS
				8	-5.06	≤11.00	PASS
			Large RU 996+484	4	-3.51	≤11.00	PASS
			Puncturing 40M	1	-3.95	≤11.00	PASS
				4	-4.06	≤11.00	PASS
	Ant8	5570	Puncturing 20M	1	-3.84	≤11.00	PASS
				8	-4.12	≤11.00	PASS
			Large RU 996+484	4	-1.39	≤11.00	PASS
			Puncturing 40M	1	-1.46	≤11.00	PASS
				4	-1.80	≤11.00	PASS
			Puncturing 20M	1	-1.80	≤11.00	PASS
				8	-1.55	≤11.00	PASS



Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.


2.The Duty Cycle Factor and RBW Factor is compensated in the graph.






Test Graphs



















11BE20MIMO_total_5320_106+26_OFDMA_2






11BE20MIMO_Ant10_5500_52+26_OFDMA_1






Date: 1.SEP.2025 01:35:29
















11BE20MIMO_total_5700_106+26_OFDMA_2






11BE20MIMO_Ant10_5745_52+26_OFDMA_1






Date: 1.SEP.2025 01:53:28



















































































11BE160MIMO_total_5250_Puncturing 40M_1




11BE160MIMO_total_5250_Puncturing 40M_4









11BE160MIMO_total_5250_Puncturing 20M_1







11BE160MIMO_total_5250_Puncturing 20M_8



















11BE160MIMO_total_5570_Large RU 996+484_4




11BE160MIMO_total_5570_Puncturing 40M_1







11BE160MIMO_total_5570_Puncturing 40M_4



11BE160MIMO_total_5570_Puncturing 20M_1








Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-L 24+80 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.161	41.19	-24.24	65.43	30.50	0.24	10.45	QP
2	0.161	30.99	-24.44	55.43	20.30	0.24	10.45	Average
3	0.209	36.52	-26.71	63.23	25.80	0.26	10.46	QP
4	0.209	25.02	-28.21	53.23	14.30	0.26	10.46	Average
5	0.466	28.69	-27.89	56.58	17.90	0.36	10.43	QP
6	0.466	22.59	-23.99	46.58	11.80	0.36	10.43	Average
7	0.576	33.85	-22.15	56.00	23.10	0.37	10.38	QP
8	0.576	27.25	-18.75	46.00	16.50	0.37	10.38	Average
9	0.641	36.13	-19.87	56.00	25.40	0.37	10.36	QP
10 *	0.641	30.23	-15.77	46.00	19.50	0.37	10.36	Average
11	4.622	34.91	-21.09	56.00	24.30	0.41	10.20	QP
12	4.622	25.21	-20.79	46.00	14.60	0.41	10.20	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-L 24+80 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.157	39.19	-26.41	65.60	28.50	0.24	10.45	QP
2	0.157	29.99	-26.61	55.60	19.30	0.24	10.45	Average
3	0.215	35.32	-27.69	63.01	24.60	0.26	10.46	QP
4	0.215	23.02	-29.99	53.01	12.30	0.26	10.46	Average
5	0.476	27.68	-28.73	56.41	16.89	0.36	10.43	QP
6	0.476	19.38	-27.03	46.41	8.59	0.36	10.43	Average
7	0.592	38.04	-17.96	56.00	27.30	0.37	10.37	QP
8 *	0.592	31.94	-14.06	46.00	21.20	0.37	10.37	Average
9	0.630	37.03	-18.97	56.00	26.30	0.37	10.36	QP
10	0.630	25.93	-20.07	46.00	15.20	0.37	10.36	Average
11	4.501	34.41	-21.59	56.00	23.80	0.41	10.20	QP
12	4.501	24.41	-21.59	46.00	13.80	0.41	10.20	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Koi Ji	Relative Humidity :	46 ~ 48 %
		Temperature :	26.2 ~ 27.5 °C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	CDD 8+10	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	CDD 8+10	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	CDD 8+10	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	CDD 8+10	802.11a	52	5260	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	CDD 8+10	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	CDD 8+10	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	CDD 8+10	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	CDD 8+10	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	CDD 8+10	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	CDD 8+10	802.11be EHT20	36	5180	MCS0	Full	-
Mode 11	U-NII-1	5.15-5.25	CDD 8+10	802.11be EHT20	44	5220	MCS0	Full	-
Mode 12	U-NII-1	5.15-5.25	CDD 8+10	802.11be EHT20	48	5240	MCS0	Full	-
Mode 13	U-NII-2A	5.25-5.35	CDD 8+10	802.11be EHT20	52	5260	MCS0	Full	-
Mode 14	U-NII-2A	5.25-5.35	CDD 8+10	802.11be EHT20	60	5300	MCS0	Full	-
Mode 15	U-NII-2A	5.25-5.35	CDD 8+10	802.11be EHT20	64	5320	MCS0	Full	-
Mode 16	U-NII-2C	5.47-5.725	CDD 8+10	802.11be EHT20	100	5500	MCS0	Full	-
Mode 17	U-NII-2C	5.47-5.725	CDD 8+10	802.11be EHT20	116	5580	MCS0	Full	-
Mode 18	U-NII-2C	5.47-5.725	CDD 8+10	802.11be EHT20	140	5700	MCS0	Full	-
Mode 19	U-NII-1	5.15-5.25	CDD 8+10	802.11be EHT40	38	5190	MCS0	Full	-
Mode 20	U-NII-1	5.15-5.25	CDD 8+10	802.11be EHT40	46	5230	MCS0	Full	-
Mode 21	U-NII-2A	5.25-5.35	CDD 8+10	802.11be EHT40	54	5270	MCS0	Full	-
Mode 22	U-NII-2A	5.25-5.35	CDD 8+10	802.11be EHT40	62	5310	MCS0	Full	-
Mode 23	U-NII-2C	5.47-5.725	CDD 8+10	802.11be EHT40	102	5510	MCS0	Full	-
Mode 24	U-NII-2C	5.47-5.725	CDD 8+10	802.11be EHT40	110	5550	MCS0	Full	-
Mode 25	U-NII-2C	5.47-5.725	CDD 8+10	802.11be EHT40	134	5670	MCS0	Full	-
Mode 26	U-NII-1	5.15-5.25	CDD 8+10	802.11be EHT80	42	5210	MCS0	Full	-
Mode 27	U-NII-2A	5.25-5.35	CDD 8+10	802.11be EHT80	58	5290	MCS0	Full	-
Mode 28	U-NII-2C	5.47-5.725	CDD 8+10	802.11be EHT80	106	5530	MCS0	Full	-
Mode 29	U-NII-2C	5.47-5.725	CDD 8+10	802.11be EHT80	122	5610	MCS0	Full	-
Mode 30	U-NII-2A	5.25-5.35	CDD 8+10	802.11be EHT160	50	5250	MCS0	Full	-
Mode 31	U-NII-2C	5.47-5.725	CDD 8+10	802.11be EHT160	114	5570	MCS0	Full	-
Mode 45	U-NII-1	5.15-5.25	CDD 8+10	802.11be EHT20	36	5180	MCS0	Single RU 106/53	-
Mode 46	U-NII-2A	5.25-5.35	CDD 8+10	802.11be EHT20	64	5320	MCS0	Single RU 106/54	-
Mode 47	U-NII-2C	5.47-5.725	CDD 8+10	802.11be EHT20	100	5500	MCS0	Single RU 106/53	-
Mode 48	U-NII-2C	5.47-5.725	CDD 8+10	802.11be EHT20	140	5700	MCS0	Single RU 106/54	-
Mode 51	U-NII-1	5.15-5.25	CDD 8+10	802.11be EHT20	36	5180	MCS0	Small RU 53+4	-



Mode 52	U-NII-2A	5.25-5.35	CDD 8+10	802.11be EHT20	64	5320	MCS0	Small RU 54+4	-
Mode 53	U-NII-2C	5.47-5.725	CDD 8+10	802.11be EHT20	100	5500	MCS0	Small RU 53+4	-
Mode 54	U-NII-2C	5.47-5.725	CDD 8+10	802.11be EHT20	140	5700	MCS0	Small RU 54+4	-
Mode 57	U-NII-1	5.15-5.25	CDD 8+10	802.11be EHT80	42	5210	MCS0	Puncturing 20M ④	-
Mode 58	U-NII-2A	5.25-5.35	CDD 8+10	802.11be EHT80	58	5290	MCS0	Puncturing 20M ①	-
Mode 59	U-NII-2C	5.47-5.725	CDD 8+10	802.11be EHT80	106	5530	MCS0	Puncturing 20M ④	-
Mode 60	U-NII-2C	5.47-5.725	CDD 8+10	802.11be EHT80	122	5610	MCS0	Puncturing 20M ①	-
Mode 63	U-NII-2A	5.25-5.35	CDD 8+10	802.11be EHT160	50	5250	MCS0	Puncturing 20M ①	-
Mode 64	U-NII-2A	5.25-5.35	CDD 8+10	802.11be EHT160	50	5250	MCS0	Puncturing 20M ⑧	-
Mode 65	U-NII-2A	5.25-5.35	CDD 8+10	802.11be EHT160	50	5250	MCS0	Puncturing 40M ①	-
Mode 66	U-NII-2A	5.25-5.35	CDD 8+10	802.11be EHT160	50	5250	MCS0	Puncturing 40M ④	-
Mode 67	U-NII-2C	5.47-5.725	CDD 8+10	802.11be EHT160	114	5570	MCS0	Puncturing 20M ①	-
Mode 68	U-NII-2C	5.47-5.725	CDD 8+10	802.11be EHT160	114	5570	MCS0	Puncturing 20M ⑧	-
Mode 69	U-NII-2C	5.47-5.725	CDD 8+10	802.11be EHT160	114	5570	MCS0	Puncturing 40M ①	-
Mode 70	U-NII-2C	5.47-5.725	CDD 8+10	802.11be EHT160	114	5570	MCS0	Puncturing 40M ④	-
Mode 71	U-NII-1	5.15-5.25	CDD 8+10	802.11be EHT80	42	5210	MCS0	Large RU 484+242 ④	-
Mode 72	U-NII-2A	5.25-5.35	CDD 8+10	802.11be EHT80	58	5290	MCS0	Large RU 484+242 ②	-
Mode 73	U-NII-2C	5.47-5.725	CDD 8+10	802.11be EHT80	106	5530	MCS0	Large RU 484+242 ④	-
Mode 74	U-NII-2C	5.47-5.725	CDD 8+10	802.11be EHT80	122	5610	MCS0	Large RU 484+242 ②	-
Mode 76	U-NII-2A	5.25-5.35	CDD 8+10	802.11be EHT160	50	5250	MCS0	Large RU 996+484 ④	-
Mode 77	U-NII-2C	5.47-5.725	CDD 8+10	802.11be EHT160	114	5570	MCS0	Large RU 996+484 ④	-
Mode 32	U-NII-3	5.725-5.85	CDD 8+10	802.11a	149	5745	6Mbps	-	-
Mode 33	U-NII-3	5.725-5.85	CDD 8+10	802.11a	157	5785	6Mbps	-	-
Mode 34	U-NII-3	5.725-5.85	CDD 8+10	802.11a	165	5825	6Mbps	-	-
Mode 35	U-NII-3	5.725-5.85	CDD 8+10	802.11be EHT20	149	5745	MCS0	Full	-
Mode 36	U-NII-3	5.725-5.85	CDD 8+10	802.11be EHT20	157	5785	MCS0	-	-
Mode 37	U-NII-3	5.725-5.85	CDD 8+10	802.11be EHT20	165	5825	MCS0	Full	-
Mode 38	U-NII-3	5.725-5.85	CDD 8+10	802.11be EHT40	151	5755	MCS0	Full	-
Mode 39	U-NII-3	5.725-5.85	CDD 8+10	802.11be EHT40	159	5795	MCS0	Full	-
Mode 40	U-NII-3	5.725-5.85	CDD 8+10	802.11be EHT80	155	5775	MCS0	Full	-
Mode 49	U-NII-3	5.725-5.85	CDD 8+10	802.11be EHT20	149	5745	MCS0	Single RU 106/53	-
Mode 50	U-NII-3	5.725-5.85	CDD 8+10	802.11be EHT20	165	5825	MCS0	Single RU 106/54	-
Mode 55	U-NII-3	5.725-5.85	CDD 8+10	802.11be EHT20	149	5745	MCS0	Small RU 53+4	-
Mode 56	U-NII-3	5.725-5.85	CDD 8+10	802.11be EHT20	165	5825	MCS0	Small RU 54+4	-
Mode 61	U-NII-3	5.725-5.85	CDD 8+10	802.11be EHT80	155	5775	MCS0	Puncturing 20M ④	-
Mode 62	U-NII-3	5.725-5.85	CDD 8+10	802.11be EHT80	155	5775	MCS0	Puncturing 20M ①	-
Mode 75	U-NII-3	5.725-5.85	CDD 8+10	802.11be EHT80	155	5775	MCS0	Large RU 484+242 ④	-
Mode 41	U-NII-2C	5.47-5.85	CDD 8+10	802.11a	144	5720	6Mbps	-	-
Mode 42	U-NII-2C	5.47-5.85	CDD 8+10	802.11be EHT20	144	5720	MCS0	-	-
Mode 43	U-NII-2C	5.47-5.85	CDD 8+10	802.11be EHT40	142	5710	MCS0	-	-
Mode 44	U-NII-2C	5.47-5.85	CDD 8+10	802.11be EHT80	138	5690	MCS0	-	-



Co-location

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	2400-2483.5	12	Bluetooth-LE_GSKF	38	2478	2Mbps	-	-
	U-NII-1	5.15-5.25	CDD 8+10	802.11ax HE20	36	5180	MCS0	Full	-
	-	Part 96 n48 Link						-	-
Mode 2	2400-2483.5	2400-2483.5	CDD 7+12	802.11ax HE40	9	2452	MCS0	Full RU	-
	U-NII-1	5.15-5.25	CDD 8+10	802.11ax HE20	36	5180	MCS0	Full	-
	-	Part 96 n48 Link						-	-

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5148.00	46.68	54.00	-7.32	V	AVERAGE	Pass	Band Edge
1	802.11a	36	10360.00	44.33	68.20	-23.87	H	PEAK	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	10440.00	44.31	68.20	-23.89	H	PEAK	Pass	Harmonic
3	802.11a	48	5453.74	45.74	54.00	-8.26	V	AVERAGE	Pass	Band Edge
3	802.11a	48	10480.00	44.22	68.20	-23.98	H	PEAK	Pass	Harmonic
4	802.11a	52	5104.89	46.71	54.00	-7.29	H	AVERAGE	Pass	Band Edge
4	802.11a	52	10520.00	45.00	68.20	-23.20	V	PEAK	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	10600.00	44.73	74.00	-29.27	H	PEAK	Pass	Harmonic
6	802.11a	64	5351.30	49.62	54.00	-4.38	V	AVERAGE	Pass	Band Edge
6	802.11a	64	10640.00	44.77	74.00	-29.23	H	PEAK	Pass	Harmonic
7	802.11a	100	5459.92	42.83	54.00	-11.17	V	AVERAGE	Pass	Band Edge
7	802.11a	100	11000.00	43.78	74.00	-30.22	H	PEAK	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	11160.00	44.19	74.00	-29.81	V	PEAK	Pass	Harmonic
9	802.11a	140	5725.32	63.26	68.20	-4.94	V	PEAK	Pass	Band Edge
9	802.11a	140	11400.00	44.72	74.00	-29.28	V	PEAK	Pass	Harmonic
10	802.11be EHT20	36	5150.00	50.96	54.00	-3.04	V	AVERAGE	Pass	Band Edge
10	802.11be EHT20	36	10360.00	44.04	68.20	-24.16	H	PEAK	Pass	Harmonic
11	802.11be EHT20	44	-	-	-	-	-	-	-	Band Edge
11	802.11be EHT20	44	10440.00	45.28	68.20	-22.92	H	PEAK	Pass	Harmonic
12	802.11be EHT20	48	5457.04	45.45	54.00	-8.55	V	AVERAGE	Pass	Band Edge
12	802.11be EHT20	48	10480.00	44.46	68.20	-23.74	V	PEAK	Pass	Harmonic
13	802.11be EHT20	52	-	-	-	-	-	-	-	Band Edge
13	802.11be EHT20	52	10520.00	45.29	68.20	-22.91	H	PEAK	Pass	Harmonic
14	802.11be EHT20	60	-	-	-	-	-	-	-	Band Edge
14	802.11be EHT20	60	10600.00	45.18	74.00	-28.82	H	PEAK	Pass	Harmonic
15	802.11be EHT20	64	5350.00	49.28	54.00	-4.72	V	AVERAGE	Pass	Band Edge
15	802.11be EHT20	64	10640.00	44.81	74.00	-29.19	H	PEAK	Pass	Harmonic
16	802.11be EHT20	100	5459.92	43.44	54.00	-10.56	V	AVERAGE	Pass	Band Edge



16	802.11be EHT20	100	11000.00	44.29	74.00	-29.71	H	PEAK	Pass	Harmonic
17	802.11be EHT20	116	-	-	-	-	-	-	-	Band Edge
17	802.11be EHT20	116	11160.00	44.01	74.00	-29.99	V	PEAK	Pass	Harmonic
18	802.11be EHT20	140	5725.72	63.04	68.20	-5.16	V	PEAK	Pass	Band Edge
18	802.11be EHT20	140	11400.00	44.76	74.00	-29.24	V	PEAK	Pass	Harmonic
19	802.11be EHT40	38	5149.92	48.20	54.00	-5.80	H	AVERAGE	Pass	Band Edge
19	802.11be EHT40	38	10380.00	44.18	68.20	-24.02	V	PEAK	Pass	Harmonic
20	802.11be EHT40	46	5142.88	42.63	54.00	-11.37	V	AVERAGE	Pass	Band Edge
20	802.11be EHT40	46	10460.00	44.66	68.20	-23.54	V	PEAK	Pass	Harmonic
21	802.11be EHT40	54	5356.07	43.71	54.00	-10.29	V	AVERAGE	Pass	Band Edge
21	802.11be EHT40	54	10540.00	44.56	68.20	-23.64	H	PEAK	Pass	Harmonic
22	802.11be EHT40	62	5350.00	50.43	54.00	-3.57	V	AVERAGE	Pass	Band Edge
22	802.11be EHT40	62	10620.00	44.40	74.00	-29.60	V	PEAK	Pass	Harmonic
23	802.11be EHT40	102	5459.92	48.22	54.00	-5.78	V	AVERAGE	Pass	Band Edge
23	802.11be EHT40	102	11020.00	43.32	74.00	-30.68	H	PEAK	Pass	Harmonic
24	802.11be EHT40	110	-	-	-	-	-	-	-	Band Edge
24	802.11be EHT40	110	11100.00	44.20	74.00	-29.80	H	PEAK	Pass	Harmonic
25	802.11be EHT40	134	5725.16	62.83	68.20	-5.37	V	PEAK	Pass	Band Edge
25	802.11be EHT40	134	11340.00	43.40	74.00	-30.60	H	PEAK	Pass	Harmonic
26	802.11be EHT80	42	5137.12	46.58	54.00	-7.42	V	AVERAGE	Pass	Band Edge
26	802.11be EHT80	42	10420.00	44.18	68.20	-24.02	H	PEAK	Pass	Harmonic
27	802.11be EHT80	58	5357.90	49.34	54.00	-4.66	V	AVERAGE	Pass	Band Edge
27	802.11be EHT80	58	10580.00	43.10	74.00	-30.90	V	PEAK	Pass	Harmonic
28	802.11be EHT80	106	5457.52	49.82	54.00	-4.18	V	AVERAGE	Pass	Band Edge
28	802.11be EHT80	106	11060.00	43.26	74.00	-30.74	V	PEAK	Pass	Harmonic
29	802.11be EHT80	122	5728.12	61.13	68.20	-7.07	H	PEAK	Pass	Band Edge
29	802.11be EHT80	122	11220.00	43.44	74.00	-30.56	H	PEAK	Pass	Harmonic
30	802.11be EHT160	50	5411.07	47.98	54.00	-6.02	V	AVERAGE	Pass	Band Edge
30	802.11be EHT160	50	10500.00	43.79	68.20	-24.41	H	PEAK	Pass	Harmonic
31	802.11be EHT160	114	5437.34	49.65	54.00	-4.35	V	AVERAGE	Pass	Band Edge
31	802.11be EHT160	114	11140.00	43.67	74.00	-30.33	H	PEAK	Pass	Harmonic
45	802.11be EHT20	36	5113.55	46.64	54.00	-7.36	H	AVERAGE	Pass	Band Edge
45	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
46	802.11be EHT20	64	5388.05	45.26	54.00	-8.74	V	AVERAGE	Pass	Band Edge
46	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
47	802.11be EHT20	100	5455.05	45.84	54.00	-8.16	V	AVERAGE	Pass	Band Edge
47	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
48	802.11be EHT20	140	5759.92	57.05	68.20	-11.15	V	PEAK	Pass	Band Edge
48	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
51	802.11be EHT20	36	5103.85	46.66	54.00	-7.34	H	AVERAGE	Pass	Band Edge
51	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
52	802.11be EHT20	64	5350.00	45.66	54.00	-8.34	V	AVERAGE	Pass	Band Edge
52	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
53	802.11be EHT20	100	5454.57	45.75	54.00	-8.25	V	AVERAGE	Pass	Band Edge
53	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
54	802.11be EHT20	140	5726.32	57.62	68.20	-10.58	H	PEAK	Pass	Band Edge



54	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
57	802.11be EHT80	42	5146.00	48.07	54.00	-5.93	H	AVERAGE	Pass	Band Edge
57	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
58	802.11be EHT80	58	5353.83	47.19	54.00	-6.81	V	AVERAGE	Pass	Band Edge
58	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
59	802.11be EHT80	106	5459.93	49.85	54.00	-4.15	V	AVERAGE	Pass	Band Edge
59	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
60	802.11be EHT80	122	5736.96	62.64	68.20	-5.56	V	PEAK	Pass	Band Edge
60	802.11be EHT80	122	-	-	-	-	-	-	-	Harmonic
63	802.11be EHT160	50	5137.00	50.02	54.00	-3.98	V	AVERAGE	Pass	Band Edge
63	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
64	802.11be EHT160	50	5134.10	47.95	54.00	-6.05	V	AVERAGE	Pass	Band Edge
64	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
65	802.11be EHT160	50	5136.55	47.63	54.00	-6.37	V	AVERAGE	Pass	Band Edge
65	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
66	802.11be EHT160	50	5136.25	47.06	54.00	-6.94	V	AVERAGE	Pass	Band Edge
66	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
67	802.11be EHT160	114	5435.92	50.63	54.00	-3.37	V	AVERAGE	Pass	Band Edge
67	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
68	802.11be EHT160	114	5416.12	50.15	54.00	-3.85	V	AVERAGE	Pass	Band Edge
68	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
69	802.11be EHT160	114	5456.60	49.33	54.00	-4.67	V	AVERAGE	Pass	Band Edge
69	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
70	802.11be EHT160	114	5411.94	50.56	54.00	-3.44	V	AVERAGE	Pass	Band Edge
70	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
71	802.11be EHT80	42	5139.45	50.95	54.00	-3.05	V	AVERAGE	Pass	Band Edge
71	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
72	802.11be EHT80	58	5357.15	50.01	54.00	-3.99	V	AVERAGE	Pass	Band Edge
72	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
73	802.11be EHT80	106	5459.66	50.34	54.00	-3.66	V	AVERAGE	Pass	Band Edge
73	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
74	802.11be EHT80	122	5459.48	45.37	54.00	-8.63	V	AVERAGE	Pass	Band Edge
74	802.11be EHT80	122	-	-	-	-	-	-	-	Harmonic
76	802.11be EHT160	50	5117.62	50.07	54.00	-3.93	V	AVERAGE	Pass	Band Edge
76	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
77	802.11be EHT160	114	5455.50	49.41	54.00	-4.59	V	AVERAGE	Pass	Band Edge
77	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
32	802.11a	149	5625.81	56.90	68.20	-11.30	V	PEAK	Pass	Band Edge
32	802.11a	149	11490.00	44.45	74.00	-29.55	H	PEAK	Pass	Harmonic
33	802.11a	157	-	-	-	-	-	-	-	Band Edge
33	802.11a	157	11570.00	44.88	74.00	-29.12	H	PEAK	Pass	Harmonic
34	802.11a	165	5998.21	57.34	68.20	-10.86	V	PEAK	Pass	Band Edge
34	802.11a	165	11650.00	44.48	74.00	-29.52	V	PEAK	Pass	Harmonic
35	802.11be EHT20	149	-	-	-	-	-	-	-	Band Edge
35	802.11be EHT20	149	11490.00	44.13	74.00	-29.87	V	PEAK	Pass	Harmonic
36	802.11be EHT20	157	-	-	-	-	-	-	-	Band Edge







36	802.11be EHT20	157	11570.00	44.20	74.00	-29.80	H	PEAK	Pass	Harmonic
37	802.11be EHT20	165	5953.81	57.42	68.20	-10.78	V	PEAK	Pass	Band Edge
37	802.11be EHT20	165	11650.00	44.64	74.00	-29.36	H	PEAK	Pass	Harmonic
38	802.11be EHT40	151	5924.17	57.99	68.81	-10.82	H	PEAK	Pass	Band Edge
38	802.11be EHT40	151	11510.00	43.94	74.00	-30.06	H	PEAK	Pass	Harmonic
39	802.11be EHT40	159	5933.41	58.06	68.20	-10.14	V	PEAK	Pass	Band Edge
39	802.11be EHT40	159	11590.00	44.31	74.00	-29.69	H	PEAK	Pass	Harmonic
40	802.11be EHT80	155	5616.19	57.90	68.20	-10.30	V	PEAK	Pass	Band Edge
40	802.11be EHT80	155	11550.00	44.36	74.00	-29.64	V	PEAK	Pass	Harmonic
49	802.11be EHT20	149	5616.96	56.92	68.20	-11.28	H	PEAK	Pass	Band Edge
49	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
50	802.11be EHT20	165	5961.81	58.32	68.20	-9.88	H	PEAK	Pass	Band Edge
50	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
55	802.11be EHT20	149	5615.20	56.49	68.20	-11.71	H	PEAK	Pass	Band Edge
55	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
56	802.11be EHT20	165	5978.80	58.48	68.20	-9.72	V	PEAK	Pass	Band Edge
56	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
61	802.11be EHT80	155	5600.61	57.52	68.20	-10.68	H	PEAK	Pass	Band Edge
61	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
62	802.11be EHT80	155	5628.21	57.12	68.20	-11.08	V	PEAK	Pass	Band Edge
62	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
75	802.11be EHT80	155	5647.60	58.80	68.20	-9.40	V	PEAK	Pass	Band Edge
75	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
41	802.11a	144	-	-	-	-	-	-	-	Band Edge
41	802.11a	144	11440.00	45.08	74.00	-28.92	V	PEAK	Pass	Harmonic
42	802.11be EHT20	144	-	-	-	-	-	-	-	Band Edge
42	802.11be EHT20	144	11440.00	44.84	74.00	-29.16	V	PEAK	Pass	Harmonic
43	802.11be EHT40	142	-	-	-	-	-	-	-	Band Edge
43	802.11be EHT40	142	11420.00	45.62	74.00	-28.38	V	PEAK	Pass	Harmonic
44	802.11be EHT80	138	-	-	-	-	-	-	-	Band Edge
44	802.11be EHT80	138	11380.00	44.79	74.00	-29.21	V	PEAK	Pass	Harmonic





Co-location

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	Bluetooth-LE_GSKF	38	2492.74	46.21	54.00	-7.79	H	AVERAGE	Pass	Band Edge
1	Bluetooth-LE_GSKF	38	7434.00	42.68	74.00	-31.32	V	PEAK	Pass	Harmonic
1	802.11ax HE20	36	5148.53	50.91	54.00	-3.09	V	AVERAGE	Pass	Band Edge
2	802.11ax HE20	36	10360.00	45.16	68.20	-23.04	V	PEAK	Pass	Harmonic
2	802.11ax HE40	9	2483.50	50.01	54.00	-3.99	H	AVERAGE	Pass	Band Edge
3	802.11ax HE40	9	7356.00	42.83	74.00	-31.17	H	PEAK	Pass	Harmonic
2	802.11ax HE20	36	5148.34	50.80	54.00	-3.20	V	AVERAGE	Pass	Band Edge
4	802.11ax HE20	36	10360.00	45.16	68.20	-23.04	H	PEAK	Pass	Harmonic





Mode	1																																																																																									
	Band Edge																																																																																									
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																									
ANT	CDD 8+10																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5147.70</td><td>58.39</td><td>74.00</td><td>-15.61</td><td>49.51</td><td>34.10</td><td>11.80</td><td>37.02</td><td>0.00</td><td>219 302 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.70	58.39	74.00	-15.61	49.51	34.10	11.80	37.02	0.00	219 302 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>111.02</td><td>-----</td><td>-----</td><td>102.06</td><td>34.25</td><td>11.84</td><td>37.13</td><td>0.00</td><td>219 302 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	111.02	-----	-----	102.06	34.25	11.84	37.13	0.00	219 302 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5147.70	58.39	74.00	-15.61	49.51	34.10	11.80	37.02	0.00	219 302 PEAK																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5180.00	111.02	-----	-----	102.06	34.25	11.84	37.13	0.00	219 302 PEAK																																																																																
Avg	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5148.20</td><td>46.38</td><td>54.00</td><td>-7.62</td><td>37.51</td><td>34.10</td><td>11.80</td><td>37.03</td><td>0.00</td><td>219 302 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.20	46.38	54.00	-7.62	37.51	34.10	11.80	37.03	0.00	219 302 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>101.90</td><td>-----</td><td>-----</td><td>92.95</td><td>34.23</td><td>11.83</td><td>37.11</td><td>0.00</td><td>219 302 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	101.90	-----	-----	92.95	34.23	11.83	37.11	0.00	219 302 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5148.20	46.38	54.00	-7.62	37.51	34.10	11.80	37.03	0.00	219 302 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5180.00	101.90	-----	-----	92.95	34.23	11.83	37.11	0.00	219 302 AVERAGE																																																																																





Mode	1																																																																																																				
	Band Edge																																																																																																				
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																				
ANT	CDD 8+10																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5147.90</td><td>58.37</td><td>74.00</td><td>-15.63</td><td>49.49</td><td>34.10</td><td>11.80</td><td>37.02</td><td>0.00</td><td>312</td><td>91 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.90	58.37	74.00	-15.63	49.49	34.10	11.80	37.02	0.00	312	91 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>110.83</td><td>-----</td><td>-----</td><td>101.88</td><td>34.23</td><td>11.83</td><td>37.11</td><td>0.00</td><td>312</td><td>91 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	110.83	-----	-----	101.88	34.23	11.83	37.11	0.00	312
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5147.90	58.37	74.00	-15.63	49.49	34.10	11.80	37.02	0.00	312	91 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5180.00	110.83	-----	-----	101.88	34.23	11.83	37.11	0.00	312	91 PEAK																																																																																										
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5148.00</td><td>46.68</td><td>54.00</td><td>-7.32</td><td>37.80</td><td>34.10</td><td>11.80</td><td>37.02</td><td>0.00</td><td>312</td><td>91 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.00	46.68	54.00	-7.32	37.80	34.10	11.80	37.02	0.00	312	91 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>102.75</td><td>-----</td><td>-----</td><td>93.80</td><td>34.23</td><td>11.83</td><td>37.11</td><td>0.00</td><td>312</td><td>91 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	102.75	-----	-----	93.80	34.23	11.83	37.11	0.00	312
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5148.00	46.68	54.00	-7.32	37.80	34.10	11.80	37.02	0.00	312	91 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5180.00	102.75	-----	-----	93.80	34.23	11.83	37.11	0.00	312	91 AVERAGE																																																																																										







Mode	1																																																																																																	
	Harmonic																																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																	
ANT	CDD 8+10																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.33</td><td>68.20</td><td>-23.87</td><td>52.33</td><td>37.57</td><td>16.92</td><td>62.49</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.33	68.20	-23.87	52.33	37.57	16.92	62.49	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.20</td><td>68.20</td><td>-24.00</td><td>52.21</td><td>37.56</td><td>16.92</td><td>62.49</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.20	68.20	-24.00	52.21	37.56	16.92	62.49	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10360.00	44.33	68.20	-23.87	52.33	37.57	16.92	62.49	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10360.00	44.20	68.20	-24.00	52.21	37.56	16.92	62.49	0.00	--	PEAK																																																																																							







Mode	2																																																																																																	
	Harmonic																																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																	
ANT	CDD 8+10																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>44.31</td><td>68.20</td><td>-23.89</td><td>52.03</td><td>37.70</td><td>16.99</td><td>62.41</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	44.31	68.20	-23.89	52.03	37.70	16.99	62.41	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>44.25</td><td>68.20</td><td>-23.95</td><td>52.01</td><td>37.68</td><td>16.98</td><td>62.42</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	44.25	68.20	-23.95	52.01	37.68	16.98	62.42	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10440.00	44.31	68.20	-23.89	52.03	37.70	16.99	62.41	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10440.00	44.25	68.20	-23.95	52.01	37.68	16.98	62.42	0.00	--	PEAK																																																																																							



Mode	3																																																																																																		
	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																		
ANT	CDD 8+10																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5431.52</td><td>57.05</td><td>74.00</td><td>-16.95</td><td>39.92</td><td>34.76</td><td>12.20</td><td>29.83</td><td>0.00</td><td>114</td><td>56</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5431.52	57.05	74.00	-16.95	39.92	34.76	12.20	29.83	0.00	114	56	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>113.11</td><td>-----</td><td>-----</td><td>96.45</td><td>34.57</td><td>11.99</td><td>29.90</td><td>0.00</td><td>114</td><td>56</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	113.11	-----	-----	96.45	34.57	11.99	29.90	0.00	114	56
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5431.52	57.05	74.00	-16.95	39.92	34.76	12.20	29.83	0.00	114	56	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5240.00	113.11	-----	-----	96.45	34.57	11.99	29.90	0.00	114	56	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5445.60</td><td>45.72</td><td>54.00</td><td>-8.28</td><td>28.56</td><td>34.79</td><td>12.22</td><td>29.85</td><td>0.00</td><td>114</td><td>56</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5445.60	45.72	54.00	-8.28	28.56	34.79	12.22	29.85	0.00	114	56	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>105.01</td><td>-----</td><td>-----</td><td>88.35</td><td>34.57</td><td>11.99</td><td>29.90</td><td>0.00</td><td>114</td><td>56</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	105.01	-----	-----	88.35	34.57	11.99	29.90	0.00	114	56
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5445.60	45.72	54.00	-8.28	28.56	34.79	12.22	29.85	0.00	114	56	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5240.00	105.01	-----	-----	88.35	34.57	11.99	29.90	0.00	114	56	AVERAGE																																																																																							



		3																																																				
Mode		Band Edge																																																				
		U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																				
ANT		CDD 8+10																																																				
Pol.		Vertical					Fundamental																																															
Peak																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5448.24</td><td>56.87</td><td>74.00</td><td>-17.13</td><td>39.71</td><td>34.00</td><td>12.22</td><td>29.86</td><td>0.00</td><td>300</td><td>118</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.24	56.87	74.00	-17.13	39.71	34.00	12.22	29.86	0.00	300	118
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5448.24	56.87	74.00	-17.13	39.71	34.00	12.22	29.86	0.00	300	118	PEAK																																										
Avg																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5453.74</td><td>45.74</td><td>54.00</td><td>-8.26</td><td>28.59</td><td>34.79</td><td>12.23</td><td>29.87</td><td>0.00</td><td>300</td><td>118</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.74	45.74	54.00	-8.26	28.59	34.79	12.23	29.87	0.00	300	118
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5453.74	45.74	54.00	-8.26	28.59	34.79	12.23	29.87	0.00	300	118	AVERAGE																																										
Peak																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>109.52</td><td>-----</td><td>-----</td><td>92.83</td><td>34.59</td><td>12.00</td><td>29.90</td><td>0.00</td><td>300</td><td>118</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	109.52	-----	-----	92.83	34.59	12.00	29.90	0.00	300	118
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5240.00	109.52	-----	-----	92.83	34.59	12.00	29.90	0.00	300	118	PEAK																																										
Avg																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>100.81</td><td>-----</td><td>-----</td><td>84.14</td><td>34.58</td><td>11.99</td><td>29.90</td><td>0.00</td><td>300</td><td>118</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	100.81	-----	-----	84.14	34.58	11.99	29.90	0.00	300	118
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5240.00	100.81	-----	-----	84.14	34.58	11.99	29.90	0.00	300	118	AVERAGE																																										