








Mode	50																																																																																			
	Band Edge																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Single RU 106/54_5825MHz																																																																																			
ANT	CDD 8+10																																																																																			
Pol.	Horizontal						Fundamental																																																																													
Peak																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5854.99</td><td>54.52</td><td>110.93</td><td>-56.41</td><td>36.67</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>106</td><td>120 PEAK</td></tr><tr><td>2</td><td>5874.99</td><td>55.13</td><td>105.30</td><td>-50.17</td><td>37.27</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>106</td><td>120 PEAK</td></tr><tr><td>3</td><td>5924.99</td><td>54.66</td><td>68.21</td><td>-13.55</td><td>36.63</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>106</td><td>120 PEAK</td></tr><tr><td>4</td><td>5961.81</td><td>58.32</td><td>68.20</td><td>-9.88</td><td>40.04</td><td>35.27</td><td>12.83</td><td>29.82</td><td>0.00</td><td>106</td><td>120 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	5854.99	54.52	110.93	-56.41	36.67	35.00	12.67	29.82	0.00	106	120 PEAK	2	5874.99	55.13	105.30	-50.17	37.27	35.00	12.70	29.84	0.00	106	120 PEAK	3	5924.99	54.66	68.21	-13.55	36.63	35.10	12.78	29.85	0.00	106	120 PEAK	4	5961.81	58.32	68.20	-9.88	40.04	35.27	12.83	29.82	0.00	106	120 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																									
1	5854.99	54.52	110.93	-56.41	36.67	35.00	12.67	29.82	0.00	106	120 PEAK																																																																									
2	5874.99	55.13	105.30	-50.17	37.27	35.00	12.70	29.84	0.00	106	120 PEAK																																																																									
3	5924.99	54.66	68.21	-13.55	36.63	35.10	12.78	29.85	0.00	106	120 PEAK																																																																									
4	5961.81	58.32	68.20	-9.88	40.04	35.27	12.83	29.82	0.00	106	120 PEAK																																																																									
Avg																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>106.15</td><td>-----</td><td>-----</td><td>88.30</td><td>35.00</td><td>12.63</td><td>29.78</td><td>0.00</td><td>106</td><td>120 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	5825.00	106.15	-----	-----	88.30	35.00	12.63	29.78	0.00	106	120 PEAK																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																									
1	5825.00	106.15	-----	-----	88.30	35.00	12.63	29.78	0.00	106	120 PEAK																																																																									
Blank																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>97.86</td><td>-----</td><td>-----</td><td>80.01</td><td>35.00</td><td>12.63</td><td>29.78</td><td>0.00</td><td>106</td><td>120 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	5825.00	97.86	-----	-----	80.01	35.00	12.63	29.78	0.00	106	120 AVERAGE																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																									
1	5825.00	97.86	-----	-----	80.01	35.00	12.63	29.78	0.00	106	120 AVERAGE																																																																									






Mode	50																																																																																													
	Band Edge																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Single RU 106/54_5825MHz																																																																																													
ANT	CDD 8+10																																																																																													
Pol.	Vertical																																																																																													
Peak																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>52.53</td><td>110.93</td><td>-58.40</td><td>34.68</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>296</td><td>85</td><td>PEAK</td></tr><tr><td>2</td><td>5874.99</td><td>56.28</td><td>105.30</td><td>-49.02</td><td>38.42</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>296</td><td>85</td><td>PEAK</td></tr><tr><td>3</td><td>5924.99</td><td>55.08</td><td>68.21</td><td>-13.13</td><td>37.05</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>296</td><td>85</td><td>PEAK</td></tr><tr><td>4</td><td>5982.21</td><td>56.99</td><td>68.20</td><td>-11.21</td><td>38.54</td><td>35.39</td><td>12.86</td><td>29.80</td><td>0.00</td><td>296</td><td>85</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.99	52.53	110.93	-58.40	34.68	35.00	12.67	29.82	0.00	296	85	PEAK	2	5874.99	56.28	105.30	-49.02	38.42	35.00	12.70	29.84	0.00	296	85	PEAK	3	5924.99	55.08	68.21	-13.13	37.05	35.10	12.78	29.85	0.00	296	85	PEAK	4	5982.21	56.99	68.20	-11.21	38.54	35.39	12.86	29.80	0.00	296	85	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5854.99	52.53	110.93	-58.40	34.68	35.00	12.67	29.82	0.00	296	85	PEAK																																																																																		
2	5874.99	56.28	105.30	-49.02	38.42	35.00	12.70	29.84	0.00	296	85	PEAK																																																																																		
3	5924.99	55.08	68.21	-13.13	37.05	35.10	12.78	29.85	0.00	296	85	PEAK																																																																																		
4	5982.21	56.99	68.20	-11.21	38.54	35.39	12.86	29.80	0.00	296	85	PEAK																																																																																		
Avg	Blank																																																																																													
																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>100.27</td><td>-----</td><td>-----</td><td>82.42</td><td>35.00</td><td>12.64</td><td>29.79</td><td>0.00</td><td>296</td><td>85</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	100.27	-----	-----	82.42	35.00	12.64	29.79	0.00	296	85	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5825.00	100.27	-----	-----	82.42	35.00	12.64	29.79	0.00	296	85	AVERAGE																																																																																		






		55																																																																																																																																																								
Mode		Band Edge																																																																																																																																																								
		U-NII-3_5.725-5.85_802.11be EHT20_CH149_Small RU 53+4_5745MHz																																																																																																																																																								
ANT		CDD 8+10																																																																																																																																																								
Pol.	Horizontal											Fundamental																																																																																																																																														
Peak																																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5615.20</td><td>56.49</td><td>68.20</td><td>-11.71</td><td>39.15</td><td>34.70</td><td>12.41</td><td>29.77</td><td>0.00</td><td>103</td><td>109</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>53.73</td><td>68.20</td><td>-14.47</td><td>36.45</td><td>34.70</td><td>12.44</td><td>29.86</td><td>0.00</td><td>103</td><td>109</td><td>PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>54.91</td><td>105.30</td><td>-50.39</td><td>37.62</td><td>34.80</td><td>12.49</td><td>30.00</td><td>0.00</td><td>103</td><td>109</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>53.09</td><td>110.90</td><td>-57.81</td><td>35.69</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>103</td><td>109</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5615.20	56.49	68.20	-11.71	39.15	34.70	12.41	29.77	0.00	103	109	PEAK	2	5650.00	53.73	68.20	-14.47	36.45	34.70	12.44	29.86	0.00	103	109	PEAK	3	5700.00	54.91	105.30	-50.39	37.62	34.80	12.49	30.00	0.00	103	109	PEAK	4	5720.00	53.09	110.90	-57.81	35.69	34.84	12.51	29.95	0.00	103	109	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>111.59</td><td>-----</td><td>-----</td><td>94.12</td><td>34.87</td><td>12.52</td><td>29.92</td><td>0.00</td><td>103</td><td>109</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	111.59	-----	-----	94.12	34.87	12.52	29.92	0.00	103	109	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																
1	5615.20	56.49	68.20	-11.71	39.15	34.70	12.41	29.77	0.00	103	109	PEAK																																																																																																																																														
2	5650.00	53.73	68.20	-14.47	36.45	34.70	12.44	29.86	0.00	103	109	PEAK																																																																																																																																														
3	5700.00	54.91	105.30	-50.39	37.62	34.80	12.49	30.00	0.00	103	109	PEAK																																																																																																																																														
4	5720.00	53.09	110.90	-57.81	35.69	34.84	12.51	29.95	0.00	103	109	PEAK																																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																															
1	5745.00	111.59	-----	-----	94.12	34.87	12.52	29.92	0.00	103	109	PEAK																																																																																																																																														
Avg	Blank																																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>102.39</td><td>-----</td><td>-----</td><td>84.92</td><td>34.87</td><td>12.52</td><td>29.92</td><td>0.00</td><td>103</td><td>109</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	102.39	-----	-----	84.92	34.87	12.52	29.92	0.00	103	109	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>102.39</td><td>-----</td><td>-----</td><td>84.92</td><td>34.87</td><td>12.52</td><td>29.92</td><td>0.00</td><td>103</td><td>109</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	102.39	-----	-----	84.92	34.87	12.52	29.92	0.00	103	109	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																															
1	5745.00	102.39	-----	-----	84.92	34.87	12.52	29.92	0.00	103	109	AVERAGE																																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																															
1	5745.00	102.39	-----	-----	84.92	34.87	12.52	29.92	0.00	103	109	AVERAGE																																																																																																																																														






Mode	55																																																																																																																											
	Band Edge																																																																																																																											
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Small RU 53+4_5745MHz																																																																																																																											
ANT	CDD 8+10																																																																																																																											
Pol.	Vertical	Fundamental																																																																																																																										
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5624.00</td><td>56.24</td><td>68.20</td><td>-11.96</td><td>38.92</td><td>34.70</td><td>12.41</td><td>29.79</td><td>0.00</td><td>369</td><td>94 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>53.50</td><td>68.20</td><td>-14.70</td><td>36.22</td><td>34.70</td><td>12.44</td><td>29.86</td><td>0.00</td><td>369</td><td>94 PEAK</td></tr><tr><td>3</td><td>5704.00</td><td>55.14</td><td>106.42</td><td>-51.28</td><td>37.83</td><td>34.81</td><td>12.49</td><td>29.99</td><td>0.00</td><td>369</td><td>94 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>52.51</td><td>110.90</td><td>-58.39</td><td>35.11</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>369</td><td>94 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5624.00	56.24	68.20	-11.96	38.92	34.70	12.41	29.79	0.00	369	94 PEAK	2	5650.00	53.50	68.20	-14.70	36.22	34.70	12.44	29.86	0.00	369	94 PEAK	3	5704.00	55.14	106.42	-51.28	37.83	34.81	12.49	29.99	0.00	369	94 PEAK	4	5720.00	52.51	110.90	-58.39	35.11	34.84	12.51	29.95	0.00	369	94 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>108.62</td><td>-----</td><td>-----</td><td>91.11</td><td>34.88</td><td>12.53</td><td>29.90</td><td>0.00</td><td>369</td><td>94 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	108.62	-----	-----	91.11	34.88	12.53	29.90	0.00	369	94 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5624.00	56.24	68.20	-11.96	38.92	34.70	12.41	29.79	0.00	369	94 PEAK																																																																																																																	
2	5650.00	53.50	68.20	-14.70	36.22	34.70	12.44	29.86	0.00	369	94 PEAK																																																																																																																	
3	5704.00	55.14	106.42	-51.28	37.83	34.81	12.49	29.99	0.00	369	94 PEAK																																																																																																																	
4	5720.00	52.51	110.90	-58.39	35.11	34.84	12.51	29.95	0.00	369	94 PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5745.00	108.62	-----	-----	91.11	34.88	12.53	29.90	0.00	369	94 PEAK																																																																																																																	
Avg	Blank	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>98.63</td><td>-----</td><td>-----</td><td>81.12</td><td>34.88</td><td>12.53</td><td>29.90</td><td>0.00</td><td>369</td><td>94 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	98.63	-----	-----	81.12	34.88	12.53	29.90	0.00	369	94 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5745.00	98.63	-----	-----	81.12	34.88	12.53	29.90	0.00	369	94 AVERAGE																																																																																																																	






		56																																																																																																																																													
Mode	Band Edge																																																																																																																																														
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Small RU 54+4_5825MHz																																																																																																																																														
ANT	CDD 8+10																																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>53.02</td><td>111.36</td><td>-58.34</td><td>35.17</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>100</td><td>100</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>56.48</td><td>105.36</td><td>-48.88</td><td>38.62</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>100</td><td>100</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>55.34</td><td>68.94</td><td>-13.60</td><td>37.31</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>100</td><td>100</td><td>PEAK</td></tr><tr><td>4</td><td>5950.00</td><td>58.18</td><td>68.20</td><td>-10.02</td><td>40.00</td><td>35.20</td><td>12.81</td><td>29.83</td><td>0.00</td><td>100</td><td>100</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	53.02	111.36	-58.34	35.17	35.00	12.67	29.82	0.00	100	100	PEAK	2	5874.00	56.48	105.36	-48.88	38.62	35.00	12.70	29.84	0.00	100	100	PEAK	3	5924.00	55.34	68.94	-13.60	37.31	35.10	12.78	29.85	0.00	100	100	PEAK	4	5950.00	58.18	68.20	-10.02	40.00	35.20	12.81	29.83	0.00	100	100	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>109.62</td><td>-----</td><td>-----</td><td>91.77</td><td>35.00</td><td>12.64</td><td>29.79</td><td>0.00</td><td>100</td><td>100</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	109.62	-----	-----	91.77	35.00	12.64	29.79	0.00	100	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5854.00	53.02	111.36	-58.34	35.17	35.00	12.67	29.82	0.00	100	100	PEAK																																																																																																																																			
2	5874.00	56.48	105.36	-48.88	38.62	35.00	12.70	29.84	0.00	100	100	PEAK																																																																																																																																			
3	5924.00	55.34	68.94	-13.60	37.31	35.10	12.78	29.85	0.00	100	100	PEAK																																																																																																																																			
4	5950.00	58.18	68.20	-10.02	40.00	35.20	12.81	29.83	0.00	100	100	PEAK																																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5825.00	109.62	-----	-----	91.77	35.00	12.64	29.79	0.00	100	100	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>102.27</td><td>-----</td><td>-----</td><td>84.42</td><td>35.00</td><td>12.64</td><td>29.79</td><td>0.00</td><td>100</td><td>100</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	102.27	-----	-----	84.42	35.00	12.64	29.79	0.00	100	100	AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5825.00	102.27	-----	-----	84.42	35.00	12.64	29.79	0.00	100	100	AVERAGE																																																																																																																																			




		56																																																																																									
Mode	Band Edge																																																																																										
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Small RU 54+4_5825MHz																																																																																										
ANT	CDD 8+10																																																																																										
Pol.	Vertical																																																																																										
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>55.63</td><td>111.36</td><td>-55.73</td><td>37.78</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>294</td><td>54 PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>55.30</td><td>105.58</td><td>-50.28</td><td>37.44</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>294</td><td>54 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>55.59</td><td>68.35</td><td>-12.76</td><td>37.56</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>294</td><td>54 PEAK</td></tr><tr><td>4</td><td>5978.00</td><td>58.48</td><td>68.20</td><td>-9.72</td><td>40.06</td><td>35.37</td><td>12.86</td><td>29.81</td><td>0.00</td><td>294</td><td>54 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	55.63	111.36	-55.73	37.78	35.00	12.67	29.82	0.00	294	54 PEAK	2	5874.00	55.30	105.58	-50.28	37.44	35.00	12.70	29.84	0.00	294	54 PEAK	3	5924.00	55.59	68.35	-12.76	37.56	35.10	12.78	29.85	0.00	294	54 PEAK	4	5978.00	58.48	68.20	-9.72	40.06	35.37	12.86	29.81	0.00	294
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5854.00	55.63	111.36	-55.73	37.78	35.00	12.67	29.82	0.00	294	54 PEAK																																																																																
2	5874.00	55.30	105.58	-50.28	37.44	35.00	12.70	29.84	0.00	294	54 PEAK																																																																																
3	5924.00	55.59	68.35	-12.76	37.56	35.10	12.78	29.85	0.00	294	54 PEAK																																																																																
4	5978.00	58.48	68.20	-9.72	40.06	35.37	12.86	29.81	0.00	294	54 PEAK																																																																																
Fundamental																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>106.89</td><td>-----</td><td>-----</td><td>89.84</td><td>35.00</td><td>12.64</td><td>29.79</td><td>0.00</td><td>294</td><td>54 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	106.89	-----	-----	89.84	35.00	12.64	29.79	0.00	294	54 PEAK																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5825.00	106.89	-----	-----	89.84	35.00	12.64	29.79	0.00	294	54 PEAK																																																																																
Avg	Blank																																																																																										
																																																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>98.43</td><td>-----</td><td>-----</td><td>80.58</td><td>35.00</td><td>12.64</td><td>29.79</td><td>0.00</td><td>294</td><td>54 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	98.43	-----	-----	80.58	35.00	12.64	29.79	0.00	294	54 AVERAGE																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5825.00	98.43	-----	-----	80.58	35.00	12.64	29.79	0.00	294	54 AVERAGE																																																																																





		61																																																																																																																																	
Mode		Band Edge - L																																																																																																																																	
		U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M ④5775MHz																																																																																																																																	
ANT		CDD 8+10																																																																																																																																	
Pol.		Horizontal					Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5600.61</td><td>57.52</td><td>68.20</td><td>-10.68</td><td>40.16</td><td>34.70</td><td>12.39</td><td>29.73</td><td>0.00</td><td>100</td><td>121</td><td>PEAK</td></tr><tr><td>2 5651.01</td><td>55.70</td><td>68.96</td><td>-13.26</td><td>38.43</td><td>34.70</td><td>12.44</td><td>29.87</td><td>0.00</td><td>100</td><td>121</td><td>PEAK</td></tr><tr><td>3 5706.21</td><td>61.25</td><td>107.04</td><td>-45.79</td><td>43.92</td><td>34.81</td><td>12.50</td><td>29.98</td><td>0.00</td><td>100</td><td>121</td><td>PEAK</td></tr><tr><td>4 5720.61</td><td>61.60</td><td>112.30</td><td>-50.70</td><td>44.20</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>100</td><td>121</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5600.61	57.52	68.20	-10.68	40.16	34.70	12.39	29.73	0.00	100	121	PEAK	2 5651.01	55.70	68.96	-13.26	38.43	34.70	12.44	29.87	0.00	100	121	PEAK	3 5706.21	61.25	107.04	-45.79	43.92	34.81	12.50	29.98	0.00	100	121	PEAK	4 5720.61	61.60	112.30	-50.70	44.20	34.84	12.51	29.95	0.00	100	121	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>101.51</td><td>-----</td><td>-----</td><td>83.98</td><td>34.89</td><td>12.53</td><td>29.89</td><td>0.00</td><td>100</td><td>121</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	101.51	-----	-----	83.98	34.89	12.53	29.89	0.00	100	121
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5600.61	57.52	68.20	-10.68	40.16	34.70	12.39	29.73	0.00	100	121	PEAK																																																																																																																								
2 5651.01	55.70	68.96	-13.26	38.43	34.70	12.44	29.87	0.00	100	121	PEAK																																																																																																																								
3 5706.21	61.25	107.04	-45.79	43.92	34.81	12.50	29.98	0.00	100	121	PEAK																																																																																																																								
4 5720.61	61.60	112.30	-50.70	44.20	34.84	12.51	29.95	0.00	100	121	PEAK																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5775.00	101.51	-----	-----	83.98	34.89	12.53	29.89	0.00	100	121	PEAK																																																																																																																								
Avg	Blank																																																																																																																																		
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>92.89</td><td>-----</td><td>-----</td><td>75.36</td><td>34.89</td><td>12.53</td><td>29.89</td><td>0.00</td><td>100</td><td>121</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	92.89	-----	-----	75.36	34.89	12.53	29.89	0.00	100	121	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5775.00	92.89	-----	-----	75.36	34.89	12.53	29.89	0.00	100	121	AVERAGE																																																																																																																								




Mode	61																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M ④5775MHz																																																																																														
ANT	CDD 8+10																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>54.94</td><td>110.93</td><td>-55.99</td><td>37.09</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>100</td><td>121</td><td>PEAK</td></tr><tr><td>2</td><td>5867.01</td><td>58.52</td><td>107.53</td><td>-49.01</td><td>40.66</td><td>35.00</td><td>12.69</td><td>29.83</td><td>0.00</td><td>100</td><td>121</td><td>PEAK</td></tr><tr><td>3</td><td>5924.21</td><td>54.80</td><td>68.78</td><td>-13.98</td><td>36.77</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>100</td><td>121</td><td>PEAK</td></tr><tr><td>4</td><td>5938.21</td><td>57.04</td><td>68.20</td><td>-11.16</td><td>38.93</td><td>35.15</td><td>12.80</td><td>29.84</td><td>0.00</td><td>100</td><td>121</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.99	54.94	110.93	-55.99	37.09	35.00	12.67	29.82	0.00	100	121	PEAK	2	5867.01	58.52	107.53	-49.01	40.66	35.00	12.69	29.83	0.00	100	121	PEAK	3	5924.21	54.80	68.78	-13.98	36.77	35.10	12.78	29.85	0.00	100	121	PEAK	4	5938.21	57.04	68.20	-11.16	38.93	35.15	12.80	29.84	0.00	100	121	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.99	54.94	110.93	-55.99	37.09	35.00	12.67	29.82	0.00	100	121	PEAK																																																																																			
2	5867.01	58.52	107.53	-49.01	40.66	35.00	12.69	29.83	0.00	100	121	PEAK																																																																																			
3	5924.21	54.80	68.78	-13.98	36.77	35.10	12.78	29.85	0.00	100	121	PEAK																																																																																			
4	5938.21	57.04	68.20	-11.16	38.93	35.15	12.80	29.84	0.00	100	121	PEAK																																																																																			






Mode	61																																																																																									
	Band Edge - L																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M ④5775MHz																																																																																									
ANT	CDD 8+10																																																																																									
Pol.	Vertical																																																																																									
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5647.01</td><td>57.00</td><td>68.20</td><td>-11.20</td><td>39.72</td><td>34.70</td><td>12.44</td><td>29.86</td><td>0.00</td><td>294</td><td>79 PEAK</td></tr><tr><td>2</td><td>5653.01</td><td>57.27</td><td>70.45</td><td>-13.18</td><td>39.99</td><td>34.71</td><td>12.44</td><td>29.87</td><td>0.00</td><td>294</td><td>79 PEAK</td></tr><tr><td>3</td><td>5701.01</td><td>60.65</td><td>105.58</td><td>-44.93</td><td>43.36</td><td>34.80</td><td>12.49</td><td>30.00</td><td>0.00</td><td>294</td><td>79 PEAK</td></tr><tr><td>4</td><td>5720.21</td><td>60.32</td><td>111.39</td><td>-51.07</td><td>42.92</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>294</td><td>79 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5647.01	57.00	68.20	-11.20	39.72	34.70	12.44	29.86	0.00	294	79 PEAK	2	5653.01	57.27	70.45	-13.18	39.99	34.71	12.44	29.87	0.00	294	79 PEAK	3	5701.01	60.65	105.58	-44.93	43.36	34.80	12.49	30.00	0.00	294	79 PEAK	4	5720.21	60.32	111.39	-51.07	42.92	34.84	12.51	29.95	0.00	294	79 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5647.01	57.00	68.20	-11.20	39.72	34.70	12.44	29.86	0.00	294	79 PEAK																																																																															
2	5653.01	57.27	70.45	-13.18	39.99	34.71	12.44	29.87	0.00	294	79 PEAK																																																																															
3	5701.01	60.65	105.58	-44.93	43.36	34.80	12.49	30.00	0.00	294	79 PEAK																																																																															
4	5720.21	60.32	111.39	-51.07	42.92	34.84	12.51	29.95	0.00	294	79 PEAK																																																																															
Avg	Blank																																																																																									
																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>94.80</td><td>-----</td><td>-----</td><td>77.31</td><td>34.87</td><td>12.53</td><td>29.91</td><td>0.00</td><td>294</td><td>79 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	94.80	-----	-----	77.31	34.87	12.53	29.91	0.00	294	79 AVERAGE																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5775.00	94.80	-----	-----	77.31	34.87	12.53	29.91	0.00	294	79 AVERAGE																																																																															




Mode	61																																																																																
	Band Edge - R																																																																																
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M ④5775MHz																																																																																
ANT	CDD 8+10																																																																																
Pol.	Vertical	Fundamental																																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>57.41</td><td>110.93</td><td>-53.52</td><td>39.56</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>294</td><td>79 PEAK</td></tr><tr><td>2</td><td>5867.01</td><td>59.94</td><td>107.53</td><td>-47.59</td><td>42.08</td><td>35.00</td><td>12.69</td><td>29.83</td><td>0.00</td><td>294</td><td>79 PEAK</td></tr><tr><td>3</td><td>5923.41</td><td>56.26</td><td>69.37</td><td>-13.11</td><td>38.24</td><td>35.09</td><td>12.78</td><td>29.85</td><td>0.00</td><td>294</td><td>79 PEAK</td></tr><tr><td>4</td><td>5942.21</td><td>57.00</td><td>68.20</td><td>-11.20</td><td>38.87</td><td>35.17</td><td>12.80</td><td>29.84</td><td>0.00</td><td>294</td><td>79 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.99	57.41	110.93	-53.52	39.56	35.00	12.67	29.82	0.00	294	79 PEAK	2	5867.01	59.94	107.53	-47.59	42.08	35.00	12.69	29.83	0.00	294	79 PEAK	3	5923.41	56.26	69.37	-13.11	38.24	35.09	12.78	29.85	0.00	294	79 PEAK	4	5942.21	57.00	68.20	-11.20	38.87	35.17	12.80	29.84	0.00	294	79 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5854.99	57.41	110.93	-53.52	39.56	35.00	12.67	29.82	0.00	294	79 PEAK																																																																						
2	5867.01	59.94	107.53	-47.59	42.08	35.00	12.69	29.83	0.00	294	79 PEAK																																																																						
3	5923.41	56.26	69.37	-13.11	38.24	35.09	12.78	29.85	0.00	294	79 PEAK																																																																						
4	5942.21	57.00	68.20	-11.20	38.87	35.17	12.80	29.84	0.00	294	79 PEAK																																																																						







Mode	62																																																																																																																							
	Band Edge - L																																																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M ①5775MHz																																																																																																																							
ANT	CDD 8+10																																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																																	
Peak																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5629.01</td><td>56.51</td><td>68.20</td><td>-11.69</td><td>39.20</td><td>34.70</td><td>12.42</td><td>29.81</td><td>0.00</td><td>102</td><td>120</td><td>PEAK</td></tr><tr><td>2</td><td>5650.21</td><td>54.39</td><td>68.36</td><td>-13.97</td><td>37.12</td><td>34.70</td><td>12.44</td><td>29.87</td><td>0.00</td><td>102</td><td>120</td><td>PEAK</td></tr><tr><td>3</td><td>5701.41</td><td>57.41</td><td>105.70</td><td>-48.29</td><td>40.12</td><td>34.80</td><td>12.49</td><td>30.00</td><td>0.00</td><td>102</td><td>120</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>59.52</td><td>110.90</td><td>-51.38</td><td>42.12</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>102</td><td>120</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5629.01	56.51	68.20	-11.69	39.20	34.70	12.42	29.81	0.00	102	120	PEAK	2	5650.21	54.39	68.36	-13.97	37.12	34.70	12.44	29.87	0.00	102	120	PEAK	3	5701.41	57.41	105.70	-48.29	40.12	34.80	12.49	30.00	0.00	102	120	PEAK	4	5720.00	59.52	110.90	-51.38	42.12	34.84	12.51	29.95	0.00	102	120	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>103.34</td><td>-----</td><td>-----</td><td>85.72</td><td>34.92</td><td>12.55</td><td>29.85</td><td>0.00</td><td>102</td><td>120</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5775.00	103.34	-----	-----	85.72	34.92	12.55	29.85	0.00	102	120
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																														
1	5629.01	56.51	68.20	-11.69	39.20	34.70	12.42	29.81	0.00	102	120	PEAK																																																																																																												
2	5650.21	54.39	68.36	-13.97	37.12	34.70	12.44	29.87	0.00	102	120	PEAK																																																																																																												
3	5701.41	57.41	105.70	-48.29	40.12	34.80	12.49	30.00	0.00	102	120	PEAK																																																																																																												
4	5720.00	59.52	110.90	-51.38	42.12	34.84	12.51	29.95	0.00	102	120	PEAK																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																														
1	5775.00	103.34	-----	-----	85.72	34.92	12.55	29.85	0.00	102	120	PEAK																																																																																																												
Avg	Blank																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>93.36</td><td>-----</td><td>-----</td><td>75.61</td><td>34.97</td><td>12.57</td><td>29.79</td><td>0.00</td><td>102</td><td>120</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5775.00	93.36	-----	-----	75.61	34.97	12.57	29.79	0.00	102	120	AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																														
1	5775.00	93.36	-----	-----	75.61	34.97	12.57	29.79	0.00	102	120	AVERAGE																																																																																																												




Mode	62																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M ①5775MHz																																																																																														
ANT	CDD 8+10																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>58.08</td><td>110.93</td><td>-52.85</td><td>40.23</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>102</td><td>120</td><td>PEAK</td></tr><tr><td>2</td><td>5865.41</td><td>59.71</td><td>107.98</td><td>-48.27</td><td>41.85</td><td>35.00</td><td>12.69</td><td>29.83</td><td>0.00</td><td>102</td><td>120</td><td>PEAK</td></tr><tr><td>3</td><td>5924.61</td><td>54.40</td><td>68.49</td><td>-14.09</td><td>36.37</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>102</td><td>120</td><td>PEAK</td></tr><tr><td>4</td><td>5927.41</td><td>55.77</td><td>68.20</td><td>-12.43</td><td>37.73</td><td>35.11</td><td>12.78</td><td>29.85</td><td>0.00</td><td>102</td><td>120</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.99	58.08	110.93	-52.85	40.23	35.00	12.67	29.82	0.00	102	120	PEAK	2	5865.41	59.71	107.98	-48.27	41.85	35.00	12.69	29.83	0.00	102	120	PEAK	3	5924.61	54.40	68.49	-14.09	36.37	35.10	12.78	29.85	0.00	102	120	PEAK	4	5927.41	55.77	68.20	-12.43	37.73	35.11	12.78	29.85	0.00	102	120	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.99	58.08	110.93	-52.85	40.23	35.00	12.67	29.82	0.00	102	120	PEAK																																																																																			
2	5865.41	59.71	107.98	-48.27	41.85	35.00	12.69	29.83	0.00	102	120	PEAK																																																																																			
3	5924.61	54.40	68.49	-14.09	36.37	35.10	12.78	29.85	0.00	102	120	PEAK																																																																																			
4	5927.41	55.77	68.20	-12.43	37.73	35.11	12.78	29.85	0.00	102	120	PEAK																																																																																			






Mode	62																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M ①5775MHz																																																																																																																																										
ANT	CDD 8+10																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5628.21</td><td>57.12</td><td>68.20</td><td>-11.08</td><td>39.81</td><td>34.70</td><td>12.42</td><td>29.81</td><td>0.00</td><td>303</td><td>77</td><td>PEAK</td></tr><tr><td>2</td><td>5654.21</td><td>59.38</td><td>71.34</td><td>-11.96</td><td>42.11</td><td>34.71</td><td>12.44</td><td>29.88</td><td>0.00</td><td>303</td><td>77</td><td>PEAK</td></tr><tr><td>3</td><td>5709.01</td><td>60.92</td><td>107.83</td><td>-46.91</td><td>43.58</td><td>34.82</td><td>12.50</td><td>29.98</td><td>0.00</td><td>303</td><td>77</td><td>PEAK</td></tr><tr><td>4</td><td>5720.61</td><td>61.14</td><td>112.30</td><td>-51.16</td><td>43.74</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>303</td><td>77</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5628.21	57.12	68.20	-11.08	39.81	34.70	12.42	29.81	0.00	303	77	PEAK	2	5654.21	59.38	71.34	-11.96	42.11	34.71	12.44	29.88	0.00	303	77	PEAK	3	5709.01	60.92	107.83	-46.91	43.58	34.82	12.50	29.98	0.00	303	77	PEAK	4	5720.61	61.14	112.30	-51.16	43.74	34.84	12.51	29.95	0.00	303	77	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>104.36</td><td>-----</td><td>-----</td><td>86.74</td><td>34.92</td><td>12.55</td><td>29.85</td><td>0.00</td><td>303</td><td>77</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	104.36	-----	-----	86.74	34.92	12.55	29.85	0.00	303	77	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5628.21	57.12	68.20	-11.08	39.81	34.70	12.42	29.81	0.00	303	77	PEAK																																																																																																																															
2	5654.21	59.38	71.34	-11.96	42.11	34.71	12.44	29.88	0.00	303	77	PEAK																																																																																																																															
3	5709.01	60.92	107.83	-46.91	43.58	34.82	12.50	29.98	0.00	303	77	PEAK																																																																																																																															
4	5720.61	61.14	112.30	-51.16	43.74	34.84	12.51	29.95	0.00	303	77	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5775.00	104.36	-----	-----	86.74	34.92	12.55	29.85	0.00	303	77	PEAK																																																																																																																															
Avg																																																																																																																																											
	Blank																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>95.65</td><td>-----</td><td>-----</td><td>78.03</td><td>34.92</td><td>12.55</td><td>29.85</td><td>0.00</td><td>303</td><td>77</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	95.65	-----	-----	78.03	34.92	12.55	29.85	0.00	303	77	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>95.65</td><td>-----</td><td>-----</td><td>78.03</td><td>34.92</td><td>12.55</td><td>29.85</td><td>0.00</td><td>303</td><td>77</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	95.65	-----	-----	78.03	34.92	12.55	29.85	0.00	303	77	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5775.00	95.65	-----	-----	78.03	34.92	12.55	29.85	0.00	303	77	AVERAGE																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5775.00	95.65	-----	-----	78.03	34.92	12.55	29.85	0.00	303	77	AVERAGE																																																																																																																															



Mode	62																																																																																									
	Band Edge - R																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M ①5775MHz																																																																																									
ANT	CDD 8+10																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>59.96</td><td>110.93</td><td>-50.97</td><td>42.11</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>303</td><td>77 PEAK</td></tr><tr><td>2</td><td>5874.99</td><td>58.15</td><td>105.30</td><td>-47.15</td><td>40.29</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>303</td><td>77 PEAK</td></tr><tr><td>3</td><td>5924.21</td><td>54.97</td><td>68.78</td><td>-13.81</td><td>36.94</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>303</td><td>77 PEAK</td></tr><tr><td>4</td><td>5940.21</td><td>57.11</td><td>68.20</td><td>-11.09</td><td>38.99</td><td>35.16</td><td>12.80</td><td>29.84</td><td>0.00</td><td>303</td><td>77 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.99	59.96	110.93	-50.97	42.11	35.00	12.67	29.82	0.00	303	77 PEAK	2	5874.99	58.15	105.30	-47.15	40.29	35.00	12.70	29.84	0.00	303	77 PEAK	3	5924.21	54.97	68.78	-13.81	36.94	35.10	12.78	29.85	0.00	303	77 PEAK	4	5940.21	57.11	68.20	-11.09	38.99	35.16	12.80	29.84	0.00	303	77 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5854.99	59.96	110.93	-50.97	42.11	35.00	12.67	29.82	0.00	303	77 PEAK																																																																															
2	5874.99	58.15	105.30	-47.15	40.29	35.00	12.70	29.84	0.00	303	77 PEAK																																																																															
3	5924.21	54.97	68.78	-13.81	36.94	35.10	12.78	29.85	0.00	303	77 PEAK																																																																															
4	5940.21	57.11	68.20	-11.09	38.99	35.16	12.80	29.84	0.00	303	77 PEAK																																																																															





Mode	75																																																																																											
	Band Edge - L																																																																																											
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242 ① 5775MHz																																																																																											
ANT	CDD 8+10																																																																																											
Pol.	Horizontal																																																																																											
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5640.40</td><td>57.27</td><td>68.20</td><td>-10.93</td><td>39.98</td><td>34.70</td><td>12.43</td><td>29.84</td><td>0.00</td><td>305</td><td>143 PEAK</td></tr><tr><td>2</td><td>5652.00</td><td>56.51</td><td>69.69</td><td>-13.18</td><td>39.24</td><td>34.70</td><td>12.44</td><td>29.87</td><td>0.00</td><td>305</td><td>143 PEAK</td></tr><tr><td>3</td><td>5706.00</td><td>61.24</td><td>106.98</td><td>-45.74</td><td>43.92</td><td>34.81</td><td>12.50</td><td>29.99</td><td>0.00</td><td>305</td><td>143 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>57.40</td><td>110.90</td><td>-53.50</td><td>40.00</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>305</td><td>143 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5640.40	57.27	68.20	-10.93	39.98	34.70	12.43	29.84	0.00	305	143 PEAK	2	5652.00	56.51	69.69	-13.18	39.24	34.70	12.44	29.87	0.00	305	143 PEAK	3	5706.00	61.24	106.98	-45.74	43.92	34.81	12.50	29.99	0.00	305	143 PEAK	4	5720.00	57.40	110.90	-53.50	40.00	34.84	12.51	29.95	0.00	305	143 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5640.40	57.27	68.20	-10.93	39.98	34.70	12.43	29.84	0.00	305	143 PEAK																																																																																	
2	5652.00	56.51	69.69	-13.18	39.24	34.70	12.44	29.87	0.00	305	143 PEAK																																																																																	
3	5706.00	61.24	106.98	-45.74	43.92	34.81	12.50	29.99	0.00	305	143 PEAK																																																																																	
4	5720.00	57.40	110.90	-53.50	40.00	34.84	12.51	29.95	0.00	305	143 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>101.32</td><td>-----</td><td>-----</td><td>83.78</td><td>34.89</td><td>12.54</td><td>29.89</td><td>0.00</td><td>305</td><td>143 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	101.32	-----	-----	83.78	34.89	12.54	29.89	0.00	305	143 PEAK																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5775.00	101.32	-----	-----	83.78	34.89	12.54	29.89	0.00	305	143 PEAK																																																																																	
Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>92.46</td><td>-----</td><td>-----</td><td>74.89</td><td>34.90</td><td>12.54</td><td>29.87</td><td>0.00</td><td>305</td><td>143 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	92.46	-----	-----	74.89	34.90	12.54	29.87	0.00	305	143 AVERAGE																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5775.00	92.46	-----	-----	74.89	34.90	12.54	29.87	0.00	305	143 AVERAGE																																																																																	




Mode	75																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242 ④5775MHz																																																																																														
ANT	CDD 8+10																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.60</td><td>58.02</td><td>114.09</td><td>-56.07</td><td>40.16</td><td>35.00</td><td>12.67</td><td>29.81</td><td>0.00</td><td>305</td><td>143</td><td>PEAK</td></tr><tr><td>2</td><td>5868.80</td><td>60.22</td><td>107.03</td><td>-46.81</td><td>42.36</td><td>35.00</td><td>12.69</td><td>29.83</td><td>0.00</td><td>305</td><td>143</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>55.98</td><td>68.35</td><td>-12.37</td><td>37.95</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>305</td><td>143</td><td>PEAK</td></tr><tr><td>4</td><td>5927.20</td><td>56.34</td><td>68.20</td><td>-11.86</td><td>38.30</td><td>35.11</td><td>12.78</td><td>29.85</td><td>0.00</td><td>305</td><td>143</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.60	58.02	114.09	-56.07	40.16	35.00	12.67	29.81	0.00	305	143	PEAK	2	5868.80	60.22	107.03	-46.81	42.36	35.00	12.69	29.83	0.00	305	143	PEAK	3	5924.80	55.98	68.35	-12.37	37.95	35.10	12.78	29.85	0.00	305	143	PEAK	4	5927.20	56.34	68.20	-11.86	38.30	35.11	12.78	29.85	0.00	305	143	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5853.60	58.02	114.09	-56.07	40.16	35.00	12.67	29.81	0.00	305	143	PEAK																																																																																			
2	5868.80	60.22	107.03	-46.81	42.36	35.00	12.69	29.83	0.00	305	143	PEAK																																																																																			
3	5924.80	55.98	68.35	-12.37	37.95	35.10	12.78	29.85	0.00	305	143	PEAK																																																																																			
4	5927.20	56.34	68.20	-11.86	38.30	35.11	12.78	29.85	0.00	305	143	PEAK																																																																																			





		75																																																																																							
Mode		Band Edge - L																																																																																							
		U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242 ④5775MHz																																																																																							
ANT		CDD 8+10																																																																																							
Pol.		Vertical					Fundamental																																																																																		
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5647.60</td><td>58.80</td><td>68.20</td><td>-9.40</td><td>41.52</td><td>34.70</td><td>12.44</td><td>29.86</td><td>0.00</td><td>311</td><td>76 PEAK</td></tr><tr><td>2</td><td>5652.00</td><td>59.67</td><td>69.69</td><td>-10.02</td><td>42.40</td><td>34.70</td><td>12.44</td><td>29.87</td><td>0.00</td><td>311</td><td>76 PEAK</td></tr><tr><td>3</td><td>5700.40</td><td>62.73</td><td>105.41</td><td>-42.68</td><td>45.44</td><td>34.80</td><td>12.49</td><td>30.00</td><td>0.00</td><td>311</td><td>76 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>64.43</td><td>111.81</td><td>-47.38</td><td>47.03</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>311</td><td>76 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5647.60	58.80	68.20	-9.40	41.52	34.70	12.44	29.86	0.00	311	76 PEAK	2	5652.00	59.67	69.69	-10.02	42.40	34.70	12.44	29.87	0.00	311	76 PEAK	3	5700.40	62.73	105.41	-42.68	45.44	34.80	12.49	30.00	0.00	311	76 PEAK	4	5720.40	64.43	111.81	-47.38	47.03	34.84	12.51	29.95	0.00	311
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5647.60	58.80	68.20	-9.40	41.52	34.70	12.44	29.86	0.00	311	76 PEAK																																																																														
2	5652.00	59.67	69.69	-10.02	42.40	34.70	12.44	29.87	0.00	311	76 PEAK																																																																														
3	5700.40	62.73	105.41	-42.68	45.44	34.80	12.49	30.00	0.00	311	76 PEAK																																																																														
4	5720.40	64.43	111.81	-47.38	47.03	34.84	12.51	29.95	0.00	311	76 PEAK																																																																														
Avg	Blank 																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>94.76</td><td>-----</td><td>-----</td><td>77.25</td><td>34.88</td><td>12.53</td><td>29.90</td><td>0.00</td><td>311</td><td>76 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	94.76	-----	-----	77.25	34.88	12.53	29.90	0.00	311	76 AVERAGE																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5775.00	94.76	-----	-----	77.25	34.88	12.53	29.90	0.00	311	76 AVERAGE																																																																														





Mode	75																																																																																									
	Band Edge - R																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242 ①5775MHz																																																																																									
ANT	CDD 8+10																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>63.62</td><td>112.27</td><td>-48.65</td><td>45.77</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>311</td><td>76 PEAK</td></tr><tr><td>2</td><td>5874.80</td><td>58.54</td><td>105.36</td><td>-46.82</td><td>40.68</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>311</td><td>76 PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>56.73</td><td>69.23</td><td>-12.50</td><td>38.71</td><td>35.09</td><td>12.78</td><td>29.85</td><td>0.00</td><td>311</td><td>76 PEAK</td></tr><tr><td>4</td><td>5927.20</td><td>58.15</td><td>68.20</td><td>-10.05</td><td>40.11</td><td>35.11</td><td>12.78</td><td>29.85</td><td>0.00</td><td>311</td><td>76 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	63.62	112.27	-48.65	45.77	35.00	12.67	29.82	0.00	311	76 PEAK	2	5874.80	58.54	105.36	-46.82	40.68	35.00	12.70	29.84	0.00	311	76 PEAK	3	5923.60	56.73	69.23	-12.50	38.71	35.09	12.78	29.85	0.00	311	76 PEAK	4	5927.20	58.15	68.20	-10.05	40.11	35.11	12.78	29.85	0.00	311	76 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5854.40	63.62	112.27	-48.65	45.77	35.00	12.67	29.82	0.00	311	76 PEAK																																																																															
2	5874.80	58.54	105.36	-46.82	40.68	35.00	12.70	29.84	0.00	311	76 PEAK																																																																															
3	5923.60	56.73	69.23	-12.50	38.71	35.09	12.78	29.85	0.00	311	76 PEAK																																																																															
4	5927.20	58.15	68.20	-10.05	40.11	35.11	12.78	29.85	0.00	311	76 PEAK																																																																															




Mode	41																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																																																																													
ANT	CDD 8+10																																																																																																																																													
Pol.	Horizontal								Vertical																																																																																																																																					
Peak Avg																																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11440.00</td><td>44.43</td><td>74.00</td><td>-29.57</td><td>50.21</td><td>38.14</td><td>17.79</td><td>61.71</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11440.00	44.43	74.00	-29.57	50.21	38.14	17.79	61.71								0.00	--									--									PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11440.00</td><td>45.08</td><td>74.00</td><td>-28.92</td><td>50.86</td><td>38.14</td><td>17.79</td><td>61.71</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11440.00	45.08	74.00	-28.92	50.86	38.14	17.79	61.71								0.00	--									--									PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																						
1	11440.00	44.43	74.00	-29.57	50.21	38.14	17.79	61.71																																																																																																																																						
							0.00	--																																																																																																																																						
								--																																																																																																																																						
								PEAK																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																						
1	11440.00	45.08	74.00	-28.92	50.86	38.14	17.79	61.71																																																																																																																																						
							0.00	--																																																																																																																																						
								--																																																																																																																																						
								PEAK																																																																																																																																						






Mode	42																																																																																																	
	Harmonic																																																																																																	
	U-NII-2C_5.47-5.85_802.11be EHT20_CH144_5720MHz																																																																																																	
ANT	CDD 8+10																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>44.84</td><td>74.00</td><td>-29.16</td><td>49.58</td><td>38.06</td><td>18.91</td><td>61.71</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	44.84	74.00	-29.16	49.58	38.06	18.91	61.71	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>44.84</td><td>74.00</td><td>-29.16</td><td>49.58</td><td>38.06</td><td>18.91</td><td>61.71</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	44.84	74.00	-29.16	49.58	38.06	18.91	61.71	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11440.00	44.84	74.00	-29.16	49.58	38.06	18.91	61.71	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11440.00	44.84	74.00	-29.16	49.58	38.06	18.91	61.71	0.00	--	PEAK																																																																																							



		43																																																						
Mode		Harmonic																																																						
		U-NII-2C_5.47-5.85_802.11be EHT40_CH142_5710MHz																																																						
ANT		CDD 8+10																																																						
Pol.		Horizontal																																																						
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>44.58</td><td>74.00</td><td>-29.42</td><td>49.32</td><td>38.08</td><td>18.90</td><td>61.72</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	44.58	74.00	-29.42	49.32	38.08	18.90	61.72	0.00	--	PEAK	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11420.00	44.58	74.00	-29.42	49.32	38.08	18.90	61.72	0.00	--	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>45.62</td><td>74.00</td><td>-28.38</td><td>50.36</td><td>38.08</td><td>18.90</td><td>61.72</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	45.62	74.00	-28.38	50.36	38.08	18.90	61.72	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11420.00	45.62	74.00	-28.38	50.36	38.08	18.90	61.72	0.00	--	PEAK																																													







Mode	44																																																																																																	
	Harmonic																																																																																																	
	U-NII-2C_5.47-5.85_802.11be EHT80_CH138_5690MHz																																																																																																	
ANT	CDD 8+10																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>44.25</td><td>74.00</td><td>-29.75</td><td>49.06</td><td>38.06</td><td>18.87</td><td>61.74</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11380.00	44.25	74.00	-29.75	49.06	38.06	18.87	61.74	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>49.60</td><td>38.06</td><td>18.87</td><td>61.74</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11380.00	44.79	74.00	-29.21	49.60	38.06	18.87	61.74	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11380.00	44.25	74.00	-29.75	49.06	38.06	18.87	61.74	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11380.00	44.79	74.00	-29.21	49.60	38.06	18.87	61.74	0.00	--	PEAK																																																																																							











Co-location mode

Mode	1																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH38_2478MHz																																																																																																		
ANT	12																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2495.44</td><td>55.88</td><td>74.00</td><td>-18.12</td><td>38.91</td><td>32.38</td><td>9.24</td><td>30.65</td><td>6.00</td><td>239</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2495.44	55.88	74.00	-18.12	38.91	32.38	9.24	30.65	6.00	239	0	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>104.32</td><td>-----</td><td>-----</td><td>87.45</td><td>32.31</td><td>9.22</td><td>30.66</td><td>6.00</td><td>239</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	104.32	-----	-----	87.45	32.31	9.22	30.66	6.00	239	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2495.44	55.88	74.00	-18.12	38.91	32.38	9.24	30.65	6.00	239	0	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2478.00	104.32	-----	-----	87.45	32.31	9.22	30.66	6.00	239	0	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2492.74</td><td>46.21</td><td>54.00</td><td>-7.79</td><td>29.25</td><td>32.37</td><td>9.24</td><td>30.65</td><td>6.00</td><td>239</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2492.74	46.21	54.00	-7.79	29.25	32.37	9.24	30.65	6.00	239	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>102.44</td><td>-----</td><td>-----</td><td>85.57</td><td>32.31</td><td>9.22</td><td>30.66</td><td>6.00</td><td>239</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	102.44	-----	-----	85.57	32.31	9.22	30.66	6.00	239	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2492.74	46.21	54.00	-7.79	29.25	32.37	9.24	30.65	6.00	239	0	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2478.00	102.44	-----	-----	85.57	32.31	9.22	30.66	6.00	239	0	AVERAGE																																																																																							







Mode	1																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH38_2478MHz																																																																																																		
ANT	12																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2490.70</td><td>56.12</td><td>74.00</td><td>-17.88</td><td>39.17</td><td>32.36</td><td>9.24</td><td>30.65</td><td>6.00</td><td>100</td><td>234</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2490.70	56.12	74.00	-17.88	39.17	32.36	9.24	30.65	6.00	100	234	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>110.64</td><td>-----</td><td>-----</td><td>93.77</td><td>32.31</td><td>9.22</td><td>30.66</td><td>6.00</td><td>100</td><td>234</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	110.64	-----	-----	93.77	32.31	9.22	30.66	6.00	100	234
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2490.70	56.12	74.00	-17.88	39.17	32.36	9.24	30.65	6.00	100	234	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2478.00	110.64	-----	-----	93.77	32.31	9.22	30.66	6.00	100	234	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.86</td><td>46.18</td><td>54.00</td><td>-7.82</td><td>29.26</td><td>32.34</td><td>9.23</td><td>30.65</td><td>6.00</td><td>100</td><td>234</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.86	46.18	54.00	-7.82	29.26	32.34	9.23	30.65	6.00	100	234	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>108.61</td><td>-----</td><td>-----</td><td>91.74</td><td>32.31</td><td>9.22</td><td>30.66</td><td>6.00</td><td>100</td><td>234</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	108.61	-----	-----	91.74	32.31	9.22	30.66	6.00	100	234
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.86	46.18	54.00	-7.82	29.26	32.34	9.23	30.65	6.00	100	234	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2478.00	108.61	-----	-----	91.74	32.31	9.22	30.66	6.00	100	234	AVERAGE																																																																																							







Mode	1																																																																																																					
	Harmonic																																																																																																					
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH38_2478MHz																																																																																																					
ANT	12																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4956.00</td><td>40.77</td><td>74.00</td><td>-33.23</td><td>58.99</td><td>34.39</td><td>11.72</td><td>64.33</td></tr><tr><td>2</td><td>7434.00</td><td>42.32</td><td>74.00</td><td>-31.68</td><td>56.43</td><td>35.63</td><td>14.32</td><td>64.06</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4956.00	40.77	74.00	-33.23	58.99	34.39	11.72	64.33	2	7434.00	42.32	74.00	-31.68	56.43	35.63	14.32	64.06	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4956.00</td><td>40.74</td><td>74.00</td><td>-33.26</td><td>58.96</td><td>34.39</td><td>11.72</td><td>64.33</td></tr><tr><td>2</td><td>7434.00</td><td>42.68</td><td>74.00</td><td>-31.32</td><td>56.79</td><td>35.63</td><td>14.32</td><td>64.06</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4956.00	40.74	74.00	-33.26	58.96	34.39	11.72	64.33	2	7434.00	42.68	74.00	-31.32	56.79	35.63	14.32	64.06
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
1	4956.00	40.77	74.00	-33.23	58.99	34.39	11.72	64.33																																																																																														
2	7434.00	42.32	74.00	-31.68	56.43	35.63	14.32	64.06																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
1	4956.00	40.74	74.00	-33.26	58.96	34.39	11.72	64.33																																																																																														
2	7434.00	42.68	74.00	-31.32	56.79	35.63	14.32	64.06																																																																																														





Mode	1																																																																																																		
	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full_5180MHz																																																																																																		
ANT	CDD 8+10																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.95</td><td>64.29</td><td>74.00</td><td>-9.71</td><td>47.85</td><td>34.40</td><td>11.91</td><td>29.87</td><td>0.00</td><td>212</td><td>116</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.95	64.29	74.00	-9.71	47.85	34.40	11.91	29.87	0.00	212	116	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>108.73</td><td>-----</td><td>-----</td><td>92.25</td><td>34.43</td><td>11.93</td><td>29.88</td><td>0.00</td><td>212</td><td>116</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	108.73	-----	-----	92.25	34.43	11.93	29.88	0.00	212	116
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.95	64.29	74.00	-9.71	47.85	34.40	11.91	29.87	0.00	212	116	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	108.73	-----	-----	92.25	34.43	11.93	29.88	0.00	212	116	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.93</td><td>50.15</td><td>54.00</td><td>-3.85</td><td>33.71</td><td>34.40</td><td>11.91</td><td>29.87</td><td>0.00</td><td>212</td><td>116</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.93	50.15	54.00	-3.85	33.71	34.40	11.91	29.87	0.00	212	116	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>100.43</td><td>-----</td><td>-----</td><td>83.91</td><td>34.46</td><td>11.94</td><td>29.88</td><td>0.00</td><td>212</td><td>116</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	100.43	-----	-----	83.91	34.46	11.94	29.88	0.00	212	116
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.93	50.15	54.00	-3.85	33.71	34.40	11.91	29.87	0.00	212	116	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	100.43	-----	-----	83.91	34.46	11.94	29.88	0.00	212	116	AVERAGE																																																																																							







Mode	1																																																										
	Band Edge																																																										
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full_5180MHz																																																										
ANT	CDD 8+10																																																										
Pol.	Vertical						Fundamental																																																				
Peak																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5148.55</td><td>63.00</td><td>74.00</td><td>-11.00</td><td>46.56</td><td>34.40</td><td>11.91</td><td>29.87</td><td>0.00</td><td>366</td><td>86 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5148.55	63.00	74.00	-11.00	46.56	34.40	11.91	29.87	0.00	366
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	5148.55	63.00	74.00	-11.00	46.56	34.40	11.91	29.87	0.00	366	86 PEAK																																																
Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5148.53</td><td>50.91</td><td>54.00</td><td>-3.09</td><td>34.47</td><td>34.40</td><td>11.91</td><td>29.87</td><td>0.00</td><td>366</td><td>86 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5148.53	50.91	54.00	-3.09	34.47	34.40	11.91	29.87	0.00	366
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	5148.53	50.91	54.00	-3.09	34.47	34.40	11.91	29.87	0.00	366	86 AVERAGE																																																
Peak																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5180.00</td><td>109.34</td><td>-----</td><td>-----</td><td>92.82</td><td>34.46</td><td>11.94</td><td>29.88</td><td>0.00</td><td>366</td><td>86 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5180.00	109.34	-----	-----	92.82	34.46	11.94	29.88	0.00	366
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	5180.00	109.34	-----	-----	92.82	34.46	11.94	29.88	0.00	366	86 PEAK																																																
Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5180.00</td><td>100.89</td><td>-----</td><td>-----</td><td>84.37</td><td>34.46</td><td>11.94</td><td>29.88</td><td>0.00</td><td>366</td><td>86 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5180.00	100.89	-----	-----	84.37	34.46	11.94	29.88	0.00	366
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	5180.00	100.89	-----	-----	84.37	34.46	11.94	29.88	0.00	366	86 AVERAGE																																																





		1																																																			
Mode		Harmonic																																																			
		U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full_5180MHz																																																			
ANT		CDD 8+10																																																			
Pol.		Horizontal					Vertical																																														
Peak Avg																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.13</td><td>68.20</td><td>-24.07</td><td>52.15</td><td>37.56</td><td>16.92</td><td>62.50</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.13	68.20	-24.07	52.15	37.56	16.92	62.50	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	10360.00	44.13	68.20	-24.07	52.15	37.56	16.92	62.50	0.00	--	PEAK																																										
Peak Avg																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>45.16</td><td>68.20</td><td>-23.04</td><td>53.16</td><td>37.57</td><td>16.92</td><td>62.49</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	45.16	68.20	-23.04	53.16	37.57	16.92	62.49	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	10360.00	45.16	68.20	-23.04	53.16	37.57	16.92	62.49	0.00	--	PEAK																																										



Mode	2																																																																																																														
	Band Edge - L																																																																																																														
	2400-2483.5_2400-2483.5_802.11ax HE40_CH9_Full RU_2452MHz																																																																																																														
ANT	CDD 7+12																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2366.55</td><td>56.50</td><td>74.00</td><td>-17.50</td><td>39.71</td><td>32.43</td><td>9.06</td><td>30.70</td><td>6.00</td><td>100</td><td>304</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2366.55	56.50	74.00	-17.50	39.71	32.43	9.06	30.70	6.00	100	304	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>110.57</td><td>-----</td><td>-----</td><td>93.79</td><td>32.23</td><td>9.21</td><td>30.66</td><td>6.00</td><td>100</td><td>304</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	110.57	-----	-----	93.79	32.23	9.21	30.66	6.00	100	304
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2366.55	56.50	74.00	-17.50	39.71	32.43	9.06	30.70	6.00	100	304	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2452.00	110.57	-----	-----	93.79	32.23	9.21	30.66	6.00	100	304	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>43.89</td><td>54.00</td><td>-10.11</td><td>26.98</td><td>32.48</td><td>9.12</td><td>30.69</td><td>6.00</td><td>100</td><td>304</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	43.89	54.00	-10.11	26.98	32.48	9.12	30.69	6.00	100	304	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>99.09</td><td>-----</td><td>-----</td><td>82.31</td><td>32.23</td><td>9.21</td><td>30.66</td><td>6.00</td><td>100</td><td>304</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	99.09	-----	-----	82.31	32.23	9.21	30.66	6.00	100	304
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.95	43.89	54.00	-10.11	26.98	32.48	9.12	30.69	6.00	100	304	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2452.00	99.09	-----	-----	82.31	32.23	9.21	30.66	6.00	100	304	AVERAGE																																																																																																			



Mode	2																																																							
	Band Edge - R																																																							
	2400-2483.5_2400-2483.5_802.11ax HE40_CH9_Full RU_2452MHz																																																							
ANT	CDD 7+12																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.00</td><td>60.96</td><td>74.00</td><td>-13.04</td><td>44.04</td><td>32.34</td><td>9.23</td><td>30.65</td><td>6.00</td><td>100</td><td>304</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.00	60.96	74.00	-13.04	44.04	32.34	9.23	30.65	6.00	100	304	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2485.00	60.96	74.00	-13.04	44.04	32.34	9.23	30.65	6.00	100	304	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>50.01</td><td>54.00</td><td>-3.99</td><td>33.10</td><td>32.33</td><td>9.23</td><td>30.65</td><td>6.00</td><td>100</td><td>304</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	50.01	54.00	-3.99	33.10	32.33	9.23	30.65	6.00	100	304	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2483.50	50.01	54.00	-3.99	33.10	32.33	9.23	30.65	6.00	100	304	AVERAGE																																												



		2																																																				
Mode	Band Edge - L																																																					
	2400-2483.5_2400-2483.5_802.11ax HE40_CH9_Full RU_2452MHz																																																					
ANT	CDD 7+12																																																					
Pol.	Vertical																																																					
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2384.36</td><td>56.27</td><td>74.00</td><td>-17.73</td><td>39.38</td><td>32.47</td><td>9.11</td><td>30.69</td><td>6.00</td><td>378 47 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2384.36	56.27	74.00	-17.73	39.38	32.47	9.11	30.69	6.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2384.36	56.27	74.00	-17.73	39.38	32.47	9.11	30.69	6.00	378 47 PEAK																																												
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>106.64</td><td>-----</td><td>-----</td><td>89.85</td><td>32.24</td><td>9.21</td><td>30.66</td><td>6.00</td><td>378 47 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	106.64	-----	-----	89.85	32.24	9.21	30.66	6.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2452.00	106.64	-----	-----	89.85	32.24	9.21	30.66	6.00	378 47 PEAK																																												
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.65</td><td>43.37</td><td>54.00</td><td>-10.63</td><td>26.46</td><td>32.48</td><td>9.12</td><td>30.69</td><td>6.00</td><td>378 47 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.65	43.37	54.00	-10.63	26.46	32.48	9.12	30.69	6.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2388.65	43.37	54.00	-10.63	26.46	32.48	9.12	30.69	6.00	378 47 AVERAGE																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>97.05</td><td>-----</td><td>-----</td><td>80.26</td><td>32.24</td><td>9.21</td><td>30.66</td><td>6.00</td><td>378 47 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	97.05	-----	-----	80.26	32.24	9.21	30.66	6.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2452.00	97.05	-----	-----	80.26	32.24	9.21	30.66	6.00	378 47 AVERAGE																																												







Mode	2										
	Band Edge - R										
	2400-2483.5_2400-2483.5_802.11ax HE40_CH9_Full RU_2452MHz										
ANT	CDD 7+12										
Pol.	Vertical										
Peak	Level (dBuV/m)										







Mode	2																																																																																																																							
	Harmonic																																																																																																																							
	2400-2483.5_2400-2483.5_802.11ax HE40_CH9_Full RU_2452MHz																																																																																																																							
ANT	CDD 7+12																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4904.00</td><td>41.17</td><td>74.00</td><td>-32.83</td><td>59.55</td><td>34.40</td><td>11.60</td><td>64.38</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>7356.00</td><td>42.83</td><td>74.00</td><td>-31.17</td><td>56.74</td><td>35.88</td><td>14.24</td><td>64.03</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4904.00</td><td>40.73</td><td>74.00</td><td>-33.27</td><td>59.11</td><td>34.40</td><td>11.60</td><td>64.38</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>7356.00</td><td>42.55</td><td>74.00</td><td>-31.45</td><td>56.46</td><td>35.88</td><td>14.24</td><td>64.03</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4904.00	41.17	74.00	-32.83	59.55	34.40	11.60	64.38	0.00	--	-- PEAK	2	7356.00	42.83	74.00	-31.17	56.74	35.88	14.24	64.03	0.00	--	-- PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4904.00	40.73	74.00	-33.27	59.11	34.40	11.60	64.38	0.00	--	-- PEAK	2	7356.00	42.55	74.00	-31.45	56.46	35.88	14.24	64.03	0.00	--	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	4904.00	41.17	74.00	-32.83	59.55	34.40	11.60	64.38	0.00	--	-- PEAK																																																																																																													
2	7356.00	42.83	74.00	-31.17	56.74	35.88	14.24	64.03	0.00	--	-- PEAK																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	4904.00	40.73	74.00	-33.27	59.11	34.40	11.60	64.38	0.00	--	-- PEAK																																																																																																													
2	7356.00	42.55	74.00	-31.45	56.46	35.88	14.24	64.03	0.00	--	-- PEAK																																																																																																													





		2																																									
Mode		Band Edge																																									
		U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full_5180MHz																																									
ANT		CDD 8+10																																									
Pol.		Horizontal																																									
Peak																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	59.52	74.00	-14.48	43.00	34.40	11.91	29.87	0.00	204	118
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5150.00	59.52	74.00	-14.48	43.00	34.40	11.91	29.87	0.00	204	118	PEAK																															
Fundamental																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	109.10	-----	-----	92.62	34.43	11.93	29.88	0.00	204	118
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5180.00	109.10	-----	-----	92.62	34.43	11.93	29.88	0.00	204	118	PEAK																															
Avg																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.75	48.49	54.00	-5.51	32.05	34.40	11.91	29.87	0.00	204	118
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5149.75	48.49	54.00	-5.51	32.05	34.40	11.91	29.87	0.00	204	118	AVERAGE																															
AVERAGE																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	100.83	-----	-----	84.35	34.43	11.93	29.88	0.00	204	118
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5180.00	100.83	-----	-----	84.35	34.43	11.93	29.88	0.00	204	118	AVERAGE																															



Mode	2																																																																																																																		
	Band Edge																																																																																																																		
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full_5180MHz																																																																																																																		
ANT	CDD 8+10																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5144.15</td><td>62.32</td><td>74.00</td><td>-11.68</td><td>45.88</td><td>34.40</td><td>11.91</td><td>29.87</td><td>0.00</td><td>362</td><td>86</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5144.15	62.32	74.00	-11.68	45.88	34.40	11.91	29.87	0.00	362	86	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>110.27</td><td>-----</td><td>-----</td><td>97.01</td><td>33.40</td><td>10.05</td><td>30.19</td><td>0.00</td><td>362</td><td>86</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	110.27	-----	-----	97.01	33.40	10.05	30.19	0.00	362	86
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	5144.15	62.32	74.00	-11.68	45.88	34.40	11.91	29.87	0.00	362	86	PEAK																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	5180.00	110.27	-----	-----	97.01	33.40	10.05	30.19	0.00	362	86	PEAK																																																																																																							
Avg																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.34</td><td>50.80</td><td>54.00</td><td>-3.20</td><td>34.36</td><td>34.40</td><td>11.91</td><td>29.87</td><td>0.00</td><td>362</td><td>86</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5148.34	50.80	54.00	-3.20	34.36	34.40	11.91	29.87	0.00	362	86	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>100.92</td><td>-----</td><td>-----</td><td>84.39</td><td>34.47</td><td>11.94</td><td>29.88</td><td>0.00</td><td>362</td><td>86</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	100.92	-----	-----	84.39	34.47	11.94	29.88	0.00	362	86
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	5148.34	50.80	54.00	-3.20	34.36	34.40	11.91	29.87	0.00	362	86	AVERAGE																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	5180.00	100.92	-----	-----	84.39	34.47	11.94	29.88	0.00	362	86	AVERAGE																																																																																																							




Mode	2																																																																																																	
	Harmonic																																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full_5180MHz																																																																																																	
ANT	CDD 8+10																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>45.16</td><td>68.20</td><td>-23.04</td><td>53.20</td><td>37.55</td><td>16.91</td><td>62.50</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	45.16	68.20	-23.04	53.20	37.55	16.91	62.50	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>43.53</td><td>68.20</td><td>-24.67</td><td>51.54</td><td>37.56</td><td>16.92</td><td>62.49</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	43.53	68.20	-24.67	51.54	37.56	16.92	62.49	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10360.00	45.16	68.20	-23.04	53.20	37.55	16.91	62.50	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10360.00	43.53	68.20	-24.67	51.54	37.56	16.92	62.49	0.00	--	PEAK																																																																																							

Note: For the co-location modes, the frequency points over limit line are fundamental signals, which can be ignored.


Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	99.32	-	-	10Hz
802.11be EHT20	100	-	-	10Hz
802.11be EHT40	100	-	-	10Hz
802.11be EHT80	100	-	-	10Hz
802.11be EHT80 Large RU	100	-	-	10Hz
802.11be EHT160	100	-	-	10Hz
802.11be EHT20 Single RU	100	-	-	10Hz
802.11be EHT20 Small RU	100	-	-	10Hz
802.11be EHT80 Puncturing 20M / Large RU 484+242	100	-	-	10Hz
802.11be EHT160 Puncturing 20M / Large RU 996+484+242	100	-	-	10Hz
802.11be EHT160 Puncturing 40M / Large RU 996+484	100	-	-	10Hz


802.11a



802.11be EHT20




802.11be EHT40






802.11be EHT80




802.11be EHT160







802.11be EHT20 Single RU




802.11be EHT20 Small RU



802.11be EHT80 Puncturing 20M / Large RU 484+242



802.11be EHT160 Puncturing 20M / Large RU 996+484+242





802.11be EHT160 Puncturing 40M / Large RU 996+484

