


CHANNEL BANDWIDTH: 10MHz / QPSK


MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

		Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
		MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP	1416.000	-50.84	-53.78	-13.00	-37.84	2.94	Peak	Horizontal
2		2121.000	-53.95	-59.03	-13.00	-40.95	5.08	Peak	Horizontal



MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

		Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
		MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP	1414.000	-48.48	-51.40	-13.00	-35.48	2.92	Peak	Vertical
2		2118.000	-54.33	-58.75	-13.00	-41.33	4.42	Peak	Vertical




LTE B13

CHANNEL BANDWIDTH: 5MHz / QPSK

CH23205


CH1205			
MODE	TX channel 23205	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	1560.000	-54.17	-57.56	-40.00	-14.17	3.39	Peak	Horizontal
2	2337.000	-54.90	-60.56	-13.00	-41.90	5.66	Peak	Horizontal



MODE	TX channel 23205	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1559.000	-54.87	-58.10	-40.00	-14.87	3.23	Peak	Vertical
2	2337.000	-54.24	-59.44	-13.00	-41.24	5.20	Peak	Vertical






BUREAU
VERITAS

Test Report No.: W7L-240618W002RF07

CH 23230


CW-202309			
MODE	TX channel 23230	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

		Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
		MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP	1564.000	-55.79	-59.19	-40.00	-15.79	3.40	Peak	Horizontal
2		2344.000	-53.83	-59.51	-13.00	-40.83	5.68	Peak	Horizontal



MODE	TX channel 23230	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			


	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	1567.000	-55.77	-59.02	-40.00	-15.77	3.25	Peak	Vertical
2	2346.000	-55.20	-60.43	-13.00	-42.20	5.23	Peak	Vertical



CH 23255


MODE	TX channel 23255	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

		Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
		MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP	1569.000	-55.39	-58.80	-40.00	-15.39	3.41	Peak	Horizontal
2		2351.000	-53.17	-58.87	-13.00	-40.17	5.70	Peak	Horizontal



MODE	TX channel 23255	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			


			Read	Limit	Over			
	Freq	Level	Level	Line	Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	1567.000	-55.17	-58.42	-40.00	-15.17	3.25	Peak	Vertical
2	2353.500	-53.43	-58.69	-13.00	-40.43	5.26	Peak	Vertical



CHANNEL BANDWIDTH: 10MHz /QPSK


MODE	TX channel 23230	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

		Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
		MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP	1564.000	-54.68	-58.08	-40.00	-14.68	3.40	Peak	Horizontal
2		2344.000	-53.97	-59.65	-13.00	-40.97	5.68	Peak	Horizontal



MODE	TX channel 23230	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	1567.000	-55.02	-58.27	-40.00	-15.02	3.25	Peak	Vertical
2	2346.000	-54.80	-60.03	-13.00	-41.80	5.23	Peak	Vertical




CA_12A-66A:

CHANNEL BANDWIDTH: 10MHz+20MHz / QPSK


MODE	TX channel 23095/ 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1407.000	-55.96	-58.87	-13.00	-42.96	2.91	Peak	Horizontal
2	2121.000	-54.97	-60.05	-13.00	-41.97	5.08	Peak	Horizontal
3	3490.000	-51.34	-59.89	-13.00	-38.34	8.55	Peak	Horizontal
4 PP	5235.000	-48.36	-59.77	-13.00	-35.36	11.41	Peak	Horizontal



MODE	TX channel 23095/ 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1414.000	-56.63	-59.55	-13.00	-43.63	2.92	Peak	Vertical
2	2121.000	-54.34	-58.77	-13.00	-41.34	4.43	Peak	Vertical
3	3497.500	-51.42	-60.06	-13.00	-38.42	8.64	Peak	Vertical
4 PP	5235.000	-47.64	-59.47	-13.00	-34.64	11.83	Peak	Vertical




3.7 PEAK TO AVERAGE RATIO

3.7.1 LIMITS OF PEAK TO AVERAGE RATIO MEASUREMENT

In measuring transmissions in this band using an average power technique, the peak to-average ratio (PAR) of the transmission may not exceed 13 dB

3.7.2 TEST SETUP



3.7.3 TEST PROCEDURES

1. Set resolution/measurement bandwidth $\geq$ signal's occupied bandwidth;
2. Set the number of counts to a value that stabilizes the measured CCDF curve;
3. Record the maximum PAPR level associated with a probability of 0.1%.



Test Report No.: W7L-240618W002RF07

3.7.4 TEST RESULTS

Please Refer to Appendix Of this test report.



Test Report No.: W7L-240618W002RF07

4 INFORMATION ON THE TESTING LABORATORIES

We, BV 7LAYERS COMMUNICATIONS TECHNOLOGY (SHENZHEN) CO. LTD., were founded in 2015 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are accredited and approved according to ISO/IEC 17025.

If you have any comments, please feel free to contact us at the following:

Shenzhen EMC/RF Lab:

Tel: +86-755-88696566

Fax: +86-755-88696577

Email: customerservice.sw@cn.bureauveritas.com

Web Site: www.adt.com.tw

The address and road map of all our labs can be found in our web site also.



Test Report No.: W7L-240618W002RF07

5 MODIFICATIONS RECORDERS FOR ENGINEERING CHANGES TO THE EUT BY THE LAB

No any modifications are made to the EUT by the lab during the test.



Test Report No.: W7L-240618W002RF07

6 APPENDIX


WCDMA BAND 4

PEAK-TO-AVERAGE RATIO

Test Result

Band	Channel	Peak-to-Average Ratio(dB)	Limit(dBm)	Verdict
Band4	1312	2.87	13	PASS
Band4	1413	2.91	13	PASS
Band4	1513	2.97	13	PASS

Test Graphs






Test Report No.: W7L-240618W002RF07

26DB BANDWIDTH AND OCCUPIED BANDWIDTH

Test Result

Band	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit(MHz)	Verdict
Band4	1312	4.1490	4.694	---	PASS
Band4	1413	4.1446	4.699	---	PASS
Band4	1513	4.1460	4.699	---	PASS

Test Graphs





Test Report No.: W7L-240618W002RF07

BAND EDGE

Test Result

Band	Channel	Frequency (MHz)	Result (dBm)	Limit(dBm)	Verdict
Band4	1312	1710.00	-27.55	-13	PASS
Band4	1513	1755.11	-28.71	-13	PASS

Test Graphs



CONDUCTED SPURIOUS EMISSION

Test Result

Band	Channel	Frequency Range (Mhz)	Result (dBm)	Limit (dBm)	Verdict
Band4	1312	30~1000MHz	-48.92	-13	PASS
Band4	1312	1000~10000MHz	-41.14	-13	PASS
Band4	1312	10000~20000MHz	-37.48	-13	PASS
Band4	1413	30~1000MHz	-49.03	-13	PASS
Band4	1413	1000~10000MHz	-40.87	-13	PASS
Band4	1413	10000~20000MHz	-37.24	-13	PASS
Band4	1513	30~1000MHz	-49.23	-13	PASS
Band4	1513	1000~10000MHz	-40.91	-13	PASS
Band4	1513	10000~20000MHz	-37.4	-13	PASS

Test Graphs







BUREAU
VERITAS

Test Report No.: W7L-240618W002RF07



Band4-1513-10000~20000MHz-PASS

FREQUENCY STABILITY

Test Result

Voltage									
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	FL (MHz)	FH (MHz)	Limit (MHz)	Verdict
Band4	1312	VN	NT	-9750.0 0	-5.6937 63	1710.3 1915	---	1710-1 755	PASS
Band4	1312	VL	NT	-6500.0 0	-3.7958 42	1710.3 193	---	1710-1 755	PASS
Band4	1312	VH	NT	-5100.0 0	-2.9782 76	1710.3 2	---	1710-1 755	PASS
Band4	1513	VN	NT	-9020.0 0	-5.1466 39	---	1754.6 6433	1710-1 755	PASS
Band4	1513	VL	NT	-9890.0 0	-5.6430 45	---	1754.6 6331	1710-1 755	PASS
Band4	1513	VH	NT	-9130.0 0	-5.2094 03	---	1754.6 6222	1710-1 755	PASS

Temperature									
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	FL (MHz)	FH (MHz)	Limit (MHz)	Verdict
Band4	1312	NV	-30	-7640.0 0	-4.4615 74	1710.3 2176	---	1710-1 755	PASS
Band4	1312	NV	-20	-6130.0 0	-3.5797 71	1710.3 2287	---	1710-1 755	PASS
Band4	1312	NV	-10	-2640.0 0	-1.5416 96	1710.3 2416	---	1710-1 755	PASS
Band4	1312	NV	0	-9250.0 0	-5.4017 75	1710.3 1855	---	1710-1 755	PASS
Band4	1312	NV	10	-3890.0 0	-2.2716 65	1710.3 2016	---	1710-1 755	PASS
Band4	1312	NV	20	-6800.0 0	-3.9710 35	1710.3 201	---	1710-1 755	PASS
Band4	1312	NV	30	-4040.0 0	-2.3592 62	1710.3 2436	---	1710-1 755	PASS
Band4	1312	NV	40	-4990.0 0	-2.9140 39	1710.3 1886	---	1710-1 755	PASS
Band4	1312	NV	50	-4480.0 0	-2.6162 11	1710.3 2262	---	1710-1 755	PASS
Band4	1513	NV	-30	-6790.0 0	-3.8742 44	---	1754.6 6476	1710-1 755	PASS
Band4	1513	NV	-20	-7570.0 0	-4.3192 97	---	1754.6 6583	1710-1 755	PASS
Band4	1513	NV	-10	-5720.0 0	-3.2637 22	---	1754.6 7058	1710-1 755	PASS
Band4	1513	NV	0	-7970.0 0	-4.5475 29	---	1754.6 6683	1710-1 755	PASS



BUREAU
VERITAS

Test Report No.: W7L-240618W002RF07

Band4	1513	NV	10	-5070.0 0	-2.8928 45	---	1754.6 7203	1710-1 755	PASS
Band4	1513	NV	20	-5660.0 0	-3.2294 88	---	1754.6 6724	1710-1 755	PASS
Band4	1513	NV	30	-7870.0 0	-4.4904 71	---	1754.6 6623	1710-1 755	PASS
Band4	1513	NV	40	-6970.0 0	-3.9769 49	---	1754.6 6908	1710-1 755	PASS
Band4	1513	NV	50	-8870.0 0	-5.0610 52	---	1754.6 6338	1710-1 755	PASS



Test Report No.: W7L-240618W002RF07


LTE BAND7

PEAK-TO-AVERAGE RATIO(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band7	20MHz	QPSK	20850	1RB#0	4.65	13	PASS
Band7	20MHz	QPSK	20850	100RB#0	5.34	13	PASS
Band7	20MHz	QPSK	21100	1RB#0	4.26	13	PASS
Band7	20MHz	QPSK	21100	100RB#0	5.22	13	PASS
Band7	20MHz	QPSK	21350	1RB#0	4.51	13	PASS
Band7	20MHz	QPSK	21350	100RB#0	5.27	13	PASS
Band7	20MHz	16QAM	20850	1RB#0	5.22	13	PASS
Band7	20MHz	16QAM	20850	100RB#0	6.05	13	PASS
Band7	20MHz	16QAM	21100	1RB#0	5.18	13	PASS
Band7	20MHz	16QAM	21100	100RB#0	5.99	13	PASS
Band7	20MHz	16QAM	21350	1RB#0	5.41	13	PASS
Band7	20MHz	16QAM	21350	100RB#0	6.05	13	PASS


Test Graphs





BUREAU
VERITAS


Test Report No.: W7L-240618W002RF07





BUREAU
VERITAS

Test Report No.: W7L-240618W002RF07




26DB BANDWIDTH AND OCCUPIED BANDWIDTH

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band7	5MHz	QPSK	20775	25RB#0	4.5052	5.035	PASS
Band7	5MHz	QPSK	21100	25RB#0	4.5060	5.029	PASS
Band7	5MHz	QPSK	21425	25RB#0	4.5092	5.054	PASS
Band7	5MHz	16QAM	20775	25RB#0	4.5049	5.003	PASS
Band7	5MHz	16QAM	21100	25RB#0	4.4991	5.002	PASS
Band7	5MHz	16QAM	21425	25RB#0	4.5037	4.999	PASS
Band7	10MHz	QPSK	20800	50RB#0	9.0122	9.809	PASS
Band7	10MHz	QPSK	21100	50RB#0	9.0010	9.832	PASS
Band7	10MHz	QPSK	21400	50RB#0	8.9975	9.818	PASS
Band7	10MHz	16QAM	20800	50RB#0	9.0053	9.796	PASS
Band7	10MHz	16QAM	21100	50RB#0	8.9787	9.794	PASS
Band7	10MHz	16QAM	21400	50RB#0	8.9835	9.798	PASS
Band7	15MHz	QPSK	20825	75RB#0	13.486	14.79	PASS
Band7	15MHz	QPSK	21100	75RB#0	13.484	14.78	PASS
Band7	15MHz	QPSK	21375	75RB#0	13.477	14.71	PASS
Band7	15MHz	16QAM	20825	75RB#0	13.475	14.72	PASS
Band7	15MHz	16QAM	21100	75RB#0	13.475	14.69	PASS
Band7	15MHz	16QAM	21375	75RB#0	13.485	14.64	PASS
Band7	20MHz	QPSK	20850	100RB#0	17.965	19.45	PASS
Band7	20MHz	QPSK	21100	100RB#0	17.972	19.50	PASS
Band7	20MHz	QPSK	21350	100RB#0	17.957	19.42	PASS
Band7	20MHz	16QAM	20850	100RB#0	17.927	19.38	PASS
Band7	20MHz	16QAM	21100	100RB#0	17.935	19.41	PASS
Band7	20MHz	16QAM	21350	100RB#0	17.915	19.40	PASS


Test Graphs





BUREAU
VERITAS


Test Report No.: W7L-240618W002RF07





BUREAU
VERITAS


Test Report No.: W7L-240618W002RF07





BUREAU
VERITAS


Test Report No.: W7L-240618W002RF07





BUREAU
VERITAS


Test Report No.: W7L-240618W002RF07





BUREAU
VERITAS

Test Report No.: W7L-240618W002RF07



BAND EDGE

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band7	5MHz	QPSK	20775	1RB#0	-27.39	PASS
Band7	5MHz	QPSK	20775	25RB#0	-43.17	PASS
Band7	5MHz	QPSK	21425	1RB#24	-25.77	PASS
Band7	5MHz	QPSK	21425	25RB#0	-41.22	PASS
Band7	5MHz	16QAM	20775	1RB#0	-29.68	PASS
Band7	5MHz	16QAM	20775	25RB#0	-44.25	PASS
Band7	5MHz	16QAM	21425	1RB#24	-26.19	PASS
Band7	5MHz	16QAM	21425	25RB#0	-42.85	PASS
Band7	10MHz	QPSK	20800	1RB#0	-48.02	PASS
Band7	10MHz	QPSK	20800	50RB#0	-44.14	PASS
Band7	10MHz	QPSK	21400	1RB#49	-48.50	PASS
Band7	10MHz	QPSK	21400	50RB#0	-43.51	PASS
Band7	10MHz	16QAM	20800	1RB#0	-48.22	PASS
Band7	10MHz	16QAM	20800	50RB#0	-45.20	PASS
Band7	10MHz	16QAM	21400	1RB#49	-48.58	PASS
Band7	10MHz	16QAM	21400	50RB#0	-43.99	PASS
Band7	15MHz	QPSK	20825	1RB#0	-47.76	PASS
Band7	15MHz	QPSK	20825	75RB#0	-37.70	PASS
Band7	15MHz	QPSK	21375	1RB#74	-48.63	PASS
Band7	15MHz	QPSK	21375	75RB#0	-44.40	PASS
Band7	15MHz	16QAM	20825	1RB#0	-47.84	PASS
Band7	15MHz	16QAM	20825	75RB#0	-41.17	PASS
Band7	15MHz	16QAM	21375	1RB#74	-48.63	PASS
Band7	15MHz	16QAM	21375	75RB#0	-45.37	PASS
Band7	20MHz	QPSK	20850	1RB#0	-48.07	PASS
Band7	20MHz	QPSK	20850	100RB#0	-36.68	PASS
Band7	20MHz	QPSK	21350	1RB#99	-48.78	PASS
Band7	20MHz	QPSK	21350	100RB#0	-47.05	PASS
Band7	20MHz	16QAM	20850	1RB#0	-48.11	PASS
Band7	20MHz	16QAM	20850	100RB#0	-39.80	PASS
Band7	20MHz	16QAM	21350	1RB#99	-48.78	PASS
Band7	20MHz	16QAM	21350	100RB#0	-47.07	PASS




BUREAU
VERITAS

Test Report No.: W7L-240618W002RF07

Test Graphs







BUREAU
VERITAS

Test Report No.: W7L-240618W002RF07








BUREAU
VERITAS


Test Report No.: W7L-240618W002RF07





BUREAU
VERITAS

Test Report No.: W7L-240618W002RF07







CONDUCTED SPURIOUS EMISSION

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band7	5MHz	QPSK	20775	1RB#0	30~1000	-58.20	PASS
Band7	5MHz	QPSK	20775	1RB#0	1000~10000	-48.11	PASS
Band7	5MHz	QPSK	20775	1RB#0	10000~20000	-55.75	PASS
Band7	5MHz	QPSK	20775	1RB#0	20000~27000	-53.77	PASS
Band7	5MHz	QPSK	21100	1RB#0	30~1000	-58.20	PASS
Band7	5MHz	QPSK	21100	1RB#0	1000~10000	-48.18	PASS
Band7	5MHz	QPSK	21100	1RB#0	10000~20000	-55.84	PASS
Band7	5MHz	QPSK	21100	1RB#0	20000~27000	-53.74	PASS
Band7	5MHz	QPSK	21425	1RB#0	30~1000	-58.10	PASS
Band7	5MHz	QPSK	21425	1RB#0	1000~10000	-48.14	PASS
Band7	5MHz	QPSK	21425	1RB#0	10000~20000	-55.84	PASS
Band7	5MHz	QPSK	21425	1RB#0	20000~27000	-53.69	PASS
Band7	10MHz	QPSK	20800	1RB#0	30~1000	-58.16	PASS
Band7	10MHz	QPSK	20800	1RB#0	1000~10000	-48.18	PASS
Band7	10MHz	QPSK	20800	1RB#0	10000~20000	-55.93	PASS
Band7	10MHz	QPSK	20800	1RB#0	20000~27000	-53.73	PASS
Band7	10MHz	QPSK	21100	1RB#0	30~1000	-58.17	PASS
Band7	10MHz	QPSK	21100	1RB#0	1000~10000	-48.21	PASS
Band7	10MHz	QPSK	21100	1RB#0	10000~20000	-55.78	PASS
Band7	10MHz	QPSK	21100	1RB#0	20000~27000	-53.79	PASS
Band7	10MHz	QPSK	21400	1RB#0	30~1000	-58.12	PASS
Band7	10MHz	QPSK	21400	1RB#0	1000~10000	-48.15	PASS
Band7	10MHz	QPSK	21400	1RB#0	10000~20000	-55.82	PASS
Band7	10MHz	QPSK	21400	1RB#0	20000~27000	-53.74	PASS
Band7	15MHz	QPSK	20825	1RB#0	30~1000	-58.16	PASS
Band7	15MHz	QPSK	20825	1RB#0	1000~10000	-48.08	PASS
Band7	15MHz	QPSK	20825	1RB#0	10000~20000	-55.76	PASS
Band7	15MHz	QPSK	20825	1RB#0	20000~27000	-53.70	PASS
Band7	15MHz	QPSK	21100	1RB#0	30~1000	-58.10	PASS
Band7	15MHz	QPSK	21100	1RB#0	1000~10000	-47.39	PASS
Band7	15MHz	QPSK	21100	1RB#0	10000~20000	-55.88	PASS
Band7	15MHz	QPSK	21100	1RB#0	20000~27000	-53.77	PASS
Band7	15MHz	QPSK	21375	1RB#0	30~1000	-58.17	PASS
Band7	15MHz	QPSK	21375	1RB#0	1000~10000	-48.18	PASS
Band7	15MHz	QPSK	21375	1RB#0	10000~20000	-55.79	PASS
Band7	15MHz	QPSK	21375	1RB#0	20000~27000	-53.70	PASS
Band7	20MHz	QPSK	20850	1RB#0	30~1000	-58.15	PASS
Band7	20MHz	QPSK	20850	1RB#0	1000~10000	-48.23	PASS
Band7	20MHz	QPSK	20850	1RB#0	10000~20000	-55.79	PASS
Band7	20MHz	QPSK	20850	1RB#0	20000~27000	-53.84	PASS
Band7	20MHz	QPSK	21100	1RB#0	30~1000	-58.18	PASS
Band7	20MHz	QPSK	21100	1RB#0	1000~10000	-48.11	PASS
Band7	20MHz	QPSK	21100	1RB#0	10000~20000	-55.90	PASS
Band7	20MHz	QPSK	21100	1RB#0	20000~27000	-53.54	PASS





Test Report No.: W7L-240618W002RF07

Band7	20MHz	QPSK	21350	1RB#0	30~1000	-58.14	PASS
Band7	20MHz	QPSK	21350	1RB#0	1000~10000	-48.16	PASS
Band7	20MHz	QPSK	21350	1RB#0	10000~20000	-55.78	PASS
Band7	20MHz	QPSK	21350	1RB#0	20000~27000	-53.72	PASS

Test Graphs









Band7 10MHz QPSK 20800 1RB#0 30~1000 30~1000

Band7 10MHz QPSK 20800 1RB#0 1000~10000 1000~10000



Band7 10MHz QPSK 20800 1RB#0 10000~20000 10000~20000

Band7 10MHz QPSK 20800 1RB#0 20000~27000 20000~27000