

Report No.: SEWM2309000395RG07

Rev.: 01

Page: 1 of 32

# TEST REPORT

**Application No.:** SEWM2309000395RG  
**Applicant:** Xiaomi Communications Co., Ltd.  
**Address of Applicant:** #019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085  
**Manufacturer:** Xiaomi Communications Co., Ltd.  
**Address of Manufacturer:** #019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085  
**EUT Description:** Mobile Phone  
**Model No.:** 23122PCD1G  
**Trade Mark:** POCO  
**FCC ID:** 2AFZZPCD1G  
**Standards:** FCC 47 CFR Part 15, Subpart C  
**Date of Receipt:** 2023/09/23  
**Date of Test:** 2023/10/25 to 2023/11/15  
**Date of Issue:** 2023/11/15

|                      |               |
|----------------------|---------------|
| <b>Test Result :</b> | <b>PASS *</b> |
|----------------------|---------------|

\* In the configuration tested, the EUT detailed in this report complied with the standards specified above.

Authorized Signature:

Well Wei

Well Wei  
Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
**Attention:** To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn  
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com


Report No.: SEWM2309000395RG07

Rev.: 01

Page: 2 of 32

## 1 Version

| Revision Record |         |            |          |          |
|-----------------|---------|------------|----------|----------|
| Version         | Chapter | Date       | Modifier | Remark   |
| 01              |         | 2023/11/15 |          | Original |

|             |                                                                                                                             |
|-------------|-----------------------------------------------------------------------------------------------------------------------------|
| Prepared By | <br>_____<br>(Ives Cheng) / Test Engineer |
| Checked By  | <br>_____<br>(Stone Gu) / Reviewer        |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 [www.sgs.com](http://www.sgs.com)  
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000 t (86-512) 62992980 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

Report No.: SEWM2309000395RG07

Rev.: 01

Page: 3 of 32

## 2 Test Summary

| Test Item                               | FCC Rules No.    | Test Method                         | Test Result | Result |
|-----------------------------------------|------------------|-------------------------------------|-------------|--------|
| Antenna Requirement                     | 15.203           | --                                  | Clause 4.1  | PASS   |
| AC Power Line Conducted Emission        | 15.207           | ANSI C63.10-2020<br>Section 6.2     | Clause 4.2  | PASS   |
| 20dB Spectrum Bandwidth                 | 15.215(c)        | ANSI C63.10-2020<br>Section 6.9.2   | Clause 4.3  | PASS   |
| Frequency Stability                     | 15.225(e)        | ANSI C63.10-2020<br>Section 6.8     | Clause 4.4  | PASS   |
| Field Strength of Fundamental Emissions | 15.225(a)(b)(c)  | ANSI C63.10-2020<br>Section 6.4.7   | Clause 4.5  | PASS   |
| Radiated Spurious Emissions             | 15.225(d)/15.209 | ANSI C63.10-2020<br>Section 6.4/6.5 | Clause 4.6  | PASS   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn  
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

## Contents

|     |                                                            |    |
|-----|------------------------------------------------------------|----|
| 1   | Version .....                                              | 2  |
| 2   | Test Summary .....                                         | 3  |
| 3   | General Information .....                                  | 5  |
| 3.1 | Details of Client .....                                    | 5  |
| 3.2 | Test Location .....                                        | 5  |
| 3.3 | Test Facility .....                                        | 5  |
| 3.4 | General Description of EUT .....                           | 6  |
| 3.5 | Test Environment .....                                     | 7  |
| 3.6 | Description of Support Units .....                         | 7  |
| 4   | Test results and Measurement Data .....                    | 8  |
| 4.1 | Antenna Requirement .....                                  | 8  |
| 4.2 | Worst-case configuration and mode .....                    | 8  |
| 4.3 | AC Power Line Conducted Emissions .....                    | 9  |
| 4.4 | 20dB Spectrum Bandwidth .....                              | 13 |
| 4.5 | Frequency Stability .....                                  | 14 |
| 4.6 | Field Strength of Fundamental Emissions .....              | 15 |
| 4.7 | Radiated Spurious Emissions .....                          | 17 |
| 5   | Measurement Uncertainty (95% confidence levels, k=2) ..... | 19 |
| 6   | Equipment List .....                                       | 20 |
| 7   | Photographs - Setup Photos .....                           | 22 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 [www.sgs.com](http://www.sgs.com)  
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000 t (86-512) 62992980 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

Report No.: SEWM2309000395RG07

Rev.: 01

Page: 5 of 32

### 3 General Information

#### 3.1 Details of Client

|                          |                                                                                               |
|--------------------------|-----------------------------------------------------------------------------------------------|
| Applicant:               | Xiaomi Communications Co., Ltd.                                                               |
| Address of Applicant:    | #019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085 |
| Manufacturer:            | Xiaomi Communications Co., Ltd.                                                               |
| Address of Manufacturer: | #019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085 |

#### 3.2 Test Location

|                |                                                                                                                        |
|----------------|------------------------------------------------------------------------------------------------------------------------|
| Company:       | SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.                                                               |
| Address:       | South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone |
| Post code:     | 215000                                                                                                                 |
| Test engineer: | Ives Cheng, King-p Li                                                                                                  |

#### 3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• **A2LA (Certificate No. 6336.01)**

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

• **Innovation, Science and Economic Development Canada**

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

• **FCC –Designation Number: CN1312**

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an accredited testing laboratory.

Designation Number: CN1312.

Test Firm Registration Number: 717327



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn  
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2309000395RG07

Rev.: 01

Page: 6 of 32

### 3.4 General Description of EUT

|                                                                                                                                                                              |                                                                                                                                                        |                                                  |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|--|
| EUT Description:                                                                                                                                                             | Mobile Phone                                                                                                                                           |                                                  |  |
| Model No.:                                                                                                                                                                   | 23122PCD1G                                                                                                                                             |                                                  |  |
| Trade Mark:                                                                                                                                                                  | POCO                                                                                                                                                   |                                                  |  |
| Hardware Version:                                                                                                                                                            | 13510N16                                                                                                                                               |                                                  |  |
| Software Version:                                                                                                                                                            | MIUI 14                                                                                                                                                |                                                  |  |
| Power Supply:                                                                                                                                                                | Lithium Battery (3.91V)                                                                                                                                |                                                  |  |
| IMEI:                                                                                                                                                                        | RF Conducted                                                                                                                                           | IMEI1: 867837060020200<br>IMEI2: 867837060020218 |  |
|                                                                                                                                                                              | RSE & AC power line                                                                                                                                    | IMEI1: 867837060041388<br>IMEI2: 867837060041396 |  |
| Operation Frequency:                                                                                                                                                         | 13.56MHz                                                                                                                                               |                                                  |  |
| NFC Type:                                                                                                                                                                    | Type A, B and F                                                                                                                                        |                                                  |  |
|                                                                                                                                                                              | Remark: the EUT has been pre-scanned in NFC Type A, B and F. the worst type(Type F) was recorded in this report if no others remark in the test items. |                                                  |  |
| Modulation Type:                                                                                                                                                             | ASK                                                                                                                                                    |                                                  |  |
| Antenna Type:                                                                                                                                                                | Coil antenna                                                                                                                                           |                                                  |  |
| Remark:<br>As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information. |                                                                                                                                                        |                                                  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn  
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2309000395RG07

Rev.: 01

Page: 7 of 32

### 3.5 Test Environment

| Environment Parameter                                                                                  | 101.0 kPa Selected Values During Tests |              |
|--------------------------------------------------------------------------------------------------------|----------------------------------------|--------------|
| Relative Humidity                                                                                      | 44-46 % RH Ambient                     |              |
| Value                                                                                                  | Temperature(°C)                        | Voltage(Vdc) |
| NTNV                                                                                                   | 22~23                                  | 3.91         |
| Remark: The extreme Voltage and extreme Temperature are refer to the test data of Frequency Stability. |                                        |              |

### 3.6 Description of Support Units

The EUT has been tested as an independent unit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn  
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

## 4 Test results and Measurement Data

### 4.1 Antenna Requirement

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|
| <b>Standard requirement:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 47 CFR Part 15C Section 15.203 |
| <p>15.203 requirement:</p> <p>An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.</p> |                                |
| The antenna of the EUT are permanently attached.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                |

### 4.2 Worst-case configuration and mode

The fundamental of the EUT was investigated under three orthogonal orientations X, Y, and Z. The Z orientation was determined to be the worst-case orientation.

In addition, Type A, B and F at each supported data rate and with/without a tag were investigated to determine the worst case based on the highest power and spurious emissions. Type F, 106Kbps without tag was determined to be the worst case and therefore Type F, 106Kbps without tag was selected for all final tests.

Although these tests were performed ther than open area test site, adequate comparison measurements were confirmed against 30m open are test site. Therefore sufficient tests were made to demonstrate that the alternative site prduces results that correlate with the ones of tests made in an ope field based on KDB 414788.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn  
t (86-512) 62992980 sgs.china@sgs.com

### 4.3 AC Power Line Conducted Emissions

|                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |              |           |
|--------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-----------|
| Test Requirement:                                | 47 CFR Part 15C Section 15.207                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |              |           |
| Test Method:                                     | ANSI C63.10-2020 Section 6.2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |              |           |
| Test Frequency Range:                            | 150kHz to 30MHz                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |              |           |
| Limit:                                           | Frequency range(MHz)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Limit (dBuV) |           |
|                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Quasi-peak   | Average   |
|                                                  | 0.15-0.5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 66 to 56*    | 56 to 46* |
|                                                  | 0.5-5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 56           | 46        |
|                                                  | 5-30                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 60           | 50        |
| * Decreases with the logarithm of the frequency. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |              |           |
| Test Procedure:                                  | <ol style="list-style-type: none"> <li>1) The mains terminal disturbance voltage test was conducted in a shielded room.</li> <li>2) The EUT was connected to AC power source through a LISN 1 (Line Impedance Stabilization Network) which provides a 50Ω/50μH + 5Ω linear impedance. The power cables of all other units of the EUT were connected to a second LISN 2, which was bonded to the ground reference plane in the same way as the LISN 1 for the unit being measured. A multiple socket outlet strip was used to connect multiple power cables to a single LISN provided the rating of the LISN was not exceeded.</li> <li>3) The tabletop EUT was placed upon a non-metallic table 0.8m above the ground reference plane. And for floor-standing arrangement, the EUT was placed on the horizontal ground reference plane.</li> <li>4) The test was performed with a vertical ground reference plane. The rear of the EUT shall be 0.4 m from the vertical ground reference plane. The vertical ground reference plane was bonded to the horizontal ground reference plane. The LISN 1 was placed 0.8 m from the boundary of the unit under test and bonded to a ground reference plane for LISNs mounted on top of the ground reference plane. This distance was between the closest points of the LISN 1 and the EUT. All other units of the EUT and associated equipment was at least 0.8 m from the LISN 2.</li> <li>5) In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to ANSI C63.10-2020 on conducted measurement.</li> </ol> |              |           |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

Report No.: SEWM2309000395RG07

Rev.: 01

Page: 10 of 32

|                   |                                                                                    |
|-------------------|------------------------------------------------------------------------------------|
| Test Setup:       |  |
| Test Mode:        | Transmitting with modulation.<br>Charge + Transmitting mode.                       |
| Instruments Used: | Refer to section 6 for details.                                                    |
| Test Results:     | Pass                                                                               |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Rundeng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn  
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2309000395RG07


Rev.: 01

Page: 11 of 32

## Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector.

Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.



## Data List

| NO. | Frequency [MHz] | Factor [dB] | QP Reading [dBμV] | QP Value [dBμV] | QP Limit [dBμV] | QP Margin [dB] | AV Reading [dBμV] | AV Value [dBμV] | AV Limit [dBμV] | AV Margin [dB] | Verdict |
|-----|-----------------|-------------|-------------------|-----------------|-----------------|----------------|-------------------|-----------------|-----------------|----------------|---------|
| 1   | 0.1950          | 11.67       | 38.61             | 50.28           | 63.82           | 13.54          | 20.62             | 32.29           | 53.82           | 21.53          | PASS    |
| 2   | 0.2085          | 11.65       | 38.37             | 50.02           | 63.26           | 13.24          | 21.55             | 33.20           | 53.26           | 20.06          | PASS    |
| 3   | 0.2175          | 11.65       | 38.35             | 50.00           | 62.91           | 12.91          | 21.94             | 33.59           | 52.91           | 19.32          | PASS    |
| 4   | 0.2670          | 11.64       | 33.96             | 45.60           | 61.21           | 15.61          | 17.09             | 28.73           | 51.21           | 22.48          | PASS    |
| 5   | 0.3660          | 11.61       | 30.01             | 41.62           | 58.59           | 16.97          | 12.59             | 24.20           | 48.59           | 24.39          | PASS    |
| 6   | 2.0670          | 11.73       | 28.67             | 40.40           | 56.00           | 15.60          | 15.06             | 26.79           | 46.00           | 19.21          | PASS    |
| 7*  | 13.542          | 11.91       | 32.68             | 44.59           | 60.00           | 15.41          | 32.65             | 44.56           | 50.00           | 5.44           | PASS    |

## Remark:

- The following Quasi-Peak and Average measurements were performed on the EUT:
- Value = Reading[dBμV] + Factor(Lin factor[dB] + cable loss[dB]).
- Margin = Limit[dBμV] – Value[dBμV]

Note: \*7 is NFC signal which can be ignored.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 [www.sgs.com](http://www.sgs.com)


t (86-512) 62992980 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

Report No.: SEWM2309000395RG07

Rev.: 01

Page: 12 of 32

Phase: Neutral



Data List

| NO. | Frequency [MHz] | Factor [dB] | QP Reading [dBμV] | QP Value [dBμV] | QP Limit [dBμV] | QP Margin [dB] | AV Reading [dBμV] | AV Value [dBμV] | AV Limit [dBμV] | AV Margin [dB] | Verdict |
|-----|-----------------|-------------|-------------------|-----------------|-----------------|----------------|-------------------|-----------------|-----------------|----------------|---------|
| 1   | 0.4695          | 11.60       | 28.40             | 40.00           | 56.52           | 16.52          | 17.58             | 29.18           | 46.52           | 17.34          | PASS    |
| 2   | 1.0005          | 11.73       | 25.20             | 36.93           | 56.00           | 19.07          | 13.19             | 24.92           | 46.00           | 21.08          | PASS    |
| 3   | 1.7925          | 11.73       | 25.13             | 36.86           | 56.00           | 19.14          | 14.01             | 25.74           | 46.00           | 20.26          | PASS    |
| 4   | 2.4045          | 11.73       | 27.40             | 39.13           | 56.00           | 16.87          | 17.27             | 29.00           | 46.00           | 17.00          | PASS    |
| 5   | 3.6240          | 11.76       | 28.73             | 40.49           | 56.00           | 15.51          | 18.24             | 30.00           | 46.00           | 16.00          | PASS    |
| 6   | 4.7670          | 11.80       | 29.45             | 41.25           | 56.00           | 14.75          | 20.56             | 32.36           | 46.00           | 13.64          | PASS    |
| 7*  | 13.551          | 11.91       | 34.47             | 46.38           | 60.00           | 13.62          | 34.45             | 46.36           | 50.00           | 3.64           | PASS    |

## Remark:

1. The following Quasi-Peak and Average measurements were performed on the EUT:
2. Value = Reading [dBμV] + Factor (Lisn factor [dB] + cable loss [dB]).
3. Margin = Limit [dBμV] – Value [dBμV]

Note: \*7 is NFC signal which can be ignored.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: QN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn  
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2309000395RG07

Rev.: 01

Page: 13 of 32

#### 4.4 20dB Spectrum Bandwidth

|                                             |                                                                                                       |
|---------------------------------------------|-------------------------------------------------------------------------------------------------------|
| Test Requirement:                           | 47 CFR Part 15C Section 15.215(c)                                                                     |
| Test Method:                                | ANSI C63.10-2020 Section 6.9.2                                                                        |
| Test Setup:                                 |                                                                                                       |
| Instruments Used:                           | Refer to section 6 for details                                                                        |
| Limit:                                      | Intentional radiators must be designed to ensure that the 20dB in the specific band 13.553~13.567MHz. |
| Test Results:                               | Pass                                                                                                  |
| The detailed test data see: <b>Appendix</b> |                                                                                                       |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn  
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2309000395RG07

Rev.: 01

Page: 14 of 32

## 4.5 Frequency Stability

|                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|---------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Test Requirement:                           | 47 CFR Part 15C Section 15.225(e)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Test Method:                                | ANSI C63.10-2020 Section 6.8                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Test Setup:                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Instruments Used:                           | Refer to section 6 for details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Limit:                                      | <p>The frequency tolerance of the carrier signal shall be maintained within <math>\pm 0.01\%</math> (100ppm) of the operating frequency over a temperature variation of <math>-20</math> degrees to <math>+50</math> degrees C at normal supply voltage, and for a variation in the primary supply voltage from 85% to 115% of the rated supply voltage at a temperature of 20 degrees C. For battery operated equipment, the equipment tests shall be performed using a new battery.</p> <p>While maintaining a constant temperature inside the environmental chamber, turn the EUT ON and record the operating frequency at startup, and at 2 minutes, 5 minutes, and 10 minutes after the EUT is energized. Four measurements in total are made.</p> |
| Test Results:                               | Pass                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| The detailed test data see: <b>Appendix</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## 4.6 Field Strength of Fundamental Emissions

|                   |                                                  |                                           |                                             |                                             |                                            |
|-------------------|--------------------------------------------------|-------------------------------------------|---------------------------------------------|---------------------------------------------|--------------------------------------------|
| Test Requirement: | 47 CFR Part 15C Section 15.225                   |                                           |                                             |                                             |                                            |
| Test Method:      | ANSI C63.10-2020 Section 6.4.7                   |                                           |                                             |                                             |                                            |
| Test Site:        | Measurement Distance: 3m (Semi-Anechoic Chamber) |                                           |                                             |                                             |                                            |
| Limit:            | Frequency                                        | Field Strength ( $\mu\text{V/m}$ ) at 30m | Field Strength (dB $\mu\text{V/m}$ ) at 30m | Field Strength (dB $\mu\text{V/m}$ ) at 10m | Field Strength (dB $\mu\text{V/m}$ ) at 3m |
|                   | 1.705~13.110 MHz                                 | 30                                        | 29.5                                        | 48.58                                       | 69.5                                       |
|                   | 13.110~13.410 MHz                                | 106                                       | 40.5                                        | 59.58                                       | 80.5                                       |
|                   | 13.410~13.553 MHz                                | 334                                       | 50.5                                        | 69.58                                       | 90.5                                       |
|                   | 13.553~13.567 MHz                                | 15,848                                    | 84.0                                        | 103.08                                      | 124.0                                      |
|                   | 13.567~13.710 MHz                                | 334                                       | 50.5                                        | 69.58                                       | 90.5                                       |
|                   | 13.710~14.010 MHz                                | 106                                       | 40.5                                        | 59.58                                       | 80.5                                       |
|                   | 14.010~30.000 MHz                                | 30                                        | 29.5                                        | 48.58                                       | 69.5                                       |

### Test Setup:




Figure 1. Below 30MHz

### Test Procedure:

- The EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.



Report No.: SEWM2309000395RG07

Rev.: 01

Page: 16 of 32

|                                             |                                                                                                                                                                                                                                                           |
|---------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                             | f. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the Z axis positioning which it is worse case.<br>g. Repeat above procedures until all frequencies measured was complete.<br>h. RBW set to 9kHz. |
| Exploratory Test Mode:                      | Transmitting with modulation.<br>Charge + Transmitting mode.                                                                                                                                                                                              |
| Final Test Mode:                            | <b>Transmitting with modulation.</b><br>Pretest the EUT at Charge + Transmitting mode.Only the worst case is recorded in the report.                                                                                                                      |
| Instruments Used:                           | Refer to section 6 for details                                                                                                                                                                                                                            |
| Test Results:                               | Pass                                                                                                                                                                                                                                                      |
| The detailed test data see: <b>Appendix</b> |                                                                                                                                                                                                                                                           |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn  
t (86-512) 62992980 sgs.china@sgs.com

## 4.7 Radiated Spurious Emissions

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                  |                                  |                |            |                          |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|----------------------------------|----------------|------------|--------------------------|
| Test Requirement:                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 47 CFR Part 15C Section 15.209 and 15.225        |                                  |                |            |                          |
| Test Method:                                                                                                                                                                                                                                                                                                                                                                                                                                                           | ANSI C63.10-2020 Section 6.4&6.5                 |                                  |                |            |                          |
| Test Site:                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Measurement Distance: 3m (Semi-Anechoic Chamber) |                                  |                |            |                          |
| Limit:                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Frequency                                        | Field strength (microvolt/meter) | Limit (dBuV/m) | Remark     | Measurement distance (m) |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 0.009MHz-0.490MHz                                | 2400/F(kHz)                      | -              | -          | 300                      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 0.490MHz-1.705MHz                                | 24000/F(kHz)                     | -              | -          | 30                       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 1.705MHz-30MHz                                   | 30                               | -              | -          | 30                       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 30MHz-88MHz                                      | 100                              | 40.0           | Quasi-peak | 3                        |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 88MHz-216MHz                                     | 150                              | 43.5           | Quasi-peak | 3                        |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 216MHz-960MHz                                    | 200                              | 46.0           | Quasi-peak | 3                        |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Above 960MHz                                     | 500                              | 54.0           | Quasi-peak | 3                        |
| Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. |                                                  |                                  |                |            |                          |

### Test Setup:




Figure 1. Below 30MHz




Figure 2. Above 30MHz

### Test Procedure:

- The EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- For each suspected emission, the EUT was arranged to its worst case and then

Report No.: SEWM2309000395RG07

Rev.: 01

Page: 18 of 32

|                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|---------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                             | <p>the antenna was tuned to heights from 1 meter to 4 meters(for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.</p> <p>m. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.</p> <p>n. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the Z axis positioning which it is worse case.</p> <p>o. Repeat above procedures until all frequencies measured was complete.</p> |
| Exploratory Test Mode:                      | Transmitting with modulation.<br>Charge + Transmitting mode.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Final Test Mode:                            | Transmitting with modulation.<br>Pretest the EUT at Charge + Transmitting mode.Only the worst case is recorded in the report.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Instruments Used:                           | Refer to section 6 for details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Test Results:                               | Pass                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| The detailed test data see: <b>Appendix</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Rundong Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn  
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润东路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2309000395RG07

Rev.: 01

Page: 19 of 32

## 5 Measurement Uncertainty (95% confidence levels, k=2)

| No.                                                                                                                                                                                                                                                                                                                                             | Item                | Measurement Uncertainty    |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|----------------------------|
| 1                                                                                                                                                                                                                                                                                                                                               | Radio Frequency     | ±1.0 %                     |
| 2                                                                                                                                                                                                                                                                                                                                               | Occupied Bandwidth  | ±1.0 %                     |
| 3                                                                                                                                                                                                                                                                                                                                               | Conduction Emission | ± 2.90dB (150kHz to 30MHz) |
| 4                                                                                                                                                                                                                                                                                                                                               | Radiated Emission   | ± 3.13dB (9k -30MHz)       |
|                                                                                                                                                                                                                                                                                                                                                 |                     | ± 4.8dB (30M -1GHz)        |
| Remark:<br>The U <sub>lab</sub> (lab Uncertainty) is less than U <sub>CISPR/ETSI</sub> (CISPR/ETSI Uncertainty), so the test results<br>– compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;<br>– non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit. |                     |                            |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Rundong Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn  
 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2309000395RG07

Rev.: 01

Page: 20 of 32

## 6 Equipment List

| RF Test Equipment                   |                   |                                        |               |                           |                              |
|-------------------------------------|-------------------|----------------------------------------|---------------|---------------------------|------------------------------|
| Test Equipment                      | Manufacturer      | Model No.                              | Inventory No. | Cal. date<br>(yyyy/mm/dd) | Cal.Due date<br>(yyyy/mm/dd) |
| Shielding Room                      | Brilliant-emc     | N/A                                    | SUWI-04-01-06 | 2021/05/08                | 2024/05/07                   |
| Temperature and humidity meter      | MingGao           | TH101B                                 | SUWI-01-01-07 | 2023/02/06                | 2024/02/05                   |
| Measurement Software                | Tonscend          | JS1120-3<br>Test<br>System V<br>3.3.20 | SUWI-02-09-09 | NCR                       | NCR                          |
| Signal Analyzer                     | ROHDE&<br>SCHWARZ | FSW43                                  | SUWI-01-02-04 | 2023/05/11                | 2024/05/10                   |
| Temperature Chamber                 | ESPEC             | SU-242                                 | SUWI-01-13-01 | 2023/02/06                | 2024/02/05                   |
| Wideband Radio Communication Tester | ROHDE&SCHWARZ     | CMW500                                 | SUWI-01-16-05 | 2023/02/06                | 2024/02/05                   |
| DC Power Supply                     | HYELEC            | HY3005B                                | SUWI-01-18-01 | 2023/02/06                | 2024/02/05                   |
| Power meter                         | Anritsu           | ML2495A                                | SUWI-01-31-01 | 2022/11/23                | 2023/11/22                   |
| Pulse power sensor                  | Anritsu           | MA2411B                                | SUWI-01-32-01 | 2022/11/23                | 2023/11/22                   |
| MXG Vector signal genitor           | KEYSIGHT          | N5182B                                 | SUWI-01-38-01 | 2023/02/06                | 2024/02/05                   |
| Signal Generator                    | ROHDE&SCHWARZ     | SMM100A                                | SN:101716     | 2023/02/22                | 2024/02/21                   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn  
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2309000395RG07

Rev.: 01

Page: 21 of 32

| Conduction Test Equipment      |               |                     |               |                           |                              |
|--------------------------------|---------------|---------------------|---------------|---------------------------|------------------------------|
| Test Equipment                 | Manufacturer  | Model No.           | Inventory No. | Cal. date<br>(yyyy/mm/dd) | Cal.Due date<br>(yyyy/mm/dd) |
| Test receiver                  | ROHDE&SCHWARZ | ESR7                | SUWI-01-10-01 | 2023/02/08                | 2024/02/07                   |
| Temperature and humidity meter | MingGao       | TH101B              | SUWI-01-01-06 | 2023/02/07                | 2024/02/06                   |
| Artificial network             | ROHDE&SCHWARZ | ENV216              | SUWI-01-19-03 | 2023/02/08                | 2024/02/07                   |
| Artificial network             | ROHDE&SCHWARZ | ENV216              | SUWI-01-19-04 | 2023/02/08                | 2024/02/07                   |
| Measurement Software           | Tonscend      | JS32-CE<br>V4.0.0.2 | SUWI-02-09-05 | NCR                       | NCR                          |

| RE Test System                 |                                   |                    |               |                          |                              |
|--------------------------------|-----------------------------------|--------------------|---------------|--------------------------|------------------------------|
| Equipment                      | Manufacturer                      | Model No.          | Inventory No. | Cal Date<br>(yyyy/mm/dd) | Cal Due Date<br>(yyyy/mm/dd) |
| Semi-Anechoic Chamber          | Brilliant-emc                     | N/A                | SUWI-04-02-01 | 2021/05/08               | 2024/05/07                   |
| Temperature and humidity meter | MingGao                           | TH101B             | SUWI-01-01-05 | 2023/02/07               | 2024/02/06                   |
| Test receiver                  | ROHDE&SCHWARZ                     | ESR7               | SUWI-01-10-01 | 2023/02/08               | 2024/02/07                   |
| Receiving antenna              | SCHWRZBECK<br>MESS-<br>ELEKTRONIK | VULB 9163          | SUWI-01-11-01 | 2023/05/13               | 2024/05/12                   |
| Active Loop Antenna            | SCHWRZBECK<br>MESS-<br>ELEKTRONIK | FMZB 1519B         | SUWI-01-21-01 | 2023/05/13               | 2024/05/12                   |
| Amplifier                      | Tonscend                          | TAP9K3G40          | SUWI-01-14-01 | 2023/02/06               | 2024/02/05                   |
| Measurement Software           | Tonscend                          | JS32-RE<br>4.0.0.0 | SUWI-02-09-04 | NCR                      | NCR                          |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Rundeng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn  
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWM2309000395RG07

Rev.: 01

Page: 22 of 32

## 7 Photographs - Setup Photos

Refer to Appendix A.4 NFC Setup Photos.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Rundeng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn  
t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWM2309000395RG07

Rev.: 01

Page: 23 of 32

# Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Rundeng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000


t (86-512) 62992980 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
t (86-512) 62992980 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

Report No.: SEWM2309000395RG07

Rev.: 01

Page: 24 of 32

## 20dB Bandwidth



Note:

Because the measured signal is CW or CW-like adjusting the RBW per C63.10 would not be practical since measured bandwidth will always follow the RBW and the result will be approximately twice the RBW.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. The Company does not warrant the accuracy of the information contained herein and hereby advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from their own responsibility to ensure the right of the Client to the information. The Company is not responsible for any loss, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the **Attention:** To check the authenticity of testing, inspection report & certificate, please contact us at telephone: (86-755) 8307 1440.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn  
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号6号厂房南部 邮编：215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2309000395RG07

Rev.: 01

Page: 25 of 32

## Frequency tolerance

| Declared Frequency (MHz) |              | 13.56MHz                   |                         |           |        |
|--------------------------|--------------|----------------------------|-------------------------|-----------|--------|
| Startup                  |              |                            |                         |           |        |
| Temperature (°C)         | Voltage(Vdc) | Measurement Frequency(MHz) | Frequency Tolerance (%) | Limit (%) | Result |
| 50                       | 3.91         | 13.55993                   | 0.0005                  | ±0.01     | Pass   |
| 40                       |              | 13.55993                   | 0.0005                  |           | Pass   |
| 30                       |              | 13.55994                   | 0.0004                  |           | Pass   |
| 20                       |              | 13.55993                   | 0.0005                  |           | Pass   |
| 10                       |              | 13.55995                   | 0.0004                  |           | Pass   |
| 0                        |              | 13.55993                   | 0.0005                  |           | Pass   |
| -10                      |              | 13.55993                   | 0.0005                  |           | Pass   |
| -20                      |              | 13.55993                   | 0.0005                  |           | Pass   |
| 20                       | 4.35         | 13.55993                   | 0.0005                  |           | Pass   |
|                          | 3.50         | 13.55993                   | 0.0005                  |           | Pass   |

| Declared Frequency (MHz) |              | 13.56MHz                   |                         |           |        |
|--------------------------|--------------|----------------------------|-------------------------|-----------|--------|
| 2mins                    |              |                            |                         |           |        |
| Temperature (°C)         | Voltage(Vdc) | Measurement Frequency(MHz) | Frequency Tolerance (%) | Limit (%) | Result |
| 50                       | 3.91         | 13.55995                   | 0.0004                  | ±0.01     | Pass   |
| 40                       |              | 13.55994                   | 0.0004                  |           | Pass   |
| 30                       |              | 13.55994                   | 0.0004                  |           | Pass   |
| 20                       |              | 13.55993                   | 0.0005                  |           | Pass   |
| 10                       |              | 13.55993                   | 0.0005                  |           | Pass   |
| 0                        |              | 13.55993                   | 0.0005                  |           | Pass   |
| -10                      |              | 13.55993                   | 0.0005                  |           | Pass   |
| -20                      |              | 13.55994                   | 0.0004                  |           | Pass   |
| 20                       | 4.35         | 13.55993                   | 0.0005                  |           | Pass   |
|                          | 3.50         | 13.55993                   | 0.0005                  |           | Pass   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn  
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2309000395RG07

Rev.: 01

Page: 26 of 32

| Declared Frequency (MHz) |              | 13.56MHz                   |                         |           |        |
|--------------------------|--------------|----------------------------|-------------------------|-----------|--------|
| 5mins                    |              |                            |                         |           |        |
| Temperature (°C)         | Voltage(Vdc) | Measurement Frequency(MHz) | Frequency Tolerance (%) | Limit (%) | Result |
| 50                       | 3.91         | 13.55993                   | 0.0005                  | ±0.01     | Pass   |
| 40                       |              | 13.55993                   | 0.0005                  |           | Pass   |
| 30                       |              | 13.55994                   | 0.0004                  |           | Pass   |
| 20                       |              | 13.55993                   | 0.0005                  |           | Pass   |
| 10                       |              | 13.55993                   | 0.0005                  |           | Pass   |
| 0                        |              | 13.55993                   | 0.0005                  |           | Pass   |
| -10                      |              | 13.55994                   | 0.0004                  |           | Pass   |
| -20                      |              | 13.55995                   | 0.0004                  |           | Pass   |
| 20                       |              | 4.35                       | 13.55993                |           | 0.0005 |
|                          | 3.50         | 13.55993                   | 0.0005                  | Pass      |        |

| Declared Frequency (MHz) |               | 13.56MHz                   |                         |           |        |
|--------------------------|---------------|----------------------------|-------------------------|-----------|--------|
| 10mins                   |               |                            |                         |           |        |
| Temperature (°C)         | Voltage(Vdc ) | Measurement Frequency(MHz) | Frequency Tolerance (%) | Limit (%) | Result |
| 50                       | 3.91          | 13.55993                   | 0.0005                  | ±0.01     | Pass   |
| 40                       |               | 13.55993                   | 0.0005                  |           | Pass   |
| 30                       |               | 13.55993                   | 0.0005                  |           | Pass   |
| 20                       |               | 13.55993                   | 0.0005                  |           | Pass   |
| 10                       |               | 13.55993                   | 0.0005                  |           | Pass   |
| 0                        |               | 13.55994                   | 0.0004                  |           | Pass   |
| -10                      |               | 13.55994                   | 0.0004                  |           | Pass   |
| -20                      |               | 13.55993                   | 0.0005                  |           | Pass   |
| 20                       | 4.35          | 13.55993                   | 0.0005                  |           | Pass   |
|                          | 3.50          | 13.55993                   | 0.0005                  |           | Pass   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn  
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2309000395RG07


Rev.: 01

Page: 27 of 32

## Field Strength of Fundamental Emissions

## NFC\_Emission Mask(Type F)

Polarization: Horizontal



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | QP Value [dBμV/m] | QP Limit [dBμV/m] | QP Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|-------------------|-------------------|----------------|------------|
| 1   | 13.5598         | 24.40          | 19.80     | 0.69        | 44.89             | 124.00            | 79.11          | Horizontal |

## Remark:

1. The Quasi-Peak measurements were performed on the EUT.
2. Value = Reading + Antenna Factor + Factor.
3. Factor=Cable loss.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000


t (86-512) 62992980 www.sgs.com.cn  
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2309000395RG07

Rev.: 01

Page: 28 of 32

Polarization: Vertical



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | QP Value [dBμV/m] | QP Limit [dBμV/m] | QP Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|-------------------|-------------------|----------------|----------|
| 1   | 13.5594         | 23.78          | 19.80     | 0.69        | 44.27             | 124.00            | 79.73          | Vertical |

## Remark:

1. The Quasi-Peak measurements were performed on the EUT.
2. Value = Reading + Antenna Factor + Factor.
3. Factor=Cable loss.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn  
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2309000395RG07


Rev.: 01

Page: 29 of 32

## Radiated Spurious Emissions

## NFC\_RSE(Type F)

Polarization: Horizontal



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | QP Value [dBμV/m] | QP Limit [dBμV/m] | QP Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|-------------------|-------------------|----------------|------------|
| 4   | 0.7025          | 27.79          | 20.08     | 0.44        | 48.31             | 70.67             | 22.36          | Horizontal |
| 5   | 4.5252          | 26.71          | 19.80     | 0.52        | 47.03             | 69.54             | 22.51          | Horizontal |
| 6   | 13.5594         | 23.27          | 19.80     | 0.69        | 43.76             | 69.54             | 25.78          | Horizontal |

## Data List

| NO. | Frequency [MHz] | AV Reading [dBμV] | AF [dB/m] | Factor [dB] | AV Value [dBμV/m] | AV Limit [dBμV/m] | AV Margin [dB] | Polarity   |
|-----|-----------------|-------------------|-----------|-------------|-------------------|-------------------|----------------|------------|
| 1   | 0.018           | 36.22             | 19.98     | 0.43        | 56.63             | 122.49            | 65.86          | Horizontal |
| 2   | 0.0709          | 45.20             | 20.20     | 0.43        | 65.83             | 110.59            | 44.76          | Horizontal |
| 3   | 0.2695          | 37.95             | 20.27     | 0.43        | 58.65             | 98.99             | 40.34          | Horizontal |

## Remark:

1. The Quasi-Peak measurements were performed on the EUT.
2. Value = Reading + Antenna Factor + Factor.
3. Factor=Cable loss.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000


t (86-512) 62992980 www.sgs.com.cn  
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2309000395RG07

Rev.: 01

Page: 30 of 32

Polarization: Vertical



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | QP Value [dBμV/m] | QP Limit [dBμV/m] | QP Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|-------------------|-------------------|----------------|----------|
| 4   | 1.1206          | 23.42          | 19.89     | 0.45        | 43.77             | 66.62             | 22.85          | Vertical |
| 5   | 4.5252          | 24.25          | 19.80     | 0.52        | 44.57             | 69.54             | 24.97          | Vertical |
| 6   | 13.5594         | 24.27          | 19.80     | 0.69        | 44.76             | 69.54             | 24.78          | Vertical |

## Data List

| NO. | Frequency [MHz] | AV Reading [dBμV] | AF [dB/m] | Factor [dB] | AV Value [dBμV/m] | AV Limit [dBμV/m] | AV Margin [dB] | Polarity |
|-----|-----------------|-------------------|-----------|-------------|-------------------|-------------------|----------------|----------|
| 1   | 0.0203          | 38.67             | 20.00     | 0.43        | 59.10             | 121.45            | 62.35          | Vertical |
| 2   | 0.0709          | 46.24             | 20.20     | 0.43        | 66.87             | 110.59            | 43.72          | Vertical |
| 3   | 0.2097          | 37.60             | 20.28     | 0.43        | 58.32             | 101.17            | 42.85          | Vertical |

## Remark:

1. The Quasi-Peak measurements were performed on the EUT.
2. Value = Reading + Antenna Factor + Factor.
3. Factor=Cable loss.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn  
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2309000395RG07


Rev.: 01

Page: 31 of 32

## NFC\_RE(Type F)

Polarization:

Horizontal



Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | QP Value [dBμV/m] | QP Limit [dBμV/m] | QP Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|-------------------|-------------------|----------------|------------|
| 1   | 44.1750         | 29.69          | 19.50     | -33.99      | 15.20             | 40.00             | 24.80          | Horizontal |
| 2   | 92.0360         | 36.83          | 14.87     | -33.55      | 18.15             | 43.50             | 25.35          | Horizontal |
| 3   | 128.9600        | 30.54          | 17.90     | -33.29      | 15.15             | 43.50             | 28.35          | Horizontal |
| 4   | 189.5170        | 37.99          | 15.88     | -32.82      | 21.05             | 43.50             | 22.45          | Horizontal |
| 5   | 296.7349        | 29.60          | 18.40     | -32.19      | 15.81             | 46.00             | 30.19          | Horizontal |
| 6   | 424.3551        | 26.28          | 21.79     | -31.42      | 16.65             | 46.00             | 29.35          | Horizontal |

## Remark:

1. The Quasi-Peak measurements were performed on the EUT.
2. Final Value Level = Reading + Antenna Factor + Factor.
3. Factor=Cable loss – Preamplifier Factor.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Rundeng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn  
t (86-512) 62992980 sgs.china@sgs.com


Report No.: SEWM2309000395RG07

Rev.: 01

Page: 32 of 32

Polarization:

Vertical



### Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | QP Value [dBμV/m] | QP Limit [dBμV/m] | QP Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|-------------------|-------------------|----------------|----------|
| 1   | 44.1638         | 39.94          | 19.50     | -33.99      | 25.45             | 40.00             | 14.55          | Vertical |
| 2   | 55.3067         | 42.78          | 18.99     | -33.92      | 27.85             | 40.00             | 12.15          | Vertical |
| 3   | 86.8918         | 35.44          | 14.85     | -33.60      | 16.69             | 40.00             | 23.31          | Vertical |
| 4   | 108.0267        | 33.81          | 16.21     | -33.41      | 16.61             | 43.50             | 26.89          | Vertical |
| 5   | 170.4241        | 29.11          | 17.34     | -32.94      | 13.51             | 43.50             | 29.99          | Vertical |
| 6   | 644.4312        | 24.57          | 25.67     | -30.42      | 19.82             | 46.00             | 26.18          | Vertical |

### Remark:

1. The Quasi-Peak measurements were performed on the EUT.
2. Final Value Level = Reading + Antenna Factor + Factor.
3. Factor=Cable loss – Preamplifier Factor.

---End of Report---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Rundong Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn  
中国·苏州·中国 (江苏) 自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com