





2DH1_Ant9_High_Hop_2480




2DH1_Ant10_High_Hop_2480






3DH1_Ant9_Low_2402




3DH1_Ant10_Low_2402






3DH1_Ant9_High_2480




Date: 13.JAN.2023 15:11:36

3DH1_Ant10_High_2480




Date: 12.JAN.2023 16:23:13






3DH1_Ant9_High_Hop_2480



3DH1_Ant10_High_Hop_2480



Conducted Spurious Emission

Test Result


TestMode	Antenna	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant9	2402	Reference	14.92	14.92	---	PASS
			30~1000	14.92	-54.61	≤-5.08	PASS
			1000~26500	14.92	-46.14	≤-5.08	PASS
	Ant10	2402	Reference	16.61	16.61	---	PASS
			30~1000	16.61	-55.11	≤-3.39	PASS
			1000~26500	16.61	-46.36	≤-3.39	PASS
	Ant9	2441	Reference	14.35	14.35	---	PASS
			30~1000	14.35	-55.42	≤-5.65	PASS
			1000~26500	14.35	-46.39	≤-5.65	PASS
	Ant10	2441	Reference	15.77	15.77	---	PASS
			30~1000	15.77	-55.08	≤-4.23	PASS
			1000~26500	15.77	-45.31	≤-4.23	PASS
	Ant9	2480	Reference	12.62	12.62	---	PASS
			30~1000	12.62	-55.23	≤-7.38	PASS
			1000~26500	12.62	-45.94	≤-7.38	PASS
	Ant10	2480	Reference	14.21	14.21	---	PASS
			30~1000	14.21	-55.34	≤-5.79	PASS
			1000~26500	14.21	-46.67	≤-5.79	PASS
2DH1	Ant9	2402	Reference	12.88	12.88	---	PASS
			30~1000	12.88	-54.96	≤-7.12	PASS
			1000~26500	12.88	-45.6	≤-7.12	PASS
	Ant10	2402	Reference	14.71	14.71	---	PASS
			30~1000	14.71	-54.79	≤-5.29	PASS
			1000~26500	14.71	-46.17	≤-5.29	PASS
	Ant9	2441	Reference	12.24	12.24	---	PASS
			30~1000	12.24	-54.42	≤-7.76	PASS
			1000~26500	12.24	-46.57	≤-7.76	PASS
	Ant10	2441	Reference	13.64	13.64	---	PASS
			30~1000	13.64	-55.4	≤-6.36	PASS
			1000~26500	13.64	-45.93	≤-6.36	PASS
	Ant9	2480	Reference	10.64	10.64	---	PASS
			30~1000	10.64	-55.74	≤-9.36	PASS



	Ant10	2480	1000~26500	10.64	-46.44	≤ -9.36	PASS
			Reference	12.41	12.41	---	PASS
			30~1000	12.41	-54.99	≤ -7.59	PASS
3DH1	Ant9	2402	1000~26500	12.41	-46.14	≤ -7.59	PASS
			Reference	12.92	12.92	---	PASS
			30~1000	12.92	-55.31	≤ -7.08	PASS
	Ant10	2402	1000~26500	12.92	-45.42	≤ -7.08	PASS
			Reference	16.44	16.44	---	PASS
			30~1000	16.44	-55	≤ -3.56	PASS
	Ant9	2441	1000~26500	16.44	-44.08	≤ -3.56	PASS
			Reference	14.62	14.62	---	PASS
			30~1000	14.62	-54.25	≤ -5.38	PASS
	Ant10	2441	1000~26500	14.62	-44.97	≤ -5.38	PASS
			Reference	13.75	13.75	---	PASS
			30~1000	13.75	-54.9	≤ -6.25	PASS
	Ant9	2480	1000~26500	13.75	-46.56	≤ -6.25	PASS
			Reference	10.76	10.76	---	PASS
			30~1000	10.76	-55.07	≤ -9.24	PASS
	Ant10	2480	1000~26500	10.76	-46.17	≤ -9.24	PASS
			Reference	12.52	12.52	---	PASS
			30~1000	12.52	-55.57	≤ -7.48	PASS
			1000~26500	12.52	-45.95	≤ -7.48	PASS




Test Graphs






DH5_Ant9_2402_1000~26500




Date: 13.JAN.2023 14:58:27

DH5_Ant10_2402_0~Reference




Date: 12.JAN.2023 16:10:45






DH5_Ant9_2441_0~Reference



Date: 13.JAN.2023 14:59:08


DH5_Ant9_2441_30~1000



Date: 13.JAN.2023 14:59:14




DH5_Ant9_2441_1000~26500




Date: 13.JAN.2023 14:59:51

DH5_Ant10_2441_0~Reference




Date: 12.JAN.2023 16:12:12






DH5_Ant9_2480_0~Reference



Date: 13.JAN.2023 15:00:50


DH5_Ant9_2480_30~1000



Date: 13.JAN.2023 15:00:56




DH5_Ant9_2480_1000~26500





Date: 13.JAN.2023 15:01:33

DH5_Ant10_2480_0~Reference




Date: 12.JAN.2023 16:13:55








2DH1_Ant9_2402_1000~26500




2DH1_Ant10_2402_0~Reference






2DH1_Ant10_2402_30~1000




Date: 12.JAN.2023 16:15:43

2DH1_Ant10_2402_1000~26500




Date: 12.JAN.2023 16:16:20






2DH1_Ant9_2441_1000~26500



Date: 13.JAN.2023 15:06:14


2DH1_Ant10_2441_0~Reference



Date: 12.JAN.2023 16:17:01




2DH1_Ant10_2441_30~1000




Date: 12.JAN.2023 16:17:08

2DH1_Ant10_2441_1000~26500




Date: 12.JAN.2023 16:17:45






2DH1_Ant9_2480_1000~26500




2DH1_Ant10_2480_0~Reference






2DH1_Ant10_2480_30~1000




Date: 12.JAN.2023 16:18:47

2DH1_Ant10_2480_1000~26500




Date: 12.JAN.2023 16:19:24






3DH1_Ant9_2402_1000~26500




3DH1_Ant10_2402_0~Reference






3DH1_Ant10_2402_30~1000




Date: 12.JAN.2023 16:20:26

3DH1_Ant10_2402_1000~26500




Date: 12.JAN.2023 16:21:03






3DH1_Ant9_2441_1000~26500




3DH1_Ant10_2441_0~Reference






3DH1_Ant10_2441_30~1000





Date: 12.JAN.2023 16:21:50

3DH1_Ant10_2441_1000~26500




Date: 12.JAN.2023 16:22:27








3DH1_Ant10_2480_30~1000



Date: 12.JAN.2023 16:23:33

3DH1_Ant10_2480_1000~26500




Date: 12.JAN.2023 16:24:10



Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15C RSS247-QP LISN-060103-L LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1 *	0.166	51.89	-13.27	65.16	41.19	0.27	10.43	QP
2	0.166	30.99	-24.17	55.16	20.29	0.27	10.43	Average
3	0.235	42.19	-20.07	62.26	31.50	0.30	10.39	QP
4	0.235	24.89	-27.37	52.26	14.20	0.30	10.39	Average
5	0.345	41.09	-18.00	59.09	30.49	0.27	10.33	QP
6	0.345	24.89	-24.20	49.09	14.29	0.27	10.33	Average
7	7.407	38.86	-21.14	60.00	28.20	0.35	10.31	QP
8	7.407	32.26	-17.74	50.00	21.60	0.35	10.31	Average
9	7.935	41.84	-18.16	60.00	31.10	0.35	10.39	QP
10	7.935	36.54	-13.46	50.00	25.80	0.35	10.39	Average
11	11.080	38.76	-21.24	60.00	27.49	0.43	10.84	QP
12	11.080	33.46	-16.54	50.00	22.19	0.43	10.84	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-060103-N NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1 *	0.187	57.04	-7.11	64.15	46.30	0.32	10.42	QP
2	0.187	36.84	-17.31	54.15	26.10	0.32	10.42	Average
3	0.203	48.94	-14.55	63.49	38.20	0.32	10.42	QP
4	0.203	28.94	-24.55	53.49	18.20	0.32	10.42	Average
5	0.239	51.32	-10.81	62.13	40.60	0.33	10.39	QP
6	0.239	33.32	-18.81	52.13	22.60	0.33	10.39	Average
7	0.259	51.21	-10.26	61.47	40.50	0.33	10.38	QP
8	0.259	28.91	-22.56	51.47	18.20	0.33	10.38	Average
9	0.315	44.27	-15.57	59.84	33.60	0.33	10.34	QP
10	0.315	26.27	-23.57	49.84	15.60	0.33	10.34	Average
11	0.377	41.09	-17.25	58.34	30.50	0.28	10.31	QP
12	0.377	25.19	-23.15	48.34	14.60	0.28	10.31	Average
13	0.452	42.03	-14.82	56.85	31.50	0.28	10.25	QP
14	0.452	25.13	-21.72	46.85	14.60	0.28	10.25	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)

Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Carry Xu	Relative Humidity :	22~23℃
		Temperature :	41~42%



Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	Remark
Mode 1	2400-2483.5	9	Bluetooth BR_GFSK	00	2402	1Mbps	-
Mode 2	2400-2483.5	9	Bluetooth BR_GFSK	39	2441	1Mbps	-
Mode 3	2400-2483.5	9	Bluetooth BR_GFSK	78	2480	1Mbps	-
Mode 4	2400-2483.5	10	Bluetooth BR_GFSK	00	2402	1Mbps	-
Mode 5	2400-2483.5	10	Bluetooth BR_GFSK	39	2441	1Mbps	-
Mode 6	2400-2483.5	10	Bluetooth BR_GFSK	78	2480	1Mbps	-
Mode 7	2400-2483.5	10	Bluetooth BR_GFSK	78	-	1Mbps	LF



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	Bluetooth BR_GFSK	00	2333.40	56.02	74.00	-17.98	H	PEAK	Pass	Band Edge
	Bluetooth BR_GFSK	00	4804.00	40.04	74.00	-33.96	V	PEAK	Pass	Harmonic
2	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
	Bluetooth BR_GFSK	39	7323.00	44.93	74.00	-29.07	H	PEAK	Pass	Harmonic
3	Bluetooth BR_GFSK	78	2490.86	55.94	74.00	-18.06	H	PEAK	Pass	Band Edge
	Bluetooth BR_GFSK	78	7440.00	44.89	74.00	-29.11	V	PEAK	Pass	Harmonic
4	Bluetooth BR_GFSK	00	2364.73	55.37	74.00	-18.63	V	PEAK	Pass	Band Edge
	Bluetooth BR_GFSK	00	4804.00	41.59	74.00	-32.41	H	PEAK	Pass	Harmonic
5	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
	Bluetooth BR_GFSK	39	7323.00	45.03	74.00	-28.97	V	PEAK	Pass	Harmonic
6	Bluetooth BR_GFSK	78	2486.49	56.91	74.00	-17.09	V	PEAK	Pass	Band Edge
	Bluetooth BR_GFSK	78	7440.00	45.73	74.00	-28.27	V	PEAK	Pass	Harmonic
7	Bluetooth BR_GFSK	78	62.98	36.06	40	-3.94	V	PEAK	Pass	LF





Mode	1																																																																																																																																											
	Band Edge																																																																																																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																																											
ANT	9																																																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																																																					
Peak																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2333.40</td><td>56.02</td><td>74.00</td><td>-17.98</td><td>44.39</td><td>32.06</td><td>6.52</td><td>32.95</td><td>6.00</td><td>100</td><td>43</td><td>PEAK</td></tr><tr><td>2</td><td>2333.40</td><td>31.26</td><td>54.00</td><td>-22.74</td><td>19.63</td><td>32.06</td><td>6.52</td><td>32.95</td><td>6.00</td><td>100</td><td>43</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2333.40	56.02	74.00	-17.98	44.39	32.06	6.52	32.95	6.00	100	43	PEAK	2	2333.40	31.26	54.00	-22.74	19.63	32.06	6.52	32.95	6.00	100	43	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2402.00</td><td>98.93</td><td>-----</td><td>-----</td><td>86.85</td><td>32.30</td><td>6.62</td><td>32.84</td><td>6.00</td><td>100</td><td>43</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>74.17</td><td>-----</td><td>-----</td><td>62.09</td><td>32.30</td><td>6.62</td><td>32.84</td><td>6.00</td><td>100</td><td>43</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2402.00	98.93	-----	-----	86.85	32.30	6.62	32.84	6.00	100	43	PEAK	2	2402.00	74.17	-----	-----	62.09	32.30	6.62	32.84	6.00	100	43	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	2333.40	56.02	74.00	-17.98	44.39	32.06	6.52	32.95	6.00	100	43	PEAK																																																																																																																																
2	2333.40	31.26	54.00	-22.74	19.63	32.06	6.52	32.95	6.00	100	43	AVERAGE																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	2402.00	98.93	-----	-----	86.85	32.30	6.62	32.84	6.00	100	43	PEAK																																																																																																																																
2	2402.00	74.17	-----	-----	62.09	32.30	6.62	32.84	6.00	100	43	AVERAGE																																																																																																																																




		1																																																																																																																																														
Mode		Band Edge																																																																																																																																														
		2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																																														
ANT		9																																																																																																																																														
Pol.		Vertical						Fundamental																																																																																																																																								
Peak																																																																																																																																																
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.65</td><td>55.30</td><td>74.00</td><td>-18.70</td><td>43.28</td><td>32.28</td><td>6.60</td><td>32.86</td><td>6.00</td><td>400</td><td>66 PEAK</td></tr><tr><td>2</td><td>2388.65</td><td>30.54</td><td>54.00</td><td>-23.46</td><td>18.52</td><td>32.28</td><td>6.60</td><td>32.86</td><td>6.00</td><td>400</td><td>66 AVERAGE</td></tr></table>															Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2388.65	55.30	74.00	-18.70	43.28	32.28	6.60	32.86	6.00	400	66 PEAK	2	2388.65	30.54	54.00	-23.46	18.52	32.28	6.60	32.86	6.00	400	66 AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>97.09</td><td>-----</td><td>-----</td><td>85.01</td><td>32.30</td><td>6.62</td><td>32.84</td><td>6.00</td><td>400</td><td>66 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>72.33</td><td>-----</td><td>-----</td><td>60.25</td><td>32.30</td><td>6.62</td><td>32.84</td><td>6.00</td><td>400</td><td>66 AVERAGE</td></tr></table>															Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	97.09	-----	-----	85.01	32.30	6.62	32.84	6.00	400	66 PEAK	2	2402.00	72.33	-----	-----	60.25	32.30	6.62	32.84	6.00	400	66 AVERAGE
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	2388.65	55.30	74.00	-18.70	43.28	32.28	6.60	32.86	6.00	400	66 PEAK																																																																																																																																					
2	2388.65	30.54	54.00	-23.46	18.52	32.28	6.60	32.86	6.00	400	66 AVERAGE																																																																																																																																					
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	2402.00	97.09	-----	-----	85.01	32.30	6.62	32.84	6.00	400	66 PEAK																																																																																																																																					
2	2402.00	72.33	-----	-----	60.25	32.30	6.62	32.84	6.00	400	66 AVERAGE																																																																																																																																					





Mode	1																																																																																																		
	Harmonic																																																																																																		
	2400-2483.5 Bluetooth BR_GFSK_CH00_2402MHz																																																																																																		
ANT	9																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.60</td><td>74.00</td><td>-34.40</td><td>57.68</td><td>34.30</td><td>9.44</td><td>61.82</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.60	74.00	-34.40	57.68	34.30	9.44	61.82	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>40.04</td><td>74.00</td><td>-33.96</td><td>58.12</td><td>34.30</td><td>9.44</td><td>61.82</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	40.04	74.00	-33.96	58.12	34.30	9.44	61.82	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	4804.00	39.60	74.00	-34.40	57.68	34.30	9.44	61.82	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	4804.00	40.04	74.00	-33.96	58.12	34.30	9.44	61.82	0.00	---	---	PEAK																																																																																							





Mode	2																																																																							
	Harmonic																																																																							
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																							
ANT	9																																																																							
Pol.	Horizontal						Vertical																																																																	
Peak Avg																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4882.00</td><td>42.89</td><td>74.00</td><td>-31.11</td><td>61.00</td><td>34.13</td><td>9.53</td><td>61.77</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>44.93</td><td>74.00</td><td>-29.07</td><td>59.60</td><td>35.70</td><td>11.69</td><td>62.06</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4882.00	42.89	74.00	-31.11	61.00	34.13	9.53	61.77	0.00	---	--- PEAK	2	7323.00	44.93	74.00	-29.07	59.60	35.70	11.69	62.06	0.00	---	--- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	4882.00	42.89	74.00	-31.11	61.00	34.13	9.53	61.77	0.00	---	--- PEAK																																																													
2	7323.00	44.93	74.00	-29.07	59.60	35.70	11.69	62.06	0.00	---	--- PEAK																																																													
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4882.00</td><td>42.63</td><td>74.00</td><td>-31.37</td><td>60.74</td><td>34.13</td><td>9.53</td><td>61.77</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>44.35</td><td>74.00</td><td>-29.65</td><td>59.02</td><td>35.70</td><td>11.69</td><td>62.06</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4882.00	42.63	74.00	-31.37	60.74	34.13	9.53	61.77	0.00	---	--- PEAK	2	7323.00	44.35	74.00	-29.65	59.02	35.70	11.69	62.06	0.00	---	--- PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	4882.00	42.63	74.00	-31.37	60.74	34.13	9.53	61.77	0.00	---	--- PEAK																																																													
2	7323.00	44.35	74.00	-29.65	59.02	35.70	11.69	62.06	0.00	---	--- PEAK																																																													





Mode	3																																																																						
	Band Edge																																																																						
	2400-2483.5 Bluetooth BR_GFSK_CH78_2480MHz																																																																						
ANT	9																																																																						
Pol.	Horizontal						Fundamental																																																																
Peak																																																																							
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2490.86</td><td>55.94</td><td>74.00</td><td>-18.06</td><td>43.33</td><td>32.48</td><td>6.74</td><td>32.61</td><td>6.00</td><td>189</td><td>294 PEAK</td></tr><tr><td>2</td><td>2490.86</td><td>31.18</td><td>54.00</td><td>-22.82</td><td>18.57</td><td>32.48</td><td>6.74</td><td>32.61</td><td>6.00</td><td>189</td><td>294 AVERAGE</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2490.86	55.94	74.00	-18.06	43.33	32.48	6.74	32.61	6.00	189	294 PEAK	2	2490.86	31.18	54.00	-22.82	18.57	32.48	6.74	32.61	6.00	189	294 AVERAGE
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	2490.86	55.94	74.00	-18.06	43.33	32.48	6.74	32.61	6.00	189	294 PEAK																																																												
2	2490.86	31.18	54.00	-22.82	18.57	32.48	6.74	32.61	6.00	189	294 AVERAGE																																																												
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>97.68</td><td>-----</td><td>-----</td><td>85.14</td><td>32.44</td><td>6.73</td><td>32.63</td><td>6.00</td><td>189</td><td>294 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>72.92</td><td>-----</td><td>-----</td><td>60.38</td><td>32.44</td><td>6.73</td><td>32.63</td><td>6.00</td><td>189</td><td>294 AVERAGE</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	97.68	-----	-----	85.14	32.44	6.73	32.63	6.00	189	294 PEAK	2	2480.00	72.92	-----	-----	60.38	32.44	6.73	32.63	6.00	189	294 AVERAGE	
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	2480.00	97.68	-----	-----	85.14	32.44	6.73	32.63	6.00	189	294 PEAK																																																												
2	2480.00	72.92	-----	-----	60.38	32.44	6.73	32.63	6.00	189	294 AVERAGE																																																												





Mode	3																																																																			
	Band Edge																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																			
ANT	9																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2492.86</td><td>55.56</td><td>74.00</td><td>-18.44</td><td>42.92</td><td>32.49</td><td>6.75</td><td>32.60</td><td>6.00</td><td>338</td><td>40 PEAK</td></tr><tr><td>2</td><td>2492.86</td><td>30.80</td><td>54.00</td><td>-23.20</td><td>18.16</td><td>32.49</td><td>6.75</td><td>32.60</td><td>6.00</td><td>338</td><td>40 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2492.86	55.56	74.00	-18.44	42.92	32.49	6.75	32.60	6.00	338	40 PEAK	2	2492.86	30.80	54.00	-23.20	18.16	32.49	6.75	32.60	6.00	338	40 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2492.86	55.56	74.00	-18.44	42.92	32.49	6.75	32.60	6.00	338	40 PEAK																																																									
2	2492.86	30.80	54.00	-23.20	18.16	32.49	6.75	32.60	6.00	338	40 AVERAGE																																																									
																																																																				
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>94.79</td><td>-----</td><td>-----</td><td>82.25</td><td>32.44</td><td>6.73</td><td>32.63</td><td>6.00</td><td>338</td><td>40 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>70.03</td><td>-----</td><td>-----</td><td>57.49</td><td>32.44</td><td>6.73</td><td>32.63</td><td>6.00</td><td>338</td><td>40 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	94.79	-----	-----	82.25	32.44	6.73	32.63	6.00	338	40 PEAK	2	2480.00	70.03	-----	-----	57.49	32.44	6.73	32.63	6.00	338	40 AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2480.00	94.79	-----	-----	82.25	32.44	6.73	32.63	6.00	338	40 PEAK																																																									
2	2480.00	70.03	-----	-----	57.49	32.44	6.73	32.63	6.00	338	40 AVERAGE																																																									



Mode	3																																																																						
	Harmonic																																																																						
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																						
ANT	9																																																																						
Pol.	Horizontal						Vertical																																																																
Peak Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>42.33</td><td>74.00</td><td>-31.67</td><td>60.33</td><td>34.10</td><td>9.61</td><td>61.71</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>44.40</td><td>74.00</td><td>-29.60</td><td>59.00</td><td>35.70</td><td>11.77</td><td>62.07</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	42.33	74.00	-31.67	60.33	34.10	9.61	61.71	0.00	---	---	PEAK	2	7440.00	44.40	74.00	-29.60	59.00	35.70	11.77	62.07	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	4960.00	42.33	74.00	-31.67	60.33	34.10	9.61	61.71	0.00	---	---	PEAK																																																											
2	7440.00	44.40	74.00	-29.60	59.00	35.70	11.77	62.07	0.00	---	---	PEAK																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>42.78</td><td>74.00</td><td>-31.22</td><td>60.78</td><td>34.10</td><td>9.61</td><td>61.71</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>44.89</td><td>74.00</td><td>-29.11</td><td>59.49</td><td>35.70</td><td>11.77</td><td>62.07</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	42.78	74.00	-31.22	60.78	34.10	9.61	61.71	0.00	---	---	PEAK	2	7440.00	44.89	74.00	-29.11	59.49	35.70	11.77	62.07	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	4960.00	42.78	74.00	-31.22	60.78	34.10	9.61	61.71	0.00	---	---	PEAK																																																											
2	7440.00	44.89	74.00	-29.11	59.49	35.70	11.77	62.07	0.00	---	---	PEAK																																																											





Mode	4																																																																						
	Band Edge																																																																						
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																						
ANT	10																																																																						
Pol.	Horizontal						Fundamental																																																																
Peak																																																																							
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2367.46</td><td>54.71</td><td>74.00</td><td>-19.29</td><td>42.84</td><td>32.20</td><td>6.57</td><td>32.90</td><td>6.00</td><td>100</td><td>304 PEAK</td></tr><tr><td>2</td><td>2367.46</td><td>29.95</td><td>54.00</td><td>-24.05</td><td>18.08</td><td>32.20</td><td>6.57</td><td>32.90</td><td>6.00</td><td>100</td><td>304 AVERAGE</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2367.46	54.71	74.00	-19.29	42.84	32.20	6.57	32.90	6.00	100	304 PEAK	2	2367.46	29.95	54.00	-24.05	18.08	32.20	6.57	32.90	6.00	100	304 AVERAGE
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	2367.46	54.71	74.00	-19.29	42.84	32.20	6.57	32.90	6.00	100	304 PEAK																																																												
2	2367.46	29.95	54.00	-24.05	18.08	32.20	6.57	32.90	6.00	100	304 AVERAGE																																																												
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>97.34</td><td>-----</td><td>-----</td><td>85.26</td><td>32.30</td><td>6.62</td><td>32.84</td><td>6.00</td><td>100</td><td>304 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>72.58</td><td>-----</td><td>-----</td><td>60.50</td><td>32.30</td><td>6.62</td><td>32.84</td><td>6.00</td><td>100</td><td>304 AVERAGE</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	97.34	-----	-----	85.26	32.30	6.62	32.84	6.00	100	304 PEAK	2	2402.00	72.58	-----	-----	60.50	32.30	6.62	32.84	6.00	100	304 AVERAGE	
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	2402.00	97.34	-----	-----	85.26	32.30	6.62	32.84	6.00	100	304 PEAK																																																												
2	2402.00	72.58	-----	-----	60.50	32.30	6.62	32.84	6.00	100	304 AVERAGE																																																												





Mode	4																																																																			
	Band Edge																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																			
ANT	10																																																																			
Pol.	Vertical						Fundamental																																																													
Peak																																																																				
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2364.73</td><td>55.37</td><td>74.00</td><td>-18.63</td><td>43.52</td><td>32.19</td><td>6.56</td><td>32.90</td><td>6.00</td><td>113</td><td>0</td><td>PEAK</td><td></td></tr><tr><td>2</td><td>2364.73</td><td>30.61</td><td>54.00</td><td>-23.39</td><td>18.76</td><td>32.19</td><td>6.56</td><td>32.90</td><td>6.00</td><td>113</td><td>0</td><td>AVERAGE</td><td></td></tr></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	2364.73	55.37	74.00	-18.63	43.52	32.19	6.56	32.90	6.00	113	0	PEAK		2	2364.73	30.61	54.00	-23.39	18.76	32.19	6.56	32.90	6.00	113	0	AVERAGE	
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																								
1	2364.73	55.37	74.00	-18.63	43.52	32.19	6.56	32.90	6.00	113	0	PEAK																																																								
2	2364.73	30.61	54.00	-23.39	18.76	32.19	6.56	32.90	6.00	113	0	AVERAGE																																																								
<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2402.00</td><td>94.53</td><td>-----</td><td>-----</td><td>82.45</td><td>32.30</td><td>6.62</td><td>32.84</td><td>6.00</td><td>113</td><td>0</td><td>PEAK</td><td></td></tr><tr><td>2</td><td>2402.00</td><td>69.77</td><td>-----</td><td>-----</td><td>57.69</td><td>32.30</td><td>6.62</td><td>32.84</td><td>6.00</td><td>113</td><td>0</td><td>AVERAGE</td><td></td></tr></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	2402.00	94.53	-----	-----	82.45	32.30	6.62	32.84	6.00	113	0	PEAK		2	2402.00	69.77	-----	-----	57.69	32.30	6.62	32.84	6.00	113	0	AVERAGE		
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																								
1	2402.00	94.53	-----	-----	82.45	32.30	6.62	32.84	6.00	113	0	PEAK																																																								
2	2402.00	69.77	-----	-----	57.69	32.30	6.62	32.84	6.00	113	0	AVERAGE																																																								





Mode	4																																																																																																			
	Harmonic																																																																																																			
	2400-2483.5 Bluetooth BR_GFSK_CH00_2402MHz																																																																																																			
ANT	10																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>41.59</td><td>74.00</td><td>-32.41</td><td>59.67</td><td>34.30</td><td>9.44</td><td>61.82</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	41.59	74.00	-32.41	59.67	34.30	9.44	61.82	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>41.37</td><td>74.00</td><td>-32.63</td><td>59.45</td><td>34.30</td><td>9.44</td><td>61.82</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	41.37	74.00	-32.63	59.45	34.30	9.44	61.82	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	4804.00	41.59	74.00	-32.41	59.67	34.30	9.44	61.82	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	4804.00	41.37	74.00	-32.63	59.45	34.30	9.44	61.82	0.00	---	---	PEAK																																																																																								



Mode	5																																																																																																																										
	Harmonic																																																																																																																										
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																										
ANT	10																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																				
Peak Avg																																																																																																																											
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>4882.00</td><td>44.85</td><td>74.00</td><td>-29.15</td><td>62.96</td><td>34.13</td><td>9.53</td><td>61.77</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>44.57</td><td>74.00</td><td>-29.43</td><td>59.24</td><td>35.70</td><td>11.69</td><td>62.06</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		Level	Factor	Loss	Factor	Factor				1	4882.00	44.85	74.00	-29.15	62.96	34.13	9.53	61.77	0.00	---	---	---	PEAK	2	7323.00	44.57	74.00	-29.43	59.24	35.70	11.69	62.06	0.00	---	---	---	PEAK	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>4882.00</td><td>44.49</td><td>74.00</td><td>-29.51</td><td>62.60</td><td>34.13</td><td>9.53</td><td>61.77</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>45.03</td><td>74.00</td><td>-28.97</td><td>59.70</td><td>35.70</td><td>11.69</td><td>62.06</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		Level	Factor	Loss	Factor	Factor				1	4882.00	44.49	74.00	-29.51	62.60	34.13	9.53	61.77	0.00	---	---	---	PEAK	2	7323.00	45.03	74.00	-28.97	59.70	35.70	11.69	62.06	0.00	---	---	---
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB		Level	Factor	Loss	Factor	Factor																																																																																																																	
1	4882.00	44.85	74.00	-29.15	62.96	34.13	9.53	61.77	0.00	---	---	---	PEAK																																																																																																														
2	7323.00	44.57	74.00	-29.43	59.24	35.70	11.69	62.06	0.00	---	---	---	PEAK																																																																																																														
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB		Level	Factor	Loss	Factor	Factor																																																																																																																	
1	4882.00	44.49	74.00	-29.51	62.60	34.13	9.53	61.77	0.00	---	---	---	PEAK																																																																																																														
2	7323.00	45.03	74.00	-28.97	59.70	35.70	11.69	62.06	0.00	---	---	---	PEAK																																																																																																														







Mode	6																																																																																																																																					
	Band Edge																																																																																																																																					
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																					
ANT	10																																																																																																																																					
Pol.	Horizontal											Fundamental																																																																																																																										
Peak																																																																																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.14</td><td>55.95</td><td>74.00</td><td>-18.05</td><td>43.35</td><td>32.47</td><td>6.74</td><td>32.61</td><td>6.00</td><td>295</td><td>344 PEAK</td></tr><tr><td>2</td><td>2480.14</td><td>31.19</td><td>54.00</td><td>-22.81</td><td>18.59</td><td>32.47</td><td>6.74</td><td>32.61</td><td>6.00</td><td>295</td><td>344 AVERAGE</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.14	55.95	74.00	-18.05	43.35	32.47	6.74	32.61	6.00	295	344 PEAK	2	2480.14	31.19	54.00	-22.81	18.59	32.47	6.74	32.61	6.00	295	344 AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>99.17</td><td>-----</td><td>-----</td><td>86.63</td><td>32.44</td><td>6.73</td><td>32.63</td><td>6.00</td><td>295</td><td>344 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>74.41</td><td>-----</td><td>-----</td><td>61.87</td><td>32.44</td><td>6.73</td><td>32.63</td><td>6.00</td><td>295</td><td>344 AVERAGE</td></tr></table>							Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	99.17	-----	-----	86.63	32.44	6.73	32.63	6.00	295	344 PEAK	2	2480.00	74.41	-----	-----	61.87	32.44	6.73	32.63	6.00	295	344 AVERAGE
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	2480.14	55.95	74.00	-18.05	43.35	32.47	6.74	32.61	6.00	295	344 PEAK																																																																																																																											
2	2480.14	31.19	54.00	-22.81	18.59	32.47	6.74	32.61	6.00	295	344 AVERAGE																																																																																																																											
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	2480.00	99.17	-----	-----	86.63	32.44	6.73	32.63	6.00	295	344 PEAK																																																																																																																											
2	2480.00	74.41	-----	-----	61.87	32.44	6.73	32.63	6.00	295	344 AVERAGE																																																																																																																											





Mode	6																																																																		
	Band Edge																																																																		
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																		
ANT	10																																																																		
Pol.	Vertical						Fundamental																																																												
Peak																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.49</td><td>56.91</td><td>74.00</td><td>-17.09</td><td>44.33</td><td>32.46</td><td>6.74</td><td>32.62</td><td>6.00</td><td>338</td><td>38 PEAK</td></tr><tr><td>2</td><td>2486.49</td><td>32.15</td><td>54.00</td><td>-21.85</td><td>19.57</td><td>32.46</td><td>6.74</td><td>32.62</td><td>6.00</td><td>338</td><td>38 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2486.49	56.91	74.00	-17.09	44.33	32.46	6.74	32.62	6.00	338	38 PEAK	2	2486.49	32.15	54.00	-21.85	19.57	32.46	6.74	32.62	6.00	338	38 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																									
1	2486.49	56.91	74.00	-17.09	44.33	32.46	6.74	32.62	6.00	338	38 PEAK																																																								
2	2486.49	32.15	54.00	-21.85	19.57	32.46	6.74	32.62	6.00	338	38 AVERAGE																																																								
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>96.84</td><td>-----</td><td>-----</td><td>84.30</td><td>32.44</td><td>6.73</td><td>32.63</td><td>6.00</td><td>338</td><td>38 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>72.00</td><td>-----</td><td>-----</td><td>59.54</td><td>32.44</td><td>6.73</td><td>32.63</td><td>6.00</td><td>338</td><td>38 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	96.84	-----	-----	84.30	32.44	6.73	32.63	6.00	338	38 PEAK	2	2480.00	72.00	-----	-----	59.54	32.44	6.73	32.63	6.00	338	38 AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																									
1	2480.00	96.84	-----	-----	84.30	32.44	6.73	32.63	6.00	338	38 PEAK																																																								
2	2480.00	72.00	-----	-----	59.54	32.44	6.73	32.63	6.00	338	38 AVERAGE																																																								




Mode	6																																																																																																																															
	Harmonic																																																																																																																															
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																															
ANT	10																																																																																																																															
Pol.	Horizontal												Vertical																																																																																																																			
Peak Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>43.09</td><td>74.00</td><td>-30.91</td><td>61.09</td><td>34.10</td><td>9.61</td><td>61.71</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>44.65</td><td>74.00</td><td>-29.35</td><td>59.25</td><td>35.70</td><td>11.77</td><td>62.07</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	43.09	74.00	-30.91	61.09	34.10	9.61	61.71	0.00	---	---	PEAK	2	7440.00	44.65	74.00	-29.35	59.25	35.70	11.77	62.07	0.00	---	---	PEAK	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>43.43</td><td>74.00</td><td>-30.57</td><td>61.43</td><td>34.10</td><td>9.61</td><td>61.71</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>45.73</td><td>74.00</td><td>-28.27</td><td>60.33</td><td>35.70</td><td>11.77</td><td>62.07</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	43.43	74.00	-30.57	61.43	34.10	9.61	61.71	0.00	---	---	PEAK	2	7440.00	45.73	74.00	-28.27	60.33	35.70	11.77	62.07	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	4960.00	43.09	74.00	-30.91	61.09	34.10	9.61	61.71	0.00	---	---	PEAK																																																																																																																				
2	7440.00	44.65	74.00	-29.35	59.25	35.70	11.77	62.07	0.00	---	---	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	4960.00	43.43	74.00	-30.57	61.43	34.10	9.61	61.71	0.00	---	---	PEAK																																																																																																																				
2	7440.00	45.73	74.00	-28.27	60.33	35.70	11.77	62.07	0.00	---	---	PEAK																																																																																																																				
Peak Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>43.43</td><td>74.00</td><td>-30.57</td><td>61.43</td><td>34.10</td><td>9.61</td><td>61.71</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>45.73</td><td>74.00</td><td>-28.27</td><td>60.33</td><td>35.70</td><td>11.77</td><td>62.07</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	43.43	74.00	-30.57	61.43	34.10	9.61	61.71	0.00	---	---	PEAK	2	7440.00	45.73	74.00	-28.27	60.33	35.70	11.77	62.07	0.00	---	---	PEAK	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>43.43</td><td>74.00</td><td>-30.57</td><td>61.43</td><td>34.10</td><td>9.61</td><td>61.71</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>45.73</td><td>74.00</td><td>-28.27</td><td>60.33</td><td>35.70</td><td>11.77</td><td>62.07</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	43.43	74.00	-30.57	61.43	34.10	9.61	61.71	0.00	---	---	PEAK	2	7440.00	45.73	74.00	-28.27	60.33	35.70	11.77	62.07	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	4960.00	43.43	74.00	-30.57	61.43	34.10	9.61	61.71	0.00	---	---	PEAK																																																																																																																				
2	7440.00	45.73	74.00	-28.27	60.33	35.70	11.77	62.07	0.00	---	---	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	4960.00	43.43	74.00	-30.57	61.43	34.10	9.61	61.71	0.00	---	---	PEAK																																																																																																																				
2	7440.00	45.73	74.00	-28.27	60.33	35.70	11.77	62.07	0.00	---	---	PEAK																																																																																																																				




Mode	7																																																																																																																																																																																											
	LF																																																																																																																																																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH78_MHz																																																																																																																																																																																											
ANT	10																																																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																																																					
QPI/ Peak																																																																																																																																																																																												
	<table><tr><th></th><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><td>1</td><td>62.98</td><td>26.48</td><td>40.00</td><td>-13.52</td><td>46.44</td><td>12.08</td><td>0.87</td><td>32.91</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>274.44</td><td>26.37</td><td>46.00</td><td>-19.63</td><td>37.85</td><td>19.07</td><td>2.23</td><td>32.78</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>480.08</td><td>23.68</td><td>46.00</td><td>-22.32</td><td>30.02</td><td>23.68</td><td>2.96</td><td>32.98</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>655.65</td><td>26.37</td><td>46.00</td><td>-19.63</td><td>29.36</td><td>26.50</td><td>3.47</td><td>32.96</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>838.01</td><td>30.18</td><td>46.00</td><td>-15.82</td><td>29.48</td><td>29.26</td><td>3.90</td><td>32.46</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>942.77</td><td>31.61</td><td>46.00</td><td>-14.39</td><td>28.48</td><td>30.67</td><td>4.14</td><td>31.68</td><td>0.00</td><td>--- Peak</td></tr></table>							Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		1	62.98	26.48	40.00	-13.52	46.44	12.08	0.87	32.91	0.00	--- Peak	2	274.44	26.37	46.00	-19.63	37.85	19.07	2.23	32.78	0.00	--- Peak	3	480.08	23.68	46.00	-22.32	30.02	23.68	2.96	32.98	0.00	--- Peak	4	655.65	26.37	46.00	-19.63	29.36	26.50	3.47	32.96	0.00	--- Peak	5	838.01	30.18	46.00	-15.82	29.48	29.26	3.90	32.46	0.00	--- Peak	6	942.77	31.61	46.00	-14.39	28.48	30.67	4.14	31.68	0.00	--- Peak	<table><tr><th></th><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><td>1</td><td>62.98</td><td>36.06</td><td>40.00</td><td>-3.94</td><td>56.02</td><td>12.08</td><td>0.87</td><td>32.91</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>125.06</td><td>25.24</td><td>43.50</td><td>-18.26</td><td>38.84</td><td>17.76</td><td>1.49</td><td>32.85</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>352.04</td><td>22.66</td><td>46.00</td><td>-23.34</td><td>32.54</td><td>20.52</td><td>2.53</td><td>32.93</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>559.62</td><td>25.77</td><td>46.00</td><td>-20.23</td><td>29.27</td><td>26.41</td><td>3.19</td><td>33.10</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>665.35</td><td>27.46</td><td>46.00</td><td>-18.54</td><td>30.38</td><td>26.57</td><td>3.49</td><td>32.98</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>868.08</td><td>30.22</td><td>46.00</td><td>-15.78</td><td>29.08</td><td>29.34</td><td>3.97</td><td>32.17</td><td>0.00</td><td>--- Peak</td></tr></table>							Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		1	62.98	36.06	40.00	-3.94	56.02	12.08	0.87	32.91	0.00	--- Peak	2	125.06	25.24	43.50	-18.26	38.84	17.76	1.49	32.85	0.00	--- Peak	3	352.04	22.66	46.00	-23.34	32.54	20.52	2.53	32.93	0.00	--- Peak	4	559.62	25.77	46.00	-20.23	29.27	26.41	3.19	33.10	0.00	--- Peak	5	665.35	27.46	46.00	-18.54	30.38	26.57	3.49	32.98	0.00	--- Peak	6	868.08	30.22	46.00	-15.78	29.08	29.34	3.97	32.17	0.00	--- Peak
		Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																	
	MHz	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																			
1	62.98	26.48	40.00	-13.52	46.44	12.08	0.87	32.91	0.00	--- Peak																																																																																																																																																																																		
2	274.44	26.37	46.00	-19.63	37.85	19.07	2.23	32.78	0.00	--- Peak																																																																																																																																																																																		
3	480.08	23.68	46.00	-22.32	30.02	23.68	2.96	32.98	0.00	--- Peak																																																																																																																																																																																		
4	655.65	26.37	46.00	-19.63	29.36	26.50	3.47	32.96	0.00	--- Peak																																																																																																																																																																																		
5	838.01	30.18	46.00	-15.82	29.48	29.26	3.90	32.46	0.00	--- Peak																																																																																																																																																																																		
6	942.77	31.61	46.00	-14.39	28.48	30.67	4.14	31.68	0.00	--- Peak																																																																																																																																																																																		
	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																		
	MHz	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																			
1	62.98	36.06	40.00	-3.94	56.02	12.08	0.87	32.91	0.00	--- Peak																																																																																																																																																																																		
2	125.06	25.24	43.50	-18.26	38.84	17.76	1.49	32.85	0.00	--- Peak																																																																																																																																																																																		
3	352.04	22.66	46.00	-23.34	32.54	20.52	2.53	32.93	0.00	--- Peak																																																																																																																																																																																		
4	559.62	25.77	46.00	-20.23	29.27	26.41	3.19	33.10	0.00	--- Peak																																																																																																																																																																																		
5	665.35	27.46	46.00	-18.54	30.38	26.57	3.49	32.98	0.00	--- Peak																																																																																																																																																																																		
6	868.08	30.22	46.00	-15.78	29.08	29.34	3.97	32.17	0.00	--- Peak																																																																																																																																																																																		

Appendix D. Duty Cycle Plots

DH5 on time (One Pulse) Plot on Channel 39



DH5 on time (Count Pulses) Plot on Channel 39



Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.