





11BE80MIMO_Ant11_6785




11BE80MIMO_Ant9_6785






11BE80MIMO_Ant11_6865




11BE80MIMO_Ant9_6865






11BE80MIMO_Ant11_6945




11BE80MIMO_Ant9_6945








11BE80MIMO_Ant11_7025





11BE80MIMO_Ant9_7025






















<Single RU>

Maximum power spectral density


Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE20 MIMO	Ant11	5955	26Tone	RU0	-5.93	-2.90	-8.83	≤-1.00	PASS
			52Tone	RU37	-5.77	-2.90	-8.67	≤-1.00	PASS
			106Tone	RU53	-6.01	-2.90	-8.91	≤-1.00	PASS
	Ant9	5955	26Tone	RU0	-4.33	-3.20	-7.53	≤-1.00	PASS
			52Tone	RU37	-3.99	-3.20	-7.19	≤-1.00	PASS
			106Tone	RU53	-3.62	-3.20	-6.82	≤-1.00	PASS
	total	5955	26Tone	RU0	-2.05	-0.04	-2.09	≤-1.00	PASS
			52Tone	RU37	-1.78	-0.04	-1.82	≤-1.00	PASS
			106Tone	RU53	-1.64	-0.04	-1.68	≤-1.00	PASS
	Ant11	6435	26Tone	RU0	-2.68	-5.20	-7.88	≤-1.00	PASS
			52Tone	RU37	-3.09	-5.20	-8.29	≤-1.00	PASS
			106Tone	RU53	-2.74	-5.20	-7.94	≤-1.00	PASS
	Ant9	6435	26Tone	RU0	-2.48	-6.40	-8.88	≤-1.00	PASS
			52Tone	RU37	-2.17	-6.40	-8.57	≤-1.00	PASS
			106Tone	RU53	-1.94	-6.40	-8.34	≤-1.00	PASS
	total	6435	26Tone	RU0	0.43	-2.77	-2.34	≤-1.00	PASS
			52Tone	RU37	0.40	-2.77	-2.37	≤-1.00	PASS
			106Tone	RU53	0.69	-2.77	-2.08	≤-1.00	PASS
	Ant11	6535	26Tone	RU0	-3.31	-4.70	-8.01	≤-1.00	PASS
			52Tone	RU37	-3.67	-4.70	-8.37	≤-1.00	PASS
			106Tone	RU53	-3.28	-4.70	-7.98	≤-1.00	PASS
	Ant9	6535	26Tone	RU0	-3.61	-5.10	-8.71	≤-1.00	PASS
			52Tone	RU37	-3.09	-5.10	-8.19	≤-1.00	PASS
			106Tone	RU53	-2.65	-5.10	-7.75	≤-1.00	PASS
	total	6535	26Tone	RU0	-0.45	-1.89	-2.34	≤-1.00	PASS
			52Tone	RU37	-0.36	-1.89	-2.25	≤-1.00	PASS
			106Tone	RU53	0.06	-1.89	-1.83	≤-1.00	PASS
	Ant11	7095	26Tone	RU8	-2.13	-5.90	-8.03	≤-1.00	PASS
			52Tone	RU40	-2.17	-5.90	-8.07	≤-1.00	PASS
			106Tone	RU54	-1.75	-5.90	-7.65	≤-1.00	PASS
	Ant9	7095	26Tone	RU8	-2.86	-7.10	-9.96	≤-1.00	PASS
			52Tone	RU40	-3.22	-7.10	-10.32	≤-1.00	PASS
			106Tone	RU54	-2.57	-7.10	-9.67	≤-1.00	PASS
	total	7095	26Tone	RU8	0.53	-3.47	-2.94	≤-1.00	PASS
			52Tone	RU40	0.35	-3.47	-3.12	≤-1.00	PASS
			106Tone	RU54	0.87	-3.47	-2.60	≤-1.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE20MIMO_Ant11_5955_106Tone_RU53



Date: 13.AUG.2025 16:40:36


11BE20MIMO_Ant9_5955_26Tone_RU0




Date: 13.AUG.2025 16:23:47



11BE20MIMO_Ant9_5955_52Tone_RU37




11BE20MIMO_Ant9_5955_106Tone_RU53






11BE20MIMO_Ant11_6435_26Tone_RU0




11BE20MIMO_Ant11_6435_52Tone_RU37






11BE20MIMO_Ant11_6435_106Tone_RU53




11BE20MIMO_Ant9_6435_26Tone_RU0






11BE20MIMO_Ant9_6435_52Tone_RU37




11BE20MIMO_Ant9_6435_106Tone_RU53






11BE20MIMO_Ant11_6535_26Tone_RU0




11BE20MIMO_Ant11_6535_52Tone_RU37






11BE20MIMO_Ant11_6535_106Tone_RU53




11BE20MIMO_Ant9_6535_26Tone_RU0






11BE20MIMO_Ant9_6535_52Tone_RU37




11BE20MIMO_Ant9_6535_106Tone_RU53






11BE20MIMO_Ant11_7095_26Tone_RU8




11BE20MIMO_Ant11_7095_52Tone_RU40






11BE20MIMO_Ant11_7095_106Tone_RU54




11BE20MIMO_Ant9_7095_26Tone_RU8






11BE20MIMO_Ant9_7095_52Tone_RU40



11BE20MIMO_Ant9_7095_106Tone_RU54






In-Band Emissions

Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result	Limit	Verdict
11BE20MIMO	Ant11	5955	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant9	5955	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant11	6435	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant9	6435	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant11	6535	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant9	6535	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant11	7095	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant9	7095	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS




Test Graphs






11BE20MIMO_Ant11_5955_106Tone_RU53



Date: 11.SEP.2025 19:03:11


11BE20MIMO_Ant9_5955_26Tone_RU0



Date: 11.SEP.2025 19:00:07




11BE20MIMO_Ant9_5955_52Tone_RU37



Date: 11.SEP.2025 19:02:10


11BE20MIMO_Ant9_5955_106Tone_RU53




Date: 11.SEP.2025 19:04:08



11BE20MIMO_Ant11_6435_26Tone_RU0




11BE20MIMO_Ant11_6435_52Tone_RU37






11BE20MIMO_Ant11_6435_106Tone_RU53



Date: 11.SEP.2025 19:21:59


11BE20MIMO_Ant9_6435_26Tone_RU0



Date: 11.SEP.2025 19:07:04




11BE20MIMO_Ant9_6435_52Tone_RU37



Date: 11.SEP.2025 19:20:53


11BE20MIMO_Ant9_6435_106Tone_RU53




Date: 11.SEP.2025 19:22:56



11BE20MIMO_Ant11_6535_26Tone_RU0




11BE20MIMO_Ant11_6535_52Tone_RU37






11BE20MIMO_Ant11_6535_106Tone_RU53



Date: 11.SEP.2025 19:28:17


11BE20MIMO_Ant9_6535_26Tone_RU0



Date: 11.SEP.2025 19:25:15




11BE20MIMO_Ant9_6535_52Tone_RU37



Date: 11.SEP.2025 19:27:16


11BE20MIMO_Ant9_6535_106Tone_RU53



Date: 11.SEP.2025 19:29:13




11BE20MIMO_Ant11_7095_26Tone_RU8



Date: 11.SEP.2025 19:30:57


11BE20MIMO_Ant11_7095_52Tone_RU40




Date: 11.SEP.2025 19:32:59



11BE20MIMO_Ant11_7095_106Tone_RU54




11BE20MIMO_Ant9_7095_26Tone_RU8






11BE20MIMO_Ant9_7095_52Tone_RU40



Date: 11.SEP.2025 19:33:56

11BE20MIMO_Ant9_7095_106Tone_RU54



Date: 11.SEP.2025 19:36:00



<Small RU >

Maximum power spectral density


Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm /MHz]	Gain	EIRP [dBm /MHz]	Limit [dBm /MHz]	Verdict
11BE20 MIMO	Ant11	5955	52Tone+26Tone	RU38+RU1	-7.63	-2.90	-10.53	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-6.87	-2.90	-9.77	≤-1.00	PASS
	Ant9	5955	52Tone+26Tone	RU38+RU1	-5.49	-3.20	-8.69	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-4.32	-3.20	-7.52	≤-1.00	PASS
	total	5955	52Tone+26Tone	RU38+RU1	-3.42	-0.04	-3.46	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-2.40	-0.04	-2.44	≤-1.00	PASS
	Ant11	6435	52Tone+26Tone	RU38+RU1	-4.65	-5.20	-9.85	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-3.43	-5.20	-8.63	≤-1.00	PASS
	Ant9	6435	52Tone+26Tone	RU38+RU1	-3.74	-6.40	-10.14	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-2.6	-6.40	-9.00	≤-1.00	PASS
	total	6435	52Tone+26Tone	RU38+RU1	-1.16	-2.77	-3.93	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	0.02	-2.77	-2.75	≤-1.00	PASS
	Ant11	6535	52Tone+26Tone	RU38+RU1	-5.52	-4.70	-10.22	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-4.08	-4.70	-8.78	≤-1.00	PASS
	Ant9	6535	52Tone+26Tone	RU38+RU1	-4.81	-5.10	-9.91	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-3.46	-5.10	-8.56	≤-1.00	PASS
	total	6535	52Tone+26Tone	RU38+RU1	-2.14	-1.89	-4.03	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-0.75	-1.89	-2.64	≤-1.00	PASS
	Ant11	7095	52Tone+26Tone	RU39+RU7	-4.02	-5.90	-9.92	≤-1.00	PASS
			106Tone+26Tone	RU54+RU4	-3.13	-5.90	-9.03	≤-1.00	PASS
	Ant9	7095	52Tone+26Tone	RU39+RU7	-5.49	-7.10	-12.59	≤-1.00	PASS
			106Tone+26Tone	RU54+RU4	-3.83	-7.10	-10.93	≤-1.00	PASS
	total	7095	52Tone+26Tone	RU39+RU7	-1.68	-3.47	-5.15	≤-1.00	PASS
			106Tone+26Tone	RU54+RU4	-0.46	-3.47	-3.93	≤-1.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE20MIMO_Ant9_5955_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant9_5955_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant11_6435_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant11_6435_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant9_6435_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant9_6435_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant11_6535_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant11_6535_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant9_6535_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant9_6535_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant11_7095_52Tone+26Tone_RU39+RU7




11BE20MIMO_Ant11_7095_106Tone+26Tone_RU54+RU4






11BE20MIMO_Ant9_7095_52Tone+26Tone_RU39+RU7



11BE20MIMO_Ant9_7095_106Tone+26Tone_RU54+RU4



<Large RU>

Maximum power spectral density


Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE320 MIMO	Ant11	6105	3*996Tone	RU4	-11.09	-2.90	-13.99	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-11.03	-2.90	-13.93	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-11.21	-2.90	-14.11	≤-1.00	PASS
	Ant9	6105	3*996Tone	RU4	-10.71	-3.20	-13.91	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-11.34	-3.20	-14.54	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-10.65	-3.20	-13.85	≤-1.00	PASS
	total	6105	3*996Tone	RU4	-7.89	-0.04	-7.93	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-8.17	-0.04	-8.21	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-7.91	-0.04	-7.95	≤-1.00	PASS
	Ant11	6905	3*996Tone	RU4	-9.39	-4.70	-14.09	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-9.55	-4.70	-14.25	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-9.48	-4.70	-14.18	≤-1.00	PASS
	Ant9	6905	3*996Tone	RU4	-10.53	-5.10	-15.63	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-9.84	-5.10	-14.94	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-10.15	-5.10	-15.25	≤-1.00	PASS
	total	6905	3*996Tone	RU4	-6.91	-1.89	-8.80	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-6.68	-1.89	-8.57	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-6.79	-1.89	-8.68	≤-1.00	PASS
11BE80 MIMO	Ant11	5985	484Tone+242Tone	RU4	-5.13	-2.90	-8.03	≤-1.00	PASS
	Ant9	5985	484Tone+242Tone	RU4	-5.15	-3.20	-8.35	≤-1.00	PASS
	total	5985	484Tone+242Tone	RU4	-2.13	-0.04	-2.17	≤-1.00	PASS
	Ant11	7025	484Tone+242Tone	RU1	-1.38	-5.90	-7.28	≤-1.00	PASS
				RU2	-1.34	-5.90	-7.24	≤-1.00	PASS
	Ant9	7025	484Tone+242Tone	RU1	-1.62	-7.10	-8.72	≤-1.00	PASS
				RU2	-1.55	-7.10	-8.65	≤-1.00	PASS
	total	7025	484Tone+242Tone	RU1	1.51	-3.47	-1.96	≤-1.00	PASS
				RU2	1.57	-3.47	-1.90	≤-1.00	PASS
11BE160 MIMO	Ant11	6025	996Tone+484Tone	RU4	-4.95	-2.90	-7.85	≤-1.00	PASS
	Ant9	6025	996Tone+484Tone	RU4	-4.91	-3.20	-8.11	≤-1.00	PASS
	total	6025	996Tone+484Tone	RU4	-1.92	-0.04	-1.96	≤-1.00	PASS
	Ant11	6985	996Tone+484Tone	RU3	-4.68	-5.90	-10.58	≤-1.00	PASS
	Ant9	6985	996Tone+484Tone	RU3	-4.67	-7.10	-11.77	≤-1.00	PASS
	total	6985	996Tone+484Tone	RU3	-1.66	-3.47	-5.13	≤-1.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE320MIMO_Ant11_6105_3*996Tone+484Tone_RU8




11BE320MIMO_Ant9_6105_3*996Tone_RU4






11BE320MIMO_Ant9_6105_2*996Tone+484Tone_RU6




11BE320MIMO_Ant9_6105_3*996Tone+484Tone_RU8





11BE320MIMO_Ant11_6905_3*996Tone_RU4




11BE320MIMO_Ant11_6905_2*996Tone+484Tone_RU6






11BE320MIMO_Ant11_6905_3*996Tone+484Tone_RU8




11BE320MIMO_Ant9_6905_3*996Tone_RU4





11BE320MIMO_Ant9_6905_2*996Tone+484Tone_RU6




11BE320MIMO_Ant9_6905_3*996Tone+484Tone_RU8






11BE80MIMO_Ant11_5985_484Tone+242Tone_RU4




11BE80MIMO_Ant9_5985_484Tone+242Tone_RU4






11BE80MIMO_Ant11_7025_484Tone+242Tone_RU1




11BE80MIMO_Ant11_7025_484Tone+242Tone_RU2






11BE80MIMO_Ant9_7025_484Tone+242Tone_RU1




11BE80MIMO_Ant9_7025_484Tone+242Tone_RU2






11BE160MIMO_Ant11_6025_996Tone+484Tone_RU4




11BE160MIMO_Ant9_6025_996Tone+484Tone_RU4






11BE160MIMO_Ant11_6985_996Tone+484Tone_RU3



11BE160MIMO_Ant9_6985_996Tone+484Tone_RU3



<Puncturing mode>

Maximum power spectral density


Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm /MHz]	Gain	EIRP [dBm /MHz]	Limit [dBm /MHz]	Verdict
11BE320 MIMO	Ant11	6105	Puncturing 80M	RU4	-12.22	-2.90	-15.12	≤-1.00	PASS
			Puncturing 80+40M	RU5	-12.67	-2.90	-15.57	≤-1.00	PASS
			Puncturing 40M	RU8	-11.37	-2.90	-14.27	≤-1.00	PASS
	Ant9	6105	Puncturing 80M	RU4	-12.47	-3.20	-15.67	≤-1.00	PASS
			Puncturing 80+40M	RU5	-12.62	-3.20	-15.82	≤-1.00	PASS
			Puncturing 40M	RU8	-10.85	-3.20	-14.05	≤-1.00	PASS
	total	6105	Puncturing 80M	RU4	-9.33	-0.04	-9.37	≤-1.00	PASS
			Puncturing 80+40M	RU5	-9.63	-0.04	-9.67	≤-1.00	PASS
			Puncturing 40M	RU8	-8.09	-0.04	-8.13	≤-1.00	PASS
	Ant11	6905	Puncturing 80M	RU1	-11.15	-4.70	-15.85	≤-1.00	PASS
			Puncturing 40M	RU1	-10.05	-4.70	-14.75	≤-1.00	PASS
			Puncturing 80+40M	RU8	-11.54	-4.70	-16.24	≤-1.00	PASS
	Ant9	6905	Puncturing 40M	RU1	-11.13	-5.10	-16.23	≤-1.00	PASS
			Puncturing 80M	RU1	-11.57	-5.10	-16.67	≤-1.00	PASS
			Puncturing 80+40M	RU8	-12.26	-5.10	-17.36	≤-1.00	PASS
	total	6905	Puncturing 40M	RU1	-7.55	-1.89	-9.44	≤-1.00	PASS
			Puncturing 80M	RU1	-8.34	-1.89	-10.23	≤-1.00	PASS
			Puncturing 80+40M	RU8	-8.87	-1.89	-10.76	≤-1.00	PASS
11BE80 MIMO	Ant11	5985	Puncturing 20M	RU4	-5.81	-2.90	-8.71	≤-1.00	PASS
	Ant9	5985	Puncturing 20M	RU4	-5.88	-3.20	-9.08	≤-1.00	PASS
	total	5985	Puncturing 20M	RU4	-2.83	-0.04	-2.87	≤-1.00	PASS
	Ant11	7025	Puncturing 20M	RU1	-2.19	-5.90	-8.09	≤-1.00	PASS
	Ant9	7025	Puncturing 20M	RU1	-2.3	-7.10	-9.40	≤-1.00	PASS
	total	7025	Puncturing 20M	RU1	0.77	-3.47	-2.70	≤-1.00	PASS
11BE160 MIMO	Ant11	6025	Puncturing 40M	RU4	-5.64	-2.90	-8.54	≤-1.00	PASS
			Puncturing 20M	RU8	-5.68	-2.90	-8.58	≤-1.00	PASS
	Ant9	6025	Puncturing 40M	RU4	-5.7	-3.20	-8.90	≤-1.00	PASS
			Puncturing 20M	RU8	-5.87	-3.20	-9.07	≤-1.00	PASS
	total	6025	Puncturing 40M	RU4	-2.66	-0.04	-2.70	≤-1.00	PASS
			Puncturing 20M	RU8	-2.76	-0.04	-2.80	≤-1.00	PASS
	Ant11	6985	Puncturing 20M	RU1	-5.35	-5.90	-11.25	≤-1.00	PASS
			Puncturing 40M	RU1	-5.19	-5.90	-11.09	≤-1.00	PASS
	Ant9	6985	Puncturing 20M	RU1	-5.23	-7.10	-12.33	≤-1.00	PASS
			Puncturing 40M	RU1	-5.14	-7.10	-12.24	≤-1.00	PASS
	total	6985	Puncturing 20M	RU1	-2.28	-3.47	-5.75	≤-1.00	PASS
			Puncturing 40M	RU1	-2.15	-3.47	-5.62	≤-1.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE320MIMO_Ant11_6105_Puncturing 40M_RU8




11BE320MIMO_Ant9_6105_Puncturing 80M_RU4






11BE320MIMO_Ant9_6105_Puncturing 80+40M_RU5



11BE320MIMO_Ant9_6105_Puncturing 40M_RU8






11BE320MIMO_Ant11_6905_Puncturing 80M_RU1




11BE320MIMO_Ant11_6905_Puncturing 40M_RU1






11BE320MIMO_Ant11_6905_Puncturing 80+40M_RU8




11BE320MIMO_Ant9_6905_Puncturing 40M_RU1






11BE320MIMO_Ant9_6905_Puncturing 80M_RU1




11BE320MIMO_Ant9_6905_Puncturing 80+40M_RU8






11BE80MIMO_Ant11_5985_Puncturing 20M_RU4




11BE80MIMO_Ant9_5985_Puncturing 20M_RU4






11BE80MIMO_Ant11_7025_Puncturing 20M_RU1




11BE80MIMO_Ant9_7025_Puncturing 20M_RU1






11BE160MIMO_Ant11_6025_Puncturing 40M_RU4




11BE160MIMO_Ant11_6025_Puncturing 20M_RU8






11BE160MIMO_Ant9_6025_Puncturing 40M_RU4




11BE160MIMO_Ant9_6025_Puncturing 20M_RU8





11BE160MIMO_Ant11_6985_Puncturing 20M_RU1




11BE160MIMO_Ant11_6985_Puncturing 40M_RU1






11BE160MIMO_Ant9_6985_Puncturing 20M_RU1




11BE160MIMO_Ant9_6985_Puncturing 40M_RU1






Appendix B. AC Conducted Emission Test Results





Test Engineer :	Amos Zhang	Temperature :	25.3~26.2℃
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 24+80 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.161	37.49	-27.94	65.43	26.80	0.24	10.45	QP
2	0.161	26.59	-28.84	55.43	15.90	0.24	10.45	Average
3	0.348	32.99	-26.01	59.00	22.20	0.31	10.48	QP
4	0.348	23.09	-25.91	49.00	12.30	0.31	10.48	Average
5 *	0.573	37.54	-18.46	56.00	26.81	0.35	10.38	QP
6	0.573	27.24	-18.76	46.00	16.51	0.35	10.38	Average
7	0.592	34.03	-21.97	56.00	23.30	0.36	10.37	QP
8	0.592	25.63	-20.37	46.00	14.90	0.36	10.37	Average
9	0.683	34.62	-21.38	56.00	23.90	0.38	10.34	QP
10	0.683	25.02	-20.98	46.00	14.30	0.38	10.34	Average
11	16.661	30.63	-29.37	60.00	19.40	0.94	10.29	QP
12	16.661	23.13	-26.87	50.00	11.90	0.94	10.29	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Chris Chen	Relative Humidity :	50%
		Temperature :	20°C~22°C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	CDD 9+11	802.11be EHT20	1	5955	MCS0	Full	-
Mode 2	U-NII-5	5.925-6.425	CDD 9+11	802.11be EHT20	49	6195	MCS0	Full	-
Mode 3	U-NII-5	5.925-6.425	CDD 9+11	802.11be EHT20	93	6415	MCS0	Full	-
Mode 4	U-NII-5	5.925-6.425	CDD 9+11	802.11be EHT20	97	6435	MCS0	Full	-
Mode 5	U-NII-6	6.425-6.525	CDD 9+11	802.11be EHT20	105	6475	MCS0	Full	-
Mode 6	U-NII-6	6.425-6.525	CDD 9+11	802.11be EHT20	113	6515	MCS0	Full	-
Mode 7	U-NII-7	6.525-6.875	CDD 9+11	802.11be EHT20	117	6535	MCS0	Full	-
Mode 8	U-NII-7	6.525-6.875	CDD 9+11	802.11be EHT20	149	6695	MCS0	Full	-
Mode 9	U-NII-7	6.525-6.875	CDD 9+11	802.11be EHT20	181	6855	MCS0	Full	-
Mode 10	U-NII-8	6.875-7.125	CDD 9+11	802.11be EHT20	189	6895	MCS0	Full	-
Mode 11	U-NII-8	6.875-7.125	CDD 9+11	802.11be EHT20	209	6995	MCS0	Full	-
Mode 12	U-NII-8	6.875-7.125	CDD 9+11	802.11be EHT20	229	7095	MCS0	Full	-
Mode 13	U-NII-5	5.925-6.425	CDD 9+11	802.11be EHT40	3	5965	MCS0	Full	-
Mode 14	U-NII-5	5.925-6.425	CDD 9+11	802.11be EHT40	51	6205	MCS0	Full	-
Mode 15	U-NII-5	5.925-6.425	CDD 9+11	802.11be EHT40	91	6405	MCS0	Full	-
Mode 16	U-NII-6	6.425-6.525	CDD 9+11	802.11be EHT40	99	6445	MCS0	Full	-
Mode 17	U-NII-6	6.425-6.525	CDD 9+11	802.11be EHT40	107	6485	MCS0	Full	-
Mode 18	U-NII-7	6.525-6.875	CDD 9+11	802.11be EHT40	123	6565	MCS0	Full	-
Mode 19	U-NII-7	6.525-6.875	CDD 9+11	802.11be EHT40	147	6685	MCS0	Full	-
Mode 20	U-NII-7	6.525-6.875	CDD 9+11	802.11be EHT40	179	6845	MCS0	Full	-
Mode 21	U-NII-8	6.875-7.125	CDD 9+11	802.11be EHT40	195	6925	MCS0	Full	-
Mode 22	U-NII-8	6.875-7.125	CDD 9+11	802.11be EHT40	203	6965	MCS0	Full	-
Mode 23	U-NII-8	6.875-7.125	CDD 9+11	802.11be EHT40	227	7085	MCS0	Full	-
Mode 24	U-NII-5	5.925-6.425	CDD 9+11	802.11be EHT80	7	5985	MCS0	Full	-
Mode 25	U-NII-5	5.925-6.425	CDD 9+11	802.11be EHT80	55	6225	MCS0	Full	-
Mode 26	U-NII-5	5.925-6.425	CDD 9+11	802.11be EHT80	87	6385	MCS0	Full	-
Mode 27	U-NII-6	6.425-6.525	CDD 9+11	802.11be EHT80	103	6465	MCS0	Full	-
Mode 28	U-NII-7	6.525-6.875	CDD 9+11	802.11be EHT80	135	6625	MCS0	Full	-
Mode 29	U-NII-7	6.525-6.875	CDD 9+11	802.11be EHT80	151	6705	MCS0	Full	-
Mode 30	U-NII-7	6.875-7.125	CDD 9+11	802.11be EHT80	167	6785	MCS0	Full	-
Mode 31	U-NII-8	6.875-7.125	CDD 9+11	802.11be EHT80	199	6945	MCS0	Full	-
Mode 32	U-NII-8	6.875-7.125	CDD 9+11	802.11be EHT80	215	7025	MCS0	Full	-
Mode 33	U-NII-5	5.925-6.425	CDD 9+11	802.11be EHT160	15	6025	MCS0	Full	-
Mode 34	U-NII-5	5.925-6.425	CDD 9+11	802.11be EHT160	47	6185	MCS0	Full	-



Mode 35	U-NII-5	5.925-6.425	CDD 9+11	802.11be EHT160	79	6345	MCS0	Full	-
Mode 36	U-NII-7	6.525-6.875	CDD 9+11	802.11be EHT160	143	6665	MCS0	Full	-
Mode 37	U-NII-8	6.875-7.125	CDD 9+11	802.11be EHT160	207	6985	MCS0	Full	-
Mode 38	U-NII-5	5.925-6.425	CDD 9+11	802.11be EHT320	31	6105	MCS0	Full	-
Mode 39	U-NII-5	5.925-6.425	CDD 9+11	802.11be EHT320	63	6265	MCS0	Full	-
Mode 40	U-NII-8	6.875-7.125	CDD 9+11	802.11be EHT20	185	6875	MCS0	Full	-
Mode 41	U-NII-8	6.875-7.125	CDD 9+11	802.11be EHT40	187	6885	MCS0	Full	-
Mode 42	U-NII-8	6.875-7.125	CDD 9+11	802.11be EHT80	183	6865	MCS0	Full	-
Mode 43	U-NII-8	6.875-7.125	CDD 9+11	802.11be EHT160	175	6825	MCS0	Full	-
Mode 44	U-NII-8	6.875-7.125	CDD 9+11	802.11be EHT320	159	6745	MCS0	Full	-
Mode 45	U-NII-8	6.875-7.125	CDD 9+11	802.11be EHT320	191	6905	MCS0	Full	-
Mode 46	U-NII-6	6.425-6.525	CDD 9+11	802.11be EHT40	115	6525	MCS0	Full	-
Mode 47	U-NII-6	6.525-6.875	CDD 9+11	802.11be EHT80	119	6545	MCS0	Full	-
Mode 48	U-NII-6	6.425-6.525	CDD 9+11	802.11be EHT160	111	6505	MCS0	Full	-
Mode 49	U-NII-5	5.925-6.425	CDD 9+11	802.11be EHT320	95	6425	MCS0	Full	-
Mode 50	U-NII-6	6.425-6.525	CDD 9+11	802.11be EHT320	127	6585	MCS0	Full	-
Mode 51	U-NII-5	5.925-6.425	CDD 9+11	802.11be EHT20	1	5955	MCS0	Singe RU106/53	-
Mode 52	U-NII-8	6.875-7.125	CDD 9+11	802.11be EHT20	229	7095	MCS0	Singe RU106/54	-
Mode 53	U-NII-5	5.925-6.425	CDD 9+11	802.11be EHT20	1	5955	MCS0	Small RU Index 53+4	-
Mode 54	U-NII-8	6.875-7.125	CDD 9+11	802.11be EHT20	229	7095	MCS0	Small RU Index 54+4	-
Mode 55	U-NII-5	5.925-6.425	CDD 9+11	802.11be EHT80	7	5985	MCS0	Puncturing 20M ④	-
Mode 56	U-NII-8	6.875-7.125	CDD 9+11	802.11be EHT80	215	7025	MCS0	Puncturing 20M ①	-
Mode 57	U-NII-5	5.925-6.425	CDD 9+11	802.11be EHT160	15	6025	MCS0	Puncturing 40M ④	-
Mode 58	U-NII-8	6.875-7.125	CDD 9+11	802.11be EHT160	207	6985	MCS0	Puncturing 40M ①	-
Mode 59	U-NII-5	5.925-6.425	CDD 9+11	802.11be EHT160	15	6025	MCS0	Puncturing 20M ⑧	-
Mode 60	U-NII-8	6.875-7.125	CDD 9+11	802.11be EHT160	207	6985	MCS0	Puncturing 20M ①	-
Mode 61	U-NII-5	5.925-6.425	CDD 9+11	802.11be EHT320	31	6105	MCS0	Puncturing 80M +40M ⑤	-
Mode 62	U-NII-8	6.875-7.125	CDD 9+11	802.11be EHT320	191	6905	MCS0	Puncturing 80M+40M ⑧	-
Mode 63	U-NII-5	5.925-6.425	CDD 9+11	802.11be EHT320	31	6105	MCS0	Puncturing 80M ④	-
Mode 64	U-NII-8	6.875-7.125	CDD 9+11	802.11be EHT320	191	6905	MCS0	Puncturing 80M ①	-
Mode 65	U-NII-5	5.925-6.425	CDD 9+11	802.11be EHT320	31	6105	MCS0	Puncturing 40M ⑧	-
Mode 66	U-NII-8	6.875-7.125	CDD 9+11	802.11be EHT320	191	6905	MCS0	Puncturing 40M ①	-
Mode 67	U-NII-5	5.925-6.425	CDD 9+11	802.11be EHT80	7	5985	MCS0	Large RU 484+242 ④	-
Mode 68	U-NII-8	6.875-7.125	CDD 9+11	802.11be EHT80	215	7025	MCS0	Large RU 484+242 ②	-
Mode 69	U-NII-5	5.925-6.425	CDD 9+11	802.11be EHT160	15	6025	MCS0	Large RU 996+484 ④	-
Mode 70	U-NII-8	6.875-7.125	CDD 9+11	802.11be EHT160	207	6985	MCS0	Large RU 996+484 ③	-
Mode 71	U-NII-8	6.875-7.125	CDD 9+11	802.11be EHT320	31	6105	MCS0	Large RU 996*2+484⑥	-
Mode 72	U-NII-8	6.875-7.125	CDD 9+11	802.11be EHT320	191	6905	MCS0	Large RU 996*2+484⑥	-
Mode 73	U-NII-5	5.925-6.425	CDD 9+11	802.11be EHT320	31	6105	MCS0	Large RU 996*3 ④	-
Mode 74	U-NII-5	5.925-6.425	CDD 9+11	802.11be EHT320	191	6905	MCS0	Large RU 996*3 ④	-
Mode 75	U-NII-5	5.925-6.425	CDD 9+11	802.11be EHT320	31	6105	MCS0	Large RU 996*3+484 ⑧	-
Mode 76	U-NII-5	5.925-6.425	CDD 9+11	802.11be EHT320	191	6905	MCS0	Large RU 996*3+484 ⑧	-



Mode 77	U-NII-5	5.925-6.425	CDD 9+11	802.11a	1	5955	6Mbps	-	-
Mode 78	U-NII-5	5.925-6.425	CDD 9+11	802.11a	45	6175	6Mbps	-	-
Mode 79	U-NII-5	5.925-6.425	CDD 9+11	802.11a	93	6415	6Mbps	-	-
Mode 80	U-NII-5	6.425-6.525	CDD 9+11	802.11a	97	6435	6Mbps	-	-
Mode 81	U-NII-5	6.425-6.525	CDD 9+11	802.11a	105	6475	6Mbps	-	-
Mode 82	U-NII-5	6.425-6.525	CDD 9+11	802.11a	113	6515	6Mbps	-	-
Mode 83	U-NII-5	6.525-6.875	CDD 9+11	802.11a	117	6535	6Mbps	-	-
Mode 84	U-NII-5	6.525-6.875	CDD 9+11	802.11a	149	6695	6Mbps	-	-
Mode 85	U-NII-5	6.525-6.875	CDD 9+11	802.11a	181	6855	6Mbps	-	-
Mode 86	U-NII-5	6.525-6.875	CDD 9+11	802.11a	185	6875	6Mbps	-	-
Mode 87	U-NII-8	6.875-7.125	CDD 9+11	802.11a	189	6895	6Mbps	-	-
Mode 88	U-NII-8	6.875-7.125	CDD 9+11	802.11a	209	6995	6Mbps	-	-
Mode 89	U-NII-8	6.875-7.125	CDD 9+11	802.11a	229	7095	6Mbps	-	-

Co-location mode:

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 90	2400-2483.5	2.4-2.4835	7	Bluetooth-LE_GSFK	38	2478	2Mbps	-	-
	2400-2483.5	2.4-2.4835	10	802.11b	01	2412	1Mbps	-	-
	U-NII-5	5.925-6.425	CDD 9+11	802.11be EHT20	1	5955	MCS0	Full	-
	LTE B13 BW-5M CH23230								



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11be EHT20	1	5920.68	56.34	68.20	-11.86	H	AVERAGE	Pass	Band Edge
1	802.11be EHT20	1	11910.00	43.21	54.00	-4.79	H	AVERAGE	Pass	Harmonic
2	802.11be EHT20	49	-	-	-	-	-	-	-	Band Edge
2	802.11be EHT20	49	12390.00	41.46	54.00	-12.54	H	AVERAGE	Pass	Harmonic
3	802.11be EHT20	93	-	-	-	-	-	-	-	Band Edge
3	802.11be EHT20	93	12828.44	53.71	88.20	-34.49	H	Peak	Pass	Harmonic
4	802.11be EHT20	97	-	-	-	-	-	-	-	Band Edge
4	802.11be EHT20	97	12870.00	47.93	68.20	-20.27	H	AVERAGE	Pass	Harmonic
5	802.11be EHT20	105	-	-	-	-	-	-	-	Band Edge
5	802.11be EHT20	105	12950.00	49.68	68.20	-18.52	H	AVERAGE	Pass	Harmonic
6	802.11be EHT20	113	-	-	-	-	-	-	-	Band Edge
6	802.11be EHT20	113	13030.00	49.72	68.20	-18.48	H	AVERAGE	Pass	Harmonic
7	802.11be EHT20	117	-	-	-	-	-	-	-	Band Edge
7	802.11be EHT20	117	13070.00	50.02	68.20	-18.18	H	AVERAGE	Pass	Harmonic
8	802.11be EHT20	149	-	-	-	-	-	-	-	Band Edge
8	802.11be EHT20	149	13390.00	49.14	54.00	-4.86	H	AVERAGE	Pass	Harmonic
9	802.11be EHT20	181	-	-	-	-	-	-	-	Band Edge
9	802.11be EHT20	181	13710.00	46.75	88.20	-41.45	V	PEAK	Pass	Harmonic
10	802.11be EHT20	189	-	-	-	-	-	-	-	Band Edge
10	802.11be EHT20	189	13790.00	49.95	88.20	-38.25	H	PEAK	Pass	Harmonic
11	802.11be EHT20	209	-	-	-	-	-	-	-	Band Edge
11	802.11be EHT20	209	13990.00	45.97	88.20	-42.23	V	PEAK	Pass	Harmonic
12	802.11be EHT20	229	7128.52	59.81	68.20	-8.39	V	AVERAGE	Pass	Band Edge
12	802.11be EHT20	229	14190.00	50.32	68.20	-17.88	V	AVERAGE	Pass	Harmonic
13	802.11be EHT40	3	5924.96	53.46	68.20	-14.74	H	AVERAGE	Pass	Band Edge
13	802.11be EHT40	3	11930.00	44.97	74.00	-29.03	V	PEAK	Pass	Harmonic
14	802.11be EHT40	51	-	-	-	-	-	-	-	Band Edge
14	802.11be EHT40	51	12410.00	45.34	74.00	-28.66	V	PEAK	Pass	Harmonic
15	802.11be EHT40	91	-	-	-	-	-	-	-	Band Edge
15	802.11be EHT40	91	12810.00	50.70	88.20	-37.50	H	PEAK	Pass	Harmonic
16	802.11be EHT40	99	-	-	-	-	-	-	-	Band Edge
16	802.11be EHT40	99	12890.00	48.90	88.20	-39.30	V	PEAK	Pass	Harmonic
17	802.11be EHT40	107	-	-	-	-	-	-	-	Band Edge
17	802.11be EHT40	107	12970.00	50.94	88.20	-37.26	H	PEAK	Pass	Harmonic
18	802.11be EHT40	123	-	-	-	-	-	-	-	Band Edge
18	802.11be EHT40	123	13130.00	51.15	88.20	-37.05	H	PEAK	Pass	Harmonic
19	802.11be EHT40	147	-	-	-	-	-	-	-	Band Edge
19	802.11be EHT40	147	13370.00	48.25	54.00	-5.75	H	AVERAGE	Pass	Harmonic
20	802.11be EHT40	179	-	-	-	-	-	-	-	Band Edge



20	802.11be EHT40	179	13690.00	47.47	88.20	-40.73	H	PEAK	Pass	Harmonic
21	802.11be EHT40	195	-	-	-	-	-	-	-	Band Edge
21	802.11be EHT40	195	13850.00	46.09	88.20	-42.11	H	PEAK	Pass	Harmonic
22	802.11be EHT40	203	-	-	-	-	-	-	-	Band Edge
22	802.11be EHT40	203	13930.00	47.69	88.20	-40.51	V	PEAK	Pass	Harmonic
23	802.11be EHT40	227	7125.00	60.09	68.20	-8.11	V	AVERAGE	Pass	Band Edge
23	802.11be EHT40	227	14170.00	46.13	88.20	-42.07	H	PEAK	Pass	Harmonic
24	802.11be EHT80	7	5925.00	52.09	68.20	-16.11	H	AVERAGE	Pass	Band Edge
24	802.11be EHT80	7	11970.00	45.09	74.00	-28.91	V	PEAK	Pass	Harmonic
25	802.11be EHT80	55	-	-	-	-	-	-	-	Band Edge
25	802.11be EHT80	55	12450.00	45.89	74.00	-28.11	H	PEAK	Pass	Harmonic
26	802.11be EHT80	87	-	-	-	-	-	-	-	Band Edge
26	802.11be EHT80	87	12770.00	46.65	88.20	-41.55	H	PEAK	Pass	Harmonic
27	802.11be EHT80	103	-	-	-	-	-	-	-	Band Edge
27	802.11be EHT80	103	12930.00	48.36	88.20	-39.84	H	PEAK	Pass	Harmonic
28	802.11be EHT80	135	-	-	-	-	-	-	-	Band Edge
28	802.11be EHT80	135	13250.00	41.07	54.00	-12.93	H	AVERAGE	Pass	Harmonic
29	802.11be EHT80	151	-	-	-	-	-	-	-	Band Edge
29	802.11be EHT80	151	13410.00	49.09	88.20	-39.11	H	PEAK	Pass	Harmonic
30	802.11be EHT80	167	-	-	-	-	-	-	-	Band Edge
30	802.11be EHT80	167	13570.00	48.16	88.20	-40.04	H	PEAK	Pass	Harmonic
31	802.11be EHT80	199	-	-	-	-	-	-	-	Band Edge
31	802.11be EHT80	199	13890.00	45.92	88.20	-42.28	V	PEAK	Pass	Harmonic
32	802.11be EHT80	215	7125.10	46.49	68.20	-21.71	V	AVERAGE	Pass	Band Edge
32	802.11be EHT80	215	14050.00	45.92	88.20	-42.28	H	PEAK	Pass	Harmonic
33	802.11be EHT160	15	5910.00	50.59	68.20	-17.61	H	AVERAGE	Pass	Band Edge
33	802.11be EHT160	15	12050.00	44.88	74.00	-29.12	V	PEAK	Pass	Harmonic
34	802.11be EHT160	47	-	-	-	-	-	-	-	Band Edge
34	802.11be EHT160	47	12370.00	45.42	74.00	-28.58	H	PEAK	Pass	Harmonic
35	802.11be EHT160	79	-	-	-	-	-	-	-	Band Edge
35	802.11be EHT160	79	12690.00	44.99	74.00	-29.01	H	PEAK	Pass	Harmonic
36	802.11be EHT160	143	-	-	-	-	-	-	-	Band Edge
36	802.11be EHT160	143	13330.00	38.49	54.00	-15.51	H	AVERAGE	Pass	Harmonic
37	802.11be EHT160	207	7125.16	52.48	68.20	-15.72	V	AVERAGE	Pass	Band Edge
37	802.11be EHT160	207	13970.00	45.41	88.20	-42.79	H	PEAK	Pass	Harmonic
38	802.11be EHT320	31	5839.72	47.36	68.20	-20.84	H	AVERAGE	Pass	Band Edge
38	802.11be EHT320	31	12210.00	45.02	74.00	-28.98	V	PEAK	Pass	Harmonic
39	802.11be EHT320	63	-	-	-	-	-	-	-	Band Edge
39	802.11be EHT320	63	12530.00	45.48	74.00	-28.52	H	PEAK	Pass	Harmonic
40	802.11be EHT20	185	-	-	-	-	-	-	-	Band Edge
40	802.11be EHT20	185	13750.00	49.31	88.20	-38.89	H	PEAK	Pass	Harmonic
41	802.11be EHT40	187	-	-	-	-	-	-	-	Band Edge



41	802.11be EHT40	187	13770.00	47.05	88.20	-41.15	V	PEAK	Pass	Harmonic
42	802.11be EHT80	183	-	-	-	-	-	-	-	Band Edge
42	802.11be EHT80	183	13730.00	45.21	88.20	-42.99	V	PEAK	Pass	Harmonic
43	802.11be EHT160	175	-	-	-	-	-	-	-	Band Edge
43	802.11be EHT160	175	13650.00	46.14	88.20	-42.06	V	PEAK	Pass	Harmonic
44	802.11be EHT320	159	-	-	-	-	-	-	-	Band Edge
44	802.11be EHT320	159	13490.00	46.63	88.20	-41.57	V	PEAK	Pass	Harmonic
45	802.11be EHT320	191	-	-	-	-	-	-	-	Band Edge
45	802.11be EHT320	191	13810.00	46.24	88.20	-41.96	H	PEAK	Pass	Harmonic
46	802.11be EHT40	115	-	-	-	-	-	-	-	Band Edge
46	802.11be EHT40	115	13050.00	43.79	68.20	-24.41	H	AVERAGE	Pass	Harmonic
47	802.11be EHT80	119	-	-	-	-	-	-	-	Band Edge
47	802.11be EHT80	119	13090.00	49.07	88.20	-39.13	H	PEAK	Pass	Harmonic
48	802.11be EHT160	111	-	-	-	-	-	-	-	Band Edge
48	802.11be EHT160	111	13010.00	46.38	88.20	-41.82	H	PEAK	Pass	Harmonic
49	802.11be EHT320	95	-	-	-	-	-	-	-	Band Edge
49	802.11be EHT320	95	12850.00	45.82	88.20	-42.38	H	PEAK	Pass	Harmonic
50	802.11be EHT320	127	-	-	-	-	-	-	-	Band Edge
50	802.11be EHT320	127	13170.00	45.42	88.20	-42.78	H	PEAK	Pass	Harmonic
51	802.11be EHT20	1	5924.97	41.71	68.20	-26.49	H	AVERAGE	Pass	Band Edge
51	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
52	802.11be EHT20	229	7244.04	41.81	68.20	-26.39	V	AVERAGE	Pass	Band Edge
52	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
53	802.11be EHT20	1	5924.71	41.48	68.20	-26.72	H	AVERAGE	Pass	Band Edge
53	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
54	802.11be EHT20	229	7245.00	41.80	68.20	-26.40	V	AVERAGE	Pass	Band Edge
54	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
55	802.11be EHT80	7	5924.20	46.24	68.20	-21.96	H	AVERAGE	Pass	Band Edge
55	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
56	802.11be EHT80	215	7125.10	42.20	68.20	-26.00	H	AVERAGE	Pass	Band Edge
56	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
57	802.11be EHT160	15	5924.80	49.02	68.20	-19.18	H	AVERAGE	Pass	Band Edge
57	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
58	802.11be EHT160	207	7125.64	44.54	68.20	-23.66	V	AVERAGE	Pass	Band Edge
58	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
59	802.11be EHT160	15	5916.60	50.97	68.20	-17.23	H	AVERAGE	Pass	Band Edge
59	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
60	802.11be EHT160	207	7127.08	44.57	68.20	-23.63	V	AVERAGE	Pass	Band Edge
60	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
61	802.11be EHT320	31	5881.32	44.90	68.20	-23.30	H	AVERAGE	Pass	Band Edge
61	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
62	802.11be EHT320	191	7285.72	42.11	54.00	-11.89	H	AVERAGE	Pass	Band Edge







62	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
63	802.11be EHT320	31	5881.32	44.95	68.20	-23.25	H	AVERAGE	Pass	Band Edge
63	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
64	802.11be EHT320	191	7282.12	42.11	54.00	-11.89	V	AVERAGE	Pass	Band Edge
64	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
65	802.11be EHT320	31	5881.00	47.82	68.20	-20.38	H	AVERAGE	Pass	Band Edge
65	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
66	802.11be EHT320	191	7271.32	42.12	54.00	-11.88	V	AVERAGE	Pass	Band Edge
66	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
67	802.11be EHT80	7	5919.40	51.16	68.20	-17.04	H	AVERAGE	Pass	Band Edge
67	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
68	802.11be EHT80	215	7125.10	44.89	68.20	-23.31	V	AVERAGE	Pass	Band Edge
68	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
69	802.11be EHT160	15	5924.20	48.35	68.20	-19.85	V	AVERAGE	Pass	Band Edge
69	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
70	802.11be EHT160	207	7129.24	47.39	68.20	-20.81	V	AVERAGE	Pass	Band Edge
70	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
71	802.11be EHT320	31	5859.24	45.77	68.20	-22.43	H	AVERAGE	Pass	Band Edge
71	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
72	802.11be EHT320	191	7305.88	43.28	54.00	-10.72	H	AVERAGE	Pass	Band Edge
72	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
73	802.11be EHT320	31	5919.72	48.69	68.20	-19.51	H	AVERAGE	Pass	Band Edge
73	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
74	802.11be EHT320	191	7310.92	43.50	54.00	-10.50	V	AVERAGE	Pass	Band Edge
74	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
75	802.11be EHT320	31	5798.44	51.00	68.20	-17.20	H	AVERAGE	Pass	Band Edge
75	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
76	802.11be EHT320	191	7300.12	43.38	54.00	-10.62	H	AVERAGE	Pass	Band Edge
76	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
77	802.11a	1	5922.63	51.32	68.20	-16.88	H	AVERAGE	Pass	Band Edge
77	802.11a	1	11910.00	44.16	54.00	-9.84	H	AVERAGE	Pass	Harmonic
78	802.11a	45	-	-	-	-	-	-	-	Band Edge
78	802.11a	45	12350.00	42.09	54.00	-11.91	H	AVERAGE	Pass	Harmonic
79	802.11a	93	-	-	-	-	-	-	-	Band Edge
79	802.11a	93	12830.00	45.78	68.20	-22.42	V	AVERAGE	Pass	Harmonic
80	802.11a	97	-	-	-	-	-	-	-	Band Edge
80	802.11a	97	12870.00	45.23	88.20	-42.97	H	PEAK	Pass	Harmonic
81	802.11a	105	-	-	-	-	-	-	-	Band Edge
81	802.11a	105	12950.00	46.71	88.20	-41.49	V	PEAK	Pass	Harmonic
82	802.11a	113	-	-	-	-	-	-	-	Band Edge
82	802.11a	113	13030.00	46.12	88.20	-42.08	V	PEAK	Pass	Harmonic
83	802.11a	117	-	-	-	-	-	-	-	Band Edge







83	802.11a	117	13070.00	50.84	68.20	-17.36	V	AVERAGE	Pass	Harmonic
84	802.11a	149	-	-	-	-	-	-	-	Band Edge
84	802.11a	149	13390.00	48.98	54.00	-5.02	V	AVERAGE	Pass	Harmonic
85	802.11a	181	-	-	-	-	-	-	-	Band Edge
85	802.11a	181	13710.00	49.34	68.20	-18.86	V	AVERAGE	Pass	Harmonic
86	802.11a	185	-	-	-	-	-	-	-	Band Edge
86	802.11a	185	13750.00	46.45	88.20	-41.75	V	PEAK	Pass	Harmonic
87	802.11a	189	-	-	-	-	-	-	-	Band Edge
87	802.11a	189	13790.00	45.85	88.20	-42.35	V	PEAK	Pass	Harmonic
88	802.11a	209	-	-	-	-	-	-	-	Band Edge
88	802.11a	209	13990.00	45.42	88.20	-42.78	H	PEAK	Pass	Harmonic
89	802.11a	229	7201.32	45.37	68.20	-22.83	V	AVERAGE	Pass	Band Edge
89	802.11a	229	14190.00	46.42	88.20	-41.78	V	PEAK	Pass	Harmonic
90	Bluetooth-LE_GSKF	38	2483.80	40.82	54.00	-13.18	H	AVERAGE	Pass	Band Edge
90	Bluetooth-LE_GSKF	38	7433.80	40.87	74.00	-33.13	H	Peak	Pass	Harmonic
90	802.11b	01	2389.95	38.82	54.00	-15.18	H	Average	Pass	Band Edge
90	802.11b	01	4824.00	39.95	74.00	-34.05	V	Peak	Pass	Harmonic
90	802.11be EHT20	1	5924.97	51.15	68.20	-17.05	H	AVERAGE	Pass	Band Edge
90	802.11be EHT20	1	11910.00	45.63	54.00	-8.37	V	AVERAGE	Pass	Harmonic





Mode	1																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full_5955MHz																																																																																																			
ANT	CDD 9+11																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.93</td><td>67.75</td><td>88.20</td><td>-20.45</td><td>58.56</td><td>35.30</td><td>11.55</td><td>37.66</td><td>0.00</td><td>101</td><td>113 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.93	67.75	88.20	-20.45	58.56	35.30	11.55	37.66	0.00	101	113 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>113.64</td><td>-----</td><td>-----</td><td>104.20</td><td>35.47</td><td>11.58</td><td>37.61</td><td>0.00</td><td>101</td><td>113 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	113.64	-----	-----	104.20	35.47	11.58	37.61	0.00	101
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5923.93	67.75	88.20	-20.45	58.56	35.30	11.55	37.66	0.00	101	113 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	113.64	-----	-----	104.20	35.47	11.58	37.61	0.00	101	113 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5920.68</td><td>56.34</td><td>68.20</td><td>-11.86</td><td>47.18</td><td>35.28</td><td>11.55</td><td>37.67</td><td>0.00</td><td>101</td><td>113 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5920.68	56.34	68.20	-11.86	47.18	35.28	11.55	37.67	0.00	101	113 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>103.83</td><td>-----</td><td>-----</td><td>94.39</td><td>35.47</td><td>11.58</td><td>37.61</td><td>0.00</td><td>101</td><td>113 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	103.83	-----	-----	94.39	35.47	11.58	37.61	0.00	101
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5920.68	56.34	68.20	-11.86	47.18	35.28	11.55	37.67	0.00	101	113 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	103.83	-----	-----	94.39	35.47	11.58	37.61	0.00	101	113 AVERAGE																																																																																									





		1																																																																																																
Mode	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full_5955MHz																																																																																																	
ANT	CDD 9+11																																																																																																	
Pol.	Vertical					Fundamental																																																																																												
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5919.90</td><td>66.27</td><td>88.20</td><td>-21.93</td><td>57.11</td><td>35.28</td><td>11.55</td><td>37.67</td><td>0.00</td><td>266 74 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5919.90	66.27	88.20	-21.93	57.11	35.28	11.55	37.67	0.00	266 74 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>110.96</td><td>-----</td><td>-----</td><td>101.52</td><td>35.47</td><td>11.58</td><td>37.61</td><td>0.00</td><td>266 74 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	110.96	-----	-----	101.52	35.47	11.58	37.61	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5919.90	66.27	88.20	-21.93	57.11	35.28	11.55	37.67	0.00	266 74 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5955.00	110.96	-----	-----	101.52	35.47	11.58	37.61	0.00	266 74 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5920.29</td><td>54.14</td><td>68.20</td><td>-14.06</td><td>44.98</td><td>35.28</td><td>11.55</td><td>37.67</td><td>0.00</td><td>266 74 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5920.29	54.14	68.20	-14.06	44.98	35.28	11.55	37.67	0.00	266 74 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>101.89</td><td>-----</td><td>-----</td><td>92.45</td><td>35.47</td><td>11.58</td><td>37.61</td><td>0.00</td><td>266 74 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	101.89	-----	-----	92.45	35.47	11.58	37.61	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5920.29	54.14	68.20	-14.06	44.98	35.28	11.55	37.67	0.00	266 74 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5955.00	101.89	-----	-----	92.45	35.47	11.58	37.61	0.00	266 74 AVERAGE																																																																																								





Mode	1																																																																			
	Harmonic																																																																			
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full_5955MHz																																																																			
ANT	CDD 9+11																																																																			
Pol.	Horizontal						Vertical																																																													
Peak Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>56.24</td><td>74.00</td><td>-17.76</td><td>66.77</td><td>39.01</td><td>16.42</td><td>65.96</td><td>0.00</td><td>231</td><td>46 PEAK</td></tr><tr><td>2</td><td>11910.00</td><td>49.21</td><td>54.00</td><td>-4.79</td><td>59.76</td><td>39.00</td><td>16.42</td><td>65.97</td><td>0.00</td><td>231</td><td>46 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	56.24	74.00	-17.76	66.77	39.01	16.42	65.96	0.00	231	46 PEAK	2	11910.00	49.21	54.00	-4.79	59.76	39.00	16.42	65.97	0.00	231	46 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	11910.00	56.24	74.00	-17.76	66.77	39.01	16.42	65.96	0.00	231	46 PEAK																																																									
2	11910.00	49.21	54.00	-4.79	59.76	39.00	16.42	65.97	0.00	231	46 AVERAGE																																																									
																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>54.70</td><td>74.00</td><td>-19.30</td><td>65.23</td><td>39.01</td><td>16.42</td><td>65.96</td><td>0.00</td><td>300</td><td>342 PEAK</td></tr><tr><td>2</td><td>11910.00</td><td>44.40</td><td>54.00</td><td>-9.60</td><td>54.92</td><td>39.01</td><td>16.43</td><td>65.96</td><td>0.00</td><td>300</td><td>342 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	54.70	74.00	-19.30	65.23	39.01	16.42	65.96	0.00	300	342 PEAK	2	11910.00	44.40	54.00	-9.60	54.92	39.01	16.43	65.96	0.00	300	342 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	11910.00	54.70	74.00	-19.30	65.23	39.01	16.42	65.96	0.00	300	342 PEAK																																																									
2	11910.00	44.40	54.00	-9.60	54.92	39.01	16.43	65.96	0.00	300	342 AVERAGE																																																									





Mode	2																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-5_5.925-6.425_802.11be EHT20_CH49_Full_6195MHz																																																																																																																													
ANT	CDD 9+11																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>50.79</td><td>74.00</td><td>-23.21</td><td>61.00</td><td>39.10</td><td>16.80</td><td>66.11</td><td>0.00</td><td>100</td><td>194</td><td>PEAK</td></tr><tr><td>2</td><td>12390.00</td><td>41.46</td><td>54.00</td><td>-12.54</td><td>51.67</td><td>39.10</td><td>16.80</td><td>66.11</td><td>0.00</td><td>100</td><td>194</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	50.79	74.00	-23.21	61.00	39.10	16.80	66.11	0.00	100	194	PEAK	2	12390.00	41.46	54.00	-12.54	51.67	39.10	16.80	66.11	0.00	100	194	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>50.68</td><td>74.00</td><td>-23.32</td><td>60.89</td><td>39.10</td><td>16.80</td><td>66.11</td><td>0.00</td><td>199</td><td>160</td><td>PEAK</td></tr><tr><td>2</td><td>12390.00</td><td>40.54</td><td>54.00</td><td>-13.46</td><td>50.75</td><td>39.10</td><td>16.81</td><td>66.12</td><td>0.00</td><td>199</td><td>160</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	50.68	74.00	-23.32	60.89	39.10	16.80	66.11	0.00	199	160	PEAK	2	12390.00	40.54	54.00	-13.46	50.75	39.10	16.81	66.12	0.00	199	160	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	12390.00	50.79	74.00	-23.21	61.00	39.10	16.80	66.11	0.00	100	194	PEAK																																																																																																																		
2	12390.00	41.46	54.00	-12.54	51.67	39.10	16.80	66.11	0.00	100	194	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	12390.00	50.68	74.00	-23.32	60.89	39.10	16.80	66.11	0.00	199	160	PEAK																																																																																																																		
2	12390.00	40.54	54.00	-13.46	50.75	39.10	16.81	66.12	0.00	199	160	AVERAGE																																																																																																																		



Mode	3																																																																																									
	Harmonic																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_Full_6415MHz																																																																																									
ANT	CDD 9+11																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak Avg	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12828.44</td><td>53.71</td><td>88.20</td><td>-34.49</td><td>62.60</td><td>39.50</td><td>17.15</td><td>65.54</td><td>0.00</td><td>---</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12828.44	53.71	88.20	-34.49	62.60	39.50	17.15	65.54	0.00	---	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12837.33</td><td>52.89</td><td>88.20</td><td>-35.31</td><td>61.76</td><td>39.50</td><td>17.16</td><td>65.53</td><td>0.00</td><td>---</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12837.33	52.89	88.20	-35.31	61.76	39.50	17.16	65.53	0.00	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	12828.44	53.71	88.20	-34.49	62.60	39.50	17.15	65.54	0.00	---																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	12837.33	52.89	88.20	-35.31	61.76	39.50	17.16	65.53	0.00	---																																																																																





Mode	4																																																																																																																	
	Harmonic																																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT20_CH97_Full_6435MHz																																																																																																																	
ANT	CDD 9+11																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																											
Peak Avg																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>57.61</td><td>88.20</td><td>-30.59</td><td>66.38</td><td>39.50</td><td>17.19</td><td>65.46</td><td>0.00</td><td>176</td><td>192</td><td>PEAK</td></tr><tr><td>2</td><td>12870.00</td><td>47.93</td><td>68.20</td><td>-20.27</td><td>56.70</td><td>39.50</td><td>17.19</td><td>65.46</td><td>0.00</td><td>176</td><td>192</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	57.61	88.20	-30.59	66.38	39.50	17.19	65.46	0.00	176	192	PEAK	2	12870.00	47.93	68.20	-20.27	56.70	39.50	17.19	65.46	0.00	176	192	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12880.44</td><td>51.12</td><td>88.20</td><td>-37.08</td><td>59.87</td><td>39.50</td><td>17.19</td><td>65.44</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12880.44	51.12	88.20	-37.08	59.87	39.50	17.19	65.44	0.00	---	---	Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	12870.00	57.61	88.20	-30.59	66.38	39.50	17.19	65.46	0.00	176	192	PEAK																																																																																																						
2	12870.00	47.93	68.20	-20.27	56.70	39.50	17.19	65.46	0.00	176	192	AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	12880.44	51.12	88.20	-37.08	59.87	39.50	17.19	65.44	0.00	---	---	Peak																																																																																																						





		5																																																																					
Mode		Harmonic																																																																					
		U-NII-6_6.425-6.525_802.11be EHT20_CH105_Full_6475MHz																																																																					
ANT		CDD 9+11																																																																					
Pol.		Horizontal																																																																					
Peak Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>59.48</td><td>88.20</td><td>-28.72</td><td>68.08</td><td>39.45</td><td>17.25</td><td>65.30</td><td>0.00</td><td>198</td><td>180</td><td>PEAK</td></tr><tr><td>2</td><td>12950.00</td><td>49.68</td><td>68.20</td><td>-18.52</td><td>58.28</td><td>39.45</td><td>17.25</td><td>65.30</td><td>0.00</td><td>198</td><td>180</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	59.48	88.20	-28.72	68.08	39.45	17.25	65.30	0.00	198	180	PEAK	2	12950.00	49.68	68.20	-18.52	58.28	39.45	17.25	65.30	0.00	198	180	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	12950.00	59.48	88.20	-28.72	68.08	39.45	17.25	65.30	0.00	198	180	PEAK																																																											
2	12950.00	49.68	68.20	-18.52	58.28	39.45	17.25	65.30	0.00	198	180	AVERAGE																																																											
		Vertical																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12958.22</td><td>52.37</td><td>88.20</td><td>-35.83</td><td>60.95</td><td>39.44</td><td>17.26</td><td>65.28</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12958.22	52.37	88.20	-35.83	60.95	39.44	17.26	65.28	0.00	---	---	Peak													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	12958.22	52.37	88.20	-35.83	60.95	39.44	17.26	65.28	0.00	---	---	Peak																																																											





Mode	6																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-6_6.425-6.525_802.11be EHT20_CH113_Full_6515MHz																																																																																																																																	
ANT	CDD 9+11																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>60.09</td><td>88.20</td><td>-28.11</td><td>68.59</td><td>39.34</td><td>17.31</td><td>65.15</td><td>0.00</td><td>178</td><td>181</td><td>PEAK</td></tr><tr><td>2</td><td>13030.00</td><td>49.72</td><td>68.20</td><td>-18.48</td><td>58.22</td><td>39.34</td><td>17.31</td><td>65.15</td><td>0.00</td><td>178</td><td>181</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	60.09	88.20	-28.11	68.59	39.34	17.31	65.15	0.00	178	181	PEAK	2	13030.00	49.72	68.20	-18.48	58.22	39.34	17.31	65.15	0.00	178	181	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13022.22</td><td>58.44</td><td>88.20</td><td>-29.76</td><td>66.94</td><td>39.36</td><td>17.30</td><td>65.16</td><td>0.00</td><td>180</td><td>151</td><td>Peak</td></tr><tr><td>2</td><td>13022.22</td><td>47.06</td><td>68.20</td><td>-21.14</td><td>55.56</td><td>39.36</td><td>17.30</td><td>65.16</td><td>0.00</td><td>180</td><td>151</td><td>Average</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13022.22	58.44	88.20	-29.76	66.94	39.36	17.30	65.16	0.00	180	151	Peak	2	13022.22	47.06	68.20	-21.14	55.56	39.36	17.30	65.16	0.00	180	151	Average
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	13030.00	60.09	88.20	-28.11	68.59	39.34	17.31	65.15	0.00	178	181	PEAK																																																																																																																						
2	13030.00	49.72	68.20	-18.48	58.22	39.34	17.31	65.15	0.00	178	181	AVERAGE																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	13022.22	58.44	88.20	-29.76	66.94	39.36	17.30	65.16	0.00	180	151	Peak																																																																																																																						
2	13022.22	47.06	68.20	-21.14	55.56	39.36	17.30	65.16	0.00	180	151	Average																																																																																																																						





Mode	7																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_Full_6535MHz																																																																																																																													
ANT	CDD 9+11																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>61.12</td><td>88.20</td><td>-27.08</td><td>69.62</td><td>39.26</td><td>17.33</td><td>65.09</td><td>0.00</td><td>195</td><td>187 PEAK</td></tr><tr><td>2</td><td>13070.00</td><td>50.02</td><td>68.20</td><td>-18.18</td><td>58.52</td><td>39.26</td><td>17.33</td><td>65.09</td><td>0.00</td><td>195</td><td>187 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	61.12	88.20	-27.08	69.62	39.26	17.33	65.09	0.00	195	187 PEAK	2	13070.00	50.02	68.20	-18.18	58.52	39.26	17.33	65.09	0.00	195	187 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>57.70</td><td>88.20</td><td>-30.50</td><td>66.20</td><td>39.26</td><td>17.33</td><td>65.09</td><td>0.00</td><td>189</td><td>159 PEAK</td></tr><tr><td>2</td><td>13070.00</td><td>48.12</td><td>68.20</td><td>-20.08</td><td>56.61</td><td>39.27</td><td>17.33</td><td>65.09</td><td>0.00</td><td>189</td><td>159 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	57.70	88.20	-30.50	66.20	39.26	17.33	65.09	0.00	189	159 PEAK	2	13070.00	48.12	68.20	-20.08	56.61	39.27	17.33	65.09	0.00	189	159 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	13070.00	61.12	88.20	-27.08	69.62	39.26	17.33	65.09	0.00	195	187 PEAK																																																																																																																			
2	13070.00	50.02	68.20	-18.18	58.52	39.26	17.33	65.09	0.00	195	187 AVERAGE																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	13070.00	57.70	88.20	-30.50	66.20	39.26	17.33	65.09	0.00	189	159 PEAK																																																																																																																			
2	13070.00	48.12	68.20	-20.08	56.61	39.27	17.33	65.09	0.00	189	159 AVERAGE																																																																																																																			



Mode	8																																																																	
	Harmonic																																																																	
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_Full_6695MHz																																																																	
ANT	CDD 9+11																																																																	
Pol.	Horizontal																																																																	
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13390.00</td><td>60.63</td><td>74.00</td><td>-13.37</td><td>68.18</td><td>39.50</td><td>17.53</td><td>64.58</td><td>0.00</td><td>214</td><td>249 PEAK</td></tr><tr><td>2 13390.00</td><td>49.14</td><td>54.00</td><td>-4.86</td><td>56.69</td><td>39.50</td><td>17.53</td><td>64.58</td><td>0.00</td><td>214</td><td>249 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13390.00	60.63	74.00	-13.37	68.18	39.50	17.53	64.58	0.00	214	249 PEAK	2 13390.00	49.14	54.00	-4.86	56.69	39.50	17.53	64.58	0.00	214	249 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1 13390.00	60.63	74.00	-13.37	68.18	39.50	17.53	64.58	0.00	214	249 PEAK																																																								
2 13390.00	49.14	54.00	-4.86	56.69	39.50	17.53	64.58	0.00	214	249 AVERAGE																																																								
																																																																		
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13390.00</td><td>54.18</td><td>74.00</td><td>-19.82</td><td>61.73</td><td>39.50</td><td>17.53</td><td>64.58</td><td>0.00</td><td>100</td><td>121 PEAK</td></tr><tr><td>2 13390.00</td><td>44.14</td><td>54.00</td><td>-9.86</td><td>51.69</td><td>39.50</td><td>17.53</td><td>64.58</td><td>0.00</td><td>100</td><td>121 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13390.00	54.18	74.00	-19.82	61.73	39.50	17.53	64.58	0.00	100	121 PEAK	2 13390.00	44.14	54.00	-9.86	51.69	39.50	17.53	64.58	0.00	100	121 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1 13390.00	54.18	74.00	-19.82	61.73	39.50	17.53	64.58	0.00	100	121 PEAK																																																								
2 13390.00	44.14	54.00	-9.86	51.69	39.50	17.53	64.58	0.00	100	121 AVERAGE																																																								





		9																																																								
Mode		Harmonic																																																								
		U-NII-7_6.525-6.875_802.11be EHT20_CH181_Full_6855MHz																																																								
ANT		CDD 9+11																																																								
Pol.		Horizontal						Vertical																																																		
Peak Avg																																																										
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>45.50</td><td>88.20</td><td>-42.70</td><td>53.14</td><td>39.20</td><td>17.73</td><td>64.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	45.50	88.20	-42.70	53.14	39.20	17.73	64.57	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	13710.00	45.50	88.20	-42.70	53.14	39.20	17.73	64.57	0.00	---	---	PEAK																																														
																																																										
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>46.75</td><td>88.20</td><td>-41.45</td><td>54.39</td><td>39.20</td><td>17.73</td><td>64.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	46.75	88.20	-41.45	54.39	39.20	17.73	64.57	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	13710.00	46.75	88.20	-41.45	54.39	39.20	17.73	64.57	0.00	---	---	PEAK																																														







		10																																																																																																										
Mode		Harmonic																																																																																																										
		U-NII-8_6.875-7.125_802.11be EHT20_CH189_Full_6895MHz																																																																																																										
ANT		CDD 9+11																																																																																																										
Pol.		Horizontal						Vertical																																																																																																				
Peak Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>49.95</td><td>88.20</td><td>-38.25</td><td>57.60</td><td>39.20</td><td>17.78</td><td>64.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table> <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>45.77</td><td>88.20</td><td>-42.43</td><td>53.42</td><td>39.20</td><td>17.78</td><td>64.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13790.00	49.95	88.20	-38.25	57.60	39.20	17.78	64.63	0.00	---	---	PEAK		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13790.00	45.77	88.20	-42.43	53.42	39.20	17.78	64.63	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	13790.00	49.95	88.20	-38.25	57.60	39.20	17.78	64.63	0.00	---	---	PEAK																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	13790.00	45.77	88.20	-42.43	53.42	39.20	17.78	64.63	0.00	---	---	PEAK																																																																																																







		11																																																									
Mode		Harmonic																																																									
		U-NII-8_6.875-7.125_802.11be EHT20_CH209_Full_6995MHz																																																									
ANT		CDD 9+11																																																									
Pol.		Horizontal						Vertical																																																			
Peak Avg																																																											
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13990.00</td><td>45.87</td><td>88.20</td><td>-42.33</td><td>53.37</td><td>39.39</td><td>17.90</td><td>64.79</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13990.00	45.87	88.20	-42.33	53.37	39.39	17.90	64.79	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	13990.00	45.87	88.20	-42.33	53.37	39.39	17.90	64.79	0.00	---	---	PEAK																																															
																																																											
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13990.00</td><td>45.97</td><td>88.20</td><td>-42.23</td><td>53.47</td><td>39.39</td><td>17.90</td><td>64.79</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13990.00	45.97	88.20	-42.23	53.47	39.39	17.90	64.79	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	13990.00	45.97	88.20	-42.23	53.47	39.39	17.90	64.79	0.00	---	---	PEAK																																															





Mode	12																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Full_7095MHz																																																																																																			
ANT	CDD 9+11																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.32</td><td>70.08</td><td>88.20</td><td>-18.12</td><td>58.54</td><td>36.40</td><td>12.56</td><td>37.42</td><td>0.00</td><td>160</td><td>332 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.32	70.08	88.20	-18.12	58.54	36.40	12.56	37.42	0.00	160	332 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>105.60</td><td>-----</td><td>-----</td><td>94.15</td><td>36.34</td><td>12.54</td><td>37.43</td><td>0.00</td><td>160</td><td>332 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	105.60	-----	-----	94.15	36.34	12.54	37.43	0.00	160
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7125.32	70.08	88.20	-18.12	58.54	36.40	12.56	37.42	0.00	160	332 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	105.60	-----	-----	94.15	36.34	12.54	37.43	0.00	160	332 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>59.68</td><td>68.20</td><td>-8.52</td><td>48.14</td><td>36.40</td><td>12.56</td><td>37.42</td><td>0.00</td><td>160</td><td>332 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	59.68	68.20	-8.52	48.14	36.40	12.56	37.42	0.00	160	332 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>97.27</td><td>-----</td><td>-----</td><td>85.82</td><td>36.34</td><td>12.54</td><td>37.43</td><td>0.00</td><td>160</td><td>332 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	97.27	-----	-----	85.82	36.34	12.54	37.43	0.00	160
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7125.00	59.68	68.20	-8.52	48.14	36.40	12.56	37.42	0.00	160	332 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	97.27	-----	-----	85.82	36.34	12.54	37.43	0.00	160	332 AVERAGE																																																																																									







		12																																																						
Mode		Band Edge																																																						
		U-NII-8_6.875-7.125_802.11be EHT20_CH229_Full_7095MHz																																																						
ANT		CDD 9+11																																																						
Pol.		Vertical																																																						
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7131.56</td><td>70.70</td><td>88.20</td><td>-17.50</td><td>59.15</td><td>36.40</td><td>12.57</td><td>37.42</td><td>0.00</td><td>100</td><td>41 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7131.56	70.70	88.20	-17.50	59.15	36.40	12.57	37.42	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	7131.56	70.70	88.20	-17.50	59.15	36.40	12.57	37.42	0.00	100	41 PEAK																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>108.36</td><td>-----</td><td>-----</td><td>96.87</td><td>36.37</td><td>12.55</td><td>37.43</td><td>0.00</td><td>100</td><td>41 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	108.36	-----	-----	96.87	36.37	12.55	37.43	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	7095.00	108.36	-----	-----	96.87	36.37	12.55	37.43	0.00	100	41 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7128.52</td><td>59.81</td><td>68.20</td><td>-8.39</td><td>48.27</td><td>36.40</td><td>12.56</td><td>37.42</td><td>0.00</td><td>100</td><td>41 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7128.52	59.81	68.20	-8.39	48.27	36.40	12.56	37.42	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	7128.52	59.81	68.20	-8.39	48.27	36.40	12.56	37.42	0.00	100	41 AVERAGE																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>99.17</td><td>-----</td><td>-----</td><td>87.68</td><td>36.37</td><td>12.55</td><td>37.43</td><td>0.00</td><td>100</td><td>41 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	99.17	-----	-----	87.68	36.37	12.55	37.43	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	7095.00	99.17	-----	-----	87.68	36.37	12.55	37.43	0.00	100	41 AVERAGE																																													







Mode	12																																																																																																																					
	Harmonic																																																																																																																					
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Full_7095MHz																																																																																																																					
ANT	CDD 9+11																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																															
Peak Avg																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>49.66</td><td>88.20</td><td>-38.54</td><td>57.11</td><td>39.49</td><td>18.05</td><td>64.99</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	14190.00	49.66	88.20	-38.54	57.11	39.49	18.05	64.99	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>61.30</td><td>88.20</td><td>-26.90</td><td>68.75</td><td>39.49</td><td>18.05</td><td>64.99</td><td>0.00</td><td>300</td><td>160</td><td>PEAK</td></tr><tr><td>2</td><td>14190.00</td><td>50.32</td><td>68.20</td><td>-17.88</td><td>57.76</td><td>39.49</td><td>18.06</td><td>64.99</td><td>0.00</td><td>300</td><td>160</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	14190.00	61.30	88.20	-26.90	68.75	39.49	18.05	64.99	0.00	300	160	PEAK	2	14190.00	50.32	68.20	-17.88	57.76	39.49	18.06	64.99	0.00	300	160
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1	14190.00	49.66	88.20	-38.54	57.11	39.49	18.05	64.99	0.00	---	---	PEAK																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1	14190.00	61.30	88.20	-26.90	68.75	39.49	18.05	64.99	0.00	300	160	PEAK																																																																																																										
2	14190.00	50.32	68.20	-17.88	57.76	39.49	18.06	64.99	0.00	300	160	AVERAGE																																																																																																										





Mode	13																																																							
	Band Edge																																																							
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full_5965MHz																																																							
ANT	CDD 9+11																																																							
Pol.	Horizontal																																																							
Peak	Fundamental																																																							
																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.56</td><td>63.68</td><td>88.20</td><td>-24.52</td><td>54.50</td><td>35.29</td><td>11.55</td><td>37.66</td><td>0.00</td><td>107</td><td>114 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.56	63.68	88.20	-24.52	54.50	35.29	11.55	37.66	0.00	107	114 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5923.56	63.68	88.20	-24.52	54.50	35.29	11.55	37.66	0.00	107	114 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>100.87</td><td>-----</td><td>-----</td><td>99.52</td><td>35.40</td><td>11.57</td><td>37.62</td><td>0.00</td><td>107</td><td>114 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	100.87	-----	-----	99.52	35.40	11.57	37.62	0.00	107	114 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5965.00	100.87	-----	-----	99.52	35.40	11.57	37.62	0.00	107	114 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.96</td><td>53.46</td><td>68.20</td><td>-14.74</td><td>44.27</td><td>35.30</td><td>11.55</td><td>37.66</td><td>0.00</td><td>107</td><td>114 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	53.46	68.20	-14.74	44.27	35.30	11.55	37.66	0.00	107	114 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5924.96	53.46	68.20	-14.74	44.27	35.30	11.55	37.66	0.00	107	114 AVERAGE																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>100.06</td><td>-----</td><td>-----</td><td>90.54</td><td>35.54</td><td>11.58</td><td>37.60</td><td>0.00</td><td>107</td><td>114 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	100.06	-----	-----	90.54	35.54	11.58	37.60	0.00	107	114 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5965.00	100.06	-----	-----	90.54	35.54	11.58	37.60	0.00	107	114 AVERAGE																																													



		13																																																																																																													
Mode		Band Edge																																																																																																													
		U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full_5965MHz																																																																																																													
ANT		CDD 9+11																																																																																																													
Pol.		Fundamental																																																																																																													
Peak	Vertical																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.40</td><td>59.14</td><td>88.20</td><td>-29.06</td><td>49.95</td><td>35.30</td><td>11.55</td><td>37.66</td><td>0.00</td><td>307</td><td>75 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.40	59.14	88.20	-29.06	49.95	35.30	11.55	37.66	0.00	307	75 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>107.46</td><td>-----</td><td>-----</td><td>97.94</td><td>35.54</td><td>11.58</td><td>37.60</td><td>0.00</td><td>307</td><td>75 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	107.46	-----	-----	97.94	35.54	11.58	37.60	0.00	307
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5924.40	59.14	88.20	-29.06	49.95	35.30	11.55	37.66	0.00	307	75 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5965.00	107.46	-----	-----	97.94	35.54	11.58	37.60	0.00	307	75 PEAK																																																																																																				
Avg	Vertical																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.96</td><td>50.26</td><td>68.20</td><td>-17.94</td><td>41.07</td><td>35.30</td><td>11.55</td><td>37.66</td><td>0.00</td><td>307</td><td>75 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	50.26	68.20	-17.94	41.07	35.30	11.55	37.66	0.00	307	75 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>98.06</td><td>-----</td><td>-----</td><td>88.54</td><td>35.54</td><td>11.58</td><td>37.60</td><td>0.00</td><td>307</td><td>75 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	98.06	-----	-----	88.54	35.54	11.58	37.60	0.00	307
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5924.96	50.26	68.20	-17.94	41.07	35.30	11.55	37.66	0.00	307	75 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5965.00	98.06	-----	-----	88.54	35.54	11.58	37.60	0.00	307	75 AVERAGE																																																																																																				



		13																																																										
Mode		Harmonic																																																										
		U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full_5965MHz																																																										
ANT		CDD 9+11																																																										
Pol.		Horizontal						Vertical																																																				
Peak Avg																																																												
																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>44.60</td><td>74.00</td><td>-29.40</td><td>55.06</td><td>39.03</td><td>16.44</td><td>65.93</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11930.00	44.60	74.00	-29.40	55.06	39.03	16.44	65.93	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11930.00	44.60	74.00	-29.40	55.06	39.03	16.44	65.93	0.00	---	---	PEAK																																																
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>44.97</td><td>74.00</td><td>-29.03</td><td>55.43</td><td>39.03</td><td>16.44</td><td>65.93</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11930.00	44.97	74.00	-29.03	55.43	39.03	16.44	65.93	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11930.00	44.97	74.00	-29.03	55.43	39.03	16.44	65.93	0.00	---	---	PEAK																																																