





Test Graphs







DH5_Ant10_High_2480




DH5_Ant7_High_2480








DH5_Ant10_High_Hop_2480




DH5_Ant7_High_Hop_2480






2DH1_Ant10_Low_2402




2DH1_Ant7_Low_2402






2DH1_Ant10_High_2480




2DH1_Ant7_High_2480






2DH1_Ant10_Low_Hop_2402




2DH1_Ant7_Low_Hop_2402






2DH1_Ant10_High_Hop_2480




2DH1_Ant7_High_Hop_2480






3DH1_Ant10_Low_2402




3DH1_Ant7_Low_2402







3DH1_Ant10_High_2480




3DH1_Ant7_High_2480








3DH1_Ant10_High_Hop_2480



3DH1_Ant7_High_Hop_2480





Conducted Spurious Emission

Test Result


TestMode	Antenna	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant10	2402	Reference	9.49	9.49	---	PASS
			30~1000	9.49	-60.82	≤-10.51	PASS
			1000~26500	9.49	-51.05	≤-10.51	PASS
	Ant7	2402	Reference	9.78	9.78	---	PASS
			30~1000	9.78	-60.51	≤-10.22	PASS
			1000~26500	9.78	-51.43	≤-10.22	PASS
	Ant10	2441	Reference	9.48	9.48	---	PASS
			30~1000	9.48	-60.25	≤-10.52	PASS
			1000~26500	9.48	-51.36	≤-10.52	PASS
	Ant7	2441	Reference	9.44	9.44	---	PASS
			30~1000	9.44	-59.43	≤-10.56	PASS
			1000~26500	9.44	-51.77	≤-10.56	PASS
	Ant10	2480	Reference	9.56	9.56	---	PASS
			30~1000	9.56	-60.26	≤-10.44	PASS
			1000~26500	9.56	-50.74	≤-10.44	PASS
	Ant7	2480	Reference	9.35	9.35	---	PASS
			30~1000	9.35	-60.84	≤-10.65	PASS
			1000~26500	9.35	-51.71	≤-10.65	PASS
2DH1	Ant10	2402	Reference	7.06	7.06	---	PASS
			30~1000	7.06	-60.06	≤-12.94	PASS
			1000~26500	7.06	-51.84	≤-12.94	PASS
	Ant7	2402	Reference	6.50	6.50	---	PASS
			30~1000	6.50	-60.63	≤-13.5	PASS
			1000~26500	6.50	-51.58	≤-13.5	PASS
	Ant10	2441	Reference	7.27	7.27	---	PASS
			30~1000	7.27	-60.55	≤-12.73	PASS
			1000~26500	7.27	-52.07	≤-12.73	PASS
	Ant7	2441	Reference	8.15	8.15	---	PASS
			30~1000	8.15	-60.15	≤-11.85	PASS
			1000~26500	8.15	-51.78	≤-11.85	PASS
	Ant10	2480	Reference	7.45	7.45	---	PASS



	Ant7	2480	30~1000	7.45	-60.46	≤ -12.55	PASS
			1000~26500	7.45	-51.22	≤ -12.55	PASS
			Reference	8.06	8.06	---	PASS
			30~1000	8.06	-59.89	≤ -11.94	PASS
			1000~26500	8.06	-51.63	≤ -11.94	PASS
3DH1	Ant10	2402	Reference	7.21	7.21	---	PASS
			30~1000	7.21	-60.75	≤ -12.79	PASS
			1000~26500	7.21	-51.99	≤ -12.79	PASS
	Ant7	2402	Reference	6.59	6.59	---	PASS
			30~1000	6.59	-60.59	≤ -13.41	PASS
			1000~26500	6.59	-52.03	≤ -13.41	PASS
	Ant10	2441	Reference	7.43	7.43	---	PASS
			30~1000	7.43	-60.35	≤ -12.57	PASS
			1000~26500	7.43	-51.56	≤ -12.57	PASS
	Ant7	2441	Reference	8.25	8.25	---	PASS
			30~1000	8.25	-59.6	≤ -11.75	PASS
			1000~26500	8.25	-51.38	≤ -11.75	PASS
	Ant10	2480	Reference	7.61	7.61	---	PASS
			30~1000	7.61	-60.64	≤ -12.39	PASS
			1000~26500	7.61	-51.48	≤ -12.39	PASS
	Ant7	2480	Reference	8.21	8.21	---	PASS
			30~1000	8.21	-59.69	≤ -11.79	PASS
			1000~26500	8.21	-51.86	≤ -11.79	PASS




Test Graphs








DH5_Ant10_2402_1000~26500



DH5_Ant7_2402_0~Reference













DH5_Ant10_2441_1000~26500



DH5_Ant7_2441_0~Reference













DH5_Ant10_2480_1000~26500





DH5_Ant7_2480_0~Reference



































3DH1_Ant10_2402_0~Reference





3DH1_Ant10_2402_30~1000


























Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos	Temperature :	24.2 ~ 25.6°C
		Relative Humidity :	37 ~ 39%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-L 24+80 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.162	37.60	-27.74	65.34	26.91	0.24	10.45	QP
2	0.162	25.50	-29.84	55.34	14.81	0.24	10.45	Average
3	0.180	35.51	-28.99	64.50	24.80	0.25	10.46	QP
4	0.180	25.61	-28.89	54.50	14.90	0.25	10.46	Average
5 *	0.614	34.64	-21.36	56.00	23.90	0.37	10.37	QP
6	0.614	24.64	-21.46	46.00	13.80	0.37	10.37	Average
7	0.654	32.93	-23.07	56.00	22.20	0.38	10.35	QP
8	0.654	22.43	-23.57	46.00	11.70	0.38	10.35	Average
9	4.454	30.21	-25.79	56.00	19.59	0.41	10.21	QP
10	4.454	23.41	-22.59	46.00	12.79	0.41	10.21	Average
11	16.226	30.41	-29.59	60.00	19.20	0.92	10.29	QP
12	16.226	25.51	-24.49	50.00	14.30	0.92	10.29	Average



Test Engineer :	Amos	Temperature :	24.2 ~ 25.6°C
		Relative Humidity :	37 ~ 39%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-N 24+80 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.217	37.52	-25.40	62.92	26.81	0.25	10.46	QP
2	0.217	25.62	-27.30	52.92	14.91	0.25	10.46	Average
3	0.363	34.41	-24.24	58.65	23.60	0.32	10.49	QP
4	0.363	25.11	-23.54	48.65	14.30	0.32	10.49	Average
5	0.608	34.63	-21.37	56.00	23.90	0.36	10.37	QP
6	0.608	25.53	-20.47	46.00	14.80	0.36	10.37	Average
7	0.627	37.13	-18.87	56.00	26.40	0.37	10.36	QP
8 *	0.627	27.53	-18.47	46.00	16.80	0.37	10.36	Average
9	0.665	33.22	-22.78	56.00	22.50	0.37	10.35	QP
10	0.665	23.02	-22.98	46.00	12.30	0.37	10.35	Average
11	16.573	31.53	-28.47	60.00	20.30	0.94	10.29	QP
12	16.573	23.73	-26.27	50.00	12.50	0.94	10.29	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Jerry Xu	Relative Humidity :	41 ~ 42 %
		Temperature :	22 ~ 23 °C



Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	7	Bluetooth BR_GFSK	0	2402	1Mbps	-	-
Mode 2	2400-2483.5	7	Bluetooth BR_GFSK	39	2441	1Mbps	-	-
Mode 3	2400-2483.5	7	Bluetooth BR_GFSK	78	2480	1Mbps	-	-
Mode 4	2400-2483.5	10	Bluetooth BR_GFSK	0	2402	1Mbps	-	-
Mode 5	2400-2483.5	10	Bluetooth BR_GFSK	39	2441	1Mbps	-	-
Mode 6	2400-2483.5	10	Bluetooth BR_GFSK	78	2480	1Mbps	-	-
Mode 7	2400-2483.5	BF 7+10	Bluetooth EDR_8-DPSK	0	2402	3Mbps	-	-
Mode 8	2400-2483.5	BF 7+10	Bluetooth EDR_8-DPSK	39	2441	3Mbps	-	-
Mode 9	2400-2483.5	BF 7+10	Bluetooth EDR_8-DPSK	78	2480	3Mbps	-	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	Bluetooth BR_GFSK	0	2388.00	55.62	74.00	-18.38	V	PEAK	Pass	Band Edge
1	Bluetooth BR_GFSK	0	4804.00	40.25	74.00	-33.75	H	PEAK	Pass	Harmonic
2	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
2	Bluetooth BR_GFSK	39	7323.00	41.63	74.00	-32.37	V	PEAK	Pass	Harmonic
3	Bluetooth BR_GFSK	78	2496.87	57.14	74.00	-16.86	V	PEAK	Pass	Band Edge
3	Bluetooth BR_GFSK	78	7440.00	40.90	74.00	-33.10	H	PEAK	Pass	Harmonic
4	Bluetooth BR_GFSK	0	2371.75	55.73	74.00	-18.27	V	PEAK	Pass	Band Edge
4	Bluetooth BR_GFSK	0	4804.00	41.35	74.00	-32.65	V	PEAK	Pass	Harmonic
5	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
5	Bluetooth BR_GFSK	39	7323.00	41.39	74.00	-32.61	H	PEAK	Pass	Harmonic
6	Bluetooth BR_GFSK	78	2493.98	56.01	74.00	-17.99	H	PEAK	Pass	Band Edge
6	Bluetooth BR_GFSK	78	4960.00	43.52	74.00	-30.48	V	PEAK	Pass	Harmonic
7	Bluetooth EDR_8-DPSK	0	2357.71	55.46	74.00	-18.54	V	PEAK	Pass	Band Edge
7	Bluetooth EDR_8-DPSK	0	4804.00	39.71	74.00	-34.29	V	PEAK	Pass	Harmonic
8	Bluetooth EDR_8-DPSK	39	-	-	-	-	-	-	-	Band Edge
8	Bluetooth EDR_8-DPSK	39	7323.00	41.75	74.00	-32.25	H	PEAK	Pass	Harmonic
9	Bluetooth EDR_8-DPSK	78	2493.22	56.84	74.00	-17.16	V	PEAK	Pass	Band Edge
9	Bluetooth EDR_8-DPSK	78	4960.00	42.44	74.00	-31.56	V	PEAK	Pass	Harmonic



Mode	1																																																																																																																												
	Band Edge																																																																																																																												
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																																												
ANT	7																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2380.59</td><td>55.11</td><td>74.00</td><td>-18.89</td><td>42.63</td><td>32.22</td><td>6.69</td><td>32.43</td><td>6.00</td><td>100</td><td>286 PEAK</td></tr><tr><td>2</td><td>2380.59</td><td>30.35</td><td>54.00</td><td>-23.65</td><td>17.87</td><td>32.22</td><td>6.69</td><td>32.43</td><td>6.00</td><td>100</td><td>286 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2380.59	55.11	74.00	-18.89	42.63	32.22	6.69	32.43	6.00	100	286 PEAK	2	2380.59	30.35	54.00	-23.65	17.87	32.22	6.69	32.43	6.00	100	286 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>110.60</td><td>-----</td><td>-----</td><td>97.99</td><td>32.31</td><td>6.72</td><td>32.42</td><td>6.00</td><td>100</td><td>286 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>85.83</td><td>-----</td><td>-----</td><td>73.22</td><td>32.31</td><td>6.72</td><td>32.42</td><td>6.00</td><td>100</td><td>286 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	110.60	-----	-----	97.99	32.31	6.72	32.42	6.00	100	286 PEAK	2	2402.00	85.83	-----	-----	73.22	32.31	6.72	32.42	6.00	100	286 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2380.59	55.11	74.00	-18.89	42.63	32.22	6.69	32.43	6.00	100	286 PEAK																																																																																																																		
2	2380.59	30.35	54.00	-23.65	17.87	32.22	6.69	32.43	6.00	100	286 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2402.00	110.60	-----	-----	97.99	32.31	6.72	32.42	6.00	100	286 PEAK																																																																																																																		
2	2402.00	85.83	-----	-----	73.22	32.31	6.72	32.42	6.00	100	286 AVERAGE																																																																																																																		





Mode	1																																																																																																																												
	Band Edge																																																																																																																												
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																																												
ANT	7																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.00</td><td>55.62</td><td>74.00</td><td>-18.38</td><td>43.09</td><td>32.25</td><td>6.70</td><td>32.42</td><td>6.00</td><td>341</td><td>13 PEAK</td></tr><tr><td>2</td><td>2388.00</td><td>30.86</td><td>54.00</td><td>-23.14</td><td>18.33</td><td>32.25</td><td>6.70</td><td>32.42</td><td>6.00</td><td>341</td><td>13 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.00	55.62	74.00	-18.38	43.09	32.25	6.70	32.42	6.00	341	13 PEAK	2	2388.00	30.86	54.00	-23.14	18.33	32.25	6.70	32.42	6.00	341	13 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>104.28</td><td>-----</td><td>-----</td><td>91.67</td><td>32.31</td><td>6.72</td><td>32.42</td><td>6.00</td><td>341</td><td>13 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>79.52</td><td>-----</td><td>-----</td><td>66.91</td><td>32.31</td><td>6.72</td><td>32.42</td><td>6.00</td><td>341</td><td>13 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	104.28	-----	-----	91.67	32.31	6.72	32.42	6.00	341	13 PEAK	2	2402.00	79.52	-----	-----	66.91	32.31	6.72	32.42	6.00	341	13 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2388.00	55.62	74.00	-18.38	43.09	32.25	6.70	32.42	6.00	341	13 PEAK																																																																																																																		
2	2388.00	30.86	54.00	-23.14	18.33	32.25	6.70	32.42	6.00	341	13 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2402.00	104.28	-----	-----	91.67	32.31	6.72	32.42	6.00	341	13 PEAK																																																																																																																		
2	2402.00	79.52	-----	-----	66.91	32.31	6.72	32.42	6.00	341	13 AVERAGE																																																																																																																		





Mode	1																																																																																																					
	Harmonic																																																																																																					
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																					
ANT	7																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>40.25</td><td>74.00</td><td>-33.75</td><td>62.78</td><td>34.10</td><td>9.53</td><td>66.16</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	40.25	74.00	-33.75	62.78	34.10	9.53	66.16	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.98</td><td>74.00</td><td>-34.02</td><td>62.51</td><td>34.10</td><td>9.53</td><td>66.16</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.98	74.00	-34.02	62.51	34.10	9.53	66.16	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	4804.00	40.25	74.00	-33.75	62.78	34.10	9.53	66.16	0.00	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	4804.00	39.98	74.00	-34.02	62.51	34.10	9.53	66.16	0.00	---	PEAK																																																																																											




Mode	2																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																									
ANT	7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>38.93</td><td>74.00</td><td>-35.07</td><td>61.39</td><td>34.10</td><td>9.62</td><td>66.18</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>40.92</td><td>74.00</td><td>-33.08</td><td>60.08</td><td>35.65</td><td>11.88</td><td>66.69</td><td>0.00</td><td>--- PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4882.00	38.93	74.00	-35.07	61.39	34.10	9.62	66.18	0.00	--- PEAK	2	7323.00	40.92	74.00	-33.08	60.08	35.65	11.88	66.69	0.00	--- PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>39.65</td><td>74.00</td><td>-34.35</td><td>62.11</td><td>34.10</td><td>9.62</td><td>66.18</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>41.63</td><td>74.00</td><td>-32.37</td><td>60.79</td><td>35.65</td><td>11.88</td><td>66.69</td><td>0.00</td><td>--- PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4882.00	39.65	74.00	-34.35	62.11	34.10	9.62	66.18	0.00	--- PEAK	2	7323.00	41.63	74.00	-32.37	60.79	35.65	11.88	66.69	0.00	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	4882.00	38.93	74.00	-35.07	61.39	34.10	9.62	66.18	0.00	--- PEAK																																																																																																																
2	7323.00	40.92	74.00	-33.08	60.08	35.65	11.88	66.69	0.00	--- PEAK																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	4882.00	39.65	74.00	-34.35	62.11	34.10	9.62	66.18	0.00	--- PEAK																																																																																																																
2	7323.00	41.63	74.00	-32.37	60.79	35.65	11.88	66.69	0.00	--- PEAK																																																																																																																





Mode	3																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5 Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																													
ANT	7																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2491.92</td><td>55.78</td><td>74.00</td><td>-18.22</td><td>42.85</td><td>32.50</td><td>6.84</td><td>32.41</td><td>6.00</td><td>105</td><td>289</td><td>PEAK</td></tr><tr><td>2</td><td>2491.92</td><td>31.02</td><td>54.00</td><td>-22.98</td><td>18.09</td><td>32.50</td><td>6.84</td><td>32.41</td><td>6.00</td><td>105</td><td>289</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2491.92	55.78	74.00	-18.22	42.85	32.50	6.84	32.41	6.00	105	289	PEAK	2	2491.92	31.02	54.00	-22.98	18.09	32.50	6.84	32.41	6.00	105	289	AVERAGE	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>108.93</td><td>-----</td><td>-----</td><td>96.01</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>105</td><td>289</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>84.17</td><td>-----</td><td>-----</td><td>71.25</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>105</td><td>289</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	108.93	-----	-----	96.01	32.50	6.83	32.41	6.00	105	289	PEAK	2	2480.00	84.17	-----	-----	71.25	32.50	6.83	32.41	6.00	105	289	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2491.92	55.78	74.00	-18.22	42.85	32.50	6.84	32.41	6.00	105	289	PEAK																																																																																																																		
2	2491.92	31.02	54.00	-22.98	18.09	32.50	6.84	32.41	6.00	105	289	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2480.00	108.93	-----	-----	96.01	32.50	6.83	32.41	6.00	105	289	PEAK																																																																																																																		
2	2480.00	84.17	-----	-----	71.25	32.50	6.83	32.41	6.00	105	289	AVERAGE																																																																																																																		





Mode	3																																																																			
	Band Edge																																																																			
	2400-2483.5 Bluetooth BR_GFSK_CH78_2480MHz																																																																			
ANT	7																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2496.87</td><td>57.14</td><td>74.00</td><td>-16.86</td><td>44.20</td><td>32.50</td><td>6.85</td><td>32.41</td><td>6.00</td><td>248</td><td>0 PEAK</td></tr><tr><td>2</td><td>2496.87</td><td>32.38</td><td>54.00</td><td>-21.62</td><td>19.44</td><td>32.50</td><td>6.85</td><td>32.41</td><td>6.00</td><td>248</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2496.87	57.14	74.00	-16.86	44.20	32.50	6.85	32.41	6.00	248	0 PEAK	2	2496.87	32.38	54.00	-21.62	19.44	32.50	6.85	32.41	6.00	248	0 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2496.87	57.14	74.00	-16.86	44.20	32.50	6.85	32.41	6.00	248	0 PEAK																																																									
2	2496.87	32.38	54.00	-21.62	19.44	32.50	6.85	32.41	6.00	248	0 AVERAGE																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>101.59</td><td>-----</td><td>-----</td><td>88.67</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>248</td><td>0 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>76.83</td><td>-----</td><td>-----</td><td>63.91</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>248</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	101.59	-----	-----	88.67	32.50	6.83	32.41	6.00	248	0 PEAK	2	2480.00	76.83	-----	-----	63.91	32.50	6.83	32.41	6.00	248	0 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2480.00	101.59	-----	-----	88.67	32.50	6.83	32.41	6.00	248	0 PEAK																																																									
2	2480.00	76.83	-----	-----	63.91	32.50	6.83	32.41	6.00	248	0 AVERAGE																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>101.59</td><td>-----</td><td>-----</td><td>88.67</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>248</td><td>0 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>76.83</td><td>-----</td><td>-----</td><td>63.91</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>248</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	101.59	-----	-----	88.67	32.50	6.83	32.41	6.00	248	0 PEAK	2	2480.00	76.83	-----	-----	63.91	32.50	6.83	32.41	6.00	248	0 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2480.00	101.59	-----	-----	88.67	32.50	6.83	32.41	6.00	248	0 PEAK																																																									
2	2480.00	76.83	-----	-----	63.91	32.50	6.83	32.41	6.00	248	0 AVERAGE																																																									





Mode	3																																																																																																																																	
	Harmonic																																																																																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																	
ANT	7																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>38.93</td><td>74.00</td><td>-35.07</td><td>61.38</td><td>34.04</td><td>9.70</td><td>66.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>40.90</td><td>74.00</td><td>-33.10</td><td>59.86</td><td>35.78</td><td>11.96</td><td>66.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	38.93	74.00	-35.07	61.38	34.04	9.70	66.19	0.00	---	---	PEAK	2	7440.00	40.90	74.00	-33.10	59.86	35.78	11.96	66.70	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.18</td><td>74.00</td><td>-34.82</td><td>61.63</td><td>34.04</td><td>9.70</td><td>66.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>40.82</td><td>74.00</td><td>-33.18</td><td>59.78</td><td>35.78</td><td>11.96</td><td>66.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	39.18	74.00	-34.82	61.63	34.04	9.70	66.19	0.00	---	---	PEAK	2	7440.00	40.82	74.00	-33.18	59.78	35.78	11.96	66.70	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	4960.00	38.93	74.00	-35.07	61.38	34.04	9.70	66.19	0.00	---	---	PEAK																																																																																																																						
2	7440.00	40.90	74.00	-33.10	59.86	35.78	11.96	66.70	0.00	---	---	PEAK																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	4960.00	39.18	74.00	-34.82	61.63	34.04	9.70	66.19	0.00	---	---	PEAK																																																																																																																						
2	7440.00	40.82	74.00	-33.18	59.78	35.78	11.96	66.70	0.00	---	---	PEAK																																																																																																																						





Mode	4																																																																																																																												
	Band Edge																																																																																																																												
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																																												
ANT	10																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2336.13</td><td>55.38</td><td>74.00</td><td>-18.62</td><td>43.27</td><td>31.93</td><td>6.63</td><td>32.45</td><td>6.00</td><td>145</td><td>110 PEAK</td></tr><tr><td>2</td><td>2336.13</td><td>30.62</td><td>54.00</td><td>-23.38</td><td>18.51</td><td>31.93</td><td>6.63</td><td>32.45</td><td>6.00</td><td>145</td><td>110 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2336.13	55.38	74.00	-18.62	43.27	31.93	6.63	32.45	6.00	145	110 PEAK	2	2336.13	30.62	54.00	-23.38	18.51	31.93	6.63	32.45	6.00	145	110 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>105.13</td><td>80.37</td><td>24.76</td><td>92.52</td><td>32.31</td><td>6.72</td><td>32.42</td><td>6.00</td><td>145</td><td>110 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>80.37</td><td>80.37</td><td>0.00</td><td>67.76</td><td>32.31</td><td>6.72</td><td>32.42</td><td>6.00</td><td>145</td><td>110 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	105.13	80.37	24.76	92.52	32.31	6.72	32.42	6.00	145	110 PEAK	2	2402.00	80.37	80.37	0.00	67.76	32.31	6.72	32.42	6.00	145	110 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2336.13	55.38	74.00	-18.62	43.27	31.93	6.63	32.45	6.00	145	110 PEAK																																																																																																																		
2	2336.13	30.62	54.00	-23.38	18.51	31.93	6.63	32.45	6.00	145	110 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2402.00	105.13	80.37	24.76	92.52	32.31	6.72	32.42	6.00	145	110 PEAK																																																																																																																		
2	2402.00	80.37	80.37	0.00	67.76	32.31	6.72	32.42	6.00	145	110 AVERAGE																																																																																																																		





Mode	4																																																																																																																								
	Band Edge																																																																																																																								
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																																								
ANT	10																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																		
Peak																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2371.75</td><td>55.73</td><td>74.00</td><td>-18.27</td><td>43.29</td><td>32.19</td><td>6.68</td><td>32.43</td><td>6.00</td><td>381</td><td>62 PEAK</td></tr><tr><td>2</td><td>2371.75</td><td>30.97</td><td>54.00</td><td>-23.03</td><td>18.53</td><td>32.19</td><td>6.68</td><td>32.43</td><td>6.00</td><td>381</td><td>62 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2371.75	55.73	74.00	-18.27	43.29	32.19	6.68	32.43	6.00	381	62 PEAK	2	2371.75	30.97	54.00	-23.03	18.53	32.19	6.68	32.43	6.00	381	62 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>103.95</td><td>-----</td><td>-----</td><td>91.34</td><td>32.31</td><td>6.72</td><td>32.42</td><td>6.00</td><td>381</td><td>62 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>79.19</td><td>-----</td><td>-----</td><td>66.58</td><td>32.31</td><td>6.72</td><td>32.42</td><td>6.00</td><td>381</td><td>62 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	103.95	-----	-----	91.34	32.31	6.72	32.42	6.00	381	62 PEAK	2	2402.00	79.19	-----	-----	66.58	32.31	6.72	32.42	6.00	381	62 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	2371.75	55.73	74.00	-18.27	43.29	32.19	6.68	32.43	6.00	381	62 PEAK																																																																																																														
2	2371.75	30.97	54.00	-23.03	18.53	32.19	6.68	32.43	6.00	381	62 AVERAGE																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	2402.00	103.95	-----	-----	91.34	32.31	6.72	32.42	6.00	381	62 PEAK																																																																																																														
2	2402.00	79.19	-----	-----	66.58	32.31	6.72	32.42	6.00	381	62 AVERAGE																																																																																																														





Mode	4																																																																																																									
	Harmonic																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																									
ANT	10																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>38.82</td><td>74.00</td><td>-35.18</td><td>61.35</td><td>34.10</td><td>9.53</td><td>66.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	38.82	74.00	-35.18	61.35	34.10	9.53	66.16	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>41.35</td><td>74.00</td><td>-32.65</td><td>63.88</td><td>34.10</td><td>9.53</td><td>66.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	41.35	74.00	-32.65	63.88	34.10	9.53	66.16	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	4804.00	38.82	74.00	-35.18	61.35	34.10	9.53	66.16	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	4804.00	41.35	74.00	-32.65	63.88	34.10	9.53	66.16	0.00	---	---	PEAK																																																																																														





Mode	5																																																																																																																																			
	Harmonic																																																																																																																																			
	2400-2483.5 Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																																			
ANT	10																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																													
Peak Avg																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>39.44</td><td>74.00</td><td>-34.56</td><td>61.90</td><td>34.10</td><td>9.62</td><td>66.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>41.39</td><td>74.00</td><td>-32.61</td><td>60.55</td><td>35.65</td><td>11.88</td><td>66.69</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4882.00	39.44	74.00	-34.56	61.90	34.10	9.62	66.18	0.00	---	---	PEAK	2	7323.00	41.39	74.00	-32.61	60.55	35.65	11.88	66.69	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>39.96</td><td>74.00</td><td>-34.04</td><td>62.42</td><td>34.10</td><td>9.62</td><td>66.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>41.31</td><td>74.00</td><td>-32.69</td><td>60.47</td><td>35.65</td><td>11.88</td><td>66.69</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4882.00	39.96	74.00	-34.04	62.42	34.10	9.62	66.18	0.00	---	---	PEAK	2	7323.00	41.31	74.00	-32.69	60.47	35.65	11.88	66.69	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	4882.00	39.44	74.00	-34.56	61.90	34.10	9.62	66.18	0.00	---	---	PEAK																																																																																																																								
2	7323.00	41.39	74.00	-32.61	60.55	35.65	11.88	66.69	0.00	---	---	PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	4882.00	39.96	74.00	-34.04	62.42	34.10	9.62	66.18	0.00	---	---	PEAK																																																																																																																								
2	7323.00	41.31	74.00	-32.69	60.47	35.65	11.88	66.69	0.00	---	---	PEAK																																																																																																																								





Mode	6																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5 Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																													
ANT	10																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2493.98</td><td>56.01</td><td>74.00</td><td>-17.99</td><td>43.07</td><td>32.50</td><td>6.85</td><td>32.41</td><td>6.00</td><td>100</td><td>148</td><td>PEAK</td></tr><tr><td>2</td><td>2493.98</td><td>31.25</td><td>54.00</td><td>-22.75</td><td>18.31</td><td>32.50</td><td>6.85</td><td>32.41</td><td>6.00</td><td>100</td><td>148</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2493.98	56.01	74.00	-17.99	43.07	32.50	6.85	32.41	6.00	100	148	PEAK	2	2493.98	31.25	54.00	-22.75	18.31	32.50	6.85	32.41	6.00	100	148	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>106.65</td><td>-----</td><td>-----</td><td>93.73</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>100</td><td>148</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>81.89</td><td>-----</td><td>-----</td><td>68.97</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>100</td><td>148</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	106.65	-----	-----	93.73	32.50	6.83	32.41	6.00	100	148	PEAK	2	2480.00	81.89	-----	-----	68.97	32.50	6.83	32.41	6.00	100	148	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2493.98	56.01	74.00	-17.99	43.07	32.50	6.85	32.41	6.00	100	148	PEAK																																																																																																																		
2	2493.98	31.25	54.00	-22.75	18.31	32.50	6.85	32.41	6.00	100	148	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2480.00	106.65	-----	-----	93.73	32.50	6.83	32.41	6.00	100	148	PEAK																																																																																																																		
2	2480.00	81.89	-----	-----	68.97	32.50	6.83	32.41	6.00	100	148	AVERAGE																																																																																																																		





Mode	6																																																																																																																											
	Band Edge																																																																																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																											
ANT	10																																																																																																																											
Pol.	Vertical					Fundamental																																																																																																																						
Peak	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2491.33</td><td>55.84</td><td>74.00</td><td>-18.16</td><td>42.91</td><td>32.50</td><td>6.84</td><td>32.41</td><td>6.00</td><td>100</td><td>69 PEAK</td></tr><tr><td>2</td><td>2491.33</td><td>31.08</td><td>54.00</td><td>-22.92</td><td>18.15</td><td>32.50</td><td>6.84</td><td>32.41</td><td>6.00</td><td>100</td><td>69 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2491.33	55.84	74.00	-18.16	42.91	32.50	6.84	32.41	6.00	100	69 PEAK	2	2491.33	31.08	54.00	-22.92	18.15	32.50	6.84	32.41	6.00	100	69 AVERAGE	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>100.05</td><td>-----</td><td>-----</td><td>87.13</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>100</td><td>69 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>75.29</td><td>-----</td><td>-----</td><td>62.37</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>100</td><td>69 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	100.05	-----	-----	87.13	32.50	6.83	32.41	6.00	100	69 PEAK	2	2480.00	75.29	-----	-----	62.37	32.50	6.83	32.41	6.00	100	69 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	2491.33	55.84	74.00	-18.16	42.91	32.50	6.84	32.41	6.00	100	69 PEAK																																																																																																																	
2	2491.33	31.08	54.00	-22.92	18.15	32.50	6.84	32.41	6.00	100	69 AVERAGE																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	2480.00	100.05	-----	-----	87.13	32.50	6.83	32.41	6.00	100	69 PEAK																																																																																																																	
2	2480.00	75.29	-----	-----	62.37	32.50	6.83	32.41	6.00	100	69 AVERAGE																																																																																																																	





Mode	6																																																																																																																																	
	Harmonic																																																																																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																	
ANT	10																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>38.95</td><td>74.00</td><td>-35.05</td><td>61.40</td><td>34.04</td><td>9.70</td><td>66.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>41.45</td><td>74.00</td><td>-32.55</td><td>60.41</td><td>35.78</td><td>11.96</td><td>66.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	38.95	74.00	-35.05	61.40	34.04	9.70	66.19	0.00	---	---	PEAK	2	7440.00	41.45	74.00	-32.55	60.41	35.78	11.96	66.70	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>43.52</td><td>74.00</td><td>-30.48</td><td>65.97</td><td>34.04</td><td>9.70</td><td>66.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.45</td><td>74.00</td><td>-31.55</td><td>61.41</td><td>35.78</td><td>11.96</td><td>66.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	43.52	74.00	-30.48	65.97	34.04	9.70	66.19	0.00	---	---	PEAK	2	7440.00	42.45	74.00	-31.55	61.41	35.78	11.96	66.70	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	4960.00	38.95	74.00	-35.05	61.40	34.04	9.70	66.19	0.00	---	---	PEAK																																																																																																																						
2	7440.00	41.45	74.00	-32.55	60.41	35.78	11.96	66.70	0.00	---	---	PEAK																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	4960.00	43.52	74.00	-30.48	65.97	34.04	9.70	66.19	0.00	---	---	PEAK																																																																																																																						
2	7440.00	42.45	74.00	-31.55	61.41	35.78	11.96	66.70	0.00	---	---	PEAK																																																																																																																						





Mode	7																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_ Bluetooth EDR _8-DPSK _CH0_ 2402MHz																																																																																																																													
ANT	BF 7+10																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2357.71</td><td>55.00</td><td>74.00</td><td>-19.00</td><td>42.67</td><td>32.13</td><td>6.64</td><td>32.44</td><td>6.00</td><td>110</td><td>122 PEAK</td></tr><tr><td>2</td><td>2357.71</td><td>30.21</td><td>54.00</td><td>-23.79</td><td>17.88</td><td>32.13</td><td>6.64</td><td>32.44</td><td>6.00</td><td>110</td><td>122 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2357.71	55.00	74.00	-19.00	42.67	32.13	6.64	32.44	6.00	110	122 PEAK	2	2357.71	30.21	54.00	-23.79	17.88	32.13	6.64	32.44	6.00	110	122 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>105.86</td><td>-----</td><td>-----</td><td>93.27</td><td>32.31</td><td>6.70</td><td>32.42</td><td>6.00</td><td>110</td><td>122 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>81.07</td><td>-----</td><td>-----</td><td>68.48</td><td>32.31</td><td>6.70</td><td>32.42</td><td>6.00</td><td>110</td><td>122 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	105.86	-----	-----	93.27	32.31	6.70	32.42	6.00	110	122 PEAK	2	2402.00	81.07	-----	-----	68.48	32.31	6.70	32.42	6.00	110	122 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2357.71	55.00	74.00	-19.00	42.67	32.13	6.64	32.44	6.00	110	122 PEAK																																																																																																																			
2	2357.71	30.21	54.00	-23.79	17.88	32.13	6.64	32.44	6.00	110	122 AVERAGE																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2402.00	105.86	-----	-----	93.27	32.31	6.70	32.42	6.00	110	122 PEAK																																																																																																																			
2	2402.00	81.07	-----	-----	68.48	32.31	6.70	32.42	6.00	110	122 AVERAGE																																																																																																																			



Mode	7																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_ Bluetooth EDR _8-DPSK _CH0_2402MHz																																																																																																																													
ANT	BF 7+10																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2357.71</td><td>55.46</td><td>74.00</td><td>-18.54</td><td>43.13</td><td>32.13</td><td>6.64</td><td>32.44</td><td>6.00</td><td>391</td><td>76 PEAK</td></tr><tr><td>2</td><td>2357.71</td><td>30.67</td><td>54.00</td><td>-23.33</td><td>18.34</td><td>32.13</td><td>6.64</td><td>32.44</td><td>6.00</td><td>391</td><td>76 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2357.71	55.46	74.00	-18.54	43.13	32.13	6.64	32.44	6.00	391	76 PEAK	2	2357.71	30.67	54.00	-23.33	18.34	32.13	6.64	32.44	6.00	391	76 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>103.21</td><td>-----</td><td>-----</td><td>90.62</td><td>32.31</td><td>6.70</td><td>32.42</td><td>6.00</td><td>391</td><td>76 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>78.42</td><td>-----</td><td>-----</td><td>65.83</td><td>32.31</td><td>6.70</td><td>32.42</td><td>6.00</td><td>391</td><td>76 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	103.21	-----	-----	90.62	32.31	6.70	32.42	6.00	391	76 PEAK	2	2402.00	78.42	-----	-----	65.83	32.31	6.70	32.42	6.00	391	76 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2357.71	55.46	74.00	-18.54	43.13	32.13	6.64	32.44	6.00	391	76 PEAK																																																																																																																			
2	2357.71	30.67	54.00	-23.33	18.34	32.13	6.64	32.44	6.00	391	76 AVERAGE																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2402.00	103.21	-----	-----	90.62	32.31	6.70	32.42	6.00	391	76 PEAK																																																																																																																			
2	2402.00	78.42	-----	-----	65.83	32.31	6.70	32.42	6.00	391	76 AVERAGE																																																																																																																			





Mode	7																																																																																																								
	Harmonic																																																																																																								
	2400-2483.5_ Bluetooth EDR _8-DPSK _CH0_2402MHz																																																																																																								
ANT	BF 7+10																																																																																																								
Pol.	Horizontal											Vertical																																																																																													
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.53</td><td>74.00</td><td>-34.47</td><td>61.97</td><td>34.10</td><td>9.62</td><td>66.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.53	74.00	-34.47	61.97	34.10	9.62	66.16	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.71</td><td>74.00</td><td>-34.29</td><td>62.15</td><td>34.10</td><td>9.62</td><td>66.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.71	74.00	-34.29	62.15	34.10	9.62	66.16	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	4804.00	39.53	74.00	-34.47	61.97	34.10	9.62	66.16	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	4804.00	39.71	74.00	-34.29	62.15	34.10	9.62	66.16	0.00	---	---	PEAK																																																																																													



Mode	8																																																																																																																								
	Harmonic																																																																																																																								
	2400-2483.5_ Bluetooth EDR _8-DPSK _CH39_2441MHz																																																																																																																								
ANT	BF 7+10																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>39.03</td><td>74.00</td><td>-34.97</td><td>61.42</td><td>34.10</td><td>9.69</td><td>66.18</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>41.75</td><td>74.00</td><td>-32.25</td><td>60.84</td><td>35.65</td><td>11.95</td><td>66.69</td><td>0.00</td><td>--- PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	39.03	74.00	-34.97	61.42	34.10	9.69	66.18	0.00	--- PEAK	2	7323.00	41.75	74.00	-32.25	60.84	35.65	11.95	66.69	0.00	--- PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>39.39</td><td>74.00</td><td>-34.61</td><td>61.78</td><td>34.10</td><td>9.69</td><td>66.18</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>40.69</td><td>74.00</td><td>-33.31</td><td>59.78</td><td>35.65</td><td>11.95</td><td>66.69</td><td>0.00</td><td>--- PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	39.39	74.00	-34.61	61.78	34.10	9.69	66.18	0.00	--- PEAK	2	7323.00	40.69	74.00	-33.31	59.78	35.65	11.95	66.69	0.00	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	4882.00	39.03	74.00	-34.97	61.42	34.10	9.69	66.18	0.00	--- PEAK																																																																																																															
2	7323.00	41.75	74.00	-32.25	60.84	35.65	11.95	66.69	0.00	--- PEAK																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	4882.00	39.39	74.00	-34.61	61.78	34.10	9.69	66.18	0.00	--- PEAK																																																																																																															
2	7323.00	40.69	74.00	-33.31	59.78	35.65	11.95	66.69	0.00	--- PEAK																																																																																																															





Mode	9																																																																																																																												
	Band Edge																																																																																																																												
	2400-2483.5_ Bluetooth EDR _8-DPSK _CH78_2480MHz																																																																																																																												
ANT	BF 7+10																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.31</td><td>55.76</td><td>74.00</td><td>-18.24</td><td>42.84</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>108</td><td>115 PEAK</td></tr><tr><td>2</td><td>2486.31</td><td>30.97</td><td>54.00</td><td>-23.03</td><td>18.05</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>108</td><td>115 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.31	55.76	74.00	-18.24	42.84	32.50	6.83	32.41	6.00	108	115 PEAK	2	2486.31	30.97	54.00	-23.03	18.05	32.50	6.83	32.41	6.00	108	115 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>106.55</td><td>-----</td><td>-----</td><td>93.64</td><td>32.50</td><td>6.82</td><td>32.41</td><td>6.00</td><td>108</td><td>115 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>81.76</td><td>-----</td><td>-----</td><td>68.85</td><td>32.50</td><td>6.82</td><td>32.41</td><td>6.00</td><td>108</td><td>115 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	106.55	-----	-----	93.64	32.50	6.82	32.41	6.00	108	115 PEAK	2	2480.00	81.76	-----	-----	68.85	32.50	6.82	32.41	6.00	108	115 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2480.31	55.76	74.00	-18.24	42.84	32.50	6.83	32.41	6.00	108	115 PEAK																																																																																																																		
2	2486.31	30.97	54.00	-23.03	18.05	32.50	6.83	32.41	6.00	108	115 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2480.00	106.55	-----	-----	93.64	32.50	6.82	32.41	6.00	108	115 PEAK																																																																																																																		
2	2480.00	81.76	-----	-----	68.85	32.50	6.82	32.41	6.00	108	115 AVERAGE																																																																																																																		



		9																																																																						
Mode	Band Edge																																																																							
	2400-2483.5_ Bluetooth EDR _8-DPSK _CH78_2480MHz																																																																							
ANT	BF 7+10																																																																							
Pol.	Vertical						Fundamental																																																																	
Peak																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>2493.22</td><td>56.84</td><td>74.00</td><td>-17.16</td><td>43.91</td><td>32.50</td><td>6.84</td><td>32.41</td><td>6.00</td><td>366</td><td>69 PEAK</td></tr><tr><td>2</td><td>2493.22</td><td>32.05</td><td>54.00</td><td>-21.95</td><td>19.12</td><td>32.50</td><td>6.84</td><td>32.41</td><td>6.00</td><td>366</td><td>69 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	2493.22	56.84	74.00	-17.16	43.91	32.50	6.84	32.41	6.00	366	69 PEAK	2	2493.22	32.05	54.00	-21.95	19.12	32.50	6.84	32.41	6.00	366	69 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																															
1	2493.22	56.84	74.00	-17.16	43.91	32.50	6.84	32.41	6.00	366	69 PEAK																																																													
2	2493.22	32.05	54.00	-21.95	19.12	32.50	6.84	32.41	6.00	366	69 AVERAGE																																																													
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>2480.00</td><td>104.72</td><td>-----</td><td>-----</td><td>91.81</td><td>32.50</td><td>6.82</td><td>32.41</td><td>6.00</td><td>366</td><td>69 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>79.93</td><td>-----</td><td>-----</td><td>67.02</td><td>32.50</td><td>6.82</td><td>32.41</td><td>6.00</td><td>366</td><td>69 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	2480.00	104.72	-----	-----	91.81	32.50	6.82	32.41	6.00	366	69 PEAK	2	2480.00	79.93	-----	-----	67.02	32.50	6.82	32.41	6.00	366	69 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																															
1	2480.00	104.72	-----	-----	91.81	32.50	6.82	32.41	6.00	366	69 PEAK																																																													
2	2480.00	79.93	-----	-----	67.02	32.50	6.82	32.41	6.00	366	69 AVERAGE																																																													





Mode	9																																																																																																																																			
	Harmonic																																																																																																																																			
	2400-2483.5_ Bluetooth EDR _8-DPSK _CH78 _2480MHz																																																																																																																																			
ANT	BF 7+10																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																													
Peak Avg																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.54</td><td>74.00</td><td>-34.46</td><td>61.93</td><td>34.04</td><td>9.76</td><td>66.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>40.93</td><td>74.00</td><td>-33.07</td><td>59.82</td><td>35.78</td><td>12.03</td><td>66.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	39.54	74.00	-34.46	61.93	34.04	9.76	66.19	0.00	---	---	PEAK	2	7440.00	40.93	74.00	-33.07	59.82	35.78	12.03	66.70	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>42.44</td><td>74.00</td><td>-31.56</td><td>64.83</td><td>34.04</td><td>9.76</td><td>66.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>41.02</td><td>74.00</td><td>-32.98</td><td>59.91</td><td>35.78</td><td>12.03</td><td>66.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	42.44	74.00	-31.56	64.83	34.04	9.76	66.19	0.00	---	---	PEAK	2	7440.00	41.02	74.00	-32.98	59.91	35.78	12.03	66.70	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	4960.00	39.54	74.00	-34.46	61.93	34.04	9.76	66.19	0.00	---	---	PEAK																																																																																																																								
2	7440.00	40.93	74.00	-33.07	59.82	35.78	12.03	66.70	0.00	---	---	PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	4960.00	42.44	74.00	-31.56	64.83	34.04	9.76	66.19	0.00	---	---	PEAK																																																																																																																								
2	7440.00	41.02	74.00	-32.98	59.91	35.78	12.03	66.70	0.00	---	---	PEAK																																																																																																																								



Mode	3	
	18G-25G	
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz	
ANT	7	
Pol.	Horizontal	Vertical
Peak Avg	Level (dBuV/m) Frequency (MHz) FCC PART 15C FCC PART 15C (AVG)	Level (dBuV/m) Frequency (MHz) FCC PART 15C FCC PART 15C (AVG)




Mode	3																																																																																																																																																																																																																							
	30M-1G																																																																																																																																																																																																																							
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																																																																																																							
ANT	7																																																																																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																																																																																	
Peak																																																																																																																																																																																																																								
	<table><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.97</td><td>20.69</td><td>40.00</td><td>-19.31</td><td>27.39</td><td>24.67</td><td>0.84</td><td>32.21</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>59.46</td><td>17.41</td><td>40.00</td><td>-22.59</td><td>36.39</td><td>11.91</td><td>1.18</td><td>32.07</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>130.76</td><td>22.64</td><td>43.50</td><td>-20.86</td><td>35.42</td><td>17.54</td><td>1.74</td><td>32.06</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>222.55</td><td>26.70</td><td>46.00</td><td>-19.30</td><td>41.08</td><td>15.32</td><td>2.27</td><td>31.97</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>302.93</td><td>20.75</td><td>46.00</td><td>-25.25</td><td>31.20</td><td>19.16</td><td>2.67</td><td>32.28</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>562.05</td><td>24.98</td><td>46.00</td><td>-21.02</td><td>27.73</td><td>25.99</td><td>3.61</td><td>32.35</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.97	20.69	40.00	-19.31	27.39	24.67	0.84	32.21	0.00	---	---	Peak	2	59.46	17.41	40.00	-22.59	36.39	11.91	1.18	32.07	0.00	---	---	Peak	3	130.76	22.64	43.50	-20.86	35.42	17.54	1.74	32.06	0.00	---	---	Peak	4	222.55	26.70	46.00	-19.30	41.08	15.32	2.27	31.97	0.00	---	---	Peak	5	302.93	20.75	46.00	-25.25	31.20	19.16	2.67	32.28	0.00	---	---	Peak	6	562.05	24.98	46.00	-21.02	27.73	25.99	3.61	32.35	0.00	---	---	Peak	<table><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>33.52</td><td>26.31</td><td>40.00</td><td>-13.69</td><td>34.51</td><td>23.12</td><td>0.88</td><td>32.20</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>43.46</td><td>26.29</td><td>40.00</td><td>-13.71</td><td>39.77</td><td>17.71</td><td>1.00</td><td>32.19</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>74.14</td><td>20.99</td><td>40.00</td><td>-19.01</td><td>38.93</td><td>12.73</td><td>1.31</td><td>31.98</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>184.84</td><td>19.98</td><td>43.50</td><td>-23.52</td><td>35.24</td><td>14.76</td><td>2.06</td><td>32.08</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>361.50</td><td>19.91</td><td>46.00</td><td>-26.09</td><td>28.46</td><td>20.56</td><td>2.90</td><td>32.01</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>632.25</td><td>25.36</td><td>46.00</td><td>-20.64</td><td>27.30</td><td>26.30</td><td>3.85</td><td>32.09</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	33.52	26.31	40.00	-13.69	34.51	23.12	0.88	32.20	0.00	---	---	Peak	2	43.46	26.29	40.00	-13.71	39.77	17.71	1.00	32.19	0.00	---	---	Peak	3	74.14	20.99	40.00	-19.01	38.93	12.73	1.31	31.98	0.00	---	---	Peak	4	184.84	19.98	43.50	-23.52	35.24	14.76	2.06	32.08	0.00	---	---	Peak	5	361.50	19.91	46.00	-26.09	28.46	20.56	2.90	32.01	0.00	---	---	Peak	6	632.25	25.36	46.00	-20.64	27.30	26.30	3.85	32.09	0.00	---	---	Peak
		Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																													
1	30.97	20.69	40.00	-19.31	27.39	24.67	0.84	32.21	0.00	---	---	Peak																																																																																																																																																																																																												
2	59.46	17.41	40.00	-22.59	36.39	11.91	1.18	32.07	0.00	---	---	Peak																																																																																																																																																																																																												
3	130.76	22.64	43.50	-20.86	35.42	17.54	1.74	32.06	0.00	---	---	Peak																																																																																																																																																																																																												
4	222.55	26.70	46.00	-19.30	41.08	15.32	2.27	31.97	0.00	---	---	Peak																																																																																																																																																																																																												
5	302.93	20.75	46.00	-25.25	31.20	19.16	2.67	32.28	0.00	---	---	Peak																																																																																																																																																																																																												
6	562.05	24.98	46.00	-21.02	27.73	25.99	3.61	32.35	0.00	---	---	Peak																																																																																																																																																																																																												
	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																													
1	33.52	26.31	40.00	-13.69	34.51	23.12	0.88	32.20	0.00	---	---	Peak																																																																																																																																																																																																												
2	43.46	26.29	40.00	-13.71	39.77	17.71	1.00	32.19	0.00	---	---	Peak																																																																																																																																																																																																												
3	74.14	20.99	40.00	-19.01	38.93	12.73	1.31	31.98	0.00	---	---	Peak																																																																																																																																																																																																												
4	184.84	19.98	43.50	-23.52	35.24	14.76	2.06	32.08	0.00	---	---	Peak																																																																																																																																																																																																												
5	361.50	19.91	46.00	-26.09	28.46	20.56	2.90	32.01	0.00	---	---	Peak																																																																																																																																																																																																												
6	632.25	25.36	46.00	-20.64	27.30	26.30	3.85	32.09	0.00	---	---	Peak																																																																																																																																																																																																												


Appendix D. Duty Cycle Plots

ANT7:

DH5 on time (One Pulse) Plot on Channel 00



DH5 on time (Count Pulses) Plot on Channel 00




Note:


1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.89 / 100 = 5.78 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.76 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.

ANT10:

DH5 on time (One Pulse) Plot on Channel 00



DH5 on time (Count Pulses) Plot on Channel 00




Note:


1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.89 / 100 = 5.78 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.76 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.

ANT7+10:

3DH5 on time (One Pulse) Plot on Channel 00



3DH5 on time (Count Pulses) Plot on Channel 00



Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. **3DH5** has the highest duty cycle worst case and is reported.