











Mode	12																																																																																																				
	Band Edge																																																																																																				
	2400-2483.5_Bluetooth-LE_GSKF_CH38_2478MHz																																																																																																				
ANT	10																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2499.58</td><td>55.88</td><td>74.00</td><td>-18.12</td><td>42.94</td><td>32.50</td><td>6.85</td><td>32.41</td><td>6.00</td><td>288</td><td>44 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2499.58	55.88	74.00	-18.12	42.94	32.50	6.85	32.41	6.00	288	44 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>97.98</td><td>-----</td><td>-----</td><td>85.06</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>288</td><td>44 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	97.98	-----	-----	85.06	32.50	6.83	32.41	6.00	288
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2499.58	55.88	74.00	-18.12	42.94	32.50	6.85	32.41	6.00	288	44 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2478.00	97.98	-----	-----	85.06	32.50	6.83	32.41	6.00	288	44 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2489.86</td><td>45.60</td><td>54.00</td><td>-8.40</td><td>32.67</td><td>32.50</td><td>6.84</td><td>32.41</td><td>6.00</td><td>288</td><td>44 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2489.86	45.60	54.00	-8.40	32.67	32.50	6.84	32.41	6.00	288	44 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>96.45</td><td>-----</td><td>-----</td><td>83.53</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>288</td><td>44 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	96.45	-----	-----	83.53	32.50	6.83	32.41	6.00	288
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2489.86	45.60	54.00	-8.40	32.67	32.50	6.84	32.41	6.00	288	44 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2478.00	96.45	-----	-----	83.53	32.50	6.83	32.41	6.00	288	44 AVERAGE																																																																																										



Mode	12																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_Bluetooth-LE_GSKF_CH38_2478MHz																																																																																																																													
ANT	10																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>39.18</td><td>74.00</td><td>-34.82</td><td>61.66</td><td>34.02</td><td>9.69</td><td>66.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7434.00</td><td>40.76</td><td>74.00</td><td>-33.24</td><td>59.73</td><td>35.77</td><td>11.96</td><td>66.70</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	39.18	74.00	-34.82	61.66	34.02	9.69	66.19	0.00	---	PEAK	2	7434.00	40.76	74.00	-33.24	59.73	35.77	11.96	66.70	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>39.69</td><td>74.00</td><td>-34.31</td><td>62.17</td><td>34.02</td><td>9.69</td><td>66.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7434.00</td><td>41.86</td><td>74.00</td><td>-32.14</td><td>60.83</td><td>35.77</td><td>11.96</td><td>66.70</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	39.69	74.00	-34.31	62.17	34.02	9.69	66.19	0.00	---	PEAK	2	7434.00	41.86	74.00	-32.14	60.83	35.77	11.96	66.70	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4956.00	39.18	74.00	-34.82	61.66	34.02	9.69	66.19	0.00	---	PEAK																																																																																																																			
2	7434.00	40.76	74.00	-33.24	59.73	35.77	11.96	66.70	0.00	---	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4956.00	39.69	74.00	-34.31	62.17	34.02	9.69	66.19	0.00	---	PEAK																																																																																																																			
2	7434.00	41.86	74.00	-32.14	60.83	35.77	11.96	66.70	0.00	---	PEAK																																																																																																																			



Mode	12	
	18G-25G	
	2400-2483.5_Bluetooth-LE_GSKF_CH38_2478MHz	
ANT	10	
Pol.	Horizontal	Vertical
Peak Avg		




Mode	12										
	30M-1G										
	2400-2483.5_Bluetooth-LE_GSKF_CH38_2478MHz										
ANT	10										
Pol.	Horizontal										
Peak											
	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	30.49	19.84	40.00	-20.16	26.31	24.91	0.83	32.21	0.00	---	Peak
2	59.46	17.91	40.00	-22.09	36.89	11.91	1.18	32.07	0.00	---	Peak
3	130.15	22.85	43.50	-20.65	35.63	17.55	1.73	32.06	0.00	---	Peak
4	226.91	25.51	46.00	-20.49	39.43	15.74	2.29	31.95	0.00	---	Peak
5	492.57	23.48	46.00	-22.52	28.50	23.71	3.39	32.12	0.00	---	Peak
6	630.31	25.21	46.00	-20.79	27.14	26.31	3.84	32.08	0.00	---	Peak
Peak											
	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	37.28	27.59	40.00	-12.41	37.69	21.17	0.93	32.20	0.00	---	Peak
2	57.28	21.46	40.00	-18.54	40.33	12.04	1.16	32.07	0.00	---	Peak
3	96.69	17.76	43.50	-25.74	32.79	15.49	1.51	32.03	0.00	---	Peak
4	185.56	19.77	43.50	-23.73	35.03	14.75	2.07	32.08	0.00	---	Peak
5	447.95	20.48	46.00	-25.52	26.76	22.00	3.23	32.31	0.00	---	Peak
6	635.40	26.50	46.00	-19.50	28.46	26.29	3.86	32.11	0.00	---	Peak

Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
7	Bluetooth –LE (500kbps)	62.82	0.392	2.551	2.7kHz
10	Bluetooth –LE (500kbps)	62.62	0.392	2.551	2.7kHz
7	Bluetooth –LE (2Mbps)	33.17	0.207	4.831	5.1kHz
10	Bluetooth –LE (2Mbps)	32.06	0.201	4.975	5.1kHz


<Ant. 7>

Bluetooth – LE (500kbps)





Bluetooth – LE (2Mbps)



<Ant. 10>

Bluetooth – LE (500kbps)





Bluetooth – LE (2Mbps)

