





11BE20MIMO_Ant17_6415




11BE20MIMO_Ant16_6415






11BE20MIMO_Ant17_6535




11BE20MIMO_Ant16_6535






11BE20MIMO_Ant17_6695




11BE20MIMO_Ant16_6695






11BE20MIMO_Ant17_6855




11BE20MIMO_Ant16_6855






11BE40MIMO_Ant17_5965




11BE40MIMO_Ant16_5965






11BE40MIMO_Ant17_6165




11BE40MIMO_Ant16_6165






11BE40MIMO_Ant17_6405




11BE40MIMO_Ant16_6405






11BE40MIMO_Ant17_6565




11BE40MIMO_Ant16_6565






11BE40MIMO_Ant17_6685




11BE40MIMO_Ant16_6685






11BE40MIMO_Ant17_6845




11BE40MIMO_Ant16_6845






11BE80MIMO_Ant17_5985




11BE80MIMO_Ant16_5985






11BE80MIMO_Ant17_6145




11BE80MIMO_Ant16_6145







11BE80MIMO_Ant17_6385




11BE80MIMO_Ant16_6385








11BE80MIMO_Ant17_6705




11BE80MIMO_Ant16_6705






11BE80MIMO_Ant17_6785




11BE80MIMO_Ant16_6785






11BE160MIMO_Ant17_6025




11BE160MIMO_Ant16_6025






11BE160MIMO_Ant17_6185




11BE160MIMO_Ant16_6185






11BE160MIMO_Ant17_6345




11BE160MIMO_Ant16_6345






11BE160MIMO_Ant17_6665



11BE160MIMO_Ant16_6665





In-Band Emissions

Test Result


TestMode	Antenna	Freq(MHz)	Result	Limit	Verdict
11BE320MIMO	Ant17	6105	See test graph	See test graph	PASS
	Ant16	6105	See test graph	See test graph	PASS
	Ant17	6265	See test graph	See test graph	PASS
	Ant16	6265	See test graph	See test graph	PASS
11A-CDD	Ant17	5955	See test graph	See test graph	PASS
	Ant16	5955	See test graph	See test graph	PASS
	Ant17	6175	See test graph	See test graph	PASS
	Ant16	6175	See test graph	See test graph	PASS
	Ant17	6415	See test graph	See test graph	PASS
	Ant16	6415	See test graph	See test graph	PASS
	Ant17	6535	See test graph	See test graph	PASS
	Ant16	6535	See test graph	See test graph	PASS
	Ant17	6695	See test graph	See test graph	PASS
	Ant16	6695	See test graph	See test graph	PASS
	Ant17	6855	See test graph	See test graph	PASS
	Ant16	6855	See test graph	See test graph	PASS
11BE20MIMO	Ant17	5955	See test graph	See test graph	PASS
	Ant16	5955	See test graph	See test graph	PASS
	Ant17	6175	See test graph	See test graph	PASS
	Ant16	6175	See test graph	See test graph	PASS
	Ant17	6415	See test graph	See test graph	PASS
	Ant16	6415	See test graph	See test graph	PASS
	Ant17	6535	See test graph	See test graph	PASS
	Ant16	6535	See test graph	See test graph	PASS
	Ant17	6695	See test graph	See test graph	PASS
	Ant16	6695	See test graph	See test graph	PASS
	Ant17	6855	See test graph	See test graph	PASS
	Ant16	6855	See test graph	See test graph	PASS
11BE40MIMO	Ant17	5965	See test graph	See test graph	PASS
	Ant16	5965	See test graph	See test graph	PASS
	Ant17	6165	See test graph	See test graph	PASS
	Ant16	6165	See test graph	See test graph	PASS
	Ant17	6405	See test graph	See test graph	PASS
	Ant16	6405	See test graph	See test graph	PASS




	Ant17	6565	See test graph	See test graph	PASS
	Ant16	6565	See test graph	See test graph	PASS
	Ant17	6685	See test graph	See test graph	PASS
	Ant16	6685	See test graph	See test graph	PASS
	Ant17	6845	See test graph	See test graph	PASS
	Ant16	6845	See test graph	See test graph	PASS
11BE80MIMO	Ant17	5985	See test graph	See test graph	PASS
	Ant16	5985	See test graph	See test graph	PASS
	Ant17	6145	See test graph	See test graph	PASS
	Ant16	6145	See test graph	See test graph	PASS
	Ant17	6385	See test graph	See test graph	PASS
	Ant16	6385	See test graph	See test graph	PASS
	Ant17	6625	See test graph	See test graph	PASS
	Ant16	6625	See test graph	See test graph	PASS
	Ant17	6705	See test graph	See test graph	PASS
	Ant16	6705	See test graph	See test graph	PASS
	Ant17	6785	See test graph	See test graph	PASS
	Ant16	6785	See test graph	See test graph	PASS
11BE160MIMO	Ant17	6025	See test graph	See test graph	PASS
	Ant16	6025	See test graph	See test graph	PASS
	Ant17	6185	See test graph	See test graph	PASS
	Ant16	6185	See test graph	See test graph	PASS
	Ant17	6345	See test graph	See test graph	PASS
	Ant16	6345	See test graph	See test graph	PASS
	Ant17	6665	See test graph	See test graph	PASS
	Ant16	6665	See test graph	See test graph	PASS




Test Graphs








11A-CDD_Ant17_5955




11A-CDD_Ant16_5955






11A-CDD_Ant17_6175




11A-CDD_Ant16_6175






11A-CDD_Ant17_6415



Date: 10.NOV.2024 06:08:31


11A-CDD_Ant16_6415




Date: 10.NOV.2024 06:09:36



11A-CDD_Ant17_6535




11A-CDD_Ant16_6535






11A-CDD_Ant17_6695




11A-CDD_Ant16_6695






11A-CDD_Ant17_6855



Date: 10.NOV.2024 06:15:38


11A-CDD_Ant16_6855



Date: 10.NOV.2024 06:16:43




11BE20MIMO_Ant17_5955



Date: 10.NOV.2024 06:18:38


11BE20MIMO_Ant16_5955



Date: 10.NOV.2024 06:19:57




11BE20MIMO_Ant17_6175



Date: 10.NOV.2024 06:26:17


11BE20MIMO_Ant16_6175



Date: 10.NOV.2024 06:27:22




11BE20MIMO_Ant17_6415



Date: 10.NOV.2024 06:37:57


11BE20MIMO_Ant16_6415



Date: 10.NOV.2024 06:39:03




11BE20MIMO_Ant17_6535



Date: 10.NOV.2024 06:41:31


11BE20MIMO_Ant16_6535



Date: 10.NOV.2024 06:42:36




11BE20MIMO_Ant17_6695



Date: 10.NOV.2024 06:46:01


11BE20MIMO_Ant16_6695



Date: 10.NOV.2024 06:47:06




11BE20MIMO_Ant17_6855



Date: 10.NOV.2024 06:49:02


11BE20MIMO_Ant16_6855



Date: 10.NOV.2024 06:50:08




11BE40MIMO_Ant17_5965



Date: 10.NOV.2024 06:52:15


11BE40MIMO_Ant16_5965



Date: 10.NOV.2024 06:53:34




11BE40MIMO_Ant17_6165



Date: 10.NOV.2024 06:56:08


11BE40MIMO_Ant16_6165



Date: 10.NOV.2024 06:57:14




11BE40MIMO_Ant17_6405



Date: 10.NOV.2024 06:58:31


11BE40MIMO_Ant16_6405



Date: 10.NOV.2024 06:59:36




11BE40MIMO_Ant17_6565



Date: 10.NOV.2024 07:01:45


11BE40MIMO_Ant16_6565



Date: 10.NOV.2024 07:02:50




11BE40MIMO_Ant17_6685



Date: 10.NOV.2024 07:12:23


11BE40MIMO_Ant16_6685



Date: 10.NOV.2024 07:13:29




11BE40MIMO_Ant17_6845



Date: 10.NOV.2024 07:15:36


11BE40MIMO_Ant16_6845



Date: 10.NOV.2024 07:16:42




11BE80MIMO_Ant17_5985



Date: 10.NOV.2024 07:18:18


11BE80MIMO_Ant16_5985



Date: 10.NOV.2024 07:19:37




11BE80MIMO_Ant17_6145



Date: 10.NOV.2024 07:20:58


11BE80MIMO_Ant16_6145



Date: 10.NOV.2024 07:22:01




11BE80MIMO_Ant17_6385



Date: 10.NOV.2024 07:23:24


11BE80MIMO_Ant16_6385



Date: 10.NOV.2024 07:24:29




11BE80MIMO_Ant17_6625



Date: 10.NOV.2024 07:25:47


11BE80MIMO_Ant16_6625



Date: 10.NOV.2024 07:26:53




11BE80MIMO_Ant17_6705



Date: 10.NOV.2024 07:28:19


11BE80MIMO_Ant16_6705



Date: 10.NOV.2024 07:29:24




11BE80MIMO_Ant17_6785





Date: 10.NOV.2024 07:30:36


11BE80MIMO_Ant16_6785




Date: 10.NOV.2024 07:31:41











<Single RU>

Maximum power spectral density


Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE20 MIMO	Ant17	5955	26Tone	RU0	5.85	-2.80	3.05	≤17.00	PASS
			52Tone	RU37	6.06	-2.80	3.26	≤17.00	PASS
			106Tone	RU53	6.52	-2.80	3.72	≤17.00	PASS
	Ant16	5955	26Tone	RU0	5.68	-2.40	3.28	≤17.00	PASS
			52Tone	RU37	5.97	-2.40	3.57	≤17.00	PASS
			106Tone	RU53	6.47	-2.40	4.07	≤17.00	PASS
	total	5955	26Tone	RU0	8.78	0.41	9.19	≤17.00	PASS
			52Tone	RU37	9.03	0.41	9.44	≤17.00	PASS
			106Tone	RU53	9.51	0.41	9.92	≤17.00	PASS
	Ant17	6535	26Tone	RU0	6.71	-1.20	5.51	≤17.00	PASS
			52Tone	RU37	6.84	-1.20	5.64	≤17.00	PASS
			106Tone	RU53	7.12	-1.20	5.92	≤17.00	PASS
	Ant16	6535	26Tone	RU0	6.15	-2.90	3.25	≤17.00	PASS
			52Tone	RU37	6.25	-2.90	3.35	≤17.00	PASS
			106Tone	RU53	6.39	-2.90	3.49	≤17.00	PASS
	total	6535	26Tone	RU0	9.45	1.00	10.45	≤17.00	PASS
			52Tone	RU37	9.57	1.00	10.57	≤17.00	PASS
			106Tone	RU53	9.78	1.00	10.78	≤17.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE20MIMO_Ant17_5955_106Tone_RU53




11BE20MIMO_Ant16_5955_26Tone_RU0






11BE20MIMO_Ant16_5955_52Tone_RU37




11BE20MIMO_Ant16_5955_106Tone_RU53






11BE20MIMO_Ant17_6535_26Tone_RU0




11BE20MIMO_Ant17_6535_52Tone_RU37






11BE20MIMO_Ant17_6535_106Tone_RU53




11BE20MIMO_Ant16_6535_26Tone_RU0






11BE20MIMO_Ant16_6535_52Tone_RU37



11BE20MIMO_Ant16_6535_106Tone_RU53






In-Band Emissions

Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result	Limit	Verdict
11BE20 MIMO	Ant17	5955	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant16	5955	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant17	6535	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant16	6535	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS




Test Graphs






11BE20MIMO_Ant17_5955_106Tone_RU53




11BE20MIMO_Ant16_5955_26Tone_RU0






11BE20MIMO_Ant16_5955_52Tone_RU37



Date: 12.NOV.2024 14:09:31


11BE20MIMO_Ant16_5955_106Tone_RU53



Date: 12.NOV.2024 14:17:00




11BE20MIMO_Ant17_6535_26Tone_RU0



Date: 12.NOV.2024 14:18:36


11BE20MIMO_Ant17_6535_52Tone_RU37




Date: 12.NOV.2024 14:20:15



11BE20MIMO_Ant17_6535_106Tone_RU53




11BE20MIMO_Ant16_6535_26Tone_RU0






11BE20MIMO_Ant16_6535_52Tone_RU37



Date: 12.NOV.2024 14:21:02

11BE20MIMO_Ant16_6535_106Tone_RU53



Date: 12.NOV.2024 14:22:55

<Small RU>

Maximum power spectral density


Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm /MHz]	Gain	EIRP [dBm /MHz]	Limit [dBm /MHz]	Verdict
11BE20 MIMO	Ant17	5955	52Tone+26Tone	RU38+RU1	4.54	-2.80	1.74	≤17.00	PASS
			106Tone+26Tone	RU53+RU4	5.89	-2.80	3.09	≤17.00	PASS
	Ant16	5955	52Tone+26Tone	RU38+RU1	4.52	-2.40	2.12	≤17.00	PASS
			106Tone+26Tone	RU53+RU4	5.96	-2.40	3.56	≤17.00	PASS
	total	5955	52Tone+26Tone	RU38+RU1	7.54	0.41	7.95	≤17.00	PASS
			106Tone+26Tone	RU53+RU4	8.94	0.41	9.35	≤17.00	PASS
	Ant17	6535	52Tone+26Tone	RU38+RU1	4.82	-1.20	3.62	≤17.00	PASS
			106Tone+26Tone	RU53+RU4	6.03	-1.20	4.83	≤17.00	PASS
	Ant16	6535	52Tone+26Tone	RU38+RU1	4.10	-2.90	1.20	≤17.00	PASS
			106Tone+26Tone	RU53+RU4	5.39	-2.90	2.49	≤17.00	PASS
	total	6535	52Tone+26Tone	RU38+RU1	7.49	1.00	8.49	≤17.00	PASS
			106Tone+26Tone	RU53+RU4	8.73	1.00	9.73	≤17.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE20MIMO_Ant16_5955_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant16_5955_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant17_6535_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant17_6535_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant16_6535_52Tone+26Tone_RU38+RU1



11BE20MIMO_Ant16_6535_106Tone+26Tone_RU53+RU4





<Large RU>

Maximum power spectral density


Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm /MHz]	Gain	EIRP [dBm /MHz]	Limit [dBm /MHz]	Verdict
11BE320 MIMO	Ant17	6105	3*996Tone	RU4	-12.24	-2.80	-15.04	≤17.00	PASS
			2*996Tone+484Tone	RU6	-11.05	-2.80	-13.85	≤17.00	PASS
			3*996Tone+484Tone	RU8	-12.66	-2.80	-15.46	≤17.00	PASS
	Ant16	6105	3*996Tone	RU4	-12.10	-2.40	-14.50	≤17.00	PASS
			2*996Tone+484Tone	RU6	-11.00	-2.40	-13.40	≤17.00	PASS
			3*996Tone+484Tone	RU8	-12.46	-2.40	-14.86	≤17.00	PASS
	total	6105	3*996Tone	RU4	-9.16	0.41	-8.75	≤17.00	PASS
			2*996Tone+484Tone	RU6	-8.01	0.41	-7.60	≤17.00	PASS
			3*996Tone+484Tone	RU8	-9.55	0.41	-9.14	≤17.00	PASS
11BE80 MIMO	Ant17	5985	484Tone+242Tone	RU4	-2.63	-2.80	-5.43	≤17.00	PASS
	Ant16	5985	484Tone+242Tone	RU4	-2.53	-2.40	-4.93	≤17.00	PASS
	total	5985	484Tone+242Tone	RU4	0.43	0.41	0.84	≤17.00	PASS
11BE160 MIMO	Ant17	6025	996Tone+484Tone	RU4	-6.69	-2.80	-9.49	≤17.00	PASS
	Ant16	6025	996Tone+484Tone	RU4	-6.24	-2.40	-8.64	≤17.00	PASS
	total	6025	996Tone+484Tone	RU4	-3.45	0.41	-3.04	≤17.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE320MIMO_Ant17_6105_3*996Tone+484Tone_RU8




11BE320MIMO_Ant16_6105_3*996Tone_RU4






11BE320MIMO_Ant16_6105_2*996Tone+484Tone_RU6




11BE320MIMO_Ant16_6105_3*996Tone+484Tone_RU8






11BE80MIMO_Ant17_5985_484Tone+242Tone_RU4



Date: 16.NOV.2024 12:11:32


11BE80MIMO_Ant16_5985_484Tone+242Tone_RU4




Date: 16.NOV.2024 12:12:07



11BE160MIMO_Ant17_6025_996Tone+484Tone_RU4



11BE160MIMO_Ant16_6025_996Tone+484Tone_RU4



<Puncturing Mode>

Maximum power spectral density


Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE320 MIMO	Ant17	6105	Puncturing 80M	RU2	-11.13	-2.80	-13.93	≤17.00	PASS
			Puncturing 80+40M	RU3	-11.20	-2.80	-14.00	≤17.00	PASS
			Puncturing 40M	RU8	-11.02	-2.80	-13.82	≤17.00	PASS
	Ant16	6105	Puncturing 80M	RU2	-10.70	-2.40	-13.10	≤17.00	PASS
			Puncturing 80+40M	RU3	-11.21	-2.40	-13.61	≤17.00	PASS
			Puncturing 40M	RU8	-11.13	-2.40	-13.53	≤17.00	PASS
	total	6105	Puncturing 80M	RU2	-7.90	0.41	-7.49	≤17.00	PASS
			Puncturing 80+40M	RU3	-8.19	0.41	-7.78	≤17.00	PASS
			Puncturing 40M	RU8	-8.06	0.41	-7.65	≤17.00	PASS
11BE80 MIMO	Ant17	5985	Puncturing 20M	RU2	-1.76	-2.80	-4.56	≤17.00	PASS
	Ant16	5985	Puncturing 20M	RU2	-1.46	-2.40	-3.86	≤17.00	PASS
	total	5985	Puncturing 20M	RU2	1.40	0.41	1.81	≤17.00	PASS
11BE160 MIMO	Ant17	6025	Puncturing 40M	RU2	-6.12	-2.80	-8.92	≤17.00	PASS
			Puncturing 20M	RU8	-6.49	-2.80	-9.29	≤17.00	PASS
	Ant16	6025	Puncturing 40M	RU2	-5.71	-2.40	-8.11	≤17.00	PASS
			Puncturing 20M	RU8	-6.19	-2.40	-8.59	≤17.00	PASS
	total	6025	Puncturing 40M	RU2	-2.90	0.41	-2.49	≤17.00	PASS
			Puncturing 20M	RU8	-3.33	0.41	-2.92	≤17.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE320MIMO_Ant17_6105_Puncturing 40M_RU8




11BE320MIMO_Ant16_6105_Puncturing 80M_RU2






11BE320MIMO_Ant16_6105_Puncturing 80+40M_RU3




11BE320MIMO_Ant16_6105_Puncturing 40M_RU8






11BE80MIMO_Ant17_5985_Puncturing 20M_RU2



Date: 16.NOV.2024 09:12:50


11BE80MIMO_Ant16_5985_Puncturing 20M_RU2




Date: 16.NOV.2024 09:13:02



11BE160MIMO_Ant17_6025_Puncturing 40M_RU2




11BE160MIMO_Ant17_6025_Puncturing 20M_RU8






11BE160MIMO_Ant16_6025_Puncturing 40M_RU2




11BE160MIMO_Ant16_6025_Puncturing 20M_RU8





Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-L 2024 LINE

IMEI : 869203070050141/869203070050158

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1 *	0.151	58.14	-7.82	65.96	47.60	0.12	10.42	QP
2	0.151	39.84	-16.12	55.96	29.30	0.12	10.42	Average
3	0.160	49.43	-16.04	65.47	38.90	0.11	10.42	QP
4	0.160	31.83	-23.64	55.47	21.30	0.11	10.42	Average
5	0.202	47.39	-16.15	63.54	36.90	0.08	10.41	QP
6	0.202	32.79	-20.75	53.54	22.30	0.08	10.41	Average
7	0.222	47.37	-15.37	62.74	36.90	0.08	10.39	QP
8	0.222	29.37	-23.37	52.74	18.90	0.08	10.39	Average
9	0.259	43.05	-18.42	61.47	32.60	0.09	10.36	QP
10	0.259	26.35	-25.12	51.47	15.90	0.09	10.36	Average
11	0.371	42.90	-15.57	58.47	32.61	0.00	10.29	QP
12	0.371	25.90	-22.57	48.47	15.61	0.00	10.29	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 2024 NEUTRAL

IMEI : 869203070050141/869203070050158

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1 *	0.161	47.24	-18.19	65.43	36.70	0.12	10.42	QP
2	0.161	32.84	-22.59	55.43	22.30	0.12	10.42	Average
3	0.216	27.48	-35.48	62.96	17.00	0.08	10.40	QP
4	0.216	28.08	-24.88	52.96	17.60	0.08	10.40	Average
5	0.296	35.83	-24.54	60.37	25.60	-0.11	10.34	QP
6	0.296	20.83	-29.54	50.37	10.60	-0.11	10.34	Average
7	0.518	33.36	-22.64	56.00	23.30	-0.15	10.21	QP
8	0.518	24.36	-21.64	46.00	14.30	-0.15	10.21	Average
9	1.645	30.09	-25.91	56.00	20.20	-0.19	10.08	QP
10	1.645	20.09	-25.91	46.00	10.20	-0.19	10.08	Average
11	3.528	30.96	-25.04	56.00	21.10	-0.21	10.07	QP
12	3.528	20.06	-25.94	46.00	10.20	-0.21	10.07	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Jerry Xu	Relative Humidity :	41~42 %
		Temperature :	22~23 °C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	CDD 16+17	802.11a	1	5955	6Mbps	Full	-
Mode 2	U-NII-5	5.925-6.425	CDD 16+17	802.11a	45	6175	6Mbps	Full	-
Mode 3	U-NII-5	5.925-6.425	CDD 16+17	802.11a	93	6415	6Mbps	Full	-
Mode 7	U-NII-7	6.525-6.875	CDD 16+17	802.11a	117	6535	6Mbps	Full	-
Mode 8	U-NII-7	6.525-6.875	CDD 16+17	802.11a	149	6695	6Mbps	Full	-
Mode 9	U-NII-7	6.525-6.875	CDD 16+17	802.11a	181	6855	6Mbps	Full	-
Mode 13	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT20	1	5955	MCS0	Full	-
Mode 14	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT20	45	6175	MCS0	Full	-
Mode 15	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT20	93	6415	MCS0	Full	-
Mode 19	U-NII-7	6.525-6.875	CDD 16+17	802.11be EHT20	117	6535	MCS0	Full	-
Mode 20	U-NII-7	6.525-6.875	CDD 16+17	802.11be EHT20	149	6695	MCS0	Full	-
Mode 21	U-NII-7	6.525-6.875	CDD 16+17	802.11be EHT20	181	6855	MCS0	Full	-
Mode 25	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT40	3	5965	MCS0	Full	-
Mode 26	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT40	43	6165	MCS0	Full	-
Mode 27	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT40	91	6405	MCS0	Full	-
Mode 30	U-NII-7	6.525-6.875	CDD 16+17	802.11be EHT40	123	6565	MCS0	Full	-
Mode 31	U-NII-7	6.525-6.875	CDD 16+17	802.11be EHT40	147	6685	MCS0	Full	-
Mode 32	U-NII-7	6.525-6.875	CDD 16+17	802.11be EHT40	179	6845	MCS0	Full	-
Mode 36	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT80	7	5985	MCS0	Full	-
Mode 37	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT80	39	6145	MCS0	Full	-
Mode 38	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT80	87	6385	MCS0	Full	-
Mode 40	U-NII-7	6.425-6.525	CDD 16+17	802.11be EHT80	135	6625	MCS0	Full	-
Mode 41	U-NII-7	6.425-6.525	CDD 16+17	802.11be EHT80	151	6705	MCS0	Full	-
Mode 42	U-NII-7	6.425-6.525	CDD 16+17	802.11be EHT80	167	6785	MCS0	Full	-
Mode 45	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT160	15	6025	MCS0	Full	-
Mode 46	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT160	47	6185	MCS0	Full	-
Mode 47	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT160	79	6345	MCS0	Full	-
Mode 48	U-NII-7	6.525-6.875	CDD 16+17	802.11be EHT160	143	6665	MCS0	Full	-
Mode 50	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT320	31	6105	MCS0	Full	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 51	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT320	63	6265	MCS0	Full	-
Mode 64	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT20	1	5955	MCS0	Single RU106/53	-
Mode 66	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT20	1	5955	MCS0	Small RU 106+26	-
Mode 68	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT80	7	5985	MCS0	Puncturing 20M ②	-
Mode 70	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT160	15	6025	MCS0	Puncturing 40M ②	-
Mode 72	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT160	15	6025	MCS0	Puncturing 20M ⑧	-
Mode 74	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT320	31	6105	MCS0	Puncturing 80M+40M ③	-
Mode 76	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT320	31	6105	MCS0	Puncturing 80M ②	-
Mode 78	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT320	31	6105	MCS0	Puncturing 40M ⑧	-
Mode 80	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT80	7	5985	MCS0	Large RU 484+242 ④	-
Mode 82	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT160	15	6025	MCS0	Large RU 996+484 ④	-
Mode 85	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT320	31	6105	MCS0	Large RU 996*3 ④	-
Mode 86	U-NII-5	5.925-6.425	CDD 16+17	802.11be EHT320	31	6105	MCS0	Large RU 996*3+484 ⑧	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5924.97	46.49	68.20	-21.71	H	AVERAGE	Pass	Band Edge
1	802.11a	1	11910.00	45.27	74.00	-28.73	H	PEAK	Pass	Harmonic
2	802.11a	45	-	-	-	-	-	-	-	Band Edge
2	802.11a	45	12350.00	45.43	74.00	-28.57	V	PEAK	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	45.36	88.20	-42.84	H	PEAK	Pass	Harmonic
7	802.11a	117	-	-	-	-	-	-	-	Band Edge
7	802.11a	117	13070.00	46.63	88.20	-41.57	H	PEAK	Pass	Harmonic
8	802.11a	149	-	-	-	-	-	-	-	Band Edge
8	802.11a	149	13390.00	46.00	74.00	-28.00	H	PEAK	Pass	Harmonic
9	802.11a	181	-	-	-	-	-	-	-	Band Edge
9	802.11a	181	13710.00	44.72	88.20	-43.48	H	PEAK	Pass	Harmonic
13	802.11be EHT20	1	5924.32	45.58	68.20	-22.62	H	AVERAGE	Pass	Band Edge
13	802.11be EHT20	1	11910.00	45.81	74.00	-28.19	H	PEAK	Pass	Harmonic
14	802.11be EHT20	45	-	-	-	-	-	-	-	Band Edge
14	802.11be EHT20	45	12350.00	45.94	74.00	-28.06	H	PEAK	Pass	Harmonic
15	802.11be EHT20	93	-	-	-	-	-	-	-	Band Edge
15	802.11be EHT20	93	12830.00	46.53	88.20	-41.67	H	PEAK	Pass	Harmonic
19	802.11be EHT20	117	-	-	-	-	-	-	-	Band Edge
19	802.11be EHT20	117	13070.00	46.76	88.20	-41.44	H	PEAK	Pass	Harmonic
20	802.11be EHT20	149	-	-	-	-	-	-	-	Band Edge
20	802.11be EHT20	149	13390.00	46.53	74.00	-27.47	H	PEAK	Pass	Harmonic
21	802.11be EHT20	181	-	-	-	-	-	-	-	Band Edge
21	802.11be EHT20	181	13710.00	45.03	88.20	-43.17	V	PEAK	Pass	Harmonic
25	802.11be EHT40	3	5924.96	46.16	68.20	-22.04	H	AVERAGE	Pass	Band Edge
25	802.11be EHT40	3	11930.00	43.89	74.00	-30.11	H	PEAK	Pass	Harmonic
26	802.11be EHT40	43	-	-	-	-	-	-	-	Band Edge
26	802.11be EHT40	43	12330.00	45.24	74.00	-28.76	H	PEAK	Pass	Harmonic
27	802.11be EHT40	91	-	-	-	-	-	-	-	Band Edge
27	802.11be EHT40	91	12810.00	44.91	88.20	-43.29	V	PEAK	Pass	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
30	802.11be EHT40	123	-	-	-	-	-	-	-	Band Edge
30	802.11be EHT40	123	13130.00	45.67	88.20	-42.53	H	PEAK	Pass	Harmonic
31	802.11be EHT40	147	-	-	-	-	-	-	-	Band Edge
31	802.11be EHT40	147	13370.00	44.90	74.00	-29.10	H	PEAK	Pass	Harmonic
32	802.11be EHT40	179	-	-	-	-	-	-	-	Band Edge
32	802.11be EHT40	179	13690.00	43.30	88.20	-44.90	H	PEAK	Pass	Harmonic
36	802.11be EHT80	7	5911.24	45.52	68.20	-22.68	H	AVERAGE	Pass	Band Edge
36	802.11be EHT80	7	11970.00	43.81	74.00	-30.19	H	PEAK	Pass	Harmonic
37	802.11be EHT80	39	-	-	-	-	-	-	-	Band Edge
37	802.11be EHT80	39	12290.00	43.79	74.00	-30.21	V	PEAK	Pass	Harmonic
38	802.11be EHT80	87	-	-	-	-	-	-	-	Band Edge
38	802.11be EHT80	87	12770.00	43.69	88.20	-44.51	V	PEAK	Pass	Harmonic
40	802.11be EHT80	135	-	-	-	-	-	-	-	Band Edge
40	802.11be EHT80	135	13250.00	43.57	74.00	-30.43	V	PEAK	Pass	Harmonic
41	802.11be EHT80	151	-	-	-	-	-	-	-	Band Edge
41	802.11be EHT80	151	13410.00	42.24	88.20	-45.96	V	PEAK	Pass	Harmonic
42	802.11be EHT80	167	-	-	-	-	-	-	-	Band Edge
42	802.11be EHT80	167	13570.00	43.02	88.20	-45.18	H	PEAK	Pass	Harmonic
45	802.11be EHT160	15	5912.00	46.47	68.20	-21.73	H	AVERAGE	Pass	Band Edge
45	802.11be EHT160	15	12050.00	43.87	74.00	-30.13	H	PEAK	Pass	Harmonic
46	802.11be EHT160	47	-	-	-	-	-	-	-	Band Edge
46	802.11be EHT160	47	12370.00	44.37	74.00	-29.63	H	PEAK	Pass	Harmonic
47	802.11be EHT160	79	-	-	-	-	-	-	-	Band Edge
47	802.11be EHT160	79	12690.00	45.04	74.00	-28.96	H	PEAK	Pass	Harmonic
48	802.11be EHT160	143	-	-	-	-	-	-	-	Band Edge
48	802.11be EHT160	143	13330.00	42.05	74.00	-31.95	H	PEAK	Pass	Harmonic
50	802.11be EHT320	31	5910.12	45.32	68.20	-22.88	H	AVERAGE	Pass	Band Edge
50	802.11be EHT320	31	12210.00	44.73	74.00	-29.27	V	PEAK	Pass	Harmonic
51	802.11be EHT320	63	-	-	-	-	-	-	-	Band Edge
51	802.11be EHT320	63	12530.00	45.15	74.00	-28.85	H	PEAK	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
64	802.11be EHT20	1	5924.45	36.50	68.20	-31.70	H	AVERAGE	Pass	Band Edge
64	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
66	802.11be EHT20	1	5924.84	37.14	68.20	-31.06	H	AVERAGE	Pass	Band Edge
66	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
68	802.11be EHT80	7	5925.00	40.47	68.20	-27.73	H	AVERAGE	Pass	Band Edge
68	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
70	802.11be EHT160	15	5925.00	42.31	68.20	-25.89	H	AVERAGE	Pass	Band Edge
70	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
72	802.11be EHT160	15	5925.00	43.17	68.20	-25.03	H	AVERAGE	Pass	Band Edge
72	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
74	802.11be EHT320	31	5912.36	39.14	68.20	-29.06	H	AVERAGE	Pass	Band Edge
74	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
76	802.11be EHT320	31	5910.12	39.95	68.20	-28.25	H	AVERAGE	Pass	Band Edge
76	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
78	802.11be EHT320	31	5909.80	39.32	68.20	-28.88	H	AVERAGE	Pass	Band Edge
78	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
80	802.11be EHT80	7	5925.00	42.31	68.20	-25.89	H	AVERAGE	Pass	Band Edge
80	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
82	802.11be EHT160	15	5924.40	42.23	68.20	-25.97	H	AVERAGE	Pass	Band Edge
82	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
85	802.11be EHT320	31	5921.96	40.49	68.20	-27.71	H	AVERAGE	Pass	Band Edge
85	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
86	802.11be EHT320	31	5908.52	39.59	68.20	-28.61	H	AVERAGE	Pass	Band Edge
86	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic



		1																																																																																																			
Mode	Band Edge																																																																																																				
	U-NII-5_5.925-6.425_802.11a_CH1_Full_5955MHz																																																																																																				
ANT	CDD 16+17																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.02</td><td>57.21</td><td>88.20</td><td>-30.99</td><td>42.24</td><td>35.04</td><td>12.09</td><td>32.16</td><td>0.00</td><td>100</td><td>9 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.02	57.21	88.20	-30.99	42.24	35.04	12.09	32.16	0.00	100	9 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>110.30</td><td>-----</td><td>-----</td><td>95.09</td><td>35.25</td><td>12.12</td><td>32.16</td><td>0.00</td><td>100</td><td>9 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	110.30	-----	-----	95.09	35.25	12.12	32.16	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5923.02	57.21	88.20	-30.99	42.24	35.04	12.09	32.16	0.00	100	9 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	110.30	-----	-----	95.09	35.25	12.12	32.16	0.00	100	9 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>46.49</td><td>68.20</td><td>-21.71</td><td>31.51</td><td>35.05</td><td>12.09</td><td>32.16</td><td>0.00</td><td>100</td><td>9 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	46.49	68.20	-21.71	31.51	35.05	12.09	32.16	0.00	100	9 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>101.95</td><td>-----</td><td>-----</td><td>86.74</td><td>35.25</td><td>12.12</td><td>32.16</td><td>0.00</td><td>100</td><td>9 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	101.95	-----	-----	86.74	35.25	12.12	32.16	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5924.97	46.49	68.20	-21.71	31.51	35.05	12.09	32.16	0.00	100	9 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	101.95	-----	-----	86.74	35.25	12.12	32.16	0.00	100	9 AVERAGE																																																																																										



		1									
Mode	Band Edge										
	U-NII-5_5.925-6.425_802.11a_CH1_Full_5955MHz										
ANT	CDD 16+17										
Pol.	Vertical										
Peak	Fundamental										
	Fundamental										
Peak	Vertical										
	Fundamental										
Avg	Vertical										
	Fundamental										


Vertical																																																											
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5911.45</td><td>56.80</td><td>88.20</td><td>-31.40</td><td>41.91</td><td>34.97</td><td>12.00</td><td>32.16</td><td>0.00</td><td>104</td><td>39 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5911.45	56.80	88.20	-31.40	41.91	34.97	12.00	32.16	0.00	104	39 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5911.45	56.80	88.20	-31.40	41.91	34.97	12.00	32.16	0.00	104	39 PEAK																																																

Fundamental																																																											
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5955.00</td><td>107.16</td><td>-----</td><td>-----</td><td>92.01</td><td>35.20</td><td>12.11</td><td>32.16</td><td>0.00</td><td>104</td><td>39 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5955.00	107.16	-----	-----	92.01	35.20	12.11	32.16	0.00	104	39 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5955.00	107.16	-----	-----	92.01	35.20	12.11	32.16	0.00	104	39 PEAK																																																



Vertical																																																											
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5923.67</td><td>45.64</td><td>68.20</td><td>-22.56</td><td>30.67</td><td>35.04</td><td>12.00</td><td>32.16</td><td>0.00</td><td>104</td><td>39 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5923.67	45.64	68.20	-22.56	30.67	35.04	12.00	32.16	0.00	104	39 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5923.67	45.64	68.20	-22.56	30.67	35.04	12.00	32.16	0.00	104	39 AVERAGE																																																

Fundamental																																																											
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5955.00</td><td>99.82</td><td>-----</td><td>-----</td><td>84.61</td><td>35.25</td><td>12.12</td><td>32.16</td><td>0.00</td><td>104</td><td>39 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5955.00	99.82	-----	-----	84.61	35.25	12.12	32.16	0.00	104	39 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5955.00	99.82	-----	-----	84.61	35.25	12.12	32.16	0.00	104	39 AVERAGE																																																





		1																																																						
Mode		Harmonic																																																						
		U-NII-5_5.925-6.425_802.11a_CH1_Full_5955MHz																																																						
ANT		CDD 16+17																																																						
Pol.		Horizontal																																																						
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.27</td><td>74.00</td><td>-28.73</td><td>56.38</td><td>38.60</td><td>16.62</td><td>66.33</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.27	74.00	-28.73	56.38	38.60	16.62	66.33	0.00	--	PEAK	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11910.00	45.27	74.00	-28.73	56.38	38.60	16.62	66.33	0.00	--	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.09</td><td>74.00</td><td>-28.91</td><td>56.20</td><td>38.60</td><td>16.62</td><td>66.33</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.09	74.00	-28.91	56.20	38.60	16.62	66.33	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11910.00	45.09	74.00	-28.91	56.20	38.60	16.62	66.33	0.00	--	PEAK																																													





Mode	2																																																																																																	
	Harmonic																																																																																																	
	U-NII-5_5.925-6.425_802.11a_CH45_Full_6175MHz																																																																																																	
ANT	CDD 16+17																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>45.26</td><td>74.00</td><td>-28.74</td><td>55.54</td><td>38.00</td><td>16.91</td><td>65.99</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	45.26	74.00	-28.74	55.54	38.00	16.91	65.99	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>45.43</td><td>74.00</td><td>-28.57</td><td>55.71</td><td>38.00</td><td>16.91</td><td>65.99</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	45.43	74.00	-28.57	55.71	38.00	16.91	65.99	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	12350.00	45.26	74.00	-28.74	55.54	38.00	16.91	65.99	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	12350.00	45.43	74.00	-28.57	55.71	38.00	16.91	65.99	0.00	--	PEAK																																																																																							



		3																																																				
Mode		Harmonic																																																				
		U-NII-5_5.925-6.425_802.11a_CH93_Full_6415MHz																																																				
ANT		CDD 16+17																																																				
Pol.		Horizontal					Vertical																																															
Peak Avg																																																						
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12830.00</td><td>45.36</td><td>88.20</td><td>-42.84</td><td>54.54</td><td>39.13</td><td>17.22</td><td>65.53</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	45.36	88.20	-42.84	54.54	39.13	17.22	65.53	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	12830.00	45.36	88.20	-42.84	54.54	39.13	17.22	65.53	0.00	--	PEAK																																											
																																																						
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12830.00</td><td>45.28</td><td>88.20</td><td>-42.92</td><td>54.46</td><td>39.13</td><td>17.22</td><td>65.53</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	45.28	88.20	-42.92	54.46	39.13	17.22	65.53	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	12830.00	45.28	88.20	-42.92	54.46	39.13	17.22	65.53	0.00	--	PEAK																																											



		7																																																					
Mode		Harmonic																																																					
		U-NII-7_6.525-6.875_802.11a_CH117_Full_6535MHz																																																					
ANT		CDD 16+17																																																					
Pol.		Horizontal																																																					
Peak Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>46.63</td><td>88.20</td><td>-41.57</td><td>55.49</td><td>39.06</td><td>17.38</td><td>65.30</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	46.63	88.20	-41.57	55.49	39.06	17.38	65.30	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	13070.00	46.63	88.20	-41.57	55.49	39.06	17.38	65.30	0.00	--	PEAK																																												
		Vertical																																																					
Peak Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>46.10</td><td>88.20</td><td>-42.10</td><td>54.96</td><td>39.06</td><td>17.38</td><td>65.30</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	46.10	88.20	-42.10	54.96	39.06	17.38	65.30	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	13070.00	46.10	88.20	-42.10	54.96	39.06	17.38	65.30	0.00	--	PEAK																																												