







		75																																																																																																								
Mode		Band Edge																																																																																																								
		U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*3+484 ⑧ 6105MHz																																																																																																								
ANT		CDD 6+17																																																																																																								
Pol.		Horizontal					Fundamental																																																																																																			
Peak	Level (dBuV/m) Date: 2025-05-24 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 5854.20</td><td>50.10</td><td>88.20</td><td>-38.10</td><td>39.27</td><td>34.84</td><td>8.87</td><td>32.88</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>100</td><td>299 PEAK</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5854.20	50.10	88.20	-38.10	39.27	34.84	8.87	32.88							cm	deg							100	299 PEAK	Level (dBuV/m) Date: 2025-05-24 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 6105.00</td><td>88.99</td><td>-----</td><td>-----</td><td>77.69</td><td>35.23</td><td>9.26</td><td>33.19</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>100</td><td>299 PEAK</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 6105.00	88.99	-----	-----	77.69	35.23	9.26	33.19							cm	deg							100	299 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																			
1 5854.20	50.10	88.20	-38.10	39.27	34.84	8.87	32.88																																																																																																			
						cm	deg																																																																																																			
						100	299 PEAK																																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																			
1 6105.00	88.99	-----	-----	77.69	35.23	9.26	33.19																																																																																																			
						cm	deg																																																																																																			
						100	299 PEAK																																																																																																			
Avg	Level (dBuV/m) Date: 2025-05-24 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 5810.59</td><td>42.60</td><td>68.20</td><td>-25.60</td><td>31.77</td><td>34.76</td><td>8.92</td><td>32.85</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>100</td><td>299 AVERAGE</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5810.59	42.60	68.20	-25.60	31.77	34.76	8.92	32.85							cm	deg							100	299 AVERAGE	Level (dBuV/m) Date: 2025-05-24 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 6105.00</td><td>82.07</td><td>-----</td><td>-----</td><td>70.86</td><td>35.20</td><td>9.16</td><td>33.15</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>100</td><td>299 AVERAGE</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 6105.00	82.07	-----	-----	70.86	35.20	9.16	33.15							cm	deg							100	299 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																			
1 5810.59	42.60	68.20	-25.60	31.77	34.76	8.92	32.85																																																																																																			
						cm	deg																																																																																																			
						100	299 AVERAGE																																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																			
1 6105.00	82.07	-----	-----	70.86	35.20	9.16	33.15																																																																																																			
						cm	deg																																																																																																			
						100	299 AVERAGE																																																																																																			



		75																																																																																						
Mode		Band Edge																																																																																						
		U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*3+484 ⑧ 6105MHz																																																																																						
ANT		CDD 6+17																																																																																						
Pol.		Vertical					Fundamental																																																																																	
Peak	 Level (dBuV/m) Date: 2025-05-24 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5769.28</td><td>50.00</td><td>88.20</td><td>-38.20</td><td>39.29</td><td>34.68</td><td>8.84</td><td>32.81</td><td>272</td><td>272 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5769.28	50.00	88.20	-38.20	39.29	34.68	8.84	32.81	272	272 PEAK	 Level (dBuV/m) Date: 2025-05-24 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>89.38</td><td>-----</td><td>-----</td><td>78.04</td><td>35.24</td><td>9.31</td><td>33.21</td><td>272</td><td>272 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	89.38	-----	-----	78.04	35.24	9.31	33.21	272	272 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																															
1	5769.28	50.00	88.20	-38.20	39.29	34.68	8.84	32.81	272	272 PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																															
1	6105.00	89.38	-----	-----	78.04	35.24	9.31	33.21	272	272 PEAK																																																																														
Avg	 Level (dBuV/m) Date: 2025-05-24 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5866.44</td><td>42.83</td><td>68.20</td><td>-25.37</td><td>32.00</td><td>34.86</td><td>8.86</td><td>32.89</td><td>272</td><td>272 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5866.44	42.83	68.20	-25.37	32.00	34.86	8.86	32.89	272	272 AVERAGE	 Level (dBuV/m) Date: 2025-05-24 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>82.28</td><td>-----</td><td>-----</td><td>71.05</td><td>35.21</td><td>9.18</td><td>33.16</td><td>272</td><td>272 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	82.28	-----	-----	71.05	35.21	9.18	33.16	272	272 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																															
1	5866.44	42.83	68.20	-25.37	32.00	34.86	8.86	32.89	272	272 AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																															
1	6105.00	82.28	-----	-----	71.05	35.21	9.18	33.16	272	272 AVERAGE																																																																														

Mode

76

Band Edge

U-NII-8_6.875-7.125_802.11be EHT320_CH191_Large RU 996*3+484 ① 6905MHz

ANT

CDD 6+17

Pol.

Horizontal

Fundamental

Peak

Level (dBuV/m)

Date: 2025-05-24

PEAK_BE(UNII_6E)

	Limit	Read	Ant	Cable	Preamp	APos	TPos		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg
1	7130.99	50.10	88.20	-38.10	39.04	36.30	8.67	33.91	240 43 PEAK
2	7255.62	50.46	74.00	-23.54	39.42	36.30	8.75	34.01	240 43 PEAK

Peak

Level (dBuV/m)

Date: 2025-05-24

PEAK_BE(UNII_6E)

	Limit	Read	Ant	Cable	Preamp	APos	TPos		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg
1	6905.00	88.46	-----	-----	77.24	36.18	8.84	33.80	240 43 PEAK

Avg

Level (dBuV/m)

Date: 2025-05-24

AVG_BE(UNII_6E)

	Limit	Read	Ant	Cable	Preamp	APos	TPos		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg
1	7126.15	43.32	68.20	-24.88	32.24	36.30	8.68	33.90	240 43 AVERAGE
2	7263.49	43.14	54.00	-10.86	32.07	36.30	8.78	34.01	240 43 AVERAGE

Avg





Level (dBuV/m)

Date: 2025-05-24



AVG_BE(UNII_6E)

	Limit	Read	Ant	Cable	Preamp	APos	TPos		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg
1	6905.00	80.30	-----	-----	69.13	36.13	8.84	33.80	240 43 AVERAGE



Mode	76																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Large RU 996*3+484 ① 6905MHz																																																																																																						
ANT	CDD 6+17																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2025-05-24  <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7127.97</td><td>50.16</td><td>88.20</td><td>-38.04</td><td>39.08</td><td>36.30</td><td>8.68</td><td>33.90</td><td>152</td><td>313</td><td>PEAK</td></tr><tr><td>2</td><td>7339.11</td><td>50.52</td><td>74.00</td><td>-23.48</td><td>39.27</td><td>36.30</td><td>9.02</td><td>34.07</td><td>152</td><td>313</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7127.97	50.16	88.20	-38.04	39.08	36.30	8.68	33.90	152	313	PEAK	2	7339.11	50.52	74.00	-23.48	39.27	36.30	9.02	34.07	152	313	PEAK	Level (dBuV/m) Date: 2025-05-24  <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>86.68</td><td>-----</td><td>-----</td><td>75.42</td><td>36.22</td><td>8.84</td><td>33.80</td><td>152</td><td>313</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	86.68	-----	-----	75.42	36.22	8.84	33.80	152	313	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7127.97	50.16	88.20	-38.04	39.08	36.30	8.68	33.90	152	313	PEAK																																																																																												
2	7339.11	50.52	74.00	-23.48	39.27	36.30	9.02	34.07	152	313	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	6905.00	86.68	-----	-----	75.42	36.22	8.84	33.80	152	313	PEAK																																																																																												
Avg	Level (dBuV/m) Date: 2025-05-24  <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7235.05</td><td>42.92</td><td>68.20</td><td>-25.28</td><td>31.92</td><td>36.30</td><td>8.69</td><td>33.99</td><td>152</td><td>313</td><td>AVERAGE</td></tr><tr><td>2</td><td>7341.53</td><td>43.39</td><td>54.00</td><td>-10.61</td><td>32.14</td><td>36.30</td><td>9.03</td><td>34.08</td><td>152</td><td>313</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7235.05	42.92	68.20	-25.28	31.92	36.30	8.69	33.99	152	313	AVERAGE	2	7341.53	43.39	54.00	-10.61	32.14	36.30	9.03	34.08	152	313	AVERAGE	Level (dBuV/m) Date: 2025-05-24  <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>78.17</td><td>-----</td><td>-----</td><td>67.01</td><td>36.12</td><td>8.84</td><td>33.80</td><td>152</td><td>313</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	78.17	-----	-----	67.01	36.12	8.84	33.80	152	313	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7235.05	42.92	68.20	-25.28	31.92	36.30	8.69	33.99	152	313	AVERAGE																																																																																												
2	7341.53	43.39	54.00	-10.61	32.14	36.30	9.03	34.08	152	313	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	6905.00	78.17	-----	-----	67.01	36.12	8.84	33.80	152	313	AVERAGE																																																																																												



Mode	77											
	LF											
	U-NII-8_6.525-6.875_802.11be EHT320_CH191_Full RU_6905MHz											
ANT	CDD 6+17											
Pol.	Horizontal						Vertical					
Peak Avg												





**<Co-location mode>****Radiated Spurious Emission Test Modes**

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 98	U-NII-8	6.875-7.125	CDD 6+17	802.11be EHT320	191	6905	MCS0	Full RU	-
	-	2400-2483.5	8	Bluetooth-LE	38	2478	2Mbps	-	-
	-	2400-2483.5	10	802.11be EHT20	11	2462	MCS0	-	-
	-	-	6	LTE B48 20M					-





Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
98	802.11be EHT20	11	2483.56	49.86	54.00	-4.14	H	Average	Pass	Band Edge
	802.11be EHT320	191	13810.00	48.48	88.20	-39.72	H	Peak	Pass	Harmonic







	98																																																																																																						
Mode	Band Edge																																																																																																						
	CO-TX																																																																																																						
ANT	CDD 6+17																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7232.52</td><td>54.51</td><td>88.20</td><td>-33.69</td><td>41.40</td><td>36.30</td><td>10.39</td><td>33.58</td><td>105</td><td>299</td><td>Peak</td></tr><tr><td>2</td><td>7250.32</td><td>52.62</td><td>74.00</td><td>-21.38</td><td>39.51</td><td>36.30</td><td>10.40</td><td>33.59</td><td>105</td><td>299</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7232.52	54.51	88.20	-33.69	41.40	36.30	10.39	33.58	105	299	Peak	2	7250.32	52.62	74.00	-21.38	39.51	36.30	10.40	33.59	105	299	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>80.60</td><td>-----</td><td>-----</td><td>67.52</td><td>36.16</td><td>10.25</td><td>33.33</td><td>105</td><td>299</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	80.60	-----	-----	67.52	36.16	10.25	33.33	105	299	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7232.52	54.51	88.20	-33.69	41.40	36.30	10.39	33.58	105	299	Peak																																																																																												
2	7250.32	52.62	74.00	-21.38	39.51	36.30	10.40	33.59	105	299	Peak																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	6905.00	80.60	-----	-----	67.52	36.16	10.25	33.33	105	299	Peak																																																																																												
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7232.36</td><td>49.01</td><td>68.20</td><td>-19.19</td><td>35.90</td><td>36.30</td><td>10.39</td><td>33.58</td><td>105</td><td>299</td><td>Average</td></tr><tr><td>2</td><td>7277.93</td><td>45.22</td><td>54.00</td><td>-8.78</td><td>32.09</td><td>36.30</td><td>10.42</td><td>33.59</td><td>105</td><td>299</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7232.36	49.01	68.20	-19.19	35.90	36.30	10.39	33.58	105	299	Average	2	7277.93	45.22	54.00	-8.78	32.09	36.30	10.42	33.59	105	299	Average	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>74.38</td><td>99.20</td><td>-24.82</td><td>61.30</td><td>36.16</td><td>10.25</td><td>33.33</td><td>105</td><td>299</td><td>Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	74.38	99.20	-24.82	61.30	36.16	10.25	33.33	105	299	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7232.36	49.01	68.20	-19.19	35.90	36.30	10.39	33.58	105	299	Average																																																																																												
2	7277.93	45.22	54.00	-8.78	32.09	36.30	10.42	33.59	105	299	Average																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	6905.00	74.38	99.20	-24.82	61.30	36.16	10.25	33.33	105	299	Average																																																																																												







	98																																																											
Mode	Band Edge																																																											
	CO-TX																																																											
ANT	CDD 6+17																																																											
Pol.	Vertical																																																											
Peak																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7184.02</td><td>53.03</td><td>88.20</td><td>-35.17</td><td>39.92</td><td>36.30</td><td>10.36</td><td>33.55</td><td>102</td><td>55 Peak</td></tr><tr><td>2</td><td>7282.36</td><td>52.63</td><td>74.00</td><td>-21.37</td><td>39.49</td><td>36.30</td><td>10.43</td><td>33.59</td><td>102</td><td>55 Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7184.02	53.03	88.20	-35.17	39.92	36.30	10.36	33.55	102	55 Peak	2	7282.36	52.63	74.00	-21.37	39.49	36.30	10.43	33.59	102
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																			
1	7184.02	53.03	88.20	-35.17	39.92	36.30	10.36	33.55	102	55 Peak																																																		
2	7282.36	52.63	74.00	-21.37	39.49	36.30	10.43	33.59	102	55 Peak																																																		
Fundamental																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>83.54</td><td>-----</td><td>-----</td><td>70.46</td><td>36.16</td><td>10.25</td><td>33.33</td><td>102</td><td>55 Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	83.54	-----	-----	70.46	36.16	10.25	33.33	102	55 Peak										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																			
1	6905.00	83.54	-----	-----	70.46	36.16	10.25	33.33	102	55 Peak																																																		
Avg																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7129.13</td><td>46.10</td><td>68.20</td><td>-22.10</td><td>32.96</td><td>36.30</td><td>10.34</td><td>33.50</td><td>102</td><td>55 Average</td></tr><tr><td>2</td><td>7269.09</td><td>45.38</td><td>54.00</td><td>-8.62</td><td>32.25</td><td>36.30</td><td>10.42</td><td>33.59</td><td>102</td><td>55 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7129.13	46.10	68.20	-22.10	32.96	36.30	10.34	33.50	102	55 Average	2	7269.09	45.38	54.00	-8.62	32.25	36.30	10.42	33.59	102
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																			
1	7129.13	46.10	68.20	-22.10	32.96	36.30	10.34	33.50	102	55 Average																																																		
2	7269.09	45.38	54.00	-8.62	32.25	36.30	10.42	33.59	102	55 Average																																																		
Avg																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>75.80</td><td>99.20</td><td>-23.40</td><td>62.72</td><td>36.16</td><td>10.25</td><td>33.33</td><td>102</td><td>55 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	75.80	99.20	-23.40	62.72	36.16	10.25	33.33	102	55 Average										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																			
1	6905.00	75.80	99.20	-23.40	62.72	36.16	10.25	33.33	102	55 Average																																																		







Mode	98																																																																																						
	Band Edge																																																																																						
	CO-TX																																																																																						
ANT	8																																																																																						
Pol.	Horizontal					Fundamental																																																																																	
Peak																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.96</td><td>51.91</td><td>74.00</td><td>-22.09</td><td>47.45</td><td>30.49</td><td>7.43</td><td>33.46</td><td>133</td><td>131 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.96	51.91	74.00	-22.09	47.45	30.49	7.43	33.46	133	131 Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>108.74</td><td>-----</td><td>-----</td><td>104.29</td><td>30.49</td><td>7.42</td><td>33.46</td><td>133</td><td>131 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2478.00	108.74	-----	-----	104.29	30.49	7.42	33.46	133
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2484.96	51.91	74.00	-22.09	47.45	30.49	7.43	33.46	133	131 Peak																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2478.00	108.74	-----	-----	104.29	30.49	7.42	33.46	133	131 Peak																																																																													
Avg																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.88</td><td>43.84</td><td>54.00</td><td>-10.16</td><td>39.38</td><td>30.49</td><td>7.43</td><td>33.46</td><td>133</td><td>131 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.88	43.84	54.00	-10.16	39.38	30.49	7.43	33.46	133	131 Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>107.53</td><td>-----</td><td>-----</td><td>103.08</td><td>30.49</td><td>7.42</td><td>33.46</td><td>133</td><td>131 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2478.00	107.53	-----	-----	103.08	30.49	7.42	33.46	133
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2483.88	43.84	54.00	-10.16	39.38	30.49	7.43	33.46	133	131 Average																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2478.00	107.53	-----	-----	103.08	30.49	7.42	33.46	133	131 Average																																																																													








Mode	98																																																		
	Band Edge																																																		
	CO-TX																																																		
ANT	8																																																		
Pol.	Vertical																																																		
Peak																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2495.64</td><td>52.33</td><td>74.00</td><td>-21.67</td><td>47.84</td><td>30.50</td><td>7.44</td><td>33.45</td><td>278</td><td>43 Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2495.64	52.33	74.00	-21.67	47.84	30.50	7.44	33.45	278	43 Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																									
1	2495.64	52.33	74.00	-21.67	47.84	30.50	7.44	33.45	278	43 Peak																																									
Fundamental																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>97.48</td><td>-----</td><td>-----</td><td>93.03</td><td>30.49</td><td>7.42</td><td>33.46</td><td>278</td><td>43 Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	97.48	-----	-----	93.03	30.49	7.42	33.46	278	43 Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																									
1	2478.00	97.48	-----	-----	93.03	30.49	7.42	33.46	278	43 Peak																																									
Avg																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2492.20</td><td>43.62</td><td>54.00</td><td>-10.38</td><td>39.13</td><td>30.50</td><td>7.44</td><td>33.45</td><td>278</td><td>43 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2492.20	43.62	54.00	-10.38	39.13	30.50	7.44	33.45	278	43 Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																									
1	2492.20	43.62	54.00	-10.38	39.13	30.50	7.44	33.45	278	43 Average																																									
Avg																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>95.93</td><td>-----</td><td>-----</td><td>91.48</td><td>30.49</td><td>7.42</td><td>33.46</td><td>278</td><td>43 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	95.93	-----	-----	91.48	30.49	7.42	33.46	278	43 Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																									
1	2478.00	95.93	-----	-----	91.48	30.49	7.42	33.46	278	43 Average																																									



Mode	98																																																		
	Band Edge																																																		
	CO-TX																																																		
ANT	10																																																		
Pol.	Horizontal																																																		
Peak																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.00</td><td>58.54</td><td>74.00</td><td>-15.46</td><td>54.08</td><td>30.49</td><td>7.43</td><td>33.46</td><td>264</td><td>18</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.00	58.54	74.00	-15.46	54.08	30.49	7.43	33.46	264	18	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	2484.00	58.54	74.00	-15.46	54.08	30.49	7.43	33.46	264	18	Peak																																								
Fundamental																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>109.97</td><td>-----</td><td>-----</td><td>105.56</td><td>30.48</td><td>7.40</td><td>33.47</td><td>264</td><td>18</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	109.97	-----	-----	105.56	30.48	7.40	33.47	264	18	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	2462.00	109.97	-----	-----	105.56	30.48	7.40	33.47	264	18	Peak																																								
Avg																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>49.86</td><td>54.00</td><td>-4.14</td><td>45.40</td><td>30.49</td><td>7.43</td><td>33.46</td><td>264</td><td>18</td><td>Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.56	49.86	54.00	-4.14	45.40	30.49	7.43	33.46	264	18	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	2483.56	49.86	54.00	-4.14	45.40	30.49	7.43	33.46	264	18	Average																																								
Fundamental																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>100.25</td><td>-----</td><td>-----</td><td>95.84</td><td>30.48</td><td>7.40</td><td>33.47</td><td>264</td><td>18</td><td>Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	100.25	-----	-----	95.84	30.48	7.40	33.47	264	18	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	2462.00	100.25	-----	-----	95.84	30.48	7.40	33.47	264	18	Average																																								



Mode	98																																																																																									
	Band Edge																																																																																									
	CO-TX																																																																																									
ANT	10																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.96</td><td>54.67</td><td>74.00</td><td>-19.33</td><td>50.21</td><td>30.49</td><td>7.43</td><td>33.46</td><td>347</td><td>238</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.96	54.67	74.00	-19.33	50.21	30.49	7.43	33.46	347	238	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>105.36</td><td>-----</td><td>-----</td><td>100.95</td><td>30.48</td><td>7.40</td><td>33.47</td><td>347</td><td>238</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	105.36	-----	-----	100.95	30.48	7.40	33.47	347	238
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2483.96	54.67	74.00	-19.33	50.21	30.49	7.43	33.46	347	238	Peak																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2462.00	105.36	-----	-----	100.95	30.48	7.40	33.47	347	238	Peak																																																																															
Avg																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>43.40</td><td>54.00</td><td>-10.60</td><td>38.94</td><td>30.49</td><td>7.43</td><td>33.46</td><td>347</td><td>238</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.56	43.40	54.00	-10.60	38.94	30.49	7.43	33.46	347	238	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>95.34</td><td>-----</td><td>-----</td><td>90.93</td><td>30.48</td><td>7.40</td><td>33.47</td><td>347</td><td>238</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	95.34	-----	-----	90.93	30.48	7.40	33.47	347	238
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2483.56	43.40	54.00	-10.60	38.94	30.49	7.43	33.46	347	238	Average																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2462.00	95.34	-----	-----	90.93	30.48	7.40	33.47	347	238	Average																																																																															




Note: For co-location test plots, the frequency points over limit line are fundamental signals, which can be ignored.


Appendix D. Duty Cycle Plots

Band	ANT	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11be EHT20 Full RU/ Single RU	6/17	95.33	1.020	0.980	1KHz
802.11be EHT20 Small RU 52+26/ 37+2	6/17	98.53	-	-	10Hz
802.11be EHT20 Small RU 106+26/ 54+4	6/17	97.50	1.950	0.513	1KHz
802.11be EHT40 Full RU	6/17	91.53	0.540	1.852	3KHz
802.11be EHT80 Full RU	6/17	85.71	0.300	3.333	10KHz
802.11be EHT80 Puncturing 20M ④	6/17	88.64	0.390	2.564	3KHz
802.11be EHT80 Puncturing 20M ①	6/17	88.64	0.390	2.564	3KHz
802.11be EHT80 Large RU 484+242 ④	6/17	88.89	0.400	2.500	3KHz
802.11be EHT80 Large RU 484+242 ①	6/17	88.89	0.400	2.500	3KHz
802.11be EHT160 Full RU	6/17	91.38	0.530	1.887	3KHz
802.11be EHT160 Puncturing 40M ④	6/17	93.24	0.690	1.449	3KHz
802.11be EHT160 Puncturing 40M ①	6/17	93.24	0.690	1.449	3KHz
802.11be EHT160 Puncturing 20M ⑧	6/17	92.31	0.600	1.667	3KHz
802.11be EHT160 Puncturing 20M ①	6/17	92.42	0.610	1.639	3KHz
802.11be EHT160 Large RU 996+484 ④	6/17	93.42	0.710	1.408	3KHz
802.11be EHT160 Large RU 996+484 ①	6/17	93.42	0.710	1.408	3KHz
802.11be EHT320 Full RU	6/17	85.71	0.300	3.333	10KHz
802.11be EHT320 Puncturing 80M+40M ⑥	6/17	89.80	0.440	2.273	3KHz
802.11be EHT320 Puncturing 80M+40M ⑦	6/17	89.80	0.440	2.273	3KHz
802.11be EHT320 Puncturing 80M ④	6/17	88.10	0.370	2.703	3KHz
802.11be EHT320 Puncturing 80M ①	6/17	88.37	0.380	2.632	3KHz
802.11be EHT320 Puncturing 40M ⑧	6/17	86.84	0.330	3.030	10KHz


802.11be EHT320 Puncturing 40M ①	6/17	86.84	0.330	3.030	10KHz
802.11be EHT320 Large RU 996*2+484 ⑥	6/17	90.00	0.450	2.222	3KHz
802.11be EHT320 Large RU 996*2+484 ⑦	6/17	90.00	0.450	2.222	3KHz
802.11be EHT320 Large RU 996*3 ④	6/17	88.64	0.390	2.564	3KHz
802.11be EHT320 Large RU 996*3 ①	6/17	86.36	0.380	2.632	3KHz
802.11be EHT320 Large RU 996*3+484 ⑧	6/17	87.18	0.340	2.941	3KHz
802.11be EHT320 Large RU 996*3+484 ①	6/17	87.18	0.340	2.941	3KHz

802.11be EHT20 Full RU/ Single RU


802.11be EHT20 Small RU 52+26/ 37+2




802.11be EHT20 Small RU 106+26/ 54+4







802.11be EHT40 Full RU




802.11be EHT80 Full RU




802.11be EHT80 Puncturing 20M ④




802.11be EHT80 Puncturing 20M ①




802.11be EHT80 Large RU 484+242 ④




802.11be EHT80 Large RU 484+242 ①




802.11be EHT160 Full RU




802.11be EHT160 Puncturing 40M ④



802.11be EHT160 Puncturing 40M ①




802.11be EHT160 Puncturing 20M ⑧







802.11be EHT160 Puncturing 20M ①




802.11be EHT160 Large RU 996+484 ④



802.11be EHT160 Large RU 996+484 ①




802.11be EHT320 Full RU






802.11be EHT320 Puncturing 80M+40M ⑥




802.11be EHT320 Puncturing 80M+40M ⑦






802.11be EHT320 Puncturing 80M ④




802.11be EHT320 Puncturing 80M ①







802.11be EHT320 Puncturing 40M ⑧




802.11be EHT320 Puncturing 40M ①



802.11be EHT320 Large RU 996*2+484 ⑥




802.11be EHT320 Large RU 996*2+484 ⑦






802.11be EHT320 Large RU 996*3 ④




802.11be EHT320 Large RU 996*3 ①





802.11be EHT320 Large RU 996*3+484 ③



802.11be EHT320 Large RU 996*3+484 ①

