




Appendix B. AC Conducted Emission Test Results

Test Engineer :	Nathon&Xuruibin	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : C002-SZ
Condition : FCC 15E_QP LISN_2025-L LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.16	35.36	-19.94	55.30	15.50	9.67	10.19	Average
2	0.16	44.66	-20.64	65.30	24.80	9.67	10.19	QP
3	0.22	30.90	-22.02	52.92	11.00	9.71	10.19	Average
4	0.22	42.10	-20.82	62.92	22.20	9.71	10.19	QP
5	0.28	28.25	-22.51	50.76	8.30	9.75	10.20	Average
6	0.28	37.65	-23.11	60.76	17.70	9.75	10.20	QP
7	0.32	26.76	-22.86	49.62	6.81	9.74	10.21	Average
8	0.32	37.66	-21.96	59.62	17.71	9.74	10.21	QP
9	0.54	27.61	-18.39	46.00	7.70	9.67	10.24	Average
10	0.54	37.51	-18.49	56.00	17.60	9.67	10.24	QP
11	0.57	31.20	-14.80	46.00	11.29	9.67	10.24	Average
12 *	0.57	40.00	-16.00	56.00	20.09	9.67	10.24	QP



Test Engineer :	Nathon&Xuruibin	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO02-SZ
Condition : FCC 15E_QP LISN_2025-N NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.15	37.79	-17.95	55.74	18.00	9.60	10.19	Average
2	0.15	46.99	-18.75	65.74	27.20	9.60	10.19	QP
3	0.21	33.58	-19.69	53.27	13.60	9.80	10.18	Average
4	0.21	43.18	-20.09	63.27	23.20	9.80	10.18	QP
5	0.23	29.63	-22.76	52.39	9.80	9.64	10.19	Average
6	0.23	41.33	-21.06	62.39	21.50	9.64	10.19	QP
7	0.32	26.84	-22.78	49.62	6.90	9.73	10.21	Average
8	0.32	36.14	-23.48	59.62	16.20	9.73	10.21	QP
9	0.50	29.61	-16.44	46.05	9.30	10.07	10.24	Average
10	0.50	37.31	-18.74	56.05	17.00	10.07	10.24	QP
11	0.58	28.97	-17.03	46.00	9.10	9.63	10.24	Average
12 *	0.58	39.67	-16.33	56.00	19.80	9.63	10.24	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Wenbo Xiao	Relative Humidity :	50%
		Temperature :	20°C~22°C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT20	1	5955	MCS0	Full RU	-
Mode 2	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT20	45	6175	MCS0	Full RU	-
Mode 3	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT20	93	6415	MCS0	Full RU	-
Mode 7	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT20	117	6535	MCS0	Full RU	-
Mode 8	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT20	149	6695	MCS0	Full RU	-
Mode 9	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT20	181	6855	MCS0	Full RU	-
Mode 13	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT40	3	5965	MCS0	Full RU	-
Mode 14	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT40	43	6165	MCS0	Full RU	-
Mode 15	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT40	91	6405	MCS0	Full RU	-
Mode 18	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT40	123	6565	MCS0	Full RU	-
Mode 19	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT40	147	6685	MCS0	Full RU	-
Mode 20	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT40	179	6845	MCS0	Full RU	-
Mode 24	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT80	7	5985	MCS0	Full RU	-
Mode 25	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT80	39	6145	MCS0	Full RU	-
Mode 26	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT80	87	6385	MCS0	Full RU	-
Mode 28	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT80	135	6625	MCS0	Full RU	-
Mode 29	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT80	151	6705	MCS0	Full RU	-
Mode 30	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT80	167	6785	MCS0	Full RU	-
Mode 33	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT160	15	6025	MCS0	Full RU	-
Mode 34	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT160	47	6185	MCS0	Full RU	-
Mode 35	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT160	79	6345	MCS0	Full RU	-
Mode 36	U-NII-7	6.525-6.875	CDD 6+17	802.11be EHT160	143	6665	MCS0	Full RU	-
Mode 38	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT320	31	6105	MCS0	Full RU	-
Mode 39	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT320	63	6265	MCS0	Full RU	-
Mode 51	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT20	1	5955	MCS0	Single RU26/0	-
Mode 53	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT20	1	5955	MCS0	Small RU 52+26/ 37+2	-
Mode 55	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT80	7	5985	MCS0	Puncturing 20M ④	-
Mode 57	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT160	15	6025	MCS0	Puncturing 40M ④	-
Mode 59	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT160	15	6025	MCS0	Puncturing 20M ③	-
Mode 61	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT320	31	6105	MCS0	Puncturing 80M+40M ⑥	-
Mode 63	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT320	31	6105	MCS0	Puncturing 80M ④	-



Mode 65	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT320	31	6105	MCS0	Puncturing 40M ⑧	-
Mode 67	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT80	7	5985	MCS0	Large RU 484+242 ④	-
Mode 69	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT160	15	6025	MCS0	Large RU 996+484 ④	-
Mode 71	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT320	31	6105	MCS0	Large RU 996*2+484 ⑥	-
Mode 73	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT320	31	6105	MCS0	Large RU 996*3 ④	-
Mode 75	U-NII-5	5.925-6.425	CDD 6+17	802.11be EHT320	31	6105	MCS0	Large RU 996*3+484 ⑧	-

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11be EHT20	1	5882.46	40.26	68.20	-27.94	H	AVERAGE	Pass	Band Edge
1	802.11be EHT20	1	17865.00	50.63	74.00	-23.37	V	Peak	Pass	Harmonic
2	802.11be EHT20	45	-	-	-	-	-	-	-	Band Edge
2	802.11be EHT20	45	12350.00	46.46	74.00	-27.54	H	Peak	Pass	Harmonic
3	802.11be EHT20	93	-	-	-	-	-	-	-	Band Edge
3	802.11be EHT20	93	12830.00	46.09	88.20	-42.11	V	Peak	Pass	Harmonic
7	802.11be EHT20	117	-	-	-	-	-	-	-	Band Edge
7	802.11be EHT20	117	13070.00	46.99	88.20	-41.21	H	Peak	Pass	Harmonic
8	802.11be EHT20	149	-	-	-	-	-	-	-	Band Edge
8	802.11be EHT20	149	13390.00	47.27	74.00	-26.73	H	Peak	Pass	Harmonic
9	802.11be EHT20	181	-	-	-	-	-	-	-	Band Edge
9	802.11be EHT20	181	13710.00	48.55	88.20	-39.65	V	Peak	Pass	Harmonic
13	802.11be EHT40	3	5923.72	42.69	68.20	-25.51	V	AVERAGE	Pass	Band Edge
13	802.11be EHT40	3	17895.00	49.71	74.00	-24.29	H	Peak	Pass	Harmonic
14	802.11be EHT40	43	-	-	-	-	-	-	-	Band Edge
14	802.11be EHT40	43	12330.00	46.67	74.00	-27.33	V	Peak	Pass	Harmonic
15	802.11be EHT40	91	-	-	-	-	-	-	-	Band Edge
15	802.11be EHT40	91	12810.00	46.06	88.20	-42.14	H	Peak	Pass	Harmonic
18	802.11be EHT40	123	-	-	-	-	-	-	-	Band Edge
18	802.11be EHT40	123	13130.00	46.46	88.20	-41.74	H	Peak	Pass	Harmonic
19	802.11be EHT40	147	-	-	-	-	-	-	-	Band Edge
19	802.11be EHT40	147	13370.00	46.95	74.00	-27.05	V	Peak	Pass	Harmonic
20	802.11be EHT40	179	-	-	-	-	-	-	-	Band Edge
20	802.11be EHT40	179	13690.00	48.67	88.20	-39.53	H	Peak	Pass	Harmonic
24	802.11be EHT80	7	5921.96	43.73	68.20	-24.47	V	AVERAGE	Pass	Band Edge
24	802.11be EHT80	7	17955.00	49.54	74.00	-24.46	H	Peak	Pass	Harmonic
25	802.11be EHT80	39	-	-	-	-	-	-	-	Band Edge
25	802.11be EHT80	39	12290.00	47.57	74.00	-26.43	V	Peak	Pass	Harmonic
26	802.11be EHT80	87	-	-	-	-	-	-	-	Band Edge
26	802.11be EHT80	87	12770.00	46.46	88.20	-41.74	H	Peak	Pass	Harmonic
28	802.11be EHT80	135	-	-	-	-	-	-	-	Band Edge
28	802.11be EHT80	135	13250.00	46.52	74.00	-27.48	V	Peak	Pass	Harmonic
29	802.11be EHT80	151	-	-	-	-	-	-	-	Band Edge
29	802.11be EHT80	151	13410.00	46.48	88.20	-41.72	H	Peak	Pass	Harmonic







30	802.11be EHT80	167	-	-	-	-	-	-	-	Band Edge
30	802.11be EHT80	167	13570.00	47.92	88.20	-40.28	V	Peak	Pass	Harmonic
33	802.11be EHT160	15	5921.88	41.52	68.20	-26.68	H	AVERAGE	Pass	Band Edge
33	802.11be EHT160	15	12050.00	46.28	74.00	-27.72	H	Peak	Pass	Harmonic
34	802.11be EHT160	47	-	-	-	-	-	-	-	Band Edge
34	802.11be EHT160	47	12370.00	47.57	74.00	-26.43	H	Peak	Pass	Harmonic
35	802.11be EHT160	79	-	-	-	-	-	-	-	Band Edge
35	802.11be EHT160	79	12690.00	46.74	74.00	-27.26	H	Peak	Pass	Harmonic
36	802.11be EHT160	143	-	-	-	-	-	-	-	Band Edge
36	802.11be EHT160	143	13330.00	46.25	74.00	-27.75	H	Peak	Pass	Harmonic
38	802.11be EHT320	31	5798.35	43.87	68.20	-24.33	H	AVERAGE	Pass	Band Edge
38	802.11be EHT320	31	12210.00	46.50	74.00	-27.50	H	Peak	Pass	Harmonic
39	802.11be EHT320	63	-	-	-	-	-	-	-	Band Edge
39	802.11be EHT320	63	12530.00	45.20	74.00	-28.80	H	Peak	Pass	Harmonic
51	802.11be EHT20	1	5843.20	40.48	68.20	-27.72	V	AVERAGE	Pass	Band Edge
51	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
53	802.11be EHT20	1	5916.52	40.24	68.20	-27.96	V	AVERAGE	Pass	Band Edge
53	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
55	802.11be EHT80	7	5905.96	45.33	68.20	-22.87	V	AVERAGE	Pass	Band Edge
55	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
57	802.11be EHT160	15	5921.32	41.59	68.20	-26.61	H	AVERAGE	Pass	Band Edge
57	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
59	802.11be EHT160	15	5924.68	41.81	68.20	-26.39	H	AVERAGE	Pass	Band Edge
59	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
61	802.11be EHT320	31	5923.05	44.59	68.20	-23.61	H	AVERAGE	Pass	Band Edge
61	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
63	802.11be EHT320	31	5923.81	44.47	68.20	-23.73	V	AVERAGE	Pass	Band Edge
63	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
65	802.11be EHT320	31	5796.82	42.90	68.20	-25.30	V	AVERAGE	Pass	Band Edge
65	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
67	802.11be EHT80	7	5923.08	43.51	68.20	-24.69	V	AVERAGE	Pass	Band Edge
67	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
69	802.11be EHT160	15	5866.16	42.75	68.20	-25.45	H	AVERAGE	Pass	Band Edge
69	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
71	802.11be EHT320	31	5924.58	43.05	68.20	-25.15	H	AVERAGE	Pass	Band Edge
71	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
73	802.11be EHT320	31	5921.52	45.48	68.20	-22.72	V	AVERAGE	Pass	Band Edge
73	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
75	802.11be EHT320	31	5866.44	42.83	68.20	-25.37	V	AVERAGE	Pass	Band Edge
75	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic





		1																																																																																																
Mode		Band Edge																																																																																																
		U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																																
ANT		CDD 6+17																																																																																																
Pol.	Horizontal										Fundamental																																																																																							
Peak	Level (dBuV/m) Date: 2025-05-17 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5920.68</td><td>50.13</td><td>88.20</td><td>-38.07</td><td>39.31</td><td>34.96</td><td>8.79</td><td>32.93</td><td>100</td><td>291 PEAK</td></tr></tbody></table>										Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5920.68	50.13	88.20	-38.07	39.31	34.96	8.79	32.93	100	291 PEAK	Level (dBuV/m) Date: 2025-05-17 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>91.41</td><td>-----</td><td>-----</td><td>80.59</td><td>35.02</td><td>8.76</td><td>32.96</td><td>100</td><td>291 PEAK</td></tr></tbody></table>										Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	91.41	-----	-----	80.59	35.02	8.76	32.96	100	291 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5920.68	50.13	88.20	-38.07	39.31	34.96	8.79	32.93	100	291 PEAK																																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	91.41	-----	-----	80.59	35.02	8.76	32.96	100	291 PEAK																																																																																								
Avg	Level (dBuV/m) Date: 2025-05-17 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5882.46</td><td>40.26</td><td>68.20</td><td>-27.94</td><td>29.43</td><td>34.89</td><td>8.84</td><td>32.90</td><td>100</td><td>291 AVERAGE</td></tr></tbody></table>										Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5882.46	40.26	68.20	-27.94	29.43	34.89	8.84	32.90	100	291 AVERAGE	Level (dBuV/m) Date: 2025-05-17 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>82.20</td><td>-----</td><td>-----</td><td>71.38</td><td>35.03</td><td>8.75</td><td>32.96</td><td>100</td><td>291 AVERAGE</td></tr></tbody></table>										Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	82.20	-----	-----	71.38	35.03	8.75	32.96	100	291 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5882.46	40.26	68.20	-27.94	29.43	34.89	8.84	32.90	100	291 AVERAGE																																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	82.20	-----	-----	71.38	35.03	8.75	32.96	100	291 AVERAGE																																																																																								





Mode	1																																																																																													
	Band Edge																																																																																													
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																													
ANT	CDD 6+17																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5912.36</td><td>51.37</td><td>88.20</td><td>-36.83</td><td>40.55</td><td>34.94</td><td>8.80</td><td>32.92</td><td>241</td><td>98</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5912.36	51.37	88.20	-36.83	40.55	34.94	8.80	32.92	241	98	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5955.00</td><td>92.96</td><td>-----</td><td>-----</td><td>82.14</td><td>35.02</td><td>8.76</td><td>32.96</td><td>241</td><td>98</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5955.00	92.96	-----	-----	82.14	35.02	8.76	32.96	241	98
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5912.36	51.37	88.20	-36.83	40.55	34.94	8.80	32.92	241	98	PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5955.00	92.96	-----	-----	82.14	35.02	8.76	32.96	241	98	PEAK																																																																																			
Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5918.99</td><td>40.15</td><td>68.20</td><td>-28.05</td><td>29.32</td><td>34.96</td><td>8.80</td><td>32.93</td><td>241</td><td>98</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5918.99	40.15	68.20	-28.05	29.32	34.96	8.80	32.93	241	98	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5955.00</td><td>83.68</td><td>-----</td><td>-----</td><td>72.86</td><td>35.02</td><td>8.76</td><td>32.96</td><td>241</td><td>98</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5955.00	83.68	-----	-----	72.86	35.02	8.76	32.96	241	98
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5918.99	40.15	68.20	-28.05	29.32	34.96	8.80	32.93	241	98	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5955.00	83.68	-----	-----	72.86	35.02	8.76	32.96	241	98	AVERAGE																																																																																			





Mode	1																																																																																											
	Harmonic																																																																																											
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																											
ANT	CDD 6+17																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 11910.00</td><td>47.07</td><td>74.00</td><td>-26.93</td><td>58.21</td><td>39.34</td><td>13.66</td><td>64.14</td><td>---</td></tr><tr><td>2 17865.00</td><td>50.39</td><td>74.00</td><td>-23.61</td><td>55.31</td><td>44.46</td><td>16.37</td><td>65.75</td><td>---</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 11910.00	47.07	74.00	-26.93	58.21	39.34	13.66	64.14	---	2 17865.00	50.39	74.00	-23.61	55.31	44.46	16.37	65.75	---	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 11910.00</td><td>46.71</td><td>74.00</td><td>-27.29</td><td>57.85</td><td>39.34</td><td>13.66</td><td>64.14</td><td>---</td></tr><tr><td>2 17865.00</td><td>50.63</td><td>74.00</td><td>-23.37</td><td>55.55</td><td>44.46</td><td>16.37</td><td>65.75</td><td>---</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 11910.00	46.71	74.00	-27.29	57.85	39.34	13.66	64.14	---	2 17865.00	50.63	74.00	-23.37	55.55	44.46	16.37	65.75	---
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																				
1 11910.00	47.07	74.00	-26.93	58.21	39.34	13.66	64.14	---																																																																																				
2 17865.00	50.39	74.00	-23.61	55.31	44.46	16.37	65.75	---																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																				
1 11910.00	46.71	74.00	-27.29	57.85	39.34	13.66	64.14	---																																																																																				
2 17865.00	50.63	74.00	-23.37	55.55	44.46	16.37	65.75	---																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 11910.00</td><td>47.07</td><td>74.00</td><td>-26.93</td><td>58.21</td><td>39.34</td><td>13.66</td><td>64.14</td><td>---</td></tr><tr><td>2 17865.00</td><td>50.39</td><td>74.00</td><td>-23.61</td><td>55.31</td><td>44.46</td><td>16.37</td><td>65.75</td><td>---</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 11910.00	47.07	74.00	-26.93	58.21	39.34	13.66	64.14	---	2 17865.00	50.39	74.00	-23.61	55.31	44.46	16.37	65.75	---	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 11910.00</td><td>46.71</td><td>74.00</td><td>-27.29</td><td>57.85</td><td>39.34</td><td>13.66</td><td>64.14</td><td>---</td></tr><tr><td>2 17865.00</td><td>50.63</td><td>74.00</td><td>-23.37</td><td>55.55</td><td>44.46</td><td>16.37</td><td>65.75</td><td>---</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 11910.00	46.71	74.00	-27.29	57.85	39.34	13.66	64.14	---	2 17865.00	50.63	74.00	-23.37	55.55	44.46	16.37	65.75	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																				
1 11910.00	47.07	74.00	-26.93	58.21	39.34	13.66	64.14	---																																																																																				
2 17865.00	50.39	74.00	-23.61	55.31	44.46	16.37	65.75	---																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																				
1 11910.00	46.71	74.00	-27.29	57.85	39.34	13.66	64.14	---																																																																																				
2 17865.00	50.63	74.00	-23.37	55.55	44.46	16.37	65.75	---																																																																																				





Mode	2																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH45_Full RU_6175MHz																																																																																																									
ANT	CDD 6+17																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12350.00</td><td>46.46</td><td>74.00</td><td>-27.54</td><td>56.16</td><td>40.15</td><td>14.35</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12350.00	46.46	74.00	-27.54	56.16	40.15	14.35	64.20	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12350.00</td><td>45.87</td><td>74.00</td><td>-28.13</td><td>55.57</td><td>40.15</td><td>14.35</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12350.00	45.87	74.00	-28.13	55.57	40.15	14.35	64.20	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	12350.00	46.46	74.00	-27.54	56.16	40.15	14.35	64.20	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	12350.00	45.87	74.00	-28.13	55.57	40.15	14.35	64.20	---	---	Peak																																																																																															





		3																																																	
Mode		Harmonic																																																	
		U-NII-5_5.925-6.425_802.11be EHT20_CH93_Full RU_6415MHz																																																	
ANT		CDD 6+17																																																	
Pol.		Horizontal					Vertical																																												
Peak Avg																																																			
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>44.76</td><td>88.20</td><td>-43.44</td><td>53.28</td><td>40.37</td><td>15.31</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12830.00	44.76	88.20	-43.44	53.28	40.37	15.31	64.20	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	12830.00	44.76	88.20	-43.44	53.28	40.37	15.31	64.20	---	---	Peak																																								
																																																			
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.09</td><td>88.20</td><td>-42.11</td><td>54.61</td><td>40.37</td><td>15.31</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12830.00	46.09	88.20	-42.11	54.61	40.37	15.31	64.20	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	12830.00	46.09	88.20	-42.11	54.61	40.37	15.31	64.20	---	---	Peak																																								





Mode	7																																																																																																	
	Harmonic																																																																																																	
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_Full RU_6535MHz																																																																																																	
ANT	CDD 6+17																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>46.99</td><td>88.20</td><td>-41.21</td><td>55.19</td><td>40.36</td><td>15.63</td><td>64.19</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	46.99	88.20	-41.21	55.19	40.36	15.63	64.19	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>46.28</td><td>88.20</td><td>-41.92</td><td>54.48</td><td>40.36</td><td>15.63</td><td>64.19</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	46.28	88.20	-41.92	54.48	40.36	15.63	64.19	---	---
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	13070.00	46.99	88.20	-41.21	55.19	40.36	15.63	64.19	---	---	Peak																																																																																							
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	13070.00	46.28	88.20	-41.92	54.48	40.36	15.63	64.19	---	---	Peak																																																																																							







Mode	8																																																																																																
	Harmonic																																																																																																
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_Full RU_6695MHz																																																																																																
ANT	CDD 6+17																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13390.00</td><td>47.27</td><td>74.00</td><td>-26.73</td><td>55.35</td><td>40.61</td><td>15.43</td><td>64.12</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13390.00	47.27	74.00	-26.73	55.35	40.61	15.43	64.12	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13390.00</td><td>47.23</td><td>74.00</td><td>-26.77</td><td>55.31</td><td>40.61</td><td>15.43</td><td>64.12</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13390.00	47.23	74.00	-26.77	55.31	40.61	15.43	64.12	---	---
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 13390.00	47.27	74.00	-26.73	55.35	40.61	15.43	64.12	---	---	Peak																																																																																							
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 13390.00	47.23	74.00	-26.77	55.31	40.61	15.43	64.12	---	---	Peak																																																																																							







Mode	9																																																																																										
	Harmonic																																																																																										
	U-NII-7_6.525-6.875_802.11be EHT20_CH181_Full RU_6855MHz																																																																																										
ANT	CDD 6+17																																																																																										
Pol.	Horizontal						Vertical																																																																																				
Peak Avg																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13710.00</td><td>47.94</td><td>88.20</td><td>-40.26</td><td>56.15</td><td>40.62</td><td>15.23</td><td>64.06</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13710.00	47.94	88.20	-40.26	56.15	40.62	15.23	64.06	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13710.00</td><td>48.55</td><td>88.20</td><td>-39.65</td><td>56.76</td><td>40.62</td><td>15.23</td><td>64.06</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13710.00	48.55	88.20	-39.65	56.76	40.62	15.23	64.06	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	13710.00	47.94	88.20	-40.26	56.15	40.62	15.23	64.06	---	---	Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	13710.00	48.55	88.20	-39.65	56.76	40.62	15.23	64.06	---	---	Peak																																																																																





		13																																																																																							
Mode		Band Edge																																																																																							
		U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																							
ANT		CDD 6+17																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.32</td><td>52.39</td><td>88.20</td><td>-35.81</td><td>41.57</td><td>34.96</td><td>8.79</td><td>32.93</td><td>104</td><td>292</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5921.32	52.39	88.20	-35.81	41.57	34.96	8.79	32.93	104	292	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>93.10</td><td>-----</td><td>-----</td><td>82.28</td><td>35.03</td><td>8.75</td><td>32.96</td><td>104</td><td>292</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5965.00	93.10	-----	-----	82.28	35.03	8.75	32.96	104	292
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5921.32	52.39	88.20	-35.81	41.57	34.96	8.79	32.93	104	292	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5965.00	93.10	-----	-----	82.28	35.03	8.75	32.96	104	292	PEAK																																																																														
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5925.00</td><td>41.78</td><td>68.20</td><td>-26.42</td><td>30.95</td><td>34.97</td><td>8.79</td><td>32.93</td><td>104</td><td>292</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5925.00	41.78	68.20	-26.42	30.95	34.97	8.79	32.93	104	292	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>82.70</td><td>-----</td><td>-----</td><td>71.88</td><td>35.03</td><td>8.75</td><td>32.96</td><td>104</td><td>292</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5965.00	82.70	-----	-----	71.88	35.03	8.75	32.96	104	292
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5925.00	41.78	68.20	-26.42	30.95	34.97	8.79	32.93	104	292	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5965.00	82.70	-----	-----	71.88	35.03	8.75	32.96	104	292	AVERAGE																																																																														





		13																																																																																							
Mode		Band Edge																																																																																							
		U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																							
ANT		CDD 6+17																																																																																							
Pol.		Vertical					Fundamental																																																																																		
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5918.76</td><td>53.94</td><td>88.20</td><td>-34.26</td><td>43.11</td><td>34.96</td><td>8.80</td><td>32.93</td><td>242</td><td>102</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5918.76	53.94	88.20	-34.26	43.11	34.96	8.80	32.93	242	102	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>93.64</td><td>-----</td><td>-----</td><td>82.82</td><td>35.04</td><td>8.74</td><td>32.96</td><td>242</td><td>102</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5965.00	93.64	-----	-----	82.82	35.04	8.74	32.96	242	102
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5918.76	53.94	88.20	-34.26	43.11	34.96	8.80	32.93	242	102	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5965.00	93.64	-----	-----	82.82	35.04	8.74	32.96	242	102	PEAK																																																																														
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.72</td><td>42.69</td><td>68.20</td><td>-25.51</td><td>31.87</td><td>34.96</td><td>8.79</td><td>32.93</td><td>242</td><td>102</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5923.72	42.69	68.20	-25.51	31.87	34.96	8.79	32.93	242	102	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>84.68</td><td>-----</td><td>-----</td><td>73.86</td><td>35.04</td><td>8.74</td><td>32.96</td><td>242</td><td>102</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5965.00	84.68	-----	-----	73.86	35.04	8.74	32.96	242	102
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5923.72	42.69	68.20	-25.51	31.87	34.96	8.79	32.93	242	102	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5965.00	84.68	-----	-----	73.86	35.04	8.74	32.96	242	102	AVERAGE																																																																														



		13																																																																																																																	
Mode		Harmonic																																																																																																																	
		U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																																																	
ANT		CDD 6+17																																																																																																																	
Pol.		Horizontal					Vertical																																																																																																												
Peak Avg																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11930.00</td><td>46.24</td><td>74.00</td><td>-27.76</td><td>57.40</td><td>39.33</td><td>13.66</td><td>64.15</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17895.00</td><td>49.71</td><td>74.00</td><td>-24.29</td><td>54.63</td><td>44.49</td><td>16.37</td><td>65.78</td><td>---</td><td>---</td><td>Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11930.00	46.24	74.00	-27.76	57.40	39.33	13.66	64.15	---	---	Peak	2 17895.00	49.71	74.00	-24.29	54.63	44.49	16.37	65.78	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11930.00</td><td>44.88</td><td>74.00</td><td>-29.12</td><td>56.04</td><td>39.33</td><td>13.66</td><td>64.15</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17895.00</td><td>48.50</td><td>74.00</td><td>-25.50</td><td>53.42</td><td>44.49</td><td>16.37</td><td>65.78</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11930.00	44.88	74.00	-29.12	56.04	39.33	13.66	64.15	---	---	Peak	2 17895.00	48.50	74.00	-25.50	53.42	44.49	16.37	65.78	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1 11930.00	46.24	74.00	-27.76	57.40	39.33	13.66	64.15	---	---	Peak																																																																																																									
2 17895.00	49.71	74.00	-24.29	54.63	44.49	16.37	65.78	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1 11930.00	44.88	74.00	-29.12	56.04	39.33	13.66	64.15	---	---	Peak																																																																																																									
2 17895.00	48.50	74.00	-25.50	53.42	44.49	16.37	65.78	---	---	Peak																																																																																																									





Mode	14																																																																																																								
	Harmonic																																																																																																								
	U-NII-5_5.925-6.425_802.11be EHT40_CH43_Full RU_6165MHz																																																																																																								
ANT	CDD 6+17																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12330.00</td><td>45.62</td><td>74.00</td><td>-28.38</td><td>55.40</td><td>40.11</td><td>14.31</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12330.00	45.62	74.00	-28.38	55.40	40.11	14.31	64.20	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12330.00</td><td>46.67</td><td>74.00</td><td>-27.33</td><td>56.45</td><td>40.11</td><td>14.31</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12330.00	46.67	74.00	-27.33	56.45	40.11	14.31	64.20	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12330.00	45.62	74.00	-28.38	55.40	40.11	14.31	64.20	---	---	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12330.00	46.67	74.00	-27.33	56.45	40.11	14.31	64.20	---	---	Peak																																																																																														





		15																																																								
Mode		Harmonic																																																								
		U-NII-5_5.925-6.425_802.11be EHT40_CH91_Full RU_6405MHz																																																								
ANT		CDD 6+17																																																								
Pol.		Horizontal					Vertical																																																			
Peak Avg																																																										
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12810.00</td><td>46.06</td><td>88.20</td><td>-42.14</td><td>54.61</td><td>40.38</td><td>15.27</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12810.00	46.06	88.20	-42.14	54.61	40.38	15.27	64.20	---	---	Peak
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	12810.00	46.06	88.20	-42.14	54.61	40.38	15.27	64.20	---	---	Peak																																															
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12810.00</td><td>45.57</td><td>88.20</td><td>-42.63</td><td>54.12</td><td>40.38</td><td>15.27</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12810.00	45.57	88.20	-42.63	54.12	40.38	15.27	64.20	---	---	Peak
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	12810.00	45.57	88.20	-42.63	54.12	40.38	15.27	64.20	---	---	Peak																																															





		18																																																							
Mode		Harmonic																																																							
		U-NII-7_6.525-6.875_802.11be EHT40_CH123_Full RU_6565MHz																																																							
ANT		CDD 6+17																																																							
Pol.		Horizontal					Vertical																																																		
Peak Avg																																																									
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13130.00</td><td>46.46</td><td>88.20</td><td>-41.74</td><td>54.64</td><td>40.40</td><td>15.59</td><td>64.17</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13130.00	46.46	88.20	-41.74	54.64	40.40	15.59	64.17	---	---	Peak
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	13130.00	46.46	88.20	-41.74	54.64	40.40	15.59	64.17	---	---	Peak																																														
																																																									
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13130.00</td><td>45.84</td><td>88.20</td><td>-42.36</td><td>54.02</td><td>40.40</td><td>15.59</td><td>64.17</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13130.00	45.84	88.20	-42.36	54.02	40.40	15.59	64.17	---	---	Peak
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	13130.00	45.84	88.20	-42.36	54.02	40.40	15.59	64.17	---	---	Peak																																														







		19																																																																																															
Mode		Harmonic																																																																																															
		U-NII-7_6.525-6.875_802.11be EHT40_CH147_Full RU_6685MHz																																																																																															
ANT		CDD 6+17																																																																																															
Pol.		Horizontal					Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13370.00</td><td>45.91</td><td>74.00</td><td>-28.09</td><td>54.00</td><td>40.60</td><td>15.44</td><td>64.13</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13370.00	45.91	74.00	-28.09	54.00	40.60	15.44	64.13	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13370.00</td><td>46.95</td><td>74.00</td><td>-27.05</td><td>55.04</td><td>40.60</td><td>15.44</td><td>64.13</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13370.00	46.95	74.00	-27.05	55.04	40.60	15.44	64.13	---	---
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	13370.00	45.91	74.00	-28.09	54.00	40.60	15.44	64.13	---	---	Peak																																																																																						
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	13370.00	46.95	74.00	-27.05	55.04	40.60	15.44	64.13	---	---	Peak																																																																																						



Mode	20																																																						
	Harmonic																																																						
	U-NII-7_6.525-6.875_802.11be EHT40_CH179_Full RU_6845MHz																																																						
ANT	CDD 6+17																																																						
Pol.	Horizontal						Vertical																																																
Peak Avg																																																							
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>48.67</td><td>88.20</td><td>-39.53</td><td>56.87</td><td>40.62</td><td>15.24</td><td>64.06</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13690.00	48.67	88.20	-39.53	56.87	40.62	15.24	64.06	---	---	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	13690.00	48.67	88.20	-39.53	56.87	40.62	15.24	64.06	---	---	Peak																																												
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>47.93</td><td>88.20</td><td>-40.27</td><td>56.13</td><td>40.62</td><td>15.24</td><td>64.06</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13690.00	47.93	88.20	-40.27	56.13	40.62	15.24	64.06	---	---	Peak	
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	13690.00	47.93	88.20	-40.27	56.13	40.62	15.24	64.06	---	---	Peak																																												





		24																																																																																							
Mode		Band Edge																																																																																							
		U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																							
ANT		CDD 6+17																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-05-17  PEAK_BE(UNII)_6E					Level (dBuV/m) Date: 2025-05-17  PEAK_BE(UNII)_6E																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5913.80</td><td>51.07</td><td>88.20</td><td>-37.13</td><td>40.24</td><td>34.95</td><td>8.80</td><td>32.92</td><td>103</td><td>293</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5913.80	51.07	88.20	-37.13	40.24	34.95	8.80	32.92	103	293	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>91.50</td><td>-----</td><td>-----</td><td>80.68</td><td>35.08</td><td>8.72</td><td>32.98</td><td>103</td><td>293</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5985.00	91.50	-----	-----	80.68	35.08	8.72	32.98	103	293
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5913.80	51.07	88.20	-37.13	40.24	34.95	8.80	32.92	103	293	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5985.00	91.50	-----	-----	80.68	35.08	8.72	32.98	103	293	PEAK																																																																														
Avg	Level (dBuV/m) Date: 2025-05-17  AVG_BE(UNII)_6E					Level (dBuV/m) Date: 2025-05-17  AVG_BE(UNII)_6E																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5913.96</td><td>42.71</td><td>68.20</td><td>-25.49</td><td>31.88</td><td>34.95</td><td>8.80</td><td>32.92</td><td>103</td><td>293</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5913.96	42.71	68.20	-25.49	31.88	34.95	8.80	32.92	103	293	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>83.42</td><td>-----</td><td>-----</td><td>72.60</td><td>35.08</td><td>8.72</td><td>32.98</td><td>103</td><td>293</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5985.00	83.42	-----	-----	72.60	35.08	8.72	32.98	103	293
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5913.96	42.71	68.20	-25.49	31.88	34.95	8.80	32.92	103	293	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5985.00	83.42	-----	-----	72.60	35.08	8.72	32.98	103	293	AVERAGE																																																																														





Mode	24	
	Band Edge	
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz	
ANT	CDD 6+17	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2025-05-17 1 5916.84 52.70 88.20 -35.50 41.88 34.95 8.80 32.93 242 108 PEAK	Level (dBuV/m) Date: 2025-05-17 1 5985.00 92.70 ----- 81.88 35.06 8.73 32.97 242 108 PEAK
	Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5916.84 52.70 88.20 -35.50 41.88 34.95 8.80 32.93 242 108 PEAK	Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5985.00 92.70 ----- 81.88 35.06 8.73 32.97 242 108 PEAK
Avg	Level (dBuV/m) Date: 2025-05-17 1 5921.96 43.73 68.20 -24.47 32.91 34.96 8.79 32.93 242 108 AVERAGE	Level (dBuV/m) Date: 2025-05-17 1 5985.00 83.88 ----- 73.06 35.06 8.73 32.97 242 108 AVERAGE
	Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5921.96 43.73 68.20 -24.47 32.91 34.96 8.79 32.93 242 108 AVERAGE	Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5985.00 83.88 ----- 73.06 35.06 8.73 32.97 242 108 AVERAGE





Mode	24																																																																																	
	Harmonic																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																	
ANT	CDD 6+17																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 11970.00</td><td>47.08</td><td>74.00</td><td>-26.92</td><td>58.30</td><td>39.31</td><td>13.65</td><td>64.18</td></tr><tr><td>2 17955.00</td><td>49.54</td><td>74.00</td><td>-24.46</td><td>54.49</td><td>44.55</td><td>16.35</td><td>65.85</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11970.00	47.08	74.00	-26.92	58.30	39.31	13.65	64.18	2 17955.00	49.54	74.00	-24.46	54.49	44.55	16.35	65.85	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 11970.00</td><td>45.92</td><td>74.00</td><td>-28.08</td><td>57.14</td><td>39.31</td><td>13.65</td><td>64.18</td></tr><tr><td>2 17955.00</td><td>47.70</td><td>74.00</td><td>-26.30</td><td>52.65</td><td>44.55</td><td>16.35</td><td>65.85</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11970.00	45.92	74.00	-28.08	57.14	39.31	13.65	64.18	2 17955.00	47.70	74.00	-26.30	52.65	44.55	16.35	65.85
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1 11970.00	47.08	74.00	-26.92	58.30	39.31	13.65	64.18																																																																											
2 17955.00	49.54	74.00	-24.46	54.49	44.55	16.35	65.85																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1 11970.00	45.92	74.00	-28.08	57.14	39.31	13.65	64.18																																																																											
2 17955.00	47.70	74.00	-26.30	52.65	44.55	16.35	65.85																																																																											





Mode	25																																																																																															
	Harmonic																																																																																															
	U-NII-5_5.925-6.425_802.11be EHT80_CH39_Full RU_6145MHz																																																																																															
ANT	CDD 6+17																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg																																																																																																
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12290.00</td><td>46.88</td><td>74.00</td><td>-27.12</td><td>56.84</td><td>40.01</td><td>14.23</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12290.00	46.88	74.00	-27.12	56.84	40.01	14.23	64.20	---	---	Peak	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12290.00</td><td>47.57</td><td>74.00</td><td>-26.43</td><td>57.53</td><td>40.01</td><td>14.23</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12290.00	47.57	74.00	-26.43	57.53	40.01	14.23	64.20	---	---	Peak
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	12290.00	46.88	74.00	-27.12	56.84	40.01	14.23	64.20	---	---	Peak																																																																																					
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	12290.00	47.57	74.00	-26.43	57.53	40.01	14.23	64.20	---	---	Peak																																																																																					





		26																																																							
Mode		Harmonic																																																							
		U-NII-5_5.925-6.425_802.11be EHT80_CH87_Full RU_6385MHz																																																							
ANT		CDD 6+17																																																							
Pol.		Horizontal					Vertical																																																		
Peak Avg																																																									
		<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>12770.00</td><td>46.46</td><td>88.20</td><td>-41.74</td><td>55.08</td><td>40.39</td><td>15.19</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12770.00	46.46	88.20	-41.74	55.08	40.39	15.19	64.20	---	---	Peak
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	12770.00	46.46	88.20	-41.74	55.08	40.39	15.19	64.20	---	---	Peak																																														
																																																									
		<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>12772.80</td><td>45.85</td><td>88.20</td><td>-42.35</td><td>54.47</td><td>40.39</td><td>15.19</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12772.80	45.85	88.20	-42.35	54.47	40.39	15.19	64.20	---	---	Peak
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	12772.80	45.85	88.20	-42.35	54.47	40.39	15.19	64.20	---	---	Peak																																														





		28																																																	
Mode		Harmonic																																																	
		U-NII-7_6.525-6.875_802.11be EHT80_CH135_Full RU_6625MHz																																																	
ANT		CDD 6+17																																																	
Pol.		Horizontal					Vertical																																												
Peak Avg																																																			
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13250.00</td><td>45.97</td><td>74.00</td><td>-28.03</td><td>54.10</td><td>40.50</td><td>15.52</td><td>64.15</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13250.00	45.97	74.00	-28.03	54.10	40.50	15.52	64.15	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	13250.00	45.97	74.00	-28.03	54.10	40.50	15.52	64.15	---	---	Peak																																								
																																																			
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13250.00</td><td>46.52</td><td>74.00</td><td>-27.48</td><td>54.65</td><td>40.50</td><td>15.52</td><td>64.15</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13250.00	46.52	74.00	-27.48	54.65	40.50	15.52	64.15	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	13250.00	46.52	74.00	-27.48	54.65	40.50	15.52	64.15	---	---	Peak																																								







		29																																																	
Mode		Harmonic																																																	
		U-NII-7_6.525-6.875_802.11be EHT80_CH151_Full RU_6705MHz																																																	
ANT		CDD 6+17																																																	
Pol.		Horizontal					Vertical																																												
Peak Avg																																																			
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>46.48</td><td>88.20</td><td>-41.72</td><td>54.55</td><td>40.63</td><td>15.42</td><td>64.12</td><td>---</td><td>---</td><td>Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13410.00	46.48	88.20	-41.72	54.55	40.63	15.42	64.12	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	13410.00	46.48	88.20	-41.72	54.55	40.63	15.42	64.12	---	---	Peak																																								
																																																			
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>46.20</td><td>88.20</td><td>-42.00</td><td>54.27</td><td>40.63</td><td>15.42</td><td>64.12</td><td>---</td><td>---</td><td>Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13410.00	46.20	88.20	-42.00	54.27	40.63	15.42	64.12	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	13410.00	46.20	88.20	-42.00	54.27	40.63	15.42	64.12	---	---	Peak																																								



		30																																																						
Mode		Harmonic																																																						
		U-NII-7_6.525-6.875_802.11be EHT80_CH167_Full RU_6785MHz																																																						
ANT		CDD 6+17																																																						
Pol.		Horizontal					Vertical																																																	
Peak Avg																																																								
		<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 13570.00</td><td>47.07</td><td>88.20</td><td>-41.13</td><td>55.17</td><td>40.67</td><td>15.32</td><td>64.09</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13570.00	47.07	88.20	-41.13	55.17	40.67	15.32	64.09	---	---	Peak
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1 13570.00	47.07	88.20	-41.13	55.17	40.67	15.32	64.09	---	---	Peak																																														
																																																								
		<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 13570.00</td><td>47.92</td><td>88.20</td><td>-40.28</td><td>56.02</td><td>40.67</td><td>15.32</td><td>64.09</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13570.00	47.92	88.20	-40.28	56.02	40.67	15.32	64.09	---	---	Peak
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1 13570.00	47.92	88.20	-40.28	56.02	40.67	15.32	64.09	---	---	Peak																																														



Mode	33																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																									
ANT	CDD 6+17																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5913.76</td><td>50.28</td><td>88.20</td><td>-37.92</td><td>39.45</td><td>34.95</td><td>8.80</td><td>32.92</td><td>101</td><td>293</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5913.76	50.28	88.20	-37.92	39.45	34.95	8.80	32.92	101	293	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>90.57</td><td>-----</td><td>-----</td><td>79.64</td><td>35.12</td><td>8.83</td><td>33.02</td><td>101</td><td>293</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6025.00	90.57	-----	-----	79.64	35.12	8.83	33.02	101	293
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5913.76	50.28	88.20	-37.92	39.45	34.95	8.80	32.92	101	293	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	6025.00	90.57	-----	-----	79.64	35.12	8.83	33.02	101	293	PEAK																																																																															
Avg																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.88</td><td>41.52</td><td>68.20</td><td>-26.68</td><td>30.70</td><td>34.96</td><td>8.79</td><td>32.93</td><td>101</td><td>293</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5921.88	41.52	68.20	-26.68	30.70	34.96	8.79	32.93	101	293	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>82.26</td><td>-----</td><td>-----</td><td>71.33</td><td>35.12</td><td>8.83</td><td>33.02</td><td>101</td><td>293</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6025.00	82.26	-----	-----	71.33	35.12	8.83	33.02	101	293
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5921.88	41.52	68.20	-26.68	30.70	34.96	8.79	32.93	101	293	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	6025.00	82.26	-----	-----	71.33	35.12	8.83	33.02	101	293	AVERAGE																																																																															





		33																																																																																		
Mode		Band Edge																																																																																		
		U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																		
ANT		CDD 6+17																																																																																		
Pol.		Vertical					Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2025-05-17 PEAK_BE(UNII)_6E Frequency (MHz)					Level (dBuV/m) Date: 2025-05-18 PEAK_BE(UNII)_6E Frequency (MHz)																																																																														
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5842.64	50.16	88.20	-38.04	39.32	34.82	8.89	32.87	148	193	PEAK		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	89.86	-----	-----	78.90	35.13	8.86	33.03	148	193	PEAK				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5842.64	50.16	88.20	-38.04	39.32	34.82	8.89	32.87	148	193	PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	6025.00	89.86	-----	-----	78.90	35.13	8.86	33.03	148	193	PEAK																																																																									
Avg	Level (dBuV/m) Date: 2025-05-17 AVG_BE(UNII)_6E Frequency (MHz)					Level (dBuV/m) Date: 2025-05-18 AVG_BE(UNII)_6E Frequency (MHz)																																																																														
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5877.64	41.29	68.20	-26.91	30.47	34.88	8.84	32.90	148	193	AVERAGE		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	81.41	-----	-----	70.49	35.12	8.81	33.01	148	193	AVERAGE				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5877.64	41.29	68.20	-26.91	30.47	34.88	8.84	32.90	148	193	AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	6025.00	81.41	-----	-----	70.49	35.12	8.81	33.01	148	193	AVERAGE																																																																									





		33																																																																																
Mode		Harmonic																																																																																
		U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																
ANT		CDD 6+17																																																																																
Pol.																																																																																		
Peak Avg	Horizontal											Vertical																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>12050.00</td><td>46.28</td><td>74.00</td><td>-27.72</td><td>57.31</td><td>39.42</td><td>13.75</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	12050.00	46.28	74.00	-27.72	57.31	39.42	13.75	64.20	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>12050.00</td><td>45.75</td><td>74.00</td><td>-28.25</td><td>56.78</td><td>39.42</td><td>13.75</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	12050.00	45.75	74.00	-28.25	56.78	39.42	13.75	64.20	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
1	12050.00	46.28	74.00	-27.72	57.31	39.42	13.75	64.20	---	---	Peak																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
1	12050.00	45.75	74.00	-28.25	56.78	39.42	13.75	64.20	---	---	Peak																																																																							





Mode	34																																																																																											
	Harmonic																																																																																											
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_Full RU_6185MHz																																																																																											
ANT	CDD 6+17																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>47.57</td><td>74.00</td><td>-26.43</td><td>57.18</td><td>40.20</td><td>14.39</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12370.00	47.57	74.00	-26.43	57.18	40.20	14.39	64.20	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>46.30</td><td>74.00</td><td>-27.70</td><td>55.91</td><td>40.20</td><td>14.39</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12370.00	46.30	74.00	-27.70	55.91	40.20	14.39	64.20	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12370.00	47.57	74.00	-26.43	57.18	40.20	14.39	64.20	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12370.00	46.30	74.00	-27.70	55.91	40.20	14.39	64.20	---	---	Peak																																																																																	







		35																																																									
Mode		Harmonic																																																									
		U-NII-5_5.925-6.425_802.11be EHT160_CH79_Full RU_6345MHz																																																									
ANT		CDD 6+17																																																									
Pol.		Horizontal																																																									
Peak Avg																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12690.00</td><td>46.74</td><td>74.00</td><td>-27.26</td><td>55.49</td><td>40.42</td><td>15.03</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>														Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12690.00	46.74	74.00	-27.26	55.49	40.42	15.03	64.20	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	12690.00	46.74	74.00	-27.26	55.49	40.42	15.03	64.20	---	---	Peak																																																
		Vertical																																																									
Peak Avg																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12690.00</td><td>45.60</td><td>74.00</td><td>-28.40</td><td>54.35</td><td>40.42</td><td>15.03</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>														Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12690.00	45.60	74.00	-28.40	54.35	40.42	15.03	64.20	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	12690.00	45.60	74.00	-28.40	54.35	40.42	15.03	64.20	---	---	Peak																																																







Mode	36																																																																																																	
	Harmonic																																																																																																	
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_Full RU_6665MHz																																																																																																	
ANT	CDD 6+17																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak																																																																																																		
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13330.00</td><td>46.25</td><td>74.00</td><td>-27.75</td><td>54.34</td><td>40.57</td><td>15.47</td><td>64.13</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13330.00	46.25	74.00	-27.75	54.34	40.57	15.47	64.13	---	---	Peak	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13330.00</td><td>46.20</td><td>74.00</td><td>-27.80</td><td>54.29</td><td>40.57</td><td>15.47</td><td>64.13</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13330.00	46.20	74.00	-27.80	54.29	40.57	15.47	64.13	---	---
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 13330.00	46.25	74.00	-27.75	54.34	40.57	15.47	64.13	---	---	Peak																																																																																								
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 13330.00	46.20	74.00	-27.80	54.29	40.57	15.47	64.13	---	---	Peak																																																																																								
Avg																																																																																																		





Mode	38																																																																																							
	Band Edge																																																																																							
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																																																							
ANT	CDD 6+17																																																																																							
Pol.	Horizontal					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-05-24  PEAK_BE(U-NII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>5789.17</td><td>51.27</td><td>88.20</td><td>-36.93</td><td>40.47</td><td>34.72</td><td>8.91</td><td>32.83</td><td>100</td><td>298</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	5789.17	51.27	88.20	-36.93	40.47	34.72	8.91	32.83	100	298	PEAK	Level (dBuV/m) Date: 2025-05-24  PEAK_BE(U-NII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>89.11</td><td>-----</td><td>-----</td><td>77.88</td><td>35.21</td><td>9.18</td><td>33.16</td><td>100</td><td>298</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	6105.00	89.11	-----	-----	77.88	35.21	9.18	33.16	100	298	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																	
1	5789.17	51.27	88.20	-36.93	40.47	34.72	8.91	32.83	100	298	PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																	
1	6105.00	89.11	-----	-----	77.88	35.21	9.18	33.16	100	298	PEAK																																																																													
Avg	Level (dBuV/m) Date: 2025-05-24  AVG_BE(U-NII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>5798.35</td><td>43.87</td><td>68.20</td><td>-24.33</td><td>33.03</td><td>34.74</td><td>8.94</td><td>32.84</td><td>100</td><td>298</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	5798.35	43.87	68.20	-24.33	33.03	34.74	8.94	32.84	100	298	AVERAGE	Level (dBuV/m) Date: 2025-05-24  AVG_BE(U-NII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>82.15</td><td>-----</td><td>-----</td><td>70.92</td><td>35.21</td><td>9.18</td><td>33.16</td><td>100</td><td>298</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	6105.00	82.15	-----	-----	70.92	35.21	9.18	33.16	100	298	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																	
1	5798.35	43.87	68.20	-24.33	33.03	34.74	8.94	32.84	100	298	AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																	
1	6105.00	82.15	-----	-----	70.92	35.21	9.18	33.16	100	298	AVERAGE																																																																													





Mode	38																																																																																											
	Band Edge																																																																																											
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																																																											
ANT	CDD 6+17																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	 Level (dBuV/m) Date: 2025-05-24 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5828.95</td><td>50.64</td><td>88.20</td><td>-37.56</td><td>39.81</td><td>34.79</td><td>8.90</td><td>32.86</td><td>281</td><td>289</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5828.95	50.64	88.20	-37.56	39.81	34.79	8.90	32.86	281	289	PEAK	 Level (dBuV/m) Date: 2025-05-24 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>88.96</td><td>-----</td><td>-----</td><td>77.66</td><td>35.23</td><td>9.26</td><td>33.19</td><td>281</td><td>289</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	88.96	-----	-----	77.66	35.23	9.26	33.19	281	289	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5828.95	50.64	88.20	-37.56	39.81	34.79	8.90	32.86	281	289	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	6105.00	88.96	-----	-----	77.66	35.23	9.26	33.19	281	289	PEAK																																																																																	
Avg	 Level (dBuV/m) Date: 2025-05-24 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5898.57</td><td>43.36</td><td>68.20</td><td>-24.84</td><td>32.53</td><td>34.92</td><td>8.82</td><td>32.91</td><td>281</td><td>289</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5898.57	43.36	68.20	-24.84	32.53	34.92	8.82	32.91	281	289	AVERAGE	 Level (dBuV/m) Date: 2025-05-24 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>83.11</td><td>-----</td><td>-----</td><td>71.88</td><td>35.21</td><td>9.18</td><td>33.16</td><td>281</td><td>289</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	83.11	-----	-----	71.88	35.21	9.18	33.16	281	289	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5898.57	43.36	68.20	-24.84	32.53	34.92	8.82	32.91	281	289	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	6105.00	83.11	-----	-----	71.88	35.21	9.18	33.16	281	289	AVERAGE																																																																																	







		38																																																									
Mode		Harmonic																																																									
		U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																									
ANT		CDD 6+17																																																									
Pol.		Horizontal																																																									
Peak Avg																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12210.00</td><td>46.50</td><td>74.00</td><td>-27.50</td><td>56.82</td><td>39.81</td><td>14.07</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>														Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12210.00	46.50	74.00	-27.50	56.82	39.81	14.07	64.20	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	12210.00	46.50	74.00	-27.50	56.82	39.81	14.07	64.20	---	---	Peak																																																
		Vertical																																																									
Peak Avg																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12210.00</td><td>46.15</td><td>74.00</td><td>-27.85</td><td>56.47</td><td>39.81</td><td>14.07</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>														Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12210.00	46.15	74.00	-27.85	56.47	39.81	14.07	64.20	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	12210.00	46.15	74.00	-27.85	56.47	39.81	14.07	64.20	---	---	Peak																																																







		39																																																	
Mode		Harmonic																																																	
		U-NII-5_5.925-6.425_802.11be EHT320_CH63_Full RU_6265MHz																																																	
ANT		CDD 6+17																																																	
Pol.		Horizontal					Vertical																																												
Peak Avg																																																			
		<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12530.00</td><td>45.20</td><td>74.00</td><td>-28.80</td><td>54.20</td><td>40.49</td><td>14.71</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12530.00	45.20	74.00	-28.80	54.20	40.49	14.71	64.20	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1 12530.00	45.20	74.00	-28.80	54.20	40.49	14.71	64.20	---	---	Peak																																									
																																																			
		<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12530.00</td><td>45.14</td><td>74.00</td><td>-28.86</td><td>54.14</td><td>40.49</td><td>14.71</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12530.00	45.14	74.00	-28.86	54.14	40.49	14.71	64.20	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1 12530.00	45.14	74.00	-28.86	54.14	40.49	14.71	64.20	---	---	Peak																																									







		51																																																																																																					
Mode		Band Edge																																																																																																					
		U-NII-5_5.925-6.425_802.11be EHT20_CH1_Single RU26/0_5955MHz																																																																																																					
ANT		CDD 6+17																																																																																																					
Pol.	Horizontal										Fundamental																																																																																												
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5836.83</td><td>50.01</td><td>88.20</td><td>-38.19</td><td>39.18</td><td>34.81</td><td>8.89</td><td>32.87</td><td>100</td><td>298</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5836.83	50.01	88.20	-38.19	39.18	34.81	8.89	32.87	100	298	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5955.00</td><td>88.78</td><td>-----</td><td>-----</td><td>77.96</td><td>35.01</td><td>8.76</td><td>32.95</td><td>100</td><td>298</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5955.00	88.78	-----	-----	77.96	35.01	8.76	32.95	100	298
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5836.83	50.01	88.20	-38.19	39.18	34.81	8.89	32.87	100	298	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	88.78	-----	-----	77.96	35.01	8.76	32.95	100	298	PEAK																																																																																												
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5916.78</td><td>40.18</td><td>68.20</td><td>-28.02</td><td>29.36</td><td>34.95</td><td>8.80</td><td>32.93</td><td>100</td><td>298</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5916.78	40.18	68.20	-28.02	29.36	34.95	8.80	32.93	100	298	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5955.00</td><td>81.67</td><td>-----</td><td>-----</td><td>70.85</td><td>35.01</td><td>8.76</td><td>32.95</td><td>100</td><td>298</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5955.00	81.67	-----	-----	70.85	35.01	8.76	32.95	100	298
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5916.78	40.18	68.20	-28.02	29.36	34.95	8.80	32.93	100	298	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	81.67	-----	-----	70.85	35.01	8.76	32.95	100	298	AVERAGE																																																																																												







		51																																																																																
Mode		Band Edge																																																																																
		U-NII-5_5.925-6.425_802.11be EHT20_CH1_Single RU26/0_5955MHz																																																																																
ANT		CDD 6+17																																																																																
Pol.		Vertical					Fundamental																																																																											
Peak																																																																																		
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5873.36	49.74	88.20	-38.46	38.91	34.87	8.85	32.89	221	97 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>92.74</td><td>-----</td><td>-----</td><td>81.92</td><td>35.01</td><td>8.76</td><td>32.95</td><td>221</td><td>97 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	92.74	-----	-----	81.92	35.01	8.76	32.95	221
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	5873.36	49.74	88.20	-38.46	38.91	34.87	8.85	32.89	221	97 PEAK																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	5955.00	92.74	-----	-----	81.92	35.01	8.76	32.95	221	97 PEAK																																																																								
Avg																																																																																		
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5843.20	40.48	68.20	-27.72	29.64	34.82	8.89	32.87	221	97 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>84.62</td><td>-----</td><td>-----</td><td>73.80</td><td>35.01</td><td>8.76</td><td>32.95</td><td>221</td><td>97 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	84.62	-----	-----	73.80	35.01	8.76	32.95	221
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	5843.20	40.48	68.20	-27.72	29.64	34.82	8.89	32.87	221	97 AVERAGE																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	5955.00	84.62	-----	-----	73.80	35.01	8.76	32.95	221	97 AVERAGE																																																																								







		53																																																																																						
Mode		Band Edge																																																																																						
		U-NII-5_5.925-6.425_802.11be EHT20_CH1_Small RU 52+26/ 37+2_5955MHz																																																																																						
ANT		CDD 6+17																																																																																						
Pol.		Horizontal					Fundamental																																																																																	
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red line for the limit and a blue line for the measured signal. A peak is marked at 5884.28 MHz with a level of 50.86 dBuV/m. The limit is 88.20 dBuV/m. The peak is labeled PEAK_BE(UNII)_6E.					 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red line for the limit and a blue line for the measured signal. A peak is marked at 5955.00 MHz with a level of 89.40 dBuV/m. The limit is 89.40 dBuV/m. The peak is labeled PEAK_BE(UNII)_6E.																																																																																		
		Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5884.28	50.86	88.20	-37.34	40.03	34.89	8.84	32.90	100	299	PEAK		Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	89.40	-----	-----	78.58	35.02	8.76	32.96	100	299	PEAK				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5884.28	50.86	88.20	-37.34	40.03	34.89	8.84	32.90	100	299	PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5955.00	89.40	-----	-----	78.58	35.02	8.76	32.96	100	299	PEAK																																																																													
Avg	 Horizontal Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red line for the limit and a blue line for the measured signal. A peak is marked at 5870.11 MHz with a level of 40.14 dBuV/m. The limit is 68.20 dBuV/m. The peak is labeled AVG_BE(UNII)_6E.					 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red line for the limit and a blue line for the measured signal. A peak is marked at 5955.00 MHz with a level of 81.84 dBuV/m. The limit is 81.84 dBuV/m. The peak is labeled AVG_BE(UNII)_6E.																																																																																		
		Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5870.11	40.14	68.20	-28.06	29.31	34.87	8.85	32.89	100	299	AVERAGE		Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	81.84	-----	-----	71.02	35.02	8.76	32.96	100	299	AVERAGE				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5870.11	40.14	68.20	-28.06	29.31	34.87	8.85	32.89	100	299	AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5955.00	81.84	-----	-----	71.02	35.02	8.76	32.96	100	299	AVERAGE																																																																													







		53																																																																																							
Mode		Band Edge																																																																																							
		U-NII-5_5.925-6.425_802.11be EHT20_CH1_Small RU 52+26/ 37+2_5955MHz																																																																																							
ANT		CDD 6+17																																																																																							
Pol.		Vertical					Fundamental																																																																																		
Peak																																																																																									
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5901.57	50.18	88.20	-38.02	39.36	34.92	8.82	32.92	221	95	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>93.08</td><td>-----</td><td>-----</td><td>82.26</td><td>35.02</td><td>8.76</td><td>32.96</td><td>221</td><td>95</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	93.08	-----	-----	82.26	35.02	8.76	32.96	221	95	PEAK				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5901.57	50.18	88.20	-38.02	39.36	34.92	8.82	32.92	221	95	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5955.00	93.08	-----	-----	82.26	35.02	8.76	32.96	221	95	PEAK																																																																														
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5916.52</td><td>40.24</td><td>68.20</td><td>-27.96</td><td>29.42</td><td>34.95</td><td>8.80</td><td>32.93</td><td>221</td><td>95</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5916.52	40.24	68.20	-27.96	29.42	34.95	8.80	32.93	221	95	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>83.43</td><td>-----</td><td>-----</td><td>72.61</td><td>35.01</td><td>8.76</td><td>32.95</td><td>221</td><td>95</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	83.43	-----	-----	72.61	35.01	8.76	32.95	221	95
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5916.52	40.24	68.20	-27.96	29.42	34.95	8.80	32.93	221	95	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5955.00	83.43	-----	-----	72.61	35.01	8.76	32.95	221	95	AVERAGE																																																																														







		55																																																																																											
Mode		Band Edge																																																																																											
		U-NII-5_5.925-6.425_802.11be EHT80_CH7_Puncturing 20M ①5985MHz																																																																																											
ANT		CDD 6+17																																																																																											
Pol.		Horizontal					Fundamental																																																																																						
Peak																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5908.68</td><td>52.42</td><td>88.20</td><td>-35.78</td><td>41.59</td><td>34.94</td><td>8.81</td><td>32.92</td><td>100</td><td>297</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5908.68	52.42	88.20	-35.78	41.59	34.94	8.81	32.92	100	297	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>89.98</td><td>-----</td><td>-----</td><td>79.16</td><td>35.06</td><td>8.73</td><td>32.97</td><td>100</td><td>297</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	89.98	-----	-----	79.16	35.06	8.73	32.97	100	297
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5908.68	52.42	88.20	-35.78	41.59	34.94	8.81	32.92	100	297	PEAK																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5985.00	89.98	-----	-----	79.16	35.06	8.73	32.97	100	297	PEAK																																																																																		
Avg																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5909.00</td><td>43.34</td><td>68.20</td><td>-24.86</td><td>32.51</td><td>34.94</td><td>8.81</td><td>32.92</td><td>100</td><td>297</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5909.00	43.34	68.20	-24.86	32.51	34.94	8.81	32.92	100	297	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>83.08</td><td>-----</td><td>-----</td><td>72.26</td><td>35.09</td><td>8.71</td><td>32.98</td><td>100</td><td>297</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	83.08	-----	-----	72.26	35.09	8.71	32.98	100	297
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5909.00	43.34	68.20	-24.86	32.51	34.94	8.81	32.92	100	297	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5985.00	83.08	-----	-----	72.26	35.09	8.71	32.98	100	297	AVERAGE																																																																																		







		55																																																																																																	
Mode		Band Edge																																																																																																	
		U-NII-5_5.925-6.425_802.11be EHT80_CH7_Puncturing 20M ①5985MHz																																																																																																	
ANT		CDD 6+17																																																																																																	
Pol.	Vertical										Fundamental																																																																																								
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5910.92</td><td>52.34</td><td>88.20</td><td>-35.86</td><td>41.51</td><td>34.94</td><td>8.81</td><td>32.92</td><td>232</td><td>99</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5910.92	52.34	88.20	-35.86	41.51	34.94	8.81	32.92	232	99	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>92.87</td><td>-----</td><td>-----</td><td>82.05</td><td>35.06</td><td>8.73</td><td>32.97</td><td>232</td><td>99</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5985.00	92.87	-----	-----	82.05	35.06	8.73	32.97	232	99
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	5910.92	52.34	88.20	-35.86	41.51	34.94	8.81	32.92	232	99	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	5985.00	92.87	-----	-----	82.05	35.06	8.73	32.97	232	99	PEAK																																																																																								
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5905.96</td><td>45.33</td><td>68.20</td><td>-22.87</td><td>34.51</td><td>34.93</td><td>8.81</td><td>32.92</td><td>232</td><td>99</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5905.96	45.33	68.20	-22.87	34.51	34.93	8.81	32.92	232	99	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>84.13</td><td>-----</td><td>-----</td><td>73.31</td><td>35.06</td><td>8.73</td><td>32.97</td><td>232</td><td>99</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5985.00	84.13	-----	-----	73.31	35.06	8.73	32.97	232	99
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	5905.96	45.33	68.20	-22.87	34.51	34.93	8.81	32.92	232	99	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	5985.00	84.13	-----	-----	73.31	35.06	8.73	32.97	232	99	AVERAGE																																																																																								







		57																																																																														
Mode		Band Edge																																																																														
		U-NII-5_5.925-6.425_802.11be EHT160_CH15_Puncturing 40M ① 6025MHz																																																																														
ANT		CDD 6+17																																																																														
Pol.	Horizontal										Fundamental																																																																					
Peak																																																																																
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5905.64	49.78	88.20	-38.42	38.96	34.93	8.81	32.92	227	130	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>92.22</td><td>-----</td><td>-----</td><td>81.18</td><td>35.15</td><td>8.96</td><td>33.07</td><td>227</td><td>130</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	92.22	-----	-----	81.18	35.15	8.96	33.07	227	130
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5905.64	49.78	88.20	-38.42	38.96	34.93	8.81	32.92	227	130	PEAK																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	6025.00	92.22	-----	-----	81.18	35.15	8.96	33.07	227	130	PEAK																																																																					
Avg																																																																																
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.32	41.59	68.20	-26.61	30.77	34.96	8.79	32.93	227	130	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>83.76</td><td>-----</td><td>-----</td><td>72.80</td><td>35.13</td><td>8.86</td><td>33.03</td><td>227</td><td>130</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	83.76	-----	-----	72.80	35.13	8.86	33.03	227	130
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5921.32	41.59	68.20	-26.61	30.77	34.96	8.79	32.93	227	130	AVERAGE																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	6025.00	83.76	-----	-----	72.80	35.13	8.86	33.03	227	130	AVERAGE																																																																					







Mode	57																																																																																													
	Band Edge																																																																																													
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Puncturing 40M ① 6025MHz																																																																																													
ANT	CDD 6+17																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5856.36</td><td>49.91</td><td>88.20</td><td>-38.29</td><td>39.08</td><td>34.84</td><td>8.87</td><td>32.88</td><td>115</td><td>339</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5856.36	49.91	88.20	-38.29	39.08	34.84	8.87	32.88	115	339	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>88.61</td><td>-----</td><td>-----</td><td>77.68</td><td>35.12</td><td>8.83</td><td>33.02</td><td>115</td><td>339</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	88.61	-----	-----	77.68	35.12	8.83	33.02	115	339
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5856.36	49.91	88.20	-38.29	39.08	34.84	8.87	32.88	115	339	PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6025.00	88.61	-----	-----	77.68	35.12	8.83	33.02	115	339	PEAK																																																																																			
Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5915.44</td><td>41.03</td><td>68.20</td><td>-27.17</td><td>30.21</td><td>34.95</td><td>8.80</td><td>32.93</td><td>115</td><td>339</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5915.44	41.03	68.20	-27.17	30.21	34.95	8.80	32.93	115	339	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>80.45</td><td>-----</td><td>-----</td><td>69.52</td><td>35.12</td><td>8.83</td><td>33.02</td><td>115</td><td>339</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	80.45	-----	-----	69.52	35.12	8.83	33.02	115	339
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5915.44	41.03	68.20	-27.17	30.21	34.95	8.80	32.93	115	339	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6025.00	80.45	-----	-----	69.52	35.12	8.83	33.02	115	339	AVERAGE																																																																																			







		59																																																																																							
Mode		Band Edge																																																																																							
		U-NII-5_5.925-6.425_802.11be EHT160_CH15_Puncturing 20M ⑧6025MHz																																																																																							
ANT		CDD 6+17																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.68</td><td>51.12</td><td>88.20</td><td>-37.08</td><td>40.29</td><td>34.97</td><td>8.79</td><td>32.93</td><td>261</td><td>135</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.68	51.12	88.20	-37.08	40.29	34.97	8.79	32.93	261	135	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>90.69</td><td>-----</td><td>-----</td><td>79.76</td><td>35.12</td><td>8.83</td><td>33.02</td><td>261</td><td>135</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	90.69	-----	-----	79.76	35.12	8.83	33.02	261	135
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5924.68	51.12	88.20	-37.08	40.29	34.97	8.79	32.93	261	135	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	6025.00	90.69	-----	-----	79.76	35.12	8.83	33.02	261	135	PEAK																																																																														
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.68</td><td>41.81</td><td>68.20</td><td>-26.39</td><td>30.98</td><td>34.97</td><td>8.79</td><td>32.93</td><td>261</td><td>135</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.68	41.81	68.20	-26.39	30.98	34.97	8.79	32.93	261	135	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>82.84</td><td>-----</td><td>-----</td><td>71.91</td><td>35.12</td><td>8.83</td><td>33.02</td><td>261</td><td>135</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	82.84	-----	-----	71.91	35.12	8.83	33.02	261	135
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5924.68	41.81	68.20	-26.39	30.98	34.97	8.79	32.93	261	135	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	6025.00	82.84	-----	-----	71.91	35.12	8.83	33.02	261	135	AVERAGE																																																																														







Mode	59																																																																																													
	Band Edge																																																																																													
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Puncturing 20M ⑧6025MHz																																																																																													
ANT	CDD 6+17																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5907.60</td><td>50.82</td><td>88.20</td><td>-37.38</td><td>40.00</td><td>34.93</td><td>8.81</td><td>32.92</td><td>127</td><td>340</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5907.60	50.82	88.20	-37.38	40.00	34.93	8.81	32.92	127	340	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>87.77</td><td>-----</td><td>-----</td><td>76.88</td><td>35.11</td><td>8.78</td><td>33.00</td><td>127</td><td>340</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	87.77	-----	-----	76.88	35.11	8.78	33.00	127	340
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5907.60	50.82	88.20	-37.38	40.00	34.93	8.81	32.92	127	340	PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6025.00	87.77	-----	-----	76.88	35.11	8.78	33.00	127	340	PEAK																																																																																			
Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5845.16</td><td>40.99</td><td>68.20</td><td>-27.21</td><td>30.16</td><td>34.82</td><td>8.88</td><td>32.87</td><td>127</td><td>340</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5845.16	40.99	68.20	-27.21	30.16	34.82	8.88	32.87	127	340	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>79.56</td><td>-----</td><td>-----</td><td>68.63</td><td>35.12</td><td>8.83</td><td>33.02</td><td>127</td><td>340</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	79.56	-----	-----	68.63	35.12	8.83	33.02	127	340
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5845.16	40.99	68.20	-27.21	30.16	34.82	8.88	32.87	127	340	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6025.00	79.56	-----	-----	68.63	35.12	8.83	33.02	127	340	AVERAGE																																																																																			







		61																																																																															
Mode		Band Edge																																																																															
		U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 80M+40M ⑥_6105MHz																																																																															
ANT		CDD 6+17																																																																															
Pol.		Horizontal					Fundamental																																																																										
Peak																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 5923.05</td><td>52.39</td><td>88.20</td><td>-35.81</td><td>41.57</td><td>34.96</td><td>8.79</td><td>32.93</td><td>101 301 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 5923.05	52.39	88.20	-35.81	41.57	34.96	8.79	32.93	101 301 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 6105.00</td><td>91.34</td><td>-----</td><td>-----</td><td>80.17</td><td>35.19</td><td>9.11</td><td>33.13</td><td>101 301 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 6105.00	91.34	-----	-----	80.17	35.19	9.11	33.13
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																										
1 5923.05	52.39	88.20	-35.81	41.57	34.96	8.79	32.93	101 301 PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																										
1 6105.00	91.34	-----	-----	80.17	35.19	9.11	33.13	101 301 PEAK																																																																									
Avg																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 5923.05</td><td>44.59</td><td>68.20</td><td>-23.61</td><td>33.77</td><td>34.96</td><td>8.79</td><td>32.93</td><td>101 301 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 5923.05	44.59	68.20	-23.61	33.77	34.96	8.79	32.93	101 301 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 6105.00</td><td>81.48</td><td>-----</td><td>-----</td><td>70.23</td><td>35.21</td><td>9.21</td><td>33.17</td><td>101 301 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 6105.00	81.48	-----	-----	70.23	35.21	9.21	33.17
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																										
1 5923.05	44.59	68.20	-23.61	33.77	34.96	8.79	32.93	101 301 AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																										
1 6105.00	81.48	-----	-----	70.23	35.21	9.21	33.17	101 301 AVERAGE																																																																									





Mode	61																																																																																										
	Band Edge																																																																																										
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 80M+40M ⑥_6105MHz																																																																																										
ANT	CDD 6+17																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.58</td><td>52.94</td><td>88.20</td><td>-35.26</td><td>42.11</td><td>34.97</td><td>8.79</td><td>32.93</td><td>206</td><td>334</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5924.58	52.94	88.20	-35.26	42.11	34.97	8.79	32.93	206	334	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>90.17</td><td>-----</td><td>-----</td><td>78.92</td><td>35.21</td><td>9.21</td><td>33.17</td><td>206</td><td>334</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	90.17	-----	-----	78.92	35.21	9.21	33.17	206	334
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5924.58	52.94	88.20	-35.26	42.11	34.97	8.79	32.93	206	334	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	6105.00	90.17	-----	-----	78.92	35.21	9.21	33.17	206	334	PEAK																																																																																
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.58</td><td>43.44</td><td>68.20</td><td>-24.76</td><td>32.61</td><td>34.97</td><td>8.79</td><td>32.93</td><td>206</td><td>334</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5924.58	43.44	68.20	-24.76	32.61	34.97	8.79	32.93	206	334	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>81.50</td><td>-----</td><td>-----</td><td>70.27</td><td>35.21</td><td>9.18</td><td>33.16</td><td>206</td><td>334</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	81.50	-----	-----	70.27	35.21	9.18	33.16	206	334
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5924.58	43.44	68.20	-24.76	32.61	34.97	8.79	32.93	206	334	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	6105.00	81.50	-----	-----	70.27	35.21	9.18	33.16	206	334	AVERAGE																																																																																







		63																																																																																																																			
Mode		Band Edge																																																																																																																			
		U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 80M ④ 6105MHz																																																																																																																			
ANT		CDD 6+17																																																																																																																			
Pol.		Horizontal					Fundamental																																																																																																														
Peak																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5810.59</td><td>50.22</td><td>88.20</td><td>-37.98</td><td>39.39</td><td>34.76</td><td>8.92</td><td>32.85</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>302 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5810.59	50.22	88.20	-37.98	39.39	34.76	8.92	32.85								cm	deg									302 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>6105.00</td><td>90.22</td><td>-----</td><td>-----</td><td>79.05</td><td>35.19</td><td>9.11</td><td>33.13</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>302 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6105.00	90.22	-----	-----	79.05	35.19	9.11	33.13								cm	deg								
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																													
1	5810.59	50.22	88.20	-37.98	39.39	34.76	8.92	32.85																																																																																																													
							cm	deg																																																																																																													
								302 PEAK																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																													
1	6105.00	90.22	-----	-----	79.05	35.19	9.11	33.13																																																																																																													
							cm	deg																																																																																																													
								302 PEAK																																																																																																													
Avg																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5922.28</td><td>44.00</td><td>68.20</td><td>-24.20</td><td>33.18</td><td>34.96</td><td>8.79</td><td>32.93</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>302 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5922.28	44.00	68.20	-24.20	33.18	34.96	8.79	32.93								cm	deg									302 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>6105.00</td><td>80.89</td><td>-----</td><td>-----</td><td>69.66</td><td>35.21</td><td>9.18</td><td>33.16</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>302 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6105.00	80.89	-----	-----	69.66	35.21	9.18	33.16								cm	deg								
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																													
1	5922.28	44.00	68.20	-24.20	33.18	34.96	8.79	32.93																																																																																																													
							cm	deg																																																																																																													
								302 AVERAGE																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																													
1	6105.00	80.89	-----	-----	69.66	35.21	9.18	33.16																																																																																																													
							cm	deg																																																																																																													
								302 AVERAGE																																																																																																													







Mode	63																																																																																										
	Band Edge																																																																																										
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 80M ① 6105MHz																																																																																										
ANT	CDD 6+17																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-05-24 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.28</td><td>50.46</td><td>88.20</td><td>-37.74</td><td>39.64</td><td>34.96</td><td>8.79</td><td>32.93</td><td>221</td><td>333</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5922.28	50.46	88.20	-37.74	39.64	34.96	8.79	32.93	221	333	PEAK	Level (dBuV/m) Date: 2025-05-24 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>90.09</td><td>-----</td><td>-----</td><td>78.96</td><td>35.18</td><td>9.06</td><td>33.11</td><td>221</td><td>333</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	90.09	-----	-----	78.96	35.18	9.06	33.11	221	333	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5922.28	50.46	88.20	-37.74	39.64	34.96	8.79	32.93	221	333	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	6105.00	90.09	-----	-----	78.96	35.18	9.06	33.11	221	333	PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-05-24 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.81</td><td>44.47</td><td>68.20</td><td>-23.73</td><td>33.65</td><td>34.96</td><td>8.79</td><td>32.93</td><td>221</td><td>333</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5923.81	44.47	68.20	-23.73	33.65	34.96	8.79	32.93	221	333	AVERAGE	Level (dBuV/m) Date: 2025-05-24 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>81.97</td><td>-----</td><td>-----</td><td>70.80</td><td>35.19</td><td>9.11</td><td>33.13</td><td>221</td><td>333</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	81.97	-----	-----	70.80	35.19	9.11	33.13	221	333	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5923.81	44.47	68.20	-23.73	33.65	34.96	8.79	32.93	221	333	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	6105.00	81.97	-----	-----	70.80	35.19	9.11	33.13	221	333	AVERAGE																																																																																







		65																																																																																							
Mode		Band Edge																																																																																							
		U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 40M ⑧ 6105MHz																																																																																							
ANT		CDD 6+17																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-05-24  PEAK_BE(UNII)_6E					Level (dBuV/m) Date: 2025-05-24  PEAK_BE(UNII)_6E																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5922.28</td><td>50.69</td><td>88.20</td><td>-37.51</td><td>39.87</td><td>34.96</td><td>8.79</td><td>32.93</td><td>209</td><td>300</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5922.28	50.69	88.20	-37.51	39.87	34.96	8.79	32.93	209	300	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>88.27</td><td>-----</td><td>-----</td><td>77.04</td><td>35.21</td><td>9.18</td><td>33.16</td><td>209</td><td>300</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	88.27	-----	-----	77.04	35.21	9.18	33.16	209	300
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5922.28	50.69	88.20	-37.51	39.87	34.96	8.79	32.93	209	300	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	6105.00	88.27	-----	-----	77.04	35.21	9.18	33.16	209	300	PEAK																																																																														
Avg	Level (dBuV/m) Date: 2025-05-24  AVG_BE(UNII)_6E					Level (dBuV/m) Date: 2025-05-24  AVG_BE(UNII)_6E																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5891.68</td><td>42.52</td><td>68.20</td><td>-25.68</td><td>31.69</td><td>34.91</td><td>8.83</td><td>32.91</td><td>209</td><td>300</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5891.68	42.52	68.20	-25.68	31.69	34.91	8.83	32.91	209	300	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>81.36</td><td>-----</td><td>-----</td><td>70.13</td><td>35.21</td><td>9.18</td><td>33.16</td><td>209</td><td>300</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	81.36	-----	-----	70.13	35.21	9.18	33.16	209	300
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5891.68	42.52	68.20	-25.68	31.69	34.91	8.83	32.91	209	300	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	6105.00	81.36	-----	-----	70.13	35.21	9.18	33.16	209	300	AVERAGE																																																																														



Mode	65																																																																																
	Band Edge																																																																																
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 40M 6105MHz																																																																																
ANT	CDD 6+17																																																																																
Pol.	Vertical					Fundamental																																																																											
Peak	 Level (dBuV/m) vs Frequency (MHz). Date: 2025-05-24. Peak at 5817.48 MHz.					 Level (dBuV/m) vs Frequency (MHz). Date: 2025-05-24. Peak at 6105.00 MHz.																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5817.48</td><td>50.44</td><td>88.20</td><td>-37.76</td><td>39.60</td><td>34.77</td><td>8.92</td><td>32.85</td><td>210 98 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5817.48	50.44	88.20	-37.76	39.60	34.77	8.92	32.85	210 98 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 6105.00</td><td>89.86</td><td>-----</td><td>-----</td><td>78.61</td><td>35.21</td><td>9.21</td><td>33.17</td><td>210 98 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 6105.00	89.86	-----	-----	78.61	35.21	9.21	33.17
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																									
1 5817.48	50.44	88.20	-37.76	39.60	34.77	8.92	32.85	210 98 PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																									
1 6105.00	89.86	-----	-----	78.61	35.21	9.21	33.17	210 98 PEAK																																																																									
Avg	 Level (dBuV/m) vs Frequency (MHz). Date: 2025-05-24. Average at 5796.82 MHz.					 Level (dBuV/m) vs Frequency (MHz). Date: 2025-05-24. Average at 6105.00 MHz.																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5796.82</td><td>42.90</td><td>68.20</td><td>-25.30</td><td>32.06</td><td>34.73</td><td>8.94</td><td>32.83</td><td>210 98 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5796.82	42.90	68.20	-25.30	32.06	34.73	8.94	32.83	210 98 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 6105.00</td><td>83.09</td><td>-----</td><td>-----</td><td>71.92</td><td>35.19</td><td>9.11</td><td>33.13</td><td>210 98 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 6105.00	83.09	-----	-----	71.92	35.19	9.11	33.13
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																									
1 5796.82	42.90	68.20	-25.30	32.06	34.73	8.94	32.83	210 98 AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																									
1 6105.00	83.09	-----	-----	71.92	35.19	9.11	33.13	210 98 AVERAGE																																																																									



Mode	67																																																																																										
	Band Edge																																																																																										
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Large RU 484+242 ①5985MHz																																																																																										
ANT	CDD 6+17																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5907.72</td><td>50.17</td><td>88.20</td><td>-38.03</td><td>39.34</td><td>34.94</td><td>8.81</td><td>32.92</td><td>100</td><td>299</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5907.72	50.17	88.20	-38.03	39.34	34.94	8.81	32.92	100	299	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>92.08</td><td>-----</td><td>-----</td><td>81.26</td><td>35.09</td><td>8.71</td><td>32.98</td><td>100</td><td>299</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5985.00	92.08	-----	-----	81.26	35.09	8.71	32.98	100	299
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5907.72	50.17	88.20	-38.03	39.34	34.94	8.81	32.92	100	299	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5985.00	92.08	-----	-----	81.26	35.09	8.71	32.98	100	299	PEAK																																																																																
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.84</td><td>42.91</td><td>68.20</td><td>-25.29</td><td>32.08</td><td>34.97</td><td>8.79</td><td>32.93</td><td>100</td><td>299</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5924.84	42.91	68.20	-25.29	32.08	34.97	8.79	32.93	100	299	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>83.86</td><td>-----</td><td>-----</td><td>73.04</td><td>35.09</td><td>8.71</td><td>32.98</td><td>100</td><td>299</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5985.00	83.86	-----	-----	73.04	35.09	8.71	32.98	100	299
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5924.84	42.91	68.20	-25.29	32.08	34.97	8.79	32.93	100	299	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5985.00	83.86	-----	-----	73.04	35.09	8.71	32.98	100	299	AVERAGE																																																																																







		67																		
Mode		Band Edge																		
		U-NII-5_5.925-6.425_802.11be EHT80_CH7_Large RU 484+242 ① 5985MHz																		
ANT		CDD 6+17																		
Pol.	Vertical										Fundamental									
Peak	Level (dBuV/m) Date: 2025-05-24																			







Mode	69																																																																																								
	Band Edge																																																																																								
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Large RU 996+484 ① 6025MHz																																																																																								
ANT	CDD 6+17																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2025-05-24 PEAK_BE(UNII)_6E					Level (dBuV/m) Date: 2025-05-24 PEAK_BE(UNII)_6E																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5868.96</td><td>49.58</td><td>88.20</td><td>-38.62</td><td>38.75</td><td>34.86</td><td>8.86</td><td>32.89</td><td>218</td><td>43</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5868.96	49.58	88.20	-38.62	38.75	34.86	8.86	32.89	218	43	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>89.80</td><td>-----</td><td>-----</td><td>78.84</td><td>35.13</td><td>8.86</td><td>33.03</td><td>218</td><td>43</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6025.00	89.80	-----	-----	78.84	35.13	8.86	33.03	218	43
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5868.96	49.58	88.20	-38.62	38.75	34.86	8.86	32.89	218	43	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	6025.00	89.80	-----	-----	78.84	35.13	8.86	33.03	218	43	PEAK																																																																														
Avg	Level (dBuV/m) Date: 2025-05-24 AVG_BE(UNII)_6E					Level (dBuV/m) Date: 2025-05-24 AVG_BE(UNII)_6E																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5866.16</td><td>42.75</td><td>68.20</td><td>-25.45</td><td>31.92</td><td>34.86</td><td>8.86</td><td>32.89</td><td>218</td><td>43</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5866.16	42.75	68.20	-25.45	31.92	34.86	8.86	32.89	218	43	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>83.31</td><td>-----</td><td>-----</td><td>72.35</td><td>35.13</td><td>8.86</td><td>33.03</td><td>218</td><td>43</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6025.00	83.31	-----	-----	72.35	35.13	8.86	33.03	218	43
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5866.16	42.75	68.20	-25.45	31.92	34.86	8.86	32.89	218	43	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	6025.00	83.31	-----	-----	72.35	35.13	8.86	33.03	218	43	AVERAGE																																																																														



		69																																																																																							
Mode		Band Edge																																																																																							
		U-NII-5_5.925-6.425_802.11be EHT160_CH15_Large RU 996+484 ④ 6025MHz																																																																																							
ANT		CDD 6+17																																																																																							
Pol.		Vertical					Fundamental																																																																																		
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5914.60</td><td>49.95</td><td>88.20</td><td>-38.25</td><td>39.13</td><td>34.95</td><td>8.80</td><td>32.93</td><td>123</td><td>192</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5914.60	49.95	88.20	-38.25	39.13	34.95	8.80	32.93	123	192	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>90.09</td><td>-----</td><td>-----</td><td>79.16</td><td>35.12</td><td>8.83</td><td>33.02</td><td>123</td><td>192</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6025.00	90.09	-----	-----	79.16	35.12	8.83	33.02	123	192
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5914.60	49.95	88.20	-38.25	39.13	34.95	8.80	32.93	123	192	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	6025.00	90.09	-----	-----	79.16	35.12	8.83	33.02	123	192	PEAK																																																																														
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5886.32</td><td>42.74</td><td>68.20</td><td>-25.46</td><td>31.91</td><td>34.90</td><td>8.83</td><td>32.90</td><td>123</td><td>192</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5886.32	42.74	68.20	-25.46	31.91	34.90	8.83	32.90	123	192	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>83.28</td><td>-----</td><td>-----</td><td>72.35</td><td>35.12</td><td>8.83</td><td>33.02</td><td>123</td><td>192</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6025.00	83.28	-----	-----	72.35	35.12	8.83	33.02	123	192
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5886.32	42.74	68.20	-25.46	31.91	34.90	8.83	32.90	123	192	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	6025.00	83.28	-----	-----	72.35	35.12	8.83	33.02	123	192	AVERAGE																																																																														







		71																																																																																							
Mode		Band Edge																																																																																							
		U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*2+484 ⑥_6105MHz																																																																																							
ANT		CDD 6+17																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5917.69</td><td>49.93</td><td>88.20</td><td>-38.27</td><td>39.11</td><td>34.95</td><td>8.80</td><td>32.93</td><td>100</td><td>297</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5917.69	49.93	88.20	-38.27	39.11	34.95	8.80	32.93	100	297	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>90.40</td><td>-----</td><td>-----</td><td>79.26</td><td>35.18</td><td>9.08</td><td>33.12</td><td>100</td><td>297</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	90.40	-----	-----	79.26	35.18	9.08	33.12	100	297
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5917.69	49.93	88.20	-38.27	39.11	34.95	8.80	32.93	100	297	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	6105.00	90.40	-----	-----	79.26	35.18	9.08	33.12	100	297	PEAK																																																																														
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.58</td><td>43.05</td><td>68.20</td><td>-25.15</td><td>32.22</td><td>34.97</td><td>8.79</td><td>32.93</td><td>100</td><td>297</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5924.58	43.05	68.20	-25.15	32.22	34.97	8.79	32.93	100	297	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>82.74</td><td>-----</td><td>-----</td><td>71.53</td><td>35.20</td><td>9.16</td><td>33.15</td><td>100</td><td>297</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	82.74	-----	-----	71.53	35.20	9.16	33.15	100	297
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5924.58	43.05	68.20	-25.15	32.22	34.97	8.79	32.93	100	297	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	6105.00	82.74	-----	-----	71.53	35.20	9.16	33.15	100	297	AVERAGE																																																																														







		71																																																																																								
Mode		Band Edge																																																																																								
		U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*2+484 ⑥_6105MHz																																																																																								
ANT		CDD 6+17																																																																																								
Pol.		Vertical					Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2025-05-24 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5843.49</td><td>50.15</td><td>88.20</td><td>-38.05</td><td>39.31</td><td>34.82</td><td>8.89</td><td>32.87</td><td>119</td><td>191</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5843.49	50.15	88.20	-38.05	39.31	34.82	8.89	32.87	119	191	PEAK	Level (dBuV/m) Date: 2025-05-24 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>89.70</td><td>-----</td><td>-----</td><td>78.45</td><td>35.21</td><td>9.21</td><td>33.17</td><td>119</td><td>191</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	89.70	-----	-----	78.45	35.21	9.21	33.17	119	191	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5843.49	50.15	88.20	-38.05	39.31	34.82	8.89	32.87	119	191	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	6105.00	89.70	-----	-----	78.45	35.21	9.21	33.17	119	191	PEAK																																																																															
Avg	Level (dBuV/m) Date: 2025-05-24 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5880.97</td><td>42.70</td><td>68.20</td><td>-25.50</td><td>31.87</td><td>34.89</td><td>8.84</td><td>32.90</td><td>119</td><td>191</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5880.97	42.70	68.20	-25.50	31.87	34.89	8.84	32.90	119	191	AVERAGE	Level (dBuV/m) Date: 2025-05-24 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>81.96</td><td>-----</td><td>-----</td><td>70.69</td><td>35.22</td><td>9.23</td><td>33.18</td><td>119</td><td>191</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	81.96	-----	-----	70.69	35.22	9.23	33.18	119	191	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5880.97	42.70	68.20	-25.50	31.87	34.89	8.84	32.90	119	191	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	6105.00	81.96	-----	-----	70.69	35.22	9.23	33.18	119	191	AVERAGE																																																																															







Mode	73																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*3 ④ 6105MHz																																																																																									
ANT	CDD 6+17																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5842.72</td><td>50.31</td><td>88.20</td><td>-37.89</td><td>39.47</td><td>34.82</td><td>8.89</td><td>32.87</td><td>100</td><td>298</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5842.72	50.31	88.20	-37.89	39.47	34.82	8.89	32.87	100	298	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>89.39</td><td>-----</td><td>-----</td><td>78.14</td><td>35.21</td><td>9.21</td><td>33.17</td><td>100</td><td>298</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	89.39	-----	-----	78.14	35.21	9.21	33.17	100	298
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5842.72	50.31	88.20	-37.89	39.47	34.82	8.89	32.87	100	298	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	6105.00	89.39	-----	-----	78.14	35.21	9.21	33.17	100	298	PEAK																																																																															
Avg																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.81</td><td>43.99</td><td>68.20</td><td>-24.21</td><td>33.17</td><td>34.96</td><td>8.79</td><td>32.93</td><td>100</td><td>298</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5923.81	43.99	68.20	-24.21	33.17	34.96	8.79	32.93	100	298	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>82.44</td><td>-----</td><td>-----</td><td>71.23</td><td>35.20</td><td>9.16</td><td>33.15</td><td>100</td><td>298</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	82.44	-----	-----	71.23	35.20	9.16	33.15	100	298
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5923.81	43.99	68.20	-24.21	33.17	34.96	8.79	32.93	100	298	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	6105.00	82.44	-----	-----	71.23	35.20	9.16	33.15	100	298	AVERAGE																																																																															







Mode	73																																																																																							
	Band Edge																																																																																							
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*3 ④ 6105MHz																																																																																							
ANT	CDD 6+17																																																																																							
Pol.	Vertical					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-05-24  <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5910.04</td><td>50.94</td><td>88.20</td><td>-37.26</td><td>40.11</td><td>34.94</td><td>8.81</td><td>32.92</td><td>212</td><td>91 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5910.04	50.94	88.20	-37.26	40.11	34.94	8.81	32.92	212	91 PEAK	Level (dBuV/m) Date: 2025-05-24  <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>89.43</td><td>-----</td><td>-----</td><td>78.22</td><td>35.20</td><td>9.16</td><td>33.15</td><td>212</td><td>91 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	89.43	-----	-----	78.22	35.20	9.16	33.15	212	91 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																															
1	5910.04	50.94	88.20	-37.26	40.11	34.94	8.81	32.92	212	91 PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																															
1	6105.00	89.43	-----	-----	78.22	35.20	9.16	33.15	212	91 PEAK																																																																														
Avg	Level (dBuV/m) Date: 2025-05-24  <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5921.52</td><td>45.48</td><td>68.20</td><td>-22.72</td><td>34.66</td><td>34.96</td><td>8.79</td><td>32.93</td><td>212</td><td>91 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5921.52	45.48	68.20	-22.72	34.66	34.96	8.79	32.93	212	91 AVERAGE	Level (dBuV/m) Date: 2025-05-24  <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>82.69</td><td>-----</td><td>-----</td><td>71.44</td><td>35.21</td><td>9.21</td><td>33.17</td><td>212</td><td>91 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	82.69	-----	-----	71.44	35.21	9.21	33.17	212	91 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																															
1	5921.52	45.48	68.20	-22.72	34.66	34.96	8.79	32.93	212	91 AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																															
1	6105.00	82.69	-----	-----	71.44	35.21	9.21	33.17	212	91 AVERAGE																																																																														



		75																																																																																										
Mode		Band Edge																																																																																										
		U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*3+484 ⑧ 6105MHz																																																																																										
ANT		CDD 6+17																																																																																										
Pol.	Horizontal										Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2025-05-24  PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5854.20</td><td>50.10</td><td>88.20</td><td>-38.10</td><td>39.27</td><td>34.84</td><td>8.87</td><td>32.88</td><td>100 299 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5854.20	50.10	88.20	-38.10	39.27	34.84	8.87	32.88	100 299 PEAK	Level (dBuV/m) Date: 2025-05-24  PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 6105.00</td><td>88.99</td><td>-----</td><td>-----</td><td>77.69</td><td>35.23</td><td>9.26</td><td>33.19</td><td>100 299 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 6105.00	88.99	-----	-----	77.69	35.23	9.26	33.19	100 299 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																				
1 5854.20	50.10	88.20	-38.10	39.27	34.84	8.87	32.88	100 299 PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																				
1 6105.00	88.99	-----	-----	77.69	35.23	9.26	33.19	100 299 PEAK																																																																																				
Avg	Level (dBuV/m) Date: 2025-05-24  AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5810.59</td><td>42.60</td><td>68.20</td><td>-25.60</td><td>31.77</td><td>34.76</td><td>8.92</td><td>32.85</td><td>100 299 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5810.59	42.60	68.20	-25.60	31.77	34.76	8.92	32.85	100 299 AVERAGE	Level (dBuV/m) Date: 2025-05-24  AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 6105.00</td><td>82.07</td><td>-----</td><td>-----</td><td>70.86</td><td>35.20</td><td>9.16</td><td>33.15</td><td>100 299 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 6105.00	82.07	-----	-----	70.86	35.20	9.16	33.15	100 299 AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																				
1 5810.59	42.60	68.20	-25.60	31.77	34.76	8.92	32.85	100 299 AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																				
1 6105.00	82.07	-----	-----	70.86	35.20	9.16	33.15	100 299 AVERAGE																																																																																				




		75																																																																																					
Mode		Band Edge																																																																																					
		U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*3+484 ⑧ 6105MHz																																																																																					
ANT		CDD 6+17																																																																																					
Pol.		Vertical					Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-05-24  PEAK_BE(UNII)_6E					Level (dBuV/m) Date: 2025-05-24  PEAK_BE(UNII)_6E																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5769.28</td><td>50.00</td><td>88.20</td><td>-38.20</td><td>39.29</td><td>34.68</td><td>8.84</td><td>32.81</td><td>272</td><td>272 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5769.28	50.00	88.20	-38.20	39.29	34.68	8.84	32.81	272	272 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>89.38</td><td>-----</td><td>-----</td><td>78.04</td><td>35.24</td><td>9.31</td><td>33.21</td><td>272</td><td>272 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	89.38	-----	-----	78.04	35.24	9.31	33.21	272
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	5769.28	50.00	88.20	-38.20	39.29	34.68	8.84	32.81	272	272 PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	6105.00	89.38	-----	-----	78.04	35.24	9.31	33.21	272	272 PEAK																																																																													
Avg	Level (dBuV/m) Date: 2025-05-24  AVG_BE(UNII)_6E					Level (dBuV/m) Date: 2025-05-24  AVG_BE(UNII)_6E																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5866.44</td><td>42.83</td><td>68.20</td><td>-25.37</td><td>32.00</td><td>34.86</td><td>8.86</td><td>32.89</td><td>272</td><td>272 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5866.44	42.83	68.20	-25.37	32.00	34.86	8.86	32.89	272	272 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>82.28</td><td>-----</td><td>-----</td><td>71.05</td><td>35.21</td><td>9.18</td><td>33.16</td><td>272</td><td>272 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	82.28	-----	-----	71.05	35.21	9.18	33.16	272
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	5866.44	42.83	68.20	-25.37	32.00	34.86	8.86	32.89	272	272 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	6105.00	82.28	-----	-----	71.05	35.21	9.18	33.16	272	272 AVERAGE																																																																													

Appendix D. Duty Cycle Plots

Band	ANT	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11be EHT20 Full RU/ Single RU	6/17	95.33	1.020	0.980	1KHz
802.11be EHT20 Small RU 52+26/ 37+2	6/17	98.53	-	-	10Hz
802.11be EHT40 Full RU	6/17	91.53	0.540	1.852	3KHz
802.11be EHT80 Full RU	6/17	85.71	0.300	3.333	10KHz
802.11be EHT80 Puncturing 20M ④	6/17	88.64	0.390	2.564	3KHz
802.11be EHT80 Large RU 484+242 ④	6/17	88.89	0.400	2.500	3KHz
802.11be EHT160 Full RU	6/17	91.38	0.530	1.887	3KHz
802.11be EHT160 Puncturing 40M ④	6/17	93.24	0.690	1.449	3KHz
802.11be EHT160 Puncturing 20M ⑧	6/17	92.31	0.600	1.667	3KHz
802.11be EHT160 Large RU 996+484 ④	6/17	93.42	0.710	1.408	3KHz
802.11be EHT320 Full RU	6/17	85.71	0.300	3.333	10KHz
802.11be EHT320 Puncturing 80M+40M ⑥	6/17	89.80	0.440	2.273	3KHz
802.11be EHT320 Puncturing 80M ④	6/17	88.10	0.370	2.703	3KHz
802.11be EHT320 Puncturing 40M ⑧	6/17	86.84	0.330	3.030	10KHz
802.11be EHT320 Large RU 996*2+484 ⑥	6/17	90.00	0.450	2.222	3KHz
802.11be EHT320 Large RU 996*3 ④	6/17	88.64	0.390	2.564	3KHz
802.11be EHT320 Large RU 996*3+484 ⑧	6/17	87.18	0.340	2.941	3KHz




802.11be EHT20 Full RU/ Single RU






802.11be EHT20 Small RU 52+26/ 37+2




802.11be EHT40 Full RU






802.11be EHT80 Full RU




802.11be EHT80 Puncturing 20M ④







802.11be EHT80 Large RU 484+242 ④




802.11be EHT160 Full RU



802.11be EHT160 Puncturing 40M ④




802.11be EHT160 Puncturing 20M ⑧







802.11be EHT160 Large RU 996+484 ④




802.11be EHT320 Full RU



802.11be EHT320 Puncturing 80M+40M ⑥




802.11be EHT320 Puncturing 80M ④






802.11be EHT320 Puncturing 40M ⑧




802.11be EHT320 Large RU 996*2+484 ⑥





802.11be EHT320 Large RU 996*3 ④



802.11be EHT320 Large RU 996*3+484 ⑧

