



























































Appendix B. AC Conducted Emission Test Results

Test Engineer :	Nathon & Xuruibin	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : C002-SZ
Condition : FCC 15C_QP LISN_2025-L LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.16	40.95	-14.70	55.65	21.09	9.67	10.19	Average
2 *	0.16	51.35	-14.30	65.65	31.49	9.67	10.19	QP
3	0.22	32.30	-20.66	52.96	12.40	9.71	10.19	Average
4	0.22	44.40	-18.56	62.96	24.50	9.71	10.19	QP
5	0.26	30.03	-21.39	51.42	10.10	9.73	10.20	Average
6	0.26	41.93	-19.49	61.42	22.00	9.73	10.20	QP
7	0.30	27.76	-22.39	50.15	7.79	9.76	10.21	Average
8	0.30	37.96	-22.19	60.15	17.99	9.76	10.21	QP
9	0.52	27.62	-18.38	46.00	7.70	9.68	10.24	Average
10	0.52	37.72	-18.28	56.00	17.80	9.68	10.24	QP
11	0.59	27.50	-18.50	46.00	7.60	9.66	10.24	Average
12	0.59	38.40	-17.60	56.00	18.50	9.66	10.24	QP



Test Engineer :	Nathon & Xuruibin	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : C002-SZ
Condition : FCC 15C_QP LISN_2025-N NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.16	38.19	-17.50	55.69	18.40	9.60	10.19	Average
2 *	0.16	49.89	-15.80	65.69	30.10	9.60	10.19	QP
3	0.21	33.88	-19.44	53.32	13.90	9.80	10.18	Average
4	0.21	44.68	-18.64	63.32	24.70	9.80	10.18	QP
5	0.22	32.28	-20.38	52.66	12.40	9.69	10.19	Average
6	0.22	43.08	-19.58	62.66	23.20	9.69	10.19	QP
7	0.33	26.50	-22.99	49.49	6.60	9.69	10.21	Average
8	0.33	36.20	-23.29	59.49	16.30	9.69	10.21	QP
9	0.49	30.31	-15.79	46.10	10.00	10.07	10.24	Average
10	0.49	38.31	-17.79	56.10	18.00	10.07	10.24	QP
11	0.59	29.07	-16.93	46.00	9.19	9.64	10.24	Average
12	0.59	38.17	-17.83	56.00	18.29	9.64	10.24	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Wenbo Xiao, Shunping You	Relative Humidity :	50%
		Temperature :	20℃~24℃



Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	8	Bluetooth BR_GFSK	00	2402	1DH5	-	-
Mode 2	2400-2483.5	8	Bluetooth BR_GFSK	39	2441	1DH5	-	-
Mode 3	2400-2483.5	8	Bluetooth BR_GFSK	78	2480	1DH5	-	-
Mode 10	2400-2483.5	10	Bluetooth BR_GFSK	00	2402	1DH5	-	-
Mode 11	2400-2483.5	10	Bluetooth BR_GFSK	39	2441	1DH5	-	-
Mode 12	2400-2483.5	10	Bluetooth BR_GFSK	78	2480	1DH5	-	-
Mode 38	2400-2483.5	8	Bluetooth BR_GFSK_LF	78	2480	1DH5	-	LF
Mode 41	2400-2483.5	BF 8+10	Bluetooth BR_GFSK	00	2402	1DH5	-	-
Mode 42	2400-2483.5	BF 8+10	Bluetooth BR_GFSK	39	2441	1DH5	-	-
Mode 43	2400-2483.5	BF 8+10	Bluetooth BR_GFSK	78	2480	1DH5	-	-

**Summary of each worse mode**

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	Bluetooth BR_GFSK	00	2388.75	43.90	74.00	-30.10	H	PEAK	Pass	Band Edge
1	Bluetooth BR_GFSK	00	4804.00	43.25	74.00	-30.75	H	Peak	Pass	Harmonic
2	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
2	Bluetooth BR_GFSK	39	7323.00	45.19	74.00	-28.81	H	Peak	Pass	Harmonic
3	Bluetooth BR_GFSK	78	2484.78	45.12	74.00	-28.88	H	PEAK	Pass	Band Edge
3	Bluetooth BR_GFSK	78	7440.00	46.43	74.00	-27.57	H	Peak	Pass	Harmonic
10	Bluetooth BR_GFSK	00	2363.91	43.21	74.00	-30.79	V	PEAK	Pass	Band Edge
10	Bluetooth BR_GFSK	00	4804.00	45.52	74.00	-28.48	V	Peak	Pass	Harmonic
11	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
11	Bluetooth BR_GFSK	39	7320.00	46.55	74.00	-27.45	H	Peak	Pass	Harmonic
12	Bluetooth BR_GFSK	78	2483.95	44.30	74.00	-29.70	H	PEAK	Pass	Band Edge
12	Bluetooth BR_GFSK	78	7440.00	46.69	74.00	-27.31	H	Peak	Pass	Harmonic
38	Bluetooth BR_GFSK_LF	78	36.79	27.84	40.00	-12.16	V	Peak	Pass	LF
41	Bluetooth BR_GFSK	00	2387.65	48.44	74.00	-25.56	H	PEAK	Pass	Band Edge
41	Bluetooth BR_GFSK	00	4804.00	42.16	74.00	-31.84	V	Peak	Pass	Harmonic
42	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
42	Bluetooth BR_GFSK	39	7323.00	45.90	74.00	-28.10	V	Peak	Pass	Harmonic
43	Bluetooth BR_GFSK	78	2483.83	57.77	74.00	-16.23	V	PEAK	Pass	Band Edge
43	Bluetooth BR_GFSK	78	7440.00	45.29	74.00	-28.71	V	Peak	Pass	Harmonic





Mode	1																																																																																																																						
	Band Edge																																																																																																																						
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																						
ANT	8																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak	Level (dBuV/m) Date: 2025-05-19  Frequency (MHz)						Level (dBuV/m) Date: 2025-05-19  Frequency (MHz)																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2388.75</td><td>43.90</td><td>74.00</td><td>-30.10</td><td>42.39</td><td>30.43</td><td>4.79</td><td>33.71</td><td>144</td><td>136</td><td>PEAK</td></tr><tr><td>2</td><td>2388.75</td><td>19.11</td><td>54.00</td><td>-34.89</td><td>17.60</td><td>30.43</td><td>4.79</td><td>33.71</td><td>144</td><td>136</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2388.75	43.90	74.00	-30.10	42.39	30.43	4.79	33.71	144	136	PEAK	2	2388.75	19.11	54.00	-34.89	17.60	30.43	4.79	33.71	144	136	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2402.00</td><td>106.42</td><td>-----</td><td>-----</td><td>104.85</td><td>30.44</td><td>4.81</td><td>33.68</td><td>144</td><td>136</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>81.63</td><td>-----</td><td>-----</td><td>80.06</td><td>30.44</td><td>4.81</td><td>33.68</td><td>144</td><td>136</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2402.00	106.42	-----	-----	104.85	30.44	4.81	33.68	144	136	PEAK	2	2402.00	81.63	-----	-----	80.06	30.44	4.81	33.68	144	136	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	2388.75	43.90	74.00	-30.10	42.39	30.43	4.79	33.71	144	136	PEAK																																																																																																												
2	2388.75	19.11	54.00	-34.89	17.60	30.43	4.79	33.71	144	136	AVERAGE																																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	2402.00	106.42	-----	-----	104.85	30.44	4.81	33.68	144	136	PEAK																																																																																																												
2	2402.00	81.63	-----	-----	80.06	30.44	4.81	33.68	144	136	AVERAGE																																																																																																												





Mode	1																																																																																																																				
	Band Edge																																																																																																																				
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																				
ANT	8																																																																																																																				
Pol.	Vertical						Fundamental																																																																																																														
Peak	Level (dBuV/m) Date: 2025-05-19 Frequency (MHz)						Level (dBuV/m) Date: 2025-05-19 Frequency (MHz)																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2347.35</td><td>42.64</td><td>74.00</td><td>-31.36</td><td>41.26</td><td>30.41</td><td>4.75</td><td>33.78</td><td>284</td><td>170</td><td>PEAK</td></tr><tr><td>2</td><td>2347.35</td><td>17.85</td><td>54.00</td><td>-36.15</td><td>16.47</td><td>30.41</td><td>4.75</td><td>33.78</td><td>284</td><td>170</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2347.35	42.64	74.00	-31.36	41.26	30.41	4.75	33.78	284	170	PEAK	2	2347.35	17.85	54.00	-36.15	16.47	30.41	4.75	33.78	284	170	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>95.93</td><td>-----</td><td>-----</td><td>94.36</td><td>30.44</td><td>4.81</td><td>33.68</td><td>284</td><td>170</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>71.14</td><td>-----</td><td>-----</td><td>69.57</td><td>30.44</td><td>4.81</td><td>33.68</td><td>284</td><td>170</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	95.93	-----	-----	94.36	30.44	4.81	33.68	284	170	PEAK	2	2402.00	71.14	-----	-----	69.57	30.44	4.81	33.68	284	170	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	2347.35	42.64	74.00	-31.36	41.26	30.41	4.75	33.78	284	170	PEAK																																																																																																										
2	2347.35	17.85	54.00	-36.15	16.47	30.41	4.75	33.78	284	170	AVERAGE																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	2402.00	95.93	-----	-----	94.36	30.44	4.81	33.68	284	170	PEAK																																																																																																										
2	2402.00	71.14	-----	-----	69.57	30.44	4.81	33.68	284	170	AVERAGE																																																																																																										



Mode	1																																																																						
	Harmonic																																																																						
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																						
ANT	8																																																																						
Pol.	Horizontal						Vertical																																																																
Peak Avg																																																																							
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4804.00</td><td>43.25</td><td>74.00</td><td>-30.75</td><td>59.16</td><td>33.82</td><td>7.74</td><td>57.47</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4804.00</td><td>18.46</td><td>54.00</td><td>-35.54</td><td>34.37</td><td>33.82</td><td>7.74</td><td>57.47</td><td>---</td><td>---</td><td>Average</td></tr></table>														Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4804.00	43.25	74.00	-30.75	59.16	33.82	7.74	57.47	---	---	Peak	2	4804.00	18.46	54.00	-35.54	34.37	33.82	7.74	57.47	---	---	Average
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	4804.00	43.25	74.00	-30.75	59.16	33.82	7.74	57.47	---	---	Peak																																																												
2	4804.00	18.46	54.00	-35.54	34.37	33.82	7.74	57.47	---	---	Average																																																												
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4804.00</td><td>43.04</td><td>74.00</td><td>-30.96</td><td>58.95</td><td>33.82</td><td>7.74</td><td>57.47</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4804.00</td><td>18.25</td><td>54.00</td><td>-35.75</td><td>34.16</td><td>33.82</td><td>7.74</td><td>57.47</td><td>---</td><td>---</td><td>Average</td></tr></table>														Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4804.00	43.04	74.00	-30.96	58.95	33.82	7.74	57.47	---	---	Peak	2	4804.00	18.25	54.00	-35.75	34.16	33.82	7.74	57.47	---	---	Average	
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	4804.00	43.04	74.00	-30.96	58.95	33.82	7.74	57.47	---	---	Peak																																																												
2	4804.00	18.25	54.00	-35.75	34.16	33.82	7.74	57.47	---	---	Average																																																												



Mode	2																																																																																																																																																									
	Harmonic																																																																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																																																									
ANT	8																																																																																																																																																									
Pol.	Horizontal										Vertical																																																																																																																																															
Peak Avg																																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>43.87</td><td>74.00</td><td>-30.13</td><td>59.77</td><td>33.85</td><td>7.77</td><td>57.52</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4882.00</td><td>19.08</td><td>54.00</td><td>-34.92</td><td>34.98</td><td>33.85</td><td>7.77</td><td>57.52</td><td>---</td><td>Average</td></tr><tr><td>3</td><td>7323.00</td><td>45.19</td><td>74.00</td><td>-28.81</td><td>58.85</td><td>36.30</td><td>8.97</td><td>58.93</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>7323.00</td><td>20.40</td><td>54.00</td><td>-33.60</td><td>34.06</td><td>36.30</td><td>8.97</td><td>58.93</td><td>---</td><td>Average</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	43.87	74.00	-30.13	59.77	33.85	7.77	57.52	---	Peak	2	4882.00	19.08	54.00	-34.92	34.98	33.85	7.77	57.52	---	Average	3	7323.00	45.19	74.00	-28.81	58.85	36.30	8.97	58.93	---	Peak	4	7323.00	20.40	54.00	-33.60	34.06	36.30	8.97	58.93	---	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>42.73</td><td>74.00</td><td>-31.27</td><td>58.63</td><td>33.85</td><td>7.77</td><td>57.52</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4882.00</td><td>17.94</td><td>54.00</td><td>-36.06</td><td>33.84</td><td>33.85</td><td>7.77</td><td>57.52</td><td>---</td><td>Average</td></tr><tr><td>3</td><td>7323.00</td><td>44.50</td><td>74.00</td><td>-29.50</td><td>58.16</td><td>36.30</td><td>8.97</td><td>58.93</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>7323.00</td><td>19.71</td><td>54.00</td><td>-34.29</td><td>33.37</td><td>36.30</td><td>8.97</td><td>58.93</td><td>---</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	42.73	74.00	-31.27	58.63	33.85	7.77	57.52	---	Peak	2	4882.00	17.94	54.00	-36.06	33.84	33.85	7.77	57.52	---	Average	3	7323.00	44.50	74.00	-29.50	58.16	36.30	8.97	58.93	---	Peak	4	7323.00	19.71	54.00	-34.29	33.37	36.30	8.97	58.93	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																	
1	4882.00	43.87	74.00	-30.13	59.77	33.85	7.77	57.52	---	Peak																																																																																																																																																
2	4882.00	19.08	54.00	-34.92	34.98	33.85	7.77	57.52	---	Average																																																																																																																																																
3	7323.00	45.19	74.00	-28.81	58.85	36.30	8.97	58.93	---	Peak																																																																																																																																																
4	7323.00	20.40	54.00	-33.60	34.06	36.30	8.97	58.93	---	Average																																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																	
1	4882.00	42.73	74.00	-31.27	58.63	33.85	7.77	57.52	---	Peak																																																																																																																																																
2	4882.00	17.94	54.00	-36.06	33.84	33.85	7.77	57.52	---	Average																																																																																																																																																
3	7323.00	44.50	74.00	-29.50	58.16	36.30	8.97	58.93	---	Peak																																																																																																																																																
4	7323.00	19.71	54.00	-34.29	33.37	36.30	8.97	58.93	---	Average																																																																																																																																																





Mode	3																																																																																																																				
	Band Edge																																																																																																																				
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																				
ANT	8																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																														
Peak	Level (dBuV/m) Date: 2025-05-19 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 2441 2452.8 2464.6 2476.4 2488.2 2500 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.78</td><td>45.12</td><td>74.00</td><td>-28.88</td><td>43.24</td><td>30.49</td><td>4.92</td><td>33.53</td><td>156</td><td>56</td><td>PEAK</td></tr><tr><td>2</td><td>2484.78</td><td>20.33</td><td>54.00</td><td>-33.67</td><td>18.45</td><td>30.49</td><td>4.92</td><td>33.53</td><td>156</td><td>56</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.78	45.12	74.00	-28.88	43.24	30.49	4.92	33.53	156	56	PEAK	2	2484.78	20.33	54.00	-33.67	18.45	30.49	4.92	33.53	156	56	AVERAGE	Level (dBuV/m) Date: 2025-05-19 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 1000 1400 1800 2200 2600 3000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>104.84</td><td>-----</td><td>-----</td><td>102.97</td><td>30.49</td><td>4.92</td><td>33.54</td><td>156</td><td>56</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>80.05</td><td>-----</td><td>-----</td><td>78.18</td><td>30.49</td><td>4.92</td><td>33.54</td><td>156</td><td>56</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	104.84	-----	-----	102.97	30.49	4.92	33.54	156	56	PEAK	2	2480.00	80.05	-----	-----	78.18	30.49	4.92	33.54	156	56	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	2484.78	45.12	74.00	-28.88	43.24	30.49	4.92	33.53	156	56	PEAK																																																																																																										
2	2484.78	20.33	54.00	-33.67	18.45	30.49	4.92	33.53	156	56	AVERAGE																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	2480.00	104.84	-----	-----	102.97	30.49	4.92	33.54	156	56	PEAK																																																																																																										
2	2480.00	80.05	-----	-----	78.18	30.49	4.92	33.54	156	56	AVERAGE																																																																																																										



Mode	3																																																																																																																					
	Band Edge																																																																																																																					
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																					
ANT	8																																																																																																																					
Pol.	Vertical					Fundamental																																																																																																																
Peak	Level (dBuV/m) Date: 2025-05-19 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 2441 2452.8 2464.6 2476.4 2488.2 2500 Frequency (MHz) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.66</td><td>44.03</td><td>74.00</td><td>-29.97</td><td>42.15</td><td>30.49</td><td>4.92</td><td>33.53</td><td>284</td><td>169 PEAK</td></tr><tr><td>2</td><td>2483.66</td><td>19.24</td><td>54.00</td><td>-34.76</td><td>17.36</td><td>30.49</td><td>4.92</td><td>33.53</td><td>284</td><td>169 AVERAGE</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.66	44.03	74.00	-29.97	42.15	30.49	4.92	33.53	284	169 PEAK	2	2483.66	19.24	54.00	-34.76	17.36	30.49	4.92	33.53	284	169 AVERAGE	Level (dBuV/m) Date: 2025-05-19 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 1000 1400 1800 2200 2600 3000 Frequency (MHz) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>99.18</td><td>-----</td><td>97.31</td><td>30.49</td><td>4.92</td><td>33.54</td><td>284</td><td>169</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>74.39</td><td>-----</td><td>72.52</td><td>30.49</td><td>4.92</td><td>33.54</td><td>284</td><td>169</td><td>AVERAGE</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	99.18	-----	97.31	30.49	4.92	33.54	284	169	PEAK	2	2480.00	74.39	-----	72.52	30.49	4.92	33.54	284	169	AVERAGE
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	2483.66	44.03	74.00	-29.97	42.15	30.49	4.92	33.53	284	169 PEAK																																																																																																												
2	2483.66	19.24	54.00	-34.76	17.36	30.49	4.92	33.53	284	169 AVERAGE																																																																																																												
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	2480.00	99.18	-----	97.31	30.49	4.92	33.54	284	169	PEAK																																																																																																												
2	2480.00	74.39	-----	72.52	30.49	4.92	33.54	284	169	AVERAGE																																																																																																												



Mode	3																																																																																																																																																								
	Harmonic																																																																																																																																																								
	2400-2483.5 Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																																								
ANT	8																																																																																																																																																								
Pol.	Horizontal					Vertical																																																																																																																																																			
Peak Avg																																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 4960.00</td><td>43.19</td><td>74.00</td><td>-30.81</td><td>59.07</td><td>33.89</td><td>7.81</td><td>57.58</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 4960.00</td><td>18.40</td><td>54.00</td><td>-35.60</td><td>34.28</td><td>33.89</td><td>7.81</td><td>57.58</td><td>---</td><td>---</td><td>Average</td></tr><tr><td>3 7440.00</td><td>46.43</td><td>74.00</td><td>-27.57</td><td>59.92</td><td>36.30</td><td>9.19</td><td>58.98</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4 7440.00</td><td>21.64</td><td>54.00</td><td>-32.36</td><td>35.13</td><td>36.30</td><td>9.19</td><td>58.98</td><td>---</td><td>---</td><td>Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 4960.00	43.19	74.00	-30.81	59.07	33.89	7.81	57.58	---	---	Peak	2 4960.00	18.40	54.00	-35.60	34.28	33.89	7.81	57.58	---	---	Average	3 7440.00	46.43	74.00	-27.57	59.92	36.30	9.19	58.98	---	---	Peak	4 7440.00	21.64	54.00	-32.36	35.13	36.30	9.19	58.98	---	---	Average	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 4960.00</td><td>44.16</td><td>74.00</td><td>-29.84</td><td>60.04</td><td>33.89</td><td>7.81</td><td>57.58</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 4960.00</td><td>19.37</td><td>54.00</td><td>-34.63</td><td>35.25</td><td>33.89</td><td>7.81</td><td>57.58</td><td>---</td><td>---</td><td>Average</td></tr><tr><td>3 7440.00</td><td>45.14</td><td>74.00</td><td>-28.86</td><td>58.63</td><td>36.30</td><td>9.19</td><td>58.98</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4 7440.00</td><td>20.35</td><td>54.00</td><td>-33.65</td><td>33.84</td><td>36.30</td><td>9.19</td><td>58.98</td><td>---</td><td>---</td><td>Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 4960.00	44.16	74.00	-29.84	60.04	33.89	7.81	57.58	---	---	Peak	2 4960.00	19.37	54.00	-34.63	35.25	33.89	7.81	57.58	---	---	Average	3 7440.00	45.14	74.00	-28.86	58.63	36.30	9.19	58.98	---	---	Peak	4 7440.00	20.35	54.00	-33.65	33.84	36.30	9.19	58.98	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																
1 4960.00	43.19	74.00	-30.81	59.07	33.89	7.81	57.58	---	---	Peak																																																																																																																																															
2 4960.00	18.40	54.00	-35.60	34.28	33.89	7.81	57.58	---	---	Average																																																																																																																																															
3 7440.00	46.43	74.00	-27.57	59.92	36.30	9.19	58.98	---	---	Peak																																																																																																																																															
4 7440.00	21.64	54.00	-32.36	35.13	36.30	9.19	58.98	---	---	Average																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																
1 4960.00	44.16	74.00	-29.84	60.04	33.89	7.81	57.58	---	---	Peak																																																																																																																																															
2 4960.00	19.37	54.00	-34.63	35.25	33.89	7.81	57.58	---	---	Average																																																																																																																																															
3 7440.00	45.14	74.00	-28.86	58.63	36.30	9.19	58.98	---	---	Peak																																																																																																																																															
4 7440.00	20.35	54.00	-33.65	33.84	36.30	9.19	58.98	---	---	Average																																																																																																																																															





Mode	10																																																																																																																			
	Band Edge																																																																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																			
ANT	10																																																																																																																			
Pol.	Horizontal					Fundamental																																																																																																														
Peak	Level (dBuV/m) Date: 2025-05-19 Frequency (MHz)					Level (dBuV/m) Date: 2025-05-19 Frequency (MHz)																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.38</td><td>43.07</td><td>74.00</td><td>-30.93</td><td>41.56</td><td>30.43</td><td>4.79</td><td>33.71</td><td>349</td><td>14</td><td>PEAK</td></tr><tr><td>2</td><td>2388.38</td><td>18.28</td><td>54.00</td><td>-35.72</td><td>16.77</td><td>30.43</td><td>4.79</td><td>33.71</td><td>349</td><td>14</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.38	43.07	74.00	-30.93	41.56	30.43	4.79	33.71	349	14	PEAK	2	2388.38	18.28	54.00	-35.72	16.77	30.43	4.79	33.71	349	14	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>106.05</td><td>-----</td><td>-----</td><td>104.48</td><td>30.44</td><td>4.81</td><td>33.68</td><td>349</td><td>14</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>81.26</td><td>-----</td><td>-----</td><td>79.69</td><td>30.44</td><td>4.81</td><td>33.68</td><td>349</td><td>14</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	106.05	-----	-----	104.48	30.44	4.81	33.68	349	14	PEAK	2	2402.00	81.26	-----	-----	79.69	30.44	4.81	33.68	349	14	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	2388.38	43.07	74.00	-30.93	41.56	30.43	4.79	33.71	349	14	PEAK																																																																																																									
2	2388.38	18.28	54.00	-35.72	16.77	30.43	4.79	33.71	349	14	AVERAGE																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	2402.00	106.05	-----	-----	104.48	30.44	4.81	33.68	349	14	PEAK																																																																																																									
2	2402.00	81.26	-----	-----	79.69	30.44	4.81	33.68	349	14	AVERAGE																																																																																																									



Mode	10																																																																																																													
	Band Edge																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																													
ANT	10																																																																																																													
Pol.	Vertical					Fundamental																																																																																																								
Peak	Level (dBuV/m) Date: 2025-05-19 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2363.91</td><td>43.21</td><td>74.00</td><td>-30.79</td><td>41.77</td><td>30.42</td><td>4.77</td><td>33.75</td><td>134</td><td>40 PEAK</td></tr><tr><td>2</td><td>2363.91</td><td>18.42</td><td>54.00</td><td>-35.58</td><td>16.98</td><td>30.42</td><td>4.77</td><td>33.75</td><td>134</td><td>40 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2363.91	43.21	74.00	-30.79	41.77	30.42	4.77	33.75	134	40 PEAK	2	2363.91	18.42	54.00	-35.58	16.98	30.42	4.77	33.75	134	40 AVERAGE	Level (dBuV/m) Date: 2025-05-19 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>97.74</td><td>-----</td><td>-----</td><td>96.17</td><td>30.44</td><td>4.81</td><td>33.68</td><td>134</td><td>40 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>72.95</td><td>-----</td><td>-----</td><td>71.38</td><td>30.44</td><td>4.81</td><td>33.68</td><td>134</td><td>40 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2402.00	97.74	-----	-----	96.17	30.44	4.81	33.68	134	40 PEAK	2	2402.00	72.95	-----	-----	71.38	30.44	4.81	33.68	134	40 AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																					
1	2363.91	43.21	74.00	-30.79	41.77	30.42	4.77	33.75	134	40 PEAK																																																																																																				
2	2363.91	18.42	54.00	-35.58	16.98	30.42	4.77	33.75	134	40 AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																					
1	2402.00	97.74	-----	-----	96.17	30.44	4.81	33.68	134	40 PEAK																																																																																																				
2	2402.00	72.95	-----	-----	71.38	30.44	4.81	33.68	134	40 AVERAGE																																																																																																				





Mode	10																																																																																																																																	
	Harmonic																																																																																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																																	
ANT	10																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>4804.00</td><td>43.58</td><td>74.00</td><td>-30.42</td><td>59.49</td><td>33.82</td><td>7.74</td><td>57.47</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4804.00</td><td>18.79</td><td>54.00</td><td>-35.21</td><td>34.70</td><td>33.82</td><td>7.74</td><td>57.47</td><td>---</td><td>---</td><td>Average</td></tr></tbody></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4804.00	43.58	74.00	-30.42	59.49	33.82	7.74	57.47	---	---	Peak	2	4804.00	18.79	54.00	-35.21	34.70	33.82	7.74	57.47	---	---	Average	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>4804.00</td><td>45.52</td><td>74.00</td><td>-28.48</td><td>61.43</td><td>33.82</td><td>7.74</td><td>57.47</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4804.00</td><td>20.73</td><td>54.00</td><td>-33.27</td><td>36.64</td><td>33.82</td><td>7.74</td><td>57.47</td><td>---</td><td>---</td><td>Average</td></tr></tbody></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4804.00	45.52	74.00	-28.48	61.43	33.82	7.74	57.47	---	---	Peak	2	4804.00	20.73	54.00	-33.27	36.64	33.82	7.74	57.47	---	---	Average
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	4804.00	43.58	74.00	-30.42	59.49	33.82	7.74	57.47	---	---	Peak																																																																																																																							
2	4804.00	18.79	54.00	-35.21	34.70	33.82	7.74	57.47	---	---	Average																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	4804.00	45.52	74.00	-28.48	61.43	33.82	7.74	57.47	---	---	Peak																																																																																																																							
2	4804.00	20.73	54.00	-33.27	36.64	33.82	7.74	57.47	---	---	Average																																																																																																																							



Mode	11										
	Harmonic										
	2400-2483.5 Bluetooth BR_GFSK_CH39_2441MHz										
ANT	10										
Pol.	Horizontal						Vertical				
Peak Avg	Data: 1 Level (dBuV/m) </										





Mode	12																																																																																																																							
	Band Edge																																																																																																																							
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																							
ANT	10																																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																																	
Peak																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2483.95</td><td>44.30</td><td>74.00</td><td>-29.70</td><td>42.42</td><td>30.49</td><td>4.92</td><td>33.53</td><td>328</td><td>11</td><td>PEAK</td></tr><tr><td>2</td><td>2483.95</td><td>19.51</td><td>54.00</td><td>-34.49</td><td>17.63</td><td>30.49</td><td>4.92</td><td>33.53</td><td>328</td><td>11</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2483.95	44.30	74.00	-29.70	42.42	30.49	4.92	33.53	328	11	PEAK	2	2483.95	19.51	54.00	-34.49	17.63	30.49	4.92	33.53	328	11	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>105.51</td><td>-----</td><td>-----</td><td>103.64</td><td>30.49</td><td>4.92</td><td>33.54</td><td>328</td><td>11</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>80.72</td><td>-----</td><td>-----</td><td>78.85</td><td>30.49</td><td>4.92</td><td>33.54</td><td>328</td><td>11</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2480.00	105.51	-----	-----	103.64	30.49	4.92	33.54	328	11	PEAK	2	2480.00	80.72	-----	-----	78.85	30.49	4.92	33.54	328	11	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	2483.95	44.30	74.00	-29.70	42.42	30.49	4.92	33.53	328	11	PEAK																																																																																																													
2	2483.95	19.51	54.00	-34.49	17.63	30.49	4.92	33.53	328	11	AVERAGE																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	2480.00	105.51	-----	-----	103.64	30.49	4.92	33.54	328	11	PEAK																																																																																																													
2	2480.00	80.72	-----	-----	78.85	30.49	4.92	33.54	328	11	AVERAGE																																																																																																													





Mode	12																																																																																																																							
	Band Edge																																																																																																																							
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																							
ANT	10																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																	
Peak	Level (dBuV/m) Date: 2025-05-19 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 24412452.82464.62476.42488.22500 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2484.37</td><td>43.76</td><td>74.00</td><td>-30.24</td><td>41.88</td><td>30.49</td><td>4.92</td><td>33.53</td><td>379</td><td>246</td><td>PEAK</td></tr><tr><td>2</td><td>2484.37</td><td>18.97</td><td>54.00</td><td>-35.03</td><td>17.09</td><td>30.49</td><td>4.92</td><td>33.53</td><td>379</td><td>246</td><td>AVERAGE</td></tr></table> Level (dBuV/m) Date: 2025-05-19 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 100014001800220026003000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2480.00</td><td>102.04</td><td>-----</td><td>-----</td><td>100.17</td><td>30.49</td><td>4.92</td><td>33.54</td><td>379</td><td>246</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>77.25</td><td>-----</td><td>-----</td><td>75.38</td><td>30.49</td><td>4.92</td><td>33.54</td><td>379</td><td>246</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2484.37	43.76	74.00	-30.24	41.88	30.49	4.92	33.53	379	246	PEAK	2	2484.37	18.97	54.00	-35.03	17.09	30.49	4.92	33.53	379	246	AVERAGE		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2480.00	102.04	-----	-----	100.17	30.49	4.92	33.54	379	246	PEAK	2	2480.00	77.25	-----	-----	75.38	30.49	4.92	33.54	379	246	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	2484.37	43.76	74.00	-30.24	41.88	30.49	4.92	33.53	379	246	PEAK																																																																																																													
2	2484.37	18.97	54.00	-35.03	17.09	30.49	4.92	33.53	379	246	AVERAGE																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	2480.00	102.04	-----	-----	100.17	30.49	4.92	33.54	379	246	PEAK																																																																																																													
2	2480.00	77.25	-----	-----	75.38	30.49	4.92	33.54	379	246	AVERAGE																																																																																																													



Mode	12																																																																																																																																																																																
	Harmonic																																																																																																																																																																																
	2400-2483.5 Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																																																																
ANT	10																																																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																																																										
Peak Avg																																																																																																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4960.00</td><td>43.73</td><td>74.00</td><td>-30.27</td><td>59.61</td><td>33.89</td><td>7.81</td><td>57.58</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>18.94</td><td>54.00</td><td>-35.06</td><td>34.82</td><td>33.89</td><td>7.81</td><td>57.58</td><td>---</td><td>---</td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>46.69</td><td>74.00</td><td>-27.31</td><td>60.18</td><td>36.30</td><td>9.19</td><td>58.98</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>21.90</td><td>54.00</td><td>-32.10</td><td>35.39</td><td>36.30</td><td>9.19</td><td>58.98</td><td>---</td><td>---</td><td>Average</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4960.00	43.73	74.00	-30.27	59.61	33.89	7.81	57.58	---	---	Peak	2	4960.00	18.94	54.00	-35.06	34.82	33.89	7.81	57.58	---	---	Average	3	7440.00	46.69	74.00	-27.31	60.18	36.30	9.19	58.98	---	---	Peak	4	7440.00	21.90	54.00	-32.10	35.39	36.30	9.19	58.98	---	---	Average	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4960.00</td><td>44.11</td><td>74.00</td><td>-29.89</td><td>59.99</td><td>33.89</td><td>7.81</td><td>57.58</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>19.32</td><td>54.00</td><td>-34.68</td><td>35.20</td><td>33.89</td><td>7.81</td><td>57.58</td><td>---</td><td>---</td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>44.91</td><td>74.00</td><td>-29.09</td><td>58.40</td><td>36.30</td><td>9.19</td><td>58.98</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>20.12</td><td>54.00</td><td>-33.88</td><td>33.61</td><td>36.30</td><td>9.19</td><td>58.98</td><td>---</td><td>---</td><td>Average</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4960.00	44.11	74.00	-29.89	59.99	33.89	7.81	57.58	---	---	Peak	2	4960.00	19.32	54.00	-34.68	35.20	33.89	7.81	57.58	---	---	Average	3	7440.00	44.91	74.00	-29.09	58.40	36.30	9.19	58.98	---	---	Peak	4	7440.00	20.12	54.00	-33.88	33.61	36.30	9.19	58.98	---	---
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	4960.00	43.73	74.00	-30.27	59.61	33.89	7.81	57.58	---	---	Peak																																																																																																																																																																						
2	4960.00	18.94	54.00	-35.06	34.82	33.89	7.81	57.58	---	---	Average																																																																																																																																																																						
3	7440.00	46.69	74.00	-27.31	60.18	36.30	9.19	58.98	---	---	Peak																																																																																																																																																																						
4	7440.00	21.90	54.00	-32.10	35.39	36.30	9.19	58.98	---	---	Average																																																																																																																																																																						
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	4960.00	44.11	74.00	-29.89	59.99	33.89	7.81	57.58	---	---	Peak																																																																																																																																																																						
2	4960.00	19.32	54.00	-34.68	35.20	33.89	7.81	57.58	---	---	Average																																																																																																																																																																						
3	7440.00	44.91	74.00	-29.09	58.40	36.30	9.19	58.98	---	---	Peak																																																																																																																																																																						
4	7440.00	20.12	54.00	-33.88	33.61	36.30	9.19	58.98	---	---	Average																																																																																																																																																																						





Mode	38																																																																																																																																																																																																																			
	LF																																																																																																																																																																																																																			
	2400-2483.5_Bluetooth BR_GFSK_LF_CH78_2480MHz																																																																																																																																																																																																																			
ANT	8																																																																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																																																																													
QP/ Peak																																																																																																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>30.00</td><td>24.26</td><td>40.00</td><td>-15.74</td><td>29.94</td><td>25.29</td><td>0.53</td><td>31.50</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>113.42</td><td>18.69</td><td>43.50</td><td>-24.81</td><td>31.88</td><td>17.39</td><td>1.09</td><td>31.67</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>198.78</td><td>23.30</td><td>43.50</td><td>-20.20</td><td>38.38</td><td>14.99</td><td>1.43</td><td>31.50</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>437.40</td><td>23.95</td><td>46.00</td><td>-22.05</td><td>30.23</td><td>22.85</td><td>2.17</td><td>31.30</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>674.08</td><td>28.44</td><td>46.00</td><td>-17.56</td><td>30.29</td><td>26.60</td><td>2.70</td><td>31.15</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>859.35</td><td>33.43</td><td>46.00</td><td>-12.57</td><td>32.14</td><td>29.26</td><td>3.07</td><td>31.04</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	30.00	24.26	40.00	-15.74	29.94	25.29	0.53	31.50	---	---	Peak	2	113.42	18.69	43.50	-24.81	31.88	17.39	1.09	31.67	---	---	Peak	3	198.78	23.30	43.50	-20.20	38.38	14.99	1.43	31.50	---	---	Peak	4	437.40	23.95	46.00	-22.05	30.23	22.85	2.17	31.30	---	---	Peak	5	674.08	28.44	46.00	-17.56	30.29	26.60	2.70	31.15	---	---	Peak	6	859.35	33.43	46.00	-12.57	32.14	29.26	3.07	31.04	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>36.79</td><td>27.84</td><td>40.00</td><td>-12.16</td><td>37.24</td><td>21.71</td><td>0.59</td><td>31.70</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>130.88</td><td>18.26</td><td>43.50</td><td>-25.24</td><td>30.94</td><td>17.79</td><td>1.17</td><td>31.64</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>252.13</td><td>24.29</td><td>46.00</td><td>-21.71</td><td>35.00</td><td>19.13</td><td>1.66</td><td>31.50</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>632.37</td><td>28.28</td><td>46.00</td><td>-17.72</td><td>30.13</td><td>26.69</td><td>2.62</td><td>31.16</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>799.21</td><td>31.24</td><td>46.00</td><td>-14.76</td><td>30.64</td><td>28.76</td><td>2.94</td><td>31.10</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>963.14</td><td>34.93</td><td>54.00</td><td>-19.07</td><td>30.72</td><td>31.77</td><td>3.25</td><td>30.81</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	36.79	27.84	40.00	-12.16	37.24	21.71	0.59	31.70	---	---	Peak	2	130.88	18.26	43.50	-25.24	30.94	17.79	1.17	31.64	---	---	Peak	3	252.13	24.29	46.00	-21.71	35.00	19.13	1.66	31.50	---	---	Peak	4	632.37	28.28	46.00	-17.72	30.13	26.69	2.62	31.16	---	---	Peak	5	799.21	31.24	46.00	-14.76	30.64	28.76	2.94	31.10	---	---	Peak	6	963.14	34.93	54.00	-19.07	30.72	31.77	3.25	30.81	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																											
1	30.00	24.26	40.00	-15.74	29.94	25.29	0.53	31.50	---	---	Peak																																																																																																																																																																																																									
2	113.42	18.69	43.50	-24.81	31.88	17.39	1.09	31.67	---	---	Peak																																																																																																																																																																																																									
3	198.78	23.30	43.50	-20.20	38.38	14.99	1.43	31.50	---	---	Peak																																																																																																																																																																																																									
4	437.40	23.95	46.00	-22.05	30.23	22.85	2.17	31.30	---	---	Peak																																																																																																																																																																																																									
5	674.08	28.44	46.00	-17.56	30.29	26.60	2.70	31.15	---	---	Peak																																																																																																																																																																																																									
6	859.35	33.43	46.00	-12.57	32.14	29.26	3.07	31.04	---	---	Peak																																																																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																											
1	36.79	27.84	40.00	-12.16	37.24	21.71	0.59	31.70	---	---	Peak																																																																																																																																																																																																									
2	130.88	18.26	43.50	-25.24	30.94	17.79	1.17	31.64	---	---	Peak																																																																																																																																																																																																									
3	252.13	24.29	46.00	-21.71	35.00	19.13	1.66	31.50	---	---	Peak																																																																																																																																																																																																									
4	632.37	28.28	46.00	-17.72	30.13	26.69	2.62	31.16	---	---	Peak																																																																																																																																																																																																									
5	799.21	31.24	46.00	-14.76	30.64	28.76	2.94	31.10	---	---	Peak																																																																																																																																																																																																									
6	963.14	34.93	54.00	-19.07	30.72	31.77	3.25	30.81	---	---	Peak																																																																																																																																																																																																									





Mode	41																																																																																																																						
	Band Edge																																																																																																																						
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																						
ANT	BF 8+10																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak	Level (dBuV/m) Date: 2025-06-05 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 2310 2328.4 2346.8 2365.2 2383.6 2402 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2387.65</td><td>48.44</td><td>74.00</td><td>-25.56</td><td>46.93</td><td>30.43</td><td>4.79</td><td>33.71</td><td>142</td><td>62</td><td>PEAK</td></tr><tr><td>2</td><td>2387.65</td><td>23.65</td><td>54.00</td><td>-30.35</td><td>22.14</td><td>30.43</td><td>4.79</td><td>33.71</td><td>142</td><td>62</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2387.65	48.44	74.00	-25.56	46.93	30.43	4.79	33.71	142	62	PEAK	2	2387.65	23.65	54.00	-30.35	22.14	30.43	4.79	33.71	142	62	AVERAGE	Level (dBuV/m) Date: 2025-06-05 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2402.00</td><td>110.86</td><td>-----</td><td>-----</td><td>109.29</td><td>30.44</td><td>4.81</td><td>33.68</td><td>142</td><td>62</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>86.07</td><td>-----</td><td>-----</td><td>84.50</td><td>30.44</td><td>4.81</td><td>33.68</td><td>142</td><td>62</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2402.00	110.86	-----	-----	109.29	30.44	4.81	33.68	142	62	PEAK	2	2402.00	86.07	-----	-----	84.50	30.44	4.81	33.68	142	62	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																														
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	2387.65	48.44	74.00	-25.56	46.93	30.43	4.79	33.71	142	62	PEAK																																																																																																												
2	2387.65	23.65	54.00	-30.35	22.14	30.43	4.79	33.71	142	62	AVERAGE																																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	2402.00	110.86	-----	-----	109.29	30.44	4.81	33.68	142	62	PEAK																																																																																																												
2	2402.00	86.07	-----	-----	84.50	30.44	4.81	33.68	142	62	AVERAGE																																																																																																												





Mode	41																																																																																																																					
	Band Edge																																																																																																																					
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																					
ANT	BF 8+10																																																																																																																					
Pol.	Vertical					Fundamental																																																																																																																
Peak																																																																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2380.84</td><td>43.15</td><td>74.00</td><td>-30.85</td><td>41.65</td><td>30.43</td><td>4.79</td><td>33.72</td><td>400</td><td>268 PEAK</td></tr><tr><td>2</td><td>2380.84</td><td>18.36</td><td>54.00</td><td>-35.64</td><td>16.86</td><td>30.43</td><td>4.79</td><td>33.72</td><td>400</td><td>268 AVERAGE</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2380.84	43.15	74.00	-30.85	41.65	30.43	4.79	33.72	400	268 PEAK	2	2380.84	18.36	54.00	-35.64	16.86	30.43	4.79	33.72	400	268 AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2402.00</td><td>104.93</td><td>-----</td><td>-----</td><td>103.36</td><td>30.44</td><td>4.81</td><td>33.68</td><td>400</td><td>268 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>80.14</td><td>-----</td><td>-----</td><td>78.57</td><td>30.44</td><td>4.81</td><td>33.68</td><td>400</td><td>268 AVERAGE</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2402.00	104.93	-----	-----	103.36	30.44	4.81	33.68	400	268 PEAK	2	2402.00	80.14	-----	-----	78.57	30.44	4.81	33.68	400	268 AVERAGE
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	2380.84	43.15	74.00	-30.85	41.65	30.43	4.79	33.72	400	268 PEAK																																																																																																												
2	2380.84	18.36	54.00	-35.64	16.86	30.43	4.79	33.72	400	268 AVERAGE																																																																																																												
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	2402.00	104.93	-----	-----	103.36	30.44	4.81	33.68	400	268 PEAK																																																																																																												
2	2402.00	80.14	-----	-----	78.57	30.44	4.81	33.68	400	268 AVERAGE																																																																																																												



Mode	41																																																																																															
	Harmonic																																																																																															
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																															
ANT	BF 8+10																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>4804.00</td><td>41.91</td><td>74.00</td><td>-32.09</td><td>57.82</td><td>33.82</td><td>7.74</td></tr><tr><td>2</td><td>4804.00</td><td>17.12</td><td>54.00</td><td>-36.88</td><td>33.03</td><td>33.82</td><td>7.74</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	4804.00	41.91	74.00	-32.09	57.82	33.82	7.74	2	4804.00	17.12	54.00	-36.88	33.03	33.82	7.74	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>4804.00</td><td>42.16</td><td>74.00</td><td>-31.84</td><td>58.07</td><td>33.82</td><td>7.74</td></tr><tr><td>2</td><td>4804.00</td><td>17.37</td><td>54.00</td><td>-36.63</td><td>33.28</td><td>33.82</td><td>7.74</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	4804.00	42.16	74.00	-31.84	58.07	33.82	7.74	2	4804.00	17.37	54.00	-36.63	33.28	33.82	7.74
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	4804.00	41.91	74.00	-32.09	57.82	33.82	7.74																																																																																									
2	4804.00	17.12	54.00	-36.88	33.03	33.82	7.74																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	4804.00	42.16	74.00	-31.84	58.07	33.82	7.74																																																																																									
2	4804.00	17.37	54.00	-36.63	33.28	33.82	7.74																																																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>4804.00</td><td>41.91</td><td>74.00</td><td>-32.09</td><td>57.82</td><td>33.82</td><td>7.74</td></tr><tr><td>2</td><td>4804.00</td><td>17.12</td><td>54.00</td><td>-36.88</td><td>33.03</td><td>33.82</td><td>7.74</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	4804.00	41.91	74.00	-32.09	57.82	33.82	7.74	2	4804.00	17.12	54.00	-36.88	33.03	33.82	7.74	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>4804.00</td><td>42.16</td><td>74.00</td><td>-31.84</td><td>58.07</td><td>33.82</td><td>7.74</td></tr><tr><td>2</td><td>4804.00</td><td>17.37</td><td>54.00</td><td>-36.63</td><td>33.28</td><td>33.82</td><td>7.74</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	4804.00	42.16	74.00	-31.84	58.07	33.82	7.74	2	4804.00	17.37	54.00	-36.63	33.28	33.82	7.74	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	4804.00	41.91	74.00	-32.09	57.82	33.82	7.74																																																																																									
2	4804.00	17.12	54.00	-36.88	33.03	33.82	7.74																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	4804.00	42.16	74.00	-31.84	58.07	33.82	7.74																																																																																									
2	4804.00	17.37	54.00	-36.63	33.28	33.82	7.74																																																																																									



Mode	42																																																																																								
	Harmonic																																																																																								
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																								
ANT	BF 8+10																																																																																								
Pol.	Horizontal						Vertical																																																																																		
Peak Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4882.00</td><td>42.90</td><td>74.00</td><td>-31.10</td><td>58.80</td><td>33.85</td><td>7.77</td><td>57.52</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4882.00</td><td>18.11</td><td>54.00</td><td>-35.89</td><td>34.01</td><td>33.85</td><td>7.77</td><td>57.52</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>7323.00</td><td>45.32</td><td>74.00</td><td>-28.68</td><td>58.98</td><td>36.30</td><td>8.97</td><td>58.93</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7323.00</td><td>20.53</td><td>54.00</td><td>-33.47</td><td>34.19</td><td>36.30</td><td>8.97</td><td>58.93</td><td>--</td><td>--</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4882.00	42.90	74.00	-31.10	58.80	33.85	7.77	57.52	--	--	Peak	2	4882.00	18.11	54.00	-35.89	34.01	33.85	7.77	57.52	--	--	Average	3	7323.00	45.32	74.00	-28.68	58.98	36.30	8.97	58.93	--	--	Peak	4	7323.00	20.53	54.00	-33.47	34.19	36.30	8.97	58.93	--	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	4882.00	42.90	74.00	-31.10	58.80	33.85	7.77	57.52	--	--	Peak																																																																														
2	4882.00	18.11	54.00	-35.89	34.01	33.85	7.77	57.52	--	--	Average																																																																														
3	7323.00	45.32	74.00	-28.68	58.98	36.30	8.97	58.93	--	--	Peak																																																																														
4	7323.00	20.53	54.00	-33.47	34.19	36.30	8.97	58.93	--	--	Average																																																																														



Mode	43																																																																																																																				
	Band Edge																																																																																																																				
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																				
ANT	BF 8+10																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																														
Peak	Level (dBuV/m) Date: 2025-06-05 113.8 97.5 81.3 65.0 48.8 32.5 16.3 2441 2452.8 2464.6 2476.4 2488.2 2500 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.95</td><td>47.37</td><td>74.00</td><td>-26.63</td><td>45.49</td><td>30.49</td><td>4.92</td><td>33.53</td><td>134</td><td>65</td><td>PEAK</td></tr><tr><td>2</td><td>2483.95</td><td>22.58</td><td>54.00</td><td>-31.42</td><td>20.70</td><td>30.49</td><td>4.92</td><td>33.53</td><td>134</td><td>65</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.95	47.37	74.00	-26.63	45.49	30.49	4.92	33.53	134	65	PEAK	2	2483.95	22.58	54.00	-31.42	20.70	30.49	4.92	33.53	134	65	AVERAGE	Level (dBuV/m) Date: 2025-06-05 113.8 97.5 81.3 65.0 48.8 32.5 16.3 1000 1400 1800 2200 2600 3000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>109.29</td><td>-----</td><td>-----</td><td>107.42</td><td>30.49</td><td>4.92</td><td>33.54</td><td>134</td><td>65</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>84.50</td><td>-----</td><td>-----</td><td>82.63</td><td>30.49</td><td>4.92</td><td>33.54</td><td>134</td><td>65</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	109.29	-----	-----	107.42	30.49	4.92	33.54	134	65	PEAK	2	2480.00	84.50	-----	-----	82.63	30.49	4.92	33.54	134	65	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	2483.95	47.37	74.00	-26.63	45.49	30.49	4.92	33.53	134	65	PEAK																																																																																																										
2	2483.95	22.58	54.00	-31.42	20.70	30.49	4.92	33.53	134	65	AVERAGE																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	2480.00	109.29	-----	-----	107.42	30.49	4.92	33.54	134	65	PEAK																																																																																																										
2	2480.00	84.50	-----	-----	82.63	30.49	4.92	33.54	134	65	AVERAGE																																																																																																										



Mode	43																																																																																																																				
	Band Edge																																																																																																																				
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																				
ANT	BF 8+10																																																																																																																				
Pol.	Vertical						Fundamental																																																																																																														
Peak	Level (dBuV/m) Date: 2025-06-05 PEAK_BE_74 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.83</td><td>57.77</td><td>74.00</td><td>-16.23</td><td>55.89</td><td>30.49</td><td>4.92</td><td>33.53</td><td>336</td><td>273</td><td>PEAK</td></tr><tr><td>2</td><td>2483.83</td><td>32.98</td><td>54.00</td><td>-21.02</td><td>31.10</td><td>30.49</td><td>4.92</td><td>33.53</td><td>336</td><td>273</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.83	57.77	74.00	-16.23	55.89	30.49	4.92	33.53	336	273	PEAK	2	2483.83	32.98	54.00	-21.02	31.10	30.49	4.92	33.53	336	273	AVERAGE	Level (dBuV/m) Date: 2025-06-05 PEAK_74 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>105.54</td><td>-----</td><td>-----</td><td>103.67</td><td>30.49</td><td>4.92</td><td>33.54</td><td>336</td><td>273</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>80.75</td><td>-----</td><td>-----</td><td>78.88</td><td>30.49</td><td>4.92</td><td>33.54</td><td>336</td><td>273</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	105.54	-----	-----	103.67	30.49	4.92	33.54	336	273	PEAK	2	2480.00	80.75	-----	-----	78.88	30.49	4.92	33.54	336	273	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	2483.83	57.77	74.00	-16.23	55.89	30.49	4.92	33.53	336	273	PEAK																																																																																																										
2	2483.83	32.98	54.00	-21.02	31.10	30.49	4.92	33.53	336	273	AVERAGE																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	2480.00	105.54	-----	-----	103.67	30.49	4.92	33.54	336	273	PEAK																																																																																																										
2	2480.00	80.75	-----	-----	78.88	30.49	4.92	33.54	336	273	AVERAGE																																																																																																										




		43																																																																																							
Mode		Harmonic																																																																																							
		2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																							
ANT		BF 8+10																																																																																							
Pol.		Horizontal					Vertical																																																																																		
Peak Avg																																																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>43.48</td><td>74.00</td><td>-30.52</td><td>59.36</td><td>33.89</td><td>7.81</td><td>57.58</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>18.69</td><td>54.00</td><td>-35.31</td><td>34.57</td><td>33.89</td><td>7.81</td><td>57.58</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>44.37</td><td>74.00</td><td>-29.63</td><td>57.86</td><td>36.30</td><td>9.19</td><td>58.98</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>19.58</td><td>54.00</td><td>-34.42</td><td>33.07</td><td>36.30</td><td>9.19</td><td>58.98</td><td>--</td><td>--</td><td>Average</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4960.00	43.48	74.00	-30.52	59.36	33.89	7.81	57.58	--	--	Peak	2	4960.00	18.69	54.00	-35.31	34.57	33.89	7.81	57.58	--	--	Average	3	7440.00	44.37	74.00	-29.63	57.86	36.30	9.19	58.98	--	--	Peak	4	7440.00	19.58	54.00	-34.42	33.07	36.30	9.19	58.98	--	--	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	4960.00	43.48	74.00	-30.52	59.36	33.89	7.81	57.58	--	--	Peak																																																																														
2	4960.00	18.69	54.00	-35.31	34.57	33.89	7.81	57.58	--	--	Average																																																																														
3	7440.00	44.37	74.00	-29.63	57.86	36.30	9.19	58.98	--	--	Peak																																																																														
4	7440.00	19.58	54.00	-34.42	33.07	36.30	9.19	58.98	--	--	Average																																																																														
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>45.07</td><td>74.00</td><td>-28.93</td><td>60.95</td><td>33.89</td><td>7.81</td><td>57.58</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>20.28</td><td>54.00</td><td>-33.72</td><td>36.16</td><td>33.89</td><td>7.81</td><td>57.58</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>45.29</td><td>74.00</td><td>-28.71</td><td>58.78</td><td>36.30</td><td>9.19</td><td>58.98</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>20.50</td><td>54.00</td><td>-33.50</td><td>33.99</td><td>36.30</td><td>9.19</td><td>58.98</td><td>--</td><td>--</td><td>Average</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4960.00	45.07	74.00	-28.93	60.95	33.89	7.81	57.58	--	--	Peak	2	4960.00	20.28	54.00	-33.72	36.16	33.89	7.81	57.58	--	--	Average	3	7440.00	45.29	74.00	-28.71	58.78	36.30	9.19	58.98	--	--	Peak	4	7440.00	20.50	54.00	-33.50	33.99	36.30	9.19	58.98	--	--	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	4960.00	45.07	74.00	-28.93	60.95	33.89	7.81	57.58	--	--	Peak																																																																														
2	4960.00	20.28	54.00	-33.72	36.16	33.89	7.81	57.58	--	--	Average																																																																														
3	7440.00	45.29	74.00	-28.71	58.78	36.30	9.19	58.98	--	--	Peak																																																																														
4	7440.00	20.50	54.00	-33.50	33.99	36.30	9.19	58.98	--	--	Average																																																																														


Appendix D. Duty Cycle Plots

Ant.10

DH5 on time (One Pulse) Plot on Channel 39



DH5 on time (Count Pulses) Plot on Channel 39




Note:


1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.

Ant.8

DH5 on time (One Pulse) Plot on Channel 39



DH5 on time (Count Pulses) Plot on Channel 39




Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.

Ant.10+8

DH5 on time (One Pulse) Plot on Channel 39



DH5 on time (Count Pulses) Plot on Channel 39



Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.