












Test Graphs






























Band edge measurements



Test Result



TestMode	Antenna	ChName	Freq(MHz)	RefLevel[dBm/100KHz]	Result[dBm/100KHz]	Limit[dBm/100KHz]	Verdict
BLE_1M	Ant10	Low	2402	15.85	-44.73	≤ -4.15	PASS
	Ant8	Low	2402	15.57	-45.58	≤ -4.43	PASS
	Ant10	High	2480	15.45	-52.58	≤ -4.55	PASS
	Ant8	High	2480	14.17	-53.9	≤ -5.83	PASS
BLE_2M	Ant10	Low	2404	15.41	-52.33	≤ -4.59	PASS
	Ant8	Low	2404	15.17	-52.18	≤ -4.83	PASS
	Ant10	High	2478	15.09	-54.05	≤ -4.91	PASS
	Ant8	High	2478	14.85	-53.53	≤ -5.15	PASS
BLE_125K	Ant10	Low	2402	10.25	-50.08	≤ -9.75	PASS
	Ant8	Low	2402	9.84	-52.42	≤ -10.16	PASS
	Ant10	High	2480	10.17	-53.94	≤ -9.83	PASS
	Ant8	High	2480	10.06	-53.4	≤ -9.94	PASS






Test Graphs


















Conducted Spurious Emission



Test Result



TestMode	Antenna	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm/100KHz]	Result [dBm/100KHz]	Limit [dBm/100KHz]	Verdict
BLE_1M	Ant10	2402	30~1000	15.85	-45.4	≤-4.15	PASS
			1000~26500	15.85	-35.84	≤-4.15	PASS
	Ant8	2402	30~1000	15.57	-44.45	≤-4.43	PASS
			1000~26500	15.57	-35.89	≤-4.43	PASS
	Ant10	2440	30~1000	15.75	-45.85	≤-4.25	PASS
			1000~26500	15.75	-35.94	≤-4.25	PASS
	Ant8	2440	30~1000	14.68	-46.13	≤-5.32	PASS
			1000~26500	14.68	-35.51	≤-5.32	PASS
	Ant10	2480	30~1000	15.45	-45.54	≤-4.55	PASS
			1000~26500	15.45	-36.65	≤-4.55	PASS
	Ant8	2480	30~1000	14.17	-45.29	≤-5.83	PASS
			1000~26500	14.17	-35.24	≤-5.83	PASS
BLE_2M	Ant10	2404	30~1000	15.41	-45.11	≤-4.59	PASS
			1000~26500	15.41	-35.96	≤-4.59	PASS
	Ant8	2404	30~1000	15.17	-46.15	≤-4.83	PASS
			1000~26500	15.17	-35.69	≤-4.83	PASS
	Ant10	2440	30~1000	15.42	-44.68	≤-4.58	PASS
			1000~26500	15.42	-36.22	≤-4.58	PASS
	Ant8	2440	30~1000	15.20	-46.02	≤-4.8	PASS
			1000~26500	15.20	-36.01	≤-4.8	PASS
	Ant10	2478	30~1000	15.09	-46.11	≤-4.91	PASS
			1000~26500	15.09	-36.06	≤-4.91	PASS
	Ant8	2478	30~1000	14.85	-44.59	≤-5.15	PASS
			1000~26500	14.85	-35.22	≤-5.15	PASS
BLE_125K	Ant10	2402	30~1000	10.25	-45.08	≤-9.75	PASS
			1000~26500	10.25	-35.56	≤-9.75	PASS
	Ant8	2402	30~1000	9.84	-43.93	≤-10.16	PASS
			1000~26500	9.84	-36	≤-10.16	PASS
	Ant10	2440	30~1000	9.45	-45.82	≤-10.55	PASS
			1000~26500	9.45	-36.13	≤-10.55	PASS
	Ant8	2440	30~1000	9.77	-45.84	≤-10.23	PASS
			1000~26500	9.77	-36.11	≤-10.23	PASS
	Ant10	2480	30~1000	10.17	-44.51	≤-9.83	PASS
			1000~26500	10.17	-36.23	≤-9.83	PASS
	Ant8	2480	30~1000	10.06	-44.64	≤-9.94	PASS
			1000~26500	10.06	-36.15	≤-9.94	PASS







Test Graphs


































































Appendix B. AC Conducted Emission Test Results

Test Engineer :	Nathon & Xuruibin	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : C002-SZ
Condition : FCC 15C_QP LISN_2025-L LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.16	40.95	-14.70	55.65	21.09	9.67	10.19	Average
2 *	0.16	51.35	-14.30	65.65	31.49	9.67	10.19	QP
3	0.22	32.30	-20.66	52.96	12.40	9.71	10.19	Average
4	0.22	44.40	-18.56	62.96	24.50	9.71	10.19	QP
5	0.26	30.03	-21.39	51.42	10.10	9.73	10.20	Average
6	0.26	41.93	-19.49	61.42	22.00	9.73	10.20	QP
7	0.30	27.76	-22.39	50.15	7.79	9.76	10.21	Average
8	0.30	37.96	-22.19	60.15	17.99	9.76	10.21	QP
9	0.52	27.62	-18.38	46.00	7.70	9.68	10.24	Average
10	0.52	37.72	-18.28	56.00	17.80	9.68	10.24	QP
11	0.59	27.50	-18.50	46.00	7.60	9.66	10.24	Average
12	0.59	38.40	-17.60	56.00	18.50	9.66	10.24	QP



Test Engineer :	Nathon & Xuruibin	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : C002-SZ
Condition : FCC 15C_QP LISN_2025-N NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.16	38.19	-17.50	55.69	18.40	9.60	10.19	Average
2 *	0.16	49.89	-15.80	65.69	30.10	9.60	10.19	QP
3	0.21	33.88	-19.44	53.32	13.90	9.80	10.18	Average
4	0.21	44.68	-18.64	63.32	24.70	9.80	10.18	QP
5	0.22	32.28	-20.38	52.66	12.40	9.69	10.19	Average
6	0.22	43.08	-19.58	62.66	23.20	9.69	10.19	QP
7	0.33	26.50	-22.99	49.49	6.60	9.69	10.21	Average
8	0.33	36.20	-23.29	59.49	16.30	9.69	10.21	QP
9	0.49	30.31	-15.79	46.10	10.00	10.07	10.24	Average
10	0.49	38.31	-17.79	56.10	18.00	10.07	10.24	QP
11	0.59	29.07	-16.93	46.00	9.19	9.64	10.24	Average
12	0.59	38.17	-17.83	56.00	18.29	9.64	10.24	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Wenbo Xiao	Relative Humidity :	50%
		Temperature :	20°C~22°C





Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 4	2400-2483.5	8	Bluetooth-LE	00	2402	1Mbps	-	-
Mode 5	2400-2483.5	8	Bluetooth-LE	19	2440	1Mbps	-	-
Mode 6	2400-2483.5	8	Bluetooth-LE	39	2480	1Mbps	-	-
Mode 7	2400-2483.5	8	Bluetooth-LE	01	2404	2Mbps	-	-
Mode 8	2400-2483.5	8	Bluetooth-LE	19	2440	2Mbps	-	-
Mode 9	2400-2483.5	8	Bluetooth-LE	38	2478	2Mbps	-	-
Mode 13	2400-2483.5	10	Bluetooth-LE	00	2402	1Mbps	-	-
Mode 14	2400-2483.5	10	Bluetooth-LE	19	2440	1Mbps	-	-
Mode 15	2400-2483.5	10	Bluetooth-LE	39	2480	1Mbps	-	-
Mode 16	2400-2483.5	10	Bluetooth-LE	01	2404	2Mbps	-	-
Mode 17	2400-2483.5	10	Bluetooth-LE	19	2440	2Mbps	-	-
Mode 18	2400-2483.5	10	Bluetooth-LE	38	2478	2Mbps	-	-
Mode 19	2400-2483.5	8	Bluetooth-LE_LF	38	2478	2Mbps	-	LF





**Summary of each worse mode**

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
4	Bluetooth-LE	00	2362.07	39.50	54.00	-14.50	H	AVERAGE	Pass	Band Edge
4	Bluetooth-LE	00	4804.00	43.67	74.00	-30.33	H	Peak	Pass	Harmonic
5	Bluetooth-LE	19	-	-	-	-	-	-	-	Band Edge
5	Bluetooth-LE	19	7320.00	45.23	74.00	-28.77	V	Peak	Pass	Harmonic
6	Bluetooth-LE	39	2483.90	40.49	54.00	-13.51	H	AVERAGE	Pass	Band Edge
6	Bluetooth-LE	39	7440.00	45.67	74.00	-28.33	V	Peak	Pass	Harmonic
7	Bluetooth-LE	01	2387.83	40.68	54.00	-13.32	H	AVERAGE	Pass	Band Edge
7	Bluetooth-LE	01	4808.00	44.30	74.00	-29.70	H	Peak	Pass	Harmonic
8	Bluetooth-LE	19	-	-	-	-	-	-	-	Band Edge
8	Bluetooth-LE	19	7320.00	45.42	74.00	-28.58	V	Peak	Pass	Harmonic
9	Bluetooth-LE	38	2498.64	41.34	54.00	-12.66	H	AVERAGE	Pass	Band Edge
9	Bluetooth-LE	38	7434.00	45.17	74.00	-28.83	H	Peak	Pass	Harmonic
13	Bluetooth-LE	00	2371.55	39.26	54.00	-14.74	V	AVERAGE	Pass	Band Edge
13	Bluetooth-LE	00	4804.00	43.91	74.00	-30.09	H	Peak	Pass	Harmonic
14	Bluetooth-LE	19	-	-	-	-	-	-	-	Band Edge
14	Bluetooth-LE	19	7320.00	45.36	74.00	-28.64	H	Peak	Pass	Harmonic
15	Bluetooth-LE	39	2483.54	40.39	54.00	-13.61	H	AVERAGE	Pass	Band Edge
15	Bluetooth-LE	39	7440.00	45.68	74.00	-28.32	H	Peak	Pass	Harmonic
16	Bluetooth-LE	01	2333.97	40.83	54.00	-13.17	H	AVERAGE	Pass	Band Edge
16	Bluetooth-LE	01	4808.00	43.98	74.00	-30.02	H	Peak	Pass	Harmonic
17	Bluetooth-LE	19	-	-	-	-	-	-	-	Band Edge
17	Bluetooth-LE	19	7320.00	46.59	74.00	-27.41	H	Peak	Pass	Harmonic
18	Bluetooth-LE	38	2483.85	41.25	54.00	-12.75	H	AVERAGE	Pass	Band Edge
18	Bluetooth-LE	38	7434.00	46.00	74.00	-28.00	V	Peak	Pass	Harmonic
19	Bluetooth-LE_LF	38	946.65	34.02	46.00	-11.98	H	Peak	Pass	LF





Mode	4																																																																																										
	Band Edge																																																																																										
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																																										
ANT	8																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2338.98</td><td>49.20</td><td>74.00</td><td>-24.80</td><td>47.86</td><td>30.40</td><td>4.74</td><td>33.80</td><td>116</td><td>59</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2338.98	49.20	74.00	-24.80	47.86	30.40	4.74	33.80	116	59	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>106.88</td><td>-----</td><td>-----</td><td>105.31</td><td>30.44</td><td>4.81</td><td>33.68</td><td>116</td><td>59</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2402.00	106.88	-----	-----	105.31	30.44	4.81	33.68	116	59
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2338.98	49.20	74.00	-24.80	47.86	30.40	4.74	33.80	116	59	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2402.00	106.88	-----	-----	105.31	30.44	4.81	33.68	116	59	PEAK																																																																																
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2362.07</td><td>39.50</td><td>54.00</td><td>-14.50</td><td>38.06</td><td>30.42</td><td>4.77</td><td>33.75</td><td>116</td><td>59</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2362.07	39.50	54.00	-14.50	38.06	30.42	4.77	33.75	116	59	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>105.94</td><td>-----</td><td>-----</td><td>104.37</td><td>30.44</td><td>4.81</td><td>33.68</td><td>116</td><td>59</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2402.00	105.94	-----	-----	104.37	30.44	4.81	33.68	116	59
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2362.07	39.50	54.00	-14.50	38.06	30.42	4.77	33.75	116	59	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2402.00	105.94	-----	-----	104.37	30.44	4.81	33.68	116	59	AVERAGE																																																																																



Mode	4																																																																																											
	Band Edge																																																																																											
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																																											
ANT	8																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	 Date: 2025-05-20 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2383.23</td><td>49.74</td><td>74.00</td><td>-24.26</td><td>48.24</td><td>30.43</td><td>4.79</td><td>33.72</td><td>396</td><td>28</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2383.23	49.74	74.00	-24.26	48.24	30.43	4.79	33.72	396	28	PEAK	 Date: 2025-05-20 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>95.12</td><td>-----</td><td>-----</td><td>93.55</td><td>30.44</td><td>4.81</td><td>33.68</td><td>396</td><td>28</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2402.00	95.12	-----	-----	93.55	30.44	4.81	33.68	396	28	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2383.23	49.74	74.00	-24.26	48.24	30.43	4.79	33.72	396	28	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2402.00	95.12	-----	-----	93.55	30.44	4.81	33.68	396	28	PEAK																																																																																	
Avg	 Date: 2025-05-20 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2371.73</td><td>39.34</td><td>54.00</td><td>-14.66</td><td>37.88</td><td>30.42</td><td>4.78</td><td>33.74</td><td>396</td><td>28</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2371.73	39.34	54.00	-14.66	37.88	30.42	4.78	33.74	396	28	AVERAGE	 Date: 2025-05-20 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>94.22</td><td>-----</td><td>-----</td><td>92.65</td><td>30.44</td><td>4.81</td><td>33.68</td><td>396</td><td>28</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2402.00	94.22	-----	-----	92.65	30.44	4.81	33.68	396	28	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2371.73	39.34	54.00	-14.66	37.88	30.42	4.78	33.74	396	28	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2402.00	94.22	-----	-----	92.65	30.44	4.81	33.68	396	28	AVERAGE																																																																																	







Mode	4																																																																																																									
	Harmonic																																																																																																									
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																																																									
ANT	8																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4804.00</td><td>43.67</td><td>74.00</td><td>-30.33</td><td>59.58</td><td>33.82</td><td>7.74</td><td>57.47</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4804.00	43.67	74.00	-30.33	59.58	33.82	7.74	57.47	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4804.00</td><td>43.57</td><td>74.00</td><td>-30.43</td><td>59.48</td><td>33.82</td><td>7.74</td><td>57.47</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4804.00	43.57	74.00	-30.43	59.48	33.82	7.74	57.47	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	4804.00	43.67	74.00	-30.33	59.58	33.82	7.74	57.47	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	4804.00	43.57	74.00	-30.43	59.48	33.82	7.74	57.47	---	---	Peak																																																																																															







Mode	5																																																																					
	Harmonic																																																																					
	2400-2483.5_Bluetooth-LE_CH19_2440MHz																																																																					
ANT	8																																																																					
Pol.	Horizontal																																																																					
Peak Avg																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4880.00</td><td>43.99</td><td>74.00</td><td>-30.01</td><td>59.89</td><td>33.85</td><td>7.77</td><td>57.52</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>44.83</td><td>74.00</td><td>-29.17</td><td>58.50</td><td>36.30</td><td>8.96</td><td>58.93</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4880.00	43.99	74.00	-30.01	59.89	33.85	7.77	57.52	---	---	Peak	2	7320.00	44.83	74.00	-29.17	58.50	36.30	8.96	58.93	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	4880.00	43.99	74.00	-30.01	59.89	33.85	7.77	57.52	---	---	Peak																																																											
2	7320.00	44.83	74.00	-29.17	58.50	36.30	8.96	58.93	---	---	Peak																																																											
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4880.00</td><td>43.99</td><td>74.00</td><td>-30.01</td><td>59.89</td><td>33.85</td><td>7.77</td><td>57.52</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>44.83</td><td>74.00</td><td>-29.17</td><td>58.50</td><td>36.30</td><td>8.96</td><td>58.93</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4880.00	43.99	74.00	-30.01	59.89	33.85	7.77	57.52	---	---	Peak	2	7320.00	44.83	74.00	-29.17	58.50	36.30	8.96	58.93	---	---	Peak	
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	4880.00	43.99	74.00	-30.01	59.89	33.85	7.77	57.52	---	---	Peak																																																											
2	7320.00	44.83	74.00	-29.17	58.50	36.30	8.96	58.93	---	---	Peak																																																											
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4880.00</td><td>44.11</td><td>74.00</td><td>-29.89</td><td>60.01</td><td>33.85</td><td>7.77</td><td>57.52</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>45.23</td><td>74.00</td><td>-28.77</td><td>58.90</td><td>36.30</td><td>8.96</td><td>58.93</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4880.00	44.11	74.00	-29.89	60.01	33.85	7.77	57.52	---	---	Peak	2	7320.00	45.23	74.00	-28.77	58.90	36.30	8.96	58.93	---	---	Peak	
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	4880.00	44.11	74.00	-29.89	60.01	33.85	7.77	57.52	---	---	Peak																																																											
2	7320.00	45.23	74.00	-28.77	58.90	36.30	8.96	58.93	---	---	Peak																																																											



Mode	6																																																																																											
	Band Edge																																																																																											
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																											
ANT	8																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	 Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a signal level starting at approximately 113.8 dBuV/m at 2480 MHz, dropping to about 48.8 dBuV/m by 2484 MHz, and then remaining relatively flat with a small peak at 2488.60 MHz. A red limit line is shown at 81.3 dBuV/m, labeled PEAK_BE_74. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2488.60</td><td>49.96</td><td>74.00</td><td>-24.04</td><td>48.05</td><td>30.50</td><td>4.93</td><td>33.52</td><td>113</td><td>55</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2488.60	49.96	74.00	-24.04	48.05	30.50	4.93	33.52	113	55	PEAK	 Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a signal level starting at approximately 113.8 dBuV/m at 2480 MHz, dropping to about 48.8 dBuV/m by 2484 MHz, and then remaining relatively flat with a small peak at 2488.00 MHz. A red limit line is shown at 81.3 dBuV/m, labeled PEAK_74. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>105.20</td><td>-----</td><td>-----</td><td>103.33</td><td>30.49</td><td>4.92</td><td>33.54</td><td>113</td><td>55</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2480.00	105.20	-----	-----	103.33	30.49	4.92	33.54	113	55	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2488.60	49.96	74.00	-24.04	48.05	30.50	4.93	33.52	113	55	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2480.00	105.20	-----	-----	103.33	30.49	4.92	33.54	113	55	PEAK																																																																																	
Avg	 Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a signal level starting at approximately 113.8 dBuV/m at 2480 MHz, dropping to about 48.8 dBuV/m by 2484 MHz, and then remaining relatively flat with a small peak at 2483.90 MHz. A red limit line is shown at 81.3 dBuV/m, labeled AVG_BE_54. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.90</td><td>40.49</td><td>54.00</td><td>-13.51</td><td>38.61</td><td>30.49</td><td>4.92</td><td>33.53</td><td>113</td><td>55</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.90	40.49	54.00	-13.51	38.61	30.49	4.92	33.53	113	55	AVERAGE	 Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a signal level starting at approximately 113.8 dBuV/m at 2480 MHz, dropping to about 48.8 dBuV/m by 2484 MHz, and then remaining relatively flat with a small peak at 2480.00 MHz. A red limit line is shown at 81.3 dBuV/m, labeled AVG_54. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>104.22</td><td>-----</td><td>-----</td><td>102.35</td><td>30.49</td><td>4.92</td><td>33.54</td><td>113</td><td>55</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2480.00	104.22	-----	-----	102.35	30.49	4.92	33.54	113	55	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2483.90	40.49	54.00	-13.51	38.61	30.49	4.92	33.53	113	55	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2480.00	104.22	-----	-----	102.35	30.49	4.92	33.54	113	55	AVERAGE																																																																																	



Mode	6																																																																																					
	Band Edge																																																																																					
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																					
ANT	8																																																																																					
Pol.	Vertical					Fundamental																																																																																
Peak	 Date: 2025-05-20 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2485.78</td><td>49.43</td><td>74.00</td><td>-24.57</td><td>47.55</td><td>30.49</td><td>4.92</td><td>33.53</td><td>153</td><td>23 PEAK</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2485.78	49.43	74.00	-24.57	47.55	30.49	4.92	33.53	153	23 PEAK	 Date: 2025-05-20 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2480.00</td><td>92.83</td><td>-----</td><td>-----</td><td>90.96</td><td>30.49</td><td>4.92</td><td>33.54</td><td>153</td><td>23 PEAK</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2480.00	92.83	-----	-----	90.96	30.49	4.92	33.54	153	23 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 2485.78	49.43	74.00	-24.57	47.55	30.49	4.92	33.53	153	23 PEAK																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 2480.00	92.83	-----	-----	90.96	30.49	4.92	33.54	153	23 PEAK																																																																													
Avg	 Date: 2025-05-20 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2494.66</td><td>39.91</td><td>54.00</td><td>-14.09</td><td>37.98</td><td>30.50</td><td>4.94</td><td>33.51</td><td>153</td><td>23 AVERAGE</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2494.66	39.91	54.00	-14.09	37.98	30.50	4.94	33.51	153	23 AVERAGE	 Date: 2025-05-20 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2480.00</td><td>91.85</td><td>-----</td><td>-----</td><td>89.98</td><td>30.49</td><td>4.92</td><td>33.54</td><td>153</td><td>23 AVERAGE</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2480.00	91.85	-----	-----	89.98	30.49	4.92	33.54	153	23 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 2494.66	39.91	54.00	-14.09	37.98	30.50	4.94	33.51	153	23 AVERAGE																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 2480.00	91.85	-----	-----	89.98	30.49	4.92	33.54	153	23 AVERAGE																																																																													



Mode	6																																																															
	Harmonic																																																															
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																															
ANT	8																																																															
Pol.	Horizontal																																																															
Peak Avg																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>43.29</td><td>74.00</td><td>-30.71</td><td>59.17</td><td>33.89</td><td>7.81</td><td>57.58</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>45.12</td><td>74.00</td><td>-28.88</td><td>58.61</td><td>36.30</td><td>9.19</td><td>58.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4960.00	43.29	74.00	-30.71	59.17	33.89	7.81	57.58	---	---	Peak	2	7440.00	45.12	74.00	-28.88	58.61	36.30	9.19	58.98	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	4960.00	43.29	74.00	-30.71	59.17	33.89	7.81	57.58	---	---	Peak																																																					
2	7440.00	45.12	74.00	-28.88	58.61	36.30	9.19	58.98	---	---	Peak																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>43.29</td><td>74.00</td><td>-30.71</td><td>59.17</td><td>33.89</td><td>7.81</td><td>57.58</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>45.12</td><td>74.00</td><td>-28.88</td><td>58.61</td><td>36.30</td><td>9.19</td><td>58.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4960.00	43.29	74.00	-30.71	59.17	33.89	7.81	57.58	---	---	Peak	2	7440.00	45.12	74.00	-28.88	58.61	36.30	9.19	58.98	---	---	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	4960.00	43.29	74.00	-30.71	59.17	33.89	7.81	57.58	---	---	Peak																																																					
2	7440.00	45.12	74.00	-28.88	58.61	36.30	9.19	58.98	---	---	Peak																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>43.29</td><td>74.00</td><td>-30.71</td><td>59.17</td><td>33.89</td><td>7.81</td><td>57.58</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>45.12</td><td>74.00</td><td>-28.88</td><td>58.61</td><td>36.30</td><td>9.19</td><td>58.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4960.00	43.29	74.00	-30.71	59.17	33.89	7.81	57.58	---	---	Peak	2	7440.00	45.12	74.00	-28.88	58.61	36.30	9.19	58.98	---	---	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	4960.00	43.29	74.00	-30.71	59.17	33.89	7.81	57.58	---	---	Peak																																																					
2	7440.00	45.12	74.00	-28.88	58.61	36.30	9.19	58.98	---	---	Peak																																																					
Peak Avg																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>44.64</td><td>74.00</td><td>-29.36</td><td>60.52</td><td>33.89</td><td>7.81</td><td>57.58</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>45.67</td><td>74.00</td><td>-28.33</td><td>59.16</td><td>36.30</td><td>9.19</td><td>58.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4960.00	44.64	74.00	-29.36	60.52	33.89	7.81	57.58	---	---	Peak	2	7440.00	45.67	74.00	-28.33	59.16	36.30	9.19	58.98	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	4960.00	44.64	74.00	-29.36	60.52	33.89	7.81	57.58	---	---	Peak																																																					
2	7440.00	45.67	74.00	-28.33	59.16	36.30	9.19	58.98	---	---	Peak																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>44.64</td><td>74.00</td><td>-29.36</td><td>60.52</td><td>33.89</td><td>7.81</td><td>57.58</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>45.67</td><td>74.00</td><td>-28.33</td><td>59.16</td><td>36.30</td><td>9.19</td><td>58.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4960.00	44.64	74.00	-29.36	60.52	33.89	7.81	57.58	---	---	Peak	2	7440.00	45.67	74.00	-28.33	59.16	36.30	9.19	58.98	---	---	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	4960.00	44.64	74.00	-29.36	60.52	33.89	7.81	57.58	---	---	Peak																																																					
2	7440.00	45.67	74.00	-28.33	59.16	36.30	9.19	58.98	---	---	Peak																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>44.64</td><td>74.00</td><td>-29.36</td><td>60.52</td><td>33.89</td><td>7.81</td><td>57.58</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>45.67</td><td>74.00</td><td>-28.33</td><td>59.16</td><td>36.30</td><td>9.19</td><td>58.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4960.00	44.64	74.00	-29.36	60.52	33.89	7.81	57.58	---	---	Peak	2	7440.00	45.67	74.00	-28.33	59.16	36.30	9.19	58.98	---	---	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	4960.00	44.64	74.00	-29.36	60.52	33.89	7.81	57.58	---	---	Peak																																																					
2	7440.00	45.67	74.00	-28.33	59.16	36.30	9.19	58.98	---	---	Peak																																																					





Mode	7																																																	
	Band Edge																																																	
	2400-2483.5_Bluetooth-LE_CH01_2404MHz																																																	
ANT	8																																																	
Pol.	Horizontal																																																	
Peak	Fundamental																																																	
	Date: 2025-05-19																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2333.22</td><td>49.19</td><td>74.00</td><td>-24.81</td><td>47.86</td><td>30.40</td><td>4.74</td><td>33.81</td><td>400</td><td>0</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2333.22	49.19	74.00	-24.81	47.86	30.40	4.74	33.81	400	0	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																									
1	2333.22	49.19	74.00	-24.81	47.86	30.40	4.74	33.81	400	0	PEAK																																							
Avg	Date: 2025-05-19																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>98.76</td><td>-----</td><td>-----</td><td>97.19</td><td>30.44</td><td>4.81</td><td>33.68</td><td>400</td><td>0</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2404.00	98.76	-----	-----	97.19	30.44	4.81	33.68	400	0
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																									
1	2404.00	98.76	-----	-----	97.19	30.44	4.81	33.68	400	0	AVERAGE																																							



Mode	7										
	Band Edge										
	2400-2483.5_Bluetooth-LE_CH01_2404MHz										
ANT	8										
Pol.	Vertical										
Peak	Level (dBuV/m) Date: 2025-05-19 <										







Mode	7																																																																																															
	Harmonic																																																																																															
	2400-2483.5_Bluetooth-LE_CH01_2404MHz																																																																																															
ANT	8																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4808.00</td><td>44.30</td><td>74.00</td><td>-29.70</td><td>60.21</td><td>33.82</td><td>7.74</td><td>57.47</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4808.00	44.30	74.00	-29.70	60.21	33.82	7.74	57.47	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4808.00</td><td>43.92</td><td>74.00</td><td>-30.08</td><td>59.83</td><td>33.82</td><td>7.74</td><td>57.47</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4808.00	43.92	74.00	-30.08	59.83	33.82	7.74	57.47	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	4808.00	44.30	74.00	-29.70	60.21	33.82	7.74	57.47	---	---	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	4808.00	43.92	74.00	-30.08	59.83	33.82	7.74	57.47	---	---	Peak																																																																																					



Mode	8																																																																																																																																																																																									
	Harmonic																																																																																																																																																																																									
	2400-2483.5_Bluetooth-LE_CH19_2440MHz																																																																																																																																																																																									
ANT	8																																																																																																																																																																																									
Pol.	Horizontal								Vertical																																																																																																																																																																																	
Peak Avg																																																																																																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="6"></th><th></th></tr><tr><td>1</td><td>4880.00</td><td>43.93</td><td>74.00</td><td>-30.07</td><td>59.83</td><td>33.85</td><td>7.77</td><td>57.52</td><td>---</td><td>---</td><td>Peak</td><td colspan="4"></td><td></td></tr><tr><td>2</td><td>7320.00</td><td>44.92</td><td>74.00</td><td>-29.08</td><td>58.59</td><td>36.30</td><td>8.96</td><td>58.93</td><td>---</td><td>---</td><td>Peak</td><td colspan="4"></td><td></td></tr></table>										Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Loss	Factor	cm	deg				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg								1	4880.00	43.93	74.00	-30.07	59.83	33.85	7.77	57.52	---	---	Peak						2	7320.00	44.92	74.00	-29.08	58.59	36.30	8.96	58.93	---	---	Peak						<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="6"></th><th></th></tr><tr><td>1</td><td>4880.00</td><td>44.37</td><td>74.00</td><td>-29.63</td><td>60.27</td><td>33.85</td><td>7.77</td><td>57.52</td><td>---</td><td>---</td><td>Peak</td><td colspan="4"></td><td></td></tr><tr><td>2</td><td>7320.00</td><td>45.42</td><td>74.00</td><td>-28.58</td><td>59.09</td><td>36.30</td><td>8.96</td><td>58.93</td><td>---</td><td>---</td><td>Peak</td><td colspan="4"></td><td></td></tr></table>										Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Loss	Factor	cm	deg				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg								1	4880.00	44.37	74.00	-29.63	60.27	33.85	7.77	57.52	---	---	Peak						2	7320.00	45.42	74.00	-28.58	59.09	36.30	8.96	58.93	---	---	Peak					
			Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Loss	Factor	cm	deg																																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																	
1	4880.00	43.93	74.00	-30.07	59.83	33.85	7.77	57.52	---	---	Peak																																																																																																																																																																															
2	7320.00	44.92	74.00	-29.08	58.59	36.30	8.96	58.93	---	---	Peak																																																																																																																																																																															
		Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark																																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Loss	Factor	cm	deg																																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																	
1	4880.00	44.37	74.00	-29.63	60.27	33.85	7.77	57.52	---	---	Peak																																																																																																																																																																															
2	7320.00	45.42	74.00	-28.58	59.09	36.30	8.96	58.93	---	---	Peak																																																																																																																																																																															





Mode	9																																																																																
	Band Edge																																																																																
	2400-2483.5_Bluetooth-LE_CH38_2478MHz																																																																																
ANT	8																																																																																
Pol.	Horizontal					Fundamental																																																																											
Peak																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 2495.12</td><td>49.89</td><td>74.00</td><td>-24.11</td><td>47.96</td><td>30.50</td><td>4.94</td><td>33.51</td><td>200 53 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 2495.12	49.89	74.00	-24.11	47.96	30.50	4.94	33.51	200 53 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 2478.00</td><td>102.17</td><td>-----</td><td>-----</td><td>100.31</td><td>30.49</td><td>4.91</td><td>33.54</td><td>200 53 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 2478.00	102.17	-----	-----	100.31	30.49	4.91	33.54
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																									
1 2495.12	49.89	74.00	-24.11	47.96	30.50	4.94	33.51	200 53 PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																									
1 2478.00	102.17	-----	-----	100.31	30.49	4.91	33.54	200 53 PEAK																																																																									
Avg																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 2498.64</td><td>41.34</td><td>54.00</td><td>-12.66</td><td>39.41</td><td>30.50</td><td>4.94</td><td>33.51</td><td>200 53 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 2498.64	41.34	54.00	-12.66	39.41	30.50	4.94	33.51	200 53 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 2478.00</td><td>100.30</td><td>-----</td><td>-----</td><td>98.44</td><td>30.49</td><td>4.91</td><td>33.54</td><td>200 53 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 2478.00	100.30	-----	-----	98.44	30.49	4.91	33.54
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																									
1 2498.64	41.34	54.00	-12.66	39.41	30.50	4.94	33.51	200 53 AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																									
1 2478.00	100.30	-----	-----	98.44	30.49	4.91	33.54	200 53 AVERAGE																																																																									



Mode	9																																																																																	
	Band Edge																																																																																	
	2400-2483.5_Bluetooth-LE_CH38_2478MHz																																																																																	
ANT	8																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Date: 2025-05-19 PEAK_BE_74 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2486.47</td><td>49.65</td><td>74.00</td><td>-24.35</td><td>47.77</td><td>30.49</td><td>4.92</td><td>33.53</td><td>100</td><td>94</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.47	49.65	74.00	-24.35	47.77	30.49	4.92	33.53	100	94	PEAK	Date: 2025-05-19 PEAK_74 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2478.00</td><td>74.91</td><td>-----</td><td>-----</td><td>73.05</td><td>30.49</td><td>4.91</td><td>33.54</td><td>100</td><td>94</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	74.91	-----	-----	73.05	30.49	4.91	33.54	100	94	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2486.47	49.65	74.00	-24.35	47.77	30.49	4.92	33.53	100	94	PEAK																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2478.00	74.91	-----	-----	73.05	30.49	4.91	33.54	100	94	PEAK																																																																							
Avg	Date: 2025-05-19 AVG_BE_54 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2492.41</td><td>41.33</td><td>54.00</td><td>-12.67</td><td>39.42</td><td>30.50</td><td>4.93</td><td>33.52</td><td>100</td><td>94</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2492.41	41.33	54.00	-12.67	39.42	30.50	4.93	33.52	100	94	AVERAGE	Date: 2025-05-19 AVG_54 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2478.00</td><td>72.16</td><td>-----</td><td>-----</td><td>70.30</td><td>30.49</td><td>4.91</td><td>33.54</td><td>100</td><td>94</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	72.16	-----	-----	70.30	30.49	4.91	33.54	100	94	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2492.41	41.33	54.00	-12.67	39.42	30.50	4.93	33.52	100	94	AVERAGE																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2478.00	72.16	-----	-----	70.30	30.49	4.91	33.54	100	94	AVERAGE																																																																							



Mode	9																																																																																																																																																																	
	Harmonic																																																																																																																																																																	
	2400-2483.5_Bluetooth-LE_CH38_2478MHz																																																																																																																																																																	
ANT	8																																																																																																																																																																	
Pol.	Horizontal							Vertical																																																																																																																																																										
Peak Avg																																																																																																																																																																		
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="5">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="5"></th></tr></thead><tbody><tr><td>1</td><td>4956.00</td><td>43.76</td><td>74.00</td><td>-30.24</td><td>59.65</td><td>33.88</td><td>7.80</td><td>57.57</td><td>---</td><td>---</td><td>Peak</td><td colspan="3"></td></tr><tr><td>2</td><td>7434.00</td><td>45.17</td><td>74.00</td><td>-28.83</td><td>58.65</td><td>36.30</td><td>9.19</td><td>58.97</td><td>---</td><td>---</td><td>Peak</td><td colspan="3"></td></tr></tbody></table>									Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	4956.00	43.76	74.00	-30.24	59.65	33.88	7.80	57.57	---	---	Peak				2	7434.00	45.17	74.00	-28.83	58.65	36.30	9.19	58.97	---	---	Peak				<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="5">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="5"></th></tr></thead><tbody><tr><td>1</td><td>4956.00</td><td>43.65</td><td>74.00</td><td>-30.35</td><td>59.54</td><td>33.88</td><td>7.80</td><td>57.57</td><td>---</td><td>---</td><td>Peak</td><td colspan="3"></td></tr><tr><td>2</td><td>7434.00</td><td>44.82</td><td>74.00</td><td>-29.18</td><td>58.30</td><td>36.30</td><td>9.19</td><td>58.97</td><td>---</td><td>---</td><td>Peak</td><td colspan="3"></td></tr></tbody></table>									Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	4956.00	43.65	74.00	-30.35	59.54	33.88	7.80	57.57	---	---	Peak				2	7434.00	44.82	74.00	-29.18	58.30	36.30	9.19	58.97	---	---	Peak			
			Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	4956.00	43.76	74.00	-30.24	59.65	33.88	7.80	57.57	---	---	Peak																																																																																																																																																							
2	7434.00	45.17	74.00	-28.83	58.65	36.30	9.19	58.97	---	---	Peak																																																																																																																																																							
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	4956.00	43.65	74.00	-30.35	59.54	33.88	7.80	57.57	---	---	Peak																																																																																																																																																							
2	7434.00	44.82	74.00	-29.18	58.30	36.30	9.19	58.97	---	---	Peak																																																																																																																																																							





Mode	13																																																																													
	Band Edge																																																																													
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																													
ANT	10																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2025-05-19 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2369.62</td><td>49.33</td><td>74.00</td><td>-24.67</td><td>47.88</td><td>30.42</td><td>4.77</td><td>33.74</td><td>154 333 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2369.62	49.33	74.00	-24.67	47.88	30.42	4.77	33.74	154 333 PEAK	Level (dBuV/m) Date: 2025-05-19 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>107.98</td><td>-----</td><td>-----</td><td>106.41</td><td>30.44</td><td>4.81</td><td>33.68</td><td>154 333 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2402.00	107.98	-----	-----	106.41	30.44	4.81	33.68	154 333 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	2369.62	49.33	74.00	-24.67	47.88	30.42	4.77	33.74	154 333 PEAK																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	2402.00	107.98	-----	-----	106.41	30.44	4.81	33.68	154 333 PEAK																																																																					
Avg	Level (dBuV/m) Date: 2025-05-19 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2367.50</td><td>39.13</td><td>54.00</td><td>-14.87</td><td>37.69</td><td>30.42</td><td>4.77</td><td>33.75</td><td>154 333 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2367.50	39.13	54.00	-14.87	37.69	30.42	4.77	33.75	154 333 AVERAGE	Level (dBuV/m) Date: 2025-05-19 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>107.05</td><td>-----</td><td>-----</td><td>105.48</td><td>30.44</td><td>4.81</td><td>33.68</td><td>154 333 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2402.00	107.05	-----	-----	105.48	30.44	4.81	33.68	154 333 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	2367.50	39.13	54.00	-14.87	37.69	30.42	4.77	33.75	154 333 AVERAGE																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	2402.00	107.05	-----	-----	105.48	30.44	4.81	33.68	154 333 AVERAGE																																																																					



Mode	13																																																																																											
	Band Edge																																																																																											
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																																											
ANT	10																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	Date: 2025-05-19 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2355.63</td><td>49.35</td><td>74.00</td><td>-24.65</td><td>47.95</td><td>30.41</td><td>4.76</td><td>33.77</td><td>400</td><td>266</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2355.63	49.35	74.00	-24.65	47.95	30.41	4.76	33.77	400	266	PEAK	Date: 2025-05-19 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>105.87</td><td>-----</td><td>-----</td><td>104.30</td><td>30.44</td><td>4.81</td><td>33.68</td><td>400</td><td>266</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2402.00	105.87	-----	-----	104.30	30.44	4.81	33.68	400	266	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2355.63	49.35	74.00	-24.65	47.95	30.41	4.76	33.77	400	266	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2402.00	105.87	-----	-----	104.30	30.44	4.81	33.68	400	266	PEAK																																																																																	
Avg	Date: 2025-05-19 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2371.55</td><td>39.26</td><td>54.00</td><td>-14.74</td><td>37.80</td><td>30.42</td><td>4.78</td><td>33.74</td><td>400</td><td>266</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2371.55	39.26	54.00	-14.74	37.80	30.42	4.78	33.74	400	266	AVERAGE	Date: 2025-05-19 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>105.00</td><td>-----</td><td>-----</td><td>103.43</td><td>30.44</td><td>4.81</td><td>33.68</td><td>400</td><td>266</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2402.00	105.00	-----	-----	103.43	30.44	4.81	33.68	400	266	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2371.55	39.26	54.00	-14.74	37.80	30.42	4.78	33.74	400	266	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2402.00	105.00	-----	-----	103.43	30.44	4.81	33.68	400	266	AVERAGE																																																																																	



Mode	13																																																																																												
	Harmonic																																																																																												
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																																												
ANT	10																																																																																												
Pol.	Horizontal										Vertical																																																																																		
Peak Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>43.91</td><td>74.00</td><td>-30.09</td><td>59.82</td><td>33.82</td><td>7.74</td><td>57.47</td><td>---</td><td>---</td><td>Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	43.91	74.00	-30.09	59.82	33.82	7.74	57.47	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>43.65</td><td>74.00</td><td>-30.35</td><td>59.56</td><td>33.82</td><td>7.74</td><td>57.47</td><td>---</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	43.65	74.00	-30.35	59.56	33.82	7.74	57.47	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	4804.00	43.91	74.00	-30.09	59.82	33.82	7.74	57.47	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	4804.00	43.65	74.00	-30.35	59.56	33.82	7.74	57.47	---	---	Peak																																																																																		