







Mode	14																																																																						
	Harmonic																																																																						
	2400-2483.5_Bluetooth-LE_CH19_2440MHz																																																																						
ANT	10																																																																						
Pol.	Horizontal						Vertical																																																																
Peak Avg																																																																							
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4880.00</td><td>44.02</td><td>74.00</td><td>-29.98</td><td>59.92</td><td>33.85</td><td>7.77</td><td>57.52</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>45.36</td><td>74.00</td><td>-28.64</td><td>59.03</td><td>36.30</td><td>8.96</td><td>58.93</td><td>---</td><td>---</td><td>Peak</td></tr></table>														Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4880.00	44.02	74.00	-29.98	59.92	33.85	7.77	57.52	---	---	Peak	2	7320.00	45.36	74.00	-28.64	59.03	36.30	8.96	58.93	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	4880.00	44.02	74.00	-29.98	59.92	33.85	7.77	57.52	---	---	Peak																																																												
2	7320.00	45.36	74.00	-28.64	59.03	36.30	8.96	58.93	---	---	Peak																																																												
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4880.00</td><td>44.03</td><td>74.00</td><td>-29.97</td><td>59.93</td><td>33.85</td><td>7.77</td><td>57.52</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>44.74</td><td>74.00</td><td>-29.26</td><td>58.41</td><td>36.30</td><td>8.96</td><td>58.93</td><td>---</td><td>---</td><td>Peak</td></tr></table>														Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4880.00	44.03	74.00	-29.97	59.93	33.85	7.77	57.52	---	---	Peak	2	7320.00	44.74	74.00	-29.26	58.41	36.30	8.96	58.93	---	---	Peak	
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	4880.00	44.03	74.00	-29.97	59.93	33.85	7.77	57.52	---	---	Peak																																																												
2	7320.00	44.74	74.00	-29.26	58.41	36.30	8.96	58.93	---	---	Peak																																																												





Mode	15																																														
	Band Edge																																														
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																														
ANT	10																																														
Pol.	Horizontal																																														
Peak	Fundamental																																														
	Level (dBuV/m) Date: 2025-05-19 PEAK_BE_74 Limit Read Ant Cable Preamp APos TPos Remark <table><thead><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 2490.02</td><td>49.54</td><td>74.00</td><td>-24.46</td><td>47.63</td><td>30.50</td><td>4.93</td><td>33.52</td><td>328</td><td>17</td><td>PEAK</td><td></td></tr></tbody></table>											Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 2490.02	49.54	74.00	-24.46	47.63	30.50	4.93	33.52	328	17	PEAK	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																						
1 2490.02	49.54	74.00	-24.46	47.63	30.50	4.93	33.52	328	17	PEAK																																					
Level (dBuV/m) Date: 2025-05-19 PEAK_74 Limit Read Ant Cable Preamp APos TPos Remark <table><thead><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 2480.00</td><td>106.75</td><td>-----</td><td>-----</td><td>104.88</td><td>30.49</td><td>4.92</td><td>33.54</td><td>328</td><td>17</td><td>PEAK</td><td></td></tr></tbody></table>											Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 2480.00	106.75	-----	-----	104.88	30.49	4.92	33.54	328	17	PEAK		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																						
1 2480.00	106.75	-----	-----	104.88	30.49	4.92	33.54	328	17	PEAK																																					
Avg	Level (dBuV/m) Date: 2025-05-19 AVG_BE_54 Limit Read Ant Cable Preamp APos TPos Remark <table><thead><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 2483.54</td><td>40.39</td><td>54.00</td><td>-13.61</td><td>38.51</td><td>30.49</td><td>4.92</td><td>33.53</td><td>328</td><td>17</td><td>AVERAGE</td><td></td></tr></tbody></table>											Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 2483.54	40.39	54.00	-13.61	38.51	30.49	4.92	33.53	328	17	AVERAGE	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																					
1 2483.54	40.39	54.00	-13.61	38.51	30.49	4.92	33.53	328	17	AVERAGE																																					
Level (dBuV/m) Date: 2025-05-19 AVG_54 Limit Read Ant Cable Preamp APos TPos Remark <table><thead><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 2480.00</td><td>105.69</td><td>-----</td><td>-----</td><td>103.82</td><td>30.49</td><td>4.92</td><td>33.54</td><td>328</td><td>17</td><td>AVERAGE</td><td></td></tr></tbody></table>											Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 2480.00	105.69	-----	-----	103.82	30.49	4.92	33.54	328	17	AVERAGE		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																						
1 2480.00	105.69	-----	-----	103.82	30.49	4.92	33.54	328	17	AVERAGE																																					







Mode	15																																																																																											
	Band Edge																																																																																											
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																											
ANT	10																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2025-05-19 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.84</td><td>49.97</td><td>74.00</td><td>-24.03</td><td>48.09</td><td>30.49</td><td>4.92</td><td>33.53</td><td>380</td><td>258</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.84	49.97	74.00	-24.03	48.09	30.49	4.92	33.53	380	258	PEAK	Level (dBuV/m) Date: 2025-05-19 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>103.08</td><td>-----</td><td>-----</td><td>101.21</td><td>30.49</td><td>4.92</td><td>33.54</td><td>380</td><td>258</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2480.00	103.08	-----	-----	101.21	30.49	4.92	33.54	380	258	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2484.84	49.97	74.00	-24.03	48.09	30.49	4.92	33.53	380	258	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2480.00	103.08	-----	-----	101.21	30.49	4.92	33.54	380	258	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-05-19 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2490.08</td><td>39.82</td><td>54.00</td><td>-14.18</td><td>37.91</td><td>30.50</td><td>4.93</td><td>33.52</td><td>380</td><td>258</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2490.08	39.82	54.00	-14.18	37.91	30.50	4.93	33.52	380	258	AVERAGE	Level (dBuV/m) Date: 2025-05-19 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>102.04</td><td>-----</td><td>-----</td><td>100.17</td><td>30.49</td><td>4.92</td><td>33.54</td><td>380</td><td>258</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2480.00	102.04	-----	-----	100.17	30.49	4.92	33.54	380	258	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2490.08	39.82	54.00	-14.18	37.91	30.50	4.93	33.52	380	258	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2480.00	102.04	-----	-----	100.17	30.49	4.92	33.54	380	258	AVERAGE																																																																																	







Mode	15																																																																																																																																				
	Harmonic																																																																																																																																				
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																																																				
ANT	10																																																																																																																																				
Pol.	Horizontal										Vertical																																																																																																																										
Peak Avg																																																																																																																																					
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>44.38</td><td>74.00</td><td>-29.62</td><td>60.26</td><td>33.89</td><td>7.81</td><td>57.58</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>45.68</td><td>74.00</td><td>-28.32</td><td>59.17</td><td>36.30</td><td>9.19</td><td>58.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4960.00	44.38	74.00	-29.62	60.26	33.89	7.81	57.58	---	---	Peak	2	7440.00	45.68	74.00	-28.32	59.17	36.30	9.19	58.98	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>44.35</td><td>74.00</td><td>-29.65</td><td>60.23</td><td>33.89</td><td>7.81</td><td>57.58</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>44.98</td><td>74.00</td><td>-29.02</td><td>58.47</td><td>36.30</td><td>9.19</td><td>58.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4960.00	44.35	74.00	-29.65	60.23	33.89	7.81	57.58	---	---	Peak	2	7440.00	44.98	74.00	-29.02	58.47	36.30	9.19	58.98	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	4960.00	44.38	74.00	-29.62	60.26	33.89	7.81	57.58	---	---	Peak																																																																																																																										
2	7440.00	45.68	74.00	-28.32	59.17	36.30	9.19	58.98	---	---	Peak																																																																																																																										
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	4960.00	44.35	74.00	-29.65	60.23	33.89	7.81	57.58	---	---	Peak																																																																																																																										
2	7440.00	44.98	74.00	-29.02	58.47	36.30	9.19	58.98	---	---	Peak																																																																																																																										



Mode	16																																																																																								
	Band Edge																																																																																								
	2400-2483.5_Bluetooth-LE_CH01_2404MHz																																																																																								
ANT	10																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2321.56</td><td>49.44</td><td>74.00</td><td>-24.56</td><td>48.15</td><td>30.39</td><td>4.73</td><td>33.83</td><td>156</td><td>331</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2321.56	49.44	74.00	-24.56	48.15	30.39	4.73	33.83	156	331	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>108.32</td><td>-----</td><td>-----</td><td>106.75</td><td>30.44</td><td>4.81</td><td>33.68</td><td>156</td><td>331</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2404.00	108.32	-----	-----	106.75	30.44	4.81	33.68	156	331
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2321.56	49.44	74.00	-24.56	48.15	30.39	4.73	33.83	156	331	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2404.00	108.32	-----	-----	106.75	30.44	4.81	33.68	156	331	PEAK																																																																														
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2333.97</td><td>40.83</td><td>54.00</td><td>-13.17</td><td>39.50</td><td>30.40</td><td>4.74</td><td>33.81</td><td>156</td><td>331</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2333.97	40.83	54.00	-13.17	39.50	30.40	4.74	33.81	156	331	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>106.51</td><td>-----</td><td>-----</td><td>104.94</td><td>30.44</td><td>4.81</td><td>33.68</td><td>156</td><td>331</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2404.00	106.51	-----	-----	104.94	30.44	4.81	33.68	156	331
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2333.97	40.83	54.00	-13.17	39.50	30.40	4.74	33.81	156	331	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2404.00	106.51	-----	-----	104.94	30.44	4.81	33.68	156	331	AVERAGE																																																																														



Mode	16																																																																																									
	Band Edge																																																																																									
	2400-2483.5_Bluetooth-LE_CH01_2404MHz																																																																																									
ANT	10																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	 Date: 2025-05-19 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2381.63</td><td>49.33</td><td>74.00</td><td>-24.67</td><td>47.83</td><td>30.43</td><td>4.79</td><td>33.72</td><td>106</td><td>31</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2381.63	49.33	74.00	-24.67	47.83	30.43	4.79	33.72	106	31	PEAK	 Date: 2025-05-19 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2404.00</td><td>97.98</td><td>-----</td><td>-----</td><td>96.41</td><td>30.44</td><td>4.81</td><td>33.68</td><td>106</td><td>31</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2404.00	97.98	-----	-----	96.41	30.44	4.81	33.68	106	31	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2381.63	49.33	74.00	-24.67	47.83	30.43	4.79	33.72	106	31	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2404.00	97.98	-----	-----	96.41	30.44	4.81	33.68	106	31	PEAK																																																																															
Avg	 Date: 2025-05-19 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2374.58</td><td>40.64</td><td>54.00</td><td>-13.36</td><td>39.16</td><td>30.43</td><td>4.78</td><td>33.73</td><td>106</td><td>31</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2374.58	40.64	54.00	-13.36	39.16	30.43	4.78	33.73	106	31	AVERAGE	 Date: 2025-05-19 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2404.00</td><td>95.98</td><td>-----</td><td>-----</td><td>94.41</td><td>30.44</td><td>4.81</td><td>33.68</td><td>106</td><td>31</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2404.00	95.98	-----	-----	94.41	30.44	4.81	33.68	106	31	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2374.58	40.64	54.00	-13.36	39.16	30.43	4.78	33.73	106	31	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2404.00	95.98	-----	-----	94.41	30.44	4.81	33.68	106	31	AVERAGE																																																																															







Mode	16																																																																																												
	Harmonic																																																																																												
	2400-2483.5_Bluetooth-LE_CH01_2404MHz																																																																																												
ANT	10																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Frequency (MHz) PEAK_74 AVG_54						Level (dBuV/m) Frequency (MHz) PEAK_74 AVG_54																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4808.00</td><td>43.98</td><td>74.00</td><td>-30.02</td><td>59.89</td><td>33.82</td><td>7.74</td><td>57.47</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4808.00	43.98	74.00	-30.02	59.89	33.82	7.74	57.47	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4808.00</td><td>43.69</td><td>74.00</td><td>-30.31</td><td>59.60</td><td>33.82</td><td>7.74</td><td>57.47</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4808.00	43.69	74.00	-30.31	59.60	33.82	7.74	57.47	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	4808.00	43.98	74.00	-30.02	59.89	33.82	7.74	57.47	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	4808.00	43.69	74.00	-30.31	59.60	33.82	7.74	57.47	---	---	Peak																																																																																		







Mode	17																																																																						
	Harmonic																																																																						
	2400-2483.5_Bluetooth-LE_CH19_2440MHz																																																																						
ANT	10																																																																						
Pol.	Horizontal						Vertical																																																																
Peak Avg																																																																							
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4880.00</td><td>45.72</td><td>74.00</td><td>-28.28</td><td>61.62</td><td>33.85</td><td>7.77</td><td>57.52</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>46.59</td><td>74.00</td><td>-27.41</td><td>60.26</td><td>36.30</td><td>8.96</td><td>58.93</td><td>---</td><td>---</td><td>Peak</td></tr></table>														Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4880.00	45.72	74.00	-28.28	61.62	33.85	7.77	57.52	---	---	Peak	2	7320.00	46.59	74.00	-27.41	60.26	36.30	8.96	58.93	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	4880.00	45.72	74.00	-28.28	61.62	33.85	7.77	57.52	---	---	Peak																																																												
2	7320.00	46.59	74.00	-27.41	60.26	36.30	8.96	58.93	---	---	Peak																																																												
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4880.00</td><td>43.88</td><td>74.00</td><td>-30.12</td><td>59.78</td><td>33.85</td><td>7.77</td><td>57.52</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>45.47</td><td>74.00</td><td>-28.53</td><td>59.14</td><td>36.30</td><td>8.96</td><td>58.93</td><td>---</td><td>---</td><td>Peak</td></tr></table>														Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4880.00	43.88	74.00	-30.12	59.78	33.85	7.77	57.52	---	---	Peak	2	7320.00	45.47	74.00	-28.53	59.14	36.30	8.96	58.93	---	---	Peak	
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	4880.00	43.88	74.00	-30.12	59.78	33.85	7.77	57.52	---	---	Peak																																																												
2	7320.00	45.47	74.00	-28.53	59.14	36.30	8.96	58.93	---	---	Peak																																																												



Mode	18																																																																																							
	Band Edge																																																																																							
	2400-2483.5_Bluetooth-LE_CH38_2478MHz																																																																																							
ANT	10																																																																																							
Pol.	Horizontal					Fundamental																																																																																		
Peak	 Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a signal level starting at approximately 113.8 dBuV/m at 2478 MHz, dropping to about 48.8 dBuV/m by 2482.4 MHz, and then remaining relatively flat with a small peak at 2495.6 MHz. A red line indicates the limit at 81.3 dBuV/m. A red label 'PEAK_BE_74' is present. The date is 2025-05-19. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2497.40</td><td>49.38</td><td>74.00</td><td>-24.62</td><td>47.45</td><td>30.50</td><td>4.94</td><td>33.51</td><td>327</td><td>19 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2497.40	49.38	74.00	-24.62	47.45	30.50	4.94	33.51	327	19 PEAK	 Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a signal level starting at approximately 113.8 dBuV/m at 2478 MHz, dropping to about 48.8 dBuV/m by 2482.4 MHz, and then remaining relatively flat with a small peak at 2495.6 MHz. A red line indicates the limit at 81.3 dBuV/m. A red label 'PEAK_74' is present. The date is 2025-05-19. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>106.82</td><td>-----</td><td>-----</td><td>104.96</td><td>30.49</td><td>4.91</td><td>33.54</td><td>327</td><td>19 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2478.00	106.82	-----	-----	104.96	30.49	4.91	33.54	327	19 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																															
1	2497.40	49.38	74.00	-24.62	47.45	30.50	4.94	33.51	327	19 PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																															
1	2478.00	106.82	-----	-----	104.96	30.49	4.91	33.54	327	19 PEAK																																																																														
Avg	 Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a signal level starting at approximately 113.8 dBuV/m at 2478 MHz, dropping to about 48.8 dBuV/m by 2482.4 MHz, and then remaining relatively flat with a small peak at 2495.6 MHz. A red line indicates the limit at 81.3 dBuV/m. A red label 'AVG_BE_54' is present. The date is 2025-05-19. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.85</td><td>41.25</td><td>54.00</td><td>-12.75</td><td>39.37</td><td>30.49</td><td>4.92</td><td>33.53</td><td>327</td><td>19 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.85	41.25	54.00	-12.75	39.37	30.49	4.92	33.53	327	19 AVERAGE	 Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a signal level starting at approximately 113.8 dBuV/m at 2478 MHz, dropping to about 48.8 dBuV/m by 2482.4 MHz, and then remaining relatively flat with a small peak at 2495.6 MHz. A red line indicates the limit at 81.3 dBuV/m. A red label 'AVG_54' is present. The date is 2025-05-19. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>105.06</td><td>-----</td><td>-----</td><td>103.20</td><td>30.49</td><td>4.91</td><td>33.54</td><td>327</td><td>19 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2478.00	105.06	-----	-----	103.20	30.49	4.91	33.54	327	19 AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																															
1	2483.85	41.25	54.00	-12.75	39.37	30.49	4.92	33.53	327	19 AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																															
1	2478.00	105.06	-----	-----	103.20	30.49	4.91	33.54	327	19 AVERAGE																																																																														





Mode	18																																																																																								
	Band Edge																																																																																								
	2400-2483.5_Bluetooth-LE_CH38_2478MHz																																																																																								
ANT	10																																																																																								
Pol.	Vertical					Fundamental																																																																																			
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2496.96</td><td>49.77</td><td>74.00</td><td>-24.23</td><td>47.84</td><td>30.50</td><td>4.94</td><td>33.51</td><td>381</td><td>246</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2496.96	49.77	74.00	-24.23	47.84	30.50	4.94	33.51	381	246	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>102.23</td><td>-----</td><td>-----</td><td>100.37</td><td>30.49</td><td>4.91</td><td>33.54</td><td>381</td><td>246</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2478.00	102.23	-----	-----	100.37	30.49	4.91	33.54	381	246
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2496.96	49.77	74.00	-24.23	47.84	30.50	4.94	33.51	381	246	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2478.00	102.23	-----	-----	100.37	30.49	4.91	33.54	381	246	PEAK																																																																														
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2495.93</td><td>40.99</td><td>54.00</td><td>-13.01</td><td>39.06</td><td>30.50</td><td>4.94</td><td>33.51</td><td>381</td><td>246</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2495.93	40.99	54.00	-13.01	39.06	30.50	4.94	33.51	381	246	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>100.42</td><td>-----</td><td>-----</td><td>98.56</td><td>30.49</td><td>4.91</td><td>33.54</td><td>381</td><td>246</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2478.00	100.42	-----	-----	98.56	30.49	4.91	33.54	381	246
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2495.93	40.99	54.00	-13.01	39.06	30.50	4.94	33.51	381	246	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2478.00	100.42	-----	-----	98.56	30.49	4.91	33.54	381	246	AVERAGE																																																																														



Mode	18																																																																					
	Harmonic																																																																					
	2400-2483.5_Bluetooth-LE_CH38_2478MHz																																																																					
ANT	10																																																																					
Pol.	Horizontal																																																																					
Peak Avg																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4956.00</td><td>44.82</td><td>74.00</td><td>-29.18</td><td>60.71</td><td>33.88</td><td>7.80</td><td>57.57</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7434.00</td><td>45.99</td><td>74.00</td><td>-28.01</td><td>59.47</td><td>36.30</td><td>9.19</td><td>58.97</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4956.00	44.82	74.00	-29.18	60.71	33.88	7.80	57.57	---	---	Peak	2	7434.00	45.99	74.00	-28.01	59.47	36.30	9.19	58.97	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	4956.00	44.82	74.00	-29.18	60.71	33.88	7.80	57.57	---	---	Peak																																																											
2	7434.00	45.99	74.00	-28.01	59.47	36.30	9.19	58.97	---	---	Peak																																																											
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4956.00</td><td>44.04</td><td>74.00</td><td>-29.96</td><td>59.93</td><td>33.88</td><td>7.80</td><td>57.57</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7434.00</td><td>46.00</td><td>74.00</td><td>-28.00</td><td>59.48</td><td>36.30</td><td>9.19</td><td>58.97</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4956.00	44.04	74.00	-29.96	59.93	33.88	7.80	57.57	---	---	Peak	2	7434.00	46.00	74.00	-28.00	59.48	36.30	9.19	58.97	---	---	Peak	
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	4956.00	44.04	74.00	-29.96	59.93	33.88	7.80	57.57	---	---	Peak																																																											
2	7434.00	46.00	74.00	-28.00	59.48	36.30	9.19	58.97	---	---	Peak																																																											




Mode	19																																																																																																																																																																																																																											
	LF																																																																																																																																																																																																																											
	2400-2483.5_Bluetooth-LE_LF_CH38_2478MHz																																																																																																																																																																																																																											
ANT	8																																																																																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																																																																																					
QP/ Peak																																																																																																																																																																																																																												
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>30.00</td><td>24.79</td><td>40.00</td><td>-15.21</td><td>30.47</td><td>25.29</td><td>0.53</td><td>31.50</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>99.84</td><td>17.48</td><td>43.50</td><td>-26.02</td><td>32.05</td><td>16.11</td><td>1.02</td><td>31.70</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>197.81</td><td>24.33</td><td>43.50</td><td>-19.17</td><td>39.43</td><td>14.98</td><td>1.42</td><td>31.50</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>562.53</td><td>27.97</td><td>46.00</td><td>-18.03</td><td>29.81</td><td>26.93</td><td>2.48</td><td>31.25</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>792.42</td><td>30.97</td><td>46.00</td><td>-15.03</td><td>30.30</td><td>28.82</td><td>2.93</td><td>31.08</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>946.65</td><td>34.02</td><td>46.00</td><td>-11.98</td><td>30.41</td><td>31.24</td><td>3.23</td><td>30.86</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	30.00	24.79	40.00	-15.21	30.47	25.29	0.53	31.50	---	---	---	Peak	2	99.84	17.48	43.50	-26.02	32.05	16.11	1.02	31.70	---	---	---	Peak	3	197.81	24.33	43.50	-19.17	39.43	14.98	1.42	31.50	---	---	---	Peak	4	562.53	27.97	46.00	-18.03	29.81	26.93	2.48	31.25	---	---	---	Peak	5	792.42	30.97	46.00	-15.03	30.30	28.82	2.93	31.08	---	---	---	Peak	6	946.65	34.02	46.00	-11.98	30.41	31.24	3.23	30.86	---	---	---	Peak	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>31.94</td><td>27.35</td><td>40.00</td><td>-12.65</td><td>34.13</td><td>24.25</td><td>0.55</td><td>31.58</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>81.41</td><td>17.68</td><td>40.00</td><td>-22.32</td><td>34.74</td><td>13.74</td><td>0.90</td><td>31.70</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>252.13</td><td>24.61</td><td>46.00</td><td>-21.39</td><td>35.32</td><td>19.13</td><td>1.66</td><td>31.50</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>553.80</td><td>28.53</td><td>46.00</td><td>-17.47</td><td>30.55</td><td>26.79</td><td>2.47</td><td>31.28</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>736.16</td><td>30.29</td><td>46.00</td><td>-15.71</td><td>30.07</td><td>28.42</td><td>2.83</td><td>31.03</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>961.20</td><td>33.67</td><td>54.00</td><td>-20.33</td><td>29.48</td><td>31.76</td><td>3.25</td><td>30.82</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	31.94	27.35	40.00	-12.65	34.13	24.25	0.55	31.58	---	---	---	Peak	2	81.41	17.68	40.00	-22.32	34.74	13.74	0.90	31.70	---	---	---	Peak	3	252.13	24.61	46.00	-21.39	35.32	19.13	1.66	31.50	---	---	---	Peak	4	553.80	28.53	46.00	-17.47	30.55	26.79	2.47	31.28	---	---	---	Peak	5	736.16	30.29	46.00	-15.71	30.07	28.42	2.83	31.03	---	---	---	Peak	6	961.20	33.67	54.00	-20.33	29.48	31.76	3.25	30.82	---	---	---	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																	
1	30.00	24.79	40.00	-15.21	30.47	25.29	0.53	31.50	---	---	---	Peak																																																																																																																																																																																																																
2	99.84	17.48	43.50	-26.02	32.05	16.11	1.02	31.70	---	---	---	Peak																																																																																																																																																																																																																
3	197.81	24.33	43.50	-19.17	39.43	14.98	1.42	31.50	---	---	---	Peak																																																																																																																																																																																																																
4	562.53	27.97	46.00	-18.03	29.81	26.93	2.48	31.25	---	---	---	Peak																																																																																																																																																																																																																
5	792.42	30.97	46.00	-15.03	30.30	28.82	2.93	31.08	---	---	---	Peak																																																																																																																																																																																																																
6	946.65	34.02	46.00	-11.98	30.41	31.24	3.23	30.86	---	---	---	Peak																																																																																																																																																																																																																
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																	
1	31.94	27.35	40.00	-12.65	34.13	24.25	0.55	31.58	---	---	---	Peak																																																																																																																																																																																																																
2	81.41	17.68	40.00	-22.32	34.74	13.74	0.90	31.70	---	---	---	Peak																																																																																																																																																																																																																
3	252.13	24.61	46.00	-21.39	35.32	19.13	1.66	31.50	---	---	---	Peak																																																																																																																																																																																																																
4	553.80	28.53	46.00	-17.47	30.55	26.79	2.47	31.28	---	---	---	Peak																																																																																																																																																																																																																
5	736.16	30.29	46.00	-15.71	30.07	28.42	2.83	31.03	---	---	---	Peak																																																																																																																																																																																																																
6	961.20	33.67	54.00	-20.33	29.48	31.76	3.25	30.82	---	---	---	Peak																																																																																																																																																																																																																

Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
8	Bluetooth –LE (1Mbps)	61.29	0.380	2.632	3KHz
8	Bluetooth –LE (2Mbps)	33.33	0.210	4.762	10KHZ
10	Bluetooth –LE (1Mbps)	61.29	0.380	2.632	3KHz
10	Bluetooth –LE (2Mbps)	33.33	0.210	4.762	10KHZ


<Ant. 8>

Bluetooth – LE (1Mbps)






Bluetooth – LE (2Mbps)



<Ant. 10>

Bluetooth – LE (1Mbps)





Bluetooth – LE (2Mbps)

