





11BE20MIMO_Ant6_5500_106Tone_RU53




11BE20MIMO_Ant17_5500_26Tone_RU0






11BE20MIMO_Ant17_5500_52Tone_RU37




11BE20MIMO_Ant17_5500_106Tone_RU53






11BE20MIMO_Ant6_5700_26Tone_RU8




11BE20MIMO_Ant6_5700_52Tone_RU40






11BE20MIMO_Ant6_5700_106Tone_RU54




11BE20MIMO_Ant17_5700_26Tone_RU8






11BE20MIMO_Ant17_5700_52Tone_RU40




11BE20MIMO_Ant17_5700_106Tone_RU54






11BE20MIMO_Ant6_5745_26Tone_RU0




11BE20MIMO_Ant6_5745_52Tone_RU37






11BE20MIMO_Ant6_5745_106Tone_RU53




11BE20MIMO_Ant17_5745_26Tone_RU0






11BE20MIMO_Ant17_5745_52Tone_RU37




11BE20MIMO_Ant17_5745_106Tone_RU53






11BE20MIMO_Ant6_5825_26Tone_RU8




11BE20MIMO_Ant6_5825_52Tone_RU40






11BE20MIMO_Ant6_5825_106Tone_RU54




11BE20MIMO_Ant17_5825_26Tone_RU8






11BE20MIMO_Ant17_5825_52Tone_RU40



11BE20MIMO_Ant17_5825_106Tone_RU54





<Small RU>

Maximum power spectral density

Test Result


Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE20 MIMO	Ant6	5180	52Tone+26Tone	RU37+RU2	5.97	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	5.60	≤11.00	PASS
	Ant17	5180	52Tone+26Tone	RU37+RU2	7.12	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	6.59	≤11.00	PASS
	total	5180	52Tone+26Tone	RU37+RU2	9.59	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	9.13	≤11.00	PASS
	Ant6	5320	52Tone+26Tone	RU40+RU6	5.29	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	5.35	≤11.00	PASS
	Ant17	5320	52Tone+26Tone	RU40+RU6	5.57	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	5.90	≤11.00	PASS
	total	5320	52Tone+26Tone	RU40+RU6	8.44	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	8.64	≤11.00	PASS
	Ant6	5500	52Tone+26Tone	RU37+RU2	5.37	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	5.28	≤11.00	PASS
	Ant17	5500	52Tone+26Tone	RU37+RU2	6.36	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	6.13	≤11.00	PASS
	total	5500	52Tone+26Tone	RU37+RU2	8.90	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	8.74	≤11.00	PASS
	Ant6	5700	52Tone+26Tone	RU40+RU6	4.80	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	4.62	≤11.00	PASS
	Ant17	5700	52Tone+26Tone	RU40+RU6	5.69	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	5.60	≤11.00	PASS
	total	5700	52Tone+26Tone	RU40+RU6	8.28	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	8.15	≤11.00	PASS
	Ant6	5745	52Tone+26Tone	RU37+RU2	1.36	≤30.00	PASS
			106Tone+26Tone	RU53+RU4	1.75	≤30.00	PASS
	Ant17	5745	52Tone+26Tone	RU37+RU2	1.13	≤30.00	PASS
			106Tone+26Tone	RU53+RU4	1.42	≤30.00	PASS
	total	5745	52Tone+26Tone	RU37+RU2	4.26	≤30.00	PASS
			106Tone+26Tone	RU53+RU4	4.60	≤30.00	PASS
	Ant6	5825	52Tone+26Tone	RU40+RU6	0.54	≤30.00	PASS
			106Tone+26Tone	RU54+RU4	0.57	≤30.00	PASS
	Ant17	5825	52Tone+26Tone	RU40+RU6	1.70	≤30.00	PASS
			106Tone+26Tone	RU54+RU4	1.37	≤30.00	PASS
	total	5825	52Tone+26Tone	RU40+RU6	4.17	≤30.00	PASS
			106Tone+26Tone	RU54+RU4	4.00	≤30.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and is compensated in the graph.



Test Graphs







Date: 7.MAY.2024 21:22:19



11BE20MIMO_Ant6_5320_52Tone+26Tone_RU40+RU6




11BE20MIMO_Ant6_5320_106Tone+26Tone_RU54+RU4





11BE20MIMO_Ant17_5320_52Tone+26Tone_RU40+RU6




11BE20MIMO_Ant17_5320_106Tone+26Tone_RU54+RU4






11BE20MIMO_Ant6_5500_52Tone+26Tone_RU37+RU2




11BE20MIMO_Ant6_5500_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant17_5500_52Tone+26Tone_RU37+RU2




11BE20MIMO_Ant17_5500_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant6_5700_52Tone+26Tone_RU40+RU6




11BE20MIMO_Ant6_5700_106Tone+26Tone_RU54+RU4






11BE20MIMO_Ant17_5700_52Tone+26Tone_RU40+RU6




11BE20MIMO_Ant17_5700_106Tone+26Tone_RU54+RU4






11BE20MIMO_Ant6_5745_52Tone+26Tone_RU37+RU2




11BE20MIMO_Ant6_5745_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant17_5745_52Tone+26Tone_RU37+RU2




11BE20MIMO_Ant17_5745_106Tone+26Tone_RU53+RU4





11BE20MIMO_Ant6_5825_52Tone+26Tone_RU40+RU6




11BE20MIMO_Ant6_5825_106Tone+26Tone_RU54+RU4






11BE20MIMO_Ant17_5825_52Tone+26Tone_RU40+RU6



Date: 7.MAY.2024 22:07:10

11BE20MIMO_Ant17_5825_106Tone+26Tone_RU54+RU4



Date: 17.MAY.2024 07:30:36



<Large RU>

Maximum power spectral density

Test Result


Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE80MIMO	Ant6	5210	484Tone+242Tone	RU4	-2.96	≤11.00	PASS
	Ant17	5210	484Tone+242Tone	RU4	-1.36	≤11.00	PASS
	total	5210	484Tone+242Tone	RU4	0.92	≤11.00	PASS
	Ant6	5290	484Tone+242Tone	RU2	-1.87	≤11.00	PASS
	Ant17	5290	484Tone+242Tone	RU2	0.32	≤11.00	PASS
	total	5290	484Tone+242Tone	RU2	2.37	≤11.00	PASS
	Ant6	5530	484Tone+242Tone	RU4	-1.76	≤11.00	PASS
	Ant17	5530	484Tone+242Tone	RU4	-0.76	≤11.00	PASS
	total	5530	484Tone+242Tone	RU4	1.78	≤11.00	PASS
	Ant6	5775	484Tone+242Tone	RU4	-4.33	≤30.00	PASS
	Ant17	5775	484Tone+242Tone	RU4	-4.70	≤30.00	PASS
	total	5775	484Tone+242Tone	RU4	-1.50	≤30.00	PASS
11BE160MIMO	Ant6	5250	996Tone+484Tone	RU3	-7.27	≤11.00	PASS
			996Tone+996Tone	RU9	-6.65	≤11.00	PASS
	Ant17	5250	996Tone+484Tone	RU3	-4.90	≤11.00	PASS
			996Tone+996Tone	RU9	-4.67	≤11.00	PASS
	total	5250	996Tone+484Tone	RU3	-2.91	≤11.00	PASS
			996Tone+996Tone	RU9	-2.54	≤11.00	PASS
	Ant6	5570	996Tone+484Tone	RU3	-6.66	≤11.00	PASS
			996Tone+996Tone	RU9	-6.77	≤11.00	PASS
	Ant17	5570	996Tone+484Tone	RU3	-6.52	≤11.00	PASS
			996Tone+996Tone	RU9	-6.70	≤11.00	PASS
	total	5570	996Tone+484Tone	RU3	-3.58	≤11.00	PASS
			996Tone+996Tone	RU9	-3.72	≤11.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE80MIMO_Ant6_5290_484Tone+242Tone_RU2



11BE80MIMO_Ant17_5290_484Tone+242Tone_RU2






11BE80MIMO_Ant6_5530_484Tone+242Tone_RU4




11BE80MIMO_Ant17_5530_484Tone+242Tone_RU4






11BE80MIMO_Ant6_5775_484Tone+242Tone_RU4




11BE80MIMO_Ant17_5775_484Tone+242Tone_RU4






11BE160MIMO_Ant6_5250_996Tone+484Tone_RU3




11BE160MIMO_Ant6_5250_996Tone+996Tone_RU9






11BE160MIMO_Ant17_5250_996Tone+484Tone_RU3




11BE160MIMO_Ant17_5250_996Tone+996Tone_RU9






11BE160MIMO_Ant6_5570_996Tone+484Tone_RU3




11BE160MIMO_Ant6_5570_996Tone+996Tone_RU9






11BE160MIMO_Ant17_5570_996Tone+484Tone_RU3



Date: 12.MAY.2024 04:37:39

11BE160MIMO_Ant17_5570_996Tone+996Tone_RU9



Date: 12.MAY.2024 04:39:30



<Puncturing>

Maximum power spectral density

Test Result


Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE80MIMO	Ant6	5210	Puncturing 20M	RU3	-2.69	≤11.00	PASS
	Ant17	5210	Puncturing 20M	RU3	-1.37	≤11.00	PASS
	total	5210	Puncturing 20M	RU3	1.03	≤11.00	PASS
	Ant6	5290	Puncturing 20M	RU2	-1.15	≤11.00	PASS
	Ant17	5290	Puncturing 20M	RU2	-0.03	≤11.00	PASS
	total	5290	Puncturing 20M	RU2	2.46	≤11.00	PASS
	Ant6	5530	Puncturing 20M	RU3	-1.36	≤11.00	PASS
	Ant17	5530	Puncturing 20M	RU3	0.06	≤11.00	PASS
	total	5530	Puncturing 20M	RU3	2.42	≤11.00	PASS
	Ant6	5775	Puncturing 20M	RU3	-3.80	≤30.00	PASS
	Ant17	5775	Puncturing 20M	RU3	-4.58	≤30.00	PASS
	total	5775	Puncturing 20M	RU3	-1.16	≤30.00	PASS
11BE160MIMO	Ant6	5250	Puncturing 20M	RU1	-7.13	≤11.00	PASS
			Puncturing 40M	RU2	-6.80	≤11.00	PASS
				RU3	-6.66	≤11.00	PASS
			Puncturing 20M	RU8	-7.20	≤11.00	PASS
	Ant17	5250	Puncturing 20M	RU1	-4.96	≤11.00	PASS
			Puncturing 40M	RU2	-4.52	≤11.00	PASS
				RU3	-4.33	≤11.00	PASS
			Puncturing 20M	RU8	-5.00	≤11.00	PASS
	total	5250	Puncturing 20M	RU1	-2.90	≤11.00	PASS
			Puncturing 40M	RU2	-2.50	≤11.00	PASS
				RU3	-2.33	≤11.00	PASS
			Puncturing 20M	RU8	-2.95	≤11.00	PASS
	Ant6	5570	Puncturing 40M	RU3	-6.55	≤11.00	PASS
			Puncturing 20M	RU8	-7.08	≤11.00	PASS
	Ant17	5570	Puncturing 40M	RU3	-6.72	≤11.00	PASS
			Puncturing 20M	RU8	-6.93	≤11.00	PASS
	total	5570	Puncturing 40M	RU3	-3.62	≤11.00	PASS
			Puncturing 20M	RU8	-3.99	≤11.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE80MIMO_Ant6_5290_Puncturing 20M_RU2



Date: 12.MAY.2024 04:08:51


11BE80MIMO_Ant17_5290_Puncturing 20M_RU2



Date: 12.MAY.2024 04:09:07



11BE80MIMO_Ant6_5530_Puncturing 20M_RU3



Date: 12.MAY.2024 04:09:48


11BE80MIMO_Ant17_5530_Puncturing 20M_RU3




Date: 12.MAY.2024 04:10:03



11BE80MIMO_Ant6_5775_Puncturing 20M_RU3




11BE80MIMO_Ant17_5775_Puncturing 20M_RU3






11BE160MIMO_Ant6_5250_Puncturing 20M_RU1




11BE160MIMO_Ant6_5250_Puncturing 40M_RU2






11BE160MIMO_Ant6_5250_Puncturing 40M_RU3



11BE160MIMO_Ant6_5250_Puncturing 20M_RU8






11BE160MIMO_Ant17_5250_Puncturing 20M_RU1




11BE160MIMO_Ant17_5250_Puncturing 40M_RU2





11BE160MIMO_Ant17_5250_Puncturing 40M_RU3




11BE160MIMO_Ant17_5250_Puncturing 20M_RU8






11BE160MIMO_Ant6_5570_Puncturing 40M_RU3




11BE160MIMO_Ant6_5570_Puncturing 20M_RU8





11BE160MIMO_Ant17_5570_Puncturing 40M_RU3




11BE160MIMO_Ant17_5570_Puncturing 20M_RU8



Appendix B. AC Conducted Emission Test Results

Test Engineer :	FangMing Liang	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-SZ
Condition: FCC 15E_QP AC LISN 100063_L LINE

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.15	20.62	-35.38	56.00	0.10	10.39	10.13	Average
2	0.15	36.82	-29.18	66.00	16.30	10.39	10.13	QP
3	0.17	22.60	-32.56	55.16	2.20	10.26	10.14	Average
4	0.17	35.70	-29.46	65.16	15.30	10.26	10.14	QP
5	0.19	24.03	-30.12	54.15	3.49	10.39	10.15	Average
6	0.19	36.73	-27.42	64.15	16.19	10.39	10.15	QP
7	0.47	22.36	-24.09	46.45	1.89	10.31	10.16	Average
8	0.47	34.16	-22.29	56.45	13.69	10.31	10.16	QP
9	0.60	30.71	-15.29	46.00	10.40	10.15	10.16	Average
10 *	0.60	42.21	-13.79	56.00	21.90	10.15	10.16	QP
11	1.00	24.11	-21.89	46.00	3.70	10.25	10.16	Average
12	1.00	36.11	-19.89	56.00	15.70	10.25	10.16	QP



Test Engineer :	FangMing Liang	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-SZ
Condition: FCC 15E_QP AC LISN 100063_N NEUTRAL

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.15	21.86	-33.88	55.74	1.49	10.23	10.14	Average
2	0.15	36.06	-29.68	65.74	15.69	10.23	10.14	QP
3	0.17	21.04	-33.86	54.90	0.40	10.50	10.14	Average
4	0.17	35.24	-29.66	64.90	14.60	10.50	10.14	QP
5	0.19	21.99	-32.03	54.02	1.50	10.34	10.15	Average
6	0.19	33.49	-30.53	64.02	13.00	10.34	10.15	QP
7	0.61	29.94	-16.06	46.00	9.60	10.18	10.16	Average
8 *	0.61	42.44	-13.56	56.00	22.10	10.18	10.16	QP
9	0.77	22.03	-23.97	46.00	1.60	10.27	10.16	Average
10	0.77	33.33	-22.67	56.00	12.90	10.27	10.16	QP
11	0.99	23.69	-22.31	46.00	3.30	10.23	10.16	Average
12	0.99	35.49	-20.51	56.00	15.10	10.23	10.16	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Kuang Jia	Relative Humidity :	50%
		Temperature :	20~22 °C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	CDD 6+17	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	CDD 6+17	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	CDD 6+17	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	CDD 6+17	802.11a	52	5260	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	CDD 6+17	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	CDD 6+17	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	CDD 6+17	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	CDD 6+17	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	CDD 6+17	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	CDD 6+17	802.11be EHT20	36	5180	MCS0	-	-
Mode 11	U-NII-1	5.15-5.25	CDD 6+17	802.11be EHT20	44	5220	MCS0	-	-
Mode 12	U-NII-1	5.15-5.25	CDD 6+17	802.11be EHT20	48	5240	MCS0	-	-
Mode 13	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT20	52	5260	MCS0	-	-
Mode 14	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT20	60	5300	MCS0	-	-
Mode 15	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT20	64	5320	MCS0	-	-
Mode 16	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT20	100	5500	MCS0	-	-
Mode 17	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT20	116	5580	MCS0	-	-
Mode 18	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT20	140	5700	MCS0	-	-
Mode 19	U-NII-1	5.15-5.25	CDD 6+17	802.11be EHT40	38	5190	MCS0	-	-
Mode 20	U-NII-1	5.15-5.25	CDD 6+17	802.11be EHT40	46	5230	MCS0	-	-
Mode 21	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT40	54	5270	MCS0	-	-
Mode 22	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT40	62	5310	MCS0	-	-
Mode 23	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT40	102	5510	MCS0	-	-
Mode 24	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT40	110	5550	MCS0	-	-
Mode 25	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT40	134	5670	MCS0	-	-
Mode 26	U-NII-1	5.15-5.25	CDD 6+17	802.11be EHT80	42	5210	MCS0	-	-
Mode 27	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT80	58	5290	MCS0	-	-
Mode 28	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT80	106	5530	MCS0	-	-
Mode 29	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT80	122	5610	MCS0	-	-
Mode 30	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT160	50	5250	MCS0	-	-
Mode 31	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT160	114	5570	MCS0	-	-
Mode 32	U-NII-3	5.725-5.85	CDD 6+17	802.11a	149	5745	6Mbps	-	-
Mode 33	U-NII-3	5.725-5.85	CDD 6+17	802.11a	157	5785	6Mbps	-	-
Mode 34	U-NII-3	5.725-5.85	CDD 6+17	802.11a	165	5825	6Mbps	-	-
Mode 35	U-NII-3	5.725-5.85	CDD 6+17	802.11be EHT20	149	5745	MCS0	-	-
Mode 36	U-NII-3	5.725-5.85	CDD 6+17	802.11be EHT20	157	5785	MCS0	-	-
Mode 37	U-NII-3	5.725-5.85	CDD 6+17	802.11be EHT20	165	5825	MCS0	-	-
Mode 38	U-NII-3	5.725-5.85	CDD 6+17	802.11be EHT40	151	5755	MCS0	-	-



Mode 39	U-NII-3	5.725-5.85	CDD 6+17	802.11be EHT40	159	5795	MCS0	-	-
Mode 40	U-NII-3	5.725-5.85	CDD 6+17	802.11be EHT80	155	5775	MCS0	-	-
Mode 41	Straddle channels	5.47-5.725	CDD 6+17	802.11a	144	5720	6Mbps	-	-
Mode 42	Straddle channels	5.47-5.725	CDD 6+17	802.11be EHT20	144	5720	MCS0	-	-
Mode 43	Straddle channels	5.47-5.725	CDD 6+17	802.11be EHT40	142	5710	MCS0	-	-
Mode 44	Straddle channels	5.47-5.725	CDD 6+17	802.11be EHT80	138	5690	MCS0	-	-
Mode 45	U-NII-1	5.15-5.25	CDD 6+17	802.11be EHT20	36	5180	MCS0	Single RU	106/53
Mode 46	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT20	64	5320	MCS0	Single RU	26/8
Mode 47	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT20	100	5500	MCS0	Single RU	26/0-
Mode 48	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT20	140	5700	MCS0	Single RU	26/8
Mode 49	U-NII-3	5.725-5.85	CDD 6+17	802.11be EHT20	149	5745	MCS0	Single RU	106/53
Mode 50	U-NII-3	5.725-5.85	CDD 6+17	802.11be EHT20	165	5825	MCS0	Single RU	52/40
Mode 51	U-NII-1	5.15-5.25	CDD 6+17	802.11be EHT20	36	5180	MCS0	Small RU	37+2
Mode 52	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT20	64	5320	MCS0	Small RU	40+6
Mode 53	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT20	100	5500	MCS0	Small RU	37+2
Mode 54	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT20	140	5700	MCS0	Small RU	40+6
Mode 55	U-NII-3	5.725-5.85	CDD 6+17	802.11be EHT20	149	5745	MCS0	Small RU	53+4
Mode 56	U-NII-3	5.725-5.85	CDD 6+17	802.11be EHT20	165	5825	MCS0	Small RU	53+4
Mode 57	U-NII-1	5.15-5.25	CDD 6+17	802.11be EHT80	42	5210	MCS0	Puncturing 20M	③
Mode 58	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT80	58	5290	MCS0	Puncturing 20M	②
Mode 59	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT80	106	5530	MCS0	Puncturing 20M	③
Mode 60	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT160	50	5250	MCS0	Puncturing 40M	②
Mode 61	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT160	50	5250	MCS0	Puncturing 40M	③
Mode 62	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT160	114	5570	MCS0	Puncturing 40M	③
Mode 63	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT160	50	5250	MCS0	Puncturing 20M	①
Mode 64	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT160	50	5250	MCS0	Puncturing 20M	⑧
Mode 65	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT160	114	5570	MCS0	Puncturing 20M	⑧
Mode 66	U-NII-3	5.725-5.85	CDD 6+17	802.11be EHT80	155	5775	MCS0	Puncturing 20M	③
Mode 67	U-NII-1	5.15-5.25	CDD 6+17	802.11be EHT80	42	5210	MCS0	Large RU 484+242	②
Mode 68	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT80	58	5290	MCS0	Large RU 484+242	④
Mode 69	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT80	106	5530	MCS0	Large RU 484+242	②
Mode 70	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT160	50	5250	MCS0	Large RU 996+484	③
Mode 71	U-NII-2A	5.25-5.35	CDD 6+17	802.11be EHT160	50	5250	MCS0	Large RU 996+2	⑨



Mode 72	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT160	114	5570	MCS0	Large RU 996+484	③
Mode 73	U-NII-2C	5.47-5.725	CDD 6+17	802.11be EHT160	114	5570	MCS0	Large RU 996*2	⑨
Mode 74	U-NII-3	5.725-5.85	CDD 6+17	802.11be EHT80	155	5775	MCS0	Large RU 484+242	②
Mode 75	5G WIFI	5.15-5.25	CDD 6+17	802.11be EHT40	38	5190	MCS0	-	-
	BLE	-	7	Bluetooth-LE_GSKF	01	2404	2M	-	-
	WWAN	-	6	LTE B48 Link	-	-	-	-	-
Mode 76	5G WIFI	5.15-5.25	CDD 6+17	802.11be EHT40	38	5190	MCS0	-	-
	2.4G WIFI	-	CDD 7+16	802.11be EHT40	09	2452	MCS0	-	-
	WWAN	-	6	LTE B48 Link	-	-	-	-	-
Mode 77	U-NII-2C	5.47-5.725	CDD 7+16	802.11be EHT40	38	5190	MCS0	-	LF
Mode 78	U-NII-3	5.725-5.85	CDD 6+17	802.11a	149	5745	6M	-	LF



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5149.94	45.42	54.00	-8.58	H	AVERAGE	Pass	Band Edge
1	802.11a	36	10360.00	62.00	68.30	-6.30	V	Peak	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	10440.00	62.09	68.30	-6.21	V	Peak	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	10480.00	60.07	68.30	-8.23	V	Peak	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	10520.00	58.79	68.30	-9.51	V	Peak	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	10600.00	47.27	54.00	-6.73	V	Average	Pass	Harmonic
6	802.11a	64	5350.10	46.14	54.00	-7.86	V	AVERAGE	Pass	Band Edge
6	802.11a	64	10640.00	46.17	54.00	-7.83	V	Average	Pass	Harmonic
7	802.11a	100	5459.35	43.68	54.00	-10.32	V	AVERAGE	Pass	Band Edge
7	802.11a	100	11000.00	46.39	54.00	-7.61	V	Average	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	11160.00	45.30	54.00	-8.70	V	Average	Pass	Harmonic
9	802.11a	140	5725.22	55.81	68.30	-12.49	H	PEAK	Pass	Band Edge
9	802.11a	140	11400.00	45.94	54.00	-8.06	V	Average	Pass	Harmonic
10	802.11be EHT20	36	5149.76	49.72	54.00	-4.28	H	AVERAGE	Pass	Band Edge
10	802.11be EHT20	36	10360.00	60.14	68.30	-8.16	V	Peak	Pass	Harmonic
11	802.11be EHT20	44	-	-	-	-	-	-	-	Band Edge
11	802.11be EHT20	44	10440.00	57.28	68.30	-11.02	V	Peak	Pass	Harmonic
12	802.11be EHT20	48	-	-	-	-	-	-	-	Band Edge
12	802.11be EHT20	48	10480.00	58.47	68.30	-9.83	V	Peak	Pass	Harmonic
13	802.11be EHT20	52	-	-	-	-	-	-	-	Band Edge
13	802.11be EHT20	52	10520.00	55.28	68.30	-13.02	V	Peak	Pass	Harmonic
14	802.11be EHT20	60	-	-	-	-	-	-	-	Band Edge
14	802.11be EHT20	60	10600.00	44.39	54.00	-9.61	H	Average	Pass	Harmonic
15	802.11be EHT20	64	5350.10	47.99	54.00	-6.01	V	AVERAGE	Pass	Band Edge
15	802.11be EHT20	64	10640.00	43.95	54.00	-10.05	V	Average	Pass	Harmonic
16	802.11be EHT20	100	5469.85	59.77	68.30	-8.53	H	PEAK	Pass	Band Edge
16	802.11be EHT20	100	11000.00	44.90	54.00	-9.10	V	Average	Pass	Harmonic
17	802.11be EHT20	116	-	-	-	-	-	-	-	Band Edge
17	802.11be EHT20	116	11160.00	42.85	54.00	-11.15	V	Average	Pass	Harmonic
18	802.11be EHT20	140	5725.03	61.95	68.30	-6.35	H	PEAK	Pass	Band Edge
18	802.11be EHT20	140	11400.00	43.77	54.00	-10.23	V	Average	Pass	Harmonic
19	802.11be EHT40	38	5148.77	50.99	54.00	-3.01	H	AVERAGE	Pass	Band Edge
19	802.11be EHT40	38	10380.00	52.99	68.30	-15.31	V	Peak	Pass	Harmonic
20	802.11be EHT40	46	-	-	-	-	-	-	-	Band Edge
20	802.11be EHT40	46	10460.00	55.23	68.30	-13.07	V	Peak	Pass	Harmonic
21	802.11be EHT40	54	-	-	-	-	-	-	-	Band Edge
21	802.11be EHT40	54	10540.00	50.95	68.30	-17.35	V	Peak	Pass	Harmonic
22	802.11be EHT40	62	5351.10	50.18	54.00	-3.82	V	AVERAGE	Pass	Band Edge



22	802.11be EHT40	62	10620.00	42.08	54.00	-11.92	V	Average	Pass	Harmonic
23	802.11be EHT40	102	5459.12	45.64	54.00	-8.36	H	AVERAGE	Pass	Band Edge
23	802.11be EHT40	102	11020.00	42.67	54.00	-11.33	V	Average	Pass	Harmonic
24	802.11be EHT40	110	-	-	-	-	-	-	-	Band Edge
24	802.11be EHT40	110	11100.00	43.44	54.00	-10.56	V	Average	Pass	Harmonic
25	802.11be EHT40	134	5445.04	42.73	54.00	-11.27	H	AVERAGE	Pass	Band Edge
25	802.11be EHT40	134	11340.00	42.68	54.00	-11.32	V	Average	Pass	Harmonic
26	802.11be EHT80	42	5147.42	49.87	54.00	-4.13	V	AVERAGE	Pass	Band Edge
26	802.11be EHT80	42	10420.00	52.20	68.30	-16.10	V	Peak	Pass	Harmonic
27	802.11be EHT80	58	5353.75	49.76	54.00	-4.24	H	AVERAGE	Pass	Band Edge
27	802.11be EHT80	58	10580.00	47.77	68.30	-20.53	V	Peak	Pass	Harmonic
28	802.11be EHT80	106	5444.86	49.82	54.00	-4.18	H	AVERAGE	Pass	Band Edge
28	802.11be EHT80	106	16590.00	49.16	68.30	-19.14	V	Peak	Pass	Harmonic
29	802.11be EHT80	122	5427.22	44.56	54.00	-9.44	V	AVERAGE	Pass	Band Edge
29	802.11be EHT80	122	16830.00	48.27	68.30	-20.03	H	Peak	Pass	Harmonic
30	802.11be EHT160	50	5145.25	50.67	54.00	-3.33	V	AVERAGE	Pass	Band Edge
30	802.11be EHT160	50	10500.00	47.95	68.30	-20.35	H	Peak	Pass	Harmonic
31	802.11be EHT160	114	5453.40	50.98	54.00	-3.02	H	AVERAGE	Pass	Band Edge
31	802.11be EHT160	114	16710.00	49.32	68.30	-18.98	H	Peak	Pass	Harmonic
32	802.11a	149	5613.78	53.71	68.30	-14.59	H	PEAK	Pass	Band Edge
32	802.11a	149	11490.00	48.52	54.00	-5.48	V	Average	Pass	Harmonic
33	802.11a	157	-	-	-	-	-	-	-	Band Edge
33	802.11a	157	11570.00	48.37	54.00	-5.63	V	Average	Pass	Harmonic
34	802.11a	165	5935.38	54.03	68.30	-14.27	V	PEAK	Pass	Band Edge
34	802.11a	165	11650.00	47.56	54.00	-6.44	V	Average	Pass	Harmonic
35	802.11be EHT20	149	5624.36	54.36	68.30	-13.94	H	PEAK	Pass	Band Edge
35	802.11be EHT20	149	11490.00	44.40	54.00	-9.60	V	Average	Pass	Harmonic
36	802.11be EHT20	157	-	-	-	-	-	-	-	Band Edge
36	802.11be EHT20	157	11570.00	44.07	54.00	-9.93	V	Average	Pass	Harmonic
37	802.11be EHT20	165	5945.63	53.53	68.30	-14.77	H	PEAK	Pass	Band Edge
37	802.11be EHT20	165	17475.00	51.68	68.30	-16.62	H	Peak	Pass	Harmonic
38	802.11be EHT40	151	5941.42	53.59	68.30	-14.71	V	PEAK	Pass	Band Edge
38	802.11be EHT40	151	17265.00	48.64	68.30	-19.66	V	Peak	Pass	Harmonic
39	802.11be EHT40	159	5937.14	53.74	68.30	-14.56	H	PEAK	Pass	Band Edge
34	802.11a	165	5935.38	54.03	68.30	-14.27	V	PEAK	Pass	Band Edge
34	802.11a	165	11650.00	47.56	54.00	-6.44	V	Average	Pass	Harmonic
35	802.11be EHT20	149	5624.36	54.36	68.30	-13.94	H	PEAK	Pass	Band Edge
35	802.11be EHT20	149	11490.00	44.40	54.00	-9.60	V	Average	Pass	Harmonic
36	802.11be EHT20	157	-	-	-	-	-	-	-	Band Edge
36	802.11be EHT20	157	11570.00	44.07	54.00	-9.93	V	Average	Pass	Harmonic
37	802.11be EHT20	165	5945.63	53.53	68.30	-14.77	H	PEAK	Pass	Band Edge
37	802.11be EHT20	165	17475.00	51.68	68.30	-16.62	H	Peak	Pass	Harmonic
38	802.11be EHT40	151	5941.42	53.59	68.30	-14.71	V	PEAK	Pass	Band Edge
38	802.11be EHT40	151	17265.00	48.64	68.30	-19.66	V	Peak	Pass	Harmonic
39	802.11be EHT40	159	5937.14	53.74	68.30	-14.56	H	PEAK	Pass	Band Edge
39	802.11be EHT40	159	17385.00	49.72	68.30	-18.58	V	Peak	Pass	Harmonic
40	802.11be EHT80	155	5947.03	53.88	68.30	-14.42	H	PEAK	Pass	Band Edge




40	802.11be EHT80	155	17325.00	48.68	68.30	-19.62	V	Peak	Pass	Harmonic
41	802.11a	144	-	-	-	-	-	-	-	Band Edge
41	802.11a	144	11440.00	45.42	54.00	-8.58	V	Average	Pass	Harmonic
42	802.11be EHT20	144	-	-	-	-	-	-	-	Band Edge
42	802.11be EHT20	144	11440.00	44.90	54.00	-9.10	V	Average	Pass	Harmonic
43	802.11be EHT40	142	-	-	-	-	-	-	-	Band Edge
43	802.11be EHT40	142	17130.00	48.28	68.30	-20.02	V	Peak	Pass	Harmonic
44	802.11be EHT80	138	-	-	-	-	-	-	-	Band Edge
44	802.11be EHT80	138	17070.00	48.85	68.30	-19.45	H	Peak	Pass	Harmonic
45	802.11be EHT20	36	5149.76	44.38	54.00	-9.62	V	AVERAGE	Pass	Band Edge
45	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
46	802.11be EHT20	64	5457.34	41.80	54.00	-12.20	V	AVERAGE	Pass	Band Edge
46	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
47	802.11be EHT20	100	5459.80	41.84	54.00	-12.16	H	AVERAGE	Pass	Band Edge
47	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
48	802.11be EHT20	140	5754.08	51.99	68.30	-16.31	H	PEAK	Pass	Band Edge
48	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
49	802.11be EHT20	149	5621.75	52.52	68.30	-15.78	V	PEAK	Pass	Band Edge
49	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
50	802.11be EHT20	165	5925.13	52.96	68.30	-15.34	V	PEAK	Pass	Band Edge
50	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
51	802.11be EHT20	36	5070.20	42.00	54.00	-12.00	V	AVERAGE	Pass	Band Edge
51	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
52	802.11be EHT20	64	5459.16	42.26	54.00	-11.74	H	AVERAGE	Pass	Band Edge
52	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
53	802.11be EHT20	100	5454.70	42.16	54.00	-11.84	H	AVERAGE	Pass	Band Edge
53	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
54	802.11be EHT20	140	5739.13	52.01	68.30	-16.29	V	PEAK	Pass	Band Edge
54	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
55	802.11be EHT20	149	5637.85	52.82	68.30	-15.48	V	PEAK	Pass	Band Edge
55	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
56	802.11be EHT20	165	5934.00	53.09	68.30	-15.21	H	PEAK	Pass	Band Edge
56	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
57	802.11be EHT80	42	5136.29	48.24	54.00	-5.76	V	AVERAGE	Pass	Band Edge
57	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
58	802.11be EHT80	58	5353.75	49.99	54.00	-4.01	H	AVERAGE	Pass	Band Edge
58	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
59	802.11be EHT80	106	5453.86	48.79	54.00	-5.21	H	AVERAGE	Pass	Band Edge
59	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
60	802.11be EHT160	50	5364.24	50.94	54.00	-3.06	V	AVERAGE	Pass	Band Edge
60	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
61	802.11be EHT160	50	5116.25	50.59	54.00	-3.41	V	AVERAGE	Pass	Band Edge
61	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
62	802.11be EHT160	114	5448.78	50.29	54.00	-3.71	H	AVERAGE	Pass	Band Edge
62	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
63	802.11be EHT160	50	5145.00	50.57	54.00	-3.43	V	AVERAGE	Pass	Band Edge
63	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic







64	802.11be EHT160	50	5145.00	50.19	54.00	-3.81	V	AVERAGE	Pass	Band Edge
64	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
65	802.11be EHT160	114	5452.52	50.74	54.00	-3.26	H	AVERAGE	Pass	Band Edge
65	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
66	802.11be EHT80	155	5947.20	52.37	68.30	-15.93	V	PEAK	Pass	Band Edge
66	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
67	802.11be EHT80	42	5147.84	49.51	54.00	-4.49	V	AVERAGE	Pass	Band Edge
67	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
68	802.11be EHT80	58	5352.05	47.14	54.00	-6.86	H	AVERAGE	Pass	Band Edge
68	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
69	802.11be EHT80	106	5441.44	50.68	54.00	-3.32	H	AVERAGE	Pass	Band Edge
69	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
70	802.11be EHT160	50	5113.75	50.30	54.00	-3.70	V	AVERAGE	Pass	Band Edge
70	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
71	802.11be EHT160	50	5141.25	50.94	54.00	-3.06	V	AVERAGE	Pass	Band Edge
71	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
72	802.11be EHT160	114	5454.06	50.57	54.00	-3.43	H	AVERAGE	Pass	Band Edge
72	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
73	802.11be EHT160	114	5447.24	48.25	54.00	-5.75	H	AVERAGE	Pass	Band Edge
73	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
74	802.11be EHT80	155	5645.50	54.35	68.30	-13.95	H	PEAK	Pass	Band Edge
74	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
75	CO_TX	38	5148.96	50.63	54.00	-3.37	H	AVERAGE	Pass	Band Edge
75		01	10360.00	57.30	68.30	-11.00	V	PEAK	Pass	Harmonic
76	CO_TX	38	5149.72	50.89	54.00	-3.11	H	AVERAGE	Pass	Band Edge
76		09	10360.00-	56.87	68.30	-11.43	V	PEAK	Pass	Harmonic
77	802.11be EHT40 LF	38	957.32	30.64	46.00	-15.36	H	PEAK	Pass	LF
78	802.11be EHT20 LF	149	30.00	26.17	40.00	-13.83	H	PEAK	Pass	LF



Mode	1																																																																																			
	Band Edge																																																																																			
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																			
ANT	CDD 6+17																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<div><div>Date: 2024-05-06</div><table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.68</td><td>58.85</td><td>74.00</td><td>-15.15</td><td>46.88</td><td>36.11</td><td>8.53</td><td>32.67</td><td>116</td><td>120 PEAK</td></tr></table></div>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5148.68	58.85	74.00	-15.15	46.88	36.11	8.53	32.67	116	120 PEAK	<div><div>Date: 2024-05-06</div><table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>108.11</td><td>-----</td><td>-----</td><td>96.09</td><td>36.09</td><td>8.59</td><td>32.66</td><td>116</td><td>120 PEAK</td></tr></table></div>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	108.11	-----	-----	96.09	36.09	8.59	32.66	116	120 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5148.68	58.85	74.00	-15.15	46.88	36.11	8.53	32.67	116	120 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5180.00	108.11	-----	-----	96.09	36.09	8.59	32.66	116	120 PEAK																																																																										





Mode	1																																									
	Band Edge																																									
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																									
ANT	CDD 6+17																																									
Pol.	Vertical	Fundamental																																								
Peak	<div><p>Level (dBuV/m) Date: 2024-05-06</p><p>Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark</p><table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5149.58</td><td>56.18</td><td>74.00</td><td>-17.82</td><td>44.21</td><td>36.11</td><td>8.53</td><td>32.67</td><td>396</td><td>199 PEAK</td></tr></table></div>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5149.58	56.18	74.00	-17.82	44.21	36.11	8.53	32.67	396	199 PEAK	<div><p>Level (dBuV/m) Date: 2024-05-06</p><p>Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark</p><table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5180.00</td><td>108.19</td><td>-----</td><td>-----</td><td>96.18</td><td>36.09</td><td>8.58</td><td>32.66</td><td>396</td><td>199 PEAK</td></tr></table></div>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5180.00	108.19	-----	-----	96.18	36.09	8.58	32.66	396	199 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																
1 5149.58	56.18	74.00	-17.82	44.21	36.11	8.53	32.67	396	199 PEAK																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 5180.00	108.19	-----	-----	96.18	36.09	8.58	32.66	396	199 PEAK																																	
Avg	<div><p>Level (dBuV/m) Date: 2024-05-06</p><p>Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark</p><table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5149.76</td><td>45.22</td><td>54.00</td><td>-8.78</td><td>33.24</td><td>36.11</td><td>8.54</td><td>32.67</td><td>396</td><td>199 AVERAGE</td></tr></table></div>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5149.76	45.22	54.00	-8.78	33.24	36.11	8.54	32.67	396	199 AVERAGE	<div><p>Level (dBuV/m) Date: 2024-05-06</p><p>Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark</p><table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5180.00</td><td>101.50</td><td>-----</td><td>-----</td><td>89.49</td><td>36.09</td><td>8.58</td><td>32.66</td><td>396</td><td>199 AVERAGE</td></tr></table></div>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5180.00	101.50	-----	-----	89.49	36.09	8.58	32.66	396	199 AVERAGE
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 5149.76	45.22	54.00	-8.78	33.24	36.11	8.54	32.67	396	199 AVERAGE																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 5180.00	101.50	-----	-----	89.49	36.09	8.58	32.66	396	199 AVERAGE																																	





Mode	1																																																																																																					
	Harmonic																																																																																																					
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																					
ANT	CDD 6+17																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg	<p>Level (dBuV/m)</p> <p>Date: 2024-05-07</p> <p>Frequency (MHz)</p>						<p>Level (dBuV/m)</p> <p>Date: 2024-05-07</p> <p>Frequency (MHz)</p>																																																																																															
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td></tr><tr><td>1</td><td>10360.00</td><td>53.84</td><td>68.30</td><td>-14.46</td><td>66.70</td><td>38.74</td><td>12.06</td><td>63.66</td><td>100</td><td>350</td><td>Peak</td></tr><tr><td>2</td><td>15540.00</td><td>48.76</td><td>74.00</td><td>-25.24</td><td>57.44</td><td>40.73</td><td>14.58</td><td>63.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	10360.00	53.84	68.30	-14.46	66.70	38.74	12.06	63.66	100	350	Peak	2	15540.00	48.76	74.00	-25.24	57.44	40.73	14.58	63.99	---	---	Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td></tr><tr><td>1</td><td>10360.00</td><td>62.00</td><td>68.30</td><td>-6.30</td><td>74.86</td><td>38.74</td><td>12.06</td><td>63.66</td><td>100</td><td>328</td><td>Peak</td></tr><tr><td>2</td><td>15540.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>56.21</td><td>40.73</td><td>14.58</td><td>63.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	10360.00	62.00	68.30	-6.30	74.86	38.74	12.06	63.66	100	328	Peak	2	15540.00	47.53	74.00	-26.47	56.21	40.73	14.58	63.99	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																
1	10360.00	53.84	68.30	-14.46	66.70	38.74	12.06	63.66	100	350	Peak																																																																																											
2	15540.00	48.76	74.00	-25.24	57.44	40.73	14.58	63.99	---	---	Peak																																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																
1	10360.00	62.00	68.30	-6.30	74.86	38.74	12.06	63.66	100	328	Peak																																																																																											
2	15540.00	47.53	74.00	-26.47	56.21	40.73	14.58	63.99	---	---	Peak																																																																																											



Mode	2																																																																																																											
	Harmonic																																																																																																											
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																											
ANT	CDD 6+17																																																																																																											
Pol.	Horizontal						Vertical																																																																																																					
Peak Avg	<div><div>Level (dBuV/m)</div><div>Date: 2024-05-07</div><div>Frequency (MHz)</div></div>						<div><div>Level (dBuV/m)</div><div>Date: 2024-05-07</div><div>Frequency (MHz)</div></div>																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>10440.00</td><td>55.36</td><td>68.30</td><td>-12.94</td><td>68.09</td><td>38.78</td><td>12.12</td><td>63.63</td><td>100</td><td>341</td><td>Peak</td></tr><tr><td>2</td><td>15660.00</td><td>47.61</td><td>74.00</td><td>-26.39</td><td>56.17</td><td>40.83</td><td>14.64</td><td>64.03</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	10440.00	55.36	68.30	-12.94	68.09	38.78	12.12	63.63	100	341	Peak	2	15660.00	47.61	74.00	-26.39	56.17	40.83	14.64	64.03	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>10440.00</td><td>62.09</td><td>68.30</td><td>-6.21</td><td>74.82</td><td>38.78</td><td>12.12</td><td>63.63</td><td>100</td><td>329</td><td>Peak</td></tr><tr><td>2</td><td>15660.00</td><td>46.73</td><td>74.00</td><td>-27.27</td><td>55.29</td><td>40.83</td><td>14.64</td><td>64.03</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	10440.00	62.09	68.30	-6.21	74.82	38.78	12.12	63.63	100	329	Peak	2	15660.00	46.73	74.00	-27.27	55.29	40.83	14.64	64.03	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																					
1	10440.00	55.36	68.30	-12.94	68.09	38.78	12.12	63.63	100	341	Peak																																																																																																	
2	15660.00	47.61	74.00	-26.39	56.17	40.83	14.64	64.03	---	---	Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																					
1	10440.00	62.09	68.30	-6.21	74.82	38.78	12.12	63.63	100	329	Peak																																																																																																	
2	15660.00	46.73	74.00	-27.27	55.29	40.83	14.64	64.03	---	---	Peak																																																																																																	





Mode	3																																																																																											
	Harmonic																																																																																											
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																											
ANT	CDD 6+17																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>10480.00</td><td>54.69</td><td>68.30</td><td>-13.61</td><td>67.36</td><td>38.79</td><td>12.15</td><td>63.61</td><td>100</td><td>346</td><td>Peak</td></tr><tr><td>2</td><td>15720.00</td><td>47.77</td><td>74.00</td><td>-26.23</td><td>56.28</td><td>40.88</td><td>14.66</td><td>64.05</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	1	10480.00	54.69	68.30	-13.61	67.36	38.79	12.15	63.61	100	346	Peak	2	15720.00	47.77	74.00	-26.23	56.28	40.88	14.66	64.05	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>10480.00</td><td>60.07</td><td>68.30</td><td>-8.23</td><td>72.74</td><td>38.79</td><td>12.15</td><td>63.61</td><td>100</td><td>328</td><td>Peak</td></tr><tr><td>2</td><td>15720.00</td><td>48.62</td><td>74.00</td><td>-25.38</td><td>57.13</td><td>40.88</td><td>14.66</td><td>64.05</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	1	10480.00	60.07	68.30	-8.23	72.74	38.79	12.15	63.61	100	328	Peak	2	15720.00	48.62	74.00	-25.38	57.13	40.88	14.66	64.05	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																					
1	10480.00	54.69	68.30	-13.61	67.36	38.79	12.15	63.61	100	346	Peak																																																																																	
2	15720.00	47.77	74.00	-26.23	56.28	40.88	14.66	64.05	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																					
1	10480.00	60.07	68.30	-8.23	72.74	38.79	12.15	63.61	100	328	Peak																																																																																	
2	15720.00	48.62	74.00	-25.38	57.13	40.88	14.66	64.05	---	---	Peak																																																																																	







Mode	4																																																																																							
	Harmonic																																																																																							
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																							
ANT	CDD 6+17																																																																																							
Pol.	Horizontal								Vertical																																																																															
Peak Avg	<div><p>Level (dBuV/m) Date: 2024-05-07</p><p>Frequency (MHz)</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><td>1</td><td>10520.00</td><td>54.65</td><td>68.30</td><td>-13.65</td><td>67.26</td><td>38.81</td><td>12.18</td><td>63.60</td></tr><tr><td>2</td><td>15780.00</td><td>47.71</td><td>74.00</td><td>-26.29</td><td>56.17</td><td>40.92</td><td>14.69</td><td>64.07</td></tr></table></div>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	10520.00	54.65	68.30	-13.65	67.26	38.81	12.18	63.60	2	15780.00	47.71	74.00	-26.29	56.17	40.92	14.69	64.07	<div><p>Level (dBuV/m) Date: 2024-05-07</p><p>Frequency (MHz)</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><td>1</td><td>10520.00</td><td>58.79</td><td>68.30</td><td>-9.51</td><td>71.40</td><td>38.81</td><td>12.18</td><td>63.60</td></tr><tr><td>2</td><td>15780.00</td><td>47.50</td><td>74.00</td><td>-26.50</td><td>55.96</td><td>40.92</td><td>14.69</td><td>64.07</td></tr></table></div>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	10520.00	58.79	68.30	-9.51	71.40	38.81	12.18	63.60	2	15780.00	47.50	74.00	-26.50	55.96	40.92	14.69	64.07
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
1	10520.00	54.65	68.30	-13.65	67.26	38.81	12.18	63.60																																																																																
2	15780.00	47.71	74.00	-26.29	56.17	40.92	14.69	64.07																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
1	10520.00	58.79	68.30	-9.51	71.40	38.81	12.18	63.60																																																																																
2	15780.00	47.50	74.00	-26.50	55.96	40.92	14.69	64.07																																																																																



Mode	5																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																																							
ANT	CDD 6+17																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 10600.00</td><td>53.16</td><td>74.00</td><td>-20.84</td><td>65.66</td><td>38.84</td><td>12.23</td><td>63.57</td><td>100</td></tr><tr><td>2 10600.00</td><td>44.23</td><td>54.00</td><td>-9.77</td><td>56.73</td><td>38.84</td><td>12.23</td><td>63.57</td><td>100</td></tr><tr><td>3 15900.00</td><td>46.92</td><td>74.00</td><td>-27.08</td><td>55.26</td><td>41.02</td><td>14.75</td><td>64.11</td><td>---</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 10600.00	53.16	74.00	-20.84	65.66	38.84	12.23	63.57	100	2 10600.00	44.23	54.00	-9.77	56.73	38.84	12.23	63.57	100	3 15900.00	46.92	74.00	-27.08	55.26	41.02	14.75	64.11	---	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 10600.00</td><td>55.08</td><td>74.00</td><td>-18.92</td><td>67.58</td><td>38.84</td><td>12.23</td><td>63.57</td><td>100</td></tr><tr><td>2 10600.00</td><td>47.27</td><td>54.00</td><td>-6.73</td><td>59.77</td><td>38.84</td><td>12.23</td><td>63.57</td><td>100</td></tr><tr><td>3 15900.00</td><td>46.62</td><td>74.00</td><td>-27.38</td><td>54.96</td><td>41.02</td><td>14.75</td><td>64.11</td><td>---</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 10600.00	55.08	74.00	-18.92	67.58	38.84	12.23	63.57	100	2 10600.00	47.27	54.00	-6.73	59.77	38.84	12.23	63.57	100	3 15900.00	46.62	74.00	-27.38	54.96	41.02	14.75	64.11	---
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																
1 10600.00	53.16	74.00	-20.84	65.66	38.84	12.23	63.57	100																																																																																																																
2 10600.00	44.23	54.00	-9.77	56.73	38.84	12.23	63.57	100																																																																																																																
3 15900.00	46.92	74.00	-27.08	55.26	41.02	14.75	64.11	---																																																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																
1 10600.00	55.08	74.00	-18.92	67.58	38.84	12.23	63.57	100																																																																																																																
2 10600.00	47.27	54.00	-6.73	59.77	38.84	12.23	63.57	100																																																																																																																
3 15900.00	46.62	74.00	-27.38	54.96	41.02	14.75	64.11	---																																																																																																																
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 10600.00</td><td>53.16</td><td>74.00</td><td>-20.84</td><td>65.66</td><td>38.84</td><td>12.23</td><td>63.57</td><td>100</td></tr><tr><td>2 10600.00</td><td>44.23</td><td>54.00</td><td>-9.77</td><td>56.73</td><td>38.84</td><td>12.23</td><td>63.57</td><td>100</td></tr><tr><td>3 15900.00</td><td>46.92</td><td>74.00</td><td>-27.08</td><td>55.26</td><td>41.02</td><td>14.75</td><td>64.11</td><td>---</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 10600.00	53.16	74.00	-20.84	65.66	38.84	12.23	63.57	100	2 10600.00	44.23	54.00	-9.77	56.73	38.84	12.23	63.57	100	3 15900.00	46.92	74.00	-27.08	55.26	41.02	14.75	64.11	---	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 10600.00</td><td>55.08</td><td>74.00</td><td>-18.92</td><td>67.58</td><td>38.84</td><td>12.23</td><td>63.57</td><td>100</td></tr><tr><td>2 10600.00</td><td>47.27</td><td>54.00</td><td>-6.73</td><td>59.77</td><td>38.84</td><td>12.23</td><td>63.57</td><td>100</td></tr><tr><td>3 15900.00</td><td>46.62</td><td>74.00</td><td>-27.38</td><td>54.96</td><td>41.02</td><td>14.75</td><td>64.11</td><td>---</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 10600.00	55.08	74.00	-18.92	67.58	38.84	12.23	63.57	100	2 10600.00	47.27	54.00	-6.73	59.77	38.84	12.23	63.57	100	3 15900.00	46.62	74.00	-27.38	54.96	41.02	14.75	64.11	---	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																
1 10600.00	53.16	74.00	-20.84	65.66	38.84	12.23	63.57	100																																																																																																																
2 10600.00	44.23	54.00	-9.77	56.73	38.84	12.23	63.57	100																																																																																																																
3 15900.00	46.92	74.00	-27.08	55.26	41.02	14.75	64.11	---																																																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																
1 10600.00	55.08	74.00	-18.92	67.58	38.84	12.23	63.57	100																																																																																																																
2 10600.00	47.27	54.00	-6.73	59.77	38.84	12.23	63.57	100																																																																																																																
3 15900.00	46.62	74.00	-27.38	54.96	41.02	14.75	64.11	---																																																																																																																
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 10600.00</td><td>53.16</td><td>74.00</td><td>-20.84</td><td>65.66</td><td>38.84</td><td>12.23</td><td>63.57</td><td>100</td></tr><tr><td>2 10600.00</td><td>44.23</td><td>54.00</td><td>-9.77</td><td>56.73</td><td>38.84</td><td>12.23</td><td>63.57</td><td>100</td></tr><tr><td>3 15900.00</td><td>46.92</td><td>74.00</td><td>-27.08</td><td>55.26</td><td>41.02</td><td>14.75</td><td>64.11</td><td>---</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 10600.00	53.16	74.00	-20.84	65.66	38.84	12.23	63.57	100	2 10600.00	44.23	54.00	-9.77	56.73	38.84	12.23	63.57	100	3 15900.00	46.92	74.00	-27.08	55.26	41.02	14.75	64.11	---	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 10600.00</td><td>55.08</td><td>74.00</td><td>-18.92</td><td>67.58</td><td>38.84</td><td>12.23</td><td>63.57</td><td>100</td></tr><tr><td>2 10600.00</td><td>47.27</td><td>54.00</td><td>-6.73</td><td>59.77</td><td>38.84</td><td>12.23</td><td>63.57</td><td>100</td></tr><tr><td>3 15900.00</td><td>46.62</td><td>74.00</td><td>-27.38</td><td>54.96</td><td>41.02</td><td>14.75</td><td>64.11</td><td>---</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 10600.00	55.08	74.00	-18.92	67.58	38.84	12.23	63.57	100	2 10600.00	47.27	54.00	-6.73	59.77	38.84	12.23	63.57	100	3 15900.00	46.62	74.00	-27.38	54.96	41.02	14.75	64.11	---	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																
1 10600.00	53.16	74.00	-20.84	65.66	38.84	12.23	63.57	100																																																																																																																
2 10600.00	44.23	54.00	-9.77	56.73	38.84	12.23	63.57	100																																																																																																																
3 15900.00	46.92	74.00	-27.08	55.26	41.02	14.75	64.11	---																																																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																
1 10600.00	55.08	74.00	-18.92	67.58	38.84	12.23	63.57	100																																																																																																																
2 10600.00	47.27	54.00	-6.73	59.77	38.84	12.23	63.57	100																																																																																																																
3 15900.00	46.62	74.00	-27.38	54.96	41.02	14.75	64.11	---																																																																																																																





		6																																																																																		
Mode		Band Edge																																																																																		
		U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																		
ANT		CDD 6+17																																																																																		
Pol.		Horizontal					Fundamental																																																																													
Peak	 <p>Level (dBuV/m) Date: 2024-05-06</p> <p>140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0</p> <p>5320 5348. 5376. 5404. 5432. 5460</p> <p>Frequency (MHz)</p> <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.66</td><td>54.54</td><td>74.00</td><td>-19.46</td><td>41.81</td><td>35.99</td><td>9.37</td><td>32.63</td><td>100 153 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5350.66	54.54	74.00	-19.46	41.81	35.99	9.37	32.63	100 153 PEAK	 <p>Level (dBuV/m) Date: 2024-05-06</p> <p>140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0</p> <p>1000 2200. 3400. 4600. 5800. 7000</p> <p>Frequency (MHz)</p> <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>109.27</td><td>-----</td><td>-----</td><td>96.66</td><td>36.00</td><td>9.24</td><td>32.63</td><td>100 153 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	109.27	-----	-----	96.66	36.00	9.24	32.63	100 153 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5350.66	54.54	74.00	-19.46	41.81	35.99	9.37	32.63	100 153 PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5320.00	109.27	-----	-----	96.66	36.00	9.24	32.63	100 153 PEAK																																																																											
Avg	 <p>Level (dBuV/m) Date: 2024-05-06</p> <p>140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0</p> <p>5320 5348. 5376. 5404. 5432. 5460</p> <p>Frequency (MHz)</p> <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.24</td><td>45.68</td><td>54.00</td><td>-8.32</td><td>32.95</td><td>35.99</td><td>9.37</td><td>32.63</td><td>100 153 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5350.24	45.68	54.00	-8.32	32.95	35.99	9.37	32.63	100 153 AVERAGE	 <p>Level (dBuV/m) Date: 2024-05-06</p> <p>140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0</p> <p>1000 2200. 3400. 4600. 5800. 7000</p> <p>Frequency (MHz)</p> <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>102.36</td><td>-----</td><td>-----</td><td>89.78</td><td>36.01</td><td>9.21</td><td>32.64</td><td>100 153 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	102.36	-----	-----	89.78	36.01	9.21	32.64	100 153 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5350.24	45.68	54.00	-8.32	32.95	35.99	9.37	32.63	100 153 AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5320.00	102.36	-----	-----	89.78	36.01	9.21	32.64	100 153 AVERAGE																																																																											



Mode	6																																																																									
	Band Edge																																																																									
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																									
ANT	CDD 6+17																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<div><p>Level (dBuV/m) Date: 2024-05-06</p><p>Frequency (MHz)</p><table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5350.52</td><td>55.62</td><td>74.00</td><td>-18.38</td><td>42.89</td><td>35.99</td><td>9.37</td><td>32.63</td><td>100 99 PEAK</td></tr></table></div>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5350.52	55.62	74.00	-18.38	42.89	35.99	9.37	32.63	100 99 PEAK	<div><p>Level (dBuV/m) Date: 2024-05-06</p><p>Frequency (MHz)</p><table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5320.00</td><td>107.01</td><td>-----</td><td>-----</td><td>94.43</td><td>36.01</td><td>9.21</td><td>32.64</td><td>100 99 PEAK</td></tr></table></div>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	107.01	-----	-----	94.43	36.01	9.21	32.64	100 99 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5350.52	55.62	74.00	-18.38	42.89	35.99	9.37	32.63	100 99 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5320.00	107.01	-----	-----	94.43	36.01	9.21	32.64	100 99 PEAK																																																																		
Avg	<div><p>Level (dBuV/m) Date: 2024-05-06</p><p>Frequency (MHz)</p><table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5350.10</td><td>46.14</td><td>54.00</td><td>-7.86</td><td>33.41</td><td>35.99</td><td>9.37</td><td>32.63</td><td>100 99 AVERAGE</td></tr></table></div>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5350.10	46.14	54.00	-7.86	33.41	35.99	9.37	32.63	100 99 AVERAGE	<div><p>Level (dBuV/m) Date: 2024-05-06</p><p>Frequency (MHz)</p><table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5320.00</td><td>100.98</td><td>-----</td><td>-----</td><td>88.40</td><td>36.01</td><td>9.21</td><td>32.64</td><td>100 99 AVERAGE</td></tr></table></div>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	100.98	-----	-----	88.40	36.01	9.21	32.64	100 99 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5350.10	46.14	54.00	-7.86	33.41	35.99	9.37	32.63	100 99 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5320.00	100.98	-----	-----	88.40	36.01	9.21	32.64	100 99 AVERAGE																																																																		



Mode	6																																																																																																																																									
	Harmonic																																																																																																																																									
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																																									
ANT	CDD 6+17																																																																																																																																									
Pol.	Horizontal					Vertical																																																																																																																																				
Peak Avg																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>50.18</td><td>74.00</td><td>-23.82</td><td>62.61</td><td>38.86</td><td>12.26</td><td>63.55</td><td>100</td><td>340</td><td>Peak</td></tr><tr><td>2</td><td>10640.00</td><td>43.15</td><td>54.00</td><td>-10.85</td><td>55.58</td><td>38.86</td><td>12.26</td><td>63.55</td><td>100</td><td>340</td><td>Average</td></tr><tr><td>3</td><td>15960.00</td><td>46.76</td><td>74.00</td><td>-27.24</td><td>55.05</td><td>41.07</td><td>14.77</td><td>64.13</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	50.18	74.00	-23.82	62.61	38.86	12.26	63.55	100	340	Peak	2	10640.00	43.15	54.00	-10.85	55.58	38.86	12.26	63.55	100	340	Average	3	15960.00	46.76	74.00	-27.24	55.05	41.07	14.77	64.13	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>55.86</td><td>74.00</td><td>-18.14</td><td>68.29</td><td>38.86</td><td>12.26</td><td>63.55</td><td>100</td><td>307</td><td>Peak</td></tr><tr><td>2</td><td>10640.00</td><td>46.17</td><td>54.00</td><td>-7.83</td><td>58.60</td><td>38.86</td><td>12.26</td><td>63.55</td><td>100</td><td>307</td><td>Average</td></tr><tr><td>3</td><td>15960.00</td><td>45.76</td><td>74.00</td><td>-28.24</td><td>54.05</td><td>41.07</td><td>14.77</td><td>64.13</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	55.86	74.00	-18.14	68.29	38.86	12.26	63.55	100	307	Peak	2	10640.00	46.17	54.00	-7.83	58.60	38.86	12.26	63.55	100	307	Average	3	15960.00	45.76	74.00	-28.24	54.05	41.07	14.77	64.13	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	10640.00	50.18	74.00	-23.82	62.61	38.86	12.26	63.55	100	340	Peak																																																																																																																															
2	10640.00	43.15	54.00	-10.85	55.58	38.86	12.26	63.55	100	340	Average																																																																																																																															
3	15960.00	46.76	74.00	-27.24	55.05	41.07	14.77	64.13	---	---	Peak																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	10640.00	55.86	74.00	-18.14	68.29	38.86	12.26	63.55	100	307	Peak																																																																																																																															
2	10640.00	46.17	54.00	-7.83	58.60	38.86	12.26	63.55	100	307	Average																																																																																																																															
3	15960.00	45.76	74.00	-28.24	54.05	41.07	14.77	64.13	---	---	Peak																																																																																																																															





Mode	7																																																								
	Band Edge																																																								
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																								
ANT	CDD 6+17																																																								
Pol.	Horizontal	Fundamental																																																							
Peak	<div><p>Level (dBuV/m) Date: 2024-05-06</p><p>Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark</p><table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5454.85</td><td>51.63</td><td>74.00</td><td>-22.37</td><td>38.63</td><td>35.93</td><td>9.68</td><td>32.61</td><td>100</td><td>111 PEAK</td></tr><tr><td>2</td><td>5469.70</td><td>54.49</td><td>68.30</td><td>-13.81</td><td>41.49</td><td>35.92</td><td>9.69</td><td>32.61</td><td>100</td><td>111 PEAK</td></tr></table></div>		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5454.85	51.63	74.00	-22.37	38.63	35.93	9.68	32.61	100	111 PEAK	2	5469.70	54.49	68.30	-13.81	41.49	35.92	9.69	32.61	100	111 PEAK	<div><p>Level (dBuV/m) Date: 2024-05-06</p><p>Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark</p><table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5500.00</td><td>109.47</td><td>-----</td><td>-----</td><td>96.46</td><td>35.90</td><td>9.71</td><td>32.60</td><td>100</td><td>111 PEAK</td></tr></table></div>		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5500.00	109.47	-----	-----	96.46	35.90	9.71	32.60	100	111 PEAK
		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																														
1	5454.85	51.63	74.00	-22.37	38.63	35.93	9.68	32.61	100	111 PEAK																																															
2	5469.70	54.49	68.30	-13.81	41.49	35.92	9.69	32.61	100	111 PEAK																																															
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																															
1	5500.00	109.47	-----	-----	96.46	35.90	9.71	32.60	100	111 PEAK																																															
Avg	<div><p>Level (dBuV/m) Date: 2024-05-06</p><p>Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark</p><table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5453.05</td><td>43.35</td><td>54.00</td><td>-10.65</td><td>30.35</td><td>35.93</td><td>9.68</td><td>32.61</td><td>100</td><td>111 AVERAGE</td></tr></table></div>		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5453.05	43.35	54.00	-10.65	30.35	35.93	9.68	32.61	100	111 AVERAGE	<div><p>Level (dBuV/m) Date: 2024-05-06</p><p>Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark</p><table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5500.00</td><td>103.63</td><td>-----</td><td>-----</td><td>90.62</td><td>35.90</td><td>9.71</td><td>32.60</td><td>100</td><td>111 AVERAGE</td></tr></table></div>		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5500.00	103.63	-----	-----	90.62	35.90	9.71	32.60	100	111 AVERAGE											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																															
1	5453.05	43.35	54.00	-10.65	30.35	35.93	9.68	32.61	100	111 AVERAGE																																															
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																															
1	5500.00	103.63	-----	-----	90.62	35.90	9.71	32.60	100	111 AVERAGE																																															



	7																																																								
Mode	Band Edge																																																								
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																								
ANT	CDD 6+17																																																								
Pol.	Vertical	Fundamental																																																							
Peak	<div><p>Level (dBuV/m) Date: 2024-05-06</p><p>Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark</p><table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5455.90</td><td>51.25</td><td>74.00</td><td>-22.75</td><td>38.24</td><td>35.93</td><td>9.69</td><td>32.61</td><td>369</td><td>196 PEAK</td></tr><tr><td>2</td><td>5469.85</td><td>55.31</td><td>68.30</td><td>-12.99</td><td>42.31</td><td>35.92</td><td>9.69</td><td>32.61</td><td>369</td><td>196 PEAK</td></tr></table></div>		MHz	dBuV/m	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg	Remark	1	5455.90	51.25	74.00	-22.75	38.24	35.93	9.69	32.61	369	196 PEAK	2	5469.85	55.31	68.30	-12.99	42.31	35.92	9.69	32.61	369	196 PEAK	<div><p>Level (dBuV/m) Date: 2024-05-06</p><p>Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark</p><table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5500.00</td><td>108.36</td><td>-----</td><td>-----</td><td>95.34</td><td>35.91</td><td>9.71</td><td>32.60</td><td>369</td><td>196 PEAK</td></tr></table></div>		MHz	dBuV/m	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg	Remark	1	5500.00	108.36	-----	-----	95.34	35.91	9.71	32.60	369	196 PEAK
		MHz	dBuV/m	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg	Remark																																														
1	5455.90	51.25	74.00	-22.75	38.24	35.93	9.69	32.61	369	196 PEAK																																															
2	5469.85	55.31	68.30	-12.99	42.31	35.92	9.69	32.61	369	196 PEAK																																															
	MHz	dBuV/m	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg	Remark																																															
1	5500.00	108.36	-----	-----	95.34	35.91	9.71	32.60	369	196 PEAK																																															
Avg	<div><p>Level (dBuV/m) Date: 2024-05-06</p><p>Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark</p><table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5459.35</td><td>43.68</td><td>54.00</td><td>-10.32</td><td>30.68</td><td>35.92</td><td>9.69</td><td>32.61</td><td>369</td><td>196 AVERAGE</td></tr></table></div>		MHz	dBuV/m	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg	Remark	1	5459.35	43.68	54.00	-10.32	30.68	35.92	9.69	32.61	369	196 AVERAGE	<div><p>Level (dBuV/m) Date: 2024-05-06</p><p>Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark</p><table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5500.00</td><td>100.86</td><td>-----</td><td>-----</td><td>87.85</td><td>35.90</td><td>9.71</td><td>32.60</td><td>369</td><td>196 AVERAGE</td></tr></table></div>		MHz	dBuV/m	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg	Remark	1	5500.00	100.86	-----	-----	87.85	35.90	9.71	32.60	369	196 AVERAGE											
	MHz	dBuV/m	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg	Remark																																															
1	5459.35	43.68	54.00	-10.32	30.68	35.92	9.69	32.61	369	196 AVERAGE																																															
	MHz	dBuV/m	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg	Remark																																															
1	5500.00	100.86	-----	-----	87.85	35.90	9.71	32.60	369	196 AVERAGE																																															






		7																																																																																																																																																						
Mode		Harmonic																																																																																																																																																						
		U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																																																						
ANT		CDD 6+17																																																																																																																																																						
Pol.		Horizontal					Vertical																																																																																																																																																	
Peak Avg	<div><div><div><div><div><div></div><div>Level (dBuV/m)</div></div><div><div></div><div>Date: 2024-05-07</div></div></div><div></div><div><div><div></div><div>Frequency (MHz)</div></div></div></div></div></div>												<div><div><div><div><div><div></div><div>Level (dBuV/m)</div></div><div><div></div><div>Date: 2024-05-07</div></div></div><div></div><div><div><div></div><div>Frequency (MHz)</div></div></div></div></div></div>																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>53.13</td><td>74.00</td><td>-20.87</td><td>65.03</td><td>39.00</td><td>12.52</td><td>63.42</td><td>100</td><td>339</td><td>Peak</td></tr><tr><td>2</td><td>11000.00</td><td>44.76</td><td>54.00</td><td>-9.24</td><td>56.66</td><td>39.00</td><td>12.52</td><td>63.42</td><td>100</td><td>339</td><td>Average</td></tr><tr><td>3</td><td>16500.00</td><td>46.36</td><td>68.30</td><td>-21.94</td><td>54.50</td><td>41.35</td><td>15.17</td><td>64.66</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	53.13	74.00	-20.87	65.03	39.00	12.52	63.42	100	339	Peak	2	11000.00	44.76	54.00	-9.24	56.66	39.00	12.52	63.42	100	339	Average	3	16500.00	46.36	68.30	-21.94	54.50	41.35	15.17	64.66	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>55.65</td><td>74.00</td><td>-18.35</td><td>67.55</td><td>39.00</td><td>12.52</td><td>63.42</td><td>100</td><td>309</td><td>Peak</td></tr><tr><td>2</td><td>11000.00</td><td>46.39</td><td>54.00</td><td>-7.61</td><td>58.29</td><td>39.00</td><td>12.52</td><td>63.42</td><td>100</td><td>309</td><td>Average</td></tr><tr><td>3</td><td>16500.00</td><td>45.53</td><td>68.30</td><td>-22.77</td><td>53.67</td><td>41.35</td><td>15.17</td><td>64.66</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	55.65	74.00	-18.35	67.55	39.00	12.52	63.42	100	309	Peak	2	11000.00	46.39	54.00	-7.61	58.29	39.00	12.52	63.42	100	309	Average	3	16500.00	45.53	68.30	-22.77	53.67	41.35	15.17	64.66	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																															
1	11000.00	53.13	74.00	-20.87	65.03	39.00	12.52	63.42	100	339	Peak																																																																																																																																													
2	11000.00	44.76	54.00	-9.24	56.66	39.00	12.52	63.42	100	339	Average																																																																																																																																													
3	16500.00	46.36	68.30	-21.94	54.50	41.35	15.17	64.66	---	---	Peak																																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																															
1	11000.00	55.65	74.00	-18.35	67.55	39.00	12.52	63.42	100	309	Peak																																																																																																																																													
2	11000.00	46.39	54.00	-7.61	58.29	39.00	12.52	63.42	100	309	Average																																																																																																																																													
3	16500.00	45.53	68.30	-22.77	53.67	41.35	15.17	64.66	---	---	Peak																																																																																																																																													



		8																																																																																																																																		
Mode		Harmonic																																																																																																																																		
		U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																																																		
ANT		CDD 6+17																																																																																																																																		
Pol.		Horizontal					Vertical																																																																																																																													
Peak Avg		<div><div><div>Level (dBuV/m)</div><div>Date: 2024-05-07</div><div>Frequency (MHz)</div></div><table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11160.00</td><td>49.44</td><td>74.00</td><td>-24.56</td><td>61.17</td><td>39.06</td><td>12.64</td><td>63.43</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16740.00</td><td>49.45</td><td>68.30</td><td>-18.85</td><td>57.54</td><td>41.47</td><td>15.35</td><td>64.91</td><td>---</td><td>Peak</td></tr></tbody></table></div>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11160.00	49.44	74.00	-24.56	61.17	39.06	12.64	63.43	---	Peak	2	16740.00	49.45	68.30	-18.85	57.54	41.47	15.35	64.91	---	Peak	<div><div><div>Level (dBuV/m)</div><div>Date: 2024-05-07</div><div>Frequency (MHz)</div></div><table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11160.00</td><td>54.42</td><td>74.00</td><td>-19.58</td><td>66.15</td><td>39.06</td><td>12.64</td><td>63.43</td><td>100</td><td>309 Peak</td></tr><tr><td>2</td><td>11160.00</td><td>45.30</td><td>54.00</td><td>-8.70</td><td>57.03</td><td>39.06</td><td>12.64</td><td>63.43</td><td>100</td><td>309 Average</td></tr><tr><td>3</td><td>16740.00</td><td>47.10</td><td>68.30</td><td>-21.20</td><td>55.19</td><td>41.47</td><td>15.35</td><td>64.91</td><td>---</td><td>Peak</td></tr></tbody></table></div>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11160.00	54.42	74.00	-19.58	66.15	39.06	12.64	63.43	100	309 Peak	2	11160.00	45.30	54.00	-8.70	57.03	39.06	12.64	63.43	100	309 Average	3	16740.00	47.10	68.30	-21.20	55.19	41.47	15.35	64.91	---	Peak
			Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																											
1	11160.00	49.44	74.00	-24.56	61.17	39.06	12.64	63.43	---	Peak																																																																																																																										
2	16740.00	49.45	68.30	-18.85	57.54	41.47	15.35	64.91	---	Peak																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																											
1	11160.00	54.42	74.00	-19.58	66.15	39.06	12.64	63.43	100	309 Peak																																																																																																																										
2	11160.00	45.30	54.00	-8.70	57.03	39.06	12.64	63.43	100	309 Average																																																																																																																										
3	16740.00	47.10	68.30	-21.20	55.19	41.47	15.35	64.91	---	Peak																																																																																																																										



Mode	9																																																																																															
	Band Edge																																																																																															
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																															
ANT	CDD 6+17																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak	<div><div>Level (dBuV/m)</div><div></div><div>Frequency (MHz)</div></div> <div><table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.22</td><td>55.81</td><td>68.30</td><td>-12.49</td><td>42.26</td><td>36.22</td><td>10.02</td><td>32.69</td><td>100</td><td>120</td><td>PEAK</td></tr></table></div>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5725.22	55.81	68.30	-12.49	42.26	36.22	10.02	32.69	100	120	PEAK	<div><div>Level (dBuV/m)</div><div></div><div>Frequency (MHz)</div></div> <div><table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>110.56</td><td>-----</td><td>-----</td><td>97.10</td><td>36.18</td><td>9.96</td><td>32.68</td><td>100</td><td>120</td><td>PEAK</td></tr></table></div>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	110.56	-----	-----	97.10	36.18	9.96	32.68	100	120	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5725.22	55.81	68.30	-12.49	42.26	36.22	10.02	32.69	100	120	PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5700.00	110.56	-----	-----	97.10	36.18	9.96	32.68	100	120	PEAK																																																																																					
Avg	<div><div></div><div></div><div></div></div> <div>Blank</div>						<div><div>Level (dBuV/m)</div><div></div><div>Frequency (MHz)</div></div> <div><table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>104.28</td><td>-----</td><td>-----</td><td>90.82</td><td>36.18</td><td>9.96</td><td>32.68</td><td>100</td><td>120</td><td>AVERAGE</td></tr></table></div>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	104.28	-----	-----	90.82	36.18	9.96	32.68	100	120	AVERAGE																																										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5700.00	104.28	-----	-----	90.82	36.18	9.96	32.68	100	120	AVERAGE																																																																																					



Mode	9											
	Band Edge											
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz											
ANT	CDD 6+17											
Pol.	Vertical						Fundamental					
Peak	<div><div>Level (dBuV/m)</div><div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div></div>											



Mode	9																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																																
ANT	CDD 6+17																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																										
Peak Avg	<div><div>Level (dBuV/m)</div><div>Date: 2024-05-07</div><div>Frequency (MHz)</div></div>						<div><div>Data: 2</div><div>Level (dBuV/m)</div><div>Date: 2024-05-07</div><div>Frequency (MHz)</div></div>																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11400.00</td><td>49.01</td><td>74.00</td><td>-24.99</td><td>60.48</td><td>39.16</td><td>12.81</td><td>63.44</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17100.00</td><td>47.66</td><td>68.30</td><td>-20.64</td><td>55.56</td><td>41.71</td><td>15.62</td><td>65.23</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11400.00	49.01	74.00	-24.99	60.48	39.16	12.81	63.44	---	---	Peak	2	17100.00	47.66	68.30	-20.64	55.56	41.71	15.62	65.23	---	---	Peak	<table><tr><th></th><th>Over</th><th>Limit</th><th>Limit</th><th>Read</th><th>Antenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>* 11400.00</td><td>55.69</td><td>-18.31</td><td>74.00</td><td>67.15</td><td>39.16</td><td>12.82</td><td>63.44</td><td>100</td><td>307</td><td>Peak</td></tr><tr><td>2</td><td>11400.00</td><td>45.94</td><td>-8.06</td><td>54.00</td><td>57.40</td><td>39.16</td><td>12.82</td><td>63.44</td><td>100</td><td>307</td><td>Average</td></tr><tr><td>3</td><td>17100.00</td><td>48.41</td><td>-19.89</td><td>68.30</td><td>56.31</td><td>41.71</td><td>15.62</td><td>65.23</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Over	Limit	Limit	Read	Antenna	Cable	Preamp	A/Pos	T/Pos		Freq	Level	Limit	Line	Level	Factor	Loss Factor				Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	* 11400.00	55.69	-18.31	74.00	67.15	39.16	12.82	63.44	100	307	Peak	2	11400.00	45.94	-8.06	54.00	57.40	39.16	12.82	63.44	100	307	Average	3	17100.00	48.41	-19.89	68.30	56.31	41.71	15.62	65.23	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																										
1	11400.00	49.01	74.00	-24.99	60.48	39.16	12.81	63.44	---	---	Peak																																																																																																																						
2	17100.00	47.66	68.30	-20.64	55.56	41.71	15.62	65.23	---	---	Peak																																																																																																																						
	Over	Limit	Limit	Read	Antenna	Cable	Preamp	A/Pos	T/Pos																																																																																																																								
Freq	Level	Limit	Line	Level	Factor	Loss Factor				Remark																																																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	* 11400.00	55.69	-18.31	74.00	67.15	39.16	12.82	63.44	100	307	Peak																																																																																																																						
2	11400.00	45.94	-8.06	54.00	57.40	39.16	12.82	63.44	100	307	Average																																																																																																																						
3	17100.00	48.41	-19.89	68.30	56.31	41.71	15.62	65.23	---	---	Peak																																																																																																																						





		10																																																																																								
Mode		Band Edge																																																																																								
		U-NII-1_5.15-5.25_802.11be EHT20_CH36_5180MHz																																																																																								
ANT		CDD 6+17																																																																																								
Pol.		Horizontal					Fundamental																																																																																			
Peak	<div><div>Level (dBuV/m)</div><div><div>Date: 2024-05-06</div><div>Frequency (MHz)</div></div></div> <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5146.70</td><td>60.62</td><td>74.00</td><td>-13.38</td><td>48.65</td><td>36.11</td><td>8.53</td><td>32.67</td><td>101 117 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg	1	5146.70	60.62	74.00	-13.38	48.65	36.11	8.53	32.67	101 117 PEAK	<div><div>Level (dBuV/m)</div><div><div>Date: 2024-05-06</div><div>Frequency (MHz)</div></div></div> <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>108.62</td><td>-----</td><td>-----</td><td>96.61</td><td>36.09</td><td>8.58</td><td>32.66</td><td>101 117 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	108.62	-----	-----	96.61	36.09	8.58	32.66	101 117 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5146.70	60.62	74.00	-13.38	48.65	36.11	8.53	32.67	101 117 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5180.00	108.62	-----	-----	96.61	36.09	8.58	32.66	101 117 PEAK																																																																																	
Avg	<div><div>Level (dBuV/m)</div><div><div>Date: 2024-05-06</div><div>Frequency (MHz)</div></div></div> <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.76</td><td>49.72</td><td>54.00</td><td>-4.28</td><td>37.74</td><td>36.11</td><td>8.54</td><td>32.67</td><td>101 117 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.76	49.72	54.00	-4.28	37.74	36.11	8.54	32.67	101 117 AVERAGE	<div><div>Level (dBuV/m)</div><div><div>Date: 2024-05-06</div><div>Frequency (MHz)</div></div></div> <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>100.69</td><td>-----</td><td>-----</td><td>88.67</td><td>36.09</td><td>8.59</td><td>32.66</td><td>101 117 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	100.69	-----	-----	88.67	36.09	8.59	32.66	101 117 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5149.76	49.72	54.00	-4.28	37.74	36.11	8.54	32.67	101 117 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5180.00	100.69	-----	-----	88.67	36.09	8.59	32.66	101 117 AVERAGE																																																																																	



Mode	10																																																	
	Band Edge																																																	
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_5180MHz																																																	
ANT	CDD 6+17																																																	
Pol.	Vertical					Fundamental																																												
Peak	<div><p>Level (dBuV/m) Date: 2024-05-06</p><p>Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark</p><table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5149.22</td><td>59.37</td><td>74.00</td><td>-14.63</td><td>47.40</td><td>36.11</td><td>8.53</td><td>32.67</td><td>400</td><td>207 PEAK</td></tr></table></div>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5149.22	59.37	74.00	-14.63	47.40	36.11	8.53	32.67	400	207 PEAK	<div><p>Level (dBuV/m) Date: 2024-05-06</p><p>Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark</p><table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5180.00</td><td>110.88</td><td>-----</td><td>-----</td><td>98.86</td><td>36.09</td><td>8.59</td><td>32.66</td><td>400</td><td>207 PEAK</td></tr></table></div>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5180.00	110.88	-----	-----	98.86	36.09	8.59	32.66	400	207 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																								
	1 5149.22	59.37	74.00	-14.63	47.40	36.11	8.53	32.67	400	207 PEAK																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																									
1 5180.00	110.88	-----	-----	98.86	36.09	8.59	32.66	400	207 PEAK																																									
Avg	<div><p>Level (dBuV/m) Date: 2024-05-06</p><p>Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark</p><table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5149.76</td><td>49.14</td><td>54.00</td><td>-4.86</td><td>37.16</td><td>36.11</td><td>8.54</td><td>32.67</td><td>400</td><td>207 AVERAGE</td></tr></table></div>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5149.76	49.14	54.00	-4.86	37.16	36.11	8.54	32.67	400	207 AVERAGE	<div><p>Level (dBuV/m) Date: 2024-05-06</p><p>Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark</p><table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5180.00</td><td>100.58</td><td>-----</td><td>-----</td><td>88.57</td><td>36.09</td><td>8.58</td><td>32.66</td><td>400</td><td>207 AVERAGE</td></tr></table></div>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5180.00	100.58	-----	-----	88.57	36.09	8.58	32.66	400	207 AVERAGE
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																								
	1 5149.76	49.14	54.00	-4.86	37.16	36.11	8.54	32.67	400	207 AVERAGE																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																									
1 5180.00	100.58	-----	-----	88.57	36.09	8.58	32.66	400	207 AVERAGE																																									



Mode	10																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_5180MHz																																																																																																																			
ANT	CDD 6+17																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>49.00</td><td>68.30</td><td>-19.30</td><td>61.86</td><td>38.74</td><td>12.06</td><td>63.66</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15540.00</td><td>48.38</td><td>74.00</td><td>-25.62</td><td>57.06</td><td>40.73</td><td>14.58</td><td>63.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10360.00	49.00	68.30	-19.30	61.86	38.74	12.06	63.66	---	---	Peak	2	15540.00	48.38	74.00	-25.62	57.06	40.73	14.58	63.99	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>60.14</td><td>68.30</td><td>-8.16</td><td>73.00</td><td>38.74</td><td>12.06</td><td>63.66</td><td>100</td><td>340</td><td>Peak</td></tr><tr><td>2</td><td>15540.00</td><td>48.75</td><td>74.00</td><td>-25.25</td><td>57.43</td><td>40.73</td><td>14.58</td><td>63.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10360.00	60.14	68.30	-8.16	73.00	38.74	12.06	63.66	100	340	Peak	2	15540.00	48.75	74.00	-25.25	57.43	40.73	14.58	63.99	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	10360.00	49.00	68.30	-19.30	61.86	38.74	12.06	63.66	---	---	Peak																																																																																																									
2	15540.00	48.38	74.00	-25.62	57.06	40.73	14.58	63.99	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	10360.00	60.14	68.30	-8.16	73.00	38.74	12.06	63.66	100	340	Peak																																																																																																									
2	15540.00	48.75	74.00	-25.25	57.43	40.73	14.58	63.99	---	---	Peak																																																																																																									





Mode	11																																																																																															
	Harmonic																																																																																															
	U-NII-1_5.15-5.25_802.11be EHT20_CH44_5220MHz																																																																																															
ANT	CDD 6+17																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg	<div><div>Level (dBuV/m)</div><div>Date: 2024-05-07</div><div>Frequency (MHz)</div></div>						<div><div>Level (dBuV/m)</div><div>Date: 2024-05-07</div><div>Frequency (MHz)</div></div>																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><td>1</td><td>10440.00</td><td>53.37</td><td>68.30</td><td>-14.93</td><td>66.10</td><td>38.78</td><td>12.12</td><td>63.63</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15660.00</td><td>47.23</td><td>74.00</td><td>-26.77</td><td>55.79</td><td>40.83</td><td>14.64</td><td>64.03</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	10440.00	53.37	68.30	-14.93	66.10	38.78	12.12	63.63	---	---	Peak	2	15660.00	47.23	74.00	-26.77	55.79	40.83	14.64	64.03	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><td>1</td><td>10440.00</td><td>57.28</td><td>68.30</td><td>-11.02</td><td>70.01</td><td>38.78</td><td>12.12</td><td>63.63</td><td>100</td><td>331</td><td>Peak</td></tr><tr><td>2</td><td>15660.00</td><td>48.06</td><td>74.00</td><td>-25.94</td><td>56.62</td><td>40.83</td><td>14.64</td><td>64.03</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	10440.00	57.28	68.30	-11.02	70.01	38.78	12.12	63.63	100	331	Peak	2	15660.00	48.06	74.00	-25.94	56.62	40.83	14.64	64.03	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
1	10440.00	53.37	68.30	-14.93	66.10	38.78	12.12	63.63	---	---	Peak																																																																																					
2	15660.00	47.23	74.00	-26.77	55.79	40.83	14.64	64.03	---	---	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
1	10440.00	57.28	68.30	-11.02	70.01	38.78	12.12	63.63	100	331	Peak																																																																																					
2	15660.00	48.06	74.00	-25.94	56.62	40.83	14.64	64.03	---	---	Peak																																																																																					





Mode	12																																																																																							
	Harmonic																																																																																							
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_5240MHz																																																																																							
ANT	CDD 6+17																																																																																							
Pol.	Horizontal										Vertical																																																																													
Peak Avg	<div><div>Level (dBuV/m)</div><div>Date: 2024-05-07</div><div>Frequency (MHz)</div></div>										<div><div>Level (dBuV/m)</div><div>Date: 2024-05-07</div><div>Frequency (MHz)</div></div>																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><td>1</td><td>10480.00</td><td>51.93</td><td>68.30</td><td>-16.37</td><td>64.60</td><td>38.79</td><td>12.15</td><td>63.61 --- Peak</td></tr><tr><td>2</td><td>15720.00</td><td>49.16</td><td>74.00</td><td>-24.84</td><td>57.67</td><td>40.88</td><td>14.66</td><td>64.05 --- Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	10480.00	51.93	68.30	-16.37	64.60	38.79	12.15	63.61 --- Peak	2	15720.00	49.16	74.00	-24.84	57.67	40.88	14.66	64.05 --- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><td>1</td><td>10480.00</td><td>58.47</td><td>68.30</td><td>-9.83</td><td>71.14</td><td>38.79</td><td>12.15</td><td>63.61 100 336 Peak</td></tr><tr><td>2</td><td>15720.00</td><td>48.88</td><td>74.00</td><td>-25.12</td><td>57.39</td><td>40.88</td><td>14.66</td><td>64.05 --- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	10480.00	58.47	68.30	-9.83	71.14	38.79	12.15	63.61 100 336 Peak	2	15720.00	48.88	74.00	-25.12	57.39	40.88	14.66	64.05 --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
1	10480.00	51.93	68.30	-16.37	64.60	38.79	12.15	63.61 --- Peak																																																																																
2	15720.00	49.16	74.00	-24.84	57.67	40.88	14.66	64.05 --- Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
1	10480.00	58.47	68.30	-9.83	71.14	38.79	12.15	63.61 100 336 Peak																																																																																
2	15720.00	48.88	74.00	-25.12	57.39	40.88	14.66	64.05 --- Peak																																																																																
<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10480.00</td><td>51.93</td><td>68.30</td><td>-16.37</td><td>64.60</td><td>38.79</td><td>12.15</td><td>63.61</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15720.00</td><td>49.16</td><td>74.00</td><td>-24.84</td><td>57.67</td><td>40.88</td><td>14.66</td><td>64.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>											MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10480.00	51.93	68.30	-16.37	64.60	38.79	12.15	63.61	---	---	Peak	2	15720.00	49.16	74.00	-24.84	57.67	40.88	14.66	64.05	---	---	Peak	<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10480.00</td><td>58.47</td><td>68.30</td><td>-9.83</td><td>71.14</td><td>38.79</td><td>12.15</td><td>63.61</td><td>100</td><td>336</td><td>Peak</td></tr><tr><td>2</td><td>15720.00</td><td>48.88</td><td>74.00</td><td>-25.12</td><td>57.39</td><td>40.88</td><td>14.66</td><td>64.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10480.00	58.47	68.30	-9.83	71.14	38.79	12.15	63.61	100	336	Peak	2	15720.00	48.88	74.00	-25.12	57.39	40.88	14.66	64.05	---	---	Peak	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	10480.00	51.93	68.30	-16.37	64.60	38.79	12.15	63.61	---	---	Peak																																																																													
2	15720.00	49.16	74.00	-24.84	57.67	40.88	14.66	64.05	---	---	Peak																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	10480.00	58.47	68.30	-9.83	71.14	38.79	12.15	63.61	100	336	Peak																																																																													
2	15720.00	48.88	74.00	-25.12	57.39	40.88	14.66	64.05	---	---	Peak																																																																													



Mode	13																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_5260MHz																																																																																																																			
ANT	CDD 6+17																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>50.89</td><td>68.30</td><td>-17.41</td><td>63.50</td><td>38.81</td><td>12.18</td><td>63.60</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15780.00</td><td>48.83</td><td>74.00</td><td>-25.17</td><td>57.29</td><td>40.92</td><td>14.69</td><td>64.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10520.00	50.89	68.30	-17.41	63.50	38.81	12.18	63.60	---	---	Peak	2	15780.00	48.83	74.00	-25.17	57.29	40.92	14.69	64.07	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>55.28</td><td>68.30</td><td>-13.02</td><td>67.89</td><td>38.81</td><td>12.18</td><td>63.60</td><td>100</td><td>330</td><td>Peak</td></tr><tr><td>2</td><td>15780.00</td><td>48.53</td><td>74.00</td><td>-25.47</td><td>56.99</td><td>40.92</td><td>14.69</td><td>64.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10520.00	55.28	68.30	-13.02	67.89	38.81	12.18	63.60	100	330	Peak	2	15780.00	48.53	74.00	-25.47	56.99	40.92	14.69	64.07	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	10520.00	50.89	68.30	-17.41	63.50	38.81	12.18	63.60	---	---	Peak																																																																																																									
2	15780.00	48.83	74.00	-25.17	57.29	40.92	14.69	64.07	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	10520.00	55.28	68.30	-13.02	67.89	38.81	12.18	63.60	100	330	Peak																																																																																																									
2	15780.00	48.53	74.00	-25.47	56.99	40.92	14.69	64.07	---	---	Peak																																																																																																									



Mode	14																																																																																																																						
	Harmonic																																																																																																																						
	U-NII-2A_5.25-5.35_802.11be EHT20_CH60_5300MHz																																																																																																																						
ANT	CDD 6+17																																																																																																																						
Pol.	Horizontal					Vertical																																																																																																																	
Peak Avg																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10600.00</td><td>51.18</td><td>74.00</td><td>-22.82</td><td>63.68</td><td>38.84</td><td>12.23</td><td>63.57</td><td>100</td><td>332 Peak</td></tr><tr><td>2 10600.00</td><td>44.39</td><td>54.00</td><td>-9.61</td><td>56.89</td><td>38.84</td><td>12.23</td><td>63.57</td><td>100</td><td>332 Average</td></tr><tr><td>3 15900.00</td><td>46.79</td><td>74.00</td><td>-27.21</td><td>55.13</td><td>41.02</td><td>14.75</td><td>64.11</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10600.00	51.18	74.00	-22.82	63.68	38.84	12.23	63.57	100	332 Peak	2 10600.00	44.39	54.00	-9.61	56.89	38.84	12.23	63.57	100	332 Average	3 15900.00	46.79	74.00	-27.21	55.13	41.02	14.75	64.11	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10600.00</td><td>48.89</td><td>74.00</td><td>-25.11</td><td>61.39</td><td>38.84</td><td>12.23</td><td>63.57</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 15900.00</td><td>46.84</td><td>74.00</td><td>-27.16</td><td>55.18</td><td>41.02</td><td>14.75</td><td>64.11</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10600.00	48.89	74.00	-25.11	61.39	38.84	12.23	63.57	---	---	Peak	2 15900.00	46.84	74.00	-27.16	55.18	41.02	14.75	64.11	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1 10600.00	51.18	74.00	-22.82	63.68	38.84	12.23	63.57	100	332 Peak																																																																																																														
2 10600.00	44.39	54.00	-9.61	56.89	38.84	12.23	63.57	100	332 Average																																																																																																														
3 15900.00	46.79	74.00	-27.21	55.13	41.02	14.75	64.11	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1 10600.00	48.89	74.00	-25.11	61.39	38.84	12.23	63.57	---	---	Peak																																																																																																													
2 15900.00	46.84	74.00	-27.16	55.18	41.02	14.75	64.11	---	---	Peak																																																																																																													





		15									
Mode		Band Edge									
		U-NII-2A_5.25-5.35_802.11be EHT20_CH64_5320MHz									
ANT		CDD 6+17									
Pol.		Horizontal					Fundamental				
Peak	<div><div>Level (dBuV/m)</div><div><div></div><div>Date: 2024-05-06</div></div><div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div></div>										







Mode	15																																																																									
	Band Edge																																																																									
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_5320MHz																																																																									
ANT	CDD 6+17																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<div><p>Level (dBuV/m) Date: 2024-05-06</p><p>Frequency (MHz)</p><table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5350.66</td><td>58.62</td><td>74.00</td><td>-15.38</td><td>45.89</td><td>35.99</td><td>9.37</td><td>32.63</td><td>100 93 PEAK</td></tr></table></div>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5350.66	58.62	74.00	-15.38	45.89	35.99	9.37	32.63	100 93 PEAK	<div><p>Level (dBuV/m) Date: 2024-05-06</p><p>Frequency (MHz)</p><table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5320.00</td><td>107.32</td><td>-----</td><td>-----</td><td>94.71</td><td>36.00</td><td>9.24</td><td>32.63</td><td>100 93 PEAK</td></tr></table></div>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	107.32	-----	-----	94.71	36.00	9.24	32.63	100 93 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5350.66	58.62	74.00	-15.38	45.89	35.99	9.37	32.63	100 93 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5320.00	107.32	-----	-----	94.71	36.00	9.24	32.63	100 93 PEAK																																																																		
Avg	<div><p>Level (dBuV/m) Date: 2024-05-06</p><p>Frequency (MHz)</p><table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5350.10</td><td>47.99</td><td>54.00</td><td>-6.01</td><td>35.26</td><td>35.99</td><td>9.37</td><td>32.63</td><td>100 93 AVERAGE</td></tr></table></div>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5350.10	47.99	54.00	-6.01	35.26	35.99	9.37	32.63	100 93 AVERAGE	<div><p>Level (dBuV/m) Date: 2024-05-06</p><p>Frequency (MHz)</p><table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5320.00</td><td>99.32</td><td>-----</td><td>-----</td><td>86.74</td><td>36.01</td><td>9.21</td><td>32.64</td><td>100 93 AVERAGE</td></tr></table></div>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	99.32	-----	-----	86.74	36.01	9.21	32.64	100 93 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5350.10	47.99	54.00	-6.01	35.26	35.99	9.37	32.63	100 93 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5320.00	99.32	-----	-----	86.74	36.01	9.21	32.64	100 93 AVERAGE																																																																		



Mode	15																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_5320MHz																																																																																																																																													
ANT	CDD 6+17																																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																																							
Peak Avg																																																																																																																																														
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10640.00</td><td>47.81</td><td>74.00</td><td>-26.19</td><td>60.24</td><td>38.86</td><td>12.26</td><td>63.55</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15960.00</td><td>47.60</td><td>74.00</td><td>-26.40</td><td>55.89</td><td>41.07</td><td>14.77</td><td>64.13</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10640.00	47.81	74.00	-26.19	60.24	38.86	12.26	63.55	---	---	Peak	2	15960.00	47.60	74.00	-26.40	55.89	41.07	14.77	64.13	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10640.00</td><td>51.06</td><td>74.00</td><td>-22.94</td><td>63.49</td><td>38.86</td><td>12.26</td><td>63.55</td><td>100</td><td>328</td><td>Peak</td></tr><tr><td>2</td><td>10640.00</td><td>43.95</td><td>54.00</td><td>-10.05</td><td>56.38</td><td>38.86</td><td>12.26</td><td>63.55</td><td>100</td><td>328</td><td>Average</td></tr><tr><td>3</td><td>15960.00</td><td>48.44</td><td>74.00</td><td>-25.56</td><td>56.73</td><td>41.07</td><td>14.77</td><td>64.13</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10640.00	51.06	74.00	-22.94	63.49	38.86	12.26	63.55	100	328	Peak	2	10640.00	43.95	54.00	-10.05	56.38	38.86	12.26	63.55	100	328	Average	3	15960.00	48.44	74.00	-25.56	56.73	41.07	14.77	64.13	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	10640.00	47.81	74.00	-26.19	60.24	38.86	12.26	63.55	---	---	Peak																																																																																																																																			
2	15960.00	47.60	74.00	-26.40	55.89	41.07	14.77	64.13	---	---	Peak																																																																																																																																			
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	10640.00	51.06	74.00	-22.94	63.49	38.86	12.26	63.55	100	328	Peak																																																																																																																																			
2	10640.00	43.95	54.00	-10.05	56.38	38.86	12.26	63.55	100	328	Average																																																																																																																																			
3	15960.00	48.44	74.00	-25.56	56.73	41.07	14.77	64.13	---	---	Peak																																																																																																																																			



		16																																																																																																		
Mode		Band Edge																																																																																																		
		U-NII-2C_5.47-5.725_802.11be EHT20_CH100_5500MHz																																																																																																		
ANT		CDD 6+17																																																																																																		
Pol.		Horizontal					Fundamental																																																																																													
Peak	 <p>Level (dBuV/m) Date: 2024-05-06</p> <p>Frequency (MHz)</p> <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.45</td><td>54.18</td><td>74.00</td><td>-19.82</td><td>41.18</td><td>35.92</td><td>9.69</td><td>32.61</td><td>100</td><td>297</td><td>PEAK</td></tr><tr><td>2</td><td>5469.85</td><td>59.77</td><td>68.30</td><td>-8.53</td><td>46.77</td><td>35.92</td><td>9.69</td><td>32.61</td><td>100</td><td>297</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5458.45	54.18	74.00	-19.82	41.18	35.92	9.69	32.61	100	297	PEAK	2	5469.85	59.77	68.30	-8.53	46.77	35.92	9.69	32.61	100	297	PEAK	 <p>Level (dBuV/m) Date: 2024-05-06</p> <p>Frequency (MHz)</p> <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>111.77</td><td>-----</td><td>-----</td><td>98.76</td><td>35.90</td><td>9.71</td><td>32.60</td><td>100</td><td>297</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	111.77	-----	-----	98.76	35.90	9.71	32.60	100	297	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5458.45	54.18	74.00	-19.82	41.18	35.92	9.69	32.61	100	297	PEAK																																																																																									
2	5469.85	59.77	68.30	-8.53	46.77	35.92	9.69	32.61	100	297	PEAK																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5500.00	111.77	-----	-----	98.76	35.90	9.71	32.60	100	297	PEAK																																																																																									
Avg	 <p>Level (dBuV/m) Date: 2024-05-06</p> <p>Frequency (MHz)</p> <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.80</td><td>44.54</td><td>54.00</td><td>-9.46</td><td>31.54</td><td>35.92</td><td>9.69</td><td>32.61</td><td>100</td><td>297</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.80	44.54	54.00	-9.46	31.54	35.92	9.69	32.61	100	297	AVERAGE	 <p>Level (dBuV/m) Date: 2024-05-06</p> <p>Frequency (MHz)</p> <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>103.63</td><td>-----</td><td>-----</td><td>90.62</td><td>35.90</td><td>9.71</td><td>32.60</td><td>100</td><td>297</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	103.63	-----	-----	90.62	35.90	9.71	32.60	100	297	AVERAGE												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5459.80	44.54	54.00	-9.46	31.54	35.92	9.69	32.61	100	297	AVERAGE																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5500.00	103.63	-----	-----	90.62	35.90	9.71	32.60	100	297	AVERAGE																																																																																									