

















Band edge measurements


Test Result


TestMode	Antenna	Channel Name	Freq(MHz)	RefLevel[dBm/100KHz]	Result[dBm/100KHz]	Limit[dBm/100KHz]	Verdict
11B-CDD	Ant16	Low	2412	10.85	-39.07	≤-9.15	PASS
	Ant7	Low	2412	10.73	-29.95	≤-9.27	PASS
	Ant16	High	2462	10.26	-45.69	≤-9.74	PASS
	Ant7	High	2462	10.55	-44.62	≤-9.45	PASS
11G-CDD	Ant16	Low	2412	8.37	-31.17	≤-11.63	PASS
	Ant7	Low	2412	8.68	-30.32	≤-11.32	PASS
	Ant16	High	2462	7.86	-44.6	≤-12.14	PASS
	Ant7	High	2462	7.78	-32.19	≤-12.22	PASS
11AX20MI MO	Ant16	Low	2412	7.72	-26.97	≤-12.28	PASS
	Ant7	Low	2412	8.19	-24.49	≤-11.81	PASS
	Ant16	High	2462	7.11	-42.12	≤-12.89	PASS
	Ant7	High	2462	7.11	-28.86	≤-12.89	PASS
11AX40MI MO	Ant16	Low	2422	3.76	-31.3	≤-16.24	PASS
	Ant7	Low	2422	4.49	-29.86	≤-15.51	PASS
	Ant16	High	2452	4.84	-40.21	≤-15.16	PASS
	Ant7	High	2452	5.63	-30.21	≤-14.37	PASS





Test Graphs






















Conducted Spurious Emission

Test Result


TestMode	Antenna	Freq(MHz)	FreqRange [Mhz]	RefLevel [dBm/100KHz]	Result [dBm/100KHz]	Limit [dBm/100KHz]	Verdict
11B-CDD	Ant16	2412	30~1000	10.85	-50.35	≤-9.15	PASS
			1000~26500	10.85	-45.31	≤-9.15	PASS
	Ant7	2412	30~1000	10.73	-50.48	≤-9.27	PASS
			1000~26500	10.73	-44.94	≤-9.27	PASS
	Ant16	2437	30~1000	11.30	-50.73	≤-8.7	PASS
			1000~26500	11.30	-45.19	≤-8.7	PASS
	Ant7	2437	30~1000	10.89	-50.4	≤-9.11	PASS
			1000~26500	10.89	-45.64	≤-9.11	PASS
	Ant16	2462	30~1000	10.26	-50.7	≤-9.74	PASS
			1000~26500	10.26	-45.19	≤-9.74	PASS
	Ant7	2462	30~1000	10.55	-50.7	≤-9.45	PASS
			1000~26500	10.55	-45.47	≤-9.45	PASS
11G-CDD	Ant16	2412	30~1000	8.37	-50.44	≤-11.63	PASS
			1000~26500	8.37	-44.87	≤-11.63	PASS
	Ant7	2412	30~1000	8.68	-50.68	≤-11.32	PASS
			1000~26500	8.68	-45.4	≤-11.32	PASS
	Ant16	2437	30~1000	8.66	-50.44	≤-11.34	PASS
			1000~26500	8.66	-45.57	≤-11.34	PASS
	Ant7	2437	30~1000	8.65	-50.98	≤-11.35	PASS
			1000~26500	8.65	-45.3	≤-11.35	PASS
	Ant16	2462	30~1000	7.86	-51.33	≤-12.14	PASS
			1000~26500	7.86	-45.52	≤-12.14	PASS
	Ant7	2462	30~1000	7.78	-50.45	≤-12.22	PASS
			1000~26500	7.78	-45.24	≤-12.22	PASS
11AX20MIMO	Ant16	2412	30~1000	7.72	-50.79	≤-12.28	PASS
			1000~26500	7.72	-45.73	≤-12.28	PASS
	Ant7	2412	30~1000	8.19	-51.07	≤-11.81	PASS
			1000~26500	8.19	-45.52	≤-11.81	PASS
	Ant16	2437	30~1000	7.77	-50.03	≤-12.23	PASS
			1000~26500	7.77	-44.56	≤-12.23	PASS
	Ant7	2437	30~1000	8.32	-51.09	≤-11.68	PASS
			1000~26500	8.32	-44.18	≤-11.68	PASS
	Ant16	2462	30~1000	7.11	-49.99	≤-12.89	PASS
			1000~26500	7.11	-44.49	≤-12.89	PASS





11AX40MIMO	Ant7	2462	30~1000	7.11	-50.74	≤ -12.89	PASS
			1000~26500	7.11	-45.11	≤ -12.89	PASS
	Ant16	2422	30~1000	3.76	-51.04	≤ -16.24	PASS
			1000~26500	3.76	-45.15	≤ -16.24	PASS
	Ant7	2422	30~1000	4.49	-50.48	≤ -15.51	PASS
			1000~26500	4.49	-43.9	≤ -15.51	PASS
	Ant16	2437	30~1000	4.30	-50.02	≤ -15.7	PASS
			1000~26500	4.30	-45.34	≤ -15.7	PASS
	Ant7	2437	30~1000	5.22	-50.47	≤ -14.78	PASS
			1000~26500	5.22	-44.98	≤ -14.78	PASS
	Ant16	2452	30~1000	4.84	-50.87	≤ -15.16	PASS
			1000~26500	4.84	-44.44	≤ -15.16	PASS
	Ant7	2452	30~1000	5.63	-51.15	≤ -14.37	PASS
			1000~26500	5.63	-45.19	≤ -14.37	PASS





Test Graphs






































































For Partial RU


Maximum power spectral density


Test Result


TestMode	Antenna	Freq(MHz)	RuSize	RuIndex	Result [dBm/3kHz]	Limit [dBm/3kHz]	Verdict
11AX20MIMO	16	2412	26Tone	RU0	-7.17	≤8.00	PASS
			52Tone	RU37	-8.46	≤8.00	PASS
			106Tone	RU53	-7.99	≤8.00	PASS
	7	2412	26Tone	RU0	-7.64	≤8.00	PASS
			52Tone	RU37	-6.68	≤8.00	PASS
			106Tone	RU53	-6.61	≤8.00	PASS
	total	2412	26Tone	RU0	-4.39	≤8.00	PASS
			52Tone	RU37	-4.47	≤8.00	PASS
			106Tone	RU53	-4.24	≤8.00	PASS
	16	2437	26Tone	RU0	-6.38	≤8.00	PASS
			52Tone	RU37	-6.15	≤8.00	PASS
			106Tone	RU53	-6.6	≤8.00	PASS
	7	2437	26Tone	RU0	-7.62	≤8.00	PASS
			52Tone	RU37	-7.57	≤8.00	PASS
			106Tone	RU53	-7.23	≤8.00	PASS
	total	2437	26Tone	RU0	-3.95	≤8.00	PASS
			52Tone	RU37	-3.79	≤8.00	PASS
			106Tone	RU53	-3.89	≤8.00	PASS
	16	2462	26Tone	RU8	-9.25	≤8.00	PASS
			52Tone	RU40	-9.01	≤8.00	PASS
			106Tone	RU54	-9.46	≤8.00	PASS
	7	2462	26Tone	RU8	-8.9	≤8.00	PASS
			52Tone	RU40	-8.7	≤8.00	PASS
			106Tone	RU54	-8.99	≤8.00	PASS
	total	2462	26Tone	RU8	-6.06	≤8.00	PASS
			52Tone	RU40	-5.84	≤8.00	PASS
			106Tone	RU54	-6.21	≤8.00	PASS





Test Graphs


















11AX20MIMO_16_2462_26Tone_RU8





Date: 22 MAY 2024 03:34:02

11AX20MIMO_16_2462_52Tone_RU40




Date: 22 MAY 2024 03:50:15








Appendix B. AC Conducted Emission Test Results





Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-N 2023 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.176	39.66	-25.02	64.68	29.20	0.05	10.41	QP
2	0.176	27.96	-26.72	54.68	17.50	0.05	10.41	Average
3	0.226	37.21	-25.40	62.61	26.80	0.02	10.39	QP
4	0.226	27.21	-25.40	52.61	16.80	0.02	10.39	Average
5	0.264	34.14	-27.15	61.29	23.79	-0.01	10.36	QP
6	0.264	21.54	-29.75	51.29	11.19	-0.01	10.36	Average
7	0.444	30.99	-25.99	56.98	20.80	-0.06	10.25	QP
8	0.444	19.49	-27.49	46.98	9.30	-0.06	10.25	Average
9	1.495	28.47	-27.53	56.00	18.50	-0.11	10.08	QP
10	1.495	18.17	-27.83	46.00	8.20	-0.11	10.08	Average
11	1.810	29.56	-26.44	56.00	19.60	-0.12	10.08	QP
12	1.810	18.76	-27.24	46.00	8.80	-0.12	10.08	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C Radiated Spurious Emission Test Data

Test Engineer :	Carry	Relative Humidity :	48~49%
		Temperature :	24~25℃

Radiated Spurious Emission Test Modes



Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	CDD 7+16	802.11b	01	2412	1Mbps	-	-
Mode 2	2400-2483.5	CDD 7+16	802.11b	06	2437	1Mbps	-	-
Mode 3	2400-2483.5	CDD 7+16	802.11b	11	2462	1Mbps	-	-
Mode 4	2400-2483.5	CDD 7+16	802.11g	01	2412	6Mbps	-	-
Mode 5	2400-2483.5	CDD 7+16	802.11g	06	2437	6Mbps	-	-
Mode 6	2400-2483.5	CDD 7+16	802.11g	11	2462	6Mbps	-	-
Mode 7	2400-2483.5	CDD 7+16	802.11ax HE20	01	2412	MCS0	Full	-
Mode 8	2400-2483.5	CDD 7+16	802.11ax HE20	06	2437	MCS0	Full	-
Mode 9	2400-2483.5	CDD 7+16	802.11ax HE20	11	2462	MCS0	Full	-
Mode 10	2400-2483.5	CDD 7+16	802.11ax HE40	03	2422	MCS0	Full	-
Mode 11	2400-2483.5	CDD 7+16	802.11ax HE40	06	2437	MCS0	Full	-
Mode 12	2400-2483.5	CDD 7+16	802.11ax HE40	09	2452	MCS0	Full	-
Mode 13	2400-2483.5	CDD 7+16	802.11ax HE20	01	2412	MCS0	Partial RU26/0	-
Mode 14	2400-2483.5	CDD 7+16	802.11ax HE20	01	2412	MCS0	Partial RU52/37	-
Mode 15	2400-2483.5	CDD 7+16	802.11ax HE20	01	2412	MCS0	Partial RU106/53	-
Mode 16	2400-2483.5	CDD 7+16	802.11ax HE20	11	2462	MCS0	Partial RU26/8	-
Mode 17	2400-2483.5	CDD 7+16	802.11ax HE20	11	2462	MCS0	Partial RU52/40	-
Mode 18	2400-2483.5	CDD 7+16	802.11ax HE20	11	2462	MCS0	Partial RU106/54	-
Mode 21	2400-2483.5	CDD 7+16	802.11g LF	11	2462	6Mbps	-	LF







Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11b	01	2389.95	41.57	54.00	-12.43	H	AVERAGE	Pass	Band Edge
1	802.11b	01	4824.00	41.47	74.00	-32.53	H	PEAK	Pass	Harmonic
2	802.11b	06	-	-	-	-	-	-	-	Band Edge
2	802.11b	06	7311.00	42.32	74.00	-31.68	H	PEAK	Pass	Harmonic
3	802.11b	11	2483.50	39.12	54.00	-14.88	V	AVERAGE	Pass	Band Edge
3	802.11b	11	7386.00	43.18	74.00	-30.82	H	PEAK	Pass	Harmonic
4	802.11g	01	2389.95	49.36	54.00	-4.64	H	AVERAGE	Pass	Band Edge
4	802.11g	01	4824.00	41.77	74.00	-32.23	H	PEAK	Pass	Harmonic
5	802.11g	06	-	-	-	-	-	-	-	Band Edge
5	802.11g	06	7311.00	42.70	74.00	-31.30	V	PEAK	Pass	Harmonic
6	802.11g	11	2484.34	50.69	54.00	-3.31	H	AVERAGE	Pass	Band Edge
6	802.11g	11	7386.00	42.51	74.00	-31.49	H	PEAK	Pass	Harmonic
7	802.11ax HE20	01	2388.65	49.57	54.00	-4.43	H	AVERAGE	Pass	Band Edge
7	802.11ax HE20	01	4824.00	41.42	74.00	-32.58	V	PEAK	Pass	Harmonic
8	802.11ax HE20	06	-	-	-	-	-	-	-	Band Edge
8	802.11ax HE20	06	7311.00	42.73	74.00	-31.27	H	PEAK	Pass	Harmonic
9	802.11ax HE20	11	2484.52	50.42	54.00	-3.58	H	AVERAGE	Pass	Band Edge
9	802.11ax HE20	11	7386.00	42.75	74.00	-31.25	H	PEAK	Pass	Harmonic
10	802.11ax HE40	03	2389.69	49.93	54.00	-4.07	H	AVERAGE	Pass	Band Edge
10	802.11ax HE40	03	7266.00	42.85	74.00	-31.15	H	PEAK	Pass	Harmonic
11	802.11ax HE40	06	-	-	-	-	-	-	-	Band Edge
11	802.11ax HE40	06	4874.00	43.41	74.00	-30.59	V	PEAK	Pass	Harmonic
12	802.11ax HE40	09	2484.34	49.41	54.00	-4.59	H	AVERAGE	Pass	Band Edge
12	802.11ax HE40	09	7356.00	42.38	74.00	-31.62	H	PEAK	Pass	Harmonic
13	802.11ax HE20	01	2387.22	35.15	54.00	-18.85	H	AVERAGE	Pass	Band Edge
13	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
14	802.11ax HE20	01	2389.69	39.35	54.00	-14.65	H	AVERAGE	Pass	Band Edge
14	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
15	802.11ax HE20	01	2389.82	50.09	54.00	-3.91	H	AVERAGE	Pass	Band Edge
15	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
16	802.11ax HE20	11	2487.23	36.60	54.00	-17.40	H	AVERAGE	Pass	Band Edge
16	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
17	802.11ax HE20	11	2484.88	43.74	54.00	-10.26	H	AVERAGE	Pass	Band Edge
17	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
18	802.11ax HE20	11	2484.88	48.05	54.00	-5.95	H	AVERAGE	Pass	Band Edge
18	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
21	802.11g	11	951.50	31.77	46.00	-14.23	H	PEAK	Pass	LF



		1																																																						
Mode		Band Edge																																																						
		2400-2483.5_802.11b_CH01_2412MHz																																																						
ANT		CDD 7+16																																																						
Pol.		Horizontal																																																						
Fundamental																																																								
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>51.58</td><td>74.00</td><td>-22.42</td><td>43.45</td><td>31.83</td><td>7.16</td><td>36.86</td><td>6.00</td><td>100</td><td>116</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	51.58	74.00	-22.42	43.45	31.83	7.16	36.86	6.00	100	116	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2389.82	51.58	74.00	-22.42	43.45	31.83	7.16	36.86	6.00	100	116	PEAK																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>113.39</td><td>-----</td><td>-----</td><td>105.08</td><td>31.96</td><td>7.21</td><td>36.86</td><td>6.00</td><td>100</td><td>116</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	113.39	-----	-----	105.08	31.96	7.21	36.86	6.00	100	116	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2412.00	113.39	-----	-----	105.08	31.96	7.21	36.86	6.00	100	116	PEAK																																												
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>41.57</td><td>54.00</td><td>-12.43</td><td>33.44</td><td>31.83</td><td>7.16</td><td>36.86</td><td>6.00</td><td>100</td><td>116</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	41.57	54.00	-12.43	33.44	31.83	7.16	36.86	6.00	100	116	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2389.95	41.57	54.00	-12.43	33.44	31.83	7.16	36.86	6.00	100	116	AVERAGE																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>109.04</td><td>-----</td><td>-----</td><td>100.73</td><td>31.96</td><td>7.21</td><td>36.86</td><td>6.00</td><td>100</td><td>116</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	109.04	-----	-----	100.73	31.96	7.21	36.86	6.00	100	116	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2412.00	109.04	-----	-----	100.73	31.96	7.21	36.86	6.00	100	116	AVERAGE																																												





		1																																																																																																						
Mode		Band Edge																																																																																																						
		2400-2483.5_802.11b_CH01_2412MHz																																																																																																						
ANT		CDD 7+16																																																																																																						
Pol.		Vertical					Fundamental																																																																																																	
Peak																																																																																																								
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>50.16</td><td>74.00</td><td>-23.84</td><td>42.03</td><td>31.83</td><td>7.16</td><td>36.86</td><td>6.00</td><td>364 44 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.82	50.16	74.00	-23.84	42.03	31.83	7.16	36.86	6.00	364 44 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>108.10</td><td>-----</td><td>-----</td><td>99.81</td><td>31.95</td><td>7.20</td><td>36.86</td><td>6.00</td><td>364 44 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	108.10	-----	-----	99.81	31.95	7.20	36.86	6.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	2389.82	50.16	74.00	-23.84	42.03	31.83	7.16	36.86	6.00	364 44 PEAK																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	2412.00	108.10	-----	-----	99.81	31.95	7.20	36.86	6.00	364 44 PEAK																																																																																														
Avg																																																																																																								
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.43</td><td>40.27</td><td>54.00</td><td>-13.73</td><td>32.14</td><td>31.83</td><td>7.16</td><td>36.86</td><td>6.00</td><td>364 44 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.43	40.27	54.00	-13.73	32.14	31.83	7.16	36.86	6.00	364 44 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>103.66</td><td>-----</td><td>-----</td><td>95.37</td><td>31.95</td><td>7.20</td><td>36.86</td><td>6.00</td><td>364 44 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	103.66	-----	-----	95.37	31.95	7.20	36.86	6.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	2389.43	40.27	54.00	-13.73	32.14	31.83	7.16	36.86	6.00	364 44 AVERAGE																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	2412.00	103.66	-----	-----	95.37	31.95	7.20	36.86	6.00	364 44 AVERAGE																																																																																														







Mode	1																																																										
	Harmonic																																																										
	2400-2483.5_802.11b_CH01_2412MHz																																																										
ANT	CDD 7+16																																																										
Pol.	Horizontal												Vertical																																														
Peak Avg																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>41.47</td><td>74.00</td><td>-32.53</td><td>62.87</td><td>34.05</td><td>10.29</td><td>65.74</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4824.00	41.47	74.00	-32.53	62.87	34.05	10.29	65.74	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	4824.00	41.47	74.00	-32.53	62.87	34.05	10.29	65.74	0.00	--	--	PEAK																																															
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>40.71</td><td>74.00</td><td>-33.29</td><td>62.11</td><td>34.05</td><td>10.29</td><td>65.74</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4824.00	40.71	74.00	-33.29	62.11	34.05	10.29	65.74	0.00	--	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	4824.00	40.71	74.00	-33.29	62.11	34.05	10.29	65.74	0.00	--	--	PEAK																																															



Mode	2																																																																																																																																
	Harmonic																																																																																																																																
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																																																
ANT	CDD 7+16																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																										
Peak Avg																																																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>41.22</td><td>74.00</td><td>-32.78</td><td>62.73</td><td>33.95</td><td>10.34</td><td>65.80</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>42.32</td><td>74.00</td><td>-31.68</td><td>60.21</td><td>35.60</td><td>12.78</td><td>66.27</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4874.00	41.22	74.00	-32.78	62.73	33.95	10.34	65.80	0.00	--	-- PEAK	2	7311.00	42.32	74.00	-31.68	60.21	35.60	12.78	66.27	0.00	--	-- PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>40.97</td><td>74.00</td><td>-33.03</td><td>62.48</td><td>33.95</td><td>10.34</td><td>65.80</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>41.84</td><td>74.00</td><td>-32.16</td><td>59.73</td><td>35.60</td><td>12.78</td><td>66.27</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>							Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4874.00	40.97	74.00	-33.03	62.48	33.95	10.34	65.80	0.00	--	-- PEAK	2	7311.00	41.84	74.00	-32.16	59.73	35.60	12.78	66.27	0.00	--	-- PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	4874.00	41.22	74.00	-32.78	62.73	33.95	10.34	65.80	0.00	--	-- PEAK																																																																																																																						
2	7311.00	42.32	74.00	-31.68	60.21	35.60	12.78	66.27	0.00	--	-- PEAK																																																																																																																						
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	4874.00	40.97	74.00	-33.03	62.48	33.95	10.34	65.80	0.00	--	-- PEAK																																																																																																																						
2	7311.00	41.84	74.00	-32.16	59.73	35.60	12.78	66.27	0.00	--	-- PEAK																																																																																																																						





Mode	3																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																														
ANT	CDD 7+16																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.00</td><td>51.22</td><td>74.00</td><td>-22.78</td><td>42.50</td><td>32.24</td><td>7.33</td><td>36.85</td><td>6.00</td><td>165</td><td>229</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.00	51.22	74.00	-22.78	42.50	32.24	7.33	36.85	6.00	165	229	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>110.32</td><td>-----</td><td>-----</td><td>101.73</td><td>32.15</td><td>7.29</td><td>36.85</td><td>6.00</td><td>165</td><td>229</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	110.32	-----	-----	101.73	32.15	7.29	36.85	6.00	165	229
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2485.00	51.22	74.00	-22.78	42.50	32.24	7.33	36.85	6.00	165	229	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2462.00	110.32	-----	-----	101.73	32.15	7.29	36.85	6.00	165	229	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.76</td><td>38.78</td><td>54.00</td><td>-15.22</td><td>30.06</td><td>32.24</td><td>7.33</td><td>36.85</td><td>6.00</td><td>165</td><td>229</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.76	38.78	54.00	-15.22	30.06	32.24	7.33	36.85	6.00	165	229	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>106.03</td><td>-----</td><td>-----</td><td>97.42</td><td>32.16</td><td>7.30</td><td>36.85</td><td>6.00</td><td>165</td><td>229</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	106.03	-----	-----	97.42	32.16	7.30	36.85	6.00	165	229
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2484.76	38.78	54.00	-15.22	30.06	32.24	7.33	36.85	6.00	165	229	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2462.00	106.03	-----	-----	97.42	32.16	7.30	36.85	6.00	165	229	AVERAGE																																																																																																			







Mode	3																																																						
	Band Edge																																																						
	2400-2483.5_802.11b_CH11_2462MHz																																																						
ANT	CDD 7+16																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2488.12</td><td>51.05</td><td>74.00</td><td>-22.95</td><td>42.31</td><td>32.25</td><td>7.34</td><td>36.85</td><td>6.00</td><td>383</td><td>76</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.12	51.05	74.00	-22.95	42.31	32.25	7.34	36.85	6.00	383	76
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2488.12	51.05	74.00	-22.95	42.31	32.25	7.34	36.85	6.00	383	76	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>106.94</td><td>-----</td><td>-----</td><td>98.33</td><td>32.16</td><td>7.30</td><td>36.85</td><td>6.00</td><td>383</td><td>76</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	106.94	-----	-----	98.33	32.16	7.30	36.85	6.00	383	76
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2462.00	106.94	-----	-----	98.33	32.16	7.30	36.85	6.00	383	76	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>39.12</td><td>54.00</td><td>-14.88</td><td>30.41</td><td>32.23</td><td>7.33</td><td>36.85</td><td>6.00</td><td>383</td><td>76</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	39.12	54.00	-14.88	30.41	32.23	7.33	36.85	6.00	383	76
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.50	39.12	54.00	-14.88	30.41	32.23	7.33	36.85	6.00	383	76	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>102.74</td><td>-----</td><td>-----</td><td>94.13</td><td>32.16</td><td>7.30</td><td>36.85</td><td>6.00</td><td>383</td><td>76</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	102.74	-----	-----	94.13	32.16	7.30	36.85	6.00	383	76
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2462.00	102.74	-----	-----	94.13	32.16	7.30	36.85	6.00	383	76	AVERAGE																																											







Mode	3																																																																																																									
	Harmonic																																																																																																									
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																									
ANT	CDD 7+16																																																																																																									
Pol.	Horizontal												Vertical																																																																																													
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4924.00</td><td>42.23</td><td>74.00</td><td>-31.77</td><td>63.78</td><td>33.92</td><td>10.40</td><td>65.87</td></tr><tr><td>2</td><td>7386.00</td><td>43.18</td><td>74.00</td><td>-30.82</td><td>61.11</td><td>35.60</td><td>12.88</td><td>66.41</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4924.00	42.23	74.00	-31.77	63.78	33.92	10.40	65.87	2	7386.00	43.18	74.00	-30.82	61.11	35.60	12.88	66.41	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4924.00</td><td>41.57</td><td>74.00</td><td>-32.43</td><td>63.12</td><td>33.92</td><td>10.40</td><td>65.87</td></tr><tr><td>2</td><td>7386.00</td><td>42.48</td><td>74.00</td><td>-31.52</td><td>60.41</td><td>35.60</td><td>12.88</td><td>66.41</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4924.00	41.57	74.00	-32.43	63.12	33.92	10.40	65.87	2	7386.00	42.48	74.00	-31.52	60.41	35.60	12.88	66.41
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	4924.00	42.23	74.00	-31.77	63.78	33.92	10.40	65.87																																																																																																		
2	7386.00	43.18	74.00	-30.82	61.11	35.60	12.88	66.41																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	4924.00	41.57	74.00	-32.43	63.12	33.92	10.40	65.87																																																																																																		
2	7386.00	42.48	74.00	-31.52	60.41	35.60	12.88	66.41																																																																																																		





Mode	4																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																		
ANT	CDD 7+16																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>67.26</td><td>74.00</td><td>-6.74</td><td>59.13</td><td>31.83</td><td>7.16</td><td>36.86</td><td>6.00</td><td>101</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	67.26	74.00	-6.74	59.13	31.83	7.16	36.86	6.00	101	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>113.37</td><td>-----</td><td>-----</td><td>105.06</td><td>31.96</td><td>7.21</td><td>36.86</td><td>6.00</td><td>100</td><td>101</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	113.37	-----	-----	105.06	31.96	7.21	36.86	6.00	100	101	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.95	67.26	74.00	-6.74	59.13	31.83	7.16	36.86	6.00	101	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	113.37	-----	-----	105.06	31.96	7.21	36.86	6.00	100	101	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>49.36</td><td>54.00</td><td>-4.64</td><td>41.23</td><td>31.83</td><td>7.16</td><td>36.86</td><td>6.00</td><td>100</td><td>101</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	49.36	54.00	-4.64	41.23	31.83	7.16	36.86	6.00	100	101	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>104.30</td><td>-----</td><td>-----</td><td>96.01</td><td>31.95</td><td>7.20</td><td>36.86</td><td>6.00</td><td>100</td><td>101</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	104.30	-----	-----	96.01	31.95	7.20	36.86	6.00	100	101
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.95	49.36	54.00	-4.64	41.23	31.83	7.16	36.86	6.00	100	101	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	104.30	-----	-----	96.01	31.95	7.20	36.86	6.00	100	101	AVERAGE																																																																																							



		4																																																			
Mode		Band Edge																																																			
		2400-2483.5_802.11g_CH01_2412MHz																																																			
ANT		CDD 7+16																																																			
Pol.		Vertical					Fundamental																																														
Peak																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>63.08</td><td>74.00</td><td>-10.92</td><td>54.95</td><td>31.83</td><td>7.16</td><td>36.86</td><td>6.00</td><td>399</td><td>62</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	63.08	74.00	-10.92	54.95	31.83	7.16	36.86	6.00	399	62
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	2389.95	63.08	74.00	-10.92	54.95	31.83	7.16	36.86	6.00	399	62	PEAK																																									
Avg																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>45.49</td><td>54.00</td><td>-8.51</td><td>37.36</td><td>31.83</td><td>7.16</td><td>36.86</td><td>6.00</td><td>399</td><td>62</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	45.49	54.00	-8.51	37.36	31.83	7.16	36.86	6.00	399	62
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	2389.95	45.49	54.00	-8.51	37.36	31.83	7.16	36.86	6.00	399	62	AVERAGE																																									
Peak																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>110.57</td><td>-----</td><td>-----</td><td>102.26</td><td>31.96</td><td>7.21</td><td>36.86</td><td>6.00</td><td>399</td><td>62</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	110.57	-----	-----	102.26	31.96	7.21	36.86	6.00	399	62
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	2412.00	110.57	-----	-----	102.26	31.96	7.21	36.86	6.00	399	62	PEAK																																									
Avg																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>102.39</td><td>-----</td><td>-----</td><td>94.10</td><td>31.95</td><td>7.20</td><td>36.86</td><td>6.00</td><td>399</td><td>62</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	102.39	-----	-----	94.10	31.95	7.20	36.86	6.00	399	62
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	2412.00	102.39	-----	-----	94.10	31.95	7.20	36.86	6.00	399	62	AVERAGE																																									







Mode	4																																																																																																				
	Harmonic																																																																																																				
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																				
ANT	CDD 7+16																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>41.77</td><td>74.00</td><td>-32.23</td><td>63.17</td><td>34.05</td><td>10.29</td><td>65.74</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	41.77	74.00	-32.23	63.17	34.05	10.29	65.74	0.00	--	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>41.40</td><td>74.00</td><td>-32.60</td><td>62.80</td><td>34.05</td><td>10.29</td><td>65.74</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	41.40	74.00	-32.60	62.80	34.05	10.29	65.74	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	4824.00	41.77	74.00	-32.23	63.17	34.05	10.29	65.74	0.00	--	--	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	4824.00	41.40	74.00	-32.60	62.80	34.05	10.29	65.74	0.00	--	--	PEAK																																																																																									



Mode	5																																																																			
	Harmonic																																																																			
	2400-2483.5_802.11g_CH06_2437MHz																																																																			
ANT	CDD 7+16																																																																			
Pol.	Horizontal																																																																			
Peak Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>41.30</td><td>74.00</td><td>-32.70</td><td>62.81</td><td>33.95</td><td>10.34</td><td>65.80</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>42.03</td><td>74.00</td><td>-31.97</td><td>59.92</td><td>35.60</td><td>12.78</td><td>66.27</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	41.30	74.00	-32.70	62.81	33.95	10.34	65.80	0.00	--	--	PEAK	2	7311.00	42.03	74.00	-31.97	59.92	35.60	12.78	66.27	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	4874.00	41.30	74.00	-32.70	62.81	33.95	10.34	65.80	0.00	--	--	PEAK																																																								
2	7311.00	42.03	74.00	-31.97	59.92	35.60	12.78	66.27	0.00	--	--	PEAK																																																								
Vertical																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>40.97</td><td>74.00</td><td>-33.03</td><td>62.48</td><td>33.95</td><td>10.34</td><td>65.80</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>42.70</td><td>74.00</td><td>-31.30</td><td>60.59</td><td>35.60</td><td>12.78</td><td>66.27</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	40.97	74.00	-33.03	62.48	33.95	10.34	65.80	0.00	--	--	PEAK	2	7311.00	42.70	74.00	-31.30	60.59	35.60	12.78	66.27	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	4874.00	40.97	74.00	-33.03	62.48	33.95	10.34	65.80	0.00	--	--	PEAK																																																								
2	7311.00	42.70	74.00	-31.30	60.59	35.60	12.78	66.27	0.00	--	--	PEAK																																																								



		6																																																																																																									
Mode		Band Edge																																																																																																									
		2400-2483.5_802.11g_CH11_2462MHz																																																																																																									
ANT		CDD 7+16																																																																																																									
Pol.		Horizontal					Fundamental																																																																																																				
Peak																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.04</td><td>67.59</td><td>74.00</td><td>-6.41</td><td>58.87</td><td>32.24</td><td>7.33</td><td>36.85</td><td>6.00</td><td>125</td><td>110 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.04	67.59	74.00	-6.41	58.87	32.24	7.33	36.85	6.00	125	110 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>113.45</td><td>-----</td><td>-----</td><td>104.87</td><td>32.14</td><td>7.29</td><td>36.85</td><td>6.00</td><td>125</td><td>110 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	113.45	-----	-----	104.87	32.14	7.29	36.85	6.00	125
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2484.04	67.59	74.00	-6.41	58.87	32.24	7.33	36.85	6.00	125	110 PEAK																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2462.00	113.45	-----	-----	104.87	32.14	7.29	36.85	6.00	125	110 PEAK																																																																																																
Avg																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.34</td><td>50.69</td><td>54.00</td><td>-3.31</td><td>41.97</td><td>32.24</td><td>7.33</td><td>36.85</td><td>6.00</td><td>125</td><td>110 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.34	50.69	54.00	-3.31	41.97	32.24	7.33	36.85	6.00	125	110 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>104.26</td><td>-----</td><td>-----</td><td>95.68</td><td>32.14</td><td>7.29</td><td>36.85</td><td>6.00</td><td>125</td><td>110 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	104.26	-----	-----	95.68	32.14	7.29	36.85	6.00	125
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2484.34	50.69	54.00	-3.31	41.97	32.24	7.33	36.85	6.00	125	110 AVERAGE																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2462.00	104.26	-----	-----	95.68	32.14	7.29	36.85	6.00	125	110 AVERAGE																																																																																																