





11AX20MIMO_Ant6_5220_106Tone_RU53



Date: 6 MAY 2024 23:01:47


11AX20MIMO_Ant17_5220_26Tone_RU0



Date: 6 MAY 2024 22:57:00




11AX20MIMO_Ant17_5220_52Tone_RU37



Date: 7 MAY 2024 01:10:00


11AX20MIMO_Ant17_5220_106Tone_RU53



Date: 6 MAY 2024 23:01:57




11AX20MIMO_Ant6_5240_26Tone_RU8



Date: 6 MAY 2024 23:03:58


11AX20MIMO_Ant6_5240_52Tone_RU40



Date: 6 MAY 2024 23:05:38




11AX20MIMO_Ant6_5240_106Tone_RU54



Date: 6 MAY 2024 23:06:56


11AX20MIMO_Ant17_5240_26Tone_RU8



Date: 6 MAY 2024 23:04:24




11AX20MIMO_Ant17_5240_52Tone_RU40



Date: 6 MAY 2024 23:06:03


11AX20MIMO_Ant17_5240_106Tone_RU54



Date: 6 MAY 2024 23:07:20




11AX20MIMO_Ant6_5260_26Tone_RU0



Date: 6 MAY 2024 23:10:21


11AX20MIMO_Ant6_5260_52Tone_RU37



Date: 6 MAY 2024 23:19:19




11AX20MIMO_Ant6_5260_106Tone_RU53



Date: 6 MAY 2024 23:14:15


11AX20MIMO_Ant17_5260_26Tone_RU0



Date: 6 MAY 2024 23:10:31




11AX20MIMO_Ant17_5260_52Tone_RU37



Date: 6 MAY 2024 23:19:29


11AX20MIMO_Ant17_5260_106Tone_RU53



Date: 6 MAY 2024 23:14:25




11AX20MIMO_Ant6_5300_26Tone_RU0



Date: 6 MAY 2024 23:15:21


11AX20MIMO_Ant6_5300_52Tone_RU37



Date: 6 MAY 2024 23:20:14




11AX20MIMO_Ant6_5300_106Tone_RU53



Date: 6 MAY 2024 23:21:06


11AX20MIMO_Ant17_5300_26Tone_RU0



Date: 6 MAY 2024 23:15:30




11AX20MIMO_Ant17_5300_52Tone_RU37



Date: 6 MAY 2024 23:20:25


11AX20MIMO_Ant17_5300_106Tone_RU53



Date: 6 MAY 2024 23:21:15




11AX20MIMO_Ant6_5320_26Tone_RU8



Date: 6 MAY 2024 23:22:09


11AX20MIMO_Ant6_5320_52Tone_RU40



Date: 6 MAY 2024 23:23:20




11AX20MIMO_Ant6_5320_106Tone_RU54



Date: 7 MAY 2024 00:27:32


11AX20MIMO_Ant17_5320_26Tone_RU8



Date: 6 MAY 2024 23:22:18




11AX20MIMO_Ant17_5320_52Tone_RU40



Date: 6 MAY 2024 23:23:30


11AX20MIMO_Ant17_5320_106Tone_RU54



Date: 7 MAY 2024 00:27:43




11AX20MIMO_Ant6_5500_26Tone_RU0



Date: 7 MAY 2024 00:39:25


11AX20MIMO_Ant6_5500_52Tone_RU37



Date: 7 MAY 2024 00:40:35




11AX20MIMO_Ant6_5500_106Tone_RU53



Date: 7 MAY 2024 00:41:48


11AX20MIMO_Ant17_5500_26Tone_RU0



Date: 7 MAY 2024 00:39:35




11AX20MIMO_Ant17_5500_52Tone_RU37



Date: 7 MAY 2024 00:40:46


11AX20MIMO_Ant17_5500_106Tone_RU53



Date: 7 MAY 2024 00:41:58




11AX20MIMO_Ant6_5580_26Tone_RU0



Date: 7 MAY 2024 00:33:18


11AX20MIMO_Ant6_5580_52Tone_RU37



Date: 7 MAY 2024 00:35:25




11AX20MIMO_Ant6_5580_106Tone_RU53



Date: 7 MAY 2024 00:36:03


11AX20MIMO_Ant17_5580_26Tone_RU0



Date: 7 MAY 2024 00:33:28




11AX20MIMO_Ant17_5580_52Tone_RU37



Date: 7 MAY 2024 00:35:35


11AX20MIMO_Ant17_5580_106Tone_RU53



Date: 7 MAY 2024 00:36:13




11AX20MIMO_Ant6_5700_26Tone_RU8



Date: 7 MAY 2024 00:42:57


11AX20MIMO_Ant6_5700_52Tone_RU40



Date: 7 MAY 2024 00:44:00




11AX20MIMO_Ant6_5700_106Tone_RU54



Date: 7 MAY 2024 00:45:10


11AX20MIMO_Ant17_5700_26Tone_RU8



Date: 7 MAY 2024 00:43:06



11AX20MIMO_Ant17_5700_52Tone_RU40



Date: 7 MAY 2024 00:44:10


11AX20MIMO_Ant17_5700_106Tone_RU54



Date: 7 MAY 2024 00:45:20




11AX20MIMO_Ant6_5720_26Tone_RU8



Date: 7 MAY 2024 00:46:39


11AX20MIMO_Ant6_5720_52Tone_RU40



Date: 7 MAY 2024 00:47:53




11AX20MIMO_Ant6_5720_106Tone_RU54



Date: 7 MAY 2024 00:50:09


11AX20MIMO_Ant17_5720_26Tone_RU8



Date: 7 MAY 2024 00:46:49




11AX20MIMO_Ant17_5720_52Tone_RU40



Date: 7 MAY 2024 00:48:03


11AX20MIMO_Ant17_5720_106Tone_RU54



Date: 7 MAY 2024 00:50:19



11AX20MIMO_Ant6_5745_26Tone_RU0



Date: 7 MAY 2024 00:51:26


11AX20MIMO_Ant6_5745_52Tone_RU37



Date: 7 MAY 2024 00:52:42




11AX20MIMO_Ant6_5745_106Tone_RU53



Date: 7 MAY 2024 00:53:27


11AX20MIMO_Ant17_5745_26Tone_RU0



Date: 7 MAY 2024 00:51:36




11AX20MIMO_Ant17_5745_52Tone_RU37



Date: 7 MAY 2024 00:52:52


11AX20MIMO_Ant17_5745_106Tone_RU53



Date: 7 MAY 2024 00:53:37




11AX20MIMO_Ant6_5785_26Tone_RU0



Date: 7 MAY 2024 00:55:31


11AX20MIMO_Ant6_5785_52Tone_RU37



Date: 7 MAY 2024 00:56:24




11AX20MIMO_Ant6_5785_106Tone_RU53



Date: 7 MAY 2024 00:59:38


11AX20MIMO_Ant17_5785_26Tone_RU0



Date: 7 MAY 2024 00:55:40




11AX20MIMO_Ant17_5785_52Tone_RU37



Date: 7 MAY 2024 00:56:34


11AX20MIMO_Ant17_5785_106Tone_RU53



Date: 7 MAY 2024 00:59:48




11AX20MIMO_Ant6_5825_26Tone_RU8



Date: 7 MAY 2024 01:01:46


11AX20MIMO_Ant6_5825_52Tone_RU40



Date: 7 MAY 2024 01:02:35




11AX20MIMO_Ant6_5825_106Tone_RU54



Date: 7 MAY 2024 01:03:28


11AX20MIMO_Ant17_5825_26Tone_RU8




Date: 7 MAY 2024 01:01:56



11AX20MIMO_Ant17_5825_52Tone_RU40




11AX20MIMO_Ant17_5825_106Tone_RU54





Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-L 2023 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.189	31.25	-32.81	64.06	20.81	0.03	10.41	QP
2	0.189	18.75	-35.31	54.06	8.31	0.03	10.41	Average
3	0.440	31.74	-25.33	57.07	21.50	-0.01	10.25	QP
4	0.440	22.84	-24.23	47.07	12.60	-0.01	10.25	Average
5	0.665	30.99	-25.01	56.00	20.90	-0.06	10.15	QP
6	0.665	19.39	-26.61	46.00	9.30	-0.06	10.15	Average
7	0.866	28.82	-27.18	56.00	18.81	-0.09	10.10	QP
8	0.866	19.32	-26.68	46.00	9.31	-0.09	10.10	Average
9	1.135	28.78	-27.22	56.00	18.80	-0.11	10.09	QP
10	1.135	19.28	-26.72	46.00	9.30	-0.11	10.09	Average
11	21.600	31.97	-28.03	60.00	20.90	-0.34	11.41	QP
12 *	21.600	26.67	-23.33	50.00	15.60	-0.34	11.41	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 2023 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1 *	0.529	30.64	-25.36	56.00	20.50	-0.07	10.21	QP
2	0.529	16.44	-29.56	46.00	6.30	-0.07	10.21	Average
3	0.830	28.82	-27.18	56.00	18.79	-0.08	10.11	QP
4	0.830	19.32	-26.68	46.00	9.29	-0.08	10.11	Average
5	1.088	30.49	-25.51	56.00	20.50	-0.10	10.09	QP
6	1.088	17.89	-28.11	46.00	7.90	-0.10	10.09	Average
7	1.331	30.58	-25.42	56.00	20.61	-0.11	10.08	QP
8	1.331	19.28	-26.72	46.00	9.31	-0.11	10.08	Average
9	1.819	29.16	-26.84	56.00	19.20	-0.12	10.08	QP
10	1.819	18.26	-27.74	46.00	8.30	-0.12	10.08	Average
11	19.224	26.98	-33.02	60.00	15.91	-0.25	11.32	QP
12	19.224	20.38	-29.62	50.00	9.31	-0.25	11.32	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Kuang Jia	Relative Humidity :	48~49%
		Temperature :	24~25°C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	CDD 6+17	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	CDD 6+17	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	CDD 6+17	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	CDD 6+17	802.11a	52	5260	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	CDD 6+17	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	CDD 6+17	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	CDD 6+17	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	CDD 6+17	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	CDD 6+17	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	CDD 6+17	802.11ax HE20	36	5180	MCS0	Full	Band Edge
Mode 15	U-NII-2A	5.25-5.35	CDD 6+17	802.11ax HE20	64	5320	MCS0	Full	Band Edge
Mode 16	U-NII-2C	5.47-5.725	CDD 6+17	802.11ax HE20	100	5500	MCS0	Full	Band Edge
Mode 18	U-NII-2C	5.47-5.725	CDD 6+17	802.11ax HE20	140	5700	MCS0	Full	Band Edge
Mode 31	U-NII-1	5.15-5.25	CDD 6+17	802.11ax HE40	38	5190	MCS0	Full	Band Edge
Mode 34	U-NII-2A	5.25-5.35	CDD 6+17	802.11ax HE40	62	5310	MCS0	Full	Band Edge
Mode 35	U-NII-2C	5.47-5.725	CDD 6+17	802.11ax HE40	102	5510	MCS0	Full	Band Edge
Mode 37	U-NII-2C	5.47-5.725	CDD 6+17	802.11ax HE40	134	5670	MCS0	Full	Band Edge
Mode 38	U-NII-1	5.15-5.25	CDD 6+17	802.11ax HE80	42	5210	MCS0	Full	Band Edge
Mode 39	U-NII-2A	5.25-5.35	CDD 6+17	802.11ax HE80	58	5290	MCS0	Full	Band Edge
Mode 40	U-NII-2C	5.47-5.725	CDD 6+17	802.11ax HE80	106	5530	MCS0	Full	Band Edge
Mode 41	U-NII-2C	5.47-5.725	CDD 6+17	802.11ax HE80	122	5610	MCS0	Full	Band Edge
Mode 42	U-NII-2A	5.15-5.35	CDD 6+17	802.11ax HE160	50	5250	MCS0	Full	Band Edge
Mode 43	U-NII-2C	5.47-5.725	CDD 6+17	802.11ax HE160	114	5570	MCS0	Full	Band Edge
Mode 44	U-NII-3	5.725-5.85	CDD 6+17	802.11a	149	5745	6Mbps	-	Band Edge
Mode 46	U-NII-3	5.725-5.85	CDD 6+17	802.11a	165	5825	6Mbps	-	Band Edge
Mode 47	U-NII-3	5.725-5.85	CDD 6+17	802.11ax HE20	149	5745	MCS0	Full	Band Edge
Mode 49	U-NII-3	5.725-5.85	CDD 6+17	802.11ax HE20	165	5825	MCS0	Full	Band Edge
Mode 50	U-NII-3	5.725-5.85	CDD 6+17	802.11ax HE40	151	5755	MCS0	Full	Band Edge
Mode 51	U-NII-3	5.725-5.85	CDD 6+17	802.11ax HE40	159	5795	MCS0	Full	Band Edge
Mode 52	U-NII-3	5.725-5.85	CDD 6+17	802.11ax HE80	155	5775	MCS0	Full	Band Edge
Mode 10	U-NII-1	5.15-5.25	CDD 6+17	802.11ax HE20	36	5180	MCS0	Full	Harmonic
Mode 11	U-NII-1	5.15-5.25	CDD 6+17	802.11ax HE20	44	5220	MCS0	Full	Harmonic



Mode 12	U-NII-1	5.15-5.25	CDD 6+17	802.11ax HE20	48	5240	MCS0	Full	Harmonic
Mode 13	U-NII-2A	5.25-5.35	CDD 6+17	802.11ax HE20	52	5280	MCS0	Full	Harmonic
Mode 14	U-NII-2A	5.25-5.35	CDD 6+17	802.11ax HE20	60	5300	MCS0	Full	Harmonic
Mode 15	U-NII-2A	5.25-5.35	CDD 6+17	802.11ax HE20	64	5320	MCS0	Full	Harmonic
Mode 16	U-NII-2C	5.47-5.725	CDD 6+17	802.11ax HE20	100	5500	MCS0	Full	Harmonic
Mode 17	U-NII-2C	5.47-5.725	CDD 6+17	802.11ax HE20	116	5580	MCS0	Full	Harmonic
Mode 18	U-NII-2C	5.47-5.725	CDD 6+17	802.11ax HE20	140	5700	MCS0	Full	Harmonic
Mode 19	U-NII-1	5.15-5.25	CDD 6+17	802.11ax HE20	36	5180	MCS0	Partial RU26/0	-
Mode 20	U-NII-2A	5.25-5.35	CDD 6+17	802.11ax HE20	64	5320	MCS0	Partial RU26/8	
Mode 21	U-NII-2C	5.47-5.725	CDD 6+17	802.11ax HE20	100	5500	MCS0	Partial RU26/0	-
Mode 22	U-NII-2C	5.47-5.725	CDD 6+17	802.11ax HE20	140	5700	MCS0	Partial RU26/8	-
Mode 23	U-NII-1	5.15-5.25	CDD 6+17	802.11ax HE20	36	5180	MCS0	Partial RU52/37	-
Mode 24	U-NII-2A	5.25-5.35	CDD 6+17	802.11ax HE20	64	5320	MCS0	Partial RU52/40	-
Mode 25	U-NII-2C	5.47-5.725	CDD 6+17	802.11ax HE20	100	5500	MCS0	Partial RU52/37	-
Mode 26	U-NII-2C	5.47-5.725	CDD 6+17	802.11ax HE20	140	5700	MCS0	Partial RU52/40	-
Mode 27	U-NII-1	5.15-5.25	CDD 6+17	802.11ax HE20	36	5180	MCS0	Partial RU106/53	-
Mode 28	U-NII-2A	5.25-5.35	CDD 6+17	802.11ax HE20	64	5320	MCS0	Partial RU106/54	-
Mode 29	U-NII-2C	5.47-5.725	CDD 6+17	802.11ax HE20	100	5500	MCS0	Partial RU106/53	-
Mode 30	U-NII-2C	5.47-5.725	CDD 6+17	802.11ax HE20	140	5700	MCS0	Partial RU106/54	-
Mode 31	U-NII-1	5.15-5.25	CDD 6+17	802.11ax HE40	38	5190	MCS0	Full	Harmonic
Mode 32	U-NII-1	5.15-5.25	CDD 6+17	802.11ax HE40	46	5230	MCS0	Full	Harmonic
Mode 33	U-NII-2A	5.25-5.35	CDD 6+17	802.11ax HE40	54	5270	MCS0	Full	Harmonic
Mode 34	U-NII-2A	5.25-5.35	CDD 6+17	802.11ax HE40	62	5310	MCS0	Full	Harmonic
Mode 35	U-NII-2C	5.47-5.725	CDD 6+17	802.11ax HE40	102	5510	MCS0	Full	Harmonic
Mode 36	U-NII-2C	5.47-5.725	CDD 6+17	802.11ax HE40	110	5550	MCS0	Full	Harmonic
Mode 37	U-NII-2C	5.47-5.725	CDD 6+17	802.11ax HE40	134	5670	MCS0	Full	Harmonic
Mode 38	U-NII-1	5.15-5.25	CDD 6+17	802.11ax HE80	42	5210	MCS0	Full	Harmonic
Mode 39	U-NII-2A	5.25-5.35	CDD 6+17	802.11ax HE80	58	5290	MCS0	Full	Harmonic
Mode 40	U-NII-2C	5.47-5.725	CDD 6+17	802.11ax HE80	106	5530	MCS0	Full	Harmonic
Mode 41	U-NII-2C	5.47-5.725	CDD 6+17	802.11ax HE80	122	5610	MCS0	Full	Harmonic
Mode 42	U-NII-1	5.15-5.25	CDD 6+17	802.11ax HE160	50	5250	MCS0	Full	Harmonic
Mode 43	U-NII-2C	5.47-5.725	CDD 6+17	802.11ax HE160	114	5570	MCS0	Full	Harmonic
Mode 44	U-NII-3	5.725-5.85	CDD 6+17	802.11a	149	5745	6Mbps	-	Harmonic
Mode 45	U-NII-3	5.725-5.85	CDD 6+17	802.11a	157	5785	6Mbps	-	Harmonic
Mode 46	U-NII-3	5.725-5.85	CDD 6+17	802.11a	165	5825	6Mbps	-	Harmonic
Mode 47	U-NII-3	5.725-5.85	CDD 6+17	802.11ax HE20	149	5745	MCS0	Full	Harmonic
Mode 48	U-NII-3	5.725-5.85	CDD 6+17	802.11ax HE20	157	5785	MCS0	Full	Harmonic
Mode 49	U-NII-3	5.725-5.85	CDD 6+17	802.11ax HE20	165	5825	MCS0	Full	Harmonic



Mode 50	U-NII-3	5.725-5.85	CDD 6+17	802.11ax HE40	151	5755	MCS0	Full	Harmonic
Mode 51	U-NII-3	5.725-5.85	CDD 6+17	802.11ax HE40	159	5795	MCS0	Full	Harmonic
Mode 52	U-NII-3	5.725-5.85	CDD 6+17	802.11ax HE80	155	5775	MCS0	Full	Harmonic
Mode 53	U-NII-3	5.725-5.85	CDD 6+17	802.11ax HE20	149	5745	MCS0	Partial RU26/0	-
Mode 54	U-NII-3	5.725-5.85	CDD 6+17	802.11ax HE20	165	5825	MCS0	Partial RU26/8	-
Mode 55	U-NII-3	5.725-5.85	CDD 6+17	802.11ax HE20	149	5745	MCS0	Partial RU52/37	-
Mode 56	U-NII-3	5.725-5.85	CDD 6+17	802.11ax HE20	165	5825	MCS0	Partial RU52/40	-
Mode 57	U-NII-3	5.725-5.85	CDD 6+17	802.11ax HE20	149	5745	MCS0	Partial RU106/53	-
Mode 58	U-NII-3	5.725-5.85	CDD 6+17	802.11ax HE20	165	5825	MCS0	Partial RU106/54	-
Mode 59	U-NII-3	5.725-5.85	CDD 6+17	802.11a	144	5720	6Mbps	-	-
Mode 61	U-NII-3	5.725-5.85	CDD 6+17	802.11ax HE20	144	5710	MCS0	Full	-
Mode 62	U-NII-3	5.725-5.85	CDD 6+17	802.11ax HE40	142	5690	MCS0	Full	-
Mode 63	U-NII-3	5.725-5.85	CDD 6+17	802.11ax HE80	138	5720	MCS0	Full	-
Mode 64	U-NII-2C	5.47-5.725	CDD 6+17	802.11ax HE20	140	5700	MCS0	Partial RU106/54	LF
Mode 65	U-NII-3	5.725-5.85	CDD 6+17	802.11ax HE80	155	5775	MCS0	-	LF
Mode 66 Co-location	BLE	2400-2483.5	16	Bluetooth-LE_GSF K	38	2478	2Mbps	-	-
	WWAN	-	7	NR 48 Link	-	-	-	-	-
	U-NII-2C	5.47-5.725	CDD 6+17	802.11ax HE20	140	5700	MCS0	Partial RU106/54	-
Mode 67 Co-location	U-NII-2C	5.25-5.35	CDD 6+17	802.11ax HE20	140	5700	MCS0	Partial RU106/54	-
	WWAN	-	7	NR 48 Link	-	-	-	-	-
	2.4G	2400-2483.5	CDD 7+16	802.11g	11	2462	6Mbps	-	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5150.00	48.37	54.00	-5.63	V	AVERAGE	Pass	Band Edge
1	802.11a	36	10360.00	57.56	68.20	-10.64	V	PEAK	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	10440.00	59.87	68.20	-8.33	V	PEAK	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	10480.00	62.94	68.20	-5.26	V	PEAK	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	10520.00	61.41	68.20	-6.79	V	PEAK	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	10600.00	50.68	54.00	-3.32	V	AVERAGE	Pass	Harmonic
6	802.11a	64	5351.30	43.37	54.00	-10.63	V	AVERAGE	Pass	Band Edge
6	802.11a	64	10640.00	50.27	54.00	-3.73	V	AVERAGE	Pass	Harmonic
7	802.11a	100	5466.96	60.44	68.20	-7.76	V	PEAK	Pass	Band Edge
7	802.11a	100	11000.00	47.90	54.00	-6.10	V	AVERAGE	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	11160.00	48.72	54.00	-5.28	V	AVERAGE	Pass	Harmonic
9	802.11a	140	5732.28	53.11	68.20	-15.09	H	PEAK	Pass	Band Edge
9	802.11a	140	11400.00	44.71	54.00	-9.29	V	AVERAGE	Pass	Harmonic
10	802.11ax HE20	36	5149.10	43.93	54.00	-10.07	V	AVERAGE	Pass	Band Edge
10	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
15	802.11ax HE20	64	5351.60	41.95	54.00	-12.05	H	AVERAGE	Pass	Band Edge
15	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
16	802.11ax HE20	100	5469.20	63.39	68.20	-4.81	V	PEAK	Pass	Band Edge
16	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
18	802.11ax HE20	140	5725.00	57.59	68.20	-10.61	H	PEAK	Pass	Band Edge
18	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
31	802.11ax HE40	38	5148.48	48.56	54.00	-5.44	H	AVERAGE	Pass	Band Edge
31	802.11ax HE40	38	-	-	-	-	-	-	-	Harmonic
34	802.11ax HE40	62	5350.30	44.66	54.00	-9.34	H	AVERAGE	Pass	Band Edge
34	802.11ax HE40	62	-	-	-	-	-	-	-	Harmonic
35	802.11ax HE40	102	5459.92	50.55	54.00	-3.45	V	AVERAGE	Pass	Band Edge
35	802.11ax HE40	102	-	-	-	-	-	-	-	Harmonic
37	802.11ax HE40	134	5753.56	57.63	68.20	-10.57	H	PEAK	Pass	Band Edge
37	802.11ax HE40	134	-	-	-	-	-	-	-	Harmonic
38	802.11ax HE80	42	5149.92	50.43	54.00	-3.57	H	AVERAGE	Pass	Band Edge
38	802.11ax HE80	42	-	-	-	-	-	-	-	Harmonic
39	802.11ax HE80	58	5353.70	50.35	54.00	-3.65	H	AVERAGE	Pass	Band Edge
39	802.11ax HE80	58	-	-	-	-	-	-	-	Harmonic
40	802.11ax HE80	106	5457.84	50.94	54.00	-3.06	H	AVERAGE	Pass	Band Edge
40	802.11ax HE80	106	-	-	-	-	-	-	-	Harmonic
41	802.11ax HE80	122	5458.00	50.12	54.00	-3.88	H	AVERAGE	Pass	Band Edge
41	802.11ax HE80	122	-	-	-	-	-	-	-	Harmonic
42	802.11ax HE160	50	5115.00	50.55	54.00	-3.45	H	AVERAGE	Pass	Band Edge
42	802.11ax HE160	50	-	-	-	-	-	-	-	Harmonic



43	802.11ax HE160	114	5435.14	50.73	54.00	-3.27	H	AVERAGE	Pass	Band Edge
43	802.11ax HE160	114	-	-	-	-	-	-	-	Harmonic
44	802.11a	149	5613.60	49.42	68.20	-18.78	H	PEAK	Pass	Band Edge
44	802.11a	149	-	-	-	-	-	-	-	Harmonic
46	802.11a	165	5958.00	50.56	68.20	-17.64	H	PEAK	Pass	Band Edge
46	802.11a	165	-	-	-	-	-	-	-	Harmonic
47	802.11ax HE20	149	5647.60	50.13	68.20	-18.07	H	PEAK	Pass	Band Edge
47	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
49	802.11ax HE20	165	5940.00	49.73	68.20	-18.47	H	PEAK	Pass	Band Edge
49	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
50	802.11ax HE40	151	5648.21	50.11	68.20	-18.09	V	PEAK	Pass	Band Edge
50	802.11ax HE40	151	-	-	-	-	-	-	-	Harmonic
51	802.11ax HE40	159	5964.80	49.81	68.20	-18.39	H	PEAK	Pass	Band Edge
51	802.11ax HE40	159	-	-	-	-	-	-	-	Harmonic
52	802.11ax HE80	155	5651.60	60.27	69.39	-9.12	V	PEAK	Pass	Band Edge
52	802.11ax HE80	155	-	-	-	-	-	-	-	Harmonic
10	802.11ax HE20	36	-	-	-	-	-	-	-	Band Edge
10	802.11ax HE20	36	10360.00	53.00	68.30	-15.30	V	Peak	Pass	Harmonic
11	802.11ax HE20	44	-	-	-	-	-	-	-	Band Edge
11	802.11ax HE20	44	10440.00	53.96	68.30	-14.34	V	Peak	Pass	Harmonic
12	802.11ax HE20	48	-	-	-	-	-	-	-	Band Edge
12	802.11ax HE20	48	10480.00	54.27	68.30	-14.03	V	Peak	Pass	Harmonic
13	802.11ax HE20	52	-	-	-	-	-	-	-	Band Edge
13	802.11ax HE20	52	10520.00	54.69	68.30	-13.61	V	Peak	Pass	Harmonic
14	802.11ax HE20	60	-	-	-	-	-	-	-	Band Edge
14	802.11ax HE20	60	10600.00	45.67	54.00	-8.33	V	Average	Pass	Harmonic
15	802.11ax HE20	64	-	-	-	-	-	-	-	Band Edge
15	802.11ax HE20	64	10640.00	44.67	54.00	-9.33	V	Average	Pass	Harmonic
16	802.11ax HE20	100	-	-	-	-	-	-	-	Band Edge
16	802.11ax HE20	100	11000.00	45.44	54.00	-8.56	V	Average	Pass	Harmonic
17	802.11ax HE20	116	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE20	116	11160.00	45.65	54.00	-8.35	V	Average	Pass	Harmonic
18	802.11ax HE20	140	-	-	-	-	-	-	-	Band Edge
18	802.11ax HE20	140	11400.00	43.48	54.00	-10.52	V	Average	Pass	Harmonic
19	802.11ax HE20	36	5137.16	43.14	54.00	-10.86	H	AVERAGE	Pass	Band Edge
19	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
20	802.11ax HE20	64	5361.72	43.02	54.00	-10.98	V	AVERAGE	Pass	Band Edge
20	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
21	802.11ax HE20	100	5458.00	42.92	54.00	-11.08	H	AVERAGE	Pass	Band Edge
21	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
22	802.11ax HE20	140	5737.70	52.67	68.30	-15.63	H	PEAK	Pass	Band Edge
22	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
23	802.11ax HE20	36	5144.90	43.08	54.00	-10.92	H	AVERAGE	Pass	Band Edge
23	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
24	802.11ax HE20	64	5360.60	42.99	54.00	-11.01	H	AVERAGE	Pass	Band Edge
24	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
25	802.11ax HE20	100	5458.00	43.20	54.00	-10.80	H	AVERAGE	Pass	Band Edge







25	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
26	802.11ax HE20	140	5739.33	54.02	68.30	-14.28	H	PEAK	Pass	Band Edge
26	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
27	802.11ax HE20	36	5145.26	47.35	54.00	-6.65	V	AVERAGE	Pass	Band Edge
27	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
28	802.11ax HE20	64	5350.10	47.72	54.00	-6.28	V	AVERAGE	Pass	Band Edge
28	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
29	802.11ax HE20	100	5466.10	64.50	68.30	-3.80	H	PEAK	Pass	Band Edge
29	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
30	802.11ax HE20	140	5728.08	65.27	68.30	-3.03	V	PEAK	Pass	Band Edge
30	802.11ax HE20	140	17100.00	47.86	68.30	-20.44	H	Peak	Pass	Harmonic
31	802.11ax HE40	38	-	-	-	-	-	-	-	Band Edge
31	802.11ax HE40	38	10380.00	47.32	68.30	-20.98	V	Peak	Pass	Harmonic
32	802.11ax HE40	46	-	-	-	-	-	-	-	Band Edge
32	802.11ax HE40	46	10460.00	47.33	68.30	-20.97	V	Peak	Pass	Harmonic
33	802.11ax HE40	54	-	-	-	-	-	-	-	Band Edge
33	802.11ax HE40	54	10540.00	48.94	68.30	-19.36	V	Peak	Pass	Harmonic
34	802.11ax HE40	62	-	-	-	-	-	-	-	Band Edge
34	802.11ax HE40	62	15930.00	50.78	74.00	-23.22	V	Peak	Pass	Harmonic
35	802.11ax HE40	102	-	-	-	-	-	-	-	Band Edge
35	802.11ax HE40	102	16530.00	51.25	68.30	-17.05	V	Peak	Pass	Harmonic
36	802.11ax HE40	110	-	-	-	-	-	-	-	Band Edge
36	802.11ax HE40	110	16650.00	50.46	68.30	-17.84	V	Peak	Pass	Harmonic
37	802.11ax HE40	134	-	-	-	-	-	-	-	Band Edge
37	802.11ax HE40	134	17010.00	50.66	68.30	-17.64	H	Peak	Pass	Harmonic
38	802.11ax HE80	42	-	-	-	-	-	-	-	Band Edge
38	802.11ax HE80	42	10420.00	47.75	68.30	-20.55	H	Peak	Pass	Harmonic
39	802.11ax HE80	58	-	-	-	-	-	-	-	Band Edge
39	802.11ax HE80	58	10580.00	48.10	68.30	-20.20	V	Peak	Pass	Harmonic
40	802.11ax HE80	106	-	-	-	-	-	-	-	Band Edge
40	802.11ax HE80	106	16590.00	49.72	68.30	-18.58	H	Peak	Pass	Harmonic
41	802.11ax HE80	122	-	-	-	-	-	-	-	Band Edge
41	802.11ax HE80	122	16830.00	50.63	68.30	-17.67	V	Peak	Pass	Harmonic
42	802.11ax HE160	50	-	-	-	-	-	-	-	Band Edge
42	802.11ax HE160	50	10500.00	47.93	68.30	-20.37	H	Peak	Pass	Harmonic
43	802.11ax HE160	114	-	-	-	-	-	-	-	Band Edge
43	802.11ax HE160	114	16710.00	50.44	68.30	-17.86	V	Peak	Pass	Harmonic
44	802.11a	149	-	-	-	-	-	-	-	Band Edge
44	802.11a	149	17235.00	50.33	68.30	-17.97	H	Peak	Pass	Harmonic
45	802.11a	157	-	-	-	-	-	-	-	Band Edge
45	802.11a	157	17355.00	50.21	68.30	-18.09	V	Peak	Pass	Harmonic
46	802.11a	165	-	-	-	-	-	-	-	Band Edge
46	802.11a	165	17475.00	50.42	68.30	-17.88	V	Peak	Pass	Harmonic
47	802.11ax HE20	149	-	-	-	-	-	-	-	Band Edge
47	802.11ax HE20	149	17235.00	50.70	68.30	-17.60	H	Peak	Pass	Harmonic
48	802.11ax HE20	157	-	-	-	-	-	-	-	Band Edge
48	802.11ax HE20	157	17355.00	50.72	68.30	-17.58	H	Peak	Pass	Harmonic







49	802.11ax HE20	165	-	-	-	-	-	-	-	Band Edge
49	802.11ax HE20	165	17475.00	50.79	68.30	-17.51	H	Peak	Pass	Harmonic
50	802.11ax HE40	151	-	-	-	-	-	-	-	Band Edge
50	802.11ax HE40	151	17265.00	49.63	68.30	-18.67	V	Peak	Pass	Harmonic
51	802.11ax HE40	159	-	-	-	-	-	-	-	Band Edge
51	802.11ax HE40	159	17385.00	50.17	68.30	-18.13	V	Peak	Pass	Harmonic
52	802.11ax HE80	155	-	-	-	-	-	-	-	Band Edge
52	802.11ax HE80	155	17325.00	48.38	68.30	-19.92	H	Peak	Pass	Harmonic
53	802.11ax HE20	149	5621.17	52.16	68.30	-16.14	H	PEAK	Pass	Band Edge
53	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
54	802.11ax HE20	165	5928.63	52.74	68.30	-15.56	H	PEAK	Pass	Band Edge
54	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
55	802.11ax HE20	149	5649.01	53.06	68.30	-15.24	H	PEAK	Pass	Band Edge
55	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
56	802.11ax HE20	165	5947.00	53.59	68.30	-14.71	H	PEAK	Pass	Band Edge
56	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
57	802.11ax HE20	149	5637.27	53.39	68.30	-14.91	H	PEAK	Pass	Band Edge
57	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
58	802.11ax HE20	165	5932.88	54.11	68.30	-14.19	V	PEAK	Pass	Band Edge
58	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
59	802.11a	144	-	-	-	-	-	-	-	Band Edge
59	802.11a	144	17160.00	50.71	68.30	-17.59	H	Peak	Pass	Harmonic
61	802.11ax HE20	144								Band Edge
61	802.11ax HE20	144	17160.00	46.61	68.30	-21.69	V	Peak	Pass	Harmonic
62	802.11ax HE40	142	-	-	-	-	-	-	-	Band Edge
62	802.11ax HE40	142	17130	47.68	68.30	-20.62	H	Peak	Pass	Harmonic
63	802.11ax HE80	138	-	-	-	-	-	-	-	Band Edge
63	802.11ax HE80	138	17070	47.50	68.30	-20.80	V	Peak	Pass	Harmonic
64	802.11ax HE20 LF	140	957.32	31.64	46.00	-14.36	V	PEAK	Pass	LF
65	802.11ax HE80 LF	155	957.32	-31.62	46.00	-14.38	V	PEAK	Pass	LF
66	802.11ax HE20	140	5725.03	64.75	68.30	-3.55	V	PEAK	Pass	Band Edge
66	802.11ax HE20	140	17100.00	50.31	68.30	-17.99	V	Peak	Pass	Harmonic
67	802.11ax HE20	140	5728.56	62.76	68.20	-5.44	V	PEAK	Pass	Band Edge
67	802.11ax HE20	140	11400.00	46.26	74.00	-27.74	H	PEAK	Pass	Harmonic
67	802.11g	11	2483.50	45.27	54.00	-8.73	H	AVERAGE	Pass	Band Edge
67	802.11g	11	7386.00	42.65	74.00	-31.35	H	PEAK	Pass	Harmonic





		1																																																					
Mode		Band Edge																																																					
		U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																					
ANT		CDD 6+17																																																					
Pol.																																																							
Peak		Horizontal																																																					
																																																							
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.70</td><td>58.42</td><td>74.00</td><td>-15.58</td><td>51.06</td><td>34.05</td><td>10.65</td><td>37.34</td><td>0.00</td><td>100</td><td>312 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5148.70	58.42	74.00	-15.58	51.06	34.05	10.65	37.34	0.00	100	312 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5148.70	58.42	74.00	-15.58	51.06	34.05	10.65	37.34	0.00	100	312 PEAK																																												
Fundamental																																																							
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>108.47</td><td>-----</td><td>-----</td><td>101.03</td><td>34.08</td><td>10.69</td><td>37.33</td><td>0.00</td><td>100</td><td>312 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	108.47	-----	-----	101.03	34.08	10.69	37.33	0.00	100	312 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5180.00	108.47	-----	-----	101.03	34.08	10.69	37.33	0.00	100	312 PEAK																																												
Avg		Horizontal																																																					
																																																							
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.20</td><td>45.43</td><td>54.00</td><td>-8.57</td><td>38.07</td><td>34.05</td><td>10.65</td><td>37.34</td><td>0.00</td><td>100</td><td>312 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.20	45.43	54.00	-8.57	38.07	34.05	10.65	37.34	0.00	100	312 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5149.20	45.43	54.00	-8.57	38.07	34.05	10.65	37.34	0.00	100	312 AVERAGE																																												
Fundamental																																																							
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>101.93</td><td>-----</td><td>-----</td><td>94.49</td><td>34.08</td><td>10.69</td><td>37.33</td><td>0.00</td><td>100</td><td>312 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	101.93	-----	-----	94.49	34.08	10.69	37.33	0.00	100	312 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5180.00	101.93	-----	-----	94.49	34.08	10.69	37.33	0.00	100	312 AVERAGE																																												





Mode	1																																																																																																		
	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																		
ANT	CDD 6+17																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.00</td><td>61.05</td><td>74.00</td><td>-12.95</td><td>53.69</td><td>34.05</td><td>10.65</td><td>37.34</td><td>0.00</td><td>300</td><td>112</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.00	61.05	74.00	-12.95	53.69	34.05	10.65	37.34	0.00	300	112	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>110.56</td><td>-----</td><td>-----</td><td>103.12</td><td>34.00</td><td>10.69</td><td>37.33</td><td>0.00</td><td>300</td><td>112</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	110.56	-----	-----	103.12	34.00	10.69	37.33	0.00	300	112
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.00	61.05	74.00	-12.95	53.69	34.05	10.65	37.34	0.00	300	112	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	110.56	-----	-----	103.12	34.00	10.69	37.33	0.00	300	112	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>48.37</td><td>54.00</td><td>-5.63</td><td>41.01</td><td>34.05</td><td>10.65</td><td>37.34</td><td>0.00</td><td>300</td><td>112</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	48.37	54.00	-5.63	41.01	34.05	10.65	37.34	0.00	300	112	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>102.60</td><td>-----</td><td>-----</td><td>95.16</td><td>34.00</td><td>10.69</td><td>37.33</td><td>0.00</td><td>300</td><td>112</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	102.60	-----	-----	95.16	34.00	10.69	37.33	0.00	300	112
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5150.00	48.37	54.00	-5.63	41.01	34.05	10.65	37.34	0.00	300	112	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	102.60	-----	-----	95.16	34.00	10.69	37.33	0.00	300	112	AVERAGE																																																																																							





Mode	1																																																																																															
	Harmonic																																																																																															
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																															
ANT	CDD 6+17																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>51.68</td><td>68.20</td><td>-16.52</td><td>66.20</td><td>37.39</td><td>15.30</td><td>67.21</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	51.68	68.20	-16.52	66.20	37.39	15.30	67.21	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>57.56</td><td>68.20</td><td>-10.64</td><td>72.08</td><td>37.39</td><td>15.30</td><td>67.21</td><td>0.00</td><td>100</td><td>115 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	57.56	68.20	-10.64	72.08	37.39	15.30	67.21	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	10360.00	51.68	68.20	-16.52	66.20	37.39	15.30	67.21	0.00	--	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	10360.00	57.56	68.20	-10.64	72.08	37.39	15.30	67.21	0.00	100	115 PEAK																																																																																					





		2																																																						
Mode		Harmonic																																																						
		U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																						
ANT		CDD 6+17																																																						
Pol.		Horizontal																																																						
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>50.58</td><td>68.20</td><td>-17.62</td><td>64.92</td><td>37.45</td><td>15.36</td><td>67.15</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	50.58	68.20	-17.62	64.92	37.45	15.36	67.15	0.00	--	PEAK	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	10440.00	50.58	68.20	-17.62	64.92	37.45	15.36	67.15	0.00	--	PEAK																																													
		Vertical																																																						
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>59.87</td><td>68.20</td><td>-8.33</td><td>74.20</td><td>37.45</td><td>15.36</td><td>67.14</td><td>0.00</td><td>100</td><td>112</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	59.87	68.20	-8.33	74.20	37.45	15.36	67.14	0.00	100	112	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	10440.00	59.87	68.20	-8.33	74.20	37.45	15.36	67.14	0.00	100	112	PEAK																																												





Mode	3																																																																																																			
	Harmonic																																																																																																			
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																			
ANT	CDD 6+17																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10400.00</td><td>54.51</td><td>68.20</td><td>-13.69</td><td>68.76</td><td>37.48</td><td>15.39</td><td>67.12</td><td>0.00</td><td>100</td><td>275</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10400.00	54.51	68.20	-13.69	68.76	37.48	15.39	67.12	0.00	100	275	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10400.00</td><td>62.94</td><td>68.20</td><td>-5.26</td><td>77.19</td><td>37.48</td><td>15.39</td><td>67.12</td><td>0.00</td><td>100</td><td>114</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10400.00	62.94	68.20	-5.26	77.19	37.48	15.39	67.12	0.00	100	114	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10400.00	54.51	68.20	-13.69	68.76	37.48	15.39	67.12	0.00	100	275	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10400.00	62.94	68.20	-5.26	77.19	37.48	15.39	67.12	0.00	100	114	PEAK																																																																																								







Mode	4																																																																																																		
	Harmonic																																																																																																		
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																																		
ANT	CDD 6+17																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>56.06</td><td>68.20</td><td>-12.14</td><td>70.21</td><td>37.52</td><td>15.41</td><td>67.08</td><td>0.00</td><td>100</td><td>278</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	56.06	68.20	-12.14	70.21	37.52	15.41	67.08	0.00	100	278	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>61.41</td><td>68.20</td><td>-6.79</td><td>75.56</td><td>37.52</td><td>15.41</td><td>67.08</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	61.41	68.20	-6.79	75.56	37.52	15.41	67.08	0.00	100	115
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10520.00	56.06	68.20	-12.14	70.21	37.52	15.41	67.08	0.00	100	278	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10520.00	61.41	68.20	-6.79	75.56	37.52	15.41	67.08	0.00	100	115	PEAK																																																																																							







Mode	5																																																																																																															
	Harmonic																																																																																																															
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																															
ANT	CDD 6+17																																																																																																															
Pol.	Horizontal						Vertical																																																																																																									
Peak Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td></tr><tr><td>1 10600.00</td><td>54.95</td><td>74.00</td><td>-19.05</td><td>68.92</td><td>37.58</td><td>15.47</td><td>67.02</td><td>0.00</td><td>100 273 PEAK</td></tr><tr><td>2 10600.00</td><td>46.06</td><td>54.00</td><td>-7.94</td><td>60.03</td><td>37.58</td><td>15.47</td><td>67.02</td><td>0.00</td><td>100 273 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 10600.00	54.95	74.00	-19.05	68.92	37.58	15.47	67.02	0.00	100 273 PEAK	2 10600.00	46.06	54.00	-7.94	60.03	37.58	15.47	67.02	0.00	100 273 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td></tr><tr><td>1 10600.00</td><td>60.73</td><td>74.00</td><td>-13.27</td><td>74.70</td><td>37.58</td><td>15.47</td><td>67.02</td><td>0.00</td><td>103 115 PEAK</td></tr><tr><td>2 10600.00</td><td>50.68</td><td>54.00</td><td>-3.32</td><td>64.65</td><td>37.58</td><td>15.47</td><td>67.02</td><td>0.00</td><td>103 115 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 10600.00	60.73	74.00	-13.27	74.70	37.58	15.47	67.02	0.00	103 115 PEAK	2 10600.00	50.68	54.00	-3.32	64.65	37.58	15.47	67.02	0.00	103 115 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																							
1 10600.00	54.95	74.00	-19.05	68.92	37.58	15.47	67.02	0.00	100 273 PEAK																																																																																																							
2 10600.00	46.06	54.00	-7.94	60.03	37.58	15.47	67.02	0.00	100 273 AVERAGE																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																							
1 10600.00	60.73	74.00	-13.27	74.70	37.58	15.47	67.02	0.00	103 115 PEAK																																																																																																							
2 10600.00	50.68	54.00	-3.32	64.65	37.58	15.47	67.02	0.00	103 115 AVERAGE																																																																																																							




		6																																									
Mode		Band Edge																																									
		U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																									
ANT		CDD 6+17																																									
Pol.		Horizontal																																									
Peak																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5355.70	49.87	74.00	-24.13	41.80	34.51	10.85	37.29	0.00	106	311
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5355.70	49.87	74.00	-24.13	41.80	34.51	10.85	37.29	0.00	106	311	PEAK																															
Fundamental																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	109.59	-----	-----	101.64	34.44	10.81	37.30	0.00	106	311
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5320.00	109.59	-----	-----	101.64	34.44	10.81	37.30	0.00	106	311	PEAK																															
Avg																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.20	39.07	54.00	-14.93	31.02	34.50	10.84	37.29	0.00	106	311
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5351.20	39.07	54.00	-14.93	31.02	34.50	10.84	37.29	0.00	106	311	AVERAGE																															
AVERAGE																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	101.11	-----	-----	93.16	34.44	10.81	37.30	0.00	106	311
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5320.00	101.11	-----	-----	93.16	34.44	10.81	37.30	0.00	106	311	AVERAGE																															







		6																																																																																																														
Mode		Band Edge																																																																																																														
		U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																														
ANT		CDD 6+17																																																																																																														
Pol.		Fundamental																																																																																																														
Peak	Vertical	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.10</td><td>54.58</td><td>74.00</td><td>-19.42</td><td>46.53</td><td>34.50</td><td>10.84</td><td>37.29</td><td>0.00</td><td>300</td><td>124</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.10	54.58	74.00	-19.42	46.53	34.50	10.84	37.29	0.00	300	124	PEAK	Fundamental	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>109.57</td><td>-----</td><td>-----</td><td>101.64</td><td>34.43</td><td>10.80</td><td>37.30</td><td>0.00</td><td>300</td><td>124</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	109.57	-----	-----	101.64	34.43	10.80	37.30	0.00	300	124	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5351.10	54.58	74.00	-19.42	46.53	34.50	10.84	37.29	0.00	300	124	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5320.00	109.57	-----	-----	101.64	34.43	10.80	37.30	0.00	300	124	PEAK																																																																																																				
Avg	Vertical	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.30</td><td>43.37</td><td>54.00</td><td>-10.63</td><td>35.32</td><td>34.50</td><td>10.84</td><td>37.29</td><td>0.00</td><td>300</td><td>124</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.30	43.37	54.00	-10.63	35.32	34.50	10.84	37.29	0.00	300	124	AVERAGE	Fundamental	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>101.62</td><td>-----</td><td>-----</td><td>93.67</td><td>34.44</td><td>10.81</td><td>37.30</td><td>0.00</td><td>300</td><td>124</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	101.62	-----	-----	93.67	34.44	10.81	37.30	0.00	300	124	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5351.30	43.37	54.00	-10.63	35.32	34.50	10.84	37.29	0.00	300	124	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5320.00	101.62	-----	-----	93.67	34.44	10.81	37.30	0.00	300	124	AVERAGE																																																																																																				







Mode	6																																																																				
	Harmonic																																																																				
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																				
ANT	CDD 6+17																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>52.96</td><td>74.00</td><td>-21.04</td><td>66.84</td><td>37.61</td><td>15.50</td><td>66.99</td><td>0.00</td><td>100</td><td>266</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>43.27</td><td>54.00</td><td>-10.73</td><td>57.15</td><td>37.61</td><td>15.50</td><td>66.99</td><td>0.00</td><td>100</td><td>266</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	52.96	74.00	-21.04	66.84	37.61	15.50	66.99	0.00	100	266	PEAK	2	10640.00	43.27	54.00	-10.73	57.15	37.61	15.50	66.99	0.00	100	266	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	10640.00	52.96	74.00	-21.04	66.84	37.61	15.50	66.99	0.00	100	266	PEAK																																																									
2	10640.00	43.27	54.00	-10.73	57.15	37.61	15.50	66.99	0.00	100	266	AVERAGE																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>59.50</td><td>74.00</td><td>-14.50</td><td>73.38</td><td>37.61</td><td>15.50</td><td>66.99</td><td>0.00</td><td>100</td><td>116</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>50.27</td><td>54.00</td><td>-3.73</td><td>64.15</td><td>37.61</td><td>15.50</td><td>66.99</td><td>0.00</td><td>100</td><td>116</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	59.50	74.00	-14.50	73.38	37.61	15.50	66.99	0.00	100	116	PEAK	2	10640.00	50.27	54.00	-3.73	64.15	37.61	15.50	66.99	0.00	100	116	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	10640.00	59.50	74.00	-14.50	73.38	37.61	15.50	66.99	0.00	100	116	PEAK																																																									
2	10640.00	50.27	54.00	-3.73	64.15	37.61	15.50	66.99	0.00	100	116	AVERAGE																																																									





Mode	7																																																																																																																
	Band Edge																																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																
ANT	CDD 6+17																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.12</td><td>55.65</td><td>74.00</td><td>-18.35</td><td>47.40</td><td>34.54</td><td>10.97</td><td>37.26</td><td>0.00</td><td>100</td><td>218 PEAK</td></tr><tr><td>2</td><td>5469.68</td><td>59.49</td><td>68.20</td><td>-8.71</td><td>51.24</td><td>34.53</td><td>10.98</td><td>37.26</td><td>0.00</td><td>100</td><td>218 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.12	55.65	74.00	-18.35	47.40	34.54	10.97	37.26	0.00	100	218 PEAK	2	5469.68	59.49	68.20	-8.71	51.24	34.53	10.98	37.26	0.00	100	218 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>109.21</td><td>-----</td><td>-----</td><td>100.94</td><td>34.50</td><td>11.02</td><td>37.25</td><td>0.00</td><td>100</td><td>218 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	109.21	-----	-----	100.94	34.50	11.02	37.25	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5459.12	55.65	74.00	-18.35	47.40	34.54	10.97	37.26	0.00	100	218 PEAK																																																																																																						
2	5469.68	59.49	68.20	-8.71	51.24	34.53	10.98	37.26	0.00	100	218 PEAK																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5500.00	109.21	-----	-----	100.94	34.50	11.02	37.25	0.00	100	218 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.68</td><td>43.15</td><td>54.00</td><td>-10.85</td><td>34.91</td><td>34.54</td><td>10.96</td><td>37.26</td><td>0.00</td><td>100</td><td>218 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5457.68	43.15	54.00	-10.85	34.91	34.54	10.96	37.26	0.00	100	218 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>101.34</td><td>-----</td><td>-----</td><td>93.07</td><td>34.50</td><td>11.02</td><td>37.25</td><td>0.00</td><td>100</td><td>218 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	101.34	-----	-----	93.07	34.50	11.02	37.25	0.00	100	218 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5457.68	43.15	54.00	-10.85	34.91	34.54	10.96	37.26	0.00	100	218 AVERAGE																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5500.00	101.34	-----	-----	93.07	34.50	11.02	37.25	0.00	100	218 AVERAGE																																																																																																						





		7																																																																																																												
Mode		Band Edge																																																																																																												
		U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																												
ANT		CDD 6+17																																																																																																												
Pol.	Vertical										Fundamental																																																																																																			
Peak																																																																																																														
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.40	57.13	74.00	-16.87	48.89	34.54	10.96	37.26	0.00	114	89	PEAK	2	5466.96	60.44	68.20	-7.76	52.19	34.53	10.98	37.26	0.00	114	89	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	110.38	-----	-----	102.11	34.50	11.02	37.25	0.00	114	89	PEAK									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5456.40	57.13	74.00	-16.87	48.89	34.54	10.96	37.26	0.00	114	89	PEAK																																																																																																		
2	5466.96	60.44	68.20	-7.76	52.19	34.53	10.98	37.26	0.00	114	89	PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5500.00	110.38	-----	-----	102.11	34.50	11.02	37.25	0.00	114	89	PEAK																																																																																																		
Avg																																																																																																														
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	44.45	54.00	-9.55	36.20	34.54	10.97	37.26	0.00	114	89	AVERAGE		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.81	-----	-----	94.54	34.50	11.02	37.25	0.00	114	89	AVERAGE																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5459.92	44.45	54.00	-9.55	36.20	34.54	10.97	37.26	0.00	114	89	AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5500.00	102.81	-----	-----	94.54	34.50	11.02	37.25	0.00	114	89	AVERAGE																																																																																																		






Mode	7																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																																											
ANT	CDD 6+17																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>11000.00</td><td>49.70</td><td>74.00</td><td>-24.30</td><td>62.75</td><td>37.90</td><td>15.76</td><td>66.71</td><td>0.00</td><td>100</td><td>244</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>40.75</td><td>54.00</td><td>-13.25</td><td>53.80</td><td>37.90</td><td>15.76</td><td>66.71</td><td>0.00</td><td>100</td><td>244</td><td>AVERAGE</td></tr></tbody></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	11000.00	49.70	74.00	-24.30	62.75	37.90	15.76	66.71	0.00	100	244	PEAK	2	11000.00	40.75	54.00	-13.25	53.80	37.90	15.76	66.71	0.00	100	244	AVERAGE	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>11000.00</td><td>57.53</td><td>74.00</td><td>-16.47</td><td>70.58</td><td>37.90</td><td>15.76</td><td>66.71</td><td>0.00</td><td>100</td><td>116</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>47.90</td><td>54.00</td><td>-6.10</td><td>60.95</td><td>37.90</td><td>15.76</td><td>66.71</td><td>0.00</td><td>100</td><td>116</td><td>AVERAGE</td></tr></tbody></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	11000.00	57.53	74.00	-16.47	70.58	37.90	15.76	66.71	0.00	100	116	PEAK	2	11000.00	47.90	54.00	-6.10	60.95	37.90	15.76	66.71	0.00	100	116	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	11000.00	49.70	74.00	-24.30	62.75	37.90	15.76	66.71	0.00	100	244	PEAK																																																																																																																																
2	11000.00	40.75	54.00	-13.25	53.80	37.90	15.76	66.71	0.00	100	244	AVERAGE																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	11000.00	57.53	74.00	-16.47	70.58	37.90	15.76	66.71	0.00	100	116	PEAK																																																																																																																																
2	11000.00	47.90	54.00	-6.10	60.95	37.90	15.76	66.71	0.00	100	116	AVERAGE																																																																																																																																







Mode	8																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																																													
ANT	CDD 6+17																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>49.47</td><td>74.00</td><td>-24.53</td><td>62.15</td><td>38.03</td><td>15.88</td><td>66.59</td><td>0.00</td><td>100</td><td>114</td><td>PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>40.54</td><td>54.00</td><td>-13.46</td><td>53.22</td><td>38.03</td><td>15.88</td><td>66.59</td><td>0.00</td><td>100</td><td>114</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	49.47	74.00	-24.53	62.15	38.03	15.88	66.59	0.00	100	114	PEAK	2	11160.00	40.54	54.00	-13.46	53.22	38.03	15.88	66.59	0.00	100	114	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>58.53</td><td>74.00</td><td>-15.47</td><td>71.21</td><td>38.03</td><td>15.88</td><td>66.59</td><td>0.00</td><td>100</td><td>119</td><td>PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>48.72</td><td>54.00</td><td>-5.28</td><td>61.40</td><td>38.03</td><td>15.88</td><td>66.59</td><td>0.00</td><td>100</td><td>119</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	58.53	74.00	-15.47	71.21	38.03	15.88	66.59	0.00	100	119	PEAK	2	11160.00	48.72	54.00	-5.28	61.40	38.03	15.88	66.59	0.00	100	119	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11160.00	49.47	74.00	-24.53	62.15	38.03	15.88	66.59	0.00	100	114	PEAK																																																																																																																		
2	11160.00	40.54	54.00	-13.46	53.22	38.03	15.88	66.59	0.00	100	114	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11160.00	58.53	74.00	-15.47	71.21	38.03	15.88	66.59	0.00	100	119	PEAK																																																																																																																		
2	11160.00	48.72	54.00	-5.28	61.40	38.03	15.88	66.59	0.00	100	119	AVERAGE																																																																																																																		





Mode	9																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																		
ANT	CDD 6+17																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5732.28</td><td>53.11</td><td>68.20</td><td>-15.09</td><td>44.46</td><td>34.56</td><td>11.34</td><td>37.25</td><td>0.00</td><td>129</td><td>311</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5732.28	53.11	68.20	-15.09	44.46	34.56	11.34	37.25	0.00	129	311	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>112.21</td><td>-----</td><td>-----</td><td>103.64</td><td>34.51</td><td>11.30</td><td>37.24</td><td>0.00</td><td>129</td><td>311</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	112.21	-----	-----	103.64	34.51	11.30	37.24	0.00	129	311
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5732.28	53.11	68.20	-15.09	44.46	34.56	11.34	37.25	0.00	129	311	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	112.21	-----	-----	103.64	34.51	11.30	37.24	0.00	129	311	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>103.75</td><td>-----</td><td>-----</td><td>95.18</td><td>34.51</td><td>11.30</td><td>37.24</td><td>0.00</td><td>129</td><td>311</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	103.75	-----	-----	95.18	34.51	11.30	37.24	0.00	129	311	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	103.75	-----	-----	95.18	34.51	11.30	37.24	0.00	129	311	AVERAGE																																																																																							







Mode	9																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																		
ANT	CDD 6+17																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5729.16</td><td>52.71</td><td>68.20</td><td>-15.49</td><td>44.06</td><td>34.56</td><td>11.34</td><td>37.25</td><td>0.00</td><td>400</td><td>272</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5729.16	52.71	68.20	-15.49	44.06	34.56	11.34	37.25	0.00	400	272	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>111.92</td><td>-----</td><td>-----</td><td>103.37</td><td>34.50</td><td>11.29</td><td>37.24</td><td>0.00</td><td>400</td><td>272</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	111.92	-----	-----	103.37	34.50	11.29	37.24	0.00	400	272
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5729.16	52.71	68.20	-15.49	44.06	34.56	11.34	37.25	0.00	400	272	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	111.92	-----	-----	103.37	34.50	11.29	37.24	0.00	400	272	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>104.09</td><td>-----</td><td>-----</td><td>95.54</td><td>34.50</td><td>11.29</td><td>37.24</td><td>0.00</td><td>400</td><td>272</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	104.09	-----	-----	95.54	34.50	11.29	37.24	0.00	400	272	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>104.09</td><td>-----</td><td>-----</td><td>95.54</td><td>34.50</td><td>11.29</td><td>37.24</td><td>0.00</td><td>400</td><td>272</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	104.09	-----	-----	95.54	34.50	11.29	37.24	0.00	400	272
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	104.09	-----	-----	95.54	34.50	11.29	37.24	0.00	400	272	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	104.09	-----	-----	95.54	34.50	11.29	37.24	0.00	400	272	AVERAGE																																																																																							







Mode	9																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																									
ANT	CDD 6+17																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>48.41</td><td>74.00</td><td>-25.59</td><td>60.54</td><td>38.22</td><td>16.05</td><td>66.40</td><td>0.00</td><td>100</td><td>260</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>38.83</td><td>54.00</td><td>-15.17</td><td>50.96</td><td>38.22</td><td>16.05</td><td>66.40</td><td>0.00</td><td>100</td><td>260</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	48.41	74.00	-25.59	60.54	38.22	16.05	66.40	0.00	100	260	PEAK	2	11400.00	38.83	54.00	-15.17	50.96	38.22	16.05	66.40	0.00	100	260	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>53.46</td><td>74.00</td><td>-20.54</td><td>65.59</td><td>38.22</td><td>16.05</td><td>66.40</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>44.71</td><td>54.00</td><td>-9.29</td><td>56.84</td><td>38.22</td><td>16.05</td><td>66.40</td><td>0.00</td><td>100</td><td>118</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	53.46	74.00	-20.54	65.59	38.22	16.05	66.40	0.00	100	118	PEAK	2	11400.00	44.71	54.00	-9.29	56.84	38.22	16.05	66.40	0.00	100	118	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	11400.00	48.41	74.00	-25.59	60.54	38.22	16.05	66.40	0.00	100	260	PEAK																																																																																																														
2	11400.00	38.83	54.00	-15.17	50.96	38.22	16.05	66.40	0.00	100	260	AVERAGE																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	11400.00	53.46	74.00	-20.54	65.59	38.22	16.05	66.40	0.00	100	118	PEAK																																																																																																														
2	11400.00	44.71	54.00	-9.29	56.84	38.22	16.05	66.40	0.00	100	118	AVERAGE																																																																																																														



	10																																																						
Mode	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full_5180MHz																																																						
ANT	CDD 6+17																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.50</td><td>54.48</td><td>74.00</td><td>-19.52</td><td>47.12</td><td>34.05</td><td>10.65</td><td>37.34</td><td>0.00</td><td>100</td><td>228</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.50	54.48	74.00	-19.52	47.12	34.05	10.65	37.34	0.00	100	228
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5149.50	54.48	74.00	-19.52	47.12	34.05	10.65	37.34	0.00	100	228	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>111.27</td><td>-----</td><td>-----</td><td>103.83</td><td>34.08</td><td>10.69</td><td>37.33</td><td>0.00</td><td>100</td><td>228</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	111.27	-----	-----	103.83	34.08	10.69	37.33	0.00	100	228
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	111.27	-----	-----	103.83	34.08	10.69	37.33	0.00	100	228	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.30</td><td>43.54</td><td>54.00</td><td>-10.46</td><td>36.18</td><td>34.05</td><td>10.65</td><td>37.34</td><td>0.00</td><td>100</td><td>228</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.30	43.54	54.00	-10.46	36.18	34.05	10.65	37.34	0.00	100	228
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5148.30	43.54	54.00	-10.46	36.18	34.05	10.65	37.34	0.00	100	228	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>102.61</td><td>-----</td><td>-----</td><td>95.17</td><td>34.08</td><td>10.69</td><td>37.33</td><td>0.00</td><td>100</td><td>228</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	102.61	-----	-----	95.17	34.08	10.69	37.33	0.00	100	228
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	102.61	-----	-----	95.17	34.08	10.69	37.33	0.00	100	228	AVERAGE																																											







		10																																																																																																								
Mode		Band Edge																																																																																																								
		U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full_5180MHz																																																																																																								
ANT		CDD 6+17																																																																																																								
Pol.		Vertical					Fundamental																																																																																																			
Peak																																																																																																										
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5146.90</td><td>54.16</td><td>74.00</td><td>-19.84</td><td>46.80</td><td>34.05</td><td>10.65</td><td>37.34</td><td>0.00</td><td>339 42 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.90	54.16	74.00	-19.84	46.80	34.05	10.65	37.34	0.00	339 42 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>109.70</td><td>-----</td><td>-----</td><td>102.26</td><td>34.08</td><td>10.69</td><td>37.33</td><td>0.00</td><td>339 42 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	109.70	-----	-----	102.26	34.08	10.69	37.33	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5146.90	54.16	74.00	-19.84	46.80	34.05	10.65	37.34	0.00	339 42 PEAK																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5180.00	109.70	-----	-----	102.26	34.08	10.69	37.33	0.00	339 42 PEAK																																																																																																
Avg																																																																																																										
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.10</td><td>43.93</td><td>54.00</td><td>-10.07</td><td>36.57</td><td>34.05</td><td>10.65</td><td>37.34</td><td>0.00</td><td>339 42 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.10	43.93	54.00	-10.07	36.57	34.05	10.65	37.34	0.00	339 42 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>102.66</td><td>-----</td><td>-----</td><td>95.23</td><td>34.08</td><td>10.68</td><td>37.33</td><td>0.00</td><td>339 42 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	102.66	-----	-----	95.23	34.08	10.68	37.33	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5149.10	43.93	54.00	-10.07	36.57	34.05	10.65	37.34	0.00	339 42 AVERAGE																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5180.00	102.66	-----	-----	95.23	34.08	10.68	37.33	0.00	339 42 AVERAGE																																																																																																



Mode	15																																																																																																			
	Band Edge																																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz																																																																																																			
ANT	CDD 6+17																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.00</td><td>51.56</td><td>74.00</td><td>-22.44</td><td>43.51</td><td>34.50</td><td>10.84</td><td>37.29</td><td>0.00</td><td>188</td><td>324</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.00	51.56	74.00	-22.44	43.51	34.50	10.84	37.29	0.00	188	324	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>108.78</td><td>-----</td><td>-----</td><td>100.85</td><td>34.43</td><td>10.80</td><td>37.30</td><td>0.00</td><td>188</td><td>324</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	108.78	-----	-----	100.85	34.43	10.80	37.30	0.00	188	324	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5352.00	51.56	74.00	-22.44	43.51	34.50	10.84	37.29	0.00	188	324	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5320.00	108.78	-----	-----	100.85	34.43	10.80	37.30	0.00	188	324	PEAK																																																																																								
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.60</td><td>41.95</td><td>54.00</td><td>-12.05</td><td>33.90</td><td>34.50</td><td>10.84</td><td>37.29</td><td>0.00</td><td>188</td><td>324</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.60	41.95	54.00	-12.05	33.90	34.50	10.84	37.29	0.00	188	324	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>102.15</td><td>-----</td><td>-----</td><td>94.20</td><td>34.44</td><td>10.81</td><td>37.30</td><td>0.00</td><td>188</td><td>324</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	102.15	-----	-----	94.20	34.44	10.81	37.30	0.00	188	324	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5351.60	41.95	54.00	-12.05	33.90	34.50	10.84	37.29	0.00	188	324	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5320.00	102.15	-----	-----	94.20	34.44	10.81	37.30	0.00	188	324	AVERAGE																																																																																								



	15																																																																																							
Mode	Band Edge																																																																																							
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz																																																																																							
ANT	CDD 6+17																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.90</td><td>52.01</td><td>74.00</td><td>-21.99</td><td>43.95</td><td>34.51</td><td>10.84</td><td>37.29</td><td>0.00</td><td>339 40 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.90	52.01	74.00	-21.99	43.95	34.51	10.84	37.29	0.00	339 40 PEAK	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>109.29</td><td>-----</td><td>-----</td><td>101.34</td><td>34.44</td><td>10.81</td><td>37.30</td><td>0.00</td><td>339 40 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	109.29	-----	-----	101.34	34.44	10.81	37.30	0.00	339 40 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5353.90	52.01	74.00	-21.99	43.95	34.51	10.84	37.29	0.00	339 40 PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5320.00	109.29	-----	-----	101.34	34.44	10.81	37.30	0.00	339 40 PEAK																																																																														
Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.00</td><td>40.73</td><td>54.00</td><td>-13.27</td><td>32.68</td><td>34.50</td><td>10.84</td><td>37.29</td><td>0.00</td><td>339 40 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.00	40.73	54.00	-13.27	32.68	34.50	10.84	37.29	0.00	339 40 AVERAGE	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>101.29</td><td>-----</td><td>-----</td><td>93.34</td><td>34.44</td><td>10.81</td><td>37.30</td><td>0.00</td><td>339 40 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	101.29	-----	-----	93.34	34.44	10.81	37.30	0.00	339 40 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5351.00	40.73	54.00	-13.27	32.68	34.50	10.84	37.29	0.00	339 40 AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5320.00	101.29	-----	-----	93.34	34.44	10.81	37.30	0.00	339 40 AVERAGE																																																																														



		16									
Mode	Band Edge										
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz										
ANT	CDD 6+17										
Pol.	Horizontal										
Peak	Fundamental										
	Fundamental										
Avg	Horizontal										
	Fundamental										





Horizontal																																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.00</td><td>56.18</td><td>74.00</td><td>-17.82</td><td>47.93</td><td>34.54</td><td>10.97</td><td>37.26</td><td>0.00</td><td>102</td><td>302 PEAK</td></tr><tr><td>2</td><td>5467.92</td><td>61.07</td><td>68.20</td><td>-7.13</td><td>52.82</td><td>34.53</td><td>10.98</td><td>37.26</td><td>0.00</td><td>102</td><td>302 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.00	56.18	74.00	-17.82	47.93	34.54	10.97	37.26	0.00	102	302 PEAK	2	5467.92	61.07	68.20	-7.13	52.82	34.53	10.98	37.26	0.00	102	302 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	5458.00	56.18	74.00	-17.82	47.93	34.54	10.97	37.26	0.00	102	302 PEAK																																																												
2	5467.92	61.07	68.20	-7.13	52.82	34.53	10.98	37.26	0.00	102	302 PEAK																																																												

Fundamental																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>112.65</td><td>-----</td><td>-----</td><td>104.38</td><td>34.50</td><td>11.02</td><td>37.25</td><td>0.00</td><td>102</td><td>302 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	112.65	-----	-----	104.38	34.50	11.02	37.25	0.00	102	302 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5500.00	112.65	-----	-----	104.38	34.50	11.02	37.25	0.00	102	302 PEAK																																																




Horizontal																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.76</td><td>46.43</td><td>54.00</td><td>-7.57</td><td>38.18</td><td>34.54</td><td>10.97</td><td>37.26</td><td>0.00</td><td>102</td><td>302 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.76	46.43	54.00	-7.57	38.18	34.54	10.97	37.26	0.00	102	302 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5459.76	46.43	54.00	-7.57	38.18	34.54	10.97	37.26	0.00	102	302 AVERAGE																																																

Fundamental																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>104.24</td><td>-----</td><td>-----</td><td>95.97</td><td>34.50</td><td>11.02</td><td>37.25</td><td>0.00</td><td>102</td><td>302 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	104.24	-----	-----	95.97	34.50	11.02	37.25	0.00	102	302 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5500.00	104.24	-----	-----	95.97	34.50	11.02	37.25	0.00	102	302 AVERAGE																																																






		16																																																																																																				
Mode		Band Edge																																																																																																				
		U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																																																				
ANT		CDD 6+17																																																																																																				
Pol.		Fundamental																																																																																																				
Peak	Vertical	Fundamental																																																																																																				
	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.64</td><td>59.04</td><td>74.00</td><td>-14.96</td><td>50.79</td><td>34.54</td><td>10.97</td><td>37.26</td><td>0.00</td><td>333</td><td>40</td><td>PEAK</td></tr><tr><td>2</td><td>5469.20</td><td>63.39</td><td>68.20</td><td>-4.81</td><td>55.14</td><td>34.53</td><td>10.98</td><td>37.26</td><td>0.00</td><td>333</td><td>40</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.64	59.04	74.00	-14.96	50.79	34.54	10.97	37.26	0.00	333	40	PEAK	2	5469.20	63.39	68.20	-4.81	55.14	34.53	10.98	37.26	0.00	333	40	PEAK	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>109.11</td><td>-----</td><td>-----</td><td>100.84</td><td>34.50</td><td>11.02</td><td>37.25</td><td>0.00</td><td>333</td><td>40</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	109.11	-----	-----	100.84	34.50	11.02	37.25	0.00	333	40
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5458.64	59.04	74.00	-14.96	50.79	34.54	10.97	37.26	0.00	333	40	PEAK																																																																																										
2	5469.20	63.39	68.20	-4.81	55.14	34.53	10.98	37.26	0.00	333	40	PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5500.00	109.11	-----	-----	100.84	34.50	11.02	37.25	0.00	333	40	PEAK																																																																																										
Avg	Vertical	Fundamental																																																																																																				
	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>48.74</td><td>54.00</td><td>-5.26</td><td>40.49</td><td>34.54</td><td>10.97</td><td>37.26</td><td>0.00</td><td>333</td><td>40</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	48.74	54.00	-5.26	40.49	34.54	10.97	37.26	0.00	333	40	AVERAGE	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>102.09</td><td>-----</td><td>-----</td><td>93.82</td><td>34.50</td><td>11.02</td><td>37.25</td><td>0.00</td><td>333</td><td>40</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.09	-----	-----	93.82	34.50	11.02	37.25	0.00	333	40	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5459.92	48.74	54.00	-5.26	40.49	34.54	10.97	37.26	0.00	333	40	AVERAGE																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5500.00	102.09	-----	-----	93.82	34.50	11.02	37.25	0.00	333	40	AVERAGE																																																																																										







Mode	18																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																																		
ANT	CDD 6+17																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.00</td><td>57.59</td><td>68.20</td><td>-10.61</td><td>48.96</td><td>34.55</td><td>11.33</td><td>37.25</td><td>0.00</td><td>102</td><td>312</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.00	57.59	68.20	-10.61	48.96	34.55	11.33	37.25	0.00	102	312	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>113.86</td><td>-----</td><td>-----</td><td>105.29</td><td>34.51</td><td>11.30</td><td>37.24</td><td>0.00</td><td>102</td><td>312</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	113.86	-----	-----	105.29	34.51	11.30	37.24	0.00	102	312
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5725.00	57.59	68.20	-10.61	48.96	34.55	11.33	37.25	0.00	102	312	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	113.86	-----	-----	105.29	34.51	11.30	37.24	0.00	102	312	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>104.65</td><td>-----</td><td>-----</td><td>96.10</td><td>34.50</td><td>11.29</td><td>37.24</td><td>0.00</td><td>102</td><td>312</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	104.65	-----	-----	96.10	34.50	11.29	37.24	0.00	102	312	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	104.65	-----	-----	96.10	34.50	11.29	37.24	0.00	102	312	AVERAGE																																																																																							





Mode	18																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																																		
ANT	CDD 6+17																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.16</td><td>54.03</td><td>68.20</td><td>-14.17</td><td>45.40</td><td>34.55</td><td>11.33</td><td>37.25</td><td>0.00</td><td>384</td><td>24</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.16	54.03	68.20	-14.17	45.40	34.55	11.33	37.25	0.00	384	24	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>111.46</td><td>-----</td><td>-----</td><td>102.91</td><td>34.50</td><td>11.29</td><td>37.24</td><td>0.00</td><td>384</td><td>24</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	111.46	-----	-----	102.91	34.50	11.29	37.24	0.00	384	24
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5725.16	54.03	68.20	-14.17	45.40	34.55	11.33	37.25	0.00	384	24	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	111.46	-----	-----	102.91	34.50	11.29	37.24	0.00	384	24	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>104.37</td><td>-----</td><td>-----</td><td>95.82</td><td>34.50</td><td>11.29</td><td>37.24</td><td>0.00</td><td>384</td><td>24</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	104.37	-----	-----	95.82	34.50	11.29	37.24	0.00	384	24	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	104.37	-----	-----	95.82	34.50	11.29	37.24	0.00	384	24	AVERAGE																																																																																							







		31																																																																																																											
Mode		Band Edge - L																																																																																																											
		U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																																																																																											
ANT		CDD 6+17																																																																																																											
Pol.		Fundamental																																																																																																											
Peak	Horizontal											Fundamental																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.96</td><td>58.58</td><td>74.00</td><td>-15.42</td><td>51.22</td><td>34.05</td><td>10.65</td><td>37.34</td><td>0.00</td><td>100</td><td>231</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.96	58.58	74.00	-15.42	51.22	34.05	10.65	37.34	0.00	100	231	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>106.37</td><td>-----</td><td>-----</td><td>98.93</td><td>34.00</td><td>10.69</td><td>37.33</td><td>0.00</td><td>100</td><td>231</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	106.37	-----	-----	98.93	34.00	10.69	37.33	0.00	100	231
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5148.96	58.58	74.00	-15.42	51.22	34.05	10.65	37.34	0.00	100	231	PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5190.00	106.37	-----	-----	98.93	34.00	10.69	37.33	0.00	100	231	PEAK																																																																																																	
Avg	Horizontal											Fundamental																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.48</td><td>48.56</td><td>54.00</td><td>-5.44</td><td>41.20</td><td>34.05</td><td>10.65</td><td>37.34</td><td>0.00</td><td>100</td><td>231</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.48	48.56	54.00	-5.44	41.20	34.05	10.65	37.34	0.00	100	231	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>99.63</td><td>-----</td><td>-----</td><td>92.17</td><td>34.00</td><td>10.70</td><td>37.33</td><td>0.00</td><td>100</td><td>231</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	99.63	-----	-----	92.17	34.00	10.70	37.33	0.00	100	231
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5148.48	48.56	54.00	-5.44	41.20	34.05	10.65	37.34	0.00	100	231	AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5190.00	99.63	-----	-----	92.17	34.00	10.70	37.33	0.00	100	231	AVERAGE																																																																																																	



Mode	31																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																																						
ANT	CDD 6+17																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5448.39</td><td>46.87</td><td>74.00</td><td>-27.13</td><td>38.64</td><td>34.55</td><td>10.95</td><td>37.27</td><td>0.00</td><td>100</td><td>231 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.39	46.87	74.00	-27.13	38.64	34.55	10.95	37.27	0.00	100	231 PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5448.39	46.87	74.00	-27.13	38.64	34.55	10.95	37.27	0.00	100	231 PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5393.04</td><td>37.76</td><td>54.00</td><td>-16.24</td><td>29.57</td><td>34.59</td><td>10.88</td><td>37.28</td><td>0.00</td><td>100</td><td>231 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5393.04	37.76	54.00	-16.24	29.57	34.59	10.88	37.28	0.00	100	231 AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5393.04	37.76	54.00	-16.24	29.57	34.59	10.88	37.28	0.00	100	231 AVERAGE																																												







Mode	31																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																																																																																														
ANT	CDD 6+17																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.00</td><td>56.60</td><td>74.00</td><td>-17.40</td><td>49.24</td><td>34.05</td><td>10.65</td><td>37.34</td><td>0.00</td><td>335</td><td>36</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.00	56.60	74.00	-17.40	49.24	34.05	10.65	37.34	0.00	335	36	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>106.70</td><td>-----</td><td>-----</td><td>99.24</td><td>34.09</td><td>10.70</td><td>37.33</td><td>0.00</td><td>335</td><td>36</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	106.70	-----	-----	99.24	34.09	10.70	37.33	0.00	335	36
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5148.00	56.60	74.00	-17.40	49.24	34.05	10.65	37.34	0.00	335	36	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5190.00	106.70	-----	-----	99.24	34.09	10.70	37.33	0.00	335	36	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.28</td><td>47.40</td><td>54.00</td><td>-6.60</td><td>40.04</td><td>34.05</td><td>10.65</td><td>37.34</td><td>0.00</td><td>335</td><td>36</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.28	47.40	54.00	-6.60	40.04	34.05	10.65	37.34	0.00	335	36	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>98.98</td><td>-----</td><td>-----</td><td>91.52</td><td>34.09</td><td>10.70</td><td>37.33</td><td>0.00</td><td>335</td><td>36</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	98.98	-----	-----	91.52	34.09	10.70	37.33	0.00	335	36
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.28	47.40	54.00	-6.60	40.04	34.05	10.65	37.34	0.00	335	36	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5190.00	98.98	-----	-----	91.52	34.09	10.70	37.33	0.00	335	36	AVERAGE																																																																																																			





Mode	31																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																																						
ANT	CDD 6+17																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5357.67</td><td>47.62</td><td>74.00</td><td>-26.38</td><td>39.41</td><td>34.60</td><td>10.89</td><td>37.28</td><td>0.00</td><td>335 36 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB			1	5357.67	47.62	74.00	-26.38	39.41	34.60	10.89	37.28	0.00	335 36 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																															
1	5357.67	47.62	74.00	-26.38	39.41	34.60	10.89	37.28	0.00	335 36 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5357.67</td><td>37.72</td><td>54.00</td><td>-16.28</td><td>29.64</td><td>34.52</td><td>10.85</td><td>37.29</td><td>0.00</td><td>335 36 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB			1	5357.67	37.72	54.00	-16.28	29.64	34.52	10.85	37.29	0.00	335 36 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																															
1	5357.67	37.72	54.00	-16.28	29.64	34.52	10.85	37.29	0.00	335 36 AVERAGE																																													







		34																																																																																															
Mode		Band Edge - L																																																																																															
		U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																																																															
ANT		CDD 6+17																																																																																															
Pol.		Horizontal					Fundamental																																																																																										
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5130.40</td><td>49.96</td><td>74.00</td><td>-24.04</td><td>42.64</td><td>34.03</td><td>10.63</td><td>37.34</td><td>0.00</td><td>110</td><td>323</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5130.40	49.96	74.00	-24.04	42.64	34.03	10.63	37.34	0.00	110	323	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>100.74</td><td>-----</td><td>-----</td><td>100.81</td><td>34.43</td><td>10.80</td><td>37.30</td><td>0.00</td><td>110</td><td>323</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	100.74	-----	-----	100.81	34.43	10.80	37.30	0.00	110	323
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5130.40	49.96	74.00	-24.04	42.64	34.03	10.63	37.34	0.00	110	323	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5310.00	100.74	-----	-----	100.81	34.43	10.80	37.30	0.00	110	323	PEAK																																																																																					
Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5144.16</td><td>39.33</td><td>54.00</td><td>-14.67</td><td>31.98</td><td>34.04</td><td>10.65</td><td>37.34</td><td>0.00</td><td>110</td><td>323</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.16	39.33	54.00	-14.67	31.98	34.04	10.65	37.34	0.00	110	323	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>99.01</td><td>-----</td><td>-----</td><td>91.09</td><td>34.42</td><td>10.80</td><td>37.30</td><td>0.00</td><td>110</td><td>323</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	99.01	-----	-----	91.09	34.42	10.80	37.30	0.00	110	323
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5144.16	39.33	54.00	-14.67	31.98	34.04	10.65	37.34	0.00	110	323	AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5310.00	99.01	-----	-----	91.09	34.42	10.80	37.30	0.00	110	323	AVERAGE																																																																																					





Mode	34																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																							
ANT	CDD 6+17																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.50</td><td>53.24</td><td>74.00</td><td>-20.76</td><td>45.19</td><td>34.50</td><td>10.84</td><td>37.29</td><td>0.00</td><td>110</td><td>323</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.50	53.24	74.00	-20.76	45.19	34.50	10.84	37.29	0.00	110	323	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5350.50	53.24	74.00	-20.76	45.19	34.50	10.84	37.29	0.00	110	323	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.30</td><td>44.66</td><td>54.00</td><td>-9.34</td><td>36.61</td><td>34.50</td><td>10.84</td><td>37.29</td><td>0.00</td><td>110</td><td>323</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.30	44.66	54.00	-9.34	36.61	34.50	10.84	37.29	0.00	110	323	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5350.30	44.66	54.00	-9.34	36.61	34.50	10.84	37.29	0.00	110	323	AVERAGE																																												







Mode	34																																																																																																																								
	Band Edge - L																																																																																																																								
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																																																																																								
ANT	CDD 6+17																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																		
Peak																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5136.64</td><td>49.39</td><td>74.00</td><td>-24.61</td><td>42.05</td><td>34.04</td><td>10.64</td><td>37.34</td><td>0.00</td><td>324</td><td>40</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5136.64	49.39	74.00	-24.61	42.05	34.04	10.64	37.34	0.00	324	40	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>105.67</td><td>-----</td><td>-----</td><td>97.74</td><td>34.43</td><td>10.80</td><td>37.30</td><td>0.00</td><td>324</td><td>40</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5310.00	105.67	-----	-----	97.74	34.43	10.80	37.30	0.00	324	40
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	5136.64	49.39	74.00	-24.61	42.05	34.04	10.64	37.34	0.00	324	40	PEAK																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	5310.00	105.67	-----	-----	97.74	34.43	10.80	37.30	0.00	324	40	PEAK																																																																																																													
Avg																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5120.32</td><td>39.57</td><td>54.00</td><td>-14.43</td><td>32.28</td><td>34.02</td><td>10.62</td><td>37.35</td><td>0.00</td><td>324</td><td>40</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5120.32	39.57	54.00	-14.43	32.28	34.02	10.62	37.35	0.00	324	40	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>98.38</td><td>-----</td><td>-----</td><td>90.46</td><td>34.42</td><td>10.80</td><td>37.30</td><td>0.00</td><td>324</td><td>40</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5310.00	98.38	-----	-----	90.46	34.42	10.80	37.30	0.00	324	40
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	5120.32	39.57	54.00	-14.43	32.28	34.02	10.62	37.35	0.00	324	40	AVERAGE																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	5310.00	98.38	-----	-----	90.46	34.42	10.80	37.30	0.00	324	40	AVERAGE																																																																																																													



Mode	34																																																					
	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																					
ANT	CDD 6+17																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.90</td><td>51.37</td><td>74.00</td><td>-22.63</td><td>43.31</td><td>34.51</td><td>10.84</td><td>37.29</td><td>0.00</td><td>324</td><td>40 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.90	51.37	74.00	-22.63	43.31	34.51	10.84	37.29	0.00	324	40 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5353.90	51.37	74.00	-22.63	43.31	34.51	10.84	37.29	0.00	324	40 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.40</td><td>42.95</td><td>54.00</td><td>-11.05</td><td>34.90</td><td>34.50</td><td>10.84</td><td>37.29</td><td>0.00</td><td>324</td><td>40 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.40	42.95	54.00	-11.05	34.90	34.50	10.84	37.29	0.00	324	40 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5350.40	42.95	54.00	-11.05	34.90	34.50	10.84	37.29	0.00	324	40 AVERAGE																																											



Mode	35																																																																																																									
	Band Edge - L																																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																									
ANT	CDD 6+17																																																																																																									
Pol.	Horizontal					Fundamental																																																																																																				
Peak																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.92</td><td>57.93</td><td>74.00</td><td>-16.07</td><td>49.69</td><td>34.54</td><td>10.96</td><td>37.26</td><td>0.00</td><td>100 324 PEAK</td></tr><tr><td>2</td><td>5466.96</td><td>61.45</td><td>68.20</td><td>-6.75</td><td>53.20</td><td>34.53</td><td>10.98</td><td>37.26</td><td>0.00</td><td>100 324 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.92	57.93	74.00	-16.07	49.69	34.54	10.96	37.26	0.00	100 324 PEAK	2	5466.96	61.45	68.20	-6.75	53.20	34.53	10.98	37.26	0.00	100 324 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>108.13</td><td>-----</td><td>-----</td><td>99.86</td><td>34.48</td><td>11.04</td><td>37.25</td><td>0.00</td><td>100 324 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	108.13	-----	-----	99.86	34.48	11.04	37.25	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5455.92	57.93	74.00	-16.07	49.69	34.54	10.96	37.26	0.00	100 324 PEAK																																																																																																
2	5466.96	61.45	68.20	-6.75	53.20	34.53	10.98	37.26	0.00	100 324 PEAK																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5510.00	108.13	-----	-----	99.86	34.48	11.04	37.25	0.00	100 324 PEAK																																																																																																
Avg																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.16</td><td>49.59</td><td>54.00</td><td>-4.41</td><td>41.34</td><td>34.54</td><td>10.97</td><td>37.26</td><td>0.00</td><td>100 324 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.16	49.59	54.00	-4.41	41.34	34.54	10.97	37.26	0.00	100 324 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>100.16</td><td>-----</td><td>-----</td><td>91.89</td><td>34.49</td><td>11.03</td><td>37.25</td><td>0.00</td><td>100 324 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	100.16	-----	-----	91.89	34.49	11.03	37.25	0.00	100 324 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5458.16	49.59	54.00	-4.41	41.34	34.54	10.97	37.26	0.00	100 324 AVERAGE																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5510.00	100.16	-----	-----	91.89	34.49	11.03	37.25	0.00	100 324 AVERAGE																																																																																																




Mode	35									
	Band Edge - R									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz									
ANT	CDD 6+17									
Pol.	Horizontal					Fundamental				
Peak	Level (dBuV/m) <									







		35																																																														
Mode		Band Edge - L																																																														
		U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																														
ANT		CDD 6+17																																																														
Pol.		Vertical																																																														
Peak																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr></thead><tbody><tr><td>1</td><td>5457.52</td><td>61.18</td><td>74.00</td><td>-12.82</td><td>52.94</td><td>34.54</td><td>10.96</td><td>37.26</td><td>0.00</td><td>319</td><td>43</td><td>PEAK</td></tr><tr><td>2</td><td>5465.20</td><td>64.65</td><td>68.20</td><td>-3.55</td><td>56.41</td><td>34.53</td><td>10.97</td><td>37.26</td><td>0.00</td><td>319</td><td>43</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5457.52	61.18	74.00	-12.82	52.94	34.54	10.96	37.26	0.00	319	43	PEAK	2	5465.20	64.65	68.20	-3.55	56.41	34.53	10.97	37.26	0.00	319	43
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	5457.52	61.18	74.00	-12.82	52.94	34.54	10.96	37.26	0.00	319	43	PEAK																																																				
2	5465.20	64.65	68.20	-3.55	56.41	34.53	10.97	37.26	0.00	319	43	PEAK																																																				
Fundamental																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>106.98</td><td>-----</td><td>-----</td><td>98.71</td><td>34.49</td><td>11.03</td><td>37.25</td><td>0.00</td><td>319</td><td>43</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5510.00	106.98	-----	-----	98.71	34.49	11.03	37.25	0.00	319	43	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	5510.00	106.98	-----	-----	98.71	34.49	11.03	37.25	0.00	319	43	PEAK																																																				
Avg																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr></thead><tbody><tr><td>1</td><td>5459.92</td><td>50.55</td><td>54.00</td><td>-3.45</td><td>42.30</td><td>34.54</td><td>10.97</td><td>37.26</td><td>0.00</td><td>319</td><td>43</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5459.92	50.55	54.00	-3.45	42.30	34.54	10.97	37.26	0.00	319	43	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	5459.92	50.55	54.00	-3.45	42.30	34.54	10.97	37.26	0.00	319	43	AVERAGE																																																				
Avg																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>98.90</td><td>-----</td><td>-----</td><td>90.63</td><td>34.49</td><td>11.03</td><td>37.25</td><td>0.00</td><td>319</td><td>43</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5510.00	98.90	-----	-----	90.63	34.49	11.03	37.25	0.00	319	43	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	5510.00	98.90	-----	-----	90.63	34.49	11.03	37.25	0.00	319	43	AVERAGE																																																				




Mode	35																																																																
	Band Edge - R																																																																
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																
ANT	CDD 6+17																																																																
Pol.	Vertical						Fundamental																																																										
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5726.84</td><td>49.28</td><td>68.20</td><td>-18.92</td><td>40.65</td><td>34.55</td><td>11.33</td><td>37.25</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>319</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>43 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5726.84	49.28	68.20	-18.92	40.65	34.55	11.33	37.25								0.00	319									43 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																									
1	5726.84	49.28	68.20	-18.92	40.65	34.55	11.33	37.25																																																									
							0.00	319																																																									
								43 PEAK																																																									



Mode	37																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																																															
ANT	CDD 6+17																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.76</td><td>47.31</td><td>74.00</td><td>-26.69</td><td>39.06</td><td>34.54</td><td>10.97</td><td>37.26</td><td>0.00</td><td>100</td><td>329</td><td>PEAK</td></tr><tr><td>2</td><td>5462.00</td><td>48.03</td><td>68.20</td><td>-20.17</td><td>39.78</td><td>34.54</td><td>10.97</td><td>37.26</td><td>0.00</td><td>100</td><td>329</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	47.31	74.00	-26.69	39.06	34.54	10.97	37.26	0.00	100	329	PEAK	2	5462.00	48.03	68.20	-20.17	39.78	34.54	10.97	37.26	0.00	100	329	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>110.88</td><td>-----</td><td>-----</td><td>102.39</td><td>34.47</td><td>11.25</td><td>37.23</td><td>0.00</td><td>100</td><td>329</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	110.88	-----	-----	102.39	34.47	11.25	37.23	0.00	100	329
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.76	47.31	74.00	-26.69	39.06	34.54	10.97	37.26	0.00	100	329	PEAK																																																																																																				
2	5462.00	48.03	68.20	-20.17	39.78	34.54	10.97	37.26	0.00	100	329	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	110.88	-----	-----	102.39	34.47	11.25	37.23	0.00	100	329	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.68</td><td>38.23</td><td>54.00</td><td>-15.77</td><td>29.99</td><td>34.54</td><td>10.96</td><td>37.26</td><td>0.00</td><td>100</td><td>329</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.68	38.23	54.00	-15.77	29.99	34.54	10.96	37.26	0.00	100	329	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>102.33</td><td>-----</td><td>-----</td><td>93.84</td><td>34.47</td><td>11.25</td><td>37.23</td><td>0.00</td><td>100</td><td>329</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	102.33	-----	-----	93.84	34.47	11.25	37.23	0.00	100	329	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5457.68	38.23	54.00	-15.77	29.99	34.54	10.96	37.26	0.00	100	329	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	102.33	-----	-----	93.84	34.47	11.25	37.23	0.00	100	329	AVERAGE																																																																																																				



Mode	37																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																					
ANT	CDD 6+17																																					
Pol.	Horizontal	Fundamental																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5753.56</td><td>57.63</td><td>68.20</td><td>-10.57</td><td>48.90</td><td>34.61</td><td>11.38</td><td>37.26</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5753.56	57.63	68.20	-10.57	48.90	34.61	11.38	37.26	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5753.56	57.63	68.20	-10.57	48.90	34.61	11.38	37.26																														