












Mode	37																																																																																																																											
	Band Edge - L																																																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																																																											
ANT	CDD 6+17																																																																																																																											
Pol.	Vertical						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5449.36</td><td>46.98</td><td>74.00</td><td>-27.02</td><td>38.75</td><td>34.55</td><td>10.95</td><td>37.27</td><td>0.00</td><td>390</td><td>40</td><td>PEAK</td></tr><tr><td>2</td><td>5466.64</td><td>47.23</td><td>68.20</td><td>-20.97</td><td>38.98</td><td>34.53</td><td>10.98</td><td>37.26</td><td>0.00</td><td>390</td><td>40</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5449.36	46.98	74.00	-27.02	38.75	34.55	10.95	37.27	0.00	390	40	PEAK	2	5466.64	47.23	68.20	-20.97	38.98	34.53	10.98	37.26	0.00	390	40	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>108.72</td><td>-----</td><td>-----</td><td>100.23</td><td>34.47</td><td>11.25</td><td>37.23</td><td>0.00</td><td>390</td><td>40</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	108.72	-----	-----	100.23	34.47	11.25	37.23	0.00	390	40
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5449.36	46.98	74.00	-27.02	38.75	34.55	10.95	37.27	0.00	390	40	PEAK																																																																																																																
2	5466.64	47.23	68.20	-20.97	38.98	34.53	10.98	37.26	0.00	390	40	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5670.00	108.72	-----	-----	100.23	34.47	11.25	37.23	0.00	390	40	PEAK																																																																																																																
Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.28</td><td>38.01</td><td>54.00</td><td>-15.99</td><td>29.76</td><td>34.54</td><td>10.97</td><td>37.26</td><td>0.00</td><td>390</td><td>40</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.28	38.01	54.00	-15.99	29.76	34.54	10.97	37.26	0.00	390	40	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>101.33</td><td>-----</td><td>-----</td><td>92.84</td><td>34.47</td><td>11.25</td><td>37.23</td><td>0.00</td><td>390</td><td>40</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	101.33	-----	-----	92.84	34.47	11.25	37.23	0.00	390	40	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5459.28	38.01	54.00	-15.99	29.76	34.54	10.97	37.26	0.00	390	40	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5670.00	101.33	-----	-----	92.84	34.47	11.25	37.23	0.00	390	40	AVERAGE																																																																																																																



Mode	37																																																															
	Band Edge - R																																																															
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																															
ANT	CDD 6+17																																																															
Pol.	Vertical					Fundamental																																																										
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5727.64</td><td>56.32</td><td>68.20</td><td>-11.88</td><td>47.68</td><td>34.56</td><td>11.33</td><td>37.25</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>390</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>40 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5727.64	56.32	68.20	-11.88	47.68	34.56	11.33	37.25								0.00	390									40 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																								
1	5727.64	56.32	68.20	-11.88	47.68	34.56	11.33	37.25																																																								
							0.00	390																																																								
								40 PEAK																																																								







		38																																																																																										
Mode		Band Edge - L																																																																																										
		U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																																										
ANT		CDD 6+17																																																																																										
Pol.		Horizontal						Fundamental																																																																																				
Peak																																																																																												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5124.64	59.28	74.00	-14.72	51.97	34.02	10.63	37.34	0.00	100	231	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>100.34</td><td>-----</td><td>-----</td><td>92.83</td><td>34.12</td><td>10.71</td><td>37.32</td><td>0.00</td><td>100</td><td>231</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	100.34	-----	-----	92.83	34.12	10.71	37.32	0.00	100	231
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5124.64	59.28	74.00	-14.72	51.97	34.02	10.63	37.34	0.00	100	231	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5210.00	100.34	-----	-----	92.83	34.12	10.71	37.32	0.00	100	231	PEAK																																																																																
Avg																																																																																												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	50.43	54.00	-3.57	43.07	34.05	10.65	37.34	0.00	100	231	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>91.47</td><td>-----</td><td>-----</td><td>84.01</td><td>34.09</td><td>10.70</td><td>37.33</td><td>0.00</td><td>100</td><td>231</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	91.47	-----	-----	84.01	34.09	10.70	37.33	0.00	100	231
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5149.92	50.43	54.00	-3.57	43.07	34.05	10.65	37.34	0.00	100	231	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5210.00	91.47	-----	-----	84.01	34.09	10.70	37.33	0.00	100	231	AVERAGE																																																																																



Mode	38																																																					
	Band Edge - R																																																					
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																					
ANT	CDD 6+17																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5392.62</td><td>47.76</td><td>74.00</td><td>-26.24</td><td>39.57</td><td>34.59</td><td>10.88</td><td>37.28</td><td>0.00</td><td>100</td><td>231 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5392.62	47.76	74.00	-26.24	39.57	34.59	10.88	37.28	0.00	100	231 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5392.62	47.76	74.00	-26.24	39.57	34.59	10.88	37.28	0.00	100	231 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.28</td><td>38.35</td><td>54.00</td><td>-15.65</td><td>30.29</td><td>34.51</td><td>10.84</td><td>37.29</td><td>0.00</td><td>100</td><td>231 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.28	38.35	54.00	-15.65	30.29	34.51	10.84	37.29	0.00	100	231 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5354.28	38.35	54.00	-15.65	30.29	34.51	10.84	37.29	0.00	100	231 AVERAGE																																											







Mode	38																																																																																																										
	Band Edge - L																																																																																																										
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																																																										
ANT	CDD 6+17																																																																																																										
Pol.	Vertical						Fundamental																																																																																																				
Peak																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.60</td><td>56.28</td><td>74.00</td><td>-17.72</td><td>48.92</td><td>34.05</td><td>10.65</td><td>37.34</td><td>0.00</td><td>374</td><td>35 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.60	56.28	74.00	-17.72	48.92	34.05	10.65	37.34	0.00	374	35 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>99.86</td><td>-----</td><td>-----</td><td>92.32</td><td>34.14</td><td>10.72</td><td>37.32</td><td>0.00</td><td>374</td><td>35 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	99.86	-----	-----	92.32	34.14	10.72	37.32	0.00	374
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5145.60	56.28	74.00	-17.72	48.92	34.05	10.65	37.34	0.00	374	35 PEAK																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5210.00	99.86	-----	-----	92.32	34.14	10.72	37.32	0.00	374	35 PEAK																																																																																																
Avg																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.92</td><td>48.36</td><td>54.00</td><td>-5.64</td><td>41.00</td><td>34.05</td><td>10.65</td><td>37.34</td><td>0.00</td><td>374</td><td>35 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	48.36	54.00	-5.64	41.00	34.05	10.65	37.34	0.00	374	35 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>92.03</td><td>-----</td><td>-----</td><td>84.49</td><td>34.14</td><td>10.72</td><td>37.32</td><td>0.00</td><td>374</td><td>35 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	92.03	-----	-----	84.49	34.14	10.72	37.32	0.00	374
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5149.92	48.36	54.00	-5.64	41.00	34.05	10.65	37.34	0.00	374	35 AVERAGE																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5210.00	92.03	-----	-----	84.49	34.14	10.72	37.32	0.00	374	35 AVERAGE																																																																																																





Mode	38																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																							
ANT	CDD 6+17																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5361.66</td><td>48.31</td><td>74.00</td><td>-25.69</td><td>40.23</td><td>34.52</td><td>10.85</td><td>37.29</td><td>0.00</td><td>374</td><td>35</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5361.66	48.31	74.00	-25.69	40.23	34.52	10.85	37.29	0.00	374	35	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5361.66	48.31	74.00	-25.69	40.23	34.52	10.85	37.29	0.00	374	35	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5359.14</td><td>38.49</td><td>54.00</td><td>-15.51</td><td>30.41</td><td>34.52</td><td>10.85</td><td>37.29</td><td>0.00</td><td>374</td><td>35</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5359.14	38.49	54.00	-15.51	30.41	34.52	10.85	37.29	0.00	374	35	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5359.14	38.49	54.00	-15.51	30.41	34.52	10.85	37.29	0.00	374	35	AVERAGE																																												







Mode	39																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																																																
ANT	CDD 6+17																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.16</td><td>56.99</td><td>74.00</td><td>-17.01</td><td>49.63</td><td>34.05</td><td>10.65</td><td>37.34</td><td>0.00</td><td>104</td><td>311</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.16	56.99	74.00	-17.01	49.63	34.05	10.65	37.34	0.00	104	311	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>101.55</td><td>-----</td><td>-----</td><td>93.62</td><td>34.43</td><td>10.80</td><td>37.30</td><td>0.00</td><td>104</td><td>311</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5290.00	101.55	-----	-----	93.62	34.43	10.80	37.30	0.00	104	311	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5148.16	56.99	74.00	-17.01	49.63	34.05	10.65	37.34	0.00	104	311	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5290.00	101.55	-----	-----	93.62	34.43	10.80	37.30	0.00	104	311	PEAK																																																																																																					
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.96</td><td>45.59</td><td>54.00</td><td>-8.41</td><td>38.23</td><td>34.05</td><td>10.65</td><td>37.34</td><td>0.00</td><td>104</td><td>311</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5148.96	45.59	54.00	-8.41	38.23	34.05	10.65	37.34	0.00	104	311	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>94.23</td><td>-----</td><td>-----</td><td>86.41</td><td>34.35</td><td>10.78</td><td>37.31</td><td>0.00</td><td>104</td><td>311</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5290.00	94.23	-----	-----	86.41	34.35	10.78	37.31	0.00	104	311
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5148.96	45.59	54.00	-8.41	38.23	34.05	10.65	37.34	0.00	104	311	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5290.00	94.23	-----	-----	86.41	34.35	10.78	37.31	0.00	104	311	AVERAGE																																																																																																					



Mode	39																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																							
ANT	CDD 6+17																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.40</td><td>57.55</td><td>74.00</td><td>-16.45</td><td>49.49</td><td>34.51</td><td>10.84</td><td>37.29</td><td>0.00</td><td>104</td><td>311</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.40	57.55	74.00	-16.45	49.49	34.51	10.84	37.29	0.00	104	311	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5354.40	57.55	74.00	-16.45	49.49	34.51	10.84	37.29	0.00	104	311	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.70</td><td>50.35</td><td>54.00</td><td>-3.65</td><td>42.29</td><td>34.51</td><td>10.84</td><td>37.29</td><td>0.00</td><td>104</td><td>311</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.70	50.35	54.00	-3.65	42.29	34.51	10.84	37.29	0.00	104	311	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5353.70	50.35	54.00	-3.65	42.29	34.51	10.84	37.29	0.00	104	311	AVERAGE																																												







		39																																																																																																											
Mode		Band Edge - L																																																																																																											
		U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																																											
ANT		CDD 6+17																																																																																																											
Pol.		Fundamental																																																																																																											
Peak	Vertical																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5141.76</td><td>55.37</td><td>74.00</td><td>-18.63</td><td>48.02</td><td>34.04</td><td>10.65</td><td>37.34</td><td>0.00</td><td>331</td><td>44</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5141.76	55.37	74.00	-18.63	48.02	34.04	10.65	37.34	0.00	331	44	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>102.25</td><td>-----</td><td>-----</td><td>94.50</td><td>34.30</td><td>10.76</td><td>37.31</td><td>0.00</td><td>331</td><td>44</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	102.25	-----	-----	94.50	34.30	10.76	37.31	0.00	331	44
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5141.76	55.37	74.00	-18.63	48.02	34.04	10.65	37.34	0.00	331	44	PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5290.00	102.25	-----	-----	94.50	34.30	10.76	37.31	0.00	331	44	PEAK																																																																																																	
Avg	Vertical																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5144.00</td><td>44.22</td><td>54.00</td><td>-9.78</td><td>36.87</td><td>34.04</td><td>10.65</td><td>37.34</td><td>0.00</td><td>331</td><td>44</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.00	44.22	54.00	-9.78	36.87	34.04	10.65	37.34	0.00	331	44	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>93.53</td><td>-----</td><td>-----</td><td>85.68</td><td>34.37</td><td>10.78</td><td>37.30</td><td>0.00</td><td>331</td><td>44</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	93.53	-----	-----	85.68	34.37	10.78	37.30	0.00	331	44
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5144.00	44.22	54.00	-9.78	36.87	34.04	10.65	37.34	0.00	331	44	AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5290.00	93.53	-----	-----	85.68	34.37	10.78	37.30	0.00	331	44	AVERAGE																																																																																																	



Mode	39																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																							
ANT	CDD 6+17																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.80</td><td>53.69</td><td>74.00</td><td>-20.31</td><td>45.63</td><td>34.51</td><td>10.84</td><td>37.29</td><td>0.00</td><td>331</td><td>44</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.80	53.69	74.00	-20.31	45.63	34.51	10.84	37.29	0.00	331	44	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5353.80	53.69	74.00	-20.31	45.63	34.51	10.84	37.29	0.00	331	44	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.20</td><td>46.78</td><td>54.00</td><td>-7.22</td><td>38.73</td><td>34.50</td><td>10.84</td><td>37.29</td><td>0.00</td><td>331</td><td>44</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.20	46.78	54.00	-7.22	38.73	34.50	10.84	37.29	0.00	331	44	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5351.20	46.78	54.00	-7.22	38.73	34.50	10.84	37.29	0.00	331	44	AVERAGE																																												







		40																																																																																																			
Mode		Band Edge - L																																																																																																			
		U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																			
ANT		CDD 6+17																																																																																																			
Pol.		Horizontal					Fundamental																																																																																														
Peak																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5431.92	58.61	74.00	-15.39	50.38	34.57	10.93	37.27	0.00	102	302	PEAK	2	5466.48	59.26	68.20	-8.94	51.01	34.53	10.98	37.26	0.00	102	302	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>101.06</td><td>-----</td><td>-----</td><td>92.79</td><td>34.50</td><td>11.02</td><td>37.25</td><td>0.00</td><td>102</td><td>302</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	101.06	-----	-----	92.79	34.50	11.02	37.25	0.00	102	302
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5431.92	58.61	74.00	-15.39	50.38	34.57	10.93	37.27	0.00	102	302	PEAK																																																																																									
2	5466.48	59.26	68.20	-8.94	51.01	34.53	10.98	37.26	0.00	102	302	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5530.00	101.06	-----	-----	92.79	34.50	11.02	37.25	0.00	102	302	PEAK																																																																																									
Avg																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.84	50.94	54.00	-3.06	42.69	34.54	10.97	37.26	0.00	102	302	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>92.53</td><td>-----</td><td>-----</td><td>84.25</td><td>34.46</td><td>11.07</td><td>37.25</td><td>0.00</td><td>102</td><td>302</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	92.53	-----	-----	84.25	34.46	11.07	37.25	0.00	102	302	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5457.84	50.94	54.00	-3.06	42.69	34.54	10.97	37.26	0.00	102	302	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5530.00	92.53	-----	-----	84.25	34.46	11.07	37.25	0.00	102	302	AVERAGE																																																																																									




Mode	40	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz	
ANT	CDD 6+17	
Pol.	Horizontal	Fundamental
Peak	Level (dBuV/m)	







		40																																																																																																											
Mode		Band Edge - L																																																																																																											
		U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																											
ANT		CDD 6+17																																																																																																											
Pol.		Vertical					Fundamental																																																																																																						
Peak																																																																																																													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5435.76	56.39	74.00	-17.61	48.16	34.56	10.94	37.27	0.00	301	42	PEAK	2	5460.00	55.54	68.20	-12.66	47.29	34.54	10.97	37.26	0.00	301	42	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>99.76</td><td>-----</td><td>-----</td><td>91.47</td><td>34.46</td><td>11.07</td><td>37.24</td><td>0.00</td><td>301</td><td>42</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	99.76	-----	-----	91.47	34.46	11.07	37.24	0.00	301	42
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	5435.76	56.39	74.00	-17.61	48.16	34.56	10.94	37.27	0.00	301	42	PEAK																																																																																																	
2	5460.00	55.54	68.20	-12.66	47.29	34.54	10.97	37.26	0.00	301	42	PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	5530.00	99.76	-----	-----	91.47	34.46	11.07	37.24	0.00	301	42	PEAK																																																																																																	
Avg																																																																																																													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5445.04	49.24	54.00	-4.76	41.01	34.55	10.95	37.27	0.00	301	42	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>90.99</td><td>-----</td><td>-----</td><td>82.71</td><td>34.46</td><td>11.07</td><td>37.25</td><td>0.00</td><td>301</td><td>42</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	90.99	-----	-----	82.71	34.46	11.07	37.25	0.00	301	42	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	5445.04	49.24	54.00	-4.76	41.01	34.55	10.95	37.27	0.00	301	42	AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	5530.00	90.99	-----	-----	82.71	34.46	11.07	37.25	0.00	301	42	AVERAGE																																																																																																	




Mode	40																																															
	Band Edge - R																																															
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																															
ANT	CDD 6+17																																															
Pol.	Vertical						Fundamental																																									
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5737.48</td><td>48.84</td><td>68.20</td><td>-19.36</td><td>40.18</td><td>34.57</td><td>11.35</td><td>37.26</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5737.48	48.84	68.20	-19.36	40.18	34.57	11.35	37.26	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																								
1	5737.48	48.84	68.20	-19.36	40.18	34.57	11.35	37.26																																								







		41																																																																																																							
Mode		Band Edge - L																																																																																																							
		U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																																																							
ANT		CDD 6+17																																																																																																							
Pol.		Horizontal					Fundamental																																																																																																		
Peak																																																																																																									
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.16	57.51	74.00	-16.49	49.26	34.54	10.97	37.26	0.00	100	310	PEAK	2	5467.76	58.32	68.20	-9.88	50.07	34.53	10.98	37.26	0.00	100	310	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>105.88</td><td>-----</td><td>-----</td><td>97.50</td><td>34.42</td><td>11.18</td><td>37.22</td><td>0.00</td><td>100</td><td>310</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	105.88	-----	-----	97.50	34.42	11.18	37.22	0.00	100	310
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5458.16	57.51	74.00	-16.49	49.26	34.54	10.97	37.26	0.00	100	310	PEAK																																																																																													
2	5467.76	58.32	68.20	-9.88	50.07	34.53	10.98	37.26	0.00	100	310	PEAK																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5610.00	105.88	-----	-----	97.50	34.42	11.18	37.22	0.00	100	310	PEAK																																																																																													
Avg																																																																																																									
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.00	50.12	54.00	-3.88	41.87	34.54	10.97	37.26	0.00	100	310	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>97.64</td><td>-----</td><td>-----</td><td>89.26</td><td>34.42</td><td>11.18</td><td>37.22</td><td>0.00</td><td>100</td><td>310</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	97.64	-----	-----	89.26	34.42	11.18	37.22	0.00	100	310	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5458.00	50.12	54.00	-3.88	41.87	34.54	10.97	37.26	0.00	100	310	AVERAGE																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5610.00	97.64	-----	-----	89.26	34.42	11.18	37.22	0.00	100	310	AVERAGE																																																																																													




Mode	41																																															
	Band Edge - R																																															
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																															
ANT	CDD 6+17																																															
Pol.	Horizontal						Fundamental																																									
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5727.56</td><td>61.56</td><td>68.20</td><td>-6.64</td><td>52.92</td><td>34.56</td><td>11.33</td><td>37.25</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5727.56	61.56	68.20	-6.64	52.92	34.56	11.33	37.25	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																								
1	5727.56	61.56	68.20	-6.64	52.92	34.56	11.33	37.25																																								







		41																																																																																																													
Mode	Band Edge - L																																																																																																														
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																																																														
ANT	CDD 6+17																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.76</td><td>57.09</td><td>74.00</td><td>-16.91</td><td>48.84</td><td>34.54</td><td>10.97</td><td>37.26</td><td>0.00</td><td>310</td><td>42</td><td>PEAK</td></tr><tr><td>2</td><td>5465.04</td><td>58.96</td><td>68.20</td><td>-9.24</td><td>50.72</td><td>34.53</td><td>10.97</td><td>37.26</td><td>0.00</td><td>310</td><td>42</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	57.09	74.00	-16.91	48.84	34.54	10.97	37.26	0.00	310	42	PEAK	2	5465.04	58.96	68.20	-9.24	50.72	34.53	10.97	37.26	0.00	310	42	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>104.21</td><td>-----</td><td>-----</td><td>95.86</td><td>34.41</td><td>11.17</td><td>37.23</td><td>0.00</td><td>310</td><td>42</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	104.21	-----	-----	95.86	34.41	11.17	37.23	0.00	310	42
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5459.76	57.09	74.00	-16.91	48.84	34.54	10.97	37.26	0.00	310	42	PEAK																																																																																																			
2	5465.04	58.96	68.20	-9.24	50.72	34.53	10.97	37.26	0.00	310	42	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5610.00	104.21	-----	-----	95.86	34.41	11.17	37.23	0.00	310	42	PEAK																																																																																																			
Avg																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5454.96</td><td>48.42</td><td>54.00</td><td>-5.58</td><td>40.17</td><td>34.55</td><td>10.96</td><td>37.26</td><td>0.00</td><td>310</td><td>42</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.96	48.42	54.00	-5.58	40.17	34.55	10.96	37.26	0.00	310	42	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>96.17</td><td>-----</td><td>-----</td><td>87.83</td><td>34.41</td><td>11.16</td><td>37.23</td><td>0.00</td><td>310</td><td>42</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	96.17	-----	-----	87.83	34.41	11.16	37.23	0.00	310	42	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5454.96	48.42	54.00	-5.58	40.17	34.55	10.96	37.26	0.00	310	42	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5610.00	96.17	-----	-----	87.83	34.41	11.16	37.23	0.00	310	42	AVERAGE																																																																																																			





Mode	41																																															
	Band Edge - R																																															
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																															
ANT	CDD 6+17																																															
Pol.	Vertical						Fundamental																																									
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5725.00</td><td>59.88</td><td>68.20</td><td>-8.32</td><td>51.25</td><td>34.55</td><td>11.33</td><td>37.25</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5725.00	59.88	68.20	-8.32	51.25	34.55	11.33	37.25	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																								
1	5725.00	59.88	68.20	-8.32	51.25	34.55	11.33	37.25																																								







Mode	42																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz																																																																																																														
ANT	CDD 6+17																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5134.50</td><td>61.11</td><td>74.00</td><td>-12.89</td><td>53.78</td><td>34.03</td><td>10.64</td><td>37.34</td><td>0.00</td><td>109</td><td>232</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5134.50	61.11	74.00	-12.89	53.78	34.03	10.64	37.34	0.00	109	232	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>95.95</td><td>-----</td><td>-----</td><td>88.22</td><td>34.28</td><td>10.76</td><td>37.31</td><td>0.00</td><td>109</td><td>232</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	95.95	-----	-----	88.22	34.28	10.76	37.31	0.00	109	232
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5134.50	61.11	74.00	-12.89	53.78	34.03	10.64	37.34	0.00	109	232	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5250.00	95.95	-----	-----	88.22	34.28	10.76	37.31	0.00	109	232	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5115.00</td><td>50.55</td><td>54.00</td><td>-3.45</td><td>43.27</td><td>34.01</td><td>10.62</td><td>37.35</td><td>0.00</td><td>109</td><td>232</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5115.00	50.55	54.00	-3.45	43.27	34.01	10.62	37.35	0.00	109	232	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>87.69</td><td>-----</td><td>-----</td><td>80.04</td><td>34.23</td><td>10.74</td><td>37.32</td><td>0.00</td><td>109</td><td>232</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	87.69	-----	-----	80.04	34.23	10.74	37.32	0.00	109	232
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5115.00	50.55	54.00	-3.45	43.27	34.01	10.62	37.35	0.00	109	232	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5250.00	87.69	-----	-----	80.04	34.23	10.74	37.32	0.00	109	232	AVERAGE																																																																																																			



Mode	42																																																							
	Band Edge - R																																																							
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz																																																							
ANT	CDD 6+17																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5355.00</td><td>50.37</td><td>74.00</td><td>-23.63</td><td>42.30</td><td>34.51</td><td>10.85</td><td>37.29</td><td>0.00</td><td>109</td><td>232</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5355.00	50.37	74.00	-23.63	42.30	34.51	10.85	37.29	0.00	109	232	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5355.00	50.37	74.00	-23.63	42.30	34.51	10.85	37.29	0.00	109	232	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.79</td><td>42.08</td><td>54.00</td><td>-11.92</td><td>34.02</td><td>34.51</td><td>10.84</td><td>37.29</td><td>0.00</td><td>109</td><td>232</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.79	42.08	54.00	-11.92	34.02	34.51	10.84	37.29	0.00	109	232	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5354.79	42.08	54.00	-11.92	34.02	34.51	10.84	37.29	0.00	109	232	AVERAGE																																												







		42																																																																																																											
Mode		Band Edge - L																																																																																																											
		U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz																																																																																																											
ANT		CDD 6+17																																																																																																											
Pol.	Vertical											Fundamental																																																																																																	
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5100.00</td><td>57.29</td><td>74.00</td><td>-16.71</td><td>50.04</td><td>34.00</td><td>10.60</td><td>37.35</td><td>0.00</td><td>331</td><td>42</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5100.00	57.29	74.00	-16.71	50.04	34.00	10.60	37.35	0.00	331	42	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>95.61</td><td>-----</td><td>-----</td><td>87.93</td><td>34.24</td><td>10.75</td><td>37.31</td><td>0.00</td><td>331</td><td>42</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	95.61	-----	-----	87.93	34.24	10.75	37.31	0.00	331	42
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5100.00	57.29	74.00	-16.71	50.04	34.00	10.60	37.35	0.00	331	42	PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5250.00	95.61	-----	-----	87.93	34.24	10.75	37.31	0.00	331	42	PEAK																																																																																																	
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5114.75</td><td>48.86</td><td>54.00</td><td>-5.14</td><td>41.58</td><td>34.01</td><td>10.62</td><td>37.35</td><td>0.00</td><td>331</td><td>42</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5114.75	48.86	54.00	-5.14	41.58	34.01	10.62	37.35	0.00	331	42	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>87.60</td><td>-----</td><td>-----</td><td>79.95</td><td>34.23</td><td>10.74</td><td>37.32</td><td>0.00</td><td>331</td><td>42</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	87.60	-----	-----	79.95	34.23	10.74	37.32	0.00	331	42
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5114.75	48.86	54.00	-5.14	41.58	34.01	10.62	37.35	0.00	331	42	AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5250.00	87.60	-----	-----	79.95	34.23	10.74	37.32	0.00	331	42	AVERAGE																																																																																																	




Mode	42																																																						
	Band Edge - R																																																						
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz																																																						
ANT	CDD 6+17																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5356.26</td><td>50.60</td><td>74.00</td><td>-23.40</td><td>42.53</td><td>34.51</td><td>10.85</td><td>37.29</td><td>0.00</td><td>331</td><td>42</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5356.26	50.60	74.00	-23.40	42.53	34.51	10.85	37.29	0.00	331	42	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5356.26	50.60	74.00	-23.40	42.53	34.51	10.85	37.29	0.00	331	42	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5355.00</td><td>41.78</td><td>54.00</td><td>-12.22</td><td>33.71</td><td>34.51</td><td>10.85</td><td>37.29</td><td>0.00</td><td>331</td><td>42</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5355.00	41.78	54.00	-12.22	33.71	34.51	10.85	37.29	0.00	331	42	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5355.00	41.78	54.00	-12.22	33.71	34.51	10.85	37.29	0.00	331	42	AVERAGE																																											







		43																																																																																																												
Mode		Band Edge - L																																																																																																												
		U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																																																																																												
ANT		CDD 6+17																																																																																																												
Pol.		Horizontal					Fundamental																																																																																																							
Peak																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5435.36</td><td>60.28</td><td>74.00</td><td>-13.72</td><td>52.05</td><td>34.56</td><td>10.94</td><td>37.27</td><td>0.00</td><td>106</td><td>304</td><td>PEAK</td></tr><tr><td>2</td><td>5463.08</td><td>58.52</td><td>68.20</td><td>-9.68</td><td>50.27</td><td>34.54</td><td>10.97</td><td>37.26</td><td>0.00</td><td>106</td><td>304</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5435.36	60.28	74.00	-13.72	52.05	34.56	10.94	37.27	0.00	106	304	PEAK	2	5463.08	58.52	68.20	-9.68	50.27	34.54	10.97	37.26	0.00	106	304	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>97.33</td><td>-----</td><td>-----</td><td>89.01</td><td>34.40</td><td>11.15</td><td>37.23</td><td>0.00</td><td>106</td><td>304</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	97.33	-----	-----	89.01	34.40	11.15	37.23	0.00	106	304
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5435.36	60.28	74.00	-13.72	52.05	34.56	10.94	37.27	0.00	106	304	PEAK																																																																																																		
2	5463.08	58.52	68.20	-9.68	50.27	34.54	10.97	37.26	0.00	106	304	PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5570.00	97.33	-----	-----	89.01	34.40	11.15	37.23	0.00	106	304	PEAK																																																																																																		
Avg																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5435.14</td><td>50.73</td><td>54.00</td><td>-3.27</td><td>42.50</td><td>34.56</td><td>10.94</td><td>37.27</td><td>0.00</td><td>106</td><td>304</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5435.14	50.73	54.00	-3.27	42.50	34.56	10.94	37.27	0.00	106	304	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>88.89</td><td>-----</td><td>-----</td><td>80.55</td><td>34.41</td><td>11.16</td><td>37.23</td><td>0.00</td><td>106</td><td>304</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	88.89	-----	-----	80.55	34.41	11.16	37.23	0.00	106	304	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5435.14	50.73	54.00	-3.27	42.50	34.56	10.94	37.27	0.00	106	304	AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5570.00	88.89	-----	-----	80.55	34.41	11.16	37.23	0.00	106	304	AVERAGE																																																																																																		



	43																																													
Mode	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																													
ANT	CDD 6+17																																													
Pol.	Horizontal					Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5735.17</td><td>53.71</td><td>68.20</td><td>-14.49</td><td>45.05</td><td>34.57</td><td>11.35</td><td>37.26</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5735.17	53.71	68.20	-14.49	45.05	34.57	11.35	37.26	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																						
1	5735.17	53.71	68.20	-14.49	45.05	34.57	11.35	37.26																																						






Mode	43																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																																																																																	
ANT	CDD 6+17																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5445.04</td><td>56.54</td><td>74.00</td><td>-17.46</td><td>48.31</td><td>34.55</td><td>10.95</td><td>37.27</td><td>0.00</td><td>300</td><td>48</td><td>PEAK</td></tr><tr><td>2</td><td>5465.06</td><td>54.62</td><td>68.20</td><td>-13.58</td><td>46.38</td><td>34.53</td><td>10.97</td><td>37.26</td><td>0.00</td><td>300</td><td>48</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	dB	cm	deg	Remark	1	5445.04	56.54	74.00	-17.46	48.31	34.55	10.95	37.27	0.00	300	48	PEAK	2	5465.06	54.62	68.20	-13.58	46.38	34.53	10.97	37.26	0.00	300	48	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>96.64</td><td>-----</td><td>-----</td><td>88.34</td><td>34.43</td><td>11.11</td><td>37.24</td><td>0.00</td><td>300</td><td>48</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	dB	cm	deg	Remark	1	5570.00	96.64	-----	-----	88.34	34.43	11.11	37.24	0.00	300	48
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	dB	cm	deg	Remark																																																																																					
1	5445.04	56.54	74.00	-17.46	48.31	34.55	10.95	37.27	0.00	300	48	PEAK																																																																																						
2	5465.06	54.62	68.20	-13.58	46.38	34.53	10.97	37.26	0.00	300	48	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	dB	cm	deg	Remark																																																																																					
1	5570.00	96.64	-----	-----	88.34	34.43	11.11	37.24	0.00	300	48	PEAK																																																																																						
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5434.92</td><td>47.99</td><td>54.00</td><td>-6.01</td><td>39.75</td><td>34.57</td><td>10.94</td><td>37.27</td><td>0.00</td><td>300</td><td>48</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	dB	cm	deg	Remark	1	5434.92	47.99	54.00	-6.01	39.75	34.57	10.94	37.27	0.00	300	48	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>85.84</td><td>-----</td><td>-----</td><td>77.54</td><td>34.43</td><td>11.11</td><td>37.24</td><td>0.00</td><td>300</td><td>48</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	dB	cm	deg	Remark	1	5570.00	85.84	-----	-----	77.54	34.43	11.11	37.24	0.00	300	48	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	dB	cm	deg	Remark																																																																																					
1	5434.92	47.99	54.00	-6.01	39.75	34.57	10.94	37.27	0.00	300	48	AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	dB	cm	deg	Remark																																																																																					
1	5570.00	85.84	-----	-----	77.54	34.43	11.11	37.24	0.00	300	48	AVERAGE																																																																																						






Mode	43																																														
	Band Edge - R																																														
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																														
ANT	CDD 6+17																																														
Pol.	Vertical	Fundamental																																													
Peak	5G U-NII-1-U-NII-2A-U-NII-2C <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5752.33</td><td>49.65</td><td>68.20</td><td>-18.55</td><td>40.94</td><td>34.60</td><td>11.37</td><td>37.26</td><td>0.00</td><td>300</td><td>48</td><td>PEAK</td></tr></table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5752.33	49.65	68.20	-18.55	40.94	34.60	11.37	37.26	0.00	300	48	PEAK	Blank
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq		Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1	5752.33	49.65	68.20	-18.55	40.94	34.60	11.37	37.26	0.00	300	48	PEAK																																			





Mode	44																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																									
ANT	CDD 6+17																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5613.60</td><td>49.42</td><td>68.20</td><td>-18.78</td><td>41.07</td><td>34.41</td><td>11.17</td><td>37.23</td><td>0.00</td><td>141</td><td>314</td><td>PEAK</td></tr><tr><td>2</td><td>5652.40</td><td>49.96</td><td>69.99</td><td>-20.03</td><td>41.51</td><td>34.45</td><td>11.22</td><td>37.22</td><td>0.00</td><td>141</td><td>314</td><td>PEAK</td></tr><tr><td>3</td><td>5713.60</td><td>70.63</td><td>109.11</td><td>-38.48</td><td>62.04</td><td>34.53</td><td>11.31</td><td>37.25</td><td>0.00</td><td>141</td><td>314</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>71.67</td><td>111.81</td><td>-40.14</td><td>63.06</td><td>34.54</td><td>11.32</td><td>37.25</td><td>0.00</td><td>141</td><td>314</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5613.60	49.42	68.20	-18.78	41.07	34.41	11.17	37.23	0.00	141	314	PEAK	2	5652.40	49.96	69.99	-20.03	41.51	34.45	11.22	37.22	0.00	141	314	PEAK	3	5713.60	70.63	109.11	-38.48	62.04	34.53	11.31	37.25	0.00	141	314	PEAK	4	5720.40	71.67	111.81	-40.14	63.06	34.54	11.32	37.25	0.00	141	314	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>113.54</td><td>-----</td><td>-----</td><td>104.87</td><td>34.58</td><td>11.35</td><td>37.26</td><td>0.00</td><td>141</td><td>314</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	113.54	-----	-----	104.87	34.58	11.35	37.26	0.00	141	314
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5613.60	49.42	68.20	-18.78	41.07	34.41	11.17	37.23	0.00	141	314	PEAK																																																																																																																														
2	5652.40	49.96	69.99	-20.03	41.51	34.45	11.22	37.22	0.00	141	314	PEAK																																																																																																																														
3	5713.60	70.63	109.11	-38.48	62.04	34.53	11.31	37.25	0.00	141	314	PEAK																																																																																																																														
4	5720.40	71.67	111.81	-40.14	63.06	34.54	11.32	37.25	0.00	141	314	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	113.54	-----	-----	104.87	34.58	11.35	37.26	0.00	141	314	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>105.09</td><td>-----</td><td>-----</td><td>96.40</td><td>34.59</td><td>11.36</td><td>37.26</td><td>0.00</td><td>141</td><td>314</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	105.09	-----	-----	96.40	34.59	11.36	37.26	0.00	141	314	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	105.09	-----	-----	96.40	34.59	11.36	37.26	0.00	141	314	AVERAGE																																																																																																																														






		44																																																																																													
Mode	Band Edge																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																														
ANT	CDD 6+17																																																																																														
Pol.	Vertical																																																																																														
Peak																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5630.40</td><td>49.11</td><td>68.20</td><td>-19.09</td><td>40.71</td><td>34.43</td><td>11.19</td><td>37.22</td><td>0.00</td><td>361</td><td>273</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>47.40</td><td>68.00</td><td>-21.40</td><td>38.95</td><td>34.45</td><td>11.22</td><td>37.22</td><td>0.00</td><td>361</td><td>273</td><td>PEAK</td></tr><tr><td>3</td><td>5720.00</td><td>73.55</td><td>110.90</td><td>-37.35</td><td>64.94</td><td>34.54</td><td>11.32</td><td>37.25</td><td>0.00</td><td>361</td><td>273</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>75.52</td><td>111.81</td><td>-36.29</td><td>66.91</td><td>34.54</td><td>11.32</td><td>37.25</td><td>0.00</td><td>361</td><td>273</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5630.40	49.11	68.20	-19.09	40.71	34.43	11.19	37.22	0.00	361	273	PEAK	2	5650.00	47.40	68.00	-21.40	38.95	34.45	11.22	37.22	0.00	361	273	PEAK	3	5720.00	73.55	110.90	-37.35	64.94	34.54	11.32	37.25	0.00	361	273	PEAK	4	5720.40	75.52	111.81	-36.29	66.91	34.54	11.32	37.25	0.00	361	273
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5630.40	49.11	68.20	-19.09	40.71	34.43	11.19	37.22	0.00	361	273	PEAK																																																																																			
2	5650.00	47.40	68.00	-21.40	38.95	34.45	11.22	37.22	0.00	361	273	PEAK																																																																																			
3	5720.00	73.55	110.90	-37.35	64.94	34.54	11.32	37.25	0.00	361	273	PEAK																																																																																			
4	5720.40	75.52	111.81	-36.29	66.91	34.54	11.32	37.25	0.00	361	273	PEAK																																																																																			
Fundamental																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>114.26</td><td>-----</td><td>-----</td><td>105.57</td><td>34.59</td><td>11.36</td><td>37.26</td><td>0.00</td><td>361</td><td>273</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	114.26	-----	-----	105.57	34.59	11.36	37.26	0.00	361	273	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5745.00	114.26	-----	-----	105.57	34.59	11.36	37.26	0.00	361	273	PEAK																																																																																			
Avg	Blank																																																																																														
																																																																																															
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>105.42</td><td>-----</td><td>-----</td><td>96.73</td><td>34.59</td><td>11.36</td><td>37.26</td><td>0.00</td><td>361</td><td>273</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	105.42	-----	-----	96.73	34.59	11.36	37.26	0.00	361	273	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5745.00	105.42	-----	-----	96.73	34.59	11.36	37.26	0.00	361	273	AVERAGE																																																																																			






		46																																																																																							
Mode		Band Edge																																																																																							
		U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																							
ANT		CDD 6+17																																																																																							
Pol.		Horizontal																																																																																							
Peak																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5852.40</td><td>78.18</td><td>116.83</td><td>-38.65</td><td>69.08</td><td>34.91</td><td>11.49</td><td>37.30</td><td>0.00</td><td>111</td><td>308</td><td>PEAK</td></tr><tr><td>2 5856.80</td><td>75.36</td><td>110.40</td><td>-35.04</td><td>66.23</td><td>34.93</td><td>11.50</td><td>37.30</td><td>0.00</td><td>111</td><td>308</td><td>PEAK</td></tr><tr><td>3 5924.00</td><td>49.74</td><td>68.94</td><td>-19.20</td><td>40.30</td><td>35.17</td><td>11.55</td><td>37.28</td><td>0.00</td><td>111</td><td>308</td><td>PEAK</td></tr><tr><td>4 5958.00</td><td>50.56</td><td>68.20</td><td>-17.64</td><td>40.98</td><td>35.27</td><td>11.58</td><td>37.27</td><td>0.00</td><td>111</td><td>308</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5852.40	78.18	116.83	-38.65	69.08	34.91	11.49	37.30	0.00	111	308	PEAK	2 5856.80	75.36	110.40	-35.04	66.23	34.93	11.50	37.30	0.00	111	308	PEAK	3 5924.00	49.74	68.94	-19.20	40.30	35.17	11.55	37.28	0.00	111	308	PEAK	4 5958.00	50.56	68.20	-17.64	40.98	35.27	11.58	37.27	0.00	111	308	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1 5852.40	78.18	116.83	-38.65	69.08	34.91	11.49	37.30	0.00	111	308	PEAK																																																																														
2 5856.80	75.36	110.40	-35.04	66.23	34.93	11.50	37.30	0.00	111	308	PEAK																																																																														
3 5924.00	49.74	68.94	-19.20	40.30	35.17	11.55	37.28	0.00	111	308	PEAK																																																																														
4 5958.00	50.56	68.20	-17.64	40.98	35.27	11.58	37.27	0.00	111	308	PEAK																																																																														
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>114.77</td><td>-----</td><td>-----</td><td>105.79</td><td>34.80</td><td>11.47</td><td>37.29</td><td>0.00</td><td>111</td><td>308</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	114.77	-----	-----	105.79	34.80	11.47	37.29	0.00	111	308	PEAK																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1 5825.00	114.77	-----	-----	105.79	34.80	11.47	37.29	0.00	111	308	PEAK																																																																														
Avg	Blank																																																																																								
																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>105.95</td><td>-----</td><td>-----</td><td>96.97</td><td>34.80</td><td>11.47</td><td>37.29</td><td>0.00</td><td>111</td><td>308</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	105.95	-----	-----	96.97	34.80	11.47	37.29	0.00	111	308	AVERAGE																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1 5825.00	105.95	-----	-----	96.97	34.80	11.47	37.29	0.00	111	308	AVERAGE																																																																														






Mode	46																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																			
ANT	CDD 6+17																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot includes a red limit line and a blue trace with peaks labeled 1, 2, 3, and 4. The signal is identified as 5G U-NII-3. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.80</td><td>72.05</td><td>111.36</td><td>-39.31</td><td>62.94</td><td>34.92</td><td>11.49</td><td>37.30</td><td>0.00</td><td>364</td><td>286 PEAK</td></tr><tr><td>2 5868.80</td><td>73.05</td><td>109.27</td><td>-36.22</td><td>63.91</td><td>34.94</td><td>11.50</td><td>37.30</td><td>0.00</td><td>364</td><td>286 PEAK</td></tr><tr><td>3 5922.80</td><td>50.34</td><td>69.83</td><td>-19.49</td><td>40.90</td><td>35.17</td><td>11.55</td><td>37.28</td><td>0.00</td><td>364</td><td>286 PEAK</td></tr><tr><td>4 5956.40</td><td>49.66</td><td>68.20</td><td>-18.54</td><td>40.08</td><td>35.27</td><td>11.58</td><td>37.27</td><td>0.00</td><td>364</td><td>286 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.80	72.05	111.36	-39.31	62.94	34.92	11.49	37.30	0.00	364	286 PEAK	2 5868.80	73.05	109.27	-36.22	63.91	34.94	11.50	37.30	0.00	364	286 PEAK	3 5922.80	50.34	69.83	-19.49	40.90	35.17	11.55	37.28	0.00	364	286 PEAK	4 5956.40	49.66	68.20	-18.54	40.08	35.27	11.58	37.27	0.00	364	286 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot includes a red limit line and a blue trace with a peak labeled 1. The signal is identified as 5G U-NII-3. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>112.56</td><td>-----</td><td>-----</td><td>103.58</td><td>34.80</td><td>11.47</td><td>37.29</td><td>0.00</td><td>364</td><td>286 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	112.56	-----	-----	103.58	34.80	11.47	37.29	0.00	364	286 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5854.80	72.05	111.36	-39.31	62.94	34.92	11.49	37.30	0.00	364	286 PEAK																																																																																																																										
2 5868.80	73.05	109.27	-36.22	63.91	34.94	11.50	37.30	0.00	364	286 PEAK																																																																																																																										
3 5922.80	50.34	69.83	-19.49	40.90	35.17	11.55	37.28	0.00	364	286 PEAK																																																																																																																										
4 5956.40	49.66	68.20	-18.54	40.08	35.27	11.58	37.27	0.00	364	286 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	112.56	-----	-----	103.58	34.80	11.47	37.29	0.00	364	286 PEAK																																																																																																																										
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot includes a red limit line and a blue trace with a peak labeled 1. The signal is identified as 5G U-NII-3(AVG). <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>105.16</td><td>-----</td><td>-----</td><td>96.18</td><td>34.80</td><td>11.47</td><td>37.29</td><td>0.00</td><td>364</td><td>286 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	105.16	-----	-----	96.18	34.80	11.47	37.29	0.00	364	286 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	105.16	-----	-----	96.18	34.80	11.47	37.29	0.00	364	286 AVERAGE																																																																																																																										






		47																																																																																											
Mode	Band Edge																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																												
ANT	CDD 6+17																																																																																												
Pol.	Horizontal																																																																																												
Peak																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5647.60</td><td>50.13</td><td>68.20</td><td>-18.07</td><td>41.68</td><td>34.45</td><td>11.22</td><td>37.22</td><td>0.00</td><td>100</td><td>264</td><td>PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>50.01</td><td>69.09</td><td>-19.08</td><td>41.56</td><td>34.45</td><td>11.22</td><td>37.22</td><td>0.00</td><td>100</td><td>264</td><td>PEAK</td></tr><tr><td>3</td><td>5703.60</td><td>56.70</td><td>106.31</td><td>-49.61</td><td>48.13</td><td>34.51</td><td>11.30</td><td>37.24</td><td>0.00</td><td>100</td><td>264</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>60.70</td><td>110.90</td><td>-50.20</td><td>52.09</td><td>34.54</td><td>11.32</td><td>37.25</td><td>0.00</td><td>100</td><td>264</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5647.60	50.13	68.20	-18.07	41.68	34.45	11.22	37.22	0.00	100	264	PEAK	2	5651.20	50.01	69.09	-19.08	41.56	34.45	11.22	37.22	0.00	100	264	PEAK	3	5703.60	56.70	106.31	-49.61	48.13	34.51	11.30	37.24	0.00	100	264	PEAK	4	5720.00	60.70	110.90	-50.20	52.09	34.54	11.32	37.25	0.00	100	264
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5647.60	50.13	68.20	-18.07	41.68	34.45	11.22	37.22	0.00	100	264	PEAK																																																																																	
2	5651.20	50.01	69.09	-19.08	41.56	34.45	11.22	37.22	0.00	100	264	PEAK																																																																																	
3	5703.60	56.70	106.31	-49.61	48.13	34.51	11.30	37.24	0.00	100	264	PEAK																																																																																	
4	5720.00	60.70	110.90	-50.20	52.09	34.54	11.32	37.25	0.00	100	264	PEAK																																																																																	
Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>110.87</td><td>-----</td><td>-----</td><td>102.18</td><td>34.59</td><td>11.36</td><td>37.26</td><td>0.00</td><td>100</td><td>264</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	110.87	-----	-----	102.18	34.59	11.36	37.26	0.00	100	264	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5745.00	110.87	-----	-----	102.18	34.59	11.36	37.26	0.00	100	264	PEAK																																																																																	
Blank																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>103.57</td><td>-----</td><td>-----</td><td>94.88</td><td>34.59</td><td>11.36</td><td>37.26</td><td>0.00</td><td>100</td><td>264</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	103.57	-----	-----	94.88	34.59	11.36	37.26	0.00	100	264	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5745.00	103.57	-----	-----	94.88	34.59	11.36	37.26	0.00	100	264	AVERAGE																																																																																	






Mode	47																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																																										
ANT	CDD 6+17																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue test signal. Peaks are labeled 1, 2, and 34. The signal is identified as 5G U-NII-3. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5635.20</td><td>49.42</td><td>68.20</td><td>-18.78</td><td>41.00</td><td>34.44</td><td>11.20</td><td>37.22</td><td>0.00</td><td>395</td><td>20</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>48.93</td><td>68.20</td><td>-19.27</td><td>40.48</td><td>34.45</td><td>11.22</td><td>37.22</td><td>0.00</td><td>395</td><td>20</td><td>PEAK</td></tr><tr><td>3</td><td>5716.00</td><td>63.92</td><td>109.78</td><td>-45.86</td><td>55.32</td><td>34.53</td><td>11.32</td><td>37.25</td><td>0.00</td><td>395</td><td>20</td><td>PEAK</td></tr><tr><td>4</td><td>5721.60</td><td>63.44</td><td>114.55</td><td>-51.11</td><td>54.83</td><td>34.54</td><td>11.32</td><td>37.25</td><td>0.00</td><td>395</td><td>20</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5635.20	49.42	68.20	-18.78	41.00	34.44	11.20	37.22	0.00	395	20	PEAK	2	5650.00	48.93	68.20	-19.27	40.48	34.45	11.22	37.22	0.00	395	20	PEAK	3	5716.00	63.92	109.78	-45.86	55.32	34.53	11.32	37.25	0.00	395	20	PEAK	4	5721.60	63.44	114.55	-51.11	54.83	34.54	11.32	37.25	0.00	395	20	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue test signal. A peak is labeled 5G U-NII-3. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>115.11</td><td>-----</td><td>-----</td><td>106.42</td><td>34.59</td><td>11.36</td><td>37.26</td><td>0.00</td><td>395</td><td>20</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	115.11	-----	-----	106.42	34.59	11.36	37.26	0.00	395	20	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5635.20	49.42	68.20	-18.78	41.00	34.44	11.20	37.22	0.00	395	20	PEAK																																																																																																																															
2	5650.00	48.93	68.20	-19.27	40.48	34.45	11.22	37.22	0.00	395	20	PEAK																																																																																																																															
3	5716.00	63.92	109.78	-45.86	55.32	34.53	11.32	37.25	0.00	395	20	PEAK																																																																																																																															
4	5721.60	63.44	114.55	-51.11	54.83	34.54	11.32	37.25	0.00	395	20	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	115.11	-----	-----	106.42	34.59	11.36	37.26	0.00	395	20	PEAK																																																																																																																															
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue test signal. A peak is labeled 5G U-NII-3(AVG). <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.95</td><td>-----</td><td>-----</td><td>95.26</td><td>34.59</td><td>11.36</td><td>37.26</td><td>0.00</td><td>395</td><td>20</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	103.95	-----	-----	95.26	34.59	11.36	37.26	0.00	395	20	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	103.95	-----	-----	95.26	34.59	11.36	37.26	0.00	395	20	AVERAGE																																																																																																																															







Mode	49																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																																									
ANT	CDD 6+17																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5853.20</td><td>71.15</td><td>115.00</td><td>-43.85</td><td>62.05</td><td>34.91</td><td>11.49</td><td>37.30</td><td>0.00</td><td>100</td><td>313</td><td>PEAK</td></tr><tr><td>2</td><td>5857.20</td><td>67.89</td><td>110.28</td><td>-42.39</td><td>58.76</td><td>34.93</td><td>11.50</td><td>37.30</td><td>0.00</td><td>100</td><td>313</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>49.07</td><td>68.35</td><td>-19.28</td><td>39.63</td><td>35.17</td><td>11.55</td><td>37.28</td><td>0.00</td><td>100</td><td>313</td><td>PEAK</td></tr><tr><td>4</td><td>5940.00</td><td>49.73</td><td>68.20</td><td>-18.47</td><td>40.22</td><td>35.22</td><td>11.56</td><td>37.27</td><td>0.00</td><td>100</td><td>313</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.20	71.15	115.00	-43.85	62.05	34.91	11.49	37.30	0.00	100	313	PEAK	2	5857.20	67.89	110.28	-42.39	58.76	34.93	11.50	37.30	0.00	100	313	PEAK	3	5924.80	49.07	68.35	-19.28	39.63	35.17	11.55	37.28	0.00	100	313	PEAK	4	5940.00	49.73	68.20	-18.47	40.22	35.22	11.56	37.27	0.00	100	313	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>111.69</td><td>-----</td><td>-----</td><td>102.71</td><td>34.80</td><td>11.47</td><td>37.29</td><td>0.00</td><td>100</td><td>313</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	111.69	-----	-----	102.71	34.80	11.47	37.29	0.00	100	313
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5853.20	71.15	115.00	-43.85	62.05	34.91	11.49	37.30	0.00	100	313	PEAK																																																																																																																														
2	5857.20	67.89	110.28	-42.39	58.76	34.93	11.50	37.30	0.00	100	313	PEAK																																																																																																																														
3	5924.80	49.07	68.35	-19.28	39.63	35.17	11.55	37.28	0.00	100	313	PEAK																																																																																																																														
4	5940.00	49.73	68.20	-18.47	40.22	35.22	11.56	37.27	0.00	100	313	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5825.00	111.69	-----	-----	102.71	34.80	11.47	37.29	0.00	100	313	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>103.49</td><td>-----</td><td>-----</td><td>94.51</td><td>34.80</td><td>11.47</td><td>37.29</td><td>0.00</td><td>100</td><td>313</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	103.49	-----	-----	94.51	34.80	11.47	37.29	0.00	100	313	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5825.00	103.49	-----	-----	94.51	34.80	11.47	37.29	0.00	100	313	AVERAGE																																																																																																																														




Mode	49																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																																										
ANT	CDD 6+17																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.60</td><td>67.42</td><td>114.09</td><td>-46.67</td><td>58.32</td><td>34.91</td><td>11.49</td><td>37.30</td><td>0.00</td><td>369</td><td>21</td><td>PEAK</td></tr><tr><td>2</td><td>5857.60</td><td>67.20</td><td>110.17</td><td>-42.97</td><td>58.07</td><td>34.93</td><td>11.50</td><td>37.30</td><td>0.00</td><td>369</td><td>21</td><td>PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>49.40</td><td>69.53</td><td>-20.13</td><td>39.96</td><td>35.17</td><td>11.55</td><td>37.28</td><td>0.00</td><td>369</td><td>21</td><td>PEAK</td></tr><tr><td>4</td><td>5941.60</td><td>49.64</td><td>68.20</td><td>-18.56</td><td>40.13</td><td>35.22</td><td>11.56</td><td>37.27</td><td>0.00</td><td>369</td><td>21</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.60	67.42	114.09	-46.67	58.32	34.91	11.49	37.30	0.00	369	21	PEAK	2	5857.60	67.20	110.17	-42.97	58.07	34.93	11.50	37.30	0.00	369	21	PEAK	3	5923.20	49.40	69.53	-20.13	39.96	35.17	11.55	37.28	0.00	369	21	PEAK	4	5941.60	49.64	68.20	-18.56	40.13	35.22	11.56	37.27	0.00	369	21	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>112.37</td><td>-----</td><td>-----</td><td>103.39</td><td>34.80</td><td>11.47</td><td>37.29</td><td>0.00</td><td>369</td><td>21</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	112.37	-----	-----	103.39	34.80	11.47	37.29	0.00	369	21	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5853.60	67.42	114.09	-46.67	58.32	34.91	11.49	37.30	0.00	369	21	PEAK																																																																																																																															
2	5857.60	67.20	110.17	-42.97	58.07	34.93	11.50	37.30	0.00	369	21	PEAK																																																																																																																															
3	5923.20	49.40	69.53	-20.13	39.96	35.17	11.55	37.28	0.00	369	21	PEAK																																																																																																																															
4	5941.60	49.64	68.20	-18.56	40.13	35.22	11.56	37.27	0.00	369	21	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5825.00	112.37	-----	-----	103.39	34.80	11.47	37.29	0.00	369	21	PEAK																																																																																																																															
Avg	Blank						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>103.47</td><td>-----</td><td>-----</td><td>94.49</td><td>34.80</td><td>11.47</td><td>37.29</td><td>0.00</td><td>369</td><td>21</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	103.47	-----	-----	94.49	34.80	11.47	37.29	0.00	369	21	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5825.00	103.47	-----	-----	94.49	34.80	11.47	37.29	0.00	369	21	AVERAGE																																																																																																																															







		50																																																																																
Mode		Band Edge - L																																																																																
		U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																
ANT		CDD 6+17																																																																																
Pol.		Horizontal						Fundamental																																																																										
Peak																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5635.50	49.51	68.20	-18.69	41.09	34.44	11.20	37.22	0.00	124	313	PEAK	2	5652.55	50.05	70.10	-20.05	41.60	34.45	11.22	37.22	0.00	124	313	PEAK	3	5701.22	55.72	105.64	-49.92	47.17	34.50	11.29	37.24	0.00	124	313	PEAK	4	5720.75	59.50	112.60	-53.10	50.89	34.54	11.32	37.25	0.00	124	313
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5635.50	49.51	68.20	-18.69	41.09	34.44	11.20	37.22	0.00	124	313	PEAK																																																																						
2	5652.55	50.05	70.10	-20.05	41.60	34.45	11.22	37.22	0.00	124	313	PEAK																																																																						
3	5701.22	55.72	105.64	-49.92	47.17	34.50	11.29	37.24	0.00	124	313	PEAK																																																																						
4	5720.75	59.50	112.60	-53.10	50.89	34.54	11.32	37.25	0.00	124	313	PEAK																																																																						
Avg																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	107.87	-----	-----	99.16	34.60	11.37	37.26	0.00	124	313	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5755.00	107.87	-----	-----	99.16	34.60	11.37	37.26	0.00	124	313	PEAK																																																																						
Blank																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	101.01	-----	-----	92.27	34.62	11.38	37.26	0.00	124	313	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5755.00	101.01	-----	-----	92.27	34.62	11.38	37.26	0.00	124	313	AVERAGE																																																																						
Avg																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	101.01	-----	-----	92.27	34.62	11.38	37.26	0.00	124	313	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5755.00	101.01	-----	-----	92.27	34.62	11.38	37.26	0.00	124	313	AVERAGE																																																																						




Mode	50																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																														
ANT	CDD 6+17																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>47.67</td><td>111.26</td><td>-63.59</td><td>38.56</td><td>34.92</td><td>11.49</td><td>37.30</td><td>0.00</td><td>124</td><td>313</td><td>PEAK</td></tr><tr><td>2</td><td>5871.61</td><td>49.33</td><td>106.25</td><td>-56.92</td><td>40.12</td><td>34.99</td><td>11.51</td><td>37.29</td><td>0.00</td><td>124</td><td>313</td><td>PEAK</td></tr><tr><td>3</td><td>5924.26</td><td>47.82</td><td>68.75</td><td>-20.93</td><td>38.38</td><td>35.17</td><td>11.55</td><td>37.28</td><td>0.00</td><td>124</td><td>313</td><td>PEAK</td></tr><tr><td>4</td><td>5928.16</td><td>49.42</td><td>68.20</td><td>-18.78</td><td>39.97</td><td>35.18</td><td>11.55</td><td>37.28</td><td>0.00</td><td>124</td><td>313</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	47.67	111.26	-63.59	38.56	34.92	11.49	37.30	0.00	124	313	PEAK	2	5871.61	49.33	106.25	-56.92	40.12	34.99	11.51	37.29	0.00	124	313	PEAK	3	5924.26	47.82	68.75	-20.93	38.38	35.17	11.55	37.28	0.00	124	313	PEAK	4	5928.16	49.42	68.20	-18.78	39.97	35.18	11.55	37.28	0.00	124	313	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.84	47.67	111.26	-63.59	38.56	34.92	11.49	37.30	0.00	124	313	PEAK																																																																																			
2	5871.61	49.33	106.25	-56.92	40.12	34.99	11.51	37.29	0.00	124	313	PEAK																																																																																			
3	5924.26	47.82	68.75	-20.93	38.38	35.17	11.55	37.28	0.00	124	313	PEAK																																																																																			
4	5928.16	49.42	68.20	-18.78	39.97	35.18	11.55	37.28	0.00	124	313	PEAK																																																																																			






Mode	50																																																																																													
	Band Edge - L																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																													
ANT	CDD 6+17																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5648.21</td><td>50.11</td><td>68.20</td><td>-18.09</td><td>41.66</td><td>34.45</td><td>11.22</td><td>37.22</td><td>0.00</td><td>315</td><td>272</td><td>PEAK</td></tr><tr><td>2</td><td>5650.38</td><td>48.44</td><td>68.48</td><td>-20.04</td><td>39.99</td><td>34.45</td><td>11.22</td><td>37.22</td><td>0.00</td><td>315</td><td>272</td><td>PEAK</td></tr><tr><td>3</td><td>5709.90</td><td>60.26</td><td>108.07</td><td>-47.81</td><td>51.68</td><td>34.52</td><td>11.31</td><td>37.25</td><td>0.00</td><td>315</td><td>272</td><td>PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>56.21</td><td>111.19</td><td>-54.98</td><td>47.60</td><td>34.54</td><td>11.32</td><td>37.25</td><td>0.00</td><td>315</td><td>272</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5648.21	50.11	68.20	-18.09	41.66	34.45	11.22	37.22	0.00	315	272	PEAK	2	5650.38	48.44	68.48	-20.04	39.99	34.45	11.22	37.22	0.00	315	272	PEAK	3	5709.90	60.26	108.07	-47.81	51.68	34.52	11.31	37.25	0.00	315	272	PEAK	4	5720.13	56.21	111.19	-54.98	47.60	34.54	11.32	37.25	0.00	315	272
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5648.21	50.11	68.20	-18.09	41.66	34.45	11.22	37.22	0.00	315	272	PEAK																																																																																		
2	5650.38	48.44	68.48	-20.04	39.99	34.45	11.22	37.22	0.00	315	272	PEAK																																																																																		
3	5709.90	60.26	108.07	-47.81	51.68	34.52	11.31	37.25	0.00	315	272	PEAK																																																																																		
4	5720.13	56.21	111.19	-54.98	47.60	34.54	11.32	37.25	0.00	315	272	PEAK																																																																																		
Avg																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>111.34</td><td>-----</td><td>-----</td><td>102.63</td><td>34.60</td><td>11.37</td><td>37.26</td><td>0.00</td><td>315</td><td>272</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	111.34	-----	-----	102.63	34.60	11.37	37.26	0.00	315	272	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5755.00	111.34	-----	-----	102.63	34.60	11.37	37.26	0.00	315	272	PEAK																																																																																		
Blank																																																																																														
																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>100.36</td><td>-----</td><td>-----</td><td>91.65</td><td>34.60</td><td>11.37</td><td>37.26</td><td>0.00</td><td>315</td><td>272</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	100.36	-----	-----	91.65	34.60	11.37	37.26	0.00	315	272	AVERAGE																																						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5755.00	100.36	-----	-----	91.65	34.60	11.37	37.26	0.00	315	272	AVERAGE																																																																																		




Mode	50																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																														
ANT	CDD 6+17																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>48.13</td><td>111.26</td><td>-63.13</td><td>39.02</td><td>34.92</td><td>11.49</td><td>37.30</td><td>0.00</td><td>315</td><td>272</td><td>PEAK</td></tr><tr><td>2</td><td>5870.05</td><td>49.24</td><td>106.68</td><td>-57.44</td><td>40.05</td><td>34.98</td><td>11.51</td><td>37.30</td><td>0.00</td><td>315</td><td>272</td><td>PEAK</td></tr><tr><td>3</td><td>5923.87</td><td>49.40</td><td>69.03</td><td>-19.63</td><td>39.96</td><td>35.17</td><td>11.55</td><td>37.28</td><td>0.00</td><td>315</td><td>272</td><td>PEAK</td></tr><tr><td>4</td><td>5943.57</td><td>49.88</td><td>68.20</td><td>-18.32</td><td>40.36</td><td>35.23</td><td>11.56</td><td>37.27</td><td>0.00</td><td>315</td><td>272</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	48.13	111.26	-63.13	39.02	34.92	11.49	37.30	0.00	315	272	PEAK	2	5870.05	49.24	106.68	-57.44	40.05	34.98	11.51	37.30	0.00	315	272	PEAK	3	5923.87	49.40	69.03	-19.63	39.96	35.17	11.55	37.28	0.00	315	272	PEAK	4	5943.57	49.88	68.20	-18.32	40.36	35.23	11.56	37.27	0.00	315	272	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.84	48.13	111.26	-63.13	39.02	34.92	11.49	37.30	0.00	315	272	PEAK																																																																																			
2	5870.05	49.24	106.68	-57.44	40.05	34.98	11.51	37.30	0.00	315	272	PEAK																																																																																			
3	5923.87	49.40	69.03	-19.63	39.96	35.17	11.55	37.28	0.00	315	272	PEAK																																																																																			
4	5943.57	49.88	68.20	-18.32	40.36	35.23	11.56	37.27	0.00	315	272	PEAK																																																																																			






Mode	51																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																			
ANT	CDD 6+17																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5604.00</td><td>49.07</td><td>68.20</td><td>-19.13</td><td>40.74</td><td>34.40</td><td>11.16</td><td>37.23</td><td>0.00</td><td>135 312 PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>48.47</td><td>69.39</td><td>-20.92</td><td>40.02</td><td>34.45</td><td>11.22</td><td>37.22</td><td>0.00</td><td>135 312 PEAK</td></tr><tr><td>3</td><td>5712.00</td><td>54.71</td><td>108.66</td><td>-53.95</td><td>46.13</td><td>34.52</td><td>11.31</td><td>37.25</td><td>0.00</td><td>135 312 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>54.24</td><td>112.72</td><td>-58.48</td><td>45.63</td><td>34.54</td><td>11.32</td><td>37.25</td><td>0.00</td><td>135 312 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5604.00	49.07	68.20	-19.13	40.74	34.40	11.16	37.23	0.00	135 312 PEAK	2	5651.60	48.47	69.39	-20.92	40.02	34.45	11.22	37.22	0.00	135 312 PEAK	3	5712.00	54.71	108.66	-53.95	46.13	34.52	11.31	37.25	0.00	135 312 PEAK	4	5720.00	54.24	112.72	-58.48	45.63	34.54	11.32	37.25	0.00	135 312 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>111.17</td><td>-----</td><td>-----</td><td>102.32</td><td>34.69</td><td>11.44</td><td>37.28</td><td>0.00</td><td>135 312 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	111.17	-----	-----	102.32	34.69	11.44	37.28	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5604.00	49.07	68.20	-19.13	40.74	34.40	11.16	37.23	0.00	135 312 PEAK																																																																																																																										
2	5651.60	48.47	69.39	-20.92	40.02	34.45	11.22	37.22	0.00	135 312 PEAK																																																																																																																										
3	5712.00	54.71	108.66	-53.95	46.13	34.52	11.31	37.25	0.00	135 312 PEAK																																																																																																																										
4	5720.00	54.24	112.72	-58.48	45.63	34.54	11.32	37.25	0.00	135 312 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	5795.00	111.17	-----	-----	102.32	34.69	11.44	37.28	0.00	135 312 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>101.50</td><td>-----</td><td>-----</td><td>92.65</td><td>34.69</td><td>11.44</td><td>37.28</td><td>0.00</td><td>135 312 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	101.50	-----	-----	92.65	34.69	11.44	37.28	0.00	135 312 AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	5795.00	101.50	-----	-----	92.65	34.69	11.44	37.28	0.00	135 312 AVERAGE																																																																																																																										




Mode	51																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																														
ANT	CDD 6+17																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>53.22</td><td>111.36</td><td>-58.14</td><td>44.11</td><td>34.92</td><td>11.49</td><td>37.30</td><td>0.00</td><td>135</td><td>312</td><td>PEAK</td></tr><tr><td>2</td><td>5868.40</td><td>54.72</td><td>107.15</td><td>-52.43</td><td>45.55</td><td>34.97</td><td>11.50</td><td>37.30</td><td>0.00</td><td>135</td><td>312</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>47.85</td><td>69.23</td><td>-21.38</td><td>38.41</td><td>35.17</td><td>11.55</td><td>37.28</td><td>0.00</td><td>135</td><td>312</td><td>PEAK</td></tr><tr><td>4</td><td>5964.80</td><td>49.81</td><td>68.20</td><td>-18.39</td><td>40.21</td><td>35.29</td><td>11.58</td><td>37.27</td><td>0.00</td><td>135</td><td>312</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	53.22	111.36	-58.14	44.11	34.92	11.49	37.30	0.00	135	312	PEAK	2	5868.40	54.72	107.15	-52.43	45.55	34.97	11.50	37.30	0.00	135	312	PEAK	3	5923.60	47.85	69.23	-21.38	38.41	35.17	11.55	37.28	0.00	135	312	PEAK	4	5964.80	49.81	68.20	-18.39	40.21	35.29	11.58	37.27	0.00	135	312	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.80	53.22	111.36	-58.14	44.11	34.92	11.49	37.30	0.00	135	312	PEAK																																																																																			
2	5868.40	54.72	107.15	-52.43	45.55	34.97	11.50	37.30	0.00	135	312	PEAK																																																																																			
3	5923.60	47.85	69.23	-21.38	38.41	35.17	11.55	37.28	0.00	135	312	PEAK																																																																																			
4	5964.80	49.81	68.20	-18.39	40.21	35.29	11.58	37.27	0.00	135	312	PEAK																																																																																			






Mode	51																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																										
ANT	CDD 6+17																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5639.60</td><td>48.84</td><td>68.20</td><td>-19.36</td><td>40.41</td><td>34.44</td><td>11.21</td><td>37.22</td><td>0.00</td><td>310</td><td>272</td><td>PEAK</td></tr><tr><td>2</td><td>5653.20</td><td>48.20</td><td>70.58</td><td>-22.38</td><td>39.75</td><td>34.45</td><td>11.22</td><td>37.22</td><td>0.00</td><td>310</td><td>272</td><td>PEAK</td></tr><tr><td>3</td><td>5705.20</td><td>54.68</td><td>106.76</td><td>-52.08</td><td>46.11</td><td>34.51</td><td>11.30</td><td>37.24</td><td>0.00</td><td>310</td><td>272</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>52.85</td><td>110.90</td><td>-58.05</td><td>44.24</td><td>34.54</td><td>11.32</td><td>37.25</td><td>0.00</td><td>310</td><td>272</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5639.60	48.84	68.20	-19.36	40.41	34.44	11.21	37.22	0.00	310	272	PEAK	2	5653.20	48.20	70.58	-22.38	39.75	34.45	11.22	37.22	0.00	310	272	PEAK	3	5705.20	54.68	106.76	-52.08	46.11	34.51	11.30	37.24	0.00	310	272	PEAK	4	5720.00	52.85	110.90	-58.05	44.24	34.54	11.32	37.25	0.00	310	272	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>108.63</td><td>-----</td><td>-----</td><td>99.78</td><td>34.69</td><td>11.44</td><td>37.28</td><td>0.00</td><td>310</td><td>272</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	108.63	-----	-----	99.78	34.69	11.44	37.28	0.00	310	272	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5639.60	48.84	68.20	-19.36	40.41	34.44	11.21	37.22	0.00	310	272	PEAK																																																																																																																															
2	5653.20	48.20	70.58	-22.38	39.75	34.45	11.22	37.22	0.00	310	272	PEAK																																																																																																																															
3	5705.20	54.68	106.76	-52.08	46.11	34.51	11.30	37.24	0.00	310	272	PEAK																																																																																																																															
4	5720.00	52.85	110.90	-58.05	44.24	34.54	11.32	37.25	0.00	310	272	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5795.00	108.63	-----	-----	99.78	34.69	11.44	37.28	0.00	310	272	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>100.44</td><td>-----</td><td>-----</td><td>91.59</td><td>34.69</td><td>11.44</td><td>37.28</td><td>0.00</td><td>310</td><td>272</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	100.44	-----	-----	91.59	34.69	11.44	37.28	0.00	310	272	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5795.00	100.44	-----	-----	91.59	34.69	11.44	37.28	0.00	310	272	AVERAGE																																																																																																																															




Mode	51																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																													
ANT	CDD 6+17																																																																																													
Pol.	Vertical							Fundamental																																																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>50.79</td><td>111.36</td><td>-60.57</td><td>41.68</td><td>34.92</td><td>11.49</td><td>37.30</td><td>0.00</td><td>310</td><td>272</td><td>PEAK</td></tr><tr><td>2</td><td>5874.80</td><td>50.83</td><td>105.36</td><td>-54.53</td><td>41.61</td><td>35.00</td><td>11.51</td><td>37.29</td><td>0.00</td><td>310</td><td>272</td><td>PEAK</td></tr><tr><td>3</td><td>5921.60</td><td>50.15</td><td>70.71</td><td>-20.56</td><td>40.72</td><td>35.16</td><td>11.55</td><td>37.28</td><td>0.00</td><td>310</td><td>272</td><td>PEAK</td></tr><tr><td>4</td><td>5936.40</td><td>49.24</td><td>68.20</td><td>-18.96</td><td>39.75</td><td>35.21</td><td>11.56</td><td>37.28</td><td>0.00</td><td>310</td><td>272</td><td>PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	50.79	111.36	-60.57	41.68	34.92	11.49	37.30	0.00	310	272	PEAK	2	5874.80	50.83	105.36	-54.53	41.61	35.00	11.51	37.29	0.00	310	272	PEAK	3	5921.60	50.15	70.71	-20.56	40.72	35.16	11.55	37.28	0.00	310	272	PEAK	4	5936.40	49.24	68.20	-18.96	39.75	35.21	11.56	37.28	0.00	310	272	PEAK	Blank			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5854.80	50.79	111.36	-60.57	41.68	34.92	11.49	37.30	0.00	310	272	PEAK																																																																																		
2	5874.80	50.83	105.36	-54.53	41.61	35.00	11.51	37.29	0.00	310	272	PEAK																																																																																		
3	5921.60	50.15	70.71	-20.56	40.72	35.16	11.55	37.28	0.00	310	272	PEAK																																																																																		
4	5936.40	49.24	68.20	-18.96	39.75	35.21	11.56	37.28	0.00	310	272	PEAK																																																																																		





Mode	52																																																																																																																																					
	Band Edge - L																																																																																																																																					
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																																					
ANT	CDD 6+17																																																																																																																																					
Pol.	Horizontal						Fundamental																																																																																																																															
Peak																																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5619.60</td><td>58.59</td><td>68.20</td><td>-9.61</td><td>50.21</td><td>34.42</td><td>11.18</td><td>37.22</td><td>0.00</td><td>131</td><td>313 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>57.98</td><td>68.50</td><td>-10.52</td><td>49.53</td><td>34.45</td><td>11.22</td><td>37.22</td><td>0.00</td><td>131</td><td>313 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>71.19</td><td>105.30</td><td>-34.11</td><td>62.64</td><td>34.50</td><td>11.29</td><td>37.24</td><td>0.00</td><td>131</td><td>313 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>75.40</td><td>110.90</td><td>-35.50</td><td>66.79</td><td>34.54</td><td>11.32</td><td>37.25</td><td>0.00</td><td>131</td><td>313 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5619.60	58.59	68.20	-9.61	50.21	34.42	11.18	37.22	0.00	131	313 PEAK	2	5650.40	57.98	68.50	-10.52	49.53	34.45	11.22	37.22	0.00	131	313 PEAK	3	5700.00	71.19	105.30	-34.11	62.64	34.50	11.29	37.24	0.00	131	313 PEAK	4	5720.00	75.40	110.90	-35.50	66.79	34.54	11.32	37.25	0.00	131	313 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>106.55</td><td>-----</td><td>-----</td><td>97.86</td><td>34.59</td><td>11.36</td><td>37.26</td><td>0.00</td><td>131</td><td>313 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	106.55	-----	-----	97.86	34.59	11.36	37.26	0.00	131	313 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5619.60	58.59	68.20	-9.61	50.21	34.42	11.18	37.22	0.00	131	313 PEAK																																																																																																																											
2	5650.40	57.98	68.50	-10.52	49.53	34.45	11.22	37.22	0.00	131	313 PEAK																																																																																																																											
3	5700.00	71.19	105.30	-34.11	62.64	34.50	11.29	37.24	0.00	131	313 PEAK																																																																																																																											
4	5720.00	75.40	110.90	-35.50	66.79	34.54	11.32	37.25	0.00	131	313 PEAK																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5775.00	106.55	-----	-----	97.86	34.59	11.36	37.26	0.00	131	313 PEAK																																																																																																																											
Avg	Blank																																																																																																																																					
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>96.86</td><td>-----</td><td>-----</td><td>88.05</td><td>34.66</td><td>11.42</td><td>37.27</td><td>0.00</td><td>131</td><td>313 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	96.86	-----	-----	88.05	34.66	11.42	37.27	0.00	131	313 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5775.00	96.86	-----	-----	88.05	34.66	11.42	37.27	0.00	131	313 AVERAGE																																																																																																																											




Mode	52																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																														
ANT	CDD 6+17																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.60</td><td>70.65</td><td>114.09</td><td>-43.44</td><td>61.55</td><td>34.91</td><td>11.49</td><td>37.30</td><td>0.00</td><td>131</td><td>313</td><td>PEAK</td></tr><tr><td>2</td><td>5870.40</td><td>67.84</td><td>106.59</td><td>-38.75</td><td>58.65</td><td>34.98</td><td>11.51</td><td>37.30</td><td>0.00</td><td>131</td><td>313</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>52.21</td><td>68.35</td><td>-16.14</td><td>42.77</td><td>35.17</td><td>11.55</td><td>37.28</td><td>0.00</td><td>131</td><td>313</td><td>PEAK</td></tr><tr><td>4</td><td>5934.00</td><td>50.83</td><td>68.20</td><td>-17.37</td><td>41.35</td><td>35.20</td><td>11.56</td><td>37.28</td><td>0.00</td><td>131</td><td>313</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.60	70.65	114.09	-43.44	61.55	34.91	11.49	37.30	0.00	131	313	PEAK	2	5870.40	67.84	106.59	-38.75	58.65	34.98	11.51	37.30	0.00	131	313	PEAK	3	5924.80	52.21	68.35	-16.14	42.77	35.17	11.55	37.28	0.00	131	313	PEAK	4	5934.00	50.83	68.20	-17.37	41.35	35.20	11.56	37.28	0.00	131	313	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5853.60	70.65	114.09	-43.44	61.55	34.91	11.49	37.30	0.00	131	313	PEAK																																																																																			
2	5870.40	67.84	106.59	-38.75	58.65	34.98	11.51	37.30	0.00	131	313	PEAK																																																																																			
3	5924.80	52.21	68.35	-16.14	42.77	35.17	11.55	37.28	0.00	131	313	PEAK																																																																																			
4	5934.00	50.83	68.20	-17.37	41.35	35.20	11.56	37.28	0.00	131	313	PEAK																																																																																			





		52																																																																																										
Mode		Band Edge - L																																																																																										
		U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																										
ANT		CDD 6+17																																																																																										
Pol.		Vertical					Fundamental																																																																																					
Peak																																																																																												
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5642.80</td><td>58.64</td><td>68.20</td><td>-9.56</td><td>50.21</td><td>34.44</td><td>11.21</td><td>37.22</td><td>0.00</td><td>287</td><td>278</td><td>PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>60.27</td><td>69.39</td><td>-9.12</td><td>51.82</td><td>34.45</td><td>11.22</td><td>37.22</td><td>0.00</td><td>287</td><td>278</td><td>PEAK</td></tr><tr><td>3</td><td>5717.20</td><td>75.01</td><td>110.12</td><td>-35.11</td><td>66.41</td><td>34.53</td><td>11.32</td><td>37.25</td><td>0.00</td><td>287</td><td>278</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>70.46</td><td>110.90</td><td>-40.44</td><td>61.85</td><td>34.54</td><td>11.32</td><td>37.25</td><td>0.00</td><td>287</td><td>278</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5642.80	58.64	68.20	-9.56	50.21	34.44	11.21	37.22	0.00	287	278	PEAK	2	5651.60	60.27	69.39	-9.12	51.82	34.45	11.22	37.22	0.00	287	278	PEAK	3	5717.20	75.01	110.12	-35.11	66.41	34.53	11.32	37.25	0.00	287	278	PEAK	4	5720.00	70.46	110.90	-40.44	61.85	34.54	11.32	37.25	0.00	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5642.80	58.64	68.20	-9.56	50.21	34.44	11.21	37.22	0.00	287	278	PEAK																																																																																
2	5651.60	60.27	69.39	-9.12	51.82	34.45	11.22	37.22	0.00	287	278	PEAK																																																																																
3	5717.20	75.01	110.12	-35.11	66.41	34.53	11.32	37.25	0.00	287	278	PEAK																																																																																
4	5720.00	70.46	110.90	-40.44	61.85	34.54	11.32	37.25	0.00	287	278	PEAK																																																																																
Avg		Blank																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>96.86</td><td>-----</td><td>-----</td><td>88.05</td><td>34.66</td><td>11.42</td><td>37.27</td><td>0.00</td><td>287</td><td>278</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	96.86	-----	-----	88.05	34.66	11.42	37.27	0.00	287	278	AVERAGE																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5775.00	96.86	-----	-----	88.05	34.66	11.42	37.27	0.00	287	278	AVERAGE																																																																																





Mode	52																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																													
ANT	CDD 6+17																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>63.42</td><td>112.27</td><td>-48.85</td><td>54.31</td><td>34.92</td><td>11.49</td><td>37.30</td><td>0.00</td><td>287</td><td>278</td><td>PEAK</td></tr><tr><td>2</td><td>5862.80</td><td>68.68</td><td>108.71</td><td>-40.03</td><td>59.53</td><td>34.95</td><td>11.50</td><td>37.30</td><td>0.00</td><td>287</td><td>278</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>48.89</td><td>68.35</td><td>-19.46</td><td>39.45</td><td>35.17</td><td>11.55</td><td>37.28</td><td>0.00</td><td>287</td><td>278</td><td>PEAK</td></tr><tr><td>4</td><td>5928.80</td><td>49.92</td><td>68.20</td><td>-18.28</td><td>40.46</td><td>35.19</td><td>11.55</td><td>37.28</td><td>0.00</td><td>287</td><td>278</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	63.42	112.27	-48.85	54.31	34.92	11.49	37.30	0.00	287	278	PEAK	2	5862.80	68.68	108.71	-40.03	59.53	34.95	11.50	37.30	0.00	287	278	PEAK	3	5924.80	48.89	68.35	-19.46	39.45	35.17	11.55	37.28	0.00	287	278	PEAK	4	5928.80	49.92	68.20	-18.28	40.46	35.19	11.55	37.28	0.00	287	278	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5854.40	63.42	112.27	-48.85	54.31	34.92	11.49	37.30	0.00	287	278	PEAK																																																																																		
2	5862.80	68.68	108.71	-40.03	59.53	34.95	11.50	37.30	0.00	287	278	PEAK																																																																																		
3	5924.80	48.89	68.35	-19.46	39.45	35.17	11.55	37.28	0.00	287	278	PEAK																																																																																		
4	5928.80	49.92	68.20	-18.28	40.46	35.19	11.55	37.28	0.00	287	278	PEAK																																																																																		





		10																																																																																																		
Mode		Harmonic																																																																																																		
		U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full_5180MHz																																																																																																		
ANT		CDD 6+17																																																																																																		
Pol.		Horizontal					Vertical																																																																																													
Peak Avg	Level (dBuV/m) Date: 2024-05-29  PART 15.407 PART 15.407 AVG <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>10360.00</td><td>49.42</td><td>68.30</td><td>-18.88</td><td>62.28</td><td>38.74</td><td>12.06</td><td>63.66</td></tr><tr><td>2</td><td>15540.00</td><td>50.34</td><td>74.00</td><td>-23.66</td><td>59.02</td><td>40.73</td><td>14.58</td><td>63.99</td></tr></tbody></table> Level (dBuV/m) Date: 2024-05-29  PART 15.407 PART 15.407 AVG <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>10360.00</td><td>53.00</td><td>68.30</td><td>-15.30</td><td>65.86</td><td>38.74</td><td>12.06</td><td>63.66</td></tr><tr><td>2</td><td>15540.00</td><td>49.73</td><td>74.00</td><td>-24.27</td><td>58.41</td><td>40.73</td><td>14.58</td><td>63.99</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10360.00	49.42	68.30	-18.88	62.28	38.74	12.06	63.66	2	15540.00	50.34	74.00	-23.66	59.02	40.73	14.58	63.99		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10360.00	53.00	68.30	-15.30	65.86	38.74	12.06	63.66	2	15540.00	49.73	74.00	-24.27	58.41	40.73	14.58	63.99
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																												
1	10360.00	49.42	68.30	-18.88	62.28	38.74	12.06	63.66																																																																																												
2	15540.00	50.34	74.00	-23.66	59.02	40.73	14.58	63.99																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																												
1	10360.00	53.00	68.30	-15.30	65.86	38.74	12.06	63.66																																																																																												
2	15540.00	49.73	74.00	-24.27	58.41	40.73	14.58	63.99																																																																																												





Mode	11																																																																																																	
	Harmonic																																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE20_CH44_Full_5220MHz																																																																																																	
ANT	CDD 6+17																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	Level (dBuV/m) Date: 2024-05-29 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 10440.00</td><td>47.35</td><td>68.30</td><td>-20.95</td><td>60.08</td><td>38.78</td><td>12.12</td><td>63.63</td><td>---</td><td>Peak</td></tr><tr><td>2 15660.00</td><td>50.89</td><td>74.00</td><td>-23.11</td><td>59.45</td><td>40.83</td><td>14.64</td><td>64.03</td><td>---</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10440.00	47.35	68.30	-20.95	60.08	38.78	12.12	63.63	---	Peak	2 15660.00	50.89	74.00	-23.11	59.45	40.83	14.64	64.03	---	Peak	Level (dBuV/m) Date: 2024-05-29 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 10440.00</td><td>53.96</td><td>68.30</td><td>-14.34</td><td>66.69</td><td>38.78</td><td>12.12</td><td>63.63</td><td>103</td><td>296 Peak</td></tr><tr><td>2 15660.00</td><td>49.60</td><td>74.00</td><td>-24.40</td><td>58.16</td><td>40.83</td><td>14.64</td><td>64.03</td><td>---</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10440.00	53.96	68.30	-14.34	66.69	38.78	12.12	63.63	103	296 Peak	2 15660.00	49.60	74.00	-24.40	58.16	40.83	14.64	64.03	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 10440.00	47.35	68.30	-20.95	60.08	38.78	12.12	63.63	---	Peak																																																																																									
2 15660.00	50.89	74.00	-23.11	59.45	40.83	14.64	64.03	---	Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 10440.00	53.96	68.30	-14.34	66.69	38.78	12.12	63.63	103	296 Peak																																																																																									
2 15660.00	49.60	74.00	-24.40	58.16	40.83	14.64	64.03	---	Peak																																																																																									





Mode	12																																																																																																					
	Harmonic																																																																																																					
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_Full_5240MHz																																																																																																					
ANT	CDD 6+17																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	Level (dBuV/m) Date: 2024-05-29 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10480.00</td><td>47.23</td><td>68.30</td><td>-21.07</td><td>59.90</td><td>38.79</td><td>12.15</td><td>63.61</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 15720.00</td><td>49.93</td><td>74.00</td><td>-24.07</td><td>58.44</td><td>40.88</td><td>14.66</td><td>64.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10480.00	47.23	68.30	-21.07	59.90	38.79	12.15	63.61	---	---	Peak	2 15720.00	49.93	74.00	-24.07	58.44	40.88	14.66	64.05	---	---	Peak	Level (dBuV/m) Date: 2024-05-29 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10480.00</td><td>54.27</td><td>68.30</td><td>-14.03</td><td>66.94</td><td>38.79</td><td>12.15</td><td>63.61</td><td>102</td><td>297</td><td>Peak</td></tr><tr><td>2 15720.00</td><td>50.04</td><td>74.00</td><td>-23.96</td><td>58.55</td><td>40.88</td><td>14.66</td><td>64.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10480.00	54.27	68.30	-14.03	66.94	38.79	12.15	63.61	102	297	Peak	2 15720.00	50.04	74.00	-23.96	58.55	40.88	14.66	64.05	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 10480.00	47.23	68.30	-21.07	59.90	38.79	12.15	63.61	---	---	Peak																																																																																												
2 15720.00	49.93	74.00	-24.07	58.44	40.88	14.66	64.05	---	---	Peak																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 10480.00	54.27	68.30	-14.03	66.94	38.79	12.15	63.61	102	297	Peak																																																																																												
2 15720.00	50.04	74.00	-23.96	58.55	40.88	14.66	64.05	---	---	Peak																																																																																												





Mode	13																																																																																																																				
	Harmonic																																																																																																																				
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_Full_5280MHz																																																																																																																				
ANT	CDD 6+17																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																														
Peak Avg																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>48.10</td><td>68.30</td><td>-20.20</td><td>60.71</td><td>38.81</td><td>12.18</td><td>63.60</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15780.00</td><td>49.78</td><td>74.00</td><td>-24.22</td><td>58.24</td><td>40.92</td><td>14.69</td><td>64.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10520.00	48.10	68.30	-20.20	60.71	38.81	12.18	63.60	---	---	Peak	2	15780.00	49.78	74.00	-24.22	58.24	40.92	14.69	64.07	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>54.69</td><td>68.30</td><td>-13.61</td><td>67.30</td><td>38.81</td><td>12.18</td><td>63.60</td><td>100</td><td>298</td><td>Peak</td></tr><tr><td>2</td><td>15780.00</td><td>50.86</td><td>74.00</td><td>-23.14</td><td>59.32</td><td>40.92</td><td>14.69</td><td>64.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	54.69	68.30	-13.61	67.30	38.81	12.18	63.60	100	298	Peak	2	15780.00	50.86	74.00	-23.14	59.32	40.92	14.69	64.07	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																												
1	10520.00	48.10	68.30	-20.20	60.71	38.81	12.18	63.60	---	---	Peak																																																																																																										
2	15780.00	49.78	74.00	-24.22	58.24	40.92	14.69	64.07	---	---	Peak																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	10520.00	54.69	68.30	-13.61	67.30	38.81	12.18	63.60	100	298	Peak																																																																																																										
2	15780.00	50.86	74.00	-23.14	59.32	40.92	14.69	64.07	---	---	Peak																																																																																																										





Mode	14																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_Full_5300MHz																																																																																																																									
ANT	CDD 6+17																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>48.23</td><td>74.00</td><td>-25.77</td><td>60.73</td><td>38.84</td><td>12.23</td><td>63.57</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15900.00</td><td>49.44</td><td>74.00</td><td>-24.56</td><td>57.78</td><td>41.02</td><td>14.75</td><td>64.11</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10600.00	48.23	74.00	-25.77	60.73	38.84	12.23	63.57	---	Peak	2	15900.00	49.44	74.00	-24.56	57.78	41.02	14.75	64.11	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>54.71</td><td>74.00</td><td>-19.29</td><td>67.21</td><td>38.84</td><td>12.23</td><td>63.57</td><td>100</td><td>295 Peak</td></tr><tr><td>2</td><td>10600.00</td><td>45.67</td><td>54.00</td><td>-8.33</td><td>58.17</td><td>38.84</td><td>12.23</td><td>63.57</td><td>100</td><td>295 Average</td></tr><tr><td>3</td><td>15900.00</td><td>49.53</td><td>74.00</td><td>-24.47</td><td>57.87</td><td>41.02</td><td>14.75</td><td>64.11</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10600.00	54.71	74.00	-19.29	67.21	38.84	12.23	63.57	100	295 Peak	2	10600.00	45.67	54.00	-8.33	58.17	38.84	12.23	63.57	100	295 Average	3	15900.00	49.53	74.00	-24.47	57.87	41.02	14.75	64.11	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																	
1	10600.00	48.23	74.00	-25.77	60.73	38.84	12.23	63.57	---	Peak																																																																																																																
2	15900.00	49.44	74.00	-24.56	57.78	41.02	14.75	64.11	---	Peak																																																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																	
1	10600.00	54.71	74.00	-19.29	67.21	38.84	12.23	63.57	100	295 Peak																																																																																																																
2	10600.00	45.67	54.00	-8.33	58.17	38.84	12.23	63.57	100	295 Average																																																																																																																
3	15900.00	49.53	74.00	-24.47	57.87	41.02	14.75	64.11	---	Peak																																																																																																																





		15																																																																																
Mode		Harmonic																																																																																
		U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz																																																																																
ANT		CDD 6+17																																																																																
Pol.		Horizontal																																																																																
Peak Avg	Level (dBuV/m) Date: 2024-05-29 																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10640.00</td><td>47.34</td><td>74.00</td><td>-26.66</td><td>59.77</td><td>38.86</td><td>12.26</td><td>63.55</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15960.00</td><td>50.36</td><td>74.00</td><td>-23.64</td><td>58.65</td><td>41.07</td><td>14.77</td><td>64.13</td><td>---</td><td>---</td><td>Peak</td></tr></table>														Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10640.00	47.34	74.00	-26.66	59.77	38.86	12.26	63.55	---	---	Peak	2	15960.00	50.36	74.00	-23.64	58.65	41.07	14.77	64.13	---	---	Peak											
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	10640.00	47.34	74.00	-26.66	59.77	38.86	12.26	63.55	---	---	Peak																																																																							
2	15960.00	50.36	74.00	-23.64	58.65	41.07	14.77	64.13	---	---	Peak																																																																							
Level (dBuV/m) Date: 2024-05-29 																																																																																		
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10640.00</td><td>53.69</td><td>74.00</td><td>-20.31</td><td>66.12</td><td>38.86</td><td>12.26</td><td>63.55</td><td>100</td><td>296</td><td>Peak</td></tr><tr><td>2</td><td>10640.00</td><td>44.67</td><td>54.00</td><td>-9.33</td><td>57.10</td><td>38.86</td><td>12.26</td><td>63.55</td><td>100</td><td>296</td><td>Average</td></tr><tr><td>3</td><td>15960.00</td><td>50.18</td><td>74.00</td><td>-23.82</td><td>58.47</td><td>41.07</td><td>14.77</td><td>64.13</td><td>---</td><td>---</td><td>Peak</td></tr></table>														Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10640.00	53.69	74.00	-20.31	66.12	38.86	12.26	63.55	100	296	Peak	2	10640.00	44.67	54.00	-9.33	57.10	38.86	12.26	63.55	100	296	Average	3	15960.00	50.18	74.00	-23.82	58.47	41.07	14.77	64.13	---	---	Peak
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	10640.00	53.69	74.00	-20.31	66.12	38.86	12.26	63.55	100	296	Peak																																																																							
2	10640.00	44.67	54.00	-9.33	57.10	38.86	12.26	63.55	100	296	Average																																																																							
3	15960.00	50.18	74.00	-23.82	58.47	41.07	14.77	64.13	---	---	Peak																																																																							





		16																																																																																																																																
Mode		Harmonic																																																																																																																																
		U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																																																																																
ANT		CDD 6+17																																																																																																																																
Pol.		Horizontal					Vertical																																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2024-05-29  <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11000.00</td><td>49.50</td><td>74.00</td><td>-24.50</td><td>61.40</td><td>39.00</td><td>12.52</td><td>63.42</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16500.00</td><td>49.71</td><td>68.30</td><td>-18.59</td><td>57.85</td><td>41.35</td><td>15.17</td><td>64.66</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table> Level (dBuV/m) Date: 2024-05-29  <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11000.00</td><td>54.65</td><td>74.00</td><td>-19.35</td><td>66.55</td><td>39.00</td><td>12.52</td><td>63.42</td><td>100</td><td>298</td><td>Peak</td></tr><tr><td>2</td><td>11000.00</td><td>45.44</td><td>54.00</td><td>-8.56</td><td>57.34</td><td>39.00</td><td>12.52</td><td>63.42</td><td>100</td><td>298</td><td>Average</td></tr><tr><td>3</td><td>16500.00</td><td>50.35</td><td>68.30</td><td>-17.95</td><td>58.49</td><td>41.35</td><td>15.17</td><td>64.66</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11000.00	49.50	74.00	-24.50	61.40	39.00	12.52	63.42	---	---	Peak	2	16500.00	49.71	68.30	-18.59	57.85	41.35	15.17	64.66	---	---	Peak		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11000.00	54.65	74.00	-19.35	66.55	39.00	12.52	63.42	100	298	Peak	2	11000.00	45.44	54.00	-8.56	57.34	39.00	12.52	63.42	100	298	Average	3	16500.00	50.35	68.30	-17.95	58.49	41.35	15.17	64.66	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11000.00	49.50	74.00	-24.50	61.40	39.00	12.52	63.42	---	---	Peak																																																																																																																							
2	16500.00	49.71	68.30	-18.59	57.85	41.35	15.17	64.66	---	---	Peak																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11000.00	54.65	74.00	-19.35	66.55	39.00	12.52	63.42	100	298	Peak																																																																																																																							
2	11000.00	45.44	54.00	-8.56	57.34	39.00	12.52	63.42	100	298	Average																																																																																																																							
3	16500.00	50.35	68.30	-17.95	58.49	41.35	15.17	64.66	---	---	Peak																																																																																																																							







Mode	17																																																																																																																														
	Harmonic																																																																																																																														
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz																																																																																																																														
ANT	CDD 6+17																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																								
Peak Avg																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>50.48</td><td>74.00</td><td>-23.52</td><td>62.21</td><td>39.06</td><td>12.64</td><td>63.43</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16740.00</td><td>48.96</td><td>68.30</td><td>-19.34</td><td>57.05</td><td>41.47</td><td>15.35</td><td>64.91</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11160.00	50.48	74.00	-23.52	62.21	39.06	12.64	63.43	---	---	Peak	2	16740.00	48.96	68.30	-19.34	57.05	41.47	15.35	64.91	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>55.04</td><td>74.00</td><td>-18.96</td><td>66.77</td><td>39.06</td><td>12.64</td><td>63.43</td><td>100</td><td>297</td><td>Peak</td></tr><tr><td>2</td><td>11160.00</td><td>45.65</td><td>54.00</td><td>-8.35</td><td>57.38</td><td>39.06</td><td>12.64</td><td>63.43</td><td>100</td><td>297</td><td>Average</td></tr><tr><td>3</td><td>16740.00</td><td>49.57</td><td>68.30</td><td>-18.73</td><td>57.66</td><td>41.47</td><td>15.35</td><td>64.91</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11160.00	55.04	74.00	-18.96	66.77	39.06	12.64	63.43	100	297	Peak	2	11160.00	45.65	54.00	-8.35	57.38	39.06	12.64	63.43	100	297	Average	3	16740.00	49.57	68.30	-18.73	57.66	41.47	15.35	64.91	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	11160.00	50.48	74.00	-23.52	62.21	39.06	12.64	63.43	---	---	Peak																																																																																																																				
2	16740.00	48.96	68.30	-19.34	57.05	41.47	15.35	64.91	---	---	Peak																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	11160.00	55.04	74.00	-18.96	66.77	39.06	12.64	63.43	100	297	Peak																																																																																																																				
2	11160.00	45.65	54.00	-8.35	57.38	39.06	12.64	63.43	100	297	Average																																																																																																																				
3	16740.00	49.57	68.30	-18.73	57.66	41.47	15.35	64.91	---	---	Peak																																																																																																																				



Mode	18																																																																																																																																									
	Harmonic																																																																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																																																																									
ANT	CDD 6+17																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																			
Peak Avg																																																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11400.00</td><td>48.72</td><td>74.00</td><td>-25.28</td><td>60.19</td><td>39.16</td><td>12.81</td><td>63.44</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17100.00</td><td>50.63</td><td>68.30</td><td>-17.67</td><td>58.53</td><td>41.71</td><td>15.62</td><td>65.23</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11400.00	48.72	74.00	-25.28	60.19	39.16	12.81	63.44	---	---	Peak	2	17100.00	50.63	68.30	-17.67	58.53	41.71	15.62	65.23	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11400.00</td><td>53.68</td><td>74.00</td><td>-20.32</td><td>65.15</td><td>39.16</td><td>12.81</td><td>63.44</td><td>100</td><td>294</td><td>Peak</td></tr><tr><td>2</td><td>11400.00</td><td>43.48</td><td>54.00</td><td>-10.52</td><td>54.95</td><td>39.16</td><td>12.81</td><td>63.44</td><td>100</td><td>294</td><td>Average</td></tr><tr><td>3</td><td>17100.00</td><td>49.38</td><td>68.30</td><td>-18.92</td><td>57.28</td><td>41.71</td><td>15.62</td><td>65.23</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11400.00	53.68	74.00	-20.32	65.15	39.16	12.81	63.44	100	294	Peak	2	11400.00	43.48	54.00	-10.52	54.95	39.16	12.81	63.44	100	294	Average	3	17100.00	49.38	68.30	-18.92	57.28	41.71	15.62	65.23	---	---
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	11400.00	48.72	74.00	-25.28	60.19	39.16	12.81	63.44	---	---	Peak																																																																																																																															
2	17100.00	50.63	68.30	-17.67	58.53	41.71	15.62	65.23	---	---	Peak																																																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	11400.00	53.68	74.00	-20.32	65.15	39.16	12.81	63.44	100	294	Peak																																																																																																																															
2	11400.00	43.48	54.00	-10.52	54.95	39.16	12.81	63.44	100	294	Average																																																																																																																															
3	17100.00	49.38	68.30	-18.92	57.28	41.71	15.62	65.23	---	---	Peak																																																																																																																															



Mode	19																																																																																											
	Band Edge																																																																																											
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial_5180MHz																																																																																											
ANT	CDD 6+17																																																																																											
Pol.	Horizontal					Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2024-05-28 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5135.00</td><td>52.87</td><td>74.00</td><td>-21.13</td><td>40.91</td><td>36.12</td><td>8.51</td><td>32.67</td><td>100</td><td>39 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5135.00	52.87	74.00	-21.13	40.91	36.12	8.51	32.67	100	39 PEAK	Level (dBuV/m) Date: 2024-05-28 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>110.71</td><td>-----</td><td>-----</td><td>98.71</td><td>36.10</td><td>8.57</td><td>32.67</td><td>100</td><td>39 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	110.71	-----	-----	98.71	36.10	8.57	32.67	100	39 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5135.00	52.87	74.00	-21.13	40.91	36.12	8.51	32.67	100	39 PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5180.00	110.71	-----	-----	98.71	36.10	8.57	32.67	100	39 PEAK																																																																																		
Avg	Level (dBuV/m) Date: 2024-05-28 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5137.16</td><td>43.14</td><td>54.00</td><td>-10.86</td><td>31.18</td><td>36.12</td><td>8.51</td><td>32.67</td><td>100</td><td>39 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5137.16	43.14	54.00	-10.86	31.18	36.12	8.51	32.67	100	39 AVERAGE	Level (dBuV/m) Date: 2024-05-28 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>103.54</td><td>-----</td><td>-----</td><td>91.54</td><td>36.10</td><td>8.57</td><td>32.67</td><td>100</td><td>39 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	103.54	-----	-----	91.54	36.10	8.57	32.67	100	39 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5137.16	43.14	54.00	-10.86	31.18	36.12	8.51	32.67	100	39 AVERAGE																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5180.00	103.54	-----	-----	91.54	36.10	8.57	32.67	100	39 AVERAGE																																																																																		



		19																																																																																								
Mode		Band Edge																																																																																								
		U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial_5180MHz																																																																																								
ANT		CDD 6+17																																																																																								
Pol.		Vertical					Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2024-05-28 500050365072510851445180 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5095.94</td><td>52.46</td><td>74.00</td><td>-21.54</td><td>40.56</td><td>36.14</td><td>8.44</td><td>32.68</td><td>283</td><td>0 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5095.94	52.46	74.00	-21.54	40.56	36.14	8.44	32.68	283	0 PEAK	Level (dBuV/m) Date: 2024-05-28 100022003400460058007000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5180.00</td><td>95.65</td><td>-----</td><td>-----</td><td>83.65</td><td>36.10</td><td>8.57</td><td>32.67</td><td>283</td><td>0 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5180.00	95.65	-----	-----	83.65	36.10	8.57	32.67	283	0 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5095.94	52.46	74.00	-21.54	40.56	36.14	8.44	32.68	283	0 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5180.00	95.65	-----	-----	83.65	36.10	8.57	32.67	283	0 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2024-05-28 500050365072510851445180 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5057.06</td><td>42.24</td><td>54.00</td><td>-11.76</td><td>30.40</td><td>36.17</td><td>8.36</td><td>32.69</td><td>283</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5057.06	42.24	54.00	-11.76	30.40	36.17	8.36	32.69	283	0 AVERAGE	Level (dBuV/m) Date: 2024-05-28 100022003400460058007000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5180.00</td><td>89.61</td><td>-----</td><td>-----</td><td>77.61</td><td>36.10</td><td>8.57</td><td>32.67</td><td>283</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5180.00	89.61	-----	-----	77.61	36.10	8.57	32.67	283	0 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5057.06	42.24	54.00	-11.76	30.40	36.17	8.36	32.69	283	0 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5180.00	89.61	-----	-----	77.61	36.10	8.57	32.67	283	0 AVERAGE																																																																																	







Mode	20																																																																									
	Band Edge																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial_5320MHz																																																																									
ANT	CDD 6+17																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5397.14</td><td>51.94</td><td>74.00</td><td>-22.06</td><td>38.99</td><td>35.96</td><td>9.61</td><td>32.62</td><td>122 37 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5397.14	51.94	74.00	-22.06	38.99	35.96	9.61	32.62	122 37 PEAK	Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5320.00</td><td>107.45</td><td>-----</td><td>-----</td><td>94.84</td><td>36.00</td><td>9.24</td><td>32.63</td><td>122 37 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	107.45	-----	-----	94.84	36.00	9.24	32.63	122 37 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5397.14	51.94	74.00	-22.06	38.99	35.96	9.61	32.62	122 37 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5320.00	107.45	-----	-----	94.84	36.00	9.24	32.63	122 37 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5363.26</td><td>42.43</td><td>54.00</td><td>-11.57</td><td>29.65</td><td>35.98</td><td>9.43</td><td>32.63</td><td>122 37 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5363.26	42.43	54.00	-11.57	29.65	35.98	9.43	32.63	122 37 AVERAGE	Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5320.00</td><td>99.09</td><td>-----</td><td>-----</td><td>86.48</td><td>36.00</td><td>9.24</td><td>32.63</td><td>122 37 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	99.09	-----	-----	86.48	36.00	9.24	32.63	122 37 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5363.26	42.43	54.00	-11.57	29.65	35.98	9.43	32.63	122 37 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5320.00	99.09	-----	-----	86.48	36.00	9.24	32.63	122 37 AVERAGE																																																																		



Mode	20																																																																																	
	Band Edge																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial_5320MHz																																																																																	
ANT	CDD 6+17																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5359.48</td><td>51.24</td><td>74.00</td><td>-22.76</td><td>38.48</td><td>35.98</td><td>9.41</td><td>32.63</td><td>379 220 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5359.48	51.24	74.00	-22.76	38.48	35.98	9.41	32.63	379 220 PEAK	Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>106.85</td><td>-----</td><td>-----</td><td>94.24</td><td>36.00</td><td>9.24</td><td>32.63</td><td>379 220 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	106.85	-----	-----	94.24	36.00	9.24	32.63	379 220 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5359.48	51.24	74.00	-22.76	38.48	35.98	9.41	32.63	379 220 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5320.00	106.85	-----	-----	94.24	36.00	9.24	32.63	379 220 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5361.72</td><td>43.02</td><td>54.00</td><td>-10.98</td><td>30.24</td><td>35.98</td><td>9.43</td><td>32.63</td><td>379 220 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5361.72	43.02	54.00	-10.98	30.24	35.98	9.43	32.63	379 220 AVERAGE	Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>99.53</td><td>-----</td><td>-----</td><td>86.92</td><td>36.00</td><td>9.24</td><td>32.63</td><td>379 220 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	99.53	-----	-----	86.92	36.00	9.24	32.63	379 220 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5361.72	43.02	54.00	-10.98	30.24	35.98	9.43	32.63	379 220 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5320.00	99.53	-----	-----	86.92	36.00	9.24	32.63	379 220 AVERAGE																																																																									



		21																																																																																																						
Mode		Band Edge																																																																																																						
		U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_5500MHz																																																																																																						
ANT		CDD 6+17																																																																																																						
Pol.		Horizontal					Fundamental																																																																																																	
Peak																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.50</td><td>52.05</td><td>74.00</td><td>-21.95</td><td>39.05</td><td>35.92</td><td>9.69</td><td>32.61</td><td>105 149 PEAK</td></tr><tr><td>2</td><td>5468.65</td><td>51.33</td><td>68.30</td><td>-16.97</td><td>38.33</td><td>35.92</td><td>9.69</td><td>32.61</td><td>105 149 PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5459.50	52.05	74.00	-21.95	39.05	35.92	9.69	32.61	105 149 PEAK	2	5468.65	51.33	68.30	-16.97	38.33	35.92	9.69	32.61	105 149 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>111.45</td><td>-----</td><td>98.45</td><td>35.90</td><td>9.70</td><td>32.60</td><td>105</td><td>149 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5500.00	111.45	-----	98.45	35.90	9.70	32.60	105
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5459.50	52.05	74.00	-21.95	39.05	35.92	9.69	32.61	105 149 PEAK																																																																																															
2	5468.65	51.33	68.30	-16.97	38.33	35.92	9.69	32.61	105 149 PEAK																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5500.00	111.45	-----	98.45	35.90	9.70	32.60	105	149 PEAK																																																																																															
Avg																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.00</td><td>42.92</td><td>54.00</td><td>-11.08</td><td>29.91</td><td>35.93</td><td>9.69</td><td>32.61</td><td>105 149 AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5458.00	42.92	54.00	-11.08	29.91	35.93	9.69	32.61	105 149 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>104.00</td><td>-----</td><td>91.00</td><td>35.90</td><td>9.70</td><td>32.60</td><td>105</td><td>149 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5500.00	104.00	-----	91.00	35.90	9.70	32.60	105	149 AVERAGE									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5458.00	42.92	54.00	-11.08	29.91	35.93	9.69	32.61	105 149 AVERAGE																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5500.00	104.00	-----	91.00	35.90	9.70	32.60	105	149 AVERAGE																																																																																															






		21																																																															
Mode		Band Edge																																																															
		U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_5500MHz																																																															
ANT		CDD 6+17																																																															
Pol.		Vertical					Fundamental																																																										
Peak	Level (dBuV/m) Date: 2024-05-28 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor dB cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5396.35</td><td>51.03</td><td>74.00</td><td>-22.97</td><td>38.09</td><td>35.96</td><td>9.60</td><td>32.62</td><td>322</td><td>228 PEAK</td></tr><tr><td>2</td><td>5468.20</td><td>51.60</td><td>68.30</td><td>-16.70</td><td>38.60</td><td>35.92</td><td>9.69</td><td>32.61</td><td>322</td><td>228 PEAK</td></tr></table>						MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5396.35	51.03	74.00	-22.97	38.09	35.96	9.60	32.62	322	228 PEAK	2	5468.20	51.60	68.30	-16.70	38.60	35.92	9.69	32.61	322	228 PEAK	Level (dBuV/m) Date: 2024-05-28 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor dB cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5500.00</td><td>109.51</td><td>-----</td><td>-----</td><td>96.51</td><td>35.90</td><td>9.70</td><td>32.60</td><td>322</td><td>228 PEAK</td></tr></table>						MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5500.00	109.51	-----	-----	96.51	35.90	9.70	32.60	322	228 PEAK
		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5396.35	51.03	74.00	-22.97	38.09	35.96	9.60	32.62	322	228 PEAK																																																							
2	5468.20	51.60	68.30	-16.70	38.60	35.92	9.69	32.61	322	228 PEAK																																																							
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5500.00	109.51	-----	-----	96.51	35.90	9.70	32.60	322	228 PEAK																																																							
Avg	Level (dBuV/m) Date: 2024-05-28 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor dB cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5457.85</td><td>42.63</td><td>54.00</td><td>-11.37</td><td>29.62</td><td>35.93</td><td>9.69</td><td>32.61</td><td>322</td><td>228 AVERAGE</td></tr></table>						MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5457.85	42.63	54.00	-11.37	29.62	35.93	9.69	32.61	322	228 AVERAGE	Level (dBuV/m) Date: 2024-05-28 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor dB cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5500.00</td><td>102.32</td><td>-----</td><td>-----</td><td>89.32</td><td>35.90</td><td>9.70</td><td>32.60</td><td>322</td><td>228 AVERAGE</td></tr></table>						MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5500.00	102.32	-----	-----	89.32	35.90	9.70	32.60	322	228 AVERAGE											
		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5457.85	42.63	54.00	-11.37	29.62	35.93	9.69	32.61	322	228 AVERAGE																																																							
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5500.00	102.32	-----	-----	89.32	35.90	9.70	32.60	322	228 AVERAGE																																																							



Mode	22																																																																																											
	Band Edge																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_5700MHz																																																																																											
ANT	CDD 6+17																																																																																											
Pol.	Horizontal					Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5737.70</td><td>52.67</td><td>68.30</td><td>-15.63</td><td>39.09</td><td>36.23</td><td>10.05</td><td>32.70</td><td>100</td><td>156 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5737.70	52.67	68.30	-15.63	39.09	36.23	10.05	32.70	100	156 PEAK	Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>112.96</td><td>-----</td><td>-----</td><td>99.46</td><td>36.19</td><td>9.99</td><td>32.68</td><td>100</td><td>156 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	112.96	-----	-----	99.46	36.19	9.99	32.68	100	156 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5737.70	52.67	68.30	-15.63	39.09	36.23	10.05	32.70	100	156 PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5700.00	112.96	-----	-----	99.46	36.19	9.99	32.68	100	156 PEAK																																																																																		
Avg	Blank					Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>104.04</td><td>-----</td><td>-----</td><td>90.54</td><td>36.19</td><td>9.99</td><td>32.68</td><td>100</td><td>156 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	104.04	-----	-----	90.54	36.19	9.99	32.68	100	156 AVERAGE																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5700.00	104.04	-----	-----	90.54	36.19	9.99	32.68	100	156 AVERAGE																																																																																		



Mode	22	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_5700MHz	
ANT	CDD 6+17	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2024-05-28  1 5742.90 52.41 68.30 -15.89 38.81 36.24 10.06 32.70 300 213 PEAK	Level (dBuV/m) Date: 2024-05-28  1 5700.00 110.24 ----- 96.74 36.19 9.99 32.68 300 213 PEAK
Avg	Blank	Level (dBuV/m) Date: 2024-05-28  1 5700.00 102.96 ----- 89.46 36.19 9.99 32.68 300 213 AVERAGE







		23																																																
Mode	Band Edge																																																	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial_5180MHz																																																	
ANT	CDD 6+17																																																	
Pol.	Horizontal					Fundamental																																												
Peak	Level (dBuV/m) Date: 2024-05-28 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5140.22</td><td>52.36</td><td>74.00</td><td>-21.64</td><td>40.39</td><td>36.12</td><td>8.52</td><td>32.67</td><td>100</td><td>41 PEAK</td></tr></table>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5140.22	52.36	74.00	-21.64	40.39	36.12	8.52	32.67	100	41 PEAK	Level (dBuV/m) Date: 2024-05-28 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5180.00</td><td>109.85</td><td>-----</td><td>-----</td><td>97.84</td><td>36.09</td><td>8.58</td><td>32.66</td><td>100</td><td>41 PEAK</td></tr></table>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5180.00	109.85	-----	-----	97.84	36.09	8.58	32.66	100	41 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																								
1 5140.22	52.36	74.00	-21.64	40.39	36.12	8.52	32.67	100	41 PEAK																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																									
1 5180.00	109.85	-----	-----	97.84	36.09	8.58	32.66	100	41 PEAK																																									
Avg	Level (dBuV/m) Date: 2024-05-28 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5144.90</td><td>43.08</td><td>54.00</td><td>-10.92</td><td>31.11</td><td>36.11</td><td>8.53</td><td>32.67</td><td>100</td><td>41 AVERAGE</td></tr></table>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5144.90	43.08	54.00	-10.92	31.11	36.11	8.53	32.67	100	41 AVERAGE	Level (dBuV/m) Date: 2024-05-28 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5180.00</td><td>102.88</td><td>-----</td><td>-----</td><td>90.87</td><td>36.09</td><td>8.58</td><td>32.66</td><td>100</td><td>41 AVERAGE</td></tr></table>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5180.00	102.88	-----	-----	90.87	36.09	8.58	32.66	100	41 AVERAGE
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																								
1 5144.90	43.08	54.00	-10.92	31.11	36.11	8.53	32.67	100	41 AVERAGE																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																									
1 5180.00	102.88	-----	-----	90.87	36.09	8.58	32.66	100	41 AVERAGE																																									



		23																																																																																								
Mode		Band Edge																																																																																								
		U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial_5180MHz																																																																																								
ANT		CDD 6+17																																																																																								
Pol.		Vertical					Fundamental																																																																																			
Peak																																																																																										
		<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5118.80</td><td>52.82</td><td>74.00</td><td>-21.18</td><td>40.89</td><td>36.13</td><td>8.48</td><td>32.68</td><td>309</td><td>225 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5118.80	52.82	74.00	-21.18	40.89	36.13	8.48	32.68	309	225 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5180.00</td><td>109.95</td><td>-----</td><td>-----</td><td>97.94</td><td>36.09</td><td>8.58</td><td>32.66</td><td>309</td><td>225 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5180.00	109.95	-----	-----	97.94	36.09	8.58	32.66	309
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5118.80	52.82	74.00	-21.18	40.89	36.13	8.48	32.68	309	225 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5180.00	109.95	-----	-----	97.94	36.09	8.58	32.66	309	225 PEAK																																																																																	
Avg																																																																																										
		<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5142.74</td><td>42.56</td><td>54.00</td><td>-11.44</td><td>30.60</td><td>36.11</td><td>8.52</td><td>32.67</td><td>309</td><td>225 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5142.74	42.56	54.00	-11.44	30.60	36.11	8.52	32.67	309	225 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5180.00</td><td>102.28</td><td>-----</td><td>-----</td><td>90.28</td><td>36.10</td><td>8.57</td><td>32.67</td><td>309</td><td>225 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5180.00	102.28	-----	-----	90.28	36.10	8.57	32.67	309
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5142.74	42.56	54.00	-11.44	30.60	36.11	8.52	32.67	309	225 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5180.00	102.28	-----	-----	90.28	36.10	8.57	32.67	309	225 AVERAGE																																																																																	



		24																																																																																							
Mode		Band Edge																																																																																							
		U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial_5320MHz																																																																																							
ANT		CDD 6+17																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2024-05-28  Frequency (MHz)					Level (dBuV/m) Date: 2024-05-28  Frequency (MHz)																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5451.32</td><td>51.99</td><td>74.00</td><td>-22.01</td><td>38.99</td><td>35.93</td><td>9.68</td><td>32.61</td><td>147</td><td>132 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5451.32	51.99	74.00	-22.01	38.99	35.93	9.68	32.61	147	132 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5320.00</td><td>111.13</td><td>-----</td><td>-----</td><td>98.52</td><td>36.00</td><td>9.24</td><td>32.63</td><td>147</td><td>132 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5320.00	111.13	-----	-----	98.52	36.00	9.24	32.63	147
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5451.32	51.99	74.00	-22.01	38.99	35.93	9.68	32.61	147	132 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5320.00	111.13	-----	-----	98.52	36.00	9.24	32.63	147	132 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2024-05-28  Frequency (MHz)					Level (dBuV/m) Date: 2024-05-28  Frequency (MHz)																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5360.60</td><td>42.99</td><td>54.00</td><td>-11.01</td><td>30.22</td><td>35.98</td><td>9.42</td><td>32.63</td><td>147</td><td>132 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5360.60	42.99	54.00	-11.01	30.22	35.98	9.42	32.63	147	132 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5320.00</td><td>102.57</td><td>-----</td><td>-----</td><td>89.96</td><td>36.00</td><td>9.24</td><td>32.63</td><td>147</td><td>132 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5320.00	102.57	-----	-----	89.96	36.00	9.24	32.63	147
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5360.60	42.99	54.00	-11.01	30.22	35.98	9.42	32.63	147	132 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5320.00	102.57	-----	-----	89.96	36.00	9.24	32.63	147	132 AVERAGE																																																																																



Mode	24	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial_5320MHz	
ANT	CDD 6+17	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2024-05-28 1 5356.96 105.69 74.00 -20.52 40.72 35.99 9.40 32.63 400 197 PEAK	Level (dBuV/m) Date: 2024-05-28 1 5320.00 105.69 74.00 -20.52 40.72 35.99 9.40 32.63 400 197 PEAK
	Level (dBuV/m) Date: 2024-05-28 1 5355.70 42.65 54.00 -11.35 29.90 35.99 9.39 32.63 400 197 AVERAGE	Level (dBuV/m) Date: 2024-05-28 1 5320.00 99.42 74.00 -25.57 40.72 35.99 9.40 32.63 400 197 AVERAGE



		25																																																										
Mode		Band Edge																																																										
		U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_5500MHz																																																										
ANT		CDD 6+17																																																										
Pol.		Horizontal					Fundamental																																																					
Peak	Level (dBuV/m) Date: 2024-05-28 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5440.45</td><td>52.47</td><td>74.00</td><td>-21.53</td><td>39.46</td><td>35.94</td><td>9.68</td><td>32.61</td><td>139</td><td>148 PEAK</td></tr><tr><td>2 5470.00</td><td>51.93</td><td>68.30</td><td>-16.37</td><td>38.93</td><td>35.92</td><td>9.69</td><td>32.61</td><td>139</td><td>148 PEAK</td></tr></table>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5440.45	52.47	74.00	-21.53	39.46	35.94	9.68	32.61	139	148 PEAK	2 5470.00	51.93	68.30	-16.37	38.93	35.92	9.69	32.61	139	148 PEAK	Level (dBuV/m) Date: 2024-05-28 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5500.00</td><td>110.77</td><td>-----</td><td>-----</td><td>97.77</td><td>35.90</td><td>9.70</td><td>32.60</td><td>139</td><td>148 PEAK</td></tr></table>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5500.00	110.77	-----	-----	97.77	35.90	9.70	32.60	139	148 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																		
1 5440.45	52.47	74.00	-21.53	39.46	35.94	9.68	32.61	139	148 PEAK																																																			
2 5470.00	51.93	68.30	-16.37	38.93	35.92	9.69	32.61	139	148 PEAK																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																			
1 5500.00	110.77	-----	-----	97.77	35.90	9.70	32.60	139	148 PEAK																																																			
Avg	Level (dBuV/m) Date: 2024-05-28 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5458.00</td><td>43.20</td><td>54.00</td><td>-10.80</td><td>30.19</td><td>35.93</td><td>9.69</td><td>32.61</td><td>139</td><td>148 AVERAGE</td></tr></table>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5458.00	43.20	54.00	-10.80	30.19	35.93	9.69	32.61	139	148 AVERAGE	Level (dBuV/m) Date: 2024-05-28 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5500.00</td><td>104.08</td><td>-----</td><td>-----</td><td>91.08</td><td>35.90</td><td>9.70</td><td>32.60</td><td>139</td><td>148 AVERAGE</td></tr></table>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5500.00	104.08	-----	-----	91.08	35.90	9.70	32.60	139	148 AVERAGE										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																		
1 5458.00	43.20	54.00	-10.80	30.19	35.93	9.69	32.61	139	148 AVERAGE																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																			
1 5500.00	104.08	-----	-----	91.08	35.90	9.70	32.60	139	148 AVERAGE																																																			



		25																																																																																												
Mode		Band Edge																																																																																												
		U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_5500MHz																																																																																												
ANT		CDD 6+17																																																																																												
Pol.		Vertical					Fundamental																																																																																							
Peak	Level (dBuV/m) Date: 2024-05-28 1 2 PART 15.407 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5434.60</td><td>51.59</td><td>74.00</td><td>-22.41</td><td>38.59</td><td>35.94</td><td>9.67</td><td>32.61</td><td>366</td><td>231</td><td>PEAK</td></tr><tr><td>2</td><td>5470.00</td><td>52.79</td><td>68.30</td><td>-15.51</td><td>39.79</td><td>35.92</td><td>9.69</td><td>32.61</td><td>366</td><td>231</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5434.60	51.59	74.00	-22.41	38.59	35.94	9.67	32.61	366	231	PEAK	2	5470.00	52.79	68.30	-15.51	39.79	35.92	9.69	32.61	366	231	PEAK	Level (dBuV/m) Date: 2024-05-28 1 PART 15.407 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>109.45</td><td>-----</td><td>-----</td><td>96.45</td><td>35.90</td><td>9.70</td><td>32.60</td><td>366</td><td>231</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5500.00	109.45	-----	-----	96.45	35.90	9.70	32.60	366	231	PEAK
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5434.60	51.59	74.00	-22.41	38.59	35.94	9.67	32.61	366	231	PEAK																																																																																			
2	5470.00	52.79	68.30	-15.51	39.79	35.92	9.69	32.61	366	231	PEAK																																																																																			
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5500.00	109.45	-----	-----	96.45	35.90	9.70	32.60	366	231	PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2024-05-28 1 PART 15.407 AVG <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5458.45</td><td>42.84</td><td>54.00</td><td>-11.16</td><td>29.84</td><td>35.92</td><td>9.69</td><td>32.61</td><td>366</td><td>231</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5458.45	42.84	54.00	-11.16	29.84	35.92	9.69	32.61	366	231	AVERAGE	Level (dBuV/m) Date: 2024-05-28 1 PART 15.407 AVG <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>102.10</td><td>-----</td><td>-----</td><td>89.10</td><td>35.90</td><td>9.70</td><td>32.60</td><td>366</td><td>231</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5500.00	102.10	-----	-----	89.10	35.90	9.70	32.60	366	231	AVERAGE												
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5458.45	42.84	54.00	-11.16	29.84	35.92	9.69	32.61	366	231	AVERAGE																																																																																			
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5500.00	102.10	-----	-----	89.10	35.90	9.70	32.60	366	231	AVERAGE																																																																																			







Mode	26																																																																																			
	Band Edge																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_5700MHz																																																																																			
ANT	CDD 6+17																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5739.33</td><td>54.02</td><td>68.30</td><td>-14.28</td><td>40.43</td><td>36.24</td><td>10.05</td><td>32.70</td><td>154</td><td>143 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5739.33	54.02	68.30	-14.28	40.43	36.24	10.05	32.70	154	143 PEAK	Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>112.94</td><td>-----</td><td>-----</td><td>99.46</td><td>36.19</td><td>9.97</td><td>32.68</td><td>154</td><td>143 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	112.94	-----	-----	99.46	36.19	9.97	32.68	154	143 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5739.33	54.02	68.30	-14.28	40.43	36.24	10.05	32.70	154	143 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5700.00	112.94	-----	-----	99.46	36.19	9.97	32.68	154	143 PEAK																																																																										
Avg	Blank	Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>105.01</td><td>-----</td><td>-----</td><td>91.51</td><td>36.19</td><td>9.99</td><td>32.68</td><td>154</td><td>143 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	105.01	-----	-----	91.51	36.19	9.99	32.68	154	143 AVERAGE																																									
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5700.00	105.01	-----	-----	91.51	36.19	9.99	32.68	154	143 AVERAGE																																																																										



Mode	26																																																																													
	Band Edge																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_5700MHz																																																																													
ANT	CDD 6+17																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5729.12</td><td>53.82</td><td>68.30</td><td>-14.48</td><td>40.26</td><td>36.22</td><td>10.03</td><td>32.69</td><td>300</td><td>219 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5729.12	53.82	68.30	-14.48	40.26	36.22	10.03	32.69	300	219 PEAK	Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5700.00</td><td>111.25</td><td>-----</td><td>-----</td><td>97.75</td><td>36.19</td><td>9.99</td><td>32.68</td><td>300</td><td>219 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5700.00	111.25	-----	-----	97.75	36.19	9.99	32.68	300	219 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5729.12	53.82	68.30	-14.48	40.26	36.22	10.03	32.69	300	219 PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5700.00	111.25	-----	-----	97.75	36.19	9.99	32.68	300	219 PEAK																																																																					
Avg	Blank	Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5700.00</td><td>104.13</td><td>-----</td><td>-----</td><td>90.63</td><td>36.19</td><td>9.99</td><td>32.68</td><td>300</td><td>219 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5700.00	104.13	-----	-----	90.63	36.19	9.99	32.68	300	219 AVERAGE																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5700.00	104.13	-----	-----	90.63	36.19	9.99	32.68	300	219 AVERAGE																																																																					



		27																																																
Mode	Band Edge																																																	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial_5180MHz																																																	
ANT	CDD 6+17																																																	
Pol.	Horizontal					Fundamental																																												
Peak	Level (dBuV/m) Date: 2024-05-28  Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1 5146.88</td><td>59.13</td><td>74.00</td><td>-14.87</td><td>47.16</td><td>36.11</td><td>8.53</td><td>32.67</td><td>100</td><td>10 PEAK</td></tr></tbody></table>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5146.88	59.13	74.00	-14.87	47.16	36.11	8.53	32.67	100	10 PEAK	Level (dBuV/m) Date: 2024-05-28  Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1 5180.00</td><td>107.86</td><td>-----</td><td>-----</td><td>95.85</td><td>36.09</td><td>8.58</td><td>32.66</td><td>100</td><td>10 PEAK</td></tr></tbody></table>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5180.00	107.86	-----	-----	95.85	36.09	8.58	32.66	100	10 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																								
1 5146.88	59.13	74.00	-14.87	47.16	36.11	8.53	32.67	100	10 PEAK																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																									
1 5180.00	107.86	-----	-----	95.85	36.09	8.58	32.66	100	10 PEAK																																									
Avg	Level (dBuV/m) Date: 2024-05-28  Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1 5148.86</td><td>46.63</td><td>54.00</td><td>-7.37</td><td>34.66</td><td>36.11</td><td>8.53</td><td>32.67</td><td>100</td><td>10 AVERAGE</td></tr></tbody></table>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5148.86	46.63	54.00	-7.37	34.66	36.11	8.53	32.67	100	10 AVERAGE	Level (dBuV/m) Date: 2024-05-28  Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1 5180.00</td><td>101.25</td><td>-----</td><td>-----</td><td>89.25</td><td>36.10</td><td>8.57</td><td>32.67</td><td>100</td><td>10 AVERAGE</td></tr></tbody></table>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5180.00	101.25	-----	-----	89.25	36.10	8.57	32.67	100	10 AVERAGE
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																								
1 5148.86	46.63	54.00	-7.37	34.66	36.11	8.53	32.67	100	10 AVERAGE																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																									
1 5180.00	101.25	-----	-----	89.25	36.10	8.57	32.67	100	10 AVERAGE																																									



		27																																																	
Mode	Band Edge																																																		
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial_5180MHz																																																		
ANT	CDD 6+17																																																		
Pol.	Vertical						Fundamental																																												
Peak	Level (dBuV/m) Date: 2024-05-28 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5140.76</td><td>63.95</td><td>74.00</td><td>-10.05</td><td>51.98</td><td>36.12</td><td>8.52</td><td>32.67</td><td>400</td><td>223 PEAK</td></tr></table>						MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5140.76	63.95	74.00	-10.05	51.98	36.12	8.52	32.67	400	223 PEAK	Level (dBuV/m) Date: 2024-05-28 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5180.00</td><td>106.30</td><td>-----</td><td>-----</td><td>94.29</td><td>36.09</td><td>8.58</td><td>32.66</td><td>400</td><td>223 PEAK</td></tr></table>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5180.00	106.30	-----	-----	94.29	36.09	8.58	32.66	400	223 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																									
1 5140.76	63.95	74.00	-10.05	51.98	36.12	8.52	32.67	400	223 PEAK																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																										
1 5180.00	106.30	-----	-----	94.29	36.09	8.58	32.66	400	223 PEAK																																										
Avg	Level (dBuV/m) Date: 2024-05-28 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5145.26</td><td>47.35</td><td>54.00</td><td>-6.65</td><td>35.38</td><td>36.11</td><td>8.53</td><td>32.67</td><td>400</td><td>223 AVERAGE</td></tr></table>						MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5145.26	47.35	54.00	-6.65	35.38	36.11	8.53	32.67	400	223 AVERAGE	Level (dBuV/m) Date: 2024-05-28 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5180.00</td><td>99.62</td><td>-----</td><td>-----</td><td>87.61</td><td>36.09</td><td>8.58</td><td>32.66</td><td>400</td><td>223 AVERAGE</td></tr></table>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5180.00	99.62	-----	-----	87.61	36.09	8.58	32.66	400	223 AVERAGE
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																									
1 5145.26	47.35	54.00	-6.65	35.38	36.11	8.53	32.67	400	223 AVERAGE																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																										
1 5180.00	99.62	-----	-----	87.61	36.09	8.58	32.66	400	223 AVERAGE																																										



Mode	28																																									
	Band Edge																																									
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial_5320MHz																																									
ANT	CDD 6+17																																									
Pol.	Horizontal	Fundamental																																								
Peak	Level (dBuV/m) Date: 2024-05-28 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5350.24</td><td>62.39</td><td>74.00</td><td>-11.61</td><td>49.66</td><td>35.99</td><td>9.37</td><td>32.63</td><td>126</td><td>347 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5350.24	62.39	74.00	-11.61	49.66	35.99	9.37	32.63	126	347 PEAK	Level (dBuV/m) Date: 2024-05-28 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5320.00</td><td>108.84</td><td>-----</td><td>-----</td><td>96.23</td><td>36.00</td><td>9.24</td><td>32.63</td><td>126</td><td>347 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5320.00	108.84	-----	-----	96.23	36.00	9.24	32.63	126	347 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																
1 5350.24	62.39	74.00	-11.61	49.66	35.99	9.37	32.63	126	347 PEAK																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 5320.00	108.84	-----	-----	96.23	36.00	9.24	32.63	126	347 PEAK																																	
Avg	Level (dBuV/m) Date: 2024-05-28 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5350.66</td><td>47.29</td><td>54.00</td><td>-6.71</td><td>34.56</td><td>35.99</td><td>9.37</td><td>32.63</td><td>126</td><td>347 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5350.66	47.29	54.00	-6.71	34.56	35.99	9.37	32.63	126	347 AVERAGE	Level (dBuV/m) Date: 2024-05-28 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5320.00</td><td>101.33</td><td>-----</td><td>-----</td><td>88.72</td><td>36.00</td><td>9.24</td><td>32.63</td><td>126</td><td>347 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5320.00	101.33	-----	-----	88.72	36.00	9.24	32.63	126	347 AVERAGE
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 5350.66	47.29	54.00	-6.71	34.56	35.99	9.37	32.63	126	347 AVERAGE																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 5320.00	101.33	-----	-----	88.72	36.00	9.24	32.63	126	347 AVERAGE																																	



Mode	28																																									
	Band Edge																																									
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial_5320MHz																																									
ANT	CDD 6+17																																									
Pol.	Vertical	Fundamental																																								
Peak	Level (dBuV/m) Date: 2024-05-28 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5352.06</td><td>59.74</td><td>74.00</td><td>-14.26</td><td>47.00</td><td>35.99</td><td>9.38</td><td>32.63</td><td>343</td><td>224 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5352.06	59.74	74.00	-14.26	47.00	35.99	9.38	32.63	343	224 PEAK	Level (dBuV/m) Date: 2024-05-28 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5320.00</td><td>112.43</td><td>-----</td><td>-----</td><td>99.82</td><td>36.00</td><td>9.24</td><td>32.63</td><td>343</td><td>224 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5320.00	112.43	-----	-----	99.82	36.00	9.24	32.63	343	224 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																
1 5352.06	59.74	74.00	-14.26	47.00	35.99	9.38	32.63	343	224 PEAK																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 5320.00	112.43	-----	-----	99.82	36.00	9.24	32.63	343	224 PEAK																																	
Avg	Level (dBuV/m) Date: 2024-05-28 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5350.10</td><td>47.72</td><td>54.00</td><td>-6.28</td><td>34.99</td><td>35.99</td><td>9.37</td><td>32.63</td><td>343</td><td>224 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5350.10	47.72	54.00	-6.28	34.99	35.99	9.37	32.63	343	224 AVERAGE	Level (dBuV/m) Date: 2024-05-28 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5320.00</td><td>103.55</td><td>-----</td><td>-----</td><td>90.94</td><td>36.00</td><td>9.24</td><td>32.63</td><td>343</td><td>224 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5320.00	103.55	-----	-----	90.94	36.00	9.24	32.63	343	224 AVERAGE
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 5350.10	47.72	54.00	-6.28	34.99	35.99	9.37	32.63	343	224 AVERAGE																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 5320.00	103.55	-----	-----	90.94	36.00	9.24	32.63	343	224 AVERAGE																																	






		29																																																																
Mode	Band Edge																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_5500MHz																																																																	
ANT	CDD 6+17																																																																	
Pol.	Horizontal										Fundamental																																																							
Peak	Level (dBuV/m) Date: 2024-05-28 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5459.05</td><td>52.22</td><td>74.00</td><td>-21.78</td><td>39.22</td><td>35.92</td><td>9.69</td><td>32.61</td><td>400</td><td>37 PEAK</td></tr><tr><td>2</td><td>5466.10</td><td>64.50</td><td>68.30</td><td>-3.80</td><td>51.50</td><td>35.92</td><td>9.69</td><td>32.61</td><td>400</td><td>37 PEAK</td></tr></table>											MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5459.05	52.22	74.00	-21.78	39.22	35.92	9.69	32.61	400	37 PEAK	2	5466.10	64.50	68.30	-3.80	51.50	35.92	9.69	32.61	400	37 PEAK	Level (dBuV/m) Date: 2024-05-28 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5500.00</td><td>109.07</td><td>-----</td><td>-----</td><td>96.07</td><td>35.90</td><td>9.70</td><td>32.60</td><td>400</td><td>37 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5500.00	109.07	-----	-----	96.07	35.90	9.70	32.60	400	37 PEAK
		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5459.05	52.22	74.00	-21.78	39.22	35.92	9.69	32.61	400	37 PEAK																																																								
2	5466.10	64.50	68.30	-3.80	51.50	35.92	9.69	32.61	400	37 PEAK																																																								
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5500.00	109.07	-----	-----	96.07	35.90	9.70	32.60	400	37 PEAK																																																								
Avg	Level (dBuV/m) Date: 2024-05-28 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5459.20</td><td>44.09</td><td>54.00</td><td>-9.91</td><td>31.09</td><td>35.92</td><td>9.69</td><td>32.61</td><td>400</td><td>37 AVERAGE</td></tr></table>											MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5459.20	44.09	54.00	-9.91	31.09	35.92	9.69	32.61	400	37 AVERAGE	Level (dBuV/m) Date: 2024-05-28 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5500.00</td><td>99.80</td><td>-----</td><td>-----</td><td>86.80</td><td>35.90</td><td>9.70</td><td>32.60</td><td>400</td><td>37 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5500.00	99.80	-----	-----	86.80	35.90	9.70	32.60	400	37 AVERAGE											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5459.20	44.09	54.00	-9.91	31.09	35.92	9.69	32.61	400	37 AVERAGE																																																								
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5500.00	99.80	-----	-----	86.80	35.90	9.70	32.60	400	37 AVERAGE																																																								



		29																																																															
Mode		Band Edge																																																															
		U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_5500MHz																																																															
ANT		CDD 6+17																																																															
Pol.		Vertical					Fundamental																																																										
Peak	Level (dBuV/m) Date: 2024-05-28 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5458.60</td><td>53.01</td><td>74.00</td><td>-20.99</td><td>40.01</td><td>35.92</td><td>9.69</td><td>32.61</td><td>400</td><td>231 PEAK</td></tr><tr><td>2</td><td>5470.00</td><td>61.57</td><td>68.30</td><td>-6.73</td><td>48.57</td><td>35.92</td><td>9.69</td><td>32.61</td><td>400</td><td>231 PEAK</td></tr></table>						MHz	dBuV/m	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg	Remark	1	5458.60	53.01	74.00	-20.99	40.01	35.92	9.69	32.61	400	231 PEAK	2	5470.00	61.57	68.30	-6.73	48.57	35.92	9.69	32.61	400	231 PEAK	Level (dBuV/m) Date: 2024-05-28 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5500.00</td><td>110.53</td><td>-----</td><td>-----</td><td>97.53</td><td>35.90</td><td>9.70</td><td>32.60</td><td>400</td><td>231 PEAK</td></tr></table>						MHz	dBuV/m	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg	Remark	1	5500.00	110.53	-----	-----	97.53	35.90	9.70	32.60	400	231 PEAK
		MHz	dBuV/m	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg	Remark																																																						
1	5458.60	53.01	74.00	-20.99	40.01	35.92	9.69	32.61	400	231 PEAK																																																							
2	5470.00	61.57	68.30	-6.73	48.57	35.92	9.69	32.61	400	231 PEAK																																																							
	MHz	dBuV/m	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg	Remark																																																							
1	5500.00	110.53	-----	-----	97.53	35.90	9.70	32.60	400	231 PEAK																																																							
Avg	Level (dBuV/m) Date: 2024-05-28 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5459.95</td><td>45.89</td><td>54.00</td><td>-8.11</td><td>32.89</td><td>35.92</td><td>9.69</td><td>32.61</td><td>400</td><td>231 AVERAGE</td></tr></table>						MHz	dBuV/m	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg	Remark	1	5459.95	45.89	54.00	-8.11	32.89	35.92	9.69	32.61	400	231 AVERAGE	Level (dBuV/m) Date: 2024-05-28 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5500.00</td><td>102.55</td><td>-----</td><td>-----</td><td>89.54</td><td>35.90</td><td>9.71</td><td>32.60</td><td>400</td><td>231 AVERAGE</td></tr></table>						MHz	dBuV/m	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg	Remark	1	5500.00	102.55	-----	-----	89.54	35.90	9.71	32.60	400	231 AVERAGE											
		MHz	dBuV/m	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg	Remark																																																						
1	5459.95	45.89	54.00	-8.11	32.89	35.92	9.69	32.61	400	231 AVERAGE																																																							
	MHz	dBuV/m	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg	Remark																																																							
1	5500.00	102.55	-----	-----	89.54	35.90	9.71	32.60	400	231 AVERAGE																																																							





Mode	30																																																																																							
	Band Edge																																																																																							
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_5700MHz																																																																																							
ANT	CDD 6+17																																																																																							
Pol.	Horizontal					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2024-05-28  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.59</td><td>61.88</td><td>68.30</td><td>-6.42</td><td>48.33</td><td>36.22</td><td>10.02</td><td>32.69</td><td>100</td><td>3 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5726.59	61.88	68.30	-6.42	48.33	36.22	10.02	32.69	100	3 PEAK	Level (dBuV/m) Date: 2024-05-28  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>109.51</td><td>-----</td><td>-----</td><td>96.03</td><td>36.19</td><td>9.97</td><td>32.68</td><td>100</td><td>3 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	109.51	-----	-----	96.03	36.19	9.97	32.68	100	3 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																															
1	5726.59	61.88	68.30	-6.42	48.33	36.22	10.02	32.69	100	3 PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																															
1	5700.00	109.51	-----	-----	96.03	36.19	9.97	32.68	100	3 PEAK																																																																														
Avg	Blank					Level (dBuV/m) Date: 2024-05-28  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>101.90</td><td>-----</td><td>-----</td><td>88.40</td><td>36.19</td><td>9.99</td><td>32.68</td><td>100</td><td>3 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	101.90	-----	-----	88.40	36.19	9.99	32.68	100	3 AVERAGE																																							
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																															
1	5700.00	101.90	-----	-----	88.40	36.19	9.99	32.68	100	3 AVERAGE																																																																														





Mode	30										
	Band Edge										
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_5700MHz										
ANT	CDD 6+17										
Pol.	Vertical						Fundamental				
Peak	Level (dBuV/m) Date: 2024-05-28 <										



Mode	30																																																																																																													
	Harmonic																																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_5700MHz																																																																																																													
ANT	CDD 6+17																																																																																																													
Pol.	Horizontal					Vertical																																																																																																								
Peak Avg																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>47.61</td><td>74.00</td><td>-26.39</td><td>59.08</td><td>39.16</td><td>12.81</td><td>63.44</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17100.00</td><td>47.86</td><td>68.30</td><td>-20.44</td><td>55.76</td><td>41.71</td><td>15.62</td><td>65.23</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	47.61	74.00	-26.39	59.08	39.16	12.81	63.44	---	Peak	2	17100.00	47.86	68.30	-20.44	55.76	41.71	15.62	65.23	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>49.25</td><td>74.00</td><td>-24.75</td><td>60.72</td><td>39.16</td><td>12.81</td><td>63.44</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17100.00</td><td>46.36</td><td>68.30</td><td>-21.94</td><td>54.26</td><td>41.71</td><td>15.62</td><td>65.23</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	49.25	74.00	-24.75	60.72	39.16	12.81	63.44	---	Peak	2	17100.00	46.36	68.30	-21.94	54.26	41.71	15.62	65.23	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	11400.00	47.61	74.00	-26.39	59.08	39.16	12.81	63.44	---	Peak																																																																																																				
2	17100.00	47.86	68.30	-20.44	55.76	41.71	15.62	65.23	---	Peak																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	11400.00	49.25	74.00	-24.75	60.72	39.16	12.81	63.44	---	Peak																																																																																																				
2	17100.00	46.36	68.30	-21.94	54.26	41.71	15.62	65.23	---	Peak																																																																																																				

Note: Only the worst case has assessed 18G ~40GHz to test.





Mode	31																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																																																																																																			
ANT	CDD 6+17																																																																																																																			
Pol.	Horizontal								Vertical																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2024-05-29 								Level (dBuV/m) Date: 2024-05-29 																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10380.00</td><td>46.35</td><td>68.30</td><td>-21.95</td><td>59.17</td><td>38.75</td><td>12.08</td><td>63.65</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 15570.00</td><td>50.32</td><td>74.00</td><td>-23.68</td><td>58.96</td><td>40.76</td><td>14.60</td><td>64.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10380.00	46.35	68.30	-21.95	59.17	38.75	12.08	63.65	---	---	Peak	2 15570.00	50.32	74.00	-23.68	58.96	40.76	14.60	64.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10380.00</td><td>47.32</td><td>68.30</td><td>-20.98</td><td>60.14</td><td>38.75</td><td>12.08</td><td>63.65</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 15570.00</td><td>49.81</td><td>74.00</td><td>-24.19</td><td>58.45</td><td>40.76</td><td>14.60</td><td>64.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10380.00	47.32	68.30	-20.98	60.14	38.75	12.08	63.65	---	---	Peak	2 15570.00	49.81	74.00	-24.19	58.45	40.76	14.60	64.00	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1 10380.00	46.35	68.30	-21.95	59.17	38.75	12.08	63.65	---	---	Peak																																																																																																										
2 15570.00	50.32	74.00	-23.68	58.96	40.76	14.60	64.00	---	---	Peak																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1 10380.00	47.32	68.30	-20.98	60.14	38.75	12.08	63.65	---	---	Peak																																																																																																										
2 15570.00	49.81	74.00	-24.19	58.45	40.76	14.60	64.00	---	---	Peak																																																																																																										





Mode	32																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full_5230MHz																																																																																																																			
ANT	CDD 6+17																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg	Level (dBuV/m) Date: 2024-05-29 Frequency (MHz)						Level (dBuV/m) Date: 2024-05-29 Frequency (MHz)																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10460.00</td><td>46.84</td><td>68.30</td><td>-21.46</td><td>59.55</td><td>38.78</td><td>12.13</td><td>63.62</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15690.00</td><td>51.10</td><td>74.00</td><td>-22.90</td><td>59.64</td><td>40.85</td><td>14.65</td><td>64.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10460.00	46.84	68.30	-21.46	59.55	38.78	12.13	63.62	---	---	Peak	2	15690.00	51.10	74.00	-22.90	59.64	40.85	14.65	64.04	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10460.00</td><td>47.33</td><td>68.30</td><td>-20.97</td><td>60.04</td><td>38.78</td><td>12.13</td><td>63.62</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15690.00</td><td>50.52</td><td>74.00</td><td>-23.48</td><td>59.06</td><td>40.85</td><td>14.65</td><td>64.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10460.00	47.33	68.30	-20.97	60.04	38.78	12.13	63.62	---	---	Peak	2	15690.00	50.52	74.00	-23.48	59.06	40.85	14.65	64.04	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	10460.00	46.84	68.30	-21.46	59.55	38.78	12.13	63.62	---	---	Peak																																																																																																									
2	15690.00	51.10	74.00	-22.90	59.64	40.85	14.65	64.04	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	10460.00	47.33	68.30	-20.97	60.04	38.78	12.13	63.62	---	---	Peak																																																																																																									
2	15690.00	50.52	74.00	-23.48	59.06	40.85	14.65	64.04	---	---	Peak																																																																																																									





Mode	33																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full_5270MHz																																																																																																																			
ANT	CDD 6+17																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10540.00</td><td>48.73</td><td>68.30</td><td>-19.57</td><td>61.31</td><td>38.82</td><td>12.19</td><td>63.59</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15810.00</td><td>49.77</td><td>74.00</td><td>-24.23</td><td>58.19</td><td>40.95</td><td>14.71</td><td>64.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10540.00	48.73	68.30	-19.57	61.31	38.82	12.19	63.59	---	---	Peak	2	15810.00	49.77	74.00	-24.23	58.19	40.95	14.71	64.08	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10540.00</td><td>48.94</td><td>68.30</td><td>-19.36</td><td>61.52</td><td>38.82</td><td>12.19</td><td>63.59</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15810.00</td><td>49.59</td><td>74.00</td><td>-24.41</td><td>58.01</td><td>40.95</td><td>14.71</td><td>64.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10540.00	48.94	68.30	-19.36	61.52	38.82	12.19	63.59	---	---	Peak	2	15810.00	49.59	74.00	-24.41	58.01	40.95	14.71	64.08	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	10540.00	48.73	68.30	-19.57	61.31	38.82	12.19	63.59	---	---	Peak																																																																																																									
2	15810.00	49.77	74.00	-24.23	58.19	40.95	14.71	64.08	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	10540.00	48.94	68.30	-19.36	61.52	38.82	12.19	63.59	---	---	Peak																																																																																																									
2	15810.00	49.59	74.00	-24.41	58.01	40.95	14.71	64.08	---	---	Peak																																																																																																									





Mode	34																																																																																															
	Harmonic																																																																																															
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																																																															
ANT	CDD 6+17																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>10620.00</td><td>47.91</td><td>74.00</td><td>-26.09</td><td>60.37</td><td>38.85</td><td>12.25</td><td>63.56</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15930.00</td><td>49.10</td><td>74.00</td><td>-24.90</td><td>57.42</td><td>41.04</td><td>14.76</td><td>64.12</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	10620.00	47.91	74.00	-26.09	60.37	38.85	12.25	63.56	---	---	Peak	2	15930.00	49.10	74.00	-24.90	57.42	41.04	14.76	64.12	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>10620.00</td><td>47.49</td><td>74.00</td><td>-26.51</td><td>59.95</td><td>38.85</td><td>12.25</td><td>63.56</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15930.00</td><td>50.78</td><td>74.00</td><td>-23.22</td><td>59.10</td><td>41.04</td><td>14.76</td><td>64.12</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	10620.00	47.49	74.00	-26.51	59.95	38.85	12.25	63.56	---	---	Peak	2	15930.00	50.78	74.00	-23.22	59.10	41.04	14.76	64.12	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
1	10620.00	47.91	74.00	-26.09	60.37	38.85	12.25	63.56	---	---	Peak																																																																																					
2	15930.00	49.10	74.00	-24.90	57.42	41.04	14.76	64.12	---	---	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
1	10620.00	47.49	74.00	-26.51	59.95	38.85	12.25	63.56	---	---	Peak																																																																																					
2	15930.00	50.78	74.00	-23.22	59.10	41.04	14.76	64.12	---	---	Peak																																																																																					
<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10620.00</td><td>47.91</td><td>74.00</td><td>-26.09</td><td>60.37</td><td>38.85</td><td>12.25</td><td>63.56</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15930.00</td><td>49.10</td><td>74.00</td><td>-24.90</td><td>57.42</td><td>41.04</td><td>14.76</td><td>64.12</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	47.91	74.00	-26.09	60.37	38.85	12.25	63.56	---	---	Peak	2	15930.00	49.10	74.00	-24.90	57.42	41.04	14.76	64.12	---	---	Peak	<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10620.00</td><td>47.49</td><td>74.00</td><td>-26.51</td><td>59.95</td><td>38.85</td><td>12.25</td><td>63.56</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15930.00</td><td>50.78</td><td>74.00</td><td>-23.22</td><td>59.10</td><td>41.04</td><td>14.76</td><td>64.12</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	47.49	74.00	-26.51	59.95	38.85	12.25	63.56	---	---	Peak	2	15930.00	50.78	74.00	-23.22	59.10	41.04	14.76	64.12	---	---	Peak															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	10620.00	47.91	74.00	-26.09	60.37	38.85	12.25	63.56	---	---	Peak																																																																																					
2	15930.00	49.10	74.00	-24.90	57.42	41.04	14.76	64.12	---	---	Peak																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	10620.00	47.49	74.00	-26.51	59.95	38.85	12.25	63.56	---	---	Peak																																																																																					
2	15930.00	50.78	74.00	-23.22	59.10	41.04	14.76	64.12	---	---	Peak																																																																																					





Mode	35																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																																			
ANT	CDD 6+17																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>48.49</td><td>74.00</td><td>-25.51</td><td>60.36</td><td>39.01</td><td>12.54</td><td>63.42</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16530.00</td><td>50.04</td><td>68.30</td><td>-18.26</td><td>58.18</td><td>41.36</td><td>15.19</td><td>64.69</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	48.49	74.00	-25.51	60.36	39.01	12.54	63.42	---	---	Peak	2	16530.00	50.04	68.30	-18.26	58.18	41.36	15.19	64.69	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>48.83</td><td>74.00</td><td>-25.17</td><td>60.70</td><td>39.01</td><td>12.54</td><td>63.42</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16530.00</td><td>51.25</td><td>68.30</td><td>-17.05</td><td>59.39</td><td>41.36</td><td>15.19</td><td>64.69</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	48.83	74.00	-25.17	60.70	39.01	12.54	63.42	---	---	Peak	2	16530.00	51.25	68.30	-17.05	59.39	41.36	15.19	64.69	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11020.00	48.49	74.00	-25.51	60.36	39.01	12.54	63.42	---	---	Peak																																																																																																									
2	16530.00	50.04	68.30	-18.26	58.18	41.36	15.19	64.69	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11020.00	48.83	74.00	-25.17	60.70	39.01	12.54	63.42	---	---	Peak																																																																																																									
2	16530.00	51.25	68.30	-17.05	59.39	41.36	15.19	64.69	---	---	Peak																																																																																																									





Mode	36																																																																																															
	Harmonic																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																																																															
ANT	CDD 6+17																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 11100.00</td><td>48.69</td><td>74.00</td><td>-25.31</td><td>60.48</td><td>39.04</td><td>12.59</td><td>63.42</td></tr><tr><td>2 16650.00</td><td>49.66</td><td>68.30</td><td>-18.64</td><td>57.78</td><td>41.42</td><td>15.28</td><td>64.82</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11100.00	48.69	74.00	-25.31	60.48	39.04	12.59	63.42	2 16650.00	49.66	68.30	-18.64	57.78	41.42	15.28	64.82	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 11100.00</td><td>48.73</td><td>74.00</td><td>-25.27</td><td>60.52</td><td>39.04</td><td>12.59</td><td>63.42</td></tr><tr><td>2 16650.00</td><td>50.46</td><td>68.30</td><td>-17.84</td><td>58.58</td><td>41.42</td><td>15.28</td><td>64.82</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11100.00	48.73	74.00	-25.27	60.52	39.04	12.59	63.42	2 16650.00	50.46	68.30	-17.84	58.58	41.42	15.28	64.82
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1 11100.00	48.69	74.00	-25.31	60.48	39.04	12.59	63.42																																																																																									
2 16650.00	49.66	68.30	-18.64	57.78	41.42	15.28	64.82																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1 11100.00	48.73	74.00	-25.27	60.52	39.04	12.59	63.42																																																																																									
2 16650.00	50.46	68.30	-17.84	58.58	41.42	15.28	64.82																																																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr><tr><td>1 11100.00</td><td>48.69</td><td>74.00</td><td>-25.31</td><td>60.48</td><td>39.04</td><td>12.59</td><td>63.42</td></tr><tr><td>2 16650.00</td><td>49.66</td><td>68.30</td><td>-18.64</td><td>57.78</td><td>41.42</td><td>15.28</td><td>64.82</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 11100.00	48.69	74.00	-25.31	60.48	39.04	12.59	63.42	2 16650.00	49.66	68.30	-18.64	57.78	41.42	15.28	64.82	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr><tr><td>1 11100.00</td><td>48.73</td><td>74.00</td><td>-25.27</td><td>60.52</td><td>39.04</td><td>12.59</td><td>63.42</td></tr><tr><td>2 16650.00</td><td>50.46</td><td>68.30</td><td>-17.84</td><td>58.58</td><td>41.42</td><td>15.28</td><td>64.82</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 11100.00	48.73	74.00	-25.27	60.52	39.04	12.59	63.42	2 16650.00	50.46	68.30	-17.84	58.58	41.42	15.28	64.82	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																									
1 11100.00	48.69	74.00	-25.31	60.48	39.04	12.59	63.42																																																																																									
2 16650.00	49.66	68.30	-18.64	57.78	41.42	15.28	64.82																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																									
1 11100.00	48.73	74.00	-25.27	60.52	39.04	12.59	63.42																																																																																									
2 16650.00	50.46	68.30	-17.84	58.58	41.42	15.28	64.82																																																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>deg</th></tr><tr><td>1 11100.00</td><td>48.69</td><td>74.00</td><td>-25.31</td><td>60.48</td><td>39.04</td><td>12.59</td><td>Peak</td></tr><tr><td>2 16650.00</td><td>49.66</td><td>68.30</td><td>-18.64</td><td>57.78</td><td>41.42</td><td>15.28</td><td>Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	deg	1 11100.00	48.69	74.00	-25.31	60.48	39.04	12.59	Peak	2 16650.00	49.66	68.30	-18.64	57.78	41.42	15.28	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>deg</th></tr><tr><td>1 11100.00</td><td>48.73</td><td>74.00</td><td>-25.27</td><td>60.52</td><td>39.04</td><td>12.59</td><td>Peak</td></tr><tr><td>2 16650.00</td><td>50.46</td><td>68.30</td><td>-17.84</td><td>58.58</td><td>41.42</td><td>15.28</td><td>Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	deg	1 11100.00	48.73	74.00	-25.27	60.52	39.04	12.59	Peak	2 16650.00	50.46	68.30	-17.84	58.58	41.42	15.28	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	deg																																																																																									
1 11100.00	48.69	74.00	-25.31	60.48	39.04	12.59	Peak																																																																																									
2 16650.00	49.66	68.30	-18.64	57.78	41.42	15.28	Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	deg																																																																																									
1 11100.00	48.73	74.00	-25.27	60.52	39.04	12.59	Peak																																																																																									
2 16650.00	50.46	68.30	-17.84	58.58	41.42	15.28	Peak																																																																																									



Mode	37																																																																																																															
	Harmonic																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																																															
ANT	CDD 6+17																																																																																																															
Pol.	Horizontal								Vertical																																																																																																							
Peak Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11340.00</td><td>48.63</td><td>74.00</td><td>-25.37</td><td>60.16</td><td>39.14</td><td>12.77</td><td>63.44</td><td>---</td><td>--- Peak</td></tr><tr><td>2 17010.00</td><td>50.66</td><td>68.30</td><td>-17.64</td><td>58.69</td><td>41.61</td><td>15.55</td><td>65.19</td><td>---</td><td>--- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11340.00	48.63	74.00	-25.37	60.16	39.14	12.77	63.44	---	--- Peak	2 17010.00	50.66	68.30	-17.64	58.69	41.61	15.55	65.19	---	--- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11340.00</td><td>49.24</td><td>74.00</td><td>-24.76</td><td>60.77</td><td>39.14</td><td>12.77</td><td>63.44</td><td>---</td><td>--- Peak</td></tr><tr><td>2 17010.00</td><td>50.21</td><td>68.30</td><td>-18.09</td><td>58.24</td><td>41.61</td><td>15.55</td><td>65.19</td><td>---</td><td>--- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11340.00	49.24	74.00	-24.76	60.77	39.14	12.77	63.44	---	--- Peak	2 17010.00	50.21	68.30	-18.09	58.24	41.61	15.55	65.19	---	--- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 11340.00	48.63	74.00	-25.37	60.16	39.14	12.77	63.44	---	--- Peak																																																																																																							
2 17010.00	50.66	68.30	-17.64	58.69	41.61	15.55	65.19	---	--- Peak																																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 11340.00	49.24	74.00	-24.76	60.77	39.14	12.77	63.44	---	--- Peak																																																																																																							
2 17010.00	50.21	68.30	-18.09	58.24	41.61	15.55	65.19	---	--- Peak																																																																																																							





Mode	38																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																																																																																	
ANT	CDD 6+17																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10420.00</td><td>47.75</td><td>68.30</td><td>-20.55</td><td>60.50</td><td>38.77</td><td>12.11</td><td>63.63</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15630.00</td><td>50.96</td><td>74.00</td><td>-23.04</td><td>59.56</td><td>40.80</td><td>14.62</td><td>64.02</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		cm	deg			1	10420.00	47.75	68.30	-20.55	60.50	38.77	12.11	63.63	---	---	Peak	2	15630.00	50.96	74.00	-23.04	59.56	40.80	14.62	64.02	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10420.00</td><td>47.26</td><td>68.30</td><td>-21.04</td><td>60.01</td><td>38.77</td><td>12.11</td><td>63.63</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15630.00</td><td>49.41</td><td>74.00</td><td>-24.59</td><td>58.01</td><td>40.80</td><td>14.62</td><td>64.02</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		cm	deg			1	10420.00	47.26	68.30	-21.04	60.01	38.77	12.11	63.63	---	---	Peak	2	15630.00	49.41	74.00	-24.59	58.01	40.80	14.62	64.02	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		cm	deg																																																																																																																									
1	10420.00	47.75	68.30	-20.55	60.50	38.77	12.11	63.63	---	---	Peak																																																																																																																							
2	15630.00	50.96	74.00	-23.04	59.56	40.80	14.62	64.02	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		cm	deg																																																																																																																									
1	10420.00	47.26	68.30	-21.04	60.01	38.77	12.11	63.63	---	---	Peak																																																																																																																							
2	15630.00	49.41	74.00	-24.59	58.01	40.80	14.62	64.02	---	---	Peak																																																																																																																							



Mode	39																																																																																																									
	Harmonic																																																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																																									
ANT	CDD 6+17																																																																																																									
Pol.	Horizontal					Vertical																																																																																																				
Peak Avg	Level (dBuV/m) Date: 2024-05-29 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10580.00</td><td>47.15</td><td>68.30</td><td>-21.15</td><td>59.68</td><td>38.83</td><td>12.22</td><td>63.58</td><td>---</td><td>--- Peak</td></tr><tr><td>2 15870.00</td><td>49.58</td><td>74.00</td><td>-24.42</td><td>57.95</td><td>41.00</td><td>14.73</td><td>64.10</td><td>---</td><td>--- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10580.00	47.15	68.30	-21.15	59.68	38.83	12.22	63.58	---	--- Peak	2 15870.00	49.58	74.00	-24.42	57.95	41.00	14.73	64.10	---	--- Peak	Level (dBuV/m) Date: 2024-05-29 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10580.00</td><td>48.10</td><td>68.30</td><td>-20.20</td><td>60.63</td><td>38.83</td><td>12.22</td><td>63.58</td><td>---</td><td>--- Peak</td></tr><tr><td>2 15870.00</td><td>49.29</td><td>74.00</td><td>-24.71</td><td>57.66</td><td>41.00</td><td>14.73</td><td>64.10</td><td>---</td><td>--- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10580.00	48.10	68.30	-20.20	60.63	38.83	12.22	63.58	---	--- Peak	2 15870.00	49.29	74.00	-24.71	57.66	41.00	14.73	64.10	---	--- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 10580.00	47.15	68.30	-21.15	59.68	38.83	12.22	63.58	---	--- Peak																																																																																																	
2 15870.00	49.58	74.00	-24.42	57.95	41.00	14.73	64.10	---	--- Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 10580.00	48.10	68.30	-20.20	60.63	38.83	12.22	63.58	---	--- Peak																																																																																																	
2 15870.00	49.29	74.00	-24.71	57.66	41.00	14.73	64.10	---	--- Peak																																																																																																	





Mode	40																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																																			
ANT	CDD 6+17																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>48.07</td><td>74.00</td><td>-25.93</td><td>59.90</td><td>39.02</td><td>12.57</td><td>63.42</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16590.00</td><td>49.72</td><td>68.30</td><td>-18.58</td><td>57.85</td><td>41.39</td><td>15.23</td><td>64.75</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	48.07	74.00	-25.93	59.90	39.02	12.57	63.42	---	---	Peak	2	16590.00	49.72	68.30	-18.58	57.85	41.39	15.23	64.75	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>48.97</td><td>74.00</td><td>-25.03</td><td>60.80</td><td>39.02</td><td>12.57</td><td>63.42</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16590.00</td><td>49.02</td><td>68.30</td><td>-19.28</td><td>57.15</td><td>41.39</td><td>15.23</td><td>64.75</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	48.97	74.00	-25.03	60.80	39.02	12.57	63.42	---	---	Peak	2	16590.00	49.02	68.30	-19.28	57.15	41.39	15.23	64.75	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11060.00	48.07	74.00	-25.93	59.90	39.02	12.57	63.42	---	---	Peak																																																																																																									
2	16590.00	49.72	68.30	-18.58	57.85	41.39	15.23	64.75	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11060.00	48.97	74.00	-25.03	60.80	39.02	12.57	63.42	---	---	Peak																																																																																																									
2	16590.00	49.02	68.30	-19.28	57.15	41.39	15.23	64.75	---	---	Peak																																																																																																									





Mode	41																																																																																											
	Harmonic																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																																											
ANT	CDD 6+17																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2024-05-29 Frequency (MHz)						Level (dBuV/m) Date: 2024-05-29 Frequency (MHz)																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td></tr><tr><td>1</td><td>11220.00</td><td>49.24</td><td>74.00</td><td>-24.76</td><td>60.90</td><td>39.09</td><td>12.68 63.43 --- --- Peak</td></tr><tr><td>2</td><td>16830.00</td><td>49.78</td><td>68.30</td><td>-18.52</td><td>57.86</td><td>41.51</td><td>15.41 65.00 --- --- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11220.00	49.24	74.00	-24.76	60.90	39.09	12.68 63.43 --- --- Peak	2	16830.00	49.78	68.30	-18.52	57.86	41.51	15.41 65.00 --- --- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td></tr><tr><td>1</td><td>11220.00</td><td>48.98</td><td>74.00</td><td>-25.02</td><td>60.64</td><td>39.09</td><td>12.68 63.43 --- --- Peak</td></tr><tr><td>2</td><td>16830.00</td><td>50.63</td><td>68.30</td><td>-17.67</td><td>58.71</td><td>41.51</td><td>15.41 65.00 --- --- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11220.00	48.98	74.00	-25.02	60.64	39.09	12.68 63.43 --- --- Peak	2	16830.00	50.63	68.30	-17.67	58.71	41.51	15.41 65.00 --- --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																					
1	11220.00	49.24	74.00	-24.76	60.90	39.09	12.68 63.43 --- --- Peak																																																																																					
2	16830.00	49.78	68.30	-18.52	57.86	41.51	15.41 65.00 --- --- Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																					
1	11220.00	48.98	74.00	-25.02	60.64	39.09	12.68 63.43 --- --- Peak																																																																																					
2	16830.00	50.63	68.30	-17.67	58.71	41.51	15.41 65.00 --- --- Peak																																																																																					



Mode	42																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE160_CH50_Full_5250MHz																																																																																																																			
ANT	CDD 6+17																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>47.93</td><td>68.30</td><td>-20.37</td><td>60.57</td><td>38.80</td><td>12.16</td><td>63.60</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15750.00</td><td>50.71</td><td>74.00</td><td>-23.29</td><td>59.19</td><td>40.90</td><td>14.68</td><td>64.06</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10500.00	47.93	68.30	-20.37	60.57	38.80	12.16	63.60	---	---	Peak	2	15750.00	50.71	74.00	-23.29	59.19	40.90	14.68	64.06	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>47.47</td><td>68.30</td><td>-20.83</td><td>60.11</td><td>38.80</td><td>12.16</td><td>63.60</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15750.00</td><td>49.01</td><td>74.00</td><td>-24.99</td><td>57.49</td><td>40.90</td><td>14.68</td><td>64.06</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10500.00	47.47	68.30	-20.83	60.11	38.80	12.16	63.60	---	---	Peak	2	15750.00	49.01	74.00	-24.99	57.49	40.90	14.68	64.06	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	10500.00	47.93	68.30	-20.37	60.57	38.80	12.16	63.60	---	---	Peak																																																																																																									
2	15750.00	50.71	74.00	-23.29	59.19	40.90	14.68	64.06	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	10500.00	47.47	68.30	-20.83	60.11	38.80	12.16	63.60	---	---	Peak																																																																																																									
2	15750.00	49.01	74.00	-24.99	57.49	40.90	14.68	64.06	---	---	Peak																																																																																																									



Mode	43																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																																																																																																			
ANT	CDD 6+17																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>11140.00</td><td>48.47</td><td>74.00</td><td>-25.53</td><td>60.22</td><td>39.06</td><td>12.62</td><td>63.43</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16710.00</td><td>50.39</td><td>68.30</td><td>-17.91</td><td>58.50</td><td>41.45</td><td>15.32</td><td>64.88</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11140.00	48.47	74.00	-25.53	60.22	39.06	12.62	63.43	---	---	Peak	2	16710.00	50.39	68.30	-17.91	58.50	41.45	15.32	64.88	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>11140.00</td><td>48.74</td><td>74.00</td><td>-25.26</td><td>60.49</td><td>39.06</td><td>12.62</td><td>63.43</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16710.00</td><td>50.44</td><td>68.30</td><td>-17.86</td><td>58.55</td><td>41.45</td><td>15.32</td><td>64.88</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11140.00	48.74	74.00	-25.26	60.49	39.06	12.62	63.43	---	---	Peak	2	16710.00	50.44	68.30	-17.86	58.55	41.45	15.32	64.88	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11140.00	48.47	74.00	-25.53	60.22	39.06	12.62	63.43	---	---	Peak																																																																																																									
2	16710.00	50.39	68.30	-17.91	58.50	41.45	15.32	64.88	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11140.00	48.74	74.00	-25.26	60.49	39.06	12.62	63.43	---	---	Peak																																																																																																									
2	16710.00	50.44	68.30	-17.86	58.55	41.45	15.32	64.88	---	---	Peak																																																																																																									



Mode	44																																																																																							
	Harmonic																																																																																							
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																							
ANT	CDD 6+17																																																																																							
Pol.	Horizontal								Vertical																																																																															
Peak Avg	Level (dBuV/m) Date: 2024-05-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><td>1</td><td>11490.00</td><td>48.47</td><td>74.00</td><td>-25.53</td><td>59.84</td><td>39.20</td><td>12.87</td><td>63.44 --- Peak</td></tr><tr><td>2</td><td>17235.00</td><td>50.33</td><td>68.30</td><td>-17.97</td><td>58.05</td><td>41.86</td><td>15.72</td><td>65.30 --- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	11490.00	48.47	74.00	-25.53	59.84	39.20	12.87	63.44 --- Peak	2	17235.00	50.33	68.30	-17.97	58.05	41.86	15.72	65.30 --- Peak	Level (dBuV/m) Date: 2024-05-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><td>1</td><td>11490.00</td><td>48.63</td><td>74.00</td><td>-25.37</td><td>60.00</td><td>39.20</td><td>12.87</td><td>63.44 --- Peak</td></tr><tr><td>2</td><td>17235.00</td><td>49.03</td><td>68.30</td><td>-19.27</td><td>56.75</td><td>41.86</td><td>15.72</td><td>65.30 --- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	11490.00	48.63	74.00	-25.37	60.00	39.20	12.87	63.44 --- Peak	2	17235.00	49.03	68.30	-19.27	56.75	41.86	15.72	65.30 --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
1	11490.00	48.47	74.00	-25.53	59.84	39.20	12.87	63.44 --- Peak																																																																																
2	17235.00	50.33	68.30	-17.97	58.05	41.86	15.72	65.30 --- Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
1	11490.00	48.63	74.00	-25.37	60.00	39.20	12.87	63.44 --- Peak																																																																																
2	17235.00	49.03	68.30	-19.27	56.75	41.86	15.72	65.30 --- Peak																																																																																



Mode	45																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																	
ANT	CDD 6+17																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2024-05-29 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11570.00</td><td>49.41</td><td>74.00</td><td>-24.59</td><td>60.70</td><td>39.23</td><td>12.93</td><td>63.45</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17355.00</td><td>50.08</td><td>68.30</td><td>-18.22</td><td>57.64</td><td>41.99</td><td>15.81</td><td>65.36</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11570.00	49.41	74.00	-24.59	60.70	39.23	12.93	63.45	---	---	Peak	2	17355.00	50.08	68.30	-18.22	57.64	41.99	15.81	65.36	---	---	Peak	Level (dBuV/m) Date: 2024-05-29 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11570.00</td><td>49.31</td><td>74.00</td><td>-24.69</td><td>60.60</td><td>39.23</td><td>12.93</td><td>63.45</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17355.00</td><td>50.21</td><td>68.30</td><td>-18.09</td><td>57.77</td><td>41.99</td><td>15.81</td><td>65.36</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11570.00	49.31	74.00	-24.69	60.60	39.23	12.93	63.45	---	---	Peak	2	17355.00	50.21	68.30	-18.09	57.77	41.99	15.81	65.36	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	11570.00	49.41	74.00	-24.59	60.70	39.23	12.93	63.45	---	---	Peak																																																																																																																							
2	17355.00	50.08	68.30	-18.22	57.64	41.99	15.81	65.36	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	11570.00	49.31	74.00	-24.69	60.60	39.23	12.93	63.45	---	---	Peak																																																																																																																							
2	17355.00	50.21	68.30	-18.09	57.77	41.99	15.81	65.36	---	---	Peak																																																																																																																							



Mode	46																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																	
ANT	CDD 6+17																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2024-05-29 Frequency (MHz) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11650.00</td><td>48.68</td><td>74.00</td><td>-25.32</td><td>59.88</td><td>39.26</td><td>12.99</td><td>63.45</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17475.00</td><td>50.41</td><td>68.30</td><td>-17.89</td><td>57.82</td><td>42.12</td><td>15.90</td><td>65.43</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 11650.00	48.68	74.00	-25.32	59.88	39.26	12.99	63.45	---	---	---	Peak	2 17475.00	50.41	68.30	-17.89	57.82	42.12	15.90	65.43	---	---	---	Peak	Level (dBuV/m) Date: 2024-05-29 Frequency (MHz) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11650.00</td><td>49.45</td><td>74.00</td><td>-24.55</td><td>60.65</td><td>39.26</td><td>12.99</td><td>63.45</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17475.00</td><td>50.42</td><td>68.30</td><td>-17.88</td><td>57.83</td><td>42.12</td><td>15.90</td><td>65.43</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 11650.00	49.45	74.00	-24.55	60.65	39.26	12.99	63.45	---	---	---	Peak	2 17475.00	50.42	68.30	-17.88	57.83	42.12	15.90	65.43	---	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1 11650.00	48.68	74.00	-25.32	59.88	39.26	12.99	63.45	---	---	---	Peak																																																																																																																							
2 17475.00	50.41	68.30	-17.89	57.82	42.12	15.90	65.43	---	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1 11650.00	49.45	74.00	-24.55	60.65	39.26	12.99	63.45	---	---	---	Peak																																																																																																																							
2 17475.00	50.42	68.30	-17.88	57.83	42.12	15.90	65.43	---	---	---	Peak																																																																																																																							



Mode	47																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																			
ANT	CDD 6+17																																																																																																																			
Pol.	Horizontal								Vertical																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2024-05-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11490.00</td><td>48.31</td><td>74.00</td><td>-25.69</td><td>59.68</td><td>39.20</td><td>12.87</td><td>63.44</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17235.00</td><td>50.70</td><td>68.30</td><td>-17.60</td><td>58.42</td><td>41.86</td><td>15.72</td><td>65.30</td><td>---</td><td>---</td><td>Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11490.00	48.31	74.00	-25.69	59.68	39.20	12.87	63.44	---	---	Peak	2 17235.00	50.70	68.30	-17.60	58.42	41.86	15.72	65.30	---	---	Peak	Level (dBuV/m) Date: 2024-05-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11490.00</td><td>48.37</td><td>74.00</td><td>-25.63</td><td>59.74</td><td>39.20</td><td>12.87</td><td>63.44</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17235.00</td><td>50.41</td><td>68.30</td><td>-17.89</td><td>58.13</td><td>41.86</td><td>15.72</td><td>65.30</td><td>---</td><td>---</td><td>Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11490.00	48.37	74.00	-25.63	59.74	39.20	12.87	63.44	---	---	Peak	2 17235.00	50.41	68.30	-17.89	58.13	41.86	15.72	65.30	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1 11490.00	48.31	74.00	-25.69	59.68	39.20	12.87	63.44	---	---	Peak																																																																																																										
2 17235.00	50.70	68.30	-17.60	58.42	41.86	15.72	65.30	---	---	Peak																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1 11490.00	48.37	74.00	-25.63	59.74	39.20	12.87	63.44	---	---	Peak																																																																																																										
2 17235.00	50.41	68.30	-17.89	58.13	41.86	15.72	65.30	---	---	Peak																																																																																																										



Mode	48																																																																	
	Harmonic																																																																	
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz																																																																	
ANT	CDD 6+17																																																																	
Pol.	Horizontal					Vertical																																																												
Peak Avg	Level (dBuV/m) Date: 2024-05-29 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><td>1 11570.00</td><td>48.48</td><td>74.00</td><td>-25.52</td><td>59.77</td><td>39.23</td><td>12.93</td></tr><tr><td>2 17355.00</td><td>50.72</td><td>68.30</td><td>-17.58</td><td>58.28</td><td>41.99</td><td>15.81</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	1 11570.00	48.48	74.00	-25.52	59.77	39.23	12.93	2 17355.00	50.72	68.30	-17.58	58.28	41.99	15.81	Level (dBuV/m) Date: 2024-05-29 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><td>1 11570.00</td><td>49.29</td><td>74.00</td><td>-24.71</td><td>60.58</td><td>39.23</td><td>12.93</td></tr><tr><td>2 17355.00</td><td>49.53</td><td>68.30</td><td>-18.77</td><td>57.09</td><td>41.99</td><td>15.81</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	1 11570.00	49.29	74.00	-24.71	60.58	39.23	12.93	2 17355.00	49.53	68.30	-18.77	57.09	41.99	15.81
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																											
1 11570.00	48.48	74.00	-25.52	59.77	39.23	12.93																																																												
2 17355.00	50.72	68.30	-17.58	58.28	41.99	15.81																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																												
1 11570.00	49.29	74.00	-24.71	60.58	39.23	12.93																																																												
2 17355.00	49.53	68.30	-18.77	57.09	41.99	15.81																																																												
<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><td>1 11570.00</td><td>48.48</td><td>74.00</td><td>-25.52</td><td>59.77</td><td>39.23</td><td>12.93</td></tr><tr><td>2 17355.00</td><td>50.72</td><td>68.30</td><td>-17.58</td><td>58.28</td><td>41.99</td><td>15.81</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	1 11570.00	48.48	74.00	-25.52	59.77	39.23	12.93	2 17355.00	50.72	68.30	-17.58	58.28	41.99	15.81	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><td>1 11570.00</td><td>49.29</td><td>74.00</td><td>-24.71</td><td>60.58</td><td>39.23</td><td>12.93</td></tr><tr><td>2 17355.00</td><td>49.53</td><td>68.30</td><td>-18.77</td><td>57.09</td><td>41.99</td><td>15.81</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	1 11570.00	49.29	74.00	-24.71	60.58	39.23	12.93	2 17355.00	49.53	68.30	-18.77	57.09	41.99	15.81	
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																												
1 11570.00	48.48	74.00	-25.52	59.77	39.23	12.93																																																												
2 17355.00	50.72	68.30	-17.58	58.28	41.99	15.81																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																												
1 11570.00	49.29	74.00	-24.71	60.58	39.23	12.93																																																												
2 17355.00	49.53	68.30	-18.77	57.09	41.99	15.81																																																												
<table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11570.00</td><td>48.48</td><td>74.00</td><td>-25.52</td><td>59.77</td><td>39.23</td><td>12.93</td><td>63.45</td><td>---</td></tr><tr><td>2 17355.00</td><td>50.72</td><td>68.30</td><td>-17.58</td><td>58.28</td><td>41.99</td><td>15.81</td><td>65.36</td><td>---</td></tr></table>					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 11570.00	48.48	74.00	-25.52	59.77	39.23	12.93	63.45	---	2 17355.00	50.72	68.30	-17.58	58.28	41.99	15.81	65.36	---	<table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11570.00</td><td>49.29</td><td>74.00</td><td>-24.71</td><td>60.58</td><td>39.23</td><td>12.93</td><td>63.45</td><td>---</td></tr><tr><td>2 17355.00</td><td>49.53</td><td>68.30</td><td>-18.77</td><td>57.09</td><td>41.99</td><td>15.81</td><td>65.36</td><td>---</td></tr></table>					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 11570.00	49.29	74.00	-24.71	60.58	39.23	12.93	63.45	---	2 17355.00	49.53	68.30	-18.77	57.09	41.99	15.81	65.36	---			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																										
1 11570.00	48.48	74.00	-25.52	59.77	39.23	12.93	63.45	---																																																										
2 17355.00	50.72	68.30	-17.58	58.28	41.99	15.81	65.36	---																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																										
1 11570.00	49.29	74.00	-24.71	60.58	39.23	12.93	63.45	---																																																										
2 17355.00	49.53	68.30	-18.77	57.09	41.99	15.81	65.36	---																																																										





Mode	49																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																			
ANT	CDD 6+17																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg	Level (dBuV/m) Date: 2024-05-29 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>49.00</td><td>74.00</td><td>-25.00</td><td>60.20</td><td>39.26</td><td>12.99</td><td>63.45</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17475.00</td><td>50.79</td><td>68.30</td><td>-17.51</td><td>58.20</td><td>42.12</td><td>15.90</td><td>65.43</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	49.00	74.00	-25.00	60.20	39.26	12.99	63.45	---	---	Peak	2	17475.00	50.79	68.30	-17.51	58.20	42.12	15.90	65.43	---	---	Peak	Level (dBuV/m) Date: 2024-05-29 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>48.43</td><td>74.00</td><td>-25.57</td><td>59.63</td><td>39.26</td><td>12.99</td><td>63.45</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17475.00</td><td>50.56</td><td>68.30</td><td>-17.74</td><td>57.97</td><td>42.12</td><td>15.90</td><td>65.43</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	48.43	74.00	-25.57	59.63	39.26	12.99	63.45	---	---	Peak	2	17475.00	50.56	68.30	-17.74	57.97	42.12	15.90	65.43	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11650.00	49.00	74.00	-25.00	60.20	39.26	12.99	63.45	---	---	Peak																																																																																																									
2	17475.00	50.79	68.30	-17.51	58.20	42.12	15.90	65.43	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11650.00	48.43	74.00	-25.57	59.63	39.26	12.99	63.45	---	---	Peak																																																																																																									
2	17475.00	50.56	68.30	-17.74	57.97	42.12	15.90	65.43	---	---	Peak																																																																																																									



Mode	50																																																																																																	
	Harmonic																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																	
ANT	CDD 6+17																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	Level (dBuV/m) Date: 2024-05-29 PART 15.407 PART 15.407 AVG <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11510.00</td><td>48.88</td><td>74.00</td><td>-25.12</td><td>60.24</td><td>39.20</td><td>12.89</td><td>63.45</td><td>---</td><td>--- Peak</td></tr><tr><td>2 17265.00</td><td>49.53</td><td>68.30</td><td>-18.77</td><td>57.22</td><td>41.89</td><td>15.74</td><td>65.32</td><td>---</td><td>--- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11510.00	48.88	74.00	-25.12	60.24	39.20	12.89	63.45	---	--- Peak	2 17265.00	49.53	68.30	-18.77	57.22	41.89	15.74	65.32	---	--- Peak	Level (dBuV/m) Date: 2024-05-29 PART 15.407 PART 15.407 AVG <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11510.00</td><td>48.89</td><td>74.00</td><td>-25.11</td><td>60.25</td><td>39.20</td><td>12.89</td><td>63.45</td><td>---</td><td>--- Peak</td></tr><tr><td>2 17265.00</td><td>49.63</td><td>68.30</td><td>-18.67</td><td>57.32</td><td>41.89</td><td>15.74</td><td>65.32</td><td>---</td><td>--- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11510.00	48.89	74.00	-25.11	60.25	39.20	12.89	63.45	---	--- Peak	2 17265.00	49.63	68.30	-18.67	57.32	41.89	15.74	65.32	---	--- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11510.00	48.88	74.00	-25.12	60.24	39.20	12.89	63.45	---	--- Peak																																																																																									
2 17265.00	49.53	68.30	-18.77	57.22	41.89	15.74	65.32	---	--- Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11510.00	48.89	74.00	-25.11	60.25	39.20	12.89	63.45	---	--- Peak																																																																																									
2 17265.00	49.63	68.30	-18.67	57.32	41.89	15.74	65.32	---	--- Peak																																																																																									



Mode	51																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																			
ANT	CDD 6+17																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>48.55</td><td>74.00</td><td>-25.45</td><td>59.81</td><td>39.24</td><td>12.95</td><td>63.45</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17385.00</td><td>49.45</td><td>68.30</td><td>-18.85</td><td>56.98</td><td>42.02</td><td>15.83</td><td>65.38</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	48.55	74.00	-25.45	59.81	39.24	12.95	63.45	---	---	Peak	2	17385.00	49.45	68.30	-18.85	56.98	42.02	15.83	65.38	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>49.18</td><td>74.00</td><td>-24.82</td><td>60.44</td><td>39.24</td><td>12.95</td><td>63.45</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17385.00</td><td>50.17</td><td>68.30</td><td>-18.13</td><td>57.70</td><td>42.02</td><td>15.83</td><td>65.38</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	49.18	74.00	-24.82	60.44	39.24	12.95	63.45	---	---	Peak	2	17385.00	50.17	68.30	-18.13	57.70	42.02	15.83	65.38	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11590.00	48.55	74.00	-25.45	59.81	39.24	12.95	63.45	---	---	Peak																																																																																																									
2	17385.00	49.45	68.30	-18.85	56.98	42.02	15.83	65.38	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11590.00	49.18	74.00	-24.82	60.44	39.24	12.95	63.45	---	---	Peak																																																																																																									
2	17385.00	50.17	68.30	-18.13	57.70	42.02	15.83	65.38	---	---	Peak																																																																																																									



Mode	52																																																																																																											
	Harmonic																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																											
ANT	CDD 6+17																																																																																																											
Pol.	Horizontal						Vertical																																																																																																					
Peak Avg	Level (dBuV/m) Date: 2024-05-30 Frequency (MHz)						Level (dBuV/m) Date: 2024-05-30 Frequency (MHz)																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td></tr><tr><td>1</td><td>11550.00</td><td>46.67</td><td>74.00</td><td>-27.33</td><td>57.98</td><td>39.22</td><td>12.92</td><td>63.45</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17325.00</td><td>48.38</td><td>68.30</td><td>-19.92</td><td>55.98</td><td>41.96</td><td>15.79</td><td>65.35</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11550.00	46.67	74.00	-27.33	57.98	39.22	12.92	63.45	---	---	Peak	2	17325.00	48.38	68.30	-19.92	55.98	41.96	15.79	65.35	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td></tr><tr><td>1</td><td>11550.00</td><td>47.49</td><td>74.00</td><td>-26.51</td><td>58.80</td><td>39.22</td><td>12.92</td><td>63.45</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17325.00</td><td>46.89</td><td>68.30</td><td>-21.41</td><td>54.49</td><td>41.96</td><td>15.79</td><td>65.35</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11550.00	47.49	74.00	-26.51	58.80	39.22	12.92	63.45	---	---	Peak	2	17325.00	46.89	68.30	-21.41	54.49	41.96	15.79	65.35	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																					
1	11550.00	46.67	74.00	-27.33	57.98	39.22	12.92	63.45	---	---	Peak																																																																																																	
2	17325.00	48.38	68.30	-19.92	55.98	41.96	15.79	65.35	---	---	Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																					
1	11550.00	47.49	74.00	-26.51	58.80	39.22	12.92	63.45	---	---	Peak																																																																																																	
2	17325.00	46.89	68.30	-21.41	54.49	41.96	15.79	65.35	---	---	Peak																																																																																																	



Mode	53																																																																																																																									
	Band Edge																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_5745MHz																																																																																																																									
ANT	CDD 6+17																																																																																																																									
Pol.	Horizontal	Fundamental																																																																																																																								
Peak	Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5621.17</td><td>52.16</td><td>68.30</td><td>-16.14</td><td>38.94</td><td>36.07</td><td>9.80</td><td>32.65</td><td>100</td><td>78</td><td>PEAK</td></tr><tr><td>2</td><td>5650.90</td><td>51.44</td><td>68.96</td><td>-17.52</td><td>38.13</td><td>36.11</td><td>9.86</td><td>32.66</td><td>100</td><td>78</td><td>PEAK</td></tr><tr><td>3</td><td>5700.78</td><td>51.29</td><td>105.42</td><td>-54.13</td><td>37.82</td><td>36.18</td><td>9.97</td><td>32.68</td><td>100</td><td>78</td><td>PEAK</td></tr><tr><td>4</td><td>5720.35</td><td>51.67</td><td>111.60</td><td>-59.93</td><td>38.14</td><td>36.21</td><td>10.01</td><td>32.69</td><td>100</td><td>78</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5621.17	52.16	68.30	-16.14	38.94	36.07	9.80	32.65	100	78	PEAK	2	5650.90	51.44	68.96	-17.52	38.13	36.11	9.86	32.66	100	78	PEAK	3	5700.78	51.29	105.42	-54.13	37.82	36.18	9.97	32.68	100	78	PEAK	4	5720.35	51.67	111.60	-59.93	38.14	36.21	10.01	32.69	100	78	PEAK	Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>114.20</td><td>-----</td><td>-----</td><td>100.62</td><td>36.23</td><td>10.04</td><td>32.69</td><td>100</td><td>78</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	114.20	-----	-----	100.62	36.23	10.04	32.69	100	78	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5621.17	52.16	68.30	-16.14	38.94	36.07	9.80	32.65	100	78	PEAK																																																																																																															
2	5650.90	51.44	68.96	-17.52	38.13	36.11	9.86	32.66	100	78	PEAK																																																																																																															
3	5700.78	51.29	105.42	-54.13	37.82	36.18	9.97	32.68	100	78	PEAK																																																																																																															
4	5720.35	51.67	111.60	-59.93	38.14	36.21	10.01	32.69	100	78	PEAK																																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5745.00	114.20	-----	-----	100.62	36.23	10.04	32.69	100	78	PEAK																																																																																																															
Avg	Blank	Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>106.42</td><td>-----</td><td>-----</td><td>92.84</td><td>36.23</td><td>10.04</td><td>32.69</td><td>100</td><td>78</td><td>AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	106.42	-----	-----	92.84	36.23	10.04	32.69	100	78	AVERAGE																																																																														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5745.00	106.42	-----	-----	92.84	36.23	10.04	32.69	100	78	AVERAGE																																																																																																															



Mode	53																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_5745MHz																																																																																																																																			
ANT	CDD 6+17																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5615.52</td><td>52.06</td><td>68.30</td><td>-16.24</td><td>38.86</td><td>36.06</td><td>9.79</td><td>32.65</td><td>400</td><td>203</td><td>PEAK</td></tr><tr><td>2</td><td>5650.17</td><td>50.34</td><td>68.43</td><td>-18.09</td><td>37.03</td><td>36.11</td><td>9.86</td><td>32.66</td><td>400</td><td>203</td><td>PEAK</td></tr><tr><td>3</td><td>5703.82</td><td>53.73</td><td>106.27</td><td>-52.54</td><td>40.25</td><td>36.19</td><td>9.97</td><td>32.68</td><td>400</td><td>203</td><td>PEAK</td></tr><tr><td>4</td><td>5720.35</td><td>51.02</td><td>111.60</td><td>-60.58</td><td>37.49</td><td>36.21</td><td>10.01</td><td>32.69</td><td>400</td><td>203</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5615.52	52.06	68.30	-16.24	38.86	36.06	9.79	32.65	400	203	PEAK	2	5650.17	50.34	68.43	-18.09	37.03	36.11	9.86	32.66	400	203	PEAK	3	5703.82	53.73	106.27	-52.54	40.25	36.19	9.97	32.68	400	203	PEAK	4	5720.35	51.02	111.60	-60.58	37.49	36.21	10.01	32.69	400	203	PEAK	Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>111.41</td><td>-----</td><td>-----</td><td>97.83</td><td>36.23</td><td>10.04</td><td>32.69</td><td>400</td><td>203</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	111.41	-----	-----	97.83	36.23	10.04	32.69	400	203	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5615.52	52.06	68.30	-16.24	38.86	36.06	9.79	32.65	400	203	PEAK																																																																																																																									
2	5650.17	50.34	68.43	-18.09	37.03	36.11	9.86	32.66	400	203	PEAK																																																																																																																									
3	5703.82	53.73	106.27	-52.54	40.25	36.19	9.97	32.68	400	203	PEAK																																																																																																																									
4	5720.35	51.02	111.60	-60.58	37.49	36.21	10.01	32.69	400	203	PEAK																																																																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5745.00	111.41	-----	-----	97.83	36.23	10.04	32.69	400	203	PEAK																																																																																																																									
Avg	Blank						Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>104.03</td><td>-----</td><td>-----</td><td>90.44</td><td>36.24</td><td>10.05</td><td>32.70</td><td>400</td><td>203</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	104.03	-----	-----	90.44	36.24	10.05	32.70	400	203	AVERAGE																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5745.00	104.03	-----	-----	90.44	36.24	10.05	32.70	400	203	AVERAGE																																																																																																																									



Mode	54																																																																																																																												
	Band Edge																																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_5825MHz																																																																																																																												
ANT	CDD 6+17																																																																																																																												
Pol.	Horizontal					Fundamental																																																																																																																							
Peak	Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5855.00</td><td>50.17</td><td>110.80</td><td>-60.63</td><td>36.22</td><td>36.40</td><td>10.29</td><td>32.74</td><td>199</td><td>0° PEAK</td></tr><tr><td>2</td><td>5874.13</td><td>50.81</td><td>105.44</td><td>-54.63</td><td>36.81</td><td>36.42</td><td>10.33</td><td>32.75</td><td>199</td><td>0° PEAK</td></tr><tr><td>3</td><td>5924.38</td><td>50.78</td><td>68.76</td><td>-17.98</td><td>36.62</td><td>36.49</td><td>10.44</td><td>32.77</td><td>199</td><td>0° PEAK</td></tr><tr><td>4</td><td>5928.63</td><td>52.74</td><td>68.30</td><td>-15.56</td><td>38.56</td><td>36.50</td><td>10.45</td><td>32.77</td><td>199</td><td>0° PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5855.00	50.17	110.80	-60.63	36.22	36.40	10.29	32.74	199	0° PEAK	2	5874.13	50.81	105.44	-54.63	36.81	36.42	10.33	32.75	199	0° PEAK	3	5924.38	50.78	68.76	-17.98	36.62	36.49	10.44	32.77	199	0° PEAK	4	5928.63	52.74	68.30	-15.56	38.56	36.50	10.45	32.77	199	0° PEAK	Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>103.77</td><td>-----</td><td>-----</td><td>89.90</td><td>36.36</td><td>10.24</td><td>32.73</td><td>199</td><td>0° PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	103.77	-----	-----	89.90	36.36	10.24	32.73	199	0° PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5855.00	50.17	110.80	-60.63	36.22	36.40	10.29	32.74	199	0° PEAK																																																																																																																			
2	5874.13	50.81	105.44	-54.63	36.81	36.42	10.33	32.75	199	0° PEAK																																																																																																																			
3	5924.38	50.78	68.76	-17.98	36.62	36.49	10.44	32.77	199	0° PEAK																																																																																																																			
4	5928.63	52.74	68.30	-15.56	38.56	36.50	10.45	32.77	199	0° PEAK																																																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5825.00	103.77	-----	-----	89.90	36.36	10.24	32.73	199	0° PEAK																																																																																																																			
Avg	Blank					Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>97.33</td><td>-----</td><td>-----</td><td>83.46</td><td>36.36</td><td>10.24</td><td>32.73</td><td>199</td><td>0° AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	97.33	-----	-----	83.46	36.36	10.24	32.73	199	0° AVERAGE																																																																										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5825.00	97.33	-----	-----	83.46	36.36	10.24	32.73	199	0° AVERAGE																																																																																																																			



Mode	54																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_5825MHz																																																																																																																																			
ANT	CDD 6+17																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.63</td><td>50.44</td><td>111.65</td><td>-61.21</td><td>36.49</td><td>36.40</td><td>10.29</td><td>32.74</td><td>400</td><td>314</td><td>PEAK</td></tr><tr><td>2</td><td>5873.75</td><td>51.16</td><td>105.55</td><td>-54.39</td><td>37.16</td><td>36.42</td><td>10.33</td><td>32.75</td><td>400</td><td>314</td><td>PEAK</td></tr><tr><td>3</td><td>5924.25</td><td>51.31</td><td>68.85</td><td>-17.54</td><td>37.15</td><td>36.49</td><td>10.44</td><td>32.77</td><td>400</td><td>314</td><td>PEAK</td></tr><tr><td>4</td><td>5935.25</td><td>52.55</td><td>68.30</td><td>-15.75</td><td>38.35</td><td>36.51</td><td>10.46</td><td>32.77</td><td>400</td><td>314</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.63	50.44	111.65	-61.21	36.49	36.40	10.29	32.74	400	314	PEAK	2	5873.75	51.16	105.55	-54.39	37.16	36.42	10.33	32.75	400	314	PEAK	3	5924.25	51.31	68.85	-17.54	37.15	36.49	10.44	32.77	400	314	PEAK	4	5935.25	52.55	68.30	-15.75	38.35	36.51	10.46	32.77	400	314	PEAK	Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>93.38</td><td>-----</td><td>-----</td><td>79.49</td><td>36.37</td><td>10.25</td><td>32.73</td><td>400</td><td>314</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	93.38	-----	-----	79.49	36.37	10.25	32.73	400	314	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5854.63	50.44	111.65	-61.21	36.49	36.40	10.29	32.74	400	314	PEAK																																																																																																																									
2	5873.75	51.16	105.55	-54.39	37.16	36.42	10.33	32.75	400	314	PEAK																																																																																																																									
3	5924.25	51.31	68.85	-17.54	37.15	36.49	10.44	32.77	400	314	PEAK																																																																																																																									
4	5935.25	52.55	68.30	-15.75	38.35	36.51	10.46	32.77	400	314	PEAK																																																																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5825.00	93.38	-----	-----	79.49	36.37	10.25	32.73	400	314	PEAK																																																																																																																									
Avg	Blank						Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>87.04</td><td>-----</td><td>-----</td><td>73.15</td><td>36.37</td><td>10.25</td><td>32.73</td><td>400</td><td>314</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	87.04	-----	-----	73.15	36.37	10.25	32.73	400	314	AVERAGE																																																																														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5825.00	87.04	-----	-----	73.15	36.37	10.25	32.73	400	314	AVERAGE																																																																																																																									



Mode	55																																																																																																																				
	Band Edge																																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_5745MHz																																																																																																																				
ANT	CDD 6+17																																																																																																																				
Pol.	Horizontal	Fundamental																																																																																																																			
Peak	Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5649.01</td><td>53.06</td><td>68.30</td><td>-15.24</td><td>39.75</td><td>36.11</td><td>9.86</td><td>32.66</td><td>100</td><td>124 PEAK</td></tr><tr><td>2</td><td>5650.90</td><td>52.17</td><td>68.96</td><td>-16.79</td><td>38.86</td><td>36.11</td><td>9.86</td><td>32.66</td><td>100</td><td>124 PEAK</td></tr><tr><td>3</td><td>5706.14</td><td>54.92</td><td>106.92</td><td>-52.00</td><td>41.43</td><td>36.19</td><td>9.98</td><td>32.68</td><td>100</td><td>124 PEAK</td></tr><tr><td>4</td><td>5724.41</td><td>68.04</td><td>120.86</td><td>-52.82</td><td>54.50</td><td>36.21</td><td>10.02</td><td>32.69</td><td>100</td><td>124 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5649.01	53.06	68.30	-15.24	39.75	36.11	9.86	32.66	100	124 PEAK	2	5650.90	52.17	68.96	-16.79	38.86	36.11	9.86	32.66	100	124 PEAK	3	5706.14	54.92	106.92	-52.00	41.43	36.19	9.98	32.68	100	124 PEAK	4	5724.41	68.04	120.86	-52.82	54.50	36.21	10.02	32.69	100	124 PEAK	Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>115.75</td><td>-----</td><td>-----</td><td>102.16</td><td>36.24</td><td>10.05</td><td>32.70</td><td>100</td><td>124 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	115.75	-----	-----	102.16	36.24	10.05	32.70	100	124 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5649.01	53.06	68.30	-15.24	39.75	36.11	9.86	32.66	100	124 PEAK																																																																																																											
2	5650.90	52.17	68.96	-16.79	38.86	36.11	9.86	32.66	100	124 PEAK																																																																																																											
3	5706.14	54.92	106.92	-52.00	41.43	36.19	9.98	32.68	100	124 PEAK																																																																																																											
4	5724.41	68.04	120.86	-52.82	54.50	36.21	10.02	32.69	100	124 PEAK																																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5745.00	115.75	-----	-----	102.16	36.24	10.05	32.70	100	124 PEAK																																																																																																											
Avg	Blank	Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>107.62</td><td>-----</td><td>-----</td><td>94.03</td><td>36.24</td><td>10.05</td><td>32.70</td><td>100</td><td>124 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	107.62	-----	-----	94.03	36.24	10.05	32.70	100	124 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5745.00	107.62	-----	-----	94.03	36.24	10.05	32.70	100	124 AVERAGE																																																																																																											



Mode	55																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_5745MHz																																																																																																																																			
ANT	CDD 6+17																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	Level (dBuV/m) Date: 2024-05-28 PEAK_BE[B4]_10-24 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5631.76</td><td>52.83</td><td>68.30</td><td>-15.47</td><td>39.58</td><td>36.08</td><td>9.82</td><td>32.65</td><td>400</td><td>194</td><td>PEAK</td></tr><tr><td>2</td><td>5650.75</td><td>51.04</td><td>68.86</td><td>-17.82</td><td>37.73</td><td>36.11</td><td>9.86</td><td>32.66</td><td>400</td><td>194</td><td>PEAK</td></tr><tr><td>3</td><td>5700.34</td><td>51.38</td><td>105.30</td><td>-53.92</td><td>37.91</td><td>36.18</td><td>9.97</td><td>32.68</td><td>400</td><td>194</td><td>PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>52.15</td><td>110.94</td><td>-58.79</td><td>38.62</td><td>36.21</td><td>10.01</td><td>32.69</td><td>400</td><td>194</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5631.76	52.83	68.30	-15.47	39.58	36.08	9.82	32.65	400	194	PEAK	2	5650.75	51.04	68.86	-17.82	37.73	36.11	9.86	32.66	400	194	PEAK	3	5700.34	51.38	105.30	-53.92	37.91	36.18	9.97	32.68	400	194	PEAK	4	5720.06	52.15	110.94	-58.79	38.62	36.21	10.01	32.69	400	194	PEAK	Level (dBuV/m) Date: 2024-05-28 PART 15.407 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>112.12</td><td>-----</td><td>-----</td><td>98.54</td><td>36.23</td><td>10.04</td><td>32.69</td><td>400</td><td>194</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	112.12	-----	-----	98.54	36.23	10.04	32.69	400	194	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5631.76	52.83	68.30	-15.47	39.58	36.08	9.82	32.65	400	194	PEAK																																																																																																																									
2	5650.75	51.04	68.86	-17.82	37.73	36.11	9.86	32.66	400	194	PEAK																																																																																																																									
3	5700.34	51.38	105.30	-53.92	37.91	36.18	9.97	32.68	400	194	PEAK																																																																																																																									
4	5720.06	52.15	110.94	-58.79	38.62	36.21	10.01	32.69	400	194	PEAK																																																																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5745.00	112.12	-----	-----	98.54	36.23	10.04	32.69	400	194	PEAK																																																																																																																									
Avg	Blank						Level (dBuV/m) Date: 2024-05-28 PART 15.407 AVG Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>103.91</td><td>-----</td><td>-----</td><td>90.32</td><td>36.24</td><td>10.05</td><td>32.70</td><td>400</td><td>194</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	103.91	-----	-----	90.32	36.24	10.05	32.70	400	194	AVERAGE																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5745.00	103.91	-----	-----	90.32	36.24	10.05	32.70	400	194	AVERAGE																																																																																																																									



Mode	56																																																																																																																																		
	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_5825MHz																																																																																																																																		
ANT	CDD 6+17																																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																																												
Peak	Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.63</td><td>52.36</td><td>111.65</td><td>-59.29</td><td>38.41</td><td>36.40</td><td>10.29</td><td>32.74</td><td>100</td><td>127</td><td>PEAK</td></tr><tr><td>2</td><td>5874.50</td><td>52.40</td><td>105.34</td><td>-52.94</td><td>38.40</td><td>36.42</td><td>10.33</td><td>32.75</td><td>100</td><td>127</td><td>PEAK</td></tr><tr><td>3</td><td>5924.75</td><td>51.44</td><td>68.48</td><td>-17.04</td><td>37.28</td><td>36.49</td><td>10.44</td><td>32.77</td><td>100</td><td>127</td><td>PEAK</td></tr><tr><td>4</td><td>5947.00</td><td>53.59</td><td>68.30</td><td>-14.71</td><td>39.35</td><td>36.53</td><td>10.49</td><td>32.78</td><td>100</td><td>127</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	1	5854.63	52.36	111.65	-59.29	38.41	36.40	10.29	32.74	100	127	PEAK	2	5874.50	52.40	105.34	-52.94	38.40	36.42	10.33	32.75	100	127	PEAK	3	5924.75	51.44	68.48	-17.04	37.28	36.49	10.44	32.77	100	127	PEAK	4	5947.00	53.59	68.30	-14.71	39.35	36.53	10.49	32.78	100	127	PEAK	Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>113.75</td><td>-----</td><td>-----</td><td>99.86</td><td>36.37</td><td>10.25</td><td>32.73</td><td>100</td><td>127</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	113.75	-----	-----	99.86	36.37	10.25	32.73	100	127	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5854.63	52.36	111.65	-59.29	38.41	36.40	10.29	32.74	100	127	PEAK																																																																																																																								
2	5874.50	52.40	105.34	-52.94	38.40	36.42	10.33	32.75	100	127	PEAK																																																																																																																								
3	5924.75	51.44	68.48	-17.04	37.28	36.49	10.44	32.77	100	127	PEAK																																																																																																																								
4	5947.00	53.59	68.30	-14.71	39.35	36.53	10.49	32.78	100	127	PEAK																																																																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5825.00	113.75	-----	-----	99.86	36.37	10.25	32.73	100	127	PEAK																																																																																																																								
Avg	Blank						Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>105.89</td><td>-----</td><td>-----</td><td>92.02</td><td>36.36</td><td>10.24</td><td>32.73</td><td>100</td><td>127</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	105.89	-----	-----	92.02	36.36	10.24	32.73	100	127	AVERAGE																																																																														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5825.00	105.89	-----	-----	92.02	36.36	10.24	32.73	100	127	AVERAGE																																																																																																																								



Mode	56																																																																																																																							
	Band Edge																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_5825MHz																																																																																																																							
ANT	CDD 6+17																																																																																																																							
Pol.	Vertical					Fundamental																																																																																																																		
Peak	Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5855.00</td><td>50.63</td><td>110.80</td><td>-60.17</td><td>36.68</td><td>36.40</td><td>10.29</td><td>32.74</td><td>300</td><td>219 PEAK</td></tr><tr><td>2 5874.75</td><td>52.05</td><td>105.27</td><td>-53.22</td><td>38.05</td><td>36.42</td><td>10.33</td><td>32.75</td><td>300</td><td>219 PEAK</td></tr><tr><td>3 5924.88</td><td>51.82</td><td>68.39</td><td>-16.57</td><td>37.66</td><td>36.49</td><td>10.44</td><td>32.77</td><td>300</td><td>219 PEAK</td></tr><tr><td>4 5934.50</td><td>53.25</td><td>68.30</td><td>-15.05</td><td>39.05</td><td>36.51</td><td>10.46</td><td>32.77</td><td>300</td><td>219 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5855.00	50.63	110.80	-60.17	36.68	36.40	10.29	32.74	300	219 PEAK	2 5874.75	52.05	105.27	-53.22	38.05	36.42	10.33	32.75	300	219 PEAK	3 5924.88	51.82	68.39	-16.57	37.66	36.49	10.44	32.77	300	219 PEAK	4 5934.50	53.25	68.30	-15.05	39.05	36.51	10.46	32.77	300	219 PEAK	Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5825.00</td><td>110.62</td><td>-----</td><td>-----</td><td>96.75</td><td>36.36</td><td>10.24</td><td>32.73</td><td>300</td><td>219 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5825.00	110.62	-----	-----	96.75	36.36	10.24	32.73	300	219 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5855.00	50.63	110.80	-60.17	36.68	36.40	10.29	32.74	300	219 PEAK																																																																																																															
2 5874.75	52.05	105.27	-53.22	38.05	36.42	10.33	32.75	300	219 PEAK																																																																																																															
3 5924.88	51.82	68.39	-16.57	37.66	36.49	10.44	32.77	300	219 PEAK																																																																																																															
4 5934.50	53.25	68.30	-15.05	39.05	36.51	10.46	32.77	300	219 PEAK																																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5825.00	110.62	-----	-----	96.75	36.36	10.24	32.73	300	219 PEAK																																																																																																															
Avg	Blank					Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5825.00</td><td>103.02</td><td>-----</td><td>-----</td><td>89.15</td><td>36.36</td><td>10.24</td><td>32.73</td><td>300</td><td>219 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5825.00	103.02	-----	-----	89.15	36.36	10.24	32.73	300	219 AVERAGE																																																																						
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5825.00	103.02	-----	-----	89.15	36.36	10.24	32.73	300	219 AVERAGE																																																																																																															



Mode	57																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_5745MHz																																																																																																																																			
ANT	CDD 6+17																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak	Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5637.27</td><td>53.39</td><td>68.30</td><td>-14.91</td><td>40.12</td><td>36.09</td><td>9.83</td><td>32.65</td><td>114</td><td>125</td><td>PEAK</td></tr><tr><td>2</td><td>5652.06</td><td>53.06</td><td>69.82</td><td>-16.76</td><td>39.74</td><td>36.11</td><td>9.87</td><td>32.66</td><td>114</td><td>125</td><td>PEAK</td></tr><tr><td>3</td><td>5719.92</td><td>74.48</td><td>110.78</td><td>-36.30</td><td>60.95</td><td>36.21</td><td>10.01</td><td>32.69</td><td>114</td><td>125</td><td>PEAK</td></tr><tr><td>4</td><td>5722.67</td><td>83.77</td><td>116.89</td><td>-33.12</td><td>70.24</td><td>36.21</td><td>10.01</td><td>32.69</td><td>114</td><td>125</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5637.27	53.39	68.30	-14.91	40.12	36.09	9.83	32.65	114	125	PEAK	2	5652.06	53.06	69.82	-16.76	39.74	36.11	9.87	32.66	114	125	PEAK	3	5719.92	74.48	110.78	-36.30	60.95	36.21	10.01	32.69	114	125	PEAK	4	5722.67	83.77	116.89	-33.12	70.24	36.21	10.01	32.69	114	125	PEAK	Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>116.84</td><td>-----</td><td>-----</td><td>103.25</td><td>36.24</td><td>10.05</td><td>32.70</td><td>114</td><td>125</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	116.84	-----	-----	103.25	36.24	10.05	32.70	114	125	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5637.27	53.39	68.30	-14.91	40.12	36.09	9.83	32.65	114	125	PEAK																																																																																																																									
2	5652.06	53.06	69.82	-16.76	39.74	36.11	9.87	32.66	114	125	PEAK																																																																																																																									
3	5719.92	74.48	110.78	-36.30	60.95	36.21	10.01	32.69	114	125	PEAK																																																																																																																									
4	5722.67	83.77	116.89	-33.12	70.24	36.21	10.01	32.69	114	125	PEAK																																																																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5745.00	116.84	-----	-----	103.25	36.24	10.05	32.70	114	125	PEAK																																																																																																																									
Avg	Blank						Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>108.14</td><td>-----</td><td>-----</td><td>94.55</td><td>36.24</td><td>10.05</td><td>32.70</td><td>114</td><td>125</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	108.14	-----	-----	94.55	36.24	10.05	32.70	114	125	AVERAGE																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5745.00	108.14	-----	-----	94.55	36.24	10.05	32.70	114	125	AVERAGE																																																																																																																									



Mode	57																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_5745MHz																																																																																																																																			
ANT	CDD 6+17																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5611.60</td><td>52.58</td><td>68.30</td><td>-15.72</td><td>39.38</td><td>36.06</td><td>9.78</td><td>32.64</td><td>400</td><td>201</td><td>PEAK</td></tr><tr><td>2</td><td>5650.75</td><td>50.90</td><td>68.86</td><td>-17.96</td><td>37.59</td><td>36.11</td><td>9.86</td><td>32.66</td><td>400</td><td>201</td><td>PEAK</td></tr><tr><td>3</td><td>5719.05</td><td>71.60</td><td>110.53</td><td>-38.93</td><td>58.07</td><td>36.21</td><td>10.01</td><td>32.69</td><td>400</td><td>201</td><td>PEAK</td></tr><tr><td>4</td><td>5720.93</td><td>73.96</td><td>112.92</td><td>-38.96</td><td>60.43</td><td>36.21</td><td>10.01</td><td>32.69</td><td>400</td><td>201</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5611.60	52.58	68.30	-15.72	39.38	36.06	9.78	32.64	400	201	PEAK	2	5650.75	50.90	68.86	-17.96	37.59	36.11	9.86	32.66	400	201	PEAK	3	5719.05	71.60	110.53	-38.93	58.07	36.21	10.01	32.69	400	201	PEAK	4	5720.93	73.96	112.92	-38.96	60.43	36.21	10.01	32.69	400	201	PEAK	Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>111.98</td><td>-----</td><td>-----</td><td>98.40</td><td>36.23</td><td>10.04</td><td>32.69</td><td>400</td><td>201</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	111.98	-----	-----	98.40	36.23	10.04	32.69	400	201	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5611.60	52.58	68.30	-15.72	39.38	36.06	9.78	32.64	400	201	PEAK																																																																																																																									
2	5650.75	50.90	68.86	-17.96	37.59	36.11	9.86	32.66	400	201	PEAK																																																																																																																									
3	5719.05	71.60	110.53	-38.93	58.07	36.21	10.01	32.69	400	201	PEAK																																																																																																																									
4	5720.93	73.96	112.92	-38.96	60.43	36.21	10.01	32.69	400	201	PEAK																																																																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5745.00	111.98	-----	-----	98.40	36.23	10.04	32.69	400	201	PEAK																																																																																																																									
Avg	Blank						Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>103.49</td><td>-----</td><td>-----</td><td>89.90</td><td>36.24</td><td>10.05</td><td>32.70</td><td>400</td><td>201</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	103.49	-----	-----	89.90	36.24	10.05	32.70	400	201	AVERAGE																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5745.00	103.49	-----	-----	89.90	36.24	10.05	32.70	400	201	AVERAGE																																																																																																																									



Mode	58																																																																																																																																		
	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_5825MHz																																																																																																																																		
ANT	CDD 6+17																																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																																												
Peak	Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.13</td><td>67.58</td><td>115.07</td><td>-47.49</td><td>53.64</td><td>36.39</td><td>10.29</td><td>32.74</td><td>102</td><td>124</td><td>PEAK</td></tr><tr><td>2</td><td>5855.88</td><td>63.00</td><td>110.55</td><td>-47.55</td><td>49.05</td><td>36.40</td><td>10.29</td><td>32.74</td><td>102</td><td>124</td><td>PEAK</td></tr><tr><td>3</td><td>5924.75</td><td>51.47</td><td>68.48</td><td>-17.01</td><td>37.31</td><td>36.49</td><td>10.44</td><td>32.77</td><td>102</td><td>124</td><td>PEAK</td></tr><tr><td>4</td><td>5933.38</td><td>53.15</td><td>68.30</td><td>-15.15</td><td>38.95</td><td>36.51</td><td>10.46</td><td>32.77</td><td>102</td><td>124</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5853.13	67.58	115.07	-47.49	53.64	36.39	10.29	32.74	102	124	PEAK	2	5855.88	63.00	110.55	-47.55	49.05	36.40	10.29	32.74	102	124	PEAK	3	5924.75	51.47	68.48	-17.01	37.31	36.49	10.44	32.77	102	124	PEAK	4	5933.38	53.15	68.30	-15.15	38.95	36.51	10.46	32.77	102	124	PEAK	Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>115.49</td><td>-----</td><td>-----</td><td>101.62</td><td>36.36</td><td>10.24</td><td>32.73</td><td>102</td><td>124</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	115.49	-----	-----	101.62	36.36	10.24	32.73	102	124	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																									
	Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5853.13	67.58	115.07	-47.49	53.64	36.39	10.29	32.74	102	124	PEAK																																																																																																																								
2	5855.88	63.00	110.55	-47.55	49.05	36.40	10.29	32.74	102	124	PEAK																																																																																																																								
3	5924.75	51.47	68.48	-17.01	37.31	36.49	10.44	32.77	102	124	PEAK																																																																																																																								
4	5933.38	53.15	68.30	-15.15	38.95	36.51	10.46	32.77	102	124	PEAK																																																																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5825.00	115.49	-----	-----	101.62	36.36	10.24	32.73	102	124	PEAK																																																																																																																								
Avg	Blank						Level (dBuV/m) Date: 2024-05-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>106.95</td><td>-----</td><td>-----</td><td>93.08</td><td>36.36</td><td>10.24</td><td>32.73</td><td>102</td><td>124</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	106.95	-----	-----	93.08	36.36	10.24	32.73	102	124	AVERAGE																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																									
	Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5825.00	106.95	-----	-----	93.08	36.36	10.24	32.73	102	124	AVERAGE																																																																																																																								