



















Date: 15.JAN.2026 09:52:44




Date: 15.JAN.2026 09:52:51








Appendix B. AC Conducted Emission Test Results





Test Engineer :	Nathon	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : C002-SZ
Condition : FCC 15C_QP LISN-N 2026 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.16	32.55	-23.01	55.56	12.60	9.79	10.16	Average
2	0.16	43.35	-22.21	65.56	23.40	9.79	10.16	QP
3	0.19	24.64	-29.56	54.20	4.70	9.78	10.16	Average
4	0.19	36.04	-28.16	64.20	16.10	9.78	10.16	QP
5	0.24	21.34	-30.92	52.26	1.40	9.78	10.16	Average
6	0.24	33.64	-28.62	62.26	13.70	9.78	10.16	QP
7	0.49	18.35	-27.79	46.14	-1.50	9.71	10.14	Average
8	0.49	29.35	-26.79	56.14	9.50	9.71	10.14	QP
9	0.60	23.91	-22.09	46.00	4.00	9.78	10.13	Average
10 *	0.60	35.01	-20.99	56.00	15.10	9.78	10.13	QP
11	4.72	21.78	-24.22	46.00	1.80	9.75	10.23	Average
12	4.72	30.98	-25.02	56.00	11.00	9.75	10.23	QP

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C Radiated Spurious Emission Test Data

Test Engineer :	Jia Kuang	Relative Humidity :	48~49%
		Temperature :	24~25 °C

Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	11	Bluetooth BR_GFSK	00	2402	1DH5	-	-
Mode 2	2400-2483.5	11	Bluetooth BR_GFSK	39	2441	1DH5	-	-
Mode 3	2400-2483.5	11	Bluetooth BR_GFSK	78	2480	1DH5	-	-
Mode 4	2400-2483.5	5	Bluetooth BR_GFSK	00	2402	1DH5	-	-
Mode 5	2400-2483.5	5	Bluetooth BR_GFSK	39	2441	1DH5	-	-
Mode 6	2400-2483.5	5	Bluetooth BR_GFSK	78	2480	1DH5	-	-
Mode 7	2400-2483.5	BF 11+5	Bluetooth BR_GFSK LF	78	2480	1DH5	-	-
Mode 8	2400-2483.5	BF 11+5	Bluetooth BR_GFSK	00	2402	1DH5	-	-
Mode 9	2400-2483.5	BF 11+5	Bluetooth BR_GFSK	39	2441	1DH5	-	-
Mode 10	2400-2483.5	BF 11+5	Bluetooth BR_GFSK	78	2480	1DH5	-	-

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	PEAK Avg.	Result	Remark
1	Bluetooth BR_GFSK	00	2365.23	45.59	74.00	-28.41	V	PEAK	Pass	Band Edge
1	Bluetooth BR_GFSK	00	4804.00	45.08	74.00	-28.92	V	Peak	Pass	Harmonic
2	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
2	Bluetooth BR_GFSK	39	7323.00	46.14	74.00	-27.86	H	Peak	Pass	Harmonic
3	Bluetooth BR_GFSK	78	2483.54	51.55	74.00	-22.45	H	PEAK	Pass	Band Edge
3	Bluetooth BR_GFSK	78	7440.00	46.73	74.00	-27.27	H	Peak	Pass	Harmonic
4	Bluetooth BR_GFSK	00	2362.08	45.40	74.00	-28.60	V	PEAK	Pass	Band Edge
4	Bluetooth BR_GFSK	00	4804.00	45.38	74.00	-28.62	H	Peak	Pass	Harmonic
5	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
5	Bluetooth BR_GFSK	39	7323.00	47.18	74.00	-26.82	H	Peak	Pass	Harmonic
6	Bluetooth BR_GFSK	78	2483.60	49.63	74.00	-24.37	V	PEAK	Pass	Band Edge
6	Bluetooth BR_GFSK	78	7440.00	46.86	74.00	-27.14	H	Peak	Pass	Harmonic
7	Bluetooth BR_GFSK LF	78	30.00	28.83	40.00	-11.17	V	Peak	Pass	LF
8	Bluetooth BR_GFSK	00	2388.65	45.28	74.00	-28.72	V	PEAK	Pass	Band Edge
8	Bluetooth BR_GFSK	00	4804.00	45.19	74.00	-28.81	V	Peak	Pass	Harmonic
9	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
9	Bluetooth BR_GFSK	39	4882.00	46.05	74.00	-27.95	V	Peak	Pass	Harmonic
10	Bluetooth BR_GFSK	78	2484.96	67.80	74.00	-6.20	H	PEAK	Pass	Band Edge
10	Bluetooth BR_GFSK	78	7440.00	47.28	74.00	-26.72	H	Peak	Pass	Harmonic





Mode	1																																																																																	
	Band Edge																																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																	
ANT	11																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2026-01-22 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 2310 2331. 2352. 2373. 2394. 2415 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.70</td><td>45.25</td><td>74.00</td><td>-28.75</td><td>41.61</td><td>32.42</td><td>5.36</td><td>34.14</td><td>300 18 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.70	45.25	74.00	-28.75	41.61	32.42	5.36	34.14	300 18 PEAK	Level (dBuV/m) Date: 2026-01-22 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 1400. 1800. 2200. 2600. 3000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>106.66</td><td>-----</td><td>102.99</td><td>32.44</td><td>5.37</td><td>34.14</td><td>300 18 PEAK</td><td>PEAK_74</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	106.66	-----	102.99	32.44	5.37	34.14	300 18 PEAK	PEAK_74
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																								
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2389.70	45.25	74.00	-28.75	41.61	32.42	5.36	34.14	300 18 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2402.00	106.66	-----	102.99	32.44	5.37	34.14	300 18 PEAK	PEAK_74																																																																									





Mode	1																																																																																																									
	Band Edge																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																									
ANT	11																																																																																																									
Pol.	Vertical	Fundamental																																																																																																								
Peak	Level (dBuV/m) Date: 2026-01-22 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2357.67</td><td>44.94</td><td>74.00</td><td>-29.06</td><td>41.40</td><td>32.37</td><td>5.33</td><td>34.16</td><td>307</td><td>68 PEAK</td></tr><tr><td>2</td><td>2357.67</td><td>20.15</td><td>54.00</td><td>-33.85</td><td>16.61</td><td>32.37</td><td>5.33</td><td>34.16</td><td>307</td><td>68 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2357.67	44.94	74.00	-29.06	41.40	32.37	5.33	34.16	307	68 PEAK	2	2357.67	20.15	54.00	-33.85	16.61	32.37	5.33	34.16	307	68 AVERAGE	Level (dBuV/m) Date: 2026-01-22 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>104.76</td><td>-----</td><td>-----</td><td>101.09</td><td>32.44</td><td>5.37</td><td>34.14</td><td>307</td><td>68 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>79.97</td><td>-----</td><td>-----</td><td>76.30</td><td>32.44</td><td>5.37</td><td>34.14</td><td>307</td><td>68 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	104.76	-----	-----	101.09	32.44	5.37	34.14	307	68 PEAK	2	2402.00	79.97	-----	-----	76.30	32.44	5.37	34.14	307	68 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2357.67	44.94	74.00	-29.06	41.40	32.37	5.33	34.16	307	68 PEAK																																																																																																
2	2357.67	20.15	54.00	-33.85	16.61	32.37	5.33	34.16	307	68 AVERAGE																																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2402.00	104.76	-----	-----	101.09	32.44	5.37	34.14	307	68 PEAK																																																																																																
2	2402.00	79.97	-----	-----	76.30	32.44	5.37	34.14	307	68 AVERAGE																																																																																																





Mode	1																																																																																																																																
	Harmonic																																																																																																																																
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																																
ANT	11																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																										
Peak Avg																																																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4804.00</td><td>44.17</td><td>74.00</td><td>-29.83</td><td>53.06</td><td>35.00</td><td>8.94</td><td>52.83</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4804.00</td><td>19.38</td><td>54.00</td><td>-34.62</td><td>28.27</td><td>35.00</td><td>8.94</td><td>52.83</td><td>---</td><td>---</td><td>Average</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4804.00	44.17	74.00	-29.83	53.06	35.00	8.94	52.83	---	---	Peak	2	4804.00	19.38	54.00	-34.62	28.27	35.00	8.94	52.83	---	---	Average	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4804.00</td><td>45.08</td><td>74.00</td><td>-28.92</td><td>53.97</td><td>35.00</td><td>8.94</td><td>52.83</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4804.00</td><td>20.29</td><td>54.00</td><td>-33.71</td><td>29.18</td><td>35.00</td><td>8.94</td><td>52.83</td><td>---</td><td>---</td><td>Average</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4804.00	45.08	74.00	-28.92	53.97	35.00	8.94	52.83	---	---	Peak	2	4804.00	20.29	54.00	-33.71	29.18	35.00	8.94	52.83	---	---	Average
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	4804.00	44.17	74.00	-29.83	53.06	35.00	8.94	52.83	---	---	Peak																																																																																																																						
2	4804.00	19.38	54.00	-34.62	28.27	35.00	8.94	52.83	---	---	Average																																																																																																																						
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	4804.00	45.08	74.00	-28.92	53.97	35.00	8.94	52.83	---	---	Peak																																																																																																																						
2	4804.00	20.29	54.00	-33.71	29.18	35.00	8.94	52.83	---	---	Average																																																																																																																						





Mode	2																																																																																																																																																										
	Harmonic																																																																																																																																																										
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																																																										
ANT	11																																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																																				
Peak Avg																																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>45.59</td><td>74.00</td><td>-28.41</td><td>54.39</td><td>35.08</td><td>8.70</td><td>52.58</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4882.00</td><td>20.80</td><td>54.00</td><td>-33.20</td><td>29.60</td><td>35.08</td><td>8.70</td><td>52.58</td><td>---</td><td>Average</td></tr><tr><td>3</td><td>7323.00</td><td>46.14</td><td>74.00</td><td>-27.86</td><td>52.16</td><td>36.10</td><td>10.18</td><td>52.30</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>7323.00</td><td>21.35</td><td>54.00</td><td>-32.65</td><td>27.37</td><td>36.10</td><td>10.18</td><td>52.30</td><td>---</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	45.59	74.00	-28.41	54.39	35.08	8.70	52.58	---	Peak	2	4882.00	20.80	54.00	-33.20	29.60	35.08	8.70	52.58	---	Average	3	7323.00	46.14	74.00	-27.86	52.16	36.10	10.18	52.30	---	Peak	4	7323.00	21.35	54.00	-32.65	27.37	36.10	10.18	52.30	---	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>44.46</td><td>74.00</td><td>-29.54</td><td>53.26</td><td>35.08</td><td>8.70</td><td>52.58</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4882.00</td><td>19.67</td><td>54.00</td><td>-34.33</td><td>28.47</td><td>35.08</td><td>8.70</td><td>52.58</td><td>---</td><td>Average</td></tr><tr><td>3</td><td>7323.00</td><td>44.22</td><td>74.00</td><td>-29.78</td><td>50.24</td><td>36.10</td><td>10.18</td><td>52.30</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>7323.00</td><td>19.43</td><td>54.00</td><td>-34.57</td><td>25.45</td><td>36.10</td><td>10.18</td><td>52.30</td><td>---</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	44.46	74.00	-29.54	53.26	35.08	8.70	52.58	---	Peak	2	4882.00	19.67	54.00	-34.33	28.47	35.08	8.70	52.58	---	Average	3	7323.00	44.22	74.00	-29.78	50.24	36.10	10.18	52.30	---	Peak	4	7323.00	19.43	54.00	-34.57	25.45	36.10	10.18	52.30	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																		
1	4882.00	45.59	74.00	-28.41	54.39	35.08	8.70	52.58	---	Peak																																																																																																																																																	
2	4882.00	20.80	54.00	-33.20	29.60	35.08	8.70	52.58	---	Average																																																																																																																																																	
3	7323.00	46.14	74.00	-27.86	52.16	36.10	10.18	52.30	---	Peak																																																																																																																																																	
4	7323.00	21.35	54.00	-32.65	27.37	36.10	10.18	52.30	---	Average																																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																		
1	4882.00	44.46	74.00	-29.54	53.26	35.08	8.70	52.58	---	Peak																																																																																																																																																	
2	4882.00	19.67	54.00	-34.33	28.47	35.08	8.70	52.58	---	Average																																																																																																																																																	
3	7323.00	44.22	74.00	-29.78	50.24	36.10	10.18	52.30	---	Peak																																																																																																																																																	
4	7323.00	19.43	54.00	-34.57	25.45	36.10	10.18	52.30	---	Average																																																																																																																																																	





Mode	3																																																																																																																							
	Band Edge																																																																																																																							
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																							
ANT	11																																																																																																																							
Pol.	Horizontal	Fundamental																																																																																																																						
Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.54</td><td>51.55</td><td>74.00</td><td>-22.45</td><td>47.14</td><td>32.57</td><td>5.95</td><td>34.11</td><td>134</td><td>25</td><td>PEAK</td></tr><tr><td>2</td><td>2483.54</td><td>26.76</td><td>54.00</td><td>-27.24</td><td>22.35</td><td>32.57</td><td>5.95</td><td>34.11</td><td>134</td><td>25</td><td>AVERAGE</td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2483.54	51.55	74.00	-22.45	47.14	32.57	5.95	34.11	134	25	PEAK	2	2483.54	26.76	54.00	-27.24	22.35	32.57	5.95	34.11	134	25	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2480.00</td><td>109.24</td><td>-----</td><td>-----</td><td>104.86</td><td>32.57</td><td>5.92</td><td>34.11</td><td>134</td><td>25</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>84.45</td><td>-----</td><td>-----</td><td>80.07</td><td>32.57</td><td>5.92</td><td>34.11</td><td>134</td><td>25</td><td>AVERAGE</td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2480.00	109.24	-----	-----	104.86	32.57	5.92	34.11	134	25	PEAK	2	2480.00	84.45	-----	-----	80.07	32.57	5.92	34.11	134	25	AVERAGE
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	2483.54	51.55	74.00	-22.45	47.14	32.57	5.95	34.11	134	25	PEAK																																																																																																													
2	2483.54	26.76	54.00	-27.24	22.35	32.57	5.95	34.11	134	25	AVERAGE																																																																																																													
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	2480.00	109.24	-----	-----	104.86	32.57	5.92	34.11	134	25	PEAK																																																																																																													
2	2480.00	84.45	-----	-----	80.07	32.57	5.92	34.11	134	25	AVERAGE																																																																																																													



Mode	3																																																																																																																				
	Band Edge																																																																																																																				
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																				
ANT	11																																																																																																																				
Pol.	Vertical						Fundamental																																																																																																														
Peak																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.83</td><td>50.21</td><td>74.00</td><td>-23.79</td><td>45.81</td><td>32.57</td><td>5.94</td><td>34.11</td><td>222</td><td>77</td><td>PEAK</td></tr><tr><td>2</td><td>2483.83</td><td>25.43</td><td>54.00</td><td>-28.57</td><td>21.03</td><td>32.57</td><td>5.94</td><td>34.11</td><td>222</td><td>77</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.83	50.21	74.00	-23.79	45.81	32.57	5.94	34.11	222	77	PEAK	2	2483.83	25.43	54.00	-28.57	21.03	32.57	5.94	34.11	222	77	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>107.70</td><td>-----</td><td>-----</td><td>103.32</td><td>32.57</td><td>5.92</td><td>34.11</td><td>222</td><td>77</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>82.91</td><td>-----</td><td>-----</td><td>78.53</td><td>32.57</td><td>5.92</td><td>34.11</td><td>222</td><td>77</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	107.70	-----	-----	103.32	32.57	5.92	34.11	222	77	PEAK	2	2480.00	82.91	-----	-----	78.53	32.57	5.92	34.11	222	77	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	2483.83	50.21	74.00	-23.79	45.81	32.57	5.94	34.11	222	77	PEAK																																																																																																										
2	2483.83	25.43	54.00	-28.57	21.03	32.57	5.94	34.11	222	77	Average																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	2480.00	107.70	-----	-----	103.32	32.57	5.92	34.11	222	77	PEAK																																																																																																										
2	2480.00	82.91	-----	-----	78.53	32.57	5.92	34.11	222	77	Average																																																																																																										



Mode	3																																																																																																																																																																															
	Harmonic																																																																																																																																																																															
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																																																															
ANT	11																																																																																																																																																																															
Pol.	Horizontal										Vertical																																																																																																																																																																					
Peak Avg																																																																																																																																																																																
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4960.00</td><td>45.24</td><td>74.00</td><td>-28.76</td><td>53.95</td><td>35.16</td><td>8.46</td><td>52.33</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>20.45</td><td>54.00</td><td>-33.55</td><td>29.16</td><td>35.16</td><td>8.46</td><td>52.33</td><td>---</td><td>---</td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>46.73</td><td>74.00</td><td>-27.27</td><td>52.76</td><td>36.10</td><td>10.17</td><td>52.30</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>21.94</td><td>54.00</td><td>-32.06</td><td>27.97</td><td>36.10</td><td>10.17</td><td>52.30</td><td>---</td><td>---</td><td>Average</td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4960.00	45.24	74.00	-28.76	53.95	35.16	8.46	52.33	---	---	Peak	2	4960.00	20.45	54.00	-33.55	29.16	35.16	8.46	52.33	---	---	Average	3	7440.00	46.73	74.00	-27.27	52.76	36.10	10.17	52.30	---	---	Peak	4	7440.00	21.94	54.00	-32.06	27.97	36.10	10.17	52.30	---	---	Average	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4960.00</td><td>44.58</td><td>74.00</td><td>-29.42</td><td>53.29</td><td>35.16</td><td>8.46</td><td>52.33</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>19.79</td><td>54.00</td><td>-34.21</td><td>28.50</td><td>35.16</td><td>8.46</td><td>52.33</td><td>---</td><td>---</td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>45.38</td><td>74.00</td><td>-28.62</td><td>51.41</td><td>36.10</td><td>10.17</td><td>52.30</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>20.59</td><td>54.00</td><td>-33.41</td><td>26.62</td><td>36.10</td><td>10.17</td><td>52.30</td><td>---</td><td>---</td><td>Average</td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4960.00	44.58	74.00	-29.42	53.29	35.16	8.46	52.33	---	---	Peak	2	4960.00	19.79	54.00	-34.21	28.50	35.16	8.46	52.33	---	---	Average	3	7440.00	45.38	74.00	-28.62	51.41	36.10	10.17	52.30	---	---	Peak	4	7440.00	20.59	54.00	-33.41	26.62	36.10	10.17	52.30	---	---
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																							
1	4960.00	45.24	74.00	-28.76	53.95	35.16	8.46	52.33	---	---	Peak																																																																																																																																																																					
2	4960.00	20.45	54.00	-33.55	29.16	35.16	8.46	52.33	---	---	Average																																																																																																																																																																					
3	7440.00	46.73	74.00	-27.27	52.76	36.10	10.17	52.30	---	---	Peak																																																																																																																																																																					
4	7440.00	21.94	54.00	-32.06	27.97	36.10	10.17	52.30	---	---	Average																																																																																																																																																																					
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																							
1	4960.00	44.58	74.00	-29.42	53.29	35.16	8.46	52.33	---	---	Peak																																																																																																																																																																					
2	4960.00	19.79	54.00	-34.21	28.50	35.16	8.46	52.33	---	---	Average																																																																																																																																																																					
3	7440.00	45.38	74.00	-28.62	51.41	36.10	10.17	52.30	---	---	Peak																																																																																																																																																																					
4	7440.00	20.59	54.00	-33.41	26.62	36.10	10.17	52.30	---	---	Average																																																																																																																																																																					



Mode	4																																																																																																							
	Band Edge																																																																																																							
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																							
ANT	5																																																																																																							
Pol.	Horizontal	Fundamental																																																																																																						
Peak	Level (dBuV/m) Date: 2026-01-22 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2310.00</td><td>44.95</td><td>74.00</td><td>-29.05</td><td>41.54</td><td>32.30</td><td>5.29</td><td>34.18</td><td>300</td><td>158 PEAK</td></tr><tr><td>2</td><td>2310.00</td><td>20.16</td><td>54.00</td><td>-33.84</td><td>16.75</td><td>32.30</td><td>5.29</td><td>34.18</td><td>300</td><td>158 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2310.00	44.95	74.00	-29.05	41.54	32.30	5.29	34.18	300	158 PEAK	2	2310.00	20.16	54.00	-33.84	16.75	32.30	5.29	34.18	300	158 AVERAGE	Level (dBuV/m) Date: 2026-01-22 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>98.42</td><td>-----</td><td>94.75</td><td>32.44</td><td>5.37</td><td>34.14</td><td>300</td><td>158 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>73.63</td><td>-----</td><td>69.96</td><td>32.44</td><td>5.37</td><td>34.14</td><td>300</td><td>158 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	98.42	-----	94.75	32.44	5.37	34.14	300	158 PEAK	2	2402.00	73.63	-----	69.96	32.44	5.37	34.14	300	158 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	2310.00	44.95	74.00	-29.05	41.54	32.30	5.29	34.18	300	158 PEAK																																																																																														
2	2310.00	20.16	54.00	-33.84	16.75	32.30	5.29	34.18	300	158 AVERAGE																																																																																														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	2402.00	98.42	-----	94.75	32.44	5.37	34.14	300	158 PEAK																																																																																															
2	2402.00	73.63	-----	69.96	32.44	5.37	34.14	300	158 AVERAGE																																																																																															



Mode	4																																																																																																									
	Band Edge																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																									
ANT	5																																																																																																									
Pol.	Vertical	Fundamental																																																																																																								
Peak	Level (dBuV/m) Date: 2026-01-22 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2362.08</td><td>45.40</td><td>74.00</td><td>-28.60</td><td>41.84</td><td>32.38</td><td>5.34</td><td>34.16</td><td>400</td><td>19 PEAK</td></tr><tr><td>2</td><td>2362.08</td><td>20.61</td><td>54.00</td><td>-33.39</td><td>17.05</td><td>32.38</td><td>5.34</td><td>34.16</td><td>400</td><td>19 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2362.08	45.40	74.00	-28.60	41.84	32.38	5.34	34.16	400	19 PEAK	2	2362.08	20.61	54.00	-33.39	17.05	32.38	5.34	34.16	400	19 AVERAGE	Level (dBuV/m) Date: 2026-01-22 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>97.22</td><td>-----</td><td>-----</td><td>93.55</td><td>32.44</td><td>5.37</td><td>34.14</td><td>400</td><td>19 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>72.43</td><td>-----</td><td>-----</td><td>68.76</td><td>32.44</td><td>5.37</td><td>34.14</td><td>400</td><td>19 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	97.22	-----	-----	93.55	32.44	5.37	34.14	400	19 PEAK	2	2402.00	72.43	-----	-----	68.76	32.44	5.37	34.14	400	19 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2362.08	45.40	74.00	-28.60	41.84	32.38	5.34	34.16	400	19 PEAK																																																																																																
2	2362.08	20.61	54.00	-33.39	17.05	32.38	5.34	34.16	400	19 AVERAGE																																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2402.00	97.22	-----	-----	93.55	32.44	5.37	34.14	400	19 PEAK																																																																																																
2	2402.00	72.43	-----	-----	68.76	32.44	5.37	34.14	400	19 AVERAGE																																																																																																



Mode	4																																																																																																																																																															
	Harmonic																																																																																																																																																															
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																																																															
ANT	5																																																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																																																									
Peak Avg	Horizontal Polarization Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue signal trace, a red limit line at 74.00 dBuV/m (PEAK_74), and a red average line at 54.00 dBuV/m (AVG_54). Two vertical blue lines are marked at 4804.00 MHz (1) and 4804.00 MHz (2).						Vertical Polarization Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue signal trace, a red limit line at 74.00 dBuV/m (PEAK_74), and a red average line at 54.00 dBuV/m (AVG_54). Two vertical blue lines are marked at 4804.00 MHz (1) and 4804.00 MHz (2).																																																																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="5">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="5"></th></tr><tr><td>1</td><td>4804.00</td><td>45.38</td><td>74.00</td><td>-28.62</td><td>54.27</td><td>35.00</td><td>8.94</td><td>52.83</td><td>---</td><td>---</td><td>Peak</td><td colspan="3"></td></tr><tr><td>2</td><td>4804.00</td><td>20.59</td><td>54.00</td><td>-33.41</td><td>29.48</td><td>35.00</td><td>8.94</td><td>52.83</td><td>---</td><td>---</td><td>Average</td><td colspan="3"></td></tr></table>								Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	4804.00	45.38	74.00	-28.62	54.27	35.00	8.94	52.83	---	---	Peak				2	4804.00	20.59	54.00	-33.41	29.48	35.00	8.94	52.83	---	---	Average				<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="5">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="5"></th></tr><tr><td>1</td><td>4804.00</td><td>44.14</td><td>74.00</td><td>-29.86</td><td>53.03</td><td>35.00</td><td>8.94</td><td>52.83</td><td>---</td><td>---</td><td>Peak</td><td colspan="3"></td></tr><tr><td>2</td><td>4804.00</td><td>19.35</td><td>54.00</td><td>-34.65</td><td>28.24</td><td>35.00</td><td>8.94</td><td>52.83</td><td>---</td><td>---</td><td>Average</td><td colspan="3"></td></tr></table>								Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	4804.00	44.14	74.00	-29.86	53.03	35.00	8.94	52.83	---	---	Peak				2	4804.00	19.35	54.00	-34.65	28.24	35.00	8.94	52.83	---	---	Average			
			Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																							
1	4804.00	45.38	74.00	-28.62	54.27	35.00	8.94	52.83	---	---	Peak																																																																																																																																																					
2	4804.00	20.59	54.00	-33.41	29.48	35.00	8.94	52.83	---	---	Average																																																																																																																																																					
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																							
1	4804.00	44.14	74.00	-29.86	53.03	35.00	8.94	52.83	---	---	Peak																																																																																																																																																					
2	4804.00	19.35	54.00	-34.65	28.24	35.00	8.94	52.83	---	---	Average																																																																																																																																																					



Mode	5																																																																																												
	Harmonic																																																																																												
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																												
ANT	5																																																																																												
Pol.	Horizontal																																																																																												
Peak Avg																																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4882.00</td><td>46.22</td><td>74.00</td><td>-27.78</td><td>55.02</td><td>35.08</td><td>8.70</td><td>52.58</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4882.00</td><td>21.43</td><td>54.00</td><td>-32.57</td><td>30.23</td><td>35.08</td><td>8.70</td><td>52.58</td><td>---</td><td>---</td><td>Average</td></tr><tr><td>3</td><td>7323.00</td><td>47.18</td><td>74.00</td><td>-26.82</td><td>53.20</td><td>36.10</td><td>10.18</td><td>52.30</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>7323.00</td><td>22.39</td><td>54.00</td><td>-31.61</td><td>28.41</td><td>36.10</td><td>10.18</td><td>52.30</td><td>---</td><td>---</td><td>Average</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4882.00	46.22	74.00	-27.78	55.02	35.08	8.70	52.58	---	---	Peak	2	4882.00	21.43	54.00	-32.57	30.23	35.08	8.70	52.58	---	---	Average	3	7323.00	47.18	74.00	-26.82	53.20	36.10	10.18	52.30	---	---	Peak	4	7323.00	22.39	54.00	-31.61	28.41	36.10	10.18	52.30	---	---
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	4882.00	46.22	74.00	-27.78	55.02	35.08	8.70	52.58	---	---	Peak																																																																																		
2	4882.00	21.43	54.00	-32.57	30.23	35.08	8.70	52.58	---	---	Average																																																																																		
3	7323.00	47.18	74.00	-26.82	53.20	36.10	10.18	52.30	---	---	Peak																																																																																		
4	7323.00	22.39	54.00	-31.61	28.41	36.10	10.18	52.30	---	---	Average																																																																																		
Peak Avg																																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4882.00</td><td>44.90</td><td>74.00</td><td>-29.10</td><td>53.70</td><td>35.08</td><td>8.70</td><td>52.58</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4882.00</td><td>20.11</td><td>54.00</td><td>-33.89</td><td>28.91</td><td>35.08</td><td>8.70</td><td>52.58</td><td>---</td><td>---</td><td>Average</td></tr><tr><td>3</td><td>7323.00</td><td>44.18</td><td>74.00</td><td>-29.82</td><td>50.20</td><td>36.10</td><td>10.18</td><td>52.30</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>7323.00</td><td>19.39</td><td>54.00</td><td>-34.61</td><td>25.41</td><td>36.10</td><td>10.18</td><td>52.30</td><td>---</td><td>---</td><td>Average</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4882.00	44.90	74.00	-29.10	53.70	35.08	8.70	52.58	---	---	Peak	2	4882.00	20.11	54.00	-33.89	28.91	35.08	8.70	52.58	---	---	Average	3	7323.00	44.18	74.00	-29.82	50.20	36.10	10.18	52.30	---	---	Peak	4	7323.00	19.39	54.00	-34.61	25.41	36.10	10.18	52.30	---	---
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	4882.00	44.90	74.00	-29.10	53.70	35.08	8.70	52.58	---	---	Peak																																																																																		
2	4882.00	20.11	54.00	-33.89	28.91	35.08	8.70	52.58	---	---	Average																																																																																		
3	7323.00	44.18	74.00	-29.82	50.20	36.10	10.18	52.30	---	---	Peak																																																																																		
4	7323.00	19.39	54.00	-34.61	25.41	36.10	10.18	52.30	---	---	Average																																																																																		





Mode	6																																																																																																									
	Band Edge																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																									
ANT	5																																																																																																									
Pol.	Horizontal	Fundamental																																																																																																								
Peak	Level (dBuV/m) Date: 2026-01-22 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.54</td><td>49.10</td><td>74.00</td><td>-24.90</td><td>44.69</td><td>32.57</td><td>5.95</td><td>34.11</td><td>125</td><td>322 PEAK</td></tr><tr><td>2</td><td>2483.54</td><td>24.31</td><td>54.00</td><td>-29.69</td><td>19.90</td><td>32.57</td><td>5.95</td><td>34.11</td><td>125</td><td>322 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.54	49.10	74.00	-24.90	44.69	32.57	5.95	34.11	125	322 PEAK	2	2483.54	24.31	54.00	-29.69	19.90	32.57	5.95	34.11	125	322 AVERAGE	Level (dBuV/m) Date: 2026-01-22 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>107.83</td><td>-----</td><td>-----</td><td>103.45</td><td>32.57</td><td>5.92</td><td>34.11</td><td>125</td><td>322 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>83.04</td><td>-----</td><td>-----</td><td>78.66</td><td>32.57</td><td>5.92</td><td>34.11</td><td>125</td><td>322 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	107.83	-----	-----	103.45	32.57	5.92	34.11	125	322 PEAK	2	2480.00	83.04	-----	-----	78.66	32.57	5.92	34.11	125	322 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2483.54	49.10	74.00	-24.90	44.69	32.57	5.95	34.11	125	322 PEAK																																																																																																
2	2483.54	24.31	54.00	-29.69	19.90	32.57	5.95	34.11	125	322 AVERAGE																																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2480.00	107.83	-----	-----	103.45	32.57	5.92	34.11	125	322 PEAK																																																																																																
2	2480.00	83.04	-----	-----	78.66	32.57	5.92	34.11	125	322 AVERAGE																																																																																																





Mode	6																																																																																																							
	Band Edge																																																																																																							
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																							
ANT	5																																																																																																							
Pol.	Vertical	Fundamental																																																																																																						
Peak	Level (dBuV/m) Date: 2026-01-22 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.60</td><td>49.63</td><td>74.00</td><td>-24.37</td><td>45.22</td><td>32.57</td><td>5.95</td><td>34.11</td><td>368</td><td>250 PEAK</td></tr><tr><td>2</td><td>2483.60</td><td>24.84</td><td>54.00</td><td>-29.16</td><td>20.43</td><td>32.57</td><td>5.95</td><td>34.11</td><td>368</td><td>250 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.60	49.63	74.00	-24.37	45.22	32.57	5.95	34.11	368	250 PEAK	2	2483.60	24.84	54.00	-29.16	20.43	32.57	5.95	34.11	368	250 AVERAGE	Level (dBuV/m) Date: 2026-01-22 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>108.98</td><td>-----</td><td>104.60</td><td>32.57</td><td>5.92</td><td>34.11</td><td>368</td><td>250 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>84.19</td><td>-----</td><td>79.81</td><td>32.57</td><td>5.92</td><td>34.11</td><td>368</td><td>250 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	108.98	-----	104.60	32.57	5.92	34.11	368	250 PEAK	2	2480.00	84.19	-----	79.81	32.57	5.92	34.11	368	250 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	2483.60	49.63	74.00	-24.37	45.22	32.57	5.95	34.11	368	250 PEAK																																																																																														
2	2483.60	24.84	54.00	-29.16	20.43	32.57	5.95	34.11	368	250 AVERAGE																																																																																														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	2480.00	108.98	-----	104.60	32.57	5.92	34.11	368	250 PEAK																																																																																															
2	2480.00	84.19	-----	79.81	32.57	5.92	34.11	368	250 AVERAGE																																																																																															



		6																																																																																																																																																																																								
Mode		Harmonic																																																																																																																																																																																								
		2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																																																																								
ANT		5																																																																																																																																																																																								
Pol.		Horizontal					Vertical																																																																																																																																																																																			
Peak Avg																																																																																																																																																																																										
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4960.00</td><td>45.54</td><td>74.00</td><td>-28.46</td><td>54.25</td><td>35.16</td><td>8.46</td><td>52.33</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>20.75</td><td>54.00</td><td>-33.25</td><td>29.46</td><td>35.16</td><td>8.46</td><td>52.33</td><td>---</td><td>---</td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>46.86</td><td>74.00</td><td>-27.14</td><td>52.89</td><td>36.10</td><td>10.17</td><td>52.30</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>22.07</td><td>54.00</td><td>-31.93</td><td>28.10</td><td>36.10</td><td>10.17</td><td>52.30</td><td>---</td><td>---</td><td>Average</td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4960.00	45.54	74.00	-28.46	54.25	35.16	8.46	52.33	---	---	Peak	2	4960.00	20.75	54.00	-33.25	29.46	35.16	8.46	52.33	---	---	Average	3	7440.00	46.86	74.00	-27.14	52.89	36.10	10.17	52.30	---	---	Peak	4	7440.00	22.07	54.00	-31.93	28.10	36.10	10.17	52.30	---	---	Average	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4960.00</td><td>45.14</td><td>74.00</td><td>-28.86</td><td>53.85</td><td>35.16</td><td>8.46</td><td>52.33</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>20.35</td><td>54.00</td><td>-33.65</td><td>29.06</td><td>35.16</td><td>8.46</td><td>52.33</td><td>---</td><td>---</td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>45.13</td><td>74.00</td><td>-28.87</td><td>51.16</td><td>36.10</td><td>10.17</td><td>52.30</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>20.34</td><td>54.00</td><td>-33.66</td><td>26.37</td><td>36.10</td><td>10.17</td><td>52.30</td><td>---</td><td>---</td><td>Average</td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4960.00	45.14	74.00	-28.86	53.85	35.16	8.46	52.33	---	---	Peak	2	4960.00	20.35	54.00	-33.65	29.06	35.16	8.46	52.33	---	---	Average	3	7440.00	45.13	74.00	-28.87	51.16	36.10	10.17	52.30	---	---	Peak	4	7440.00	20.34	54.00	-33.66	26.37	36.10	10.17	52.30	---	---
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																	
1	4960.00	45.54	74.00	-28.46	54.25	35.16	8.46	52.33	---	---	Peak																																																																																																																																																																															
2	4960.00	20.75	54.00	-33.25	29.46	35.16	8.46	52.33	---	---	Average																																																																																																																																																																															
3	7440.00	46.86	74.00	-27.14	52.89	36.10	10.17	52.30	---	---	Peak																																																																																																																																																																															
4	7440.00	22.07	54.00	-31.93	28.10	36.10	10.17	52.30	---	---	Average																																																																																																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																	
1	4960.00	45.14	74.00	-28.86	53.85	35.16	8.46	52.33	---	---	Peak																																																																																																																																																																															
2	4960.00	20.35	54.00	-33.65	29.06	35.16	8.46	52.33	---	---	Average																																																																																																																																																																															
3	7440.00	45.13	74.00	-28.87	51.16	36.10	10.17	52.30	---	---	Peak																																																																																																																																																																															
4	7440.00	20.34	54.00	-33.66	26.37	36.10	10.17	52.30	---	---	Average																																																																																																																																																																															



Mode	7																																																																																																																																																																																																					
	LF																																																																																																																																																																																																					
	2400-2483.5_Bluetooth BR_GFSK LF_CH78_2480MHz																																																																																																																																																																																																					
ANT	BF 11+5																																																																																																																																																																																																					
Pol.	Horizontal					Vertical																																																																																																																																																																																																
QP/ Peak																																																																																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>23.49</td><td>40.00</td><td>-16.51</td><td>29.17</td><td>25.29</td><td>0.53</td><td>31.50</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>202.66</td><td>22.97</td><td>43.50</td><td>-20.53</td><td>37.97</td><td>15.06</td><td>1.44</td><td>31.50</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>295.78</td><td>30.43</td><td>46.00</td><td>-15.57</td><td>40.84</td><td>19.39</td><td>1.79</td><td>31.59</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>475.23</td><td>24.11</td><td>46.00</td><td>-21.89</td><td>29.37</td><td>23.77</td><td>2.27</td><td>31.30</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>638.19</td><td>26.77</td><td>46.00</td><td>-19.23</td><td>28.57</td><td>26.75</td><td>2.63</td><td>31.18</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>851.59</td><td>31.06</td><td>46.00</td><td>-14.94</td><td>30.08</td><td>28.98</td><td>3.05</td><td>31.05</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	30.00	23.49	40.00	-16.51	29.17	25.29	0.53	31.50	---	Peak	2	202.66	22.97	43.50	-20.53	37.97	15.06	1.44	31.50	---	Peak	3	295.78	30.43	46.00	-15.57	40.84	19.39	1.79	31.59	---	Peak	4	475.23	24.11	46.00	-21.89	29.37	23.77	2.27	31.30	---	Peak	5	638.19	26.77	46.00	-19.23	28.57	26.75	2.63	31.18	---	Peak	6	851.59	31.06	46.00	-14.94	30.08	28.98	3.05	31.05	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>28.83</td><td>40.00</td><td>-11.17</td><td>34.51</td><td>25.29</td><td>0.53</td><td>31.50</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>188.11</td><td>27.07</td><td>43.50</td><td>-16.43</td><td>42.33</td><td>14.87</td><td>1.39</td><td>31.52</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>290.93</td><td>23.55</td><td>46.00</td><td>-22.45</td><td>34.10</td><td>19.26</td><td>1.77</td><td>31.58</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>546.04</td><td>25.13</td><td>46.00</td><td>-20.87</td><td>28.22</td><td>25.76</td><td>2.45</td><td>31.30</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>764.29</td><td>29.01</td><td>46.00</td><td>-16.99</td><td>28.27</td><td>28.89</td><td>2.88</td><td>31.03</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>913.67</td><td>30.48</td><td>46.00</td><td>-15.52</td><td>28.29</td><td>29.97</td><td>3.18</td><td>30.96</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	30.00	28.83	40.00	-11.17	34.51	25.29	0.53	31.50	---	Peak	2	188.11	27.07	43.50	-16.43	42.33	14.87	1.39	31.52	---	Peak	3	290.93	23.55	46.00	-22.45	34.10	19.26	1.77	31.58	---	Peak	4	546.04	25.13	46.00	-20.87	28.22	25.76	2.45	31.30	---	Peak	5	764.29	29.01	46.00	-16.99	28.27	28.89	2.88	31.03	---	Peak	6	913.67	30.48	46.00	-15.52	28.29	29.97	3.18	30.96	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																												
	1	30.00	23.49	40.00	-16.51	29.17	25.29	0.53	31.50	---	Peak																																																																																																																																																																																											
	2	202.66	22.97	43.50	-20.53	37.97	15.06	1.44	31.50	---	Peak																																																																																																																																																																																											
	3	295.78	30.43	46.00	-15.57	40.84	19.39	1.79	31.59	---	Peak																																																																																																																																																																																											
	4	475.23	24.11	46.00	-21.89	29.37	23.77	2.27	31.30	---	Peak																																																																																																																																																																																											
	5	638.19	26.77	46.00	-19.23	28.57	26.75	2.63	31.18	---	Peak																																																																																																																																																																																											
6	851.59	31.06	46.00	-14.94	30.08	28.98	3.05	31.05	---	Peak																																																																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																													
1	30.00	28.83	40.00	-11.17	34.51	25.29	0.53	31.50	---	Peak																																																																																																																																																																																												
2	188.11	27.07	43.50	-16.43	42.33	14.87	1.39	31.52	---	Peak																																																																																																																																																																																												
3	290.93	23.55	46.00	-22.45	34.10	19.26	1.77	31.58	---	Peak																																																																																																																																																																																												
4	546.04	25.13	46.00	-20.87	28.22	25.76	2.45	31.30	---	Peak																																																																																																																																																																																												
5	764.29	29.01	46.00	-16.99	28.27	28.89	2.88	31.03	---	Peak																																																																																																																																																																																												
6	913.67	30.48	46.00	-15.52	28.29	29.97	3.18	30.96	---	Peak																																																																																																																																																																																												



Mode	8																																																																																																									
	Band Edge																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																									
ANT	BF 11+5																																																																																																									
Pol.	Horizontal	Fundamental																																																																																																								
Peak	Level (dBuV/m) Date: 2026-01-23 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2359.14</td><td>45.09</td><td>74.00</td><td>-28.91</td><td>41.55</td><td>32.37</td><td>5.33</td><td>34.16</td><td>120</td><td>327 PEAK</td></tr><tr><td>2</td><td>2359.14</td><td>20.30</td><td>54.00</td><td>-33.70</td><td>16.76</td><td>32.37</td><td>5.33</td><td>34.16</td><td>120</td><td>327 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2359.14	45.09	74.00	-28.91	41.55	32.37	5.33	34.16	120	327 PEAK	2	2359.14	20.30	54.00	-33.70	16.76	32.37	5.33	34.16	120	327 AVERAGE	Level (dBuV/m) Date: 2026-01-23 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>109.96</td><td>-----</td><td>-----</td><td>106.29</td><td>32.44</td><td>5.37</td><td>34.14</td><td>120</td><td>327 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>85.17</td><td>-----</td><td>-----</td><td>81.50</td><td>32.44</td><td>5.37</td><td>34.14</td><td>120</td><td>327 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	109.96	-----	-----	106.29	32.44	5.37	34.14	120	327 PEAK	2	2402.00	85.17	-----	-----	81.50	32.44	5.37	34.14	120	327 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2359.14	45.09	74.00	-28.91	41.55	32.37	5.33	34.16	120	327 PEAK																																																																																																
2	2359.14	20.30	54.00	-33.70	16.76	32.37	5.33	34.16	120	327 AVERAGE																																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2402.00	109.96	-----	-----	106.29	32.44	5.37	34.14	120	327 PEAK																																																																																																
2	2402.00	85.17	-----	-----	81.50	32.44	5.37	34.14	120	327 AVERAGE																																																																																																





Mode	8																																																																																																									
	Band Edge																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																									
ANT	BF 11+5																																																																																																									
Pol.	Vertical	Fundamental																																																																																																								
Peak	Level (dBuV/m) Date: 2026-01-23 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.65</td><td>45.28</td><td>74.00</td><td>-28.72</td><td>41.64</td><td>32.42</td><td>5.36</td><td>34.14</td><td>400</td><td>266 PEAK</td></tr><tr><td>2</td><td>2388.65</td><td>20.49</td><td>54.00</td><td>-33.51</td><td>16.85</td><td>32.42</td><td>5.36</td><td>34.14</td><td>400</td><td>266 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2388.65	45.28	74.00	-28.72	41.64	32.42	5.36	34.14	400	266 PEAK	2	2388.65	20.49	54.00	-33.51	16.85	32.42	5.36	34.14	400	266 AVERAGE	Level (dBuV/m) Date: 2026-01-23 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>108.23</td><td>-----</td><td>-----</td><td>104.56</td><td>32.44</td><td>5.37</td><td>34.14</td><td>400</td><td>266 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>83.44</td><td>-----</td><td>-----</td><td>79.77</td><td>32.44</td><td>5.37</td><td>34.14</td><td>400</td><td>266 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	108.23	-----	-----	104.56	32.44	5.37	34.14	400	266 PEAK	2	2402.00	83.44	-----	-----	79.77	32.44	5.37	34.14	400	266 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2388.65	45.28	74.00	-28.72	41.64	32.42	5.36	34.14	400	266 PEAK																																																																																																
2	2388.65	20.49	54.00	-33.51	16.85	32.42	5.36	34.14	400	266 AVERAGE																																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2402.00	108.23	-----	-----	104.56	32.44	5.37	34.14	400	266 PEAK																																																																																																
2	2402.00	83.44	-----	-----	79.77	32.44	5.37	34.14	400	266 AVERAGE																																																																																																





Mode	8																																																																																																																				
	Harmonic																																																																																																																				
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																				
ANT	BF 11+5																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																														
Peak Avg	Horizontal Polarization Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue signal line, a red limit line at 74.00 dBuV/m (PEAK_74), and a red average line at 54.00 dBuV/m (AVG_54). The signal level is approximately 44.44 dBuV/m at 4804.00 MHz.						Vertical Polarization Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue signal line, a red limit line at 74.00 dBuV/m (PEAK_74), and a red average line at 54.00 dBuV/m (AVG_54). The signal level is approximately 45.19 dBuV/m at 4804.00 MHz.																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>44.44</td><td>74.00</td><td>-29.56</td><td>53.33</td><td>35.00</td><td>8.94</td><td>52.83</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4804.00</td><td>19.65</td><td>54.00</td><td>-34.35</td><td>28.54</td><td>35.00</td><td>8.94</td><td>52.83</td><td>---</td><td>---</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	44.44	74.00	-29.56	53.33	35.00	8.94	52.83	---	---	Peak	2	4804.00	19.65	54.00	-34.35	28.54	35.00	8.94	52.83	---	---	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>45.19</td><td>74.00</td><td>-28.81</td><td>54.08</td><td>35.00</td><td>8.94</td><td>52.83</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4804.00</td><td>20.40</td><td>54.00</td><td>-33.60</td><td>29.29</td><td>35.00</td><td>8.94</td><td>52.83</td><td>---</td><td>---</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	45.19	74.00	-28.81	54.08	35.00	8.94	52.83	---	---	Peak	2	4804.00	20.40	54.00	-33.60	29.29	35.00	8.94	52.83	---	---	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	4804.00	44.44	74.00	-29.56	53.33	35.00	8.94	52.83	---	---	Peak																																																																																																										
2	4804.00	19.65	54.00	-34.35	28.54	35.00	8.94	52.83	---	---	Average																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	4804.00	45.19	74.00	-28.81	54.08	35.00	8.94	52.83	---	---	Peak																																																																																																										
2	4804.00	20.40	54.00	-33.60	29.29	35.00	8.94	52.83	---	---	Average																																																																																																										



		9																																																																																									
Mode		Harmonic																																																																																									
		2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																									
ANT		BF 11+5																																																																																									
Pol.		Horizontal																																																																																									
Peak Avg																																																																																											
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4882.00	44.52	74.00	-29.48	53.32	35.08	8.70	52.58	---	---	Peak		2	4882.00	19.73	54.00	-34.27	28.53	35.08	8.70	52.58	---	---	Average		3	7323.00	45.88	74.00	-28.12	51.90	36.10	10.18	52.30	---	---	Peak		4	7323.00	21.09	54.00	-32.91	27.11	36.10	10.18	52.30	---	---	Average														
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	4882.00	44.52	74.00	-29.48	53.32	35.08	8.70	52.58	---	---	Peak																																																																																
2	4882.00	19.73	54.00	-34.27	28.53	35.08	8.70	52.58	---	---	Average																																																																																
3	7323.00	45.88	74.00	-28.12	51.90	36.10	10.18	52.30	---	---	Peak																																																																																
4	7323.00	21.09	54.00	-32.91	27.11	36.10	10.18	52.30	---	---	Average																																																																																
																																																																																											
		<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4882.00</td><td>46.05</td><td>74.00</td><td>-27.95</td><td>54.85</td><td>35.08</td><td>8.70</td><td>52.58</td><td>---</td><td>---</td><td>Peak</td><td></td></tr><tr><td>2</td><td>4882.00</td><td>21.26</td><td>54.00</td><td>-32.74</td><td>30.06</td><td>35.08</td><td>8.70</td><td>52.58</td><td>---</td><td>---</td><td>Average</td><td></td></tr><tr><td>3</td><td>7323.00</td><td>46.01</td><td>74.00</td><td>-27.99</td><td>52.03</td><td>36.10</td><td>10.18</td><td>52.30</td><td>---</td><td>---</td><td>Peak</td><td></td></tr><tr><td>4</td><td>7323.00</td><td>21.22</td><td>54.00</td><td>-32.78</td><td>27.24</td><td>36.10</td><td>10.18</td><td>52.30</td><td>---</td><td>---</td><td>Average</td><td></td></tr></tbody></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4882.00	46.05	74.00	-27.95	54.85	35.08	8.70	52.58	---	---	Peak		2	4882.00	21.26	54.00	-32.74	30.06	35.08	8.70	52.58	---	---	Average		3	7323.00	46.01	74.00	-27.99	52.03	36.10	10.18	52.30	---	---	Peak		4	7323.00	21.22	54.00	-32.78	27.24	36.10	10.18	52.30	---	---	Average	
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	4882.00	46.05	74.00	-27.95	54.85	35.08	8.70	52.58	---	---	Peak																																																																																
2	4882.00	21.26	54.00	-32.74	30.06	35.08	8.70	52.58	---	---	Average																																																																																
3	7323.00	46.01	74.00	-27.99	52.03	36.10	10.18	52.30	---	---	Peak																																																																																
4	7323.00	21.22	54.00	-32.78	27.24	36.10	10.18	52.30	---	---	Average																																																																																



Mode	10																																																																																																							
	Band Edge																																																																																																							
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																							
ANT	BF 11+5																																																																																																							
Pol.	Horizontal	Fundamental																																																																																																						
Peak	Level (dBuV/m) Date: 2026-01-23  PEAK_BE_74 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.96</td><td>67.80</td><td>74.00</td><td>-6.20</td><td>63.39</td><td>32.58</td><td>5.94</td><td>34.11</td><td>100</td><td>49 PEAK</td></tr><tr><td>2</td><td>2484.96</td><td>43.01</td><td>54.00</td><td>-10.99</td><td>38.60</td><td>32.58</td><td>5.94</td><td>34.11</td><td>100</td><td>49 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.96	67.80	74.00	-6.20	63.39	32.58	5.94	34.11	100	49 PEAK	2	2484.96	43.01	54.00	-10.99	38.60	32.58	5.94	34.11	100	49 AVERAGE	Level (dBuV/m) Date: 2026-01-23  PEAK_74 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>104.15</td><td>-----</td><td>99.77</td><td>32.57</td><td>5.92</td><td>34.11</td><td>100</td><td>49 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>79.36</td><td>-----</td><td>74.98</td><td>32.57</td><td>5.92</td><td>34.11</td><td>100</td><td>49 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	104.15	-----	99.77	32.57	5.92	34.11	100	49 PEAK	2	2480.00	79.36	-----	74.98	32.57	5.92	34.11	100	49 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	2484.96	67.80	74.00	-6.20	63.39	32.58	5.94	34.11	100	49 PEAK																																																																																														
2	2484.96	43.01	54.00	-10.99	38.60	32.58	5.94	34.11	100	49 AVERAGE																																																																																														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	2480.00	104.15	-----	99.77	32.57	5.92	34.11	100	49 PEAK																																																																																															
2	2480.00	79.36	-----	74.98	32.57	5.92	34.11	100	49 AVERAGE																																																																																															



Mode	10																																																																																																															
	Band Edge																																																																																																															
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																															
ANT	BF 11+5																																																																																																															
Pol.	Vertical					Fundamental																																																																																																										
Peak	Level (dBuV/m) Date: 2026-01-23 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2496.22</td><td>45.86</td><td>74.00</td><td>-28.14</td><td>41.47</td><td>32.59</td><td>5.90</td><td>34.10</td><td>212</td><td>0 PEAK</td></tr><tr><td>2</td><td>2496.22</td><td>21.07</td><td>54.00</td><td>-32.93</td><td>16.68</td><td>32.59</td><td>5.90</td><td>34.10</td><td>212</td><td>0 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2496.22	45.86	74.00	-28.14	41.47	32.59	5.90	34.10	212	0 PEAK	2	2496.22	21.07	54.00	-32.93	16.68	32.59	5.90	34.10	212	0 AVERAGE	Level (dBuV/m) Date: 2026-01-23 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>93.16</td><td>-----</td><td>88.78</td><td>32.57</td><td>5.92</td><td>34.11</td><td>212</td><td>0 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>68.37</td><td>-----</td><td>63.99</td><td>32.57</td><td>5.92</td><td>34.11</td><td>212</td><td>0 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	93.16	-----	88.78	32.57	5.92	34.11	212	0 PEAK	2	2480.00	68.37	-----	63.99	32.57	5.92	34.11	212	0 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																						
		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2496.22	45.86	74.00	-28.14	41.47	32.59	5.90	34.10	212	0 PEAK																																																																																																						
2	2496.22	21.07	54.00	-32.93	16.68	32.59	5.90	34.10	212	0 AVERAGE																																																																																																						
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	2480.00	93.16	-----	88.78	32.57	5.92	34.11	212	0 PEAK																																																																																																							
2	2480.00	68.37	-----	63.99	32.57	5.92	34.11	212	0 AVERAGE																																																																																																							




Mode	10																																																																																																																																																								
	Harmonic																																																																																																																																																								
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz & worst mode 18G-26GHz																																																																																																																																																								
ANT	BF 11+5																																																																																																																																																								
Pol.	Horizontal					Vertical																																																																																																																																																			
Peak Avg																																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>46.45</td><td>74.00</td><td>-27.55</td><td>55.16</td><td>35.16</td><td>8.46</td><td>52.33</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>21.66</td><td>54.00</td><td>-32.34</td><td>30.37</td><td>35.16</td><td>8.46</td><td>52.33</td><td>---</td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>47.28</td><td>74.00</td><td>-26.72</td><td>53.31</td><td>36.10</td><td>10.17</td><td>52.30</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>22.49</td><td>54.00</td><td>-31.51</td><td>28.52</td><td>36.10</td><td>10.17</td><td>52.30</td><td>---</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	46.45	74.00	-27.55	55.16	35.16	8.46	52.33	---	Peak	2	4960.00	21.66	54.00	-32.34	30.37	35.16	8.46	52.33	---	Average	3	7440.00	47.28	74.00	-26.72	53.31	36.10	10.17	52.30	---	Peak	4	7440.00	22.49	54.00	-31.51	28.52	36.10	10.17	52.30	---	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>46.34</td><td>74.00</td><td>-27.66</td><td>55.05</td><td>35.16</td><td>8.46</td><td>52.33</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>21.55</td><td>54.00</td><td>-32.45</td><td>30.26</td><td>35.16</td><td>8.46</td><td>52.33</td><td>---</td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>46.71</td><td>74.00</td><td>-27.29</td><td>52.74</td><td>36.10</td><td>10.17</td><td>52.30</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>21.92</td><td>54.00</td><td>-32.08</td><td>27.95</td><td>36.10</td><td>10.17</td><td>52.30</td><td>---</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	46.34	74.00	-27.66	55.05	35.16	8.46	52.33	---	Peak	2	4960.00	21.55	54.00	-32.45	30.26	35.16	8.46	52.33	---	Average	3	7440.00	46.71	74.00	-27.29	52.74	36.10	10.17	52.30	---	Peak	4	7440.00	21.92	54.00	-32.08	27.95	36.10	10.17	52.30	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																
1	4960.00	46.45	74.00	-27.55	55.16	35.16	8.46	52.33	---	Peak																																																																																																																																															
2	4960.00	21.66	54.00	-32.34	30.37	35.16	8.46	52.33	---	Average																																																																																																																																															
3	7440.00	47.28	74.00	-26.72	53.31	36.10	10.17	52.30	---	Peak																																																																																																																																															
4	7440.00	22.49	54.00	-31.51	28.52	36.10	10.17	52.30	---	Average																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																
1	4960.00	46.34	74.00	-27.66	55.05	35.16	8.46	52.33	---	Peak																																																																																																																																															
2	4960.00	21.55	54.00	-32.45	30.26	35.16	8.46	52.33	---	Average																																																																																																																																															
3	7440.00	46.71	74.00	-27.29	52.74	36.10	10.17	52.30	---	Peak																																																																																																																																															
4	7440.00	21.92	54.00	-32.08	27.95	36.10	10.17	52.30	---	Average																																																																																																																																															

Appendix D. Duty Cycle Plots

<for Ant 5>

DH5 on time (One Pulse) Plot on Channel 39



DH5 on time (Count Pulses) Plot on Channel 39




Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.




<for Ant 11>

DH5 on time (One Pulse) Plot on Channel 39



DH5 on time (Count Pulses) Plot on Channel 39




Note:


1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.

<for MIMO Ant 11 + 5>

DH5 on time (One Pulse) Plot on Channel 39



DH5 on time (Count Pulses) Plot on Channel 39



Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.