





















In-Band Emissions

Test Result


TestMode	Antenna	Freq(MHz)	Result	Limit	Verdict
11BE320MIMO	Ant6	6105	See test graph	See test graph	PASS
	Ant13	6105	See test graph	See test graph	PASS
	Ant6	6265	See test graph	See test graph	PASS
	Ant13	6265	See test graph	See test graph	PASS
11BE20MIMO	Ant6	5955	See test graph	See test graph	PASS
	Ant13	5955	See test graph	See test graph	PASS
	Ant6	6195	See test graph	See test graph	PASS
	Ant13	6195	See test graph	See test graph	PASS
	Ant6	6415	See test graph	See test graph	PASS
	Ant13	6415	See test graph	See test graph	PASS
	Ant6	6535	See test graph	See test graph	PASS
	Ant13	6535	See test graph	See test graph	PASS
	Ant6	6695	See test graph	See test graph	PASS
	Ant13	6695	See test graph	See test graph	PASS
	Ant6	6855	See test graph	See test graph	PASS
	Ant13	6855	See test graph	See test graph	PASS
11BE40MIMO	Ant6	5965	See test graph	See test graph	PASS
	Ant13	5965	See test graph	See test graph	PASS
	Ant6	6205	See test graph	See test graph	PASS
	Ant13	6205	See test graph	See test graph	PASS
	Ant6	6405	See test graph	See test graph	PASS
	Ant13	6405	See test graph	See test graph	PASS
	Ant6	6565	See test graph	See test graph	PASS
	Ant13	6565	See test graph	See test graph	PASS
	Ant6	6685	See test graph	See test graph	PASS
	Ant13	6685	See test graph	See test graph	PASS
	Ant6	6845	See test graph	See test graph	PASS
	Ant13	6845	See test graph	See test graph	PASS
11BE80MIMO	Ant6	5985	See test graph	See test graph	PASS
	Ant13	5985	See test graph	See test graph	PASS
	Ant6	6225	See test graph	See test graph	PASS
	Ant13	6225	See test graph	See test graph	PASS
	Ant6	6385	See test graph	See test graph	PASS
	Ant13	6385	See test graph	See test graph	PASS
	Ant6	6625	See test graph	See test graph	PASS
	Ant13	6625	See test graph	See test graph	PASS
	Ant6	6705	See test graph	See test graph	PASS
	Ant13	6705	See test graph	See test graph	PASS
	Ant6	6785	See test graph	See test graph	PASS
	Ant13	6785	See test graph	See test graph	PASS
11BE160MIMO	Ant6	6025	See test graph	See test graph	PASS
	Ant13	6025	See test graph	See test graph	PASS
	Ant6	6185	See test graph	See test graph	PASS






	Ant13	6185	See test graph	See test graph	PASS
	Ant6	6345	See test graph	See test graph	PASS
	Ant13	6345	See test graph	See test graph	PASS
	Ant6	6665	See test graph	See test graph	PASS
	Ant13	6665	See test graph	See test graph	PASS







Test Graphs

















































































Date: 24.JAN.2026 23:15:42



Date: 25.JAN.2026 00:21:47







<Single RU>

Maximum power spectral density


Test Result



Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE20MIMO	Ant6	5955	26Tone	RU0	5.76	-3.10	2.66	≤17.00	PASS
			52Tone	RU37	5.93	-3.10	2.83	≤17.00	PASS
			106Tone	RU53	5.71	-3.10	2.61	≤17.00	PASS
	Ant13	5955	26Tone	RU0	6.78	-3.10	3.68	≤17.00	PASS
			52Tone	RU37	6.54	-3.10	3.44	≤17.00	PASS
			106Tone	RU53	6.58	-3.10	3.48	≤17.00	PASS
	total	5955	26Tone	RU0	9.31	-0.09	9.22	≤17.00	PASS
			52Tone	RU37	9.26	-0.09	9.17	≤17.00	PASS
			106Tone	RU53	9.18	-0.09	9.09	≤17.00	PASS
	Ant6	6535	26Tone	RU0	5.57	-2.50	3.07	≤17.00	PASS
			52Tone	RU37	5.54	-2.50	3.04	≤17.00	PASS
			106Tone	RU53	5.59	-2.50	3.09	≤17.00	PASS
	Ant13	6535	26Tone	RU0	6.15	-2.50	3.65	≤17.00	PASS
			52Tone	RU37	5.92	-2.50	3.42	≤17.00	PASS
			106Tone	RU53	6.17	-2.50	3.67	≤17.00	PASS
	total	6535	26Tone	RU0	8.88	0.51	9.39	≤17.00	PASS
			52Tone	RU37	8.74	0.51	9.25	≤17.00	PASS
			106Tone	RU53	8.90	0.51	9.41	≤17.00	PASS



Note: 1.The Duty Cycle Factor and is compensated in the graph.







Test Graphs





















In-Band Emissions



Test Result



Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result	Limit	Verdict
11BE20 MIMO	Ant6	5955	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant13	5955	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant6	6535	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant13	6535	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS






Test Graphs




















<Large RU>

Maximum power spectral density


Test Result


Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE320MIMO	Ant6	6105	3*996Tone	RU4	-7.54	-3.10	-10.64	≤17.00	PASS
			2*996Tone+484Tone	RU6	-7.67	-3.10	-10.77	≤17.00	PASS
			3*996Tone+484Tone	RU8	-7.53	-3.10	-10.63	≤17.00	PASS
	Ant13	6105	3*996Tone	RU4	-7.06	-3.10	-10.16	≤17.00	PASS
			2*996Tone+484Tone	RU6	-7.38	-3.10	-10.48	≤17.00	PASS
			3*996Tone+484Tone	RU8	-7.07	-3.10	-10.17	≤17.00	PASS
	total	6105	3*996Tone	RU4	-4.28	-0.09	-4.37	≤17.00	PASS
			2*996Tone+484Tone	RU6	-4.51	-0.09	-4.60	≤17.00	PASS
			3*996Tone+484Tone	RU8	-4.28	-0.09	-4.37	≤17.00	PASS
11BE80MIMO	Ant6	5985	484Tone+242Tone	RU4	-1.98	-3.10	-5.08	≤17.00	PASS
	Ant13	5985	484Tone+242Tone	RU4	-0.78	-3.10	-3.88	≤17.00	PASS
	total	5985	484Tone+242Tone	RU4	1.67	-0.09	1.58	≤17.00	PASS
11BE160MIMO	Ant6	6025	996Tone+484Tone	RU4	-4.65	-3.10	-7.75	≤17.00	PASS
	Ant13	6025	996Tone+484Tone	RU4	-3.46	-3.10	-6.56	≤17.00	PASS
	total	6025	996Tone+484Tone	RU4	-1.00	-0.09	-1.09	≤17.00	PASS



Note: 1.The Duty Cycle Factor and is compensated in the graph.






Test Graphs
















<Puncturing>

Maximum power spectral density


Test Result



Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE320 MIMO	Ant6	6105	Puncturing 80M	RU4	-7.98	-3.10	-11.08	≤17.00	PASS
			Puncturing 80+40M	RU5	-7.32	-3.10	-10.42	≤17.00	PASS
			Puncturing 40M	RU8	-7.32	-3.10	-10.42	≤17.00	PASS
	Ant13	6105	Puncturing 80M	RU4	-7.62	-3.10	-10.72	≤17.00	PASS
			Puncturing 80+40M	RU5	-7.06	-3.10	-10.16	≤17.00	PASS
			Puncturing 40M	RU8	-7.14	-3.10	-10.24	≤17.00	PASS
	total	6105	Puncturing 80M	RU4	-4.79	-0.09	-4.88	≤17.00	PASS
			Puncturing 80+40M	RU5	-4.18	-0.09	-4.27	≤17.00	PASS
			Puncturing 40M	RU8	-4.22	-0.09	-4.31	≤17.00	PASS
11BE80 MIMO	Ant6	5985	Puncturing 20M	RU4	-1.44	-3.10	-4.54	≤17.00	PASS
	Ant13	5985	Puncturing 20M	RU4	-1	-3.10	-4.10	≤17.00	PASS
	total	5985	Puncturing 20M	RU4	1.80	-0.09	1.71	≤17.00	PASS
11BE160 MIMO	Ant6	6025	Puncturing 40M	RU4	-4.21	-3.10	-7.31	≤17.00	PASS
			Puncturing 20M	RU8	-4.07	-3.10	-7.17	≤17.00	PASS
	Ant13	6025	Puncturing 40M	RU4	-3.77	-3.10	-6.87	≤17.00	PASS
			Puncturing 20M	RU8	-4.11	-3.10	-7.21	≤17.00	PASS
	total	6025	Puncturing 40M	RU4	-0.97	-0.09	-1.06	≤17.00	PASS
			Puncturing 20M	RU8	-1.08	-0.09	-1.17	≤17.00	PASS



Note: 1.The Duty Cycle Factor and is compensated in the graph.






Test Graphs




















<Small RU>

Maximum power spectral density


Test Result



Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm /MHz]	Limit [dBm /MHz]	Verdict
11BE20 MIMO	Ant6	5955	52Tone+26Tone	RU38+RU1	4.24	-3.10	1.14	≤17.00	PASS
			106Tone+26Tone	RU53+RU4	6.19	-3.10	3.09	≤17.00	PASS
	Ant13	5955	52Tone+26Tone	RU38+RU1	4.91	-3.10	1.81	≤17.00	PASS
			106Tone+26Tone	RU53+RU4	6.06	-3.10	2.96	≤17.00	PASS
	total	5955	52Tone+26Tone	RU38+RU1	7.60	-0.09	7.51	≤17.00	PASS
			106Tone+26Tone	RU53+RU4	9.14	-0.09	9.05	≤17.00	PASS
	Ant6	6535	52Tone+26Tone	RU38+RU1	3.88	-2.50	1.38	≤17.00	PASS
			106Tone+26Tone	RU53+RU4	5.98	-2.50	3.48	≤17.00	PASS
	Ant13	6535	52Tone+26Tone	RU38+RU1	4.32	-2.50	1.82	≤17.00	PASS
			106Tone+26Tone	RU53+RU4	6.34	-2.50	3.84	≤17.00	PASS
	total	6535	52Tone+26Tone	RU38+RU1	7.12	0.51	7.63	≤17.00	PASS
			106Tone+26Tone	RU53+RU4	9.17	0.51	9.68	≤17.00	PASS


Note: 1.The Duty Cycle Factor and is compensated in the graph.






Test Graphs














Appendix B. AC Conducted Emission Test Results


Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-100334-L 2025 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.184	33.33	-30.95	64.28	13.30	9.55	10.48	QP
2	0.184	26.63	-27.65	54.28	6.60	9.55	10.48	Average
3	0.608	31.60	-24.40	56.00	11.50	9.59	10.51	QP
4	0.608	22.30	-23.70	46.00	2.20	9.59	10.51	Average
5	0.641	30.60	-25.40	56.00	10.50	9.59	10.51	QP
6	0.641	21.70	-24.30	46.00	1.60	9.59	10.51	Average
7	4.647	31.44	-24.56	56.00	11.30	9.64	10.50	QP
8 *	4.647	24.34	-21.66	46.00	4.20	9.64	10.50	Average
9	19.122	33.68	-26.32	60.00	13.30	9.87	10.51	QP
10	19.122	26.48	-23.52	50.00	6.10	9.87	10.51	Average
11	20.056	32.57	-27.43	60.00	12.20	9.87	10.50	QP
12	20.056	26.27	-23.73	50.00	5.90	9.87	10.50	Average

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-100334-N 2025 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.157	40.22	-25.38	65.60	20.20	9.55	10.47	QP
2	0.157	32.22	-23.38	55.60	12.20	9.55	10.47	Average
3	0.214	32.30	-30.75	63.05	12.20	9.62	10.48	QP
4	0.214	21.60	-31.45	53.05	1.50	9.62	10.48	Average
5	0.595	33.59	-22.41	56.00	13.30	9.78	10.51	QP
6	0.595	22.30	-23.70	46.00	2.01	9.78	10.51	Average
7 *	0.627	33.60	-22.40	56.00	13.30	9.79	10.51	QP
8	0.627	22.40	-23.60	46.00	2.10	9.79	10.51	Average
9	19.224	33.09	-26.91	60.00	12.81	9.77	10.51	QP
10	19.224	25.19	-24.81	50.00	4.91	9.77	10.51	Average
11	20.486	32.60	-27.40	60.00	12.30	9.79	10.51	QP
12	20.486	25.20	-24.80	50.00	4.90	9.79	10.51	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Jerry Xu	Relative Humidity :	52 ~ 56 %
		Temperature :	22 ~ 25 °C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	UNII-5	5.925-6.425	CDD 6+13	802.11BE EHT20	1	5955	MCS0	-	-
Mode 2	UNII-5	5.925-6.425	CDD 6+13	802.11BE EHT20	49	6195	MCS0	-	-
Mode 3	UNII-5	5.925-6.425	CDD 6+13	802.11BE EHT20	93	6415	MCS0	-	-
Mode 7	UNII-7	6.525-6.875	CDD 6+13	802.11BE EHT20	117	6535	MCS0	Full	-
Mode 8	UNII-7	6.525-6.875	CDD 6+13	802.11BE EHT20	149	6695	MCS0	Full	-
Mode 9	UNII-7	6.525-7.125	CDD 6+13	802.11BE EHT20	181	6855	MCS0	-	-
Mode 13	UNII-5	5.925-6.425	CDD 6+13	802.11BE EHT40	3	5965	MCS0	-	-
Mode 14	UNII-5	5.925-6.425	CDD 6+13	802.11BE EHT40	51	6205	MCS0	-	-
Mode 15	UNII-5	5.925-6.425	CDD 6+13	802.11BE EHT40	91	6405	MCS0	-	-
Mode 18	UNII-7	6.525-6.875	CDD 6+13	802.11BE EHT40	123	6565	MCS0	Full	-
Mode 19	UNII-7	6.525-6.875	CDD 6+13	802.11BE EHT40	147	6685	MCS0	Full	-
Mode 20	UNII-7	6.525-7.125	CDD 6+13	802.11BE EHT40	179	6845	MCS0	-	-
Mode 24	UNII-5	5.925-6.425	CDD 6+13	802.11BE EHT80	7	5985	MCS0	Full	-
Mode 25	UNII-5	5.925-6.425	CDD 6+13	802.11BE EHT80	55	6225	MCS0	Full	-
Mode 26	UNII-5	5.925-6.425	CDD 6+13	802.11BE EHT80	87	6385	MCS0	Full	-
Mode 28	UNII-7	6.525-6.875	CDD 6+13	802.11BE EHT80	135	6625	MCS0	Full	-
Mode 29	UNII-7	6.525-6.875	CDD 6+13	802.11BE EHT80	151	6705	MCS0	Full	-
Mode 30	UNII-7	5.925-6.425	CDD 6+13	802.11BE EHT80	167	6785	MCS0	-	-
Mode 33	UNII-5	5.925-6.425	CDD 6+13	802.11BE EHT160	15	6025	MCS0	Full	-
Mode 34	UNII-5	5.925-6.425	CDD 6+13	802.11BE EHT160	47	6185	MCS0	Full	-
Mode 35	UNII-5	5.925-6.425	CDD 6+13	802.11BE EHT160	79	6345	MCS0	Full	-
Mode 36	UNII-7	6.525-6.875	CDD 6+13	802.11BE EHT160	143	6665	MCS0	Full	-
Mode 38	UNII-5	5.925-6.425	CDD 6+13	802.11BE EHT320	31	6105	MCS0	-	-
Mode 39	UNII-5	5.925-6.425	CDD 6+13	802.11BE EHT320	63	6265	MCS0	-	-
Mode 46	UNII-7	5.925-6.425	CDD 6+13	802.11BE EHT40	115	6525	MCS0	Full	-
Mode 51	UNII-5	5.925-6.425	CDD 6+13	802.11BE EHT20	1	5955	MCS0	RU106/53	-
Mode 53	UNII-5	6.425-6.525	CDD 6+13	802.11BE EHT20	1	5955	MCS0	Index 53+4	-
Mode 55	UNII-5	6.425-6.525	CDD 6+13	802.11BE EHT80	7	5985	MCS0	Puncturing 20M ④	-
Mode 57	UNII-5	6.425-6.525	CDD 6+13	802.11BE EHT160	15	6025	MCS0	Puncturing 40M ④	-
Mode 59	UNII-5	6.425-6.525	CDD 6+13	802.11BE EHT160	15	6025	MCS0	Puncturing 20M ⑧	-



Mode 61	UNII-5	6.525-6.875	CDD 6+13	802.11BE EHT320	31	6105	MCS0	Puncturing 80M +40M ⑤	-
Mode 63	UNII-5	6.525-6.875	CDD 6+13	802.11BE EHT320	31	6105	MCS0	Puncturing 80M ④	-
Mode 65	UNII-5	6.525-6.875	CDD 6+13	802.11BE EHT320	31	6105	MCS0	Puncturing 40M ⑧	-
Mode 67	UNII-5	6.525-6.875	CDD 6+13	802.11BE EHT80	7	5985	MCS0	Large RU 484+242 ④	-
Mode 69	UNII-5	6.525-6.875	CDD 6+13	802.11BE EHT160	15	6025	MCS0	Large RU 996+484 ④	-
Mode 71	UNII-7	6.525-6.875	CDD 6+13	802.11BE EHT320	31	6105	MCS0	Large RU 996*2+484 ⑥	-
Mode 73	UNII-5	6.875-7.125	CDD 6+13	802.11BE EHT320	31	6105	MCS0	Large RU 996*3 ④	-
Mode 75	UNII-5	6.875-7.125	CDD 6+13	802.11BE EHT320	31	6105	MCS0	Large RU 996*3+484 ⑧	-







Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11BE EHT20	1	5924.97	50.42	68.20	-17.78	H	AVERAGE	Pass	Band Edge
1	802.11BE EHT20	1	11910.00	44.90	74.00	-29.10	H	PEAK	Pass	Harmonic
2	802.11BE EHT20	49	-	-	-	-	-	-	-	Band Edge
2	802.11BE EHT20	49	12390.00	36.38	54.00	-17.62	V	AVERAGE	Pass	Harmonic
3	802.11BE EHT20	93	-	-	-	-	-	-	-	Band Edge
3	802.11BE EHT20	93	12830.00	46.39	88.20	-41.81	V	PEAK	Pass	Harmonic
7	802.11BE EHT20	117	-	-	-	-	-	-	-	Band Edge
7	802.11BE EHT20	117	13070.00	46.72	88.20	-41.48	V	PEAK	Pass	Harmonic
8	802.11BE EHT20	149	-	-	-	-	-	-	-	Band Edge
8	802.11BE EHT20	149	13390.00	46.11	74.00	-27.89	H	PEAK	Pass	Harmonic
9	802.11BE EHT20	181	-	-	-	-	-	-	-	Band Edge
9	802.11BE EHT20	181	13710.00	46.72	88.20	-41.48	V	PEAK	Pass	Harmonic
13	802.11BE EHT40	3	5923.14	50.89	68.20	-17.31	H	AVERAGE	Pass	Band Edge
13	802.11BE EHT40	3	11930.00	45.00	74.00	-29.00	H	PEAK	Pass	Harmonic
14	802.11BE EHT40	51	-	-	-	-	-	-	-	Band Edge
14	802.11BE EHT40	51	12410.00	46.53	74.00	-27.47	H	PEAK	Pass	Harmonic
15	802.11BE EHT40	91	-	-	-	-	-	-	-	Band Edge
15	802.11BE EHT40	91	12810.00	44.77	88.20	-43.43	V	PEAK	Pass	Harmonic
18	802.11BE EHT40	123	-	-	-	-	-	-	-	Band Edge
18	802.11BE EHT40	123	13130.00	45.39	88.20	-42.81	V	PEAK	Pass	Harmonic
19	802.11BE EHT40	147	-	-	-	-	-	-	-	Band Edge
19	802.11BE EHT40	147	13370.00	44.72	74.00	-29.28	V	PEAK	Pass	Harmonic
20	802.11BE EHT40	179	-	-	-	-	-	-	-	Band Edge
20	802.11BE EHT40	179	13690.00	43.69	88.20	-44.51	H	PEAK	Pass	Harmonic
24	802.11BE EHT80	7	5924.36	50.88	68.20	-17.32	H	AVERAGE	Pass	Band Edge
24	802.11BE EHT80	7	11970.00	44.27	74.00	-29.73	H	PEAK	Pass	Harmonic
25	802.11BE EHT80	55	-	-	-	-	-	-	-	Band Edge
25	802.11BE EHT80	55	12450.00	44.64	74.00	-29.36	H	PEAK	Pass	Harmonic
26	802.11BE EHT80	87	-	-	-	-	-	-	-	Band Edge
26	802.11BE EHT80	87	12770.00	44.16	88.20	-44.04	V	PEAK	Pass	Harmonic
28	802.11BE EHT80	135	-	-	-	-	-	-	-	Band Edge
28	802.11BE EHT80	135	13250.00	43.95	74.00	-30.05	V	PEAK	Pass	Harmonic
29	802.11BE EHT80	151	-	-	-	-	-	-	-	Band Edge
29	802.11BE EHT80	151	13410.00	43.03	88.20	-45.17	V	PEAK	Pass	Harmonic
30	802.11BE EHT80	167	-	-	-	-	-	-	-	Band Edge
30	802.11BE EHT80	167	13570.00	43.19	88.20	-45.01	H	PEAK	Pass	Harmonic
33	802.11BE EHT160	15	5887.40	48.70	68.20	-19.50	H	AVERAGE	Pass	Band Edge
33	802.11BE EHT160	15	12050.00	42.62	74.00	-31.38	H	PEAK	Pass	Harmonic
34	802.11BE EHT160	47	-	-	-	-	-	-	-	Band Edge
34	802.11BE EHT160	47	12370.00	45.25	74.00	-28.75	H	PEAK	Pass	Harmonic
35	802.11BE EHT160	79	-	-	-	-	-	-	-	Band Edge
35	802.11BE EHT160	79	12690.00	45.61	74.00	-28.39	H	PEAK	Pass	Harmonic
36	802.11BE EHT160	143	-	-	-	-	-	-	-	Band Edge







36	802.11BE EHT160	143	13330.00	42.77	74.00	-31.23	V	PEAK	Pass	Harmonic
38	802.11BE EHT320	31	5918.76	49.82	68.20	-18.38	H	AVERAGE	Pass	Band Edge
38	802.11BE EHT320	31	12210.00	45.03	74.00	-28.97	H	PEAK	Pass	Harmonic
39	802.11BE EHT320	63	-	-	-	-	-	-	-	Band Edge
39	802.11BE EHT320	63	12530.00	46.12	74.00	-27.88	V	PEAK	Pass	Harmonic
46	802.11BE EHT40	115	-	-	-	-	-	-	-	Band Edge
46	802.11BE EHT40	115	13050.00	46.07	88.20	-42.13	H	PEAK	Pass	Harmonic
51	802.11BE EHT20	1	5924.84	42.63	68.20	-25.57	H	AVERAGE	Pass	Band Edge
51	802.11BE EHT20	1	-	-	-	-	-	-	-	Harmonic
53	802.11BE EHT20	1	5919.12	45.20	68.20	-23.00	H	AVERAGE	Pass	Band Edge
53	802.11BE EHT20	1	-	-	-	-	-	-	-	Harmonic
55	802.11BE EHT80	7	5924.36	46.64	68.20	-21.56	H	AVERAGE	Pass	Band Edge
55	802.11BE EHT80	7	-	-	-	-	-	-	-	Harmonic
57	802.11BE EHT160	15	5914.00	45.35	68.20	-22.85	H	AVERAGE	Pass	Band Edge
57	802.11BE EHT160	15	-	-	-	-	-	-	-	Harmonic
59	802.11BE EHT160	15	5924.60	49.97	68.20	-18.23	H	AVERAGE	Pass	Band Edge
59	802.11BE EHT160	15	-	-	-	-	-	-	-	Harmonic
61	802.11BE EHT320	31	5918.76	51.16	68.20	-17.04	H	AVERAGE	Pass	Band Edge
61	802.11BE EHT320	31	-	-	-	-	-	-	-	Harmonic
63	802.11BE EHT320	31	5923.56	52.23	68.20	-15.97	H	AVERAGE	Pass	Band Edge
63	802.11BE EHT320	31	-	-	-	-	-	-	-	Harmonic
65	802.11BE EHT320	31	5862.76	46.23	68.20	-21.97	H	AVERAGE	Pass	Band Edge
65	802.11BE EHT320	31	-	-	-	-	-	-	-	Harmonic
67	802.11BE EHT80	7	5924.20	46.76	68.20	-21.44	H	AVERAGE	Pass	Band Edge
67	802.11BE EHT80	7	-	-	-	-	-	-	-	Harmonic
69	802.11BE EHT160	15	5918.80	46.06	68.20	-22.14	H	AVERAGE	Pass	Band Edge
69	802.11BE EHT160	15	-	-	-	-	-	-	-	Harmonic
71	802.11BE EHT320	31	5918.44	46.27	68.20	-21.93	H	AVERAGE	Pass	Band Edge
71	802.11BE EHT320	31	-	-	-	-	-	-	-	Harmonic
73	802.11BE EHT320	31	5922.60	54.21	68.20	-13.99	H	AVERAGE	Pass	Band Edge
73	802.11BE EHT320	31	-	-	-	-	-	-	-	Harmonic
75	802.11BE EHT320	31	5848.68	46.76	68.20	-21.44	H	AVERAGE	Pass	Band Edge
75	802.11BE EHT320	31	-	-	-	-	-	-	-	Harmonic





		1																																																																																																												
Mode		Band Edge																																																																																																												
		UNII-5_5.925-6.425_802.11BE EHT20_CH1_5955MHz																																																																																																												
ANT		CDD 6+13																																																																																																												
Pol.	Horizontal										Fundamental																																																																																																			
Peak	 Level (dBuV/m) Frequency (MHz) WIFI 6E PEAK <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.58</td><td>58.50</td><td>88.20</td><td>-29.70</td><td>44.94</td><td>35.05</td><td>10.70</td><td>32.19</td><td>0.00</td><td>100</td><td>122 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.58	58.50	88.20	-29.70	44.94	35.05	10.70	32.19	0.00	100	122 PEAK	 Level (dBuV/m) Frequency (MHz) WIFI 6E PEAK <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>117.07</td><td>-----</td><td>-----</td><td>103.35</td><td>35.14</td><td>10.74</td><td>32.16</td><td>0.00</td><td>100</td><td>122 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	117.07	-----	-----	103.35	35.14	10.74	32.16	0.00	100	122 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5924.58	58.50	88.20	-29.70	44.94	35.05	10.70	32.19	0.00	100	122 PEAK																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5955.00	117.07	-----	-----	103.35	35.14	10.74	32.16	0.00	100	122 PEAK																																																																																																			
Avg	 Level (dBuV/m) Frequency (MHz) WIFI 6E(AVG) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>50.42</td><td>68.20</td><td>-17.78</td><td>36.86</td><td>35.05</td><td>10.70</td><td>32.19</td><td>0.00</td><td>100</td><td>122 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	50.42	68.20	-17.78	36.86	35.05	10.70	32.19	0.00	100	122 AVERAGE	 Level (dBuV/m) Frequency (MHz) WIFI 6E(AVG) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>106.52</td><td>-----</td><td>-----</td><td>92.80</td><td>35.14</td><td>10.74</td><td>32.16</td><td>0.00</td><td>100</td><td>122 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	106.52	-----	-----	92.80	35.14	10.74	32.16	0.00	100	122 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5924.97	50.42	68.20	-17.78	36.86	35.05	10.70	32.19	0.00	100	122 AVERAGE																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5955.00	106.52	-----	-----	92.80	35.14	10.74	32.16	0.00	100	122 AVERAGE																																																																																																			





Mode	1																																																																																																				
	Band Edge																																																																																																				
	UNII-5_5.925-6.425_802.11BE EHT20_CH1_5955MHz																																																																																																				
ANT	CDD 6+13																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.32</td><td>56.42</td><td>88.20</td><td>-31.78</td><td>42.86</td><td>35.05</td><td>10.70</td><td>32.19</td><td>0.00</td><td>282</td><td>82 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.32	56.42	88.20	-31.78	42.86	35.05	10.70	32.19	0.00	282	82 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>109.81</td><td>-----</td><td>-----</td><td>96.15</td><td>35.10</td><td>10.73</td><td>32.17</td><td>0.00</td><td>282</td><td>82 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	109.81	-----	-----	96.15	35.10	10.73	32.17	0.00	282	82 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5924.32	56.42	88.20	-31.78	42.86	35.05	10.70	32.19	0.00	282	82 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	109.81	-----	-----	96.15	35.10	10.73	32.17	0.00	282	82 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.84</td><td>48.07</td><td>68.20</td><td>-20.13</td><td>34.51</td><td>35.05</td><td>10.70</td><td>32.19</td><td>0.00</td><td>282</td><td>82 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.84	48.07	68.20	-20.13	34.51	35.05	10.70	32.19	0.00	282	82 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>102.41</td><td>-----</td><td>-----</td><td>88.69</td><td>35.14</td><td>10.74</td><td>32.16</td><td>0.00</td><td>282</td><td>82 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	102.41	-----	-----	88.69	35.14	10.74	32.16	0.00	282	82 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5924.84	48.07	68.20	-20.13	34.51	35.05	10.70	32.19	0.00	282	82 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	102.41	-----	-----	88.69	35.14	10.74	32.16	0.00	282	82 AVERAGE																																																																																										





		1																																																										
Mode		Harmonic																																																										
		UNII-5_5.925-6.425_802.11BE EHT20_CH1_5955MHz																																																										
ANT		CDD 6+13																																																										
Pol.		Horizontal						Vertical																																																				
Peak Avg																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>44.90</td><td>74.00</td><td>-29.10</td><td>57.01</td><td>38.70</td><td>15.42</td><td>66.23</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	44.90	74.00	-29.10	57.01	38.70	15.42	66.23	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11910.00	44.90	74.00	-29.10	57.01	38.70	15.42	66.23	0.00	---	---	PEAK																																																
																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>44.57</td><td>74.00</td><td>-29.43</td><td>56.68</td><td>38.70</td><td>15.42</td><td>66.23</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	44.57	74.00	-29.43	56.68	38.70	15.42	66.23	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11910.00	44.57	74.00	-29.43	56.68	38.70	15.42	66.23	0.00	---	---	PEAK																																																





		2																																																																							
Mode		Harmonic																																																																							
		UNII-5_5.925-6.425_802.11BE EHT20_CH49_6195MHz																																																																							
ANT		CDD 6+13																																																																							
Pol.		Horizontal						Vertical																																																																	
Peak Avg																																																																									
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12390.00</td><td>46.37</td><td>74.00</td><td>-27.63</td><td>54.67</td><td>38.00</td><td>18.61</td><td>65.71</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12390.00	46.37	74.00	-27.63	54.67	38.00	18.61	65.71	0.00	---	---	PEAK													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1	12390.00	46.37	74.00	-27.63	54.67	38.00	18.61	65.71	0.00	---	---	PEAK																																																													
																																																																									
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12390.00</td><td>47.48</td><td>74.00</td><td>-26.52</td><td>55.78</td><td>38.00</td><td>18.61</td><td>65.71</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>12390.00</td><td>36.38</td><td>54.00</td><td>-17.62</td><td>44.66</td><td>38.00</td><td>18.62</td><td>65.70</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12390.00	47.48	74.00	-26.52	55.78	38.00	18.61	65.71	0.00	100	0	PEAK	2	12390.00	36.38	54.00	-17.62	44.66	38.00	18.62	65.70	0.00	100	0	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1	12390.00	47.48	74.00	-26.52	55.78	38.00	18.61	65.71	0.00	100	0	PEAK																																																													
2	12390.00	36.38	54.00	-17.62	44.66	38.00	18.62	65.70	0.00	100	0	AVERAGE																																																													





Mode	3																																																																																																								
	Harmonic																																																																																																								
	UNII-5_5.925-6.425_802.11BE EHT20_CH93_6415MHz																																																																																																								
ANT	CDD 6+13																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.34</td><td>88.20</td><td>-41.86</td><td>53.90</td><td>39.20</td><td>19.04</td><td>65.80</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12830.00	46.34	88.20	-41.86	53.90	39.20	19.04	65.80	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.39</td><td>88.20</td><td>-41.81</td><td>53.95</td><td>39.20</td><td>19.04</td><td>65.80</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12830.00	46.39	88.20	-41.81	53.95	39.20	19.04	65.80	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	12830.00	46.34	88.20	-41.86	53.90	39.20	19.04	65.80	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	12830.00	46.39	88.20	-41.81	53.95	39.20	19.04	65.80	0.00	---	---	PEAK																																																																																													




Mode	7																																																																																																																														
	Harmonic																																																																																																																														
	UNII-7_6.525-6.875_802.11BE EHT20_CH117_Full_6535MHz																																																																																																																														
ANT	CDD 6+13																																																																																																																														
Pol.	Horizontal	Vertical																																																																																																																													
Peak Avg	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>13070.00</td><td>46.18</td><td>88.20</td><td>-42.02</td><td>53.79</td><td>38.96</td><td>19.24</td><td>65.81</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table> <table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>13070.00</td><td>46.72</td><td>88.20</td><td>-41.48</td><td>54.33</td><td>38.96</td><td>19.24</td><td>65.81</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	13070.00	46.18	88.20	-42.02	53.79	38.96	19.24	65.81								0.00	---									deg									PEAK	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	13070.00	46.72	88.20	-41.48	54.33	38.96	19.24	65.81								0.00	---									deg									PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																							
1	13070.00	46.18	88.20	-42.02	53.79	38.96	19.24	65.81																																																																																																																							
							0.00	---																																																																																																																							
								deg																																																																																																																							
								PEAK																																																																																																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																							
1	13070.00	46.72	88.20	-41.48	54.33	38.96	19.24	65.81																																																																																																																							
							0.00	---																																																																																																																							
								deg																																																																																																																							
								PEAK																																																																																																																							







Mode	8																																																																																																								
	Harmonic																																																																																																								
	UNII-7_6.525-6.875_802.11BE EHT20_CH149_Full_6695MHz																																																																																																								
ANT	CDD 6+13																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>46.11</td><td>74.00</td><td>-27.89</td><td>53.13</td><td>38.90</td><td>19.40</td><td>65.32</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13390.00	46.11	74.00	-27.89	53.13	38.90	19.40	65.32	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>46.02</td><td>74.00</td><td>-27.98</td><td>53.04</td><td>38.90</td><td>19.40</td><td>65.32</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13390.00	46.02	74.00	-27.98	53.04	38.90	19.40	65.32	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	13390.00	46.11	74.00	-27.89	53.13	38.90	19.40	65.32	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	13390.00	46.02	74.00	-27.98	53.04	38.90	19.40	65.32	0.00	---	---	PEAK																																																																																													







		9																																																										
Mode		Harmonic																																																										
		UNII-7_6.525-7.125_802.11BE EHT20_CH181_6855MHz																																																										
ANT		CDD 6+13																																																										
Pol.		Horizontal																																																										
Peak Avg																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>45.89</td><td>88.20</td><td>-42.31</td><td>52.76</td><td>38.60</td><td>19.55</td><td>65.02</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13710.00	45.89	88.20	-42.31	52.76	38.60	19.55	65.02	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	13710.00	45.89	88.20	-42.31	52.76	38.60	19.55	65.02	0.00	---	---	PEAK																																																
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>46.72</td><td>88.20</td><td>-41.48</td><td>53.59</td><td>38.60</td><td>19.55</td><td>65.02</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13710.00	46.72	88.20	-41.48	53.59	38.60	19.55	65.02	0.00	---	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	13710.00	46.72	88.20	-41.48	53.59	38.60	19.55	65.02	0.00	---	---	PEAK																																																





		13																																																						
Mode		Band Edge																																																						
		UNII-5_5.925-6.425_802.11BE EHT40_CH3_5965MHz																																																						
ANT		CDD 6+13																																																						
Pol.		Horizontal																																																						
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.60</td><td>60.88</td><td>88.20</td><td>-27.32</td><td>47.34</td><td>35.04</td><td>10.70</td><td>32.20</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.60	60.88	88.20	-27.32	47.34	35.04	10.70	32.20	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5921.60	60.88	88.20	-27.32	47.34	35.04	10.70	32.20	0.00	100	116 PEAK																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>108.95</td><td>-----</td><td>-----</td><td>95.23</td><td>35.14</td><td>10.74</td><td>32.16</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	108.95	-----	-----	95.23	35.14	10.74	32.16	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5965.00	108.95	-----	-----	95.23	35.14	10.74	32.16	0.00	100	116 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.14</td><td>50.89</td><td>68.20</td><td>-17.31</td><td>37.33</td><td>35.05</td><td>10.70</td><td>32.19</td><td>0.00</td><td>100</td><td>116 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.14	50.89	68.20	-17.31	37.33	35.05	10.70	32.19	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5923.14	50.89	68.20	-17.31	37.33	35.05	10.70	32.19	0.00	100	116 AVERAGE																																													
AVERAGE																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>102.19</td><td>-----</td><td>-----</td><td>88.47</td><td>35.14</td><td>10.74</td><td>32.16</td><td>0.00</td><td>100</td><td>116 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	102.19	-----	-----	88.47	35.14	10.74	32.16	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5965.00	102.19	-----	-----	88.47	35.14	10.74	32.16	0.00	100	116 AVERAGE																																													





Mode	13																																																								
	Band Edge																																																								
	UNII-5_5.925-6.425_802.11BE EHT40_CH3_5965MHz																																																								
ANT	CDD 6+13																																																								
Pol.	Vertical																																																								
Peak																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.14</td><td>57.15</td><td>88.20</td><td>-31.05</td><td>43.59</td><td>35.05</td><td>10.70</td><td>32.19</td><td>0.00</td><td>300</td><td>72</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.14	57.15	88.20	-31.05	43.59	35.05	10.70	32.19	0.00	300	72	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5923.14	57.15	88.20	-31.05	43.59	35.05	10.70	32.19	0.00	300	72	PEAK																																													
Fundamental																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>105.77</td><td>-----</td><td>-----</td><td>92.05</td><td>35.14</td><td>10.74</td><td>32.16</td><td>0.00</td><td>300</td><td>72</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	105.77	-----	-----	92.05	35.14	10.74	32.16	0.00	300	72	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5965.00	105.77	-----	-----	92.05	35.14	10.74	32.16	0.00	300	72	PEAK																																													
Avg																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5918.52</td><td>49.07</td><td>68.20</td><td>-19.13</td><td>35.53</td><td>35.04</td><td>10.70</td><td>32.20</td><td>0.00</td><td>300</td><td>72</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5918.52	49.07	68.20	-19.13	35.53	35.04	10.70	32.20	0.00	300	72	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5918.52	49.07	68.20	-19.13	35.53	35.04	10.70	32.20	0.00	300	72	AVERAGE																																													
Fundamental																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>98.33</td><td>-----</td><td>-----</td><td>84.61</td><td>35.14</td><td>10.74</td><td>32.16</td><td>0.00</td><td>300</td><td>72</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	98.33	-----	-----	84.61	35.14	10.74	32.16	0.00	300	72	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5965.00	98.33	-----	-----	84.61	35.14	10.74	32.16	0.00	300	72	AVERAGE																																													





		13																																																									
Mode		Harmonic																																																									
		UNII-5_5.925-6.425_802.11BE EHT40_CH3_5965MHz																																																									
ANT		CDD 6+13																																																									
Pol.		Horizontal						Vertical																																																			
Peak Avg																																																											
																																																											
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>45.00</td><td>74.00</td><td>-29.00</td><td>54.47</td><td>38.63</td><td>18.17</td><td>66.27</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11930.00	45.00	74.00	-29.00	54.47	38.63	18.17	66.27	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	11930.00	45.00	74.00	-29.00	54.47	38.63	18.17	66.27	0.00	---	---	PEAK																																															
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>44.85</td><td>74.00</td><td>-29.15</td><td>54.32</td><td>38.63</td><td>18.17</td><td>66.27</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11930.00	44.85	74.00	-29.15	54.32	38.63	18.17	66.27	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	11930.00	44.85	74.00	-29.15	54.32	38.63	18.17	66.27	0.00	---	---	PEAK																																															





		14																																																																																																																		
Mode		Harmonic																																																																																																																		
		UNII-5_5.925-6.425_802.11BE EHT40_CH51_6205MHz																																																																																																																		
ANT		CDD 6+13																																																																																																																		
Pol.		Horizontal						Vertical																																																																																																												
Peak Avg																																																																																																																				
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12410.00</td><td>46.53</td><td>74.00</td><td>-27.47</td><td>54.78</td><td>38.81</td><td>18.63</td><td>65.69</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12410.00	46.53	74.00	-27.47	54.78	38.81	18.63	65.69	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12410.00</td><td>46.14</td><td>74.00</td><td>-27.86</td><td>54.39</td><td>38.81</td><td>18.63</td><td>65.69</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12410.00	46.14	74.00	-27.86	54.39	38.81	18.63	65.69	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	12410.00	46.53	74.00	-27.47	54.78	38.81	18.63	65.69	0.00	---	---	PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	12410.00	46.14	74.00	-27.86	54.39	38.81	18.63	65.69	0.00	---	---	PEAK																																																																																																								





Mode	15																																																																																																									
	Harmonic																																																																																																									
	UNII-5_5.925-6.425_802.11BE EHT40_CH91_6405MHz																																																																																																									
ANT	CDD 6+13																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>44.64</td><td>88.20</td><td>-43.56</td><td>52.21</td><td>39.20</td><td>19.02</td><td>65.79</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12810.00	44.64	88.20	-43.56	52.21	39.20	19.02	65.79	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>44.77</td><td>88.20</td><td>-43.43</td><td>52.34</td><td>39.20</td><td>19.02</td><td>65.79</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12810.00	44.77	88.20	-43.43	52.34	39.20	19.02	65.79	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12810.00	44.64	88.20	-43.56	52.21	39.20	19.02	65.79	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12810.00	44.77	88.20	-43.43	52.34	39.20	19.02	65.79	0.00	---	---	PEAK																																																																																														





Mode	18																																																																																										
	Harmonic																																																																																										
	UNII-7_6.525-6.875_802.11BE EHT40_CH123_Full_6565MHz																																																																																										
ANT	CDD 6+13																																																																																										
Pol.	Horizontal	Vertical																																																																																									
Peak Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>45.04</td><td>88.20</td><td>-43.16</td><td>52.59</td><td>38.90</td><td>19.27</td><td>65.72</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	45.04	88.20	-43.16	52.59	38.90	19.27	65.72	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>45.39</td><td>88.20</td><td>-42.81</td><td>52.94</td><td>38.90</td><td>19.27</td><td>65.72</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	45.39	88.20	-42.81	52.94	38.90	19.27	65.72	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	13130.00	45.04	88.20	-43.16	52.59	38.90	19.27	65.72	0.00	---	PEAK																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	13130.00	45.39	88.20	-42.81	52.94	38.90	19.27	65.72	0.00	---	PEAK																																																																																







		19																																																									
Mode		Harmonic																																																									
		UNII-7_6.525-6.875_802.11BE EHT40_CH147_Full_6685MHz																																																									
ANT		CDD 6+13																																																									
Pol.		Horizontal						Vertical																																																			
Peak Avg																																																											
																																																											
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13370.00</td><td>44.40</td><td>74.00</td><td>-29.60</td><td>51.46</td><td>38.90</td><td>19.39</td><td>65.35</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13370.00	44.40	74.00	-29.60	51.46	38.90	19.39	65.35	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	13370.00	44.40	74.00	-29.60	51.46	38.90	19.39	65.35	0.00	---	---	PEAK																																															
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13370.00</td><td>44.72</td><td>74.00</td><td>-29.28</td><td>51.78</td><td>38.90</td><td>19.39</td><td>65.35</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13370.00	44.72	74.00	-29.28	51.78	38.90	19.39	65.35	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	13370.00	44.72	74.00	-29.28	51.78	38.90	19.39	65.35	0.00	---	---	PEAK																																															







		20																																																										
Mode		Harmonic																																																										
		UNII-7_6.525-7.125_802.11BE EHT40_CH179_6845MHz																																																										
ANT		CDD 6+13																																																										
Pol.		Horizontal						Vertical																																																				
Peak Avg																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>43.69</td><td>88.20</td><td>-44.51</td><td>50.58</td><td>38.61</td><td>19.54</td><td>65.04</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13690.00	43.69	88.20	-44.51	50.58	38.61	19.54	65.04	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	13690.00	43.69	88.20	-44.51	50.58	38.61	19.54	65.04	0.00	---	---	PEAK																																																
																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>43.54</td><td>88.20</td><td>-44.66</td><td>50.43</td><td>38.61</td><td>19.54</td><td>65.04</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13690.00	43.54	88.20	-44.66	50.43	38.61	19.54	65.04	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	13690.00	43.54	88.20	-44.66	50.43	38.61	19.54	65.04	0.00	---	---	PEAK																																																





		24																																																																																								
Mode		Band Edge																																																																																								
		UNII-5_5.925-6.425_802.11BE EHT80_CH7_Full_5985MHz																																																																																								
ANT		CDD 6+13																																																																																								
Pol.		Horizontal					Fundamental																																																																																			
Peak																																																																																										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.12	60.89	88.20	-27.31	47.35	35.04	10.70	32.20	0.00	100	116 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>105.30</td><td>-----</td><td>-----</td><td>91.47</td><td>35.21</td><td>10.76</td><td>32.14</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	105.30	-----	-----	91.47	35.21	10.76	32.14	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5922.12	60.89	88.20	-27.31	47.35	35.04	10.70	32.20	0.00	100	116 PEAK																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5985.00	105.30	-----	-----	91.47	35.21	10.76	32.14	0.00	100	116 PEAK																																																																															
Avg																																																																																										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.36	50.88	68.20	-17.32	37.32	35.05	10.70	32.19	0.00	100	116 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>97.67</td><td>-----</td><td>-----</td><td>83.79</td><td>35.24</td><td>10.77</td><td>32.13</td><td>0.00</td><td>100</td><td>116 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	97.67	-----	-----	83.79	35.24	10.77	32.13	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5924.36	50.88	68.20	-17.32	37.32	35.05	10.70	32.19	0.00	100	116 AVERAGE																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5985.00	97.67	-----	-----	83.79	35.24	10.77	32.13	0.00	100	116 AVERAGE																																																																															





		24																																																					
Mode		Band Edge																																																					
		UNII-5_5.925-6.425_802.11BE EHT80_CH7_Full_5985MHz																																																					
ANT		CDD 6+13																																																					
Pol.		Fundamental																																																					
Peak	Vertical																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.00</td><td>57.75</td><td>88.20</td><td>-30.45</td><td>44.21</td><td>35.04</td><td>10.70</td><td>32.20</td><td>0.00</td><td>300</td><td>71 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.00	57.75	88.20	-30.45	44.21	35.04	10.70	32.20	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5921.00	57.75	88.20	-30.45	44.21	35.04	10.70	32.20	0.00	300	71 PEAK																																												
Avg	Vertical																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.44</td><td>48.44</td><td>68.20</td><td>-19.76</td><td>34.90</td><td>35.04</td><td>10.70</td><td>32.20</td><td>0.00</td><td>300</td><td>71 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.44	48.44	68.20	-19.76	34.90	35.04	10.70	32.20	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5922.44	48.44	68.20	-19.76	34.90	35.04	10.70	32.20	0.00	300	71 AVERAGE																																												
Peak	Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>102.46</td><td>-----</td><td>-----</td><td>88.63</td><td>35.21</td><td>10.76</td><td>32.14</td><td>0.00</td><td>300</td><td>71 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	102.46	-----	-----	88.63	35.21	10.76	32.14	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5985.00	102.46	-----	-----	88.63	35.21	10.76	32.14	0.00	300	71 PEAK																																												
Avg	Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>92.83</td><td>-----</td><td>-----</td><td>78.95</td><td>35.24</td><td>10.77</td><td>32.13</td><td>0.00</td><td>300</td><td>71 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	92.83	-----	-----	78.95	35.24	10.77	32.13	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5985.00	92.83	-----	-----	78.95	35.24	10.77	32.13	0.00	300	71 AVERAGE																																												





Mode	24																																																																																																					
	Harmonic																																																																																																					
	UNII-5_5.925-6.425_802.11BE EHT80_CH7_Full_5985MHz																																																																																																					
ANT	CDD 6+13																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 11970.00</td><td>44.27</td><td>74.00</td><td>-29.73</td><td>53.64</td><td>38.67</td><td>18.20</td><td>66.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11970.00	44.27	74.00	-29.73	53.64	38.67	18.20	66.24	0.00	---	---	PEAK	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 11970.00</td><td>43.94</td><td>74.00</td><td>-30.06</td><td>53.31</td><td>38.67</td><td>18.20</td><td>66.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11970.00	43.94	74.00	-30.06	53.31	38.67	18.20	66.24	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 11970.00	44.27	74.00	-29.73	53.64	38.67	18.20	66.24	0.00	---	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 11970.00	43.94	74.00	-30.06	53.31	38.67	18.20	66.24	0.00	---	---	PEAK																																																																																											



		25																																																								
Mode		Harmonic																																																								
		UNII-5_5.925-6.425_802.11BE EHT80_CH55_Full_6225MHz																																																								
ANT		CDD 6+13																																																								
Pol.		Horizontal						Vertical																																																		
Peak Avg																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12450.00</td><td>44.64</td><td>74.00</td><td>-29.36</td><td>52.76</td><td>38.85</td><td>18.67</td><td>65.64</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12450.00	44.64	74.00	-29.36	52.76	38.85	18.67	65.64	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	12450.00	44.64	74.00	-29.36	52.76	38.85	18.67	65.64	0.00	---	---	PEAK																																														
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12450.00</td><td>43.96</td><td>74.00</td><td>-30.04</td><td>52.08</td><td>38.85</td><td>18.67</td><td>65.64</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12450.00	43.96	74.00	-30.04	52.08	38.85	18.67	65.64	0.00	---	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	12450.00	43.96	74.00	-30.04	52.08	38.85	18.67	65.64	0.00	---	---	PEAK																																														





		26																																																							
Mode		Harmonic																																																							
		UNII-5_5.925-6.425_802.11BE EHT80_CH87_Full_6385MHz																																																							
ANT		CDD 6+13																																																							
Pol.		Horizontal																																																							
Peak Avg																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>44.05</td><td>88.20</td><td>-44.15</td><td>51.63</td><td>39.20</td><td>18.98</td><td>65.76</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	44.05	88.20	-44.15	51.63	39.20	18.98	65.76	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	12770.00	44.05	88.20	-44.15	51.63	39.20	18.98	65.76	0.00	---	PEAK																																														
		Vertical																																																							
Peak Avg																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>44.16</td><td>88.20</td><td>-44.04</td><td>51.74</td><td>39.20</td><td>18.98</td><td>65.76</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	44.16	88.20	-44.04	51.74	39.20	18.98	65.76	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	12770.00	44.16	88.20	-44.04	51.74	39.20	18.98	65.76	0.00	---	PEAK																																														





Mode	28																																																							
	Harmonic																																																							
	UNII-7_6.525-6.875_802.11BE EHT80_CH135_Full_6625MHz																																																							
ANT	CDD 6+13																																																							
Pol.	Horizontal																																																							
Peak Avg																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13250.00</td><td>43.76</td><td>74.00</td><td>-30.24</td><td>51.07</td><td>38.90</td><td>19.33</td><td>65.54</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13250.00	43.76	74.00	-30.24	51.07	38.90	19.33	65.54	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	13250.00	43.76	74.00	-30.24	51.07	38.90	19.33	65.54	0.00	---	PEAK																																													
Peak Avg																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13250.00</td><td>43.95</td><td>74.00</td><td>-30.05</td><td>51.26</td><td>38.90</td><td>19.33</td><td>65.54</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13250.00	43.95	74.00	-30.05	51.26	38.90	19.33	65.54	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	13250.00	43.95	74.00	-30.05	51.26	38.90	19.33	65.54	0.00	---	PEAK																																													







		29																																																						
Mode		Harmonic																																																						
		UNII-7_6.525-6.875_802.11BE EHT80_CH151_Full_6705MHz																																																						
ANT		CDD 6+13																																																						
Pol.		Horizontal																																																						
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>42.62</td><td>88.20</td><td>-45.58</td><td>49.61</td><td>38.89</td><td>19.41</td><td>65.29</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	42.62	88.20	-45.58	49.61	38.89	19.41	65.29	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	13410.00	42.62	88.20	-45.58	49.61	38.89	19.41	65.29	0.00	---	PEAK																																													
		Vertical																																																						
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>43.03</td><td>88.20</td><td>-45.17</td><td>50.02</td><td>38.89</td><td>19.41</td><td>65.29</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	43.03	88.20	-45.17	50.02	38.89	19.41	65.29	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	13410.00	43.03	88.20	-45.17	50.02	38.89	19.41	65.29	0.00	---	PEAK																																													







Mode	30																																																																																																									
	Harmonic																																																																																																									
	UNII-7_5.925-6.425_802.11BE EHT80_CH167_6785MHz																																																																																																									
ANT	CDD 6+13																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>43.19</td><td>88.20</td><td>-45.01</td><td>50.09</td><td>38.73</td><td>19.48</td><td>65.11</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13570.00	43.19	88.20	-45.01	50.09	38.73	19.48	65.11	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>42.19</td><td>88.20</td><td>-46.01</td><td>49.09</td><td>38.73</td><td>19.48</td><td>65.11</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13570.00	42.19	88.20	-46.01	49.09	38.73	19.48	65.11	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	13570.00	43.19	88.20	-45.01	50.09	38.73	19.48	65.11	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	13570.00	42.19	88.20	-46.01	49.09	38.73	19.48	65.11	0.00	---	---	PEAK																																																																																														



Mode	33																																																																																																				
	Band Edge																																																																																																				
	UNII-5_5.925-6.425_802.11BE EHT160_CH15_Full_6025MHz																																																																																																				
ANT	CDD 6+13																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5883.60</td><td>58.01</td><td>88.20</td><td>-30.19</td><td>44.61</td><td>34.97</td><td>10.66</td><td>32.23</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5883.60	58.01	88.20	-30.19	44.61	34.97	10.66	32.23	0.00	100	116 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>103.29</td><td>-----</td><td>-----</td><td>89.27</td><td>35.34</td><td>10.81</td><td>32.13</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	103.29	-----	-----	89.27	35.34	10.81	32.13	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5883.60	58.01	88.20	-30.19	44.61	34.97	10.66	32.23	0.00	100	116 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	6025.00	103.29	-----	-----	89.27	35.34	10.81	32.13	0.00	100	116 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5887.40</td><td>48.70</td><td>68.20</td><td>-19.50</td><td>35.30</td><td>34.97</td><td>10.66</td><td>32.23</td><td>0.00</td><td>100</td><td>116 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5887.40	48.70	68.20	-19.50	35.30	34.97	10.66	32.23	0.00	100	116 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>93.94</td><td>-----</td><td>-----</td><td>79.91</td><td>35.36</td><td>10.81</td><td>32.14</td><td>0.00</td><td>100</td><td>116 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	93.94	-----	-----	79.91	35.36	10.81	32.14	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5887.40	48.70	68.20	-19.50	35.30	34.97	10.66	32.23	0.00	100	116 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	6025.00	93.94	-----	-----	79.91	35.36	10.81	32.14	0.00	100	116 AVERAGE																																																																																										





Mode	33																																																																																																		
	Band Edge																																																																																																		
	UNII-5_5.925-6.425_802.11BE EHT160_CH15_Full_6025MHz																																																																																																		
ANT	CDD 6+13																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5858.40</td><td>55.92</td><td>88.20</td><td>-32.28</td><td>42.62</td><td>34.92</td><td>10.63</td><td>32.25</td><td>0.00</td><td>300</td><td>72</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5858.40	55.92	88.20	-32.28	42.62	34.92	10.63	32.25	0.00	300	72	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>98.03</td><td>-----</td><td>-----</td><td>84.01</td><td>35.34</td><td>10.81</td><td>32.13</td><td>0.00</td><td>300</td><td>72</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	98.03	-----	-----	84.01	35.34	10.81	32.13	0.00	300	72
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5858.40	55.92	88.20	-32.28	42.62	34.92	10.63	32.25	0.00	300	72	PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6025.00	98.03	-----	-----	84.01	35.34	10.81	32.13	0.00	300	72	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5862.00</td><td>47.25</td><td>68.20</td><td>-20.95</td><td>33.94</td><td>34.93</td><td>10.63</td><td>32.25</td><td>0.00</td><td>300</td><td>72</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5862.00	47.25	68.20	-20.95	33.94	34.93	10.63	32.25	0.00	300	72	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>89.14</td><td>-----</td><td>-----</td><td>75.12</td><td>35.34</td><td>10.81</td><td>32.13</td><td>0.00</td><td>300</td><td>72</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	89.14	-----	-----	75.12	35.34	10.81	32.13	0.00	300	72
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5862.00	47.25	68.20	-20.95	33.94	34.93	10.63	32.25	0.00	300	72	AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6025.00	89.14	-----	-----	75.12	35.34	10.81	32.13	0.00	300	72	AVERAGE																																																																																							



		33																																																						
Mode		Harmonic																																																						
		UNII-5_5.925-6.425_802.11BE EHT160_CH15_Full_6025MHz																																																						
ANT		CDD 6+13																																																						
Pol.																																																								
Peak Avg	Horizontal																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12050.00</td><td>42.62</td><td>74.00</td><td>-31.38</td><td>51.80</td><td>38.70</td><td>18.27</td><td>66.15</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12050.00	42.62	74.00	-31.38	51.80	38.70	18.27	66.15	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	12050.00	42.62	74.00	-31.38	51.80	38.70	18.27	66.15	0.00	---	PEAK																																													
	Vertical																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12050.00</td><td>42.30</td><td>74.00</td><td>-31.70</td><td>51.48</td><td>38.70</td><td>18.27</td><td>66.15</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12050.00	42.30	74.00	-31.70	51.48	38.70	18.27	66.15	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	12050.00	42.30	74.00	-31.70	51.48	38.70	18.27	66.15	0.00	---	PEAK																																													



Mode	34																																																																																																									
	Harmonic																																																																																																									
	UNII-5_5.925-6.425_802.11BE EHT160_CH47_Full_6185MHz																																																																																																									
ANT	CDD 6+13																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>45.25</td><td>74.00</td><td>-28.75</td><td>53.60</td><td>38.80</td><td>18.59</td><td>65.74</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12370.00	45.25	74.00	-28.75	53.60	38.80	18.59	65.74	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>44.08</td><td>74.00</td><td>-29.92</td><td>52.43</td><td>38.80</td><td>18.59</td><td>65.74</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12370.00	44.08	74.00	-29.92	52.43	38.80	18.59	65.74	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12370.00	45.25	74.00	-28.75	53.60	38.80	18.59	65.74	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12370.00	44.08	74.00	-29.92	52.43	38.80	18.59	65.74	0.00	---	---	PEAK																																																																																														