

















































































































































































<Single RU>

Maximum power spectral density


Test Result



Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE20MIMO	Ant6	5955	26Tone	RU0	-8.95	-3.10	-12.05	≤-5.00	PASS
			52Tone	RU37	-9.16	-3.10	-12.26	≤-5.00	PASS
			106Tone	RU53	-9.33	-3.10	-12.43	≤-5.00	PASS
	Ant13	5955	26Tone	RU0	-8.89	-3.10	-11.99	≤-5.00	PASS
			52Tone	RU37	-8.73	-3.10	-11.83	≤-5.00	PASS
			106Tone	RU53	-8.66	-3.10	-11.76	≤-5.00	PASS
	total	5955	26Tone	RU0	-5.91	-0.09	-6.00	≤-5.00	PASS
			52Tone	RU37	-5.93	-0.09	-6.02	≤-5.00	PASS
			106Tone	RU53	-5.97	-0.09	-6.06	≤-5.00	PASS
	Ant6	6435	26Tone	RU0	-9.64	-2.80	-12.44	≤-5.00	PASS
			52Tone	RU37	-9.14	-2.80	-11.94	≤-5.00	PASS
			106Tone	RU53	-9.33	-2.80	-12.13	≤-5.00	PASS
	Ant13	6435	26Tone	RU0	-8.49	-2.80	-11.29	≤-5.00	PASS
			52Tone	RU37	-9.65	-2.80	-12.45	≤-5.00	PASS
			106Tone	RU53	-9.79	-2.80	-12.59	≤-5.00	PASS
	total	6435	26Tone	RU0	-6.02	0.21	-5.81	≤-5.00	PASS
			52Tone	RU37	-6.38	0.21	-6.17	≤-5.00	PASS
			106Tone	RU53	-6.54	0.21	-6.33	≤-5.00	PASS
	Ant6	6535	26Tone	RU0	-9.59	-2.50	-12.09	≤-5.00	PASS
			52Tone	RU37	-9.75	-2.50	-12.25	≤-5.00	PASS
			106Tone	RU53	-9.51	-2.50	-12.01	≤-5.00	PASS
	Ant13	6535	26Tone	RU0	-9.42	-2.50	-11.92	≤-5.00	PASS
			52Tone	RU37	-9.52	-2.50	-12.02	≤-5.00	PASS
			106Tone	RU53	-9.23	-2.50	-11.73	≤-5.00	PASS
	total	6535	26Tone	RU0	-6.49	0.51	-5.98	≤-5.00	PASS
			52Tone	RU37	-6.62	0.51	-6.11	≤-5.00	PASS
			106Tone	RU53	-6.36	0.51	-5.85	≤-5.00	PASS
	Ant6	7095	26Tone	RU8	-10.3	-2.40	-12.70	≤-5.00	PASS
			52Tone	RU40	-11.5	-2.40	-13.90	≤-5.00	PASS
			106Tone	RU54	-10.24	-2.40	-12.64	≤-5.00	PASS
	Ant13	7095	26Tone	RU8	-9.64	-2.40	-12.04	≤-5.00	PASS
			52Tone	RU40	-8.65	-2.40	-11.05	≤-5.00	PASS
			106Tone	RU54	-9.9	-2.40	-12.30	≤-5.00	PASS
	total	7095	26Tone	RU8	-6.95	0.61	-6.34	≤-5.00	PASS
			52Tone	RU40	-6.83	0.61	-6.22	≤-5.00	PASS
			106Tone	RU54	-7.06	0.61	-6.45	≤-5.00	PASS



Note: 1.The Duty Cycle Factor and is compensated in the graph.







Test Graphs













































In-Band Emissions



Test Result



Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result	Limit	Verdict
11BE20M IMO	Ant6	5955	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant13	5955	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant6	6435	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant13	6435	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant6	6535	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant13	6535	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant6	7095	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant13	7095	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS





Test Graphs



























11BE20MIMO_Ant13_6535_26Tone_RU0






Date: 19.JAN.2026 10:58:11


11BE20MIMO_Ant13_6535_52Tone_RU37




Date: 19.JAN.2026 11:02:12











<Large RU>

Maximum power spectral density


Test Result



Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE320MIMO	Ant6	6105	3*996Tone	RU4	-9.04	-3.10	-12.14	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-9.25	-3.10	-12.35	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-9.14	-3.10	-12.24	≤-5.00	PASS
	Ant13	6105	3*996Tone	RU4	-8.8	-3.10	-11.90	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-8.75	-3.10	-11.85	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-8.9	-3.10	-12.00	≤-5.00	PASS
	total	6105	3*996Tone	RU4	-5.91	-0.09	-6.00	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-5.98	-0.09	-6.07	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-6.01	-0.09	-6.10	≤-5.00	PASS
	Ant6	6905	3*996Tone	RU4	-9.93	-2.40	-12.33	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-10.13	-2.40	-12.53	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-10	-2.40	-12.40	≤-5.00	PASS
	Ant13	6905	3*996Tone	RU4	-9.56	-2.40	-11.96	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-9.64	-2.40	-12.04	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-9.16	-2.40	-11.56	≤-5.00	PASS
	total	6905	3*996Tone	RU4	-6.73	0.61	-6.12	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-6.87	0.61	-6.26	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-6.55	0.61	-5.94	≤-5.00	PASS
11BE80MIMO	Ant6	5985	484Tone+242Tone	RU4	-9.09	-3.10	-12.19	≤-5.00	PASS
	Ant13	5985	484Tone+242Tone	RU4	-8.8	-3.10	-11.90	≤-5.00	PASS
	total	5985	484Tone+242Tone	RU4	-5.93	-0.09	-6.02	≤-5.00	PASS
	Ant6	7025	484Tone+242Tone	RU2	-9.95	-2.40	-12.35	≤-5.00	PASS
	Ant13	7025	484Tone+242Tone	RU2	-9.09	-2.40	-11.49	≤-5.00	PASS
11BE160MIMO	total	7025	484Tone+242Tone	RU2	-6.49	0.61	-5.88	≤-5.00	PASS
	Ant6	6025	996Tone+484Tone	RU4	-8.9	-3.10	-12.00	≤-5.00	PASS
	Ant13	6025	996Tone+484Tone	RU4	-8.68	-3.10	-11.78	≤-5.00	PASS
	total	6025	996Tone+484Tone	RU4	-5.78	-0.09	-5.87	≤-5.00	PASS
	Ant6	6985	996Tone+484Tone	RU3	-10.19	-2.40	-12.59	≤-5.00	PASS
	Ant13	6985	996Tone+484Tone	RU3	-9.36	-2.40	-11.76	≤-5.00	PASS
	total	6985	996Tone+484Tone	RU3	-6.74	0.61	-6.13	≤-5.00	PASS


Note: 1.The Duty Cycle Factor and is compensated in the graph.







Test Graphs

































<Puncturing>

Maximum power spectral density

Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm /MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE320MIMO	Ant6	6105	Puncturing 80M	RU4	-9.07	-3.10	-12.17	≤-5.00	PASS
			Puncturing 80+40M	RU5	-8.88	-3.10	-11.98	≤-5.00	PASS
			Puncturing 40M	RU8	-9.25	-3.10	-12.35	≤-5.00	PASS
	Ant13	6105	Puncturing 80M	RU4	-8.92	-3.10	-12.02	≤-5.00	PASS
			Puncturing 80+40M	RU5	-8.9	-3.10	-12.00	≤-5.00	PASS
			Puncturing 40M	RU8	-9.04	-3.10	-12.14	≤-5.00	PASS
	total	6105	Puncturing 80M	RU4	-5.98	-0.09	-6.07	≤-5.00	PASS
			Puncturing 80+40M	RU5	-5.88	-0.09	-5.97	≤-5.00	PASS
			Puncturing 40M	RU8	-6.13	-0.09	-6.22	≤-5.00	PASS
	Ant6	6905	Puncturing 80M	RU1	-9.53	-2.40	-11.93	≤-5.00	PASS
			Puncturing 40M	RU1	-9.74	-2.40	-12.14	≤-5.00	PASS
			Puncturing 80+40M	RU8	-9.56	-2.40	-11.96	≤-5.00	PASS
	Ant13	6905	Puncturing 40M	RU1	-9.31	-2.40	-11.71	≤-5.00	PASS
			Puncturing 80M	RU1	-9.54	-2.40	-11.94	≤-5.00	PASS
			Puncturing 80+40M	RU8	-9.51	-2.40	-11.91	≤-5.00	PASS
	total	6905	Puncturing 40M	RU1	-6.51	0.61	-5.90	≤-5.00	PASS
			Puncturing 80M	RU1	-6.52	0.61	-5.91	≤-5.00	PASS
			Puncturing 80+40M	RU8	-6.52	0.61	-5.91	≤-5.00	PASS
11BE80MIMO	Ant6	5985	Puncturing 20M	RU4	-9.28	-3.10	-12.38	≤-5.00	PASS
	Ant13	5985	Puncturing 20M	RU4	-8.56	-3.10	-11.66	≤-5.00	PASS
	total	5985	Puncturing 20M	RU4	-5.89	-0.09	-5.98	≤-5.00	PASS
	Ant6	7025	Puncturing 20M	RU1	-10.07	-2.40	-12.47	≤-5.00	PASS
	Ant13	7025	Puncturing 20M	RU1	-9.29	-2.40	-11.69	≤-5.00	PASS
11BE160MIMO	Ant6	6025	Puncturing 40M	RU4	-9.34	-3.10	-12.44	≤-5.00	PASS
			Puncturing 20M	RU8	-9.2	-3.10	-12.30	≤-5.00	PASS
	Ant13	6025	Puncturing 40M	RU4	-8.86	-3.10	-11.96	≤-5.00	PASS
			Puncturing 20M	RU8	-8.6	-3.10	-11.70	≤-5.00	PASS
	total	6025	Puncturing 40M	RU4	-6.08	-0.09	-6.17	≤-5.00	PASS
			Puncturing 20M	RU8	-5.88	-0.09	-5.97	≤-5.00	PASS
	Ant6	6985	Puncturing 40M	RU1	-10.25	-2.40	-12.65	≤-5.00	PASS
			Puncturing 20M	RU1	-10.28	-2.40	-12.68	≤-5.00	PASS
	Ant13	6985	Puncturing 40M	RU1	-9.35	-2.40	-11.75	≤-5.00	PASS
			Puncturing 20M	RU1	-9.11	-2.40	-11.51	≤-5.00	PASS
	total	6985	Puncturing 40M	RU1	-6.77	0.61	-6.16	≤-5.00	PASS
			Puncturing 20M	RU1	-6.65	0.61	-6.04	≤-5.00	PASS

Note: 1.The Duty Cycle Factor and is compensated in the graph.



Test Graphs

