















Mode	88																																																																																																										
	Band Edge																																																																																																										
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Large RU 996*3 ④_6905MHz																																																																																																										
ANT	CDD 8+10																																																																																																										
Pol.	Vertical						Fundamental																																																																																																				
Peak																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7292.20</td><td>58.80</td><td>74.00</td><td>-15.20</td><td>38.86</td><td>35.80</td><td>14.89</td><td>30.75</td><td>0.00</td><td>307</td><td>54 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7292.20	58.80	74.00	-15.20	38.86	35.80	14.89	30.75	0.00	307	54 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>91.69</td><td>-----</td><td>-----</td><td>72.08</td><td>35.78</td><td>14.46</td><td>30.63</td><td>0.00</td><td>307</td><td>54 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	91.69	-----	-----	72.08	35.78	14.46	30.63	0.00	307
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7292.20	58.80	74.00	-15.20	38.86	35.80	14.89	30.75	0.00	307	54 PEAK																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	6905.00	91.69	-----	-----	72.08	35.78	14.46	30.63	0.00	307	54 PEAK																																																																																																
Avg																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7318.12</td><td>49.49</td><td>54.00</td><td>-4.51</td><td>29.49</td><td>35.80</td><td>14.97</td><td>30.77</td><td>0.00</td><td>307</td><td>54 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7318.12	49.49	54.00	-4.51	29.49	35.80	14.97	30.77	0.00	307	54 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>80.66</td><td>-----</td><td>-----</td><td>60.92</td><td>35.71</td><td>14.62</td><td>30.59</td><td>0.00</td><td>307</td><td>54 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	80.66	-----	-----	60.92	35.71	14.62	30.59	0.00	307
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7318.12	49.49	54.00	-4.51	29.49	35.80	14.97	30.77	0.00	307	54 AVERAGE																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	6905.00	80.66	-----	-----	60.92	35.71	14.62	30.59	0.00	307	54 AVERAGE																																																																																																



Mode	89																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-8 6.875-7.125 802.11be EHT320_CH191_Large RU 996*3+484 ⑧ 6905MHz																																																																																																														
ANT	CDD 8+10																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7289.32</td><td>59.10</td><td>74.00</td><td>-14.90</td><td>39.16</td><td>35.00</td><td>14.88</td><td>30.74</td><td>0.00</td><td>100</td><td>117</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	7289.32	59.10	74.00	-14.90	39.16	35.00	14.88	30.74	0.00	100	117	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>85.45</td><td>-----</td><td>-----</td><td>65.69</td><td>35.71</td><td>14.63</td><td>30.58</td><td>0.00</td><td>100</td><td>117</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	6905.00	85.45	-----	-----	65.69	35.71	14.63	30.58	0.00	100	117
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	7289.32	59.10	74.00	-14.90	39.16	35.00	14.88	30.74	0.00	100	117	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	6905.00	85.45	-----	-----	65.69	35.71	14.63	30.58	0.00	100	117	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7261.96</td><td>48.54</td><td>54.00</td><td>-5.46</td><td>28.66</td><td>35.00</td><td>14.80</td><td>30.72</td><td>0.00</td><td>100</td><td>117</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	7261.96	48.54	54.00	-5.46	28.66	35.00	14.80	30.72	0.00	100	117	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>75.79</td><td>-----</td><td>-----</td><td>56.08</td><td>35.73</td><td>14.58</td><td>30.60</td><td>0.00</td><td>100</td><td>117</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	6905.00	75.79	-----	-----	56.08	35.73	14.58	30.60	0.00	100	117
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	7261.96	48.54	54.00	-5.46	28.66	35.00	14.80	30.72	0.00	100	117	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	6905.00	75.79	-----	-----	56.08	35.73	14.58	30.60	0.00	100	117	AVERAGE																																																																																																			





Mode	89																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-8 6.875-7.125 802.11be EHT320_CH191_Large RU 996*3+484 ⑧ 6905MHz																																																																																																														
ANT	CDD 8+10																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7376.44</td><td>58.97</td><td>74.00</td><td>-15.03</td><td>39.06</td><td>35.00</td><td>14.93</td><td>30.82</td><td>0.00</td><td>320</td><td>55</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7376.44	58.97	74.00	-15.03	39.06	35.00	14.93	30.82	0.00	320	55	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>87.96</td><td>-----</td><td>-----</td><td>68.25</td><td>35.73</td><td>14.58</td><td>30.60</td><td>0.00</td><td>320</td><td>55</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	87.96	-----	-----	68.25	35.73	14.58	30.60	0.00	320	55
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7376.44	58.97	74.00	-15.03	39.06	35.00	14.93	30.82	0.00	320	55	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6905.00	87.96	-----	-----	68.25	35.73	14.58	30.60	0.00	320	55	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7266.28</td><td>49.30</td><td>54.00</td><td>-4.70</td><td>29.40</td><td>35.00</td><td>14.82</td><td>30.72</td><td>0.00</td><td>320</td><td>55</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7266.28	49.30	54.00	-4.70	29.40	35.00	14.82	30.72	0.00	320	55	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>79.00</td><td>-----</td><td>-----</td><td>59.26</td><td>35.71</td><td>14.62</td><td>30.59</td><td>0.00</td><td>320</td><td>55</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	79.00	-----	-----	59.26	35.71	14.62	30.59	0.00	320	55
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7266.28	49.30	54.00	-4.70	29.40	35.00	14.82	30.72	0.00	320	55	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6905.00	79.00	-----	-----	59.26	35.71	14.62	30.59	0.00	320	55	AVERAGE																																																																																																			



Mode	1	
	18G-40G	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg		







Mode	1																																																																																																																																																															
	30-1G																																																																																																																																																															
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																																																																															
ANT	CDD 8+10																																																																																																																																																															
Pol.	Horizontal								Vertical																																																																																																																																																							
QP																																																																																																																																																																
	<table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></table>									Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos		Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	<table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></table>									Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos		Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm																																																																																										
		Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos																																																																																																																																																								
	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark																																																																																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm																																																																																																																																																							
		Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos																																																																																																																																																								
	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark																																																																																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm																																																																																																																																																							
	<table><tr><td>1</td><td>207.51</td><td>33.24</td><td>-10.26</td><td>43.50</td><td>48.34</td><td>14.90</td><td>2.11</td><td>32.11</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>292.87</td><td>36.30</td><td>-9.70</td><td>46.00</td><td>46.91</td><td>18.99</td><td>2.51</td><td>32.11</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>456.80</td><td>29.90</td><td>-16.10</td><td>46.00</td><td>36.17</td><td>22.85</td><td>3.11</td><td>32.23</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>627.52</td><td>27.83</td><td>-18.17</td><td>46.00</td><td>30.24</td><td>26.19</td><td>3.65</td><td>32.25</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>787.57</td><td>29.23</td><td>-16.77</td><td>46.00</td><td>29.48</td><td>27.97</td><td>4.08</td><td>32.30</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>954.41</td><td>32.74</td><td>-13.26</td><td>46.00</td><td>30.17</td><td>30.27</td><td>4.49</td><td>32.19</td><td>---</td><td>---</td><td>Peak</td></tr></table>								1	207.51	33.24	-10.26	43.50	48.34	14.90	2.11	32.11	---	---	Peak	2	292.87	36.30	-9.70	46.00	46.91	18.99	2.51	32.11	---	---	Peak	3	456.80	29.90	-16.10	46.00	36.17	22.85	3.11	32.23	---	---	Peak	4	627.52	27.83	-18.17	46.00	30.24	26.19	3.65	32.25	---	---	Peak	5	787.57	29.23	-16.77	46.00	29.48	27.97	4.08	32.30	---	---	Peak	6	954.41	32.74	-13.26	46.00	30.17	30.27	4.49	32.19	---	---	Peak	<table><tr><td>1</td><td>32.91</td><td>30.32</td><td>-9.68</td><td>40.00</td><td>38.54</td><td>23.44</td><td>0.54</td><td>32.20</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>198.78</td><td>27.00</td><td>-16.50</td><td>43.50</td><td>42.33</td><td>14.71</td><td>2.06</td><td>32.10</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>359.80</td><td>27.66</td><td>-18.34</td><td>46.00</td><td>36.57</td><td>28.54</td><td>2.77</td><td>32.22</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>491.72</td><td>30.67</td><td>-15.33</td><td>46.00</td><td>36.31</td><td>23.50</td><td>3.23</td><td>32.37</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>730.34</td><td>28.67</td><td>-17.33</td><td>46.00</td><td>29.68</td><td>27.31</td><td>3.94</td><td>32.26</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>933.07</td><td>31.79</td><td>-14.21</td><td>46.00</td><td>29.73</td><td>29.82</td><td>4.44</td><td>32.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>								1	32.91	30.32	-9.68	40.00	38.54	23.44	0.54	32.20	---	---	Peak	2	198.78	27.00	-16.50	43.50	42.33	14.71	2.06	32.10	---	---	Peak	3	359.80	27.66	-18.34	46.00	36.57	28.54	2.77	32.22	---	---	Peak	4	491.72	30.67	-15.33	46.00	36.31	23.50	3.23	32.37	---	---	Peak	5	730.34	28.67	-17.33	46.00	29.68	27.31	3.94	32.26	---	---	Peak	6	933.07	31.79	-14.21	46.00	29.73	29.82	4.44	32.20	---	---	Peak
	1	207.51	33.24	-10.26	43.50	48.34	14.90	2.11	32.11	---	---	Peak																																																																																																																																																				
2	292.87	36.30	-9.70	46.00	46.91	18.99	2.51	32.11	---	---	Peak																																																																																																																																																					
3	456.80	29.90	-16.10	46.00	36.17	22.85	3.11	32.23	---	---	Peak																																																																																																																																																					
4	627.52	27.83	-18.17	46.00	30.24	26.19	3.65	32.25	---	---	Peak																																																																																																																																																					
5	787.57	29.23	-16.77	46.00	29.48	27.97	4.08	32.30	---	---	Peak																																																																																																																																																					
6	954.41	32.74	-13.26	46.00	30.17	30.27	4.49	32.19	---	---	Peak																																																																																																																																																					
1	32.91	30.32	-9.68	40.00	38.54	23.44	0.54	32.20	---	---	Peak																																																																																																																																																					
2	198.78	27.00	-16.50	43.50	42.33	14.71	2.06	32.10	---	---	Peak																																																																																																																																																					
3	359.80	27.66	-18.34	46.00	36.57	28.54	2.77	32.22	---	---	Peak																																																																																																																																																					
4	491.72	30.67	-15.33	46.00	36.31	23.50	3.23	32.37	---	---	Peak																																																																																																																																																					
5	730.34	28.67	-17.33	46.00	29.68	27.31	3.94	32.26	---	---	Peak																																																																																																																																																					
6	933.07	31.79	-14.21	46.00	29.73	29.82	4.44	32.20	---	---	Peak																																																																																																																																																					





<Co-location>

Mode	90																																																													
	Band Edge																																																													
	2400-2483.5_2400-2483.5_Bluetooth-LE_CH38_2478MHz																																																													
ANT	10																																																													
Pol.	Horizontal						Fundamental																																																							
Peak																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2497.96</td><td>54.80</td><td>74.00</td><td>-19.20</td><td>38.50</td><td>32.40</td><td>8.87</td><td>30.97</td><td>6.00</td><td>124</td><td>129</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	2497.96	54.80	74.00	-19.20	38.50	32.40	8.87	30.97	6.00	124	129
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																				
1	2497.96	54.80	74.00	-19.20	38.50	32.40	8.87	30.97	6.00	124	129	PEAK																																																		
Fundamental																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2478.00</td><td>98.20</td><td>-----</td><td>-----</td><td>81.89</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>124</td><td>129</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	2478.00	98.20	-----	-----	81.89	32.40	8.88	30.97	6.00	124	129
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																				
1	2478.00	98.20	-----	-----	81.89	32.40	8.88	30.97	6.00	124	129	PEAK																																																		
Avg																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2491.60</td><td>45.18</td><td>54.00</td><td>-8.82</td><td>28.87</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>124</td><td>129</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	2491.60	45.18	54.00	-8.82	28.87	32.40	8.88	30.97	6.00	124	129
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																				
1	2491.60	45.18	54.00	-8.82	28.87	32.40	8.88	30.97	6.00	124	129	AVERAGE																																																		
Fundamental																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2478.00</td><td>96.32</td><td>-----</td><td>-----</td><td>80.01</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>124</td><td>129</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	2478.00	96.32	-----	-----	80.01	32.40	8.88	30.97	6.00	124	129
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																				
1	2478.00	96.32	-----	-----	80.01	32.40	8.88	30.97	6.00	124	129	AVERAGE																																																		







Mode	90																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_2400-2483.5_Bluetooth-LE_CH38_2478MHz																																																																																																														
ANT	10																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2493.28</td><td>55.17</td><td>74.00</td><td>-18.83</td><td>38.87</td><td>32.40</td><td>8.87</td><td>30.97</td><td>6.00</td><td>312</td><td>44</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2493.28	55.17	74.00	-18.83	38.87	32.40	8.87	30.97	6.00	312	44	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>94.52</td><td>-----</td><td>-----</td><td>78.21</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>312</td><td>44</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	94.52	-----	-----	78.21	32.40	8.88	30.97	6.00	312	44
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2493.28	55.17	74.00	-18.83	38.87	32.40	8.87	30.97	6.00	312	44	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2478.00	94.52	-----	-----	78.21	32.40	8.88	30.97	6.00	312	44	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2490.22</td><td>45.19</td><td>54.00</td><td>-8.81</td><td>28.88</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>312</td><td>44</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2490.22	45.19	54.00	-8.81	28.88	32.40	8.88	30.97	6.00	312	44	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>92.66</td><td>-----</td><td>-----</td><td>76.35</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>312</td><td>44</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	92.66	-----	-----	76.35	32.40	8.88	30.97	6.00	312	44
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2490.22	45.19	54.00	-8.81	28.88	32.40	8.88	30.97	6.00	312	44	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2478.00	92.66	-----	-----	76.35	32.40	8.88	30.97	6.00	312	44	AVERAGE																																																																																																			







Mode	90																																																																																																																																																	
	Harmonic																																																																																																																																																	
	2400-2483.5_2400-2483.5_Bluetooth-LE_CH38_2478MHz																																																																																																																																																	
ANT	10																																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																																											
Peak Avg																																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3606.00</td><td>47.75</td><td>74.00</td><td>-26.25</td><td>69.94</td><td>32.92</td><td>10.55</td><td>65.66</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4956.00</td><td>39.23</td><td>74.00</td><td>-34.77</td><td>58.33</td><td>34.26</td><td>12.05</td><td>65.41</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7434.00</td><td>43.16</td><td>74.00</td><td>-30.84</td><td>57.38</td><td>35.00</td><td>15.15</td><td>65.17</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3606.00	47.75	74.00	-26.25	69.94	32.92	10.55	65.66	0.00	--	Peak	2	4956.00	39.23	74.00	-34.77	58.33	34.26	12.05	65.41	0.00	--	PEAK	3	7434.00	43.16	74.00	-30.84	57.38	35.00	15.15	65.17	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3606.00</td><td>45.01</td><td>74.00</td><td>-28.99</td><td>67.20</td><td>32.92</td><td>10.55</td><td>65.66</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4956.00</td><td>38.82</td><td>74.00</td><td>-35.18</td><td>57.92</td><td>34.26</td><td>12.05</td><td>65.41</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7434.00</td><td>42.47</td><td>74.00</td><td>-31.53</td><td>56.69</td><td>35.80</td><td>15.15</td><td>65.17</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3606.00	45.01	74.00	-28.99	67.20	32.92	10.55	65.66	0.00	--	Peak	2	4956.00	38.82	74.00	-35.18	57.92	34.26	12.05	65.41	0.00	--	PEAK	3	7434.00	42.47	74.00	-31.53	56.69	35.80	15.15	65.17	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																								
1	3606.00	47.75	74.00	-26.25	69.94	32.92	10.55	65.66	0.00	--	Peak																																																																																																																																							
2	4956.00	39.23	74.00	-34.77	58.33	34.26	12.05	65.41	0.00	--	PEAK																																																																																																																																							
3	7434.00	43.16	74.00	-30.84	57.38	35.00	15.15	65.17	0.00	--	PEAK																																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																								
1	3606.00	45.01	74.00	-28.99	67.20	32.92	10.55	65.66	0.00	--	Peak																																																																																																																																							
2	4956.00	38.82	74.00	-35.18	57.92	34.26	12.05	65.41	0.00	--	PEAK																																																																																																																																							
3	7434.00	42.47	74.00	-31.53	56.69	35.80	15.15	65.17	0.00	--	PEAK																																																																																																																																							





		90																																																																																															
Mode		Band Edge																																																																																															
		U-NII-5 5.925-6.425_802.11a_CH1_5955MHz																																																																																															
ANT		CDD 8+10																																																																																															
Pol.		Horizontal					Fundamental																																																																																										
Peak																																																																																																	
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5922.24	78.10	-10.10	59.63	35.14	13.73	30.40	0.00	101	228 PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>101.75</td><td>-----</td><td>91.42</td><td>32.40</td><td>8.89</td><td>30.96</td><td>0.00</td><td>101</td><td>228 Peak</td></tr><tr><td>2</td><td>5955.00</td><td>108.15</td><td>-----</td><td>89.72</td><td>35.22</td><td>13.63</td><td>30.42</td><td>0.00</td><td>101</td><td>228 PEAK</td></tr></table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2467.00	101.75	-----	91.42	32.40	8.89	30.96	0.00	101	228 Peak	2	5955.00	108.15	-----	89.72	35.22	13.63	30.42	0.00	101
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5922.24	78.10	-10.10	59.63	35.14	13.73	30.40	0.00	101	228 PEAK																																																																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	2467.00	101.75	-----	91.42	32.40	8.89	30.96	0.00	101	228 Peak																																																																																							
2	5955.00	108.15	-----	89.72	35.22	13.63	30.42	0.00	101	228 PEAK																																																																																							
Avg																																																																																																	
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5922.37	64.12	-4.00	45.65	35.14	13.73	30.40	0.00	101	228 AVERAGE	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>93.10</td><td>-----</td><td>82.77</td><td>32.40</td><td>8.89</td><td>30.96</td><td>0.00</td><td>101</td><td>228 Average</td></tr><tr><td>2</td><td>5955.00</td><td>100.62</td><td>-----</td><td>82.19</td><td>35.20</td><td>13.65</td><td>30.42</td><td>0.00</td><td>101</td><td>228 AVERAGE</td></tr></table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2467.00	93.10	-----	82.77	32.40	8.89	30.96	0.00	101	228 Average	2	5955.00	100.62	-----	82.19	35.20	13.65	30.42	0.00	101
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5922.37	64.12	-4.00	45.65	35.14	13.73	30.40	0.00	101	228 AVERAGE																																																																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	2467.00	93.10	-----	82.77	32.40	8.89	30.96	0.00	101	228 Average																																																																																							
2	5955.00	100.62	-----	82.19	35.20	13.65	30.42	0.00	101	228 AVERAGE																																																																																							







Mode	90																																																																																																															
	Band Edge																																																																																																															
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																															
ANT	CDD 8+10																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.67</td><td>71.53</td><td>88.20</td><td>-16.67</td><td>53.05</td><td>35.15</td><td>13.73</td><td>30.40</td><td>0.00</td><td>288</td><td>72</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.67	71.53	88.20	-16.67	53.05	35.15	13.73	30.40	0.00	288	72	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2458.00</td><td>103.66</td><td>-----</td><td>-----</td><td>93.32</td><td>32.40</td><td>8.90</td><td>30.96</td><td>0.00</td><td>288</td><td>72</td><td>Peak</td></tr><tr><td>2</td><td>5955.00</td><td>110.78</td><td>-----</td><td>-----</td><td>92.35</td><td>35.20</td><td>13.65</td><td>30.42</td><td>0.00</td><td>288</td><td>72</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2458.00	103.66	-----	-----	93.32	32.40	8.90	30.96	0.00	288	72	Peak	2	5955.00	110.78	-----	-----	92.35	35.20	13.65	30.42	0.00	288	72
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5923.67	71.53	88.20	-16.67	53.05	35.15	13.73	30.40	0.00	288	72	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2458.00	103.66	-----	-----	93.32	32.40	8.90	30.96	0.00	288	72	Peak																																																																																																				
2	5955.00	110.78	-----	-----	92.35	35.20	13.65	30.42	0.00	288	72	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.41</td><td>59.50</td><td>68.20</td><td>-8.70</td><td>41.02</td><td>35.15</td><td>13.73</td><td>30.40</td><td>0.00</td><td>288</td><td>72</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.41	59.50	68.20	-8.70	41.02	35.15	13.73	30.40	0.00	288	72	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2458.00</td><td>94.28</td><td>-----</td><td>-----</td><td>83.94</td><td>32.40</td><td>8.90</td><td>30.96</td><td>0.00</td><td>288</td><td>72</td><td>Average</td></tr><tr><td>2</td><td>5955.00</td><td>102.15</td><td>-----</td><td>-----</td><td>83.72</td><td>35.22</td><td>13.63</td><td>30.42</td><td>0.00</td><td>288</td><td>72</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2458.00	94.28	-----	-----	83.94	32.40	8.90	30.96	0.00	288	72	Average	2	5955.00	102.15	-----	-----	83.72	35.22	13.63	30.42	0.00	288	72
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5923.41	59.50	68.20	-8.70	41.02	35.15	13.73	30.40	0.00	288	72	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2458.00	94.28	-----	-----	83.94	32.40	8.90	30.96	0.00	288	72	Average																																																																																																				
2	5955.00	102.15	-----	-----	83.72	35.22	13.63	30.42	0.00	288	72	AVERAGE																																																																																																				







Mode	90																																																																				
	Harmonic																																																																				
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																				
ANT	CDD 8+10																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>49.86</td><td>74.00</td><td>-24.14</td><td>56.78</td><td>38.81</td><td>19.21</td><td>64.94</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11910.00</td><td>42.71</td><td>54.00</td><td>-11.29</td><td>49.63</td><td>38.81</td><td>19.21</td><td>64.94</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	49.86	74.00	-24.14	56.78	38.81	19.21	64.94	0.00	300	360	PEAK	2	11910.00	42.71	54.00	-11.29	49.63	38.81	19.21	64.94	0.00	300	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	11910.00	49.86	74.00	-24.14	56.78	38.81	19.21	64.94	0.00	300	360	PEAK																																																									
2	11910.00	42.71	54.00	-11.29	49.63	38.81	19.21	64.94	0.00	300	360	AVERAGE																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>57.61</td><td>74.00</td><td>-16.39</td><td>64.53</td><td>38.81</td><td>19.21</td><td>64.94</td><td>0.00</td><td>100</td><td>303</td><td>PEAK</td></tr><tr><td>2</td><td>11910.00</td><td>46.72</td><td>54.00</td><td>-7.28</td><td>53.64</td><td>38.81</td><td>19.21</td><td>64.94</td><td>0.00</td><td>100</td><td>303</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	57.61	74.00	-16.39	64.53	38.81	19.21	64.94	0.00	100	303	PEAK	2	11910.00	46.72	54.00	-7.28	53.64	38.81	19.21	64.94	0.00	100	303	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	11910.00	57.61	74.00	-16.39	64.53	38.81	19.21	64.94	0.00	100	303	PEAK																																																									
2	11910.00	46.72	54.00	-7.28	53.64	38.81	19.21	64.94	0.00	100	303	AVERAGE																																																									





Mode	91																																																																																																
	Band Edge																																																																																																
	2400-2483.5_2400-2483.5_802.11ax HE20_CH11_2462MHz																																																																																																
ANT	CDD 9+10																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.92</td><td>62.64</td><td>74.00</td><td>-11.36</td><td>46.33</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>100</td><td>96 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.92	62.64	74.00	-11.36	46.33	32.40	8.88	30.97	6.00	100	96 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>108.35</td><td>-----</td><td>-----</td><td>92.00</td><td>32.40</td><td>8.90</td><td>30.95</td><td>6.00</td><td>100</td><td>96 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	108.35	-----	-----	92.00	32.40	8.90	30.95	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2486.92	62.64	74.00	-11.36	46.33	32.40	8.88	30.97	6.00	100	96 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2462.00	108.35	-----	-----	92.00	32.40	8.90	30.95	6.00	100	96 PEAK																																																																																						
Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>47.47</td><td>54.00</td><td>-6.53</td><td>31.16</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>100</td><td>96 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	47.47	54.00	-6.53	31.16	32.40	8.88	30.97	6.00	100	96 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>98.37</td><td>-----</td><td>-----</td><td>82.02</td><td>32.40</td><td>8.90</td><td>30.95</td><td>6.00</td><td>100</td><td>96 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	98.37	-----	-----	82.02	32.40	8.90	30.95	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2483.56	47.47	54.00	-6.53	31.16	32.40	8.88	30.97	6.00	100	96 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2462.00	98.37	-----	-----	82.02	32.40	8.90	30.95	6.00	100	96 AVERAGE																																																																																						







Mode	91																																																																																															
	Band Edge																																																																																															
	2400-2483.5_2400-2483.5_802.11ax HE20_CH11_2462MHz																																																																																															
ANT	CDD 9+10																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.58</td><td>62.73</td><td>74.00</td><td>-11.27</td><td>46.42</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>327</td><td>80 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.58	62.73	74.00	-11.27	46.42	32.40	8.88	30.97	6.00	327	80 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>106.90</td><td>-----</td><td>-----</td><td>90.56</td><td>32.40</td><td>8.90</td><td>30.96</td><td>6.00</td><td>327</td><td>80 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	106.90	-----	-----	90.56	32.40	8.90	30.96	6.00	327
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2484.58	62.73	74.00	-11.27	46.42	32.40	8.88	30.97	6.00	327	80 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2462.00	106.90	-----	-----	90.56	32.40	8.90	30.96	6.00	327	80 PEAK																																																																																					
Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>47.89</td><td>54.00</td><td>-6.11</td><td>31.58</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>327</td><td>80 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	47.89	54.00	-6.11	31.58	32.40	8.88	30.97	6.00	327	80 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>96.76</td><td>-----</td><td>-----</td><td>80.42</td><td>32.40</td><td>8.90</td><td>30.96</td><td>6.00</td><td>327</td><td>80 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	96.76	-----	-----	80.42	32.40	8.90	30.96	6.00	327
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2483.50	47.89	54.00	-6.11	31.58	32.40	8.88	30.97	6.00	327	80 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2462.00	96.76	-----	-----	80.42	32.40	8.90	30.96	6.00	327	80 AVERAGE																																																																																					







Mode	91																																																																																																																																																	
	Harmonic																																																																																																																																																	
	2400-2483.5_2400-2483.5_802.11ax HE20_CH11_2462MHz																																																																																																																																																	
ANT	CDD 9+10																																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																																											
Peak Avg																																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3606.00</td><td>47.97</td><td>74.00</td><td>-26.03</td><td>70.16</td><td>32.92</td><td>10.55</td><td>65.66</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4924.00</td><td>39.49</td><td>74.00</td><td>-34.51</td><td>58.70</td><td>34.25</td><td>12.00</td><td>65.46</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7386.00</td><td>42.48</td><td>74.00</td><td>-31.52</td><td>56.85</td><td>35.00</td><td>14.87</td><td>65.04</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3606.00	47.97	74.00	-26.03	70.16	32.92	10.55	65.66	0.00	--	Peak	2	4924.00	39.49	74.00	-34.51	58.70	34.25	12.00	65.46	0.00	--	PEAK	3	7386.00	42.48	74.00	-31.52	56.85	35.00	14.87	65.04	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3606.00</td><td>45.15</td><td>74.00</td><td>-28.85</td><td>67.34</td><td>32.92</td><td>10.55</td><td>65.66</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4924.00</td><td>39.20</td><td>74.00</td><td>-34.80</td><td>58.41</td><td>34.25</td><td>12.00</td><td>65.46</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7386.00</td><td>42.13</td><td>74.00</td><td>-31.87</td><td>56.50</td><td>35.80</td><td>14.87</td><td>65.04</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3606.00	45.15	74.00	-28.85	67.34	32.92	10.55	65.66	0.00	--	Peak	2	4924.00	39.20	74.00	-34.80	58.41	34.25	12.00	65.46	0.00	--	PEAK	3	7386.00	42.13	74.00	-31.87	56.50	35.80	14.87	65.04	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																								
1	3606.00	47.97	74.00	-26.03	70.16	32.92	10.55	65.66	0.00	--	Peak																																																																																																																																							
2	4924.00	39.49	74.00	-34.51	58.70	34.25	12.00	65.46	0.00	--	PEAK																																																																																																																																							
3	7386.00	42.48	74.00	-31.52	56.85	35.00	14.87	65.04	0.00	--	PEAK																																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																								
1	3606.00	45.15	74.00	-28.85	67.34	32.92	10.55	65.66	0.00	--	Peak																																																																																																																																							
2	4924.00	39.20	74.00	-34.80	58.41	34.25	12.00	65.46	0.00	--	PEAK																																																																																																																																							
3	7386.00	42.13	74.00	-31.87	56.50	35.80	14.87	65.04	0.00	--	PEAK																																																																																																																																							





Mode	91																																																																																																															
	Band Edge																																																																																																															
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																															
ANT	CDD 8+10																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.28</td><td>67.37</td><td>88.20</td><td>-20.83</td><td>48.89</td><td>35.15</td><td>13.73</td><td>30.40</td><td>0.00</td><td>100</td><td>226</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5923.28	67.37	88.20	-20.83	48.89	35.15	13.73	30.40	0.00	100	226	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2476.00</td><td>91.81</td><td>-----</td><td>-----</td><td>81.49</td><td>32.40</td><td>8.88</td><td>30.96</td><td>0.00</td><td>100</td><td>226</td><td>Peak</td></tr><tr><td>2</td><td>5955.00</td><td>107.79</td><td>-----</td><td>-----</td><td>89.36</td><td>35.22</td><td>13.63</td><td>30.42</td><td>0.00</td><td>100</td><td>226</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2476.00	91.81	-----	-----	81.49	32.40	8.88	30.96	0.00	100	226	Peak	2	5955.00	107.79	-----	-----	89.36	35.22	13.63	30.42	0.00	100	226
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5923.28	67.37	88.20	-20.83	48.89	35.15	13.73	30.40	0.00	100	226	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	2476.00	91.81	-----	-----	81.49	32.40	8.88	30.96	0.00	100	226	Peak																																																																																																				
2	5955.00	107.79	-----	-----	89.36	35.22	13.63	30.42	0.00	100	226	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5922.50</td><td>54.26</td><td>68.20</td><td>-13.94</td><td>35.78</td><td>35.15</td><td>13.73</td><td>30.40</td><td>0.00</td><td>100</td><td>226</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5922.50	54.26	68.20	-13.94	35.78	35.15	13.73	30.40	0.00	100	226	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2476.00</td><td>87.95</td><td>-----</td><td>-----</td><td>77.63</td><td>32.40</td><td>8.88</td><td>30.96</td><td>0.00</td><td>100</td><td>226</td><td>Average</td></tr><tr><td>2</td><td>5955.00</td><td>99.70</td><td>-----</td><td>-----</td><td>81.27</td><td>35.20</td><td>13.65</td><td>30.42</td><td>0.00</td><td>100</td><td>226</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2476.00	87.95	-----	-----	77.63	32.40	8.88	30.96	0.00	100	226	Average	2	5955.00	99.70	-----	-----	81.27	35.20	13.65	30.42	0.00	100	226
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5922.50	54.26	68.20	-13.94	35.78	35.15	13.73	30.40	0.00	100	226	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	2476.00	87.95	-----	-----	77.63	32.40	8.88	30.96	0.00	100	226	Average																																																																																																				
2	5955.00	99.70	-----	-----	81.27	35.20	13.65	30.42	0.00	100	226	AVERAGE																																																																																																				



Mode	91																																																																																																															
	Band Edge																																																																																																															
	U-NII-5 5.925-6.425_802.11a_CH1_5955MHz																																																																																																															
ANT	CDD 8+10																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.54</td><td>68.95</td><td>88.20</td><td>-19.25</td><td>50.47</td><td>35.15</td><td>13.73</td><td>30.40</td><td>0.00</td><td>290</td><td>67</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.54	68.95	88.20	-19.25	50.47	35.15	13.73	30.40	0.00	290	67	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2476.00</td><td>90.01</td><td>-----</td><td>-----</td><td>79.69</td><td>32.40</td><td>8.88</td><td>30.96</td><td>0.00</td><td>290</td><td>67</td><td>Peak</td></tr><tr><td>2</td><td>5955.00</td><td>111.38</td><td>-----</td><td>-----</td><td>92.95</td><td>35.20</td><td>13.65</td><td>30.42</td><td>0.00</td><td>290</td><td>67</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2476.00	90.01	-----	-----	79.69	32.40	8.88	30.96	0.00	290	67	Peak	2	5955.00	111.38	-----	-----	92.95	35.20	13.65	30.42	0.00	290	67
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5923.54	68.95	88.20	-19.25	50.47	35.15	13.73	30.40	0.00	290	67	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2476.00	90.01	-----	-----	79.69	32.40	8.88	30.96	0.00	290	67	Peak																																																																																																				
2	5955.00	111.38	-----	-----	92.95	35.20	13.65	30.42	0.00	290	67	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.67</td><td>55.96</td><td>68.20</td><td>-12.24</td><td>37.48</td><td>35.15</td><td>13.73</td><td>30.40</td><td>0.00</td><td>290</td><td>67</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.67	55.96	68.20	-12.24	37.48	35.15	13.73	30.40	0.00	290	67	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2476.00</td><td>85.99</td><td>-----</td><td>-----</td><td>75.67</td><td>32.40</td><td>8.88</td><td>30.96</td><td>0.00</td><td>290</td><td>67</td><td>Average</td></tr><tr><td>2</td><td>5955.00</td><td>102.88</td><td>-----</td><td>-----</td><td>84.45</td><td>35.20</td><td>13.65</td><td>30.42</td><td>0.00</td><td>290</td><td>67</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2476.00	85.99	-----	-----	75.67	32.40	8.88	30.96	0.00	290	67	Average	2	5955.00	102.88	-----	-----	84.45	35.20	13.65	30.42	0.00	290	67
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5923.67	55.96	68.20	-12.24	37.48	35.15	13.73	30.40	0.00	290	67	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2476.00	85.99	-----	-----	75.67	32.40	8.88	30.96	0.00	290	67	Average																																																																																																				
2	5955.00	102.88	-----	-----	84.45	35.20	13.65	30.42	0.00	290	67	AVERAGE																																																																																																				




Mode	91																																																																																																																														
	Harmonic																																																																																																																														
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																																														
ANT	CDD 8+10																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																								
Peak Avg																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>48.30</td><td>74.00</td><td>-25.70</td><td>55.22</td><td>38.81</td><td>19.21</td><td>64.94</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11910.00</td><td>37.12</td><td>54.00</td><td>-16.88</td><td>44.02</td><td>38.81</td><td>19.22</td><td>64.93</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	48.30	74.00	-25.70	55.22	38.81	19.21	64.94	0.00	300	360	PEAK	2	11910.00	37.12	54.00	-16.88	44.02	38.81	19.22	64.93	0.00	300	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>55.23</td><td>74.00</td><td>-18.77</td><td>62.15</td><td>38.81</td><td>19.21</td><td>64.94</td><td>0.00</td><td>100</td><td>303</td><td>PEAK</td></tr><tr><td>2</td><td>11910.00</td><td>44.86</td><td>54.00</td><td>-9.14</td><td>51.78</td><td>38.81</td><td>19.21</td><td>64.94</td><td>0.00</td><td>100</td><td>303</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	55.23	74.00	-18.77	62.15	38.81	19.21	64.94	0.00	100	303	PEAK	2	11910.00	44.86	54.00	-9.14	51.78	38.81	19.21	64.94	0.00	100	303	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	11910.00	48.30	74.00	-25.70	55.22	38.81	19.21	64.94	0.00	300	360	PEAK																																																																																																																			
2	11910.00	37.12	54.00	-16.88	44.02	38.81	19.22	64.93	0.00	300	360	AVERAGE																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	11910.00	55.23	74.00	-18.77	62.15	38.81	19.21	64.94	0.00	100	303	PEAK																																																																																																																			
2	11910.00	44.86	54.00	-9.14	51.78	38.81	19.21	64.94	0.00	100	303	AVERAGE																																																																																																																			

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
11a	99.05	-	-	10Hz
11be EHT20	99.55	-	-	10Hz
11be EHT40	100.00	-	-	10Hz
11be EHT80	100.00	-	-	10Hz
11be EHT160	99.32	-	-	10Hz
11be EHT320	98.19	-	-	10Hz
11be EHT80 Large RU484+242	98.67	-	-	10Hz
11be EHT160 Large RU996+484	98.41	-	-	10Hz
11be EHT320 Large RU996*3	96.44	0.488	2.049	2.2KHz
11be EHT320 Large RU996*2+484	96.98	0.578	1.730	1.8KHz
11be EHT320 Large RU996*3+484	95.98	0.430	2.326	2.4KHz
11be EHT20 Single RU 52	100.00	-	-	10Hz
11be EHT20 Single RU 106	99.58	-	-	10Hz
11be EHT20 Small RU 106+26	99.56	-	-	10Hz
11be EHT80 Puncturing 20M	100.00	-	-	10Hz
11be EHT160 Puncturing 40M	100.00	-	-	10Hz
11be EHT160 Puncturing 20M	99.56	-	-	10Hz
11be EHT320 Puncturing 80M+40M	99.53	-	-	10Hz
11be EHT320 Puncturing 80M	99.52	-	-	10Hz
11be EHT320 Puncturing 40M	99.51	-	-	10Hz



802.11a




802.11be EHT20






802.11be EHT40




802.11be EHT80






802.11be EHT160




802.11be EHT320







802.11be EHT80 Large RU484+242




802.11be EHT160 Large RU996+484



802.11be EHT320 Large RU996*3




802.11be EHT320 Large RU996*2+484







802.11be EHT320 Large RU996*3+484




802.11be EHT20 Single RU 52




802.11be EHT20 Single RU 106




802.11be EHT20 Small RU 106+26



802. 11be EHT80 Puncturing 20M




802.11be EHT160 Puncturing 40M






802.11be EHT160 Puncturing 20M




802.11be EHT320 Puncturing 80M+40M





802.11be EHT320 Puncturing 80M



802. 11be EHT320 Puncturing 40M

