





DH5_Ant9_Low_Hop_2402




Date: 23.APR.2024 07:36:00

DH5_Ant10_Low_Hop_2402




Date: 23.APR.2024 08:22:57






2DH1_Ant9_Low_2402




2DH1_Ant10_Low_2402






2DH1_Ant9_High_2480



Date: 23.APR.2024 07:30:20


2DH1_Ant10_High_2480



Date: 23.APR.2024 07:54:44




2DH1_Ant9_Low_Hop_2402



Date: 23.APR.2024 07:36:39


2DH1_Ant10_Low_Hop_2402




Date: 23.APR.2024 08:23:34



2DH1_Ant9_High_Hop_2480




2DH1_Ant10_High_Hop_2480






3DH1_Ant9_Low_2402




3DH1_Ant10_Low_2402






3DH1_Ant9_High_2480



Date: 23.APR.2024 07:34:21


3DH1_Ant10_High_2480




Date: 23.APR.2024 08:21:32



3DH1_Ant9_Low_Hop_2402




3DH1_Ant10_Low_Hop_2402






3DH1_Ant9_High_Hop_2480



Date: 23.APR.2024 07:37:30

3DH1_Ant10_High_Hop_2480



Date: 23.APR.2024 08:24:27



Conducted Spurious Emission

Test Result


TestMode	Antenna	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant9	2402	Reference	9.79	9.79	---	PASS
			30~1000	9.79	-40.46	≤-10.21	PASS
			1000~26500	9.79	-31.75	≤-10.21	PASS
	Ant10	2402	Reference	11.08	11.08	---	PASS
			30~1000	11.08	-40.9	≤-8.92	PASS
			1000~26500	11.08	-30.49	≤-8.92	PASS
	Ant9	2441	Reference	10.63	10.63	---	PASS
			30~1000	10.63	-41.03	≤-9.37	PASS
			1000~26500	10.63	-31.7	≤-9.37	PASS
	Ant10	2441	Reference	12.39	12.39	---	PASS
			30~1000	12.39	-40.43	≤-7.61	PASS
			1000~26500	12.39	-32.18	≤-7.61	PASS
	Ant9	2480	Reference	9.83	9.83	---	PASS
			30~1000	9.83	-40.74	≤-10.17	PASS
			1000~26500	9.83	-31.45	≤-10.17	PASS
	Ant10	2480	Reference	11.33	11.33	---	PASS
			30~1000	11.33	-41.44	≤-8.67	PASS
			1000~26500	11.33	-31.98	≤-8.67	PASS
2DH1	Ant9	2402	Reference	8.52	8.52	---	PASS
			30~1000	8.52	-40.93	≤-11.48	PASS
			1000~26500	8.52	-31.68	≤-11.48	PASS
	Ant10	2402	Reference	9.84	9.84	---	PASS
			30~1000	9.84	-40.95	≤-10.16	PASS
			1000~26500	9.84	-32.65	≤-10.16	PASS
	Ant9	2441	Reference	9.59	9.59	---	PASS
			30~1000	9.59	-41.1	≤-10.41	PASS
			1000~26500	9.59	-32	≤-10.41	PASS
	Ant10	2441	Reference	10.27	10.27	---	PASS
			30~1000	10.27	-40.69	≤-9.73	PASS
			1000~26500	10.27	-32.94	≤-9.73	PASS
	Ant9	2480	Reference	9.40	9.40	---	PASS
			30~1000	9.40	-41.24	≤-10.6	PASS
			1000~26500	9.40	-31.49	≤-10.6	PASS



	Ant10	2480	Reference	9.11	9.11	---	PASS
			30~1000	9.11	-40.94	≤ -10.89	PASS
			1000~26500	9.11	-32.47	≤ -10.89	PASS
3DH1	Ant9	2402	Reference	8.69	8.69	---	PASS
			30~1000	8.69	-41.01	≤ -11.31	PASS
			1000~26500	8.69	-31.52	≤ -11.31	PASS
	Ant10	2402	Reference	10.01	10.01	---	PASS
			30~1000	10.01	-40.87	≤ -9.99	PASS
			1000~26500	10.01	-31.83	≤ -9.99	PASS
	Ant9	2441	Reference	9.73	9.73	---	PASS
			30~1000	9.73	-41.44	≤ -10.27	PASS
			1000~26500	9.73	-32.72	≤ -10.27	PASS
	Ant10	2441	Reference	10.43	10.43	---	PASS
			30~1000	10.43	-41.37	≤ -9.57	PASS
			1000~26500	10.43	-31.71	≤ -9.57	PASS
	Ant9	2480	Reference	9.53	9.53	---	PASS
			30~1000	9.53	-41.06	≤ -10.47	PASS
			1000~26500	9.53	-32.26	≤ -10.47	PASS
	Ant10	2480	Reference	9.31	9.31	---	PASS
			30~1000	9.31	-41.14	≤ -10.69	PASS
			1000~26500	9.31	-32.25	≤ -10.69	PASS




Test Graphs







DH5_Ant9_2402_1000~26500




DH5_Ant10_2402_0~Reference








DH5_Ant9_2441_0~Reference




DH5_Ant9_2441_30~1000







DH5_Ant9_2441_1000~26500




DH5_Ant10_2441_0~Reference








DH5_Ant9_2480_0~Reference




DH5_Ant9_2480_30~1000







DH5_Ant9_2480_1000~26500




DH5_Ant10_2480_0~Reference








2DH1_Ant9_2402_0~Reference



Date: 23.APR.2024 07:27:56


2DH1_Ant9_2402_30~1000




Date: 23.APR.2024 07:28:01



2DH1_Ant9_2402_1000~26500




2DH1_Ant10_2402_0~Reference






2DH1_Ant10_2402_30~1000




2DH1_Ant10_2402_1000~26500






2DH1_Ant9_2441_0~Reference



Date: 23.APR.2024 07:29:06


2DH1_Ant9_2441_30~1000



Date: 23.APR.2024 07:29:11




2DH1_Ant9_2441_1000~26500



Date: 23.APR.2024 07:29:27


2DH1_Ant10_2441_0~Reference




Date: 23.APR.2024 07:53:15



2DH1_Ant10_2441_30~1000




2DH1_Ant10_2441_1000~26500






2DH1_Ant9_2480_0~Reference




2DH1_Ant9_2480_30~1000






2DH1_Ant9_2480_1000~26500




2DH1_Ant10_2480_0~Reference






2DH1_Ant10_2480_30~1000




2DH1_Ant10_2480_1000~26500






3DH1_Ant9_2402_0~Reference



Date: 23.APR.2024 07:32:03


3DH1_Ant9_2402_30~1000




Date: 23.APR.2024 07:32:08



3DH1_Ant9_2402_1000~26500




3DH1_Ant10_2402_0~Reference






3DH1_Ant10_2402_30~1000




3DH1_Ant10_2402_1000~26500






3DH1_Ant9_2441_0~Reference




3DH1_Ant9_2441_30~1000







3DH1_Ant9_2441_1000~26500




3DH1_Ant10_2441_0~Reference








3DH1_Ant9_2480_0~Reference



Date: 23.APR.2024 07:34:33


3DH1_Ant9_2480_30~1000




Date: 23.APR.2024 07:34:39




3DH1_Ant9_2480_1000~26500



3DH1_Ant10_2480_0~Reference








Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-L 2023 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.150	44.67	-21.33	66.00	34.20	0.05	10.42	QP
2	0.150	31.77	-24.23	56.00	21.30	0.05	10.42	Average
3 *	0.193	42.94	-20.95	63.89	32.50	0.03	10.41	QP
4	0.193	31.04	-22.85	53.89	20.60	0.03	10.41	Average
5	0.229	39.92	-22.56	62.48	29.51	0.03	10.38	QP
6	0.229	26.02	-26.46	52.48	15.61	0.03	10.38	Average
7	0.322	34.95	-24.71	59.66	24.60	0.03	10.32	QP
8	0.322	21.85	-27.81	49.66	11.50	0.03	10.32	Average
9	0.611	28.92	-27.08	56.00	18.80	-0.05	10.17	QP
10	0.611	16.32	-29.68	46.00	6.20	-0.05	10.17	Average
11	21.830	31.28	-28.72	60.00	20.19	-0.33	11.42	QP
12	21.830	24.98	-25.02	50.00	13.89	-0.33	11.42	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-N 2023 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.157	43.96	-21.64	65.60	33.50	0.04	10.42	QP
2 *	0.157	34.06	-21.54	55.60	23.60	0.04	10.42	Average
3	0.193	40.66	-23.23	63.89	30.20	0.05	10.41	QP
4	0.193	29.36	-24.53	53.89	18.90	0.05	10.41	Average
5	0.237	37.99	-24.23	62.22	27.60	0.01	10.38	QP
6	0.237	27.19	-25.03	52.22	16.80	0.01	10.38	Average
7	0.279	35.82	-25.03	60.85	25.49	-0.02	10.35	QP
8	0.279	21.62	-29.23	50.85	11.29	-0.02	10.35	Average
9	0.592	31.61	-24.39	56.00	21.50	-0.07	10.18	QP
10	0.592	18.41	-27.59	46.00	8.30	-0.07	10.18	Average
11	19.224	29.28	-30.72	60.00	18.21	-0.25	11.32	QP
12	19.224	22.38	-27.62	50.00	11.31	-0.25	11.32	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)

Appendix C. Radiated Spurious Emission Test Data

Test Engineer:	Carl Ni	Relative Humidity :	22 ~ 23°C
		Temperature :	41 ~ 42%



Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	9	Bluetooth BR_GFSK	00	2402	3Mbps	-	-
Mode 2	2400-2483.5	9	Bluetooth BR_GFSK	39	2441	3Mbps	-	-
Mode 3	2400-2483.5	9	Bluetooth BR_GFSK	78	2480	3Mbps	-	-
Mode 4	2400-2483.5	10	Bluetooth BR_GFSK	00	2402	3Mbps	-	-
Mode 5	2400-2483.5	10	Bluetooth BR_GFSK	39	2441	3Mbps	-	-
Mode 6	2400-2483.5	10	Bluetooth BR_GFSK	78	2480	3Mbps	-	-
Mode 7	2400-2483.5	BF 9+10	Bluetooth BR_GFSK	00	2402	3Mbps	-	-
Mode 8	2400-2483.5	BF 9+10	Bluetooth BR_GFSK	39	2441	3Mbps	-	-
Mode 9	2400-2483.5	BF 9+10	Bluetooth BR_GFSK	78	2480	3Mbps	-	-

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	Bluetooth BR_GFSK	00	2385.79	49.78	74.00	-24.22	H	PEAK	Pass	Band Edge
1	Bluetooth BR_GFSK	00	4804.00	41.08	74.00	-32.92	V	PEAK	Pass	Harmonic
2	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
2	Bluetooth BR_GFSK	39	7323.00	43.48	74.00	-30.52	V	PEAK	Pass	Harmonic
3	Bluetooth BR_GFSK	78	2492.57	50.58	74.00	-23.42	V	PEAK	Pass	Band Edge
3	Bluetooth BR_GFSK	78	7440.00	42.84	74.00	-31.16	V	PEAK	Pass	Harmonic
4	Bluetooth BR_GFSK	00	2371.23	49.28	74.00	-24.72	V	PEAK	Pass	Band Edge
4	Bluetooth BR_GFSK	00	4804.00	41.72	74.00	-32.28	V	PEAK	Pass	Harmonic
5	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
5	Bluetooth BR_GFSK	39	7323.00	42.79	74.00	-31.21	V	PEAK	Pass	Harmonic
6	Bluetooth BR_GFSK	78	2498.23	50.85	74.00	-23.15	V	PEAK	Pass	Band Edge
6	Bluetooth BR_GFSK	78	7440.00	43.40	74.00	-30.60	H	PEAK	Pass	Harmonic
7	Bluetooth BR_GFSK	00	2389.30	49.74	74.00	-24.26	V	PEAK	Pass	Band Edge
7	Bluetooth BR_GFSK	00	4804.00	40.13	74.00	-33.87	H	PEAK	Pass	Harmonic
8	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
8	Bluetooth BR_GFSK	39	7323.00	43.36	74.00	-30.64	V	PEAK	Pass	Harmonic
9	Bluetooth BR_GFSK	78	2499.00	50.73	74.00	-23.27	H	PEAK	Pass	Band Edge
9	Bluetooth BR_GFSK	78	7440.00	42.97	74.00	-31.03	V	PEAK	Pass	Harmonic





Mode	1																																																																		
	Band Edge																																																																		
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																		
ANT	9																																																																		
Pol.	Horizontal						Fundamental																																																												
Peak																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2385.79</td><td>49.78</td><td>74.00</td><td>-24.22</td><td>41.43</td><td>32.30</td><td>7.10</td><td>37.05</td><td>6.00</td><td>105</td><td>261 PEAK</td></tr><tr><td>2</td><td>2385.79</td><td>24.99</td><td>54.00</td><td>-29.01</td><td>16.64</td><td>32.30</td><td>7.10</td><td>37.05</td><td>6.00</td><td>105</td><td>261 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.79	49.78	74.00	-24.22	41.43	32.30	7.10	37.05	6.00	105	261 PEAK	2	2385.79	24.99	54.00	-29.01	16.64	32.30	7.10	37.05	6.00	105	261 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	2385.79	49.78	74.00	-24.22	41.43	32.30	7.10	37.05	6.00	105	261 PEAK																																																								
2	2385.79	24.99	54.00	-29.01	16.64	32.30	7.10	37.05	6.00	105	261 AVERAGE																																																								
																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>98.51</td><td>-----</td><td>-----</td><td>90.02</td><td>32.41</td><td>7.12</td><td>37.04</td><td>6.00</td><td>105</td><td>261 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>73.72</td><td>-----</td><td>-----</td><td>65.23</td><td>32.41</td><td>7.12</td><td>37.04</td><td>6.00</td><td>105</td><td>261 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	98.51	-----	-----	90.02	32.41	7.12	37.04	6.00	105	261 PEAK	2	2402.00	73.72	-----	-----	65.23	32.41	7.12	37.04	6.00	105	261 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	2402.00	98.51	-----	-----	90.02	32.41	7.12	37.04	6.00	105	261 PEAK																																																								
2	2402.00	73.72	-----	-----	65.23	32.41	7.12	37.04	6.00	105	261 AVERAGE																																																								



Mode	1																																																																				
	Band Edge																																																																				
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																				
ANT	9																																																																				
Pol.	Vertical						Fundamental																																																														
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2356.02</td><td>49.73</td><td>74.00</td><td>-24.27</td><td>41.65</td><td>32.09</td><td>7.05</td><td>37.06</td><td>6.00</td><td>295</td><td>189</td><td>PEAK</td></tr><tr><td>2</td><td>2356.02</td><td>24.94</td><td>54.00</td><td>-29.06</td><td>16.86</td><td>32.09</td><td>7.05</td><td>37.06</td><td>6.00</td><td>295</td><td>189</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2356.02	49.73	74.00	-24.27	41.65	32.09	7.05	37.06	6.00	295	189	PEAK	2	2356.02	24.94	54.00	-29.06	16.86	32.09	7.05	37.06	6.00	295	189	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2356.02	49.73	74.00	-24.27	41.65	32.09	7.05	37.06	6.00	295	189	PEAK																																																									
2	2356.02	24.94	54.00	-29.06	16.86	32.09	7.05	37.06	6.00	295	189	AVERAGE																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>98.48</td><td>-----</td><td>-----</td><td>89.99</td><td>32.41</td><td>7.12</td><td>37.04</td><td>6.00</td><td>295</td><td>189</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>73.69</td><td>-----</td><td>-----</td><td>65.20</td><td>32.41</td><td>7.12</td><td>37.04</td><td>6.00</td><td>295</td><td>189</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	98.48	-----	-----	89.99	32.41	7.12	37.04	6.00	295	189	PEAK	2	2402.00	73.69	-----	-----	65.20	32.41	7.12	37.04	6.00	295	189	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2402.00	98.48	-----	-----	89.99	32.41	7.12	37.04	6.00	295	189	PEAK																																																									
2	2402.00	73.69	-----	-----	65.20	32.41	7.12	37.04	6.00	295	189	AVERAGE																																																									





Mode	1																																																																																																			
	Harmonic																																																																																																			
	2400-2483.5 Bluetooth BR_GFSK_CH00_2402MHz																																																																																																			
ANT	9																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>41.07</td><td>74.00</td><td>-32.93</td><td>61.95</td><td>34.40</td><td>10.20</td><td>65.48</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	41.07	74.00	-32.93	61.95	34.40	10.20	65.48	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>41.08</td><td>74.00</td><td>-32.92</td><td>61.96</td><td>34.40</td><td>10.20</td><td>65.48</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	41.08	74.00	-32.92	61.96	34.40	10.20	65.48	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	4804.00	41.07	74.00	-32.93	61.95	34.40	10.20	65.48	0.00	--	--	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	4804.00	41.08	74.00	-32.92	61.96	34.40	10.20	65.48	0.00	--	--	PEAK																																																																																								





Mode	2																																																																																																																							
	Harmonic																																																																																																																							
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																							
ANT	9																																																																																																																							
Pol.	Horizontal												Vertical																																																																																																											
Peak Avg																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>4882.00</td><td>41.71</td><td>74.00</td><td>-32.29</td><td>62.62</td><td>34.32</td><td>10.30</td><td>65.53</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>42.91</td><td>74.00</td><td>-31.09</td><td>60.54</td><td>35.98</td><td>12.72</td><td>66.33</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	4882.00	41.71	74.00	-32.29	62.62	34.32	10.30	65.53	0.00	--	-- PEAK	2	7323.00	42.91	74.00	-31.09	60.54	35.98	12.72	66.33	0.00	--	-- PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>4882.00</td><td>41.13</td><td>74.00</td><td>-32.87</td><td>62.04</td><td>34.32</td><td>10.30</td><td>65.53</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>43.48</td><td>74.00</td><td>-30.52</td><td>61.11</td><td>35.98</td><td>12.72</td><td>66.33</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	4882.00	41.13	74.00	-32.87	62.04	34.32	10.30	65.53	0.00	--	-- PEAK	2	7323.00	43.48	74.00	-30.52	61.11	35.98	12.72	66.33	0.00	--	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																																													
1	4882.00	41.71	74.00	-32.29	62.62	34.32	10.30	65.53	0.00	--	-- PEAK																																																																																																													
2	7323.00	42.91	74.00	-31.09	60.54	35.98	12.72	66.33	0.00	--	-- PEAK																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																																													
1	4882.00	41.13	74.00	-32.87	62.04	34.32	10.30	65.53	0.00	--	-- PEAK																																																																																																													
2	7323.00	43.48	74.00	-30.52	61.11	35.98	12.72	66.33	0.00	--	-- PEAK																																																																																																													





Mode	3																																																																				
	Band Edge																																																																				
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																				
ANT	9																																																																				
Pol.	Horizontal						Fundamental																																																														
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.01</td><td>50.45</td><td>74.00</td><td>-23.55</td><td>41.05</td><td>32.99</td><td>7.26</td><td>36.85</td><td>6.00</td><td>144</td><td>177</td><td>PEAK</td></tr><tr><td>2</td><td>2484.01</td><td>25.66</td><td>54.00</td><td>-28.34</td><td>16.26</td><td>32.99</td><td>7.26</td><td>36.85</td><td>6.00</td><td>144</td><td>177</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.01	50.45	74.00	-23.55	41.05	32.99	7.26	36.85	6.00	144	177	PEAK	2	2484.01	25.66	54.00	-28.34	16.26	32.99	7.26	36.85	6.00	144	177	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2484.01	50.45	74.00	-23.55	41.05	32.99	7.26	36.85	6.00	144	177	PEAK																																																									
2	2484.01	25.66	54.00	-28.34	16.26	32.99	7.26	36.85	6.00	144	177	AVERAGE																																																									
																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>99.47</td><td>-----</td><td>-----</td><td>90.12</td><td>32.96</td><td>7.25</td><td>36.86</td><td>6.00</td><td>144</td><td>177</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>74.68</td><td>-----</td><td>-----</td><td>65.33</td><td>32.96</td><td>7.25</td><td>36.86</td><td>6.00</td><td>144</td><td>177</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	99.47	-----	-----	90.12	32.96	7.25	36.86	6.00	144	177	PEAK	2	2480.00	74.68	-----	-----	65.33	32.96	7.25	36.86	6.00	144	177	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2480.00	99.47	-----	-----	90.12	32.96	7.25	36.86	6.00	144	177	PEAK																																																									
2	2480.00	74.68	-----	-----	65.33	32.96	7.25	36.86	6.00	144	177	AVERAGE																																																									





Mode	3																																																																																																																															
	Band Edge																																																																																																																															
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																															
ANT	9																																																																																																																															
Pol.	Vertical						Fundamental																																																																																																																									
Peak																																																																																																																																
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2492.57</td><td>50.58</td><td>74.00</td><td>-23.42</td><td>41.09</td><td>33.05</td><td>7.27</td><td>36.83</td><td>6.00</td><td>317</td><td>234 PEAK</td></tr><tr><td>2</td><td>2492.57</td><td>25.79</td><td>54.00</td><td>-28.21</td><td>16.30</td><td>33.05</td><td>7.27</td><td>36.83</td><td>6.00</td><td>317</td><td>234 AVERAGE</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2492.57	50.58	74.00	-23.42	41.09	33.05	7.27	36.83	6.00	317	234 PEAK	2	2492.57	25.79	54.00	-28.21	16.30	33.05	7.27	36.83	6.00	317	234 AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>96.49</td><td>-----</td><td>87.14</td><td>32.96</td><td>7.25</td><td>36.86</td><td>6.00</td><td>317</td><td>234 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>71.70</td><td>-----</td><td>62.35</td><td>32.96</td><td>7.25</td><td>36.86</td><td>6.00</td><td>317</td><td>234 AVERAGE</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	96.49	-----	87.14	32.96	7.25	36.86	6.00	317	234 PEAK	2	2480.00	71.70	-----	62.35	32.96	7.25	36.86	6.00	317	234 AVERAGE
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	2492.57	50.58	74.00	-23.42	41.09	33.05	7.27	36.83	6.00	317	234 PEAK																																																																																																																					
2	2492.57	25.79	54.00	-28.21	16.30	33.05	7.27	36.83	6.00	317	234 AVERAGE																																																																																																																					
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	2480.00	96.49	-----	87.14	32.96	7.25	36.86	6.00	317	234 PEAK																																																																																																																						
2	2480.00	71.70	-----	62.35	32.96	7.25	36.86	6.00	317	234 AVERAGE																																																																																																																						



Mode	3																																																																																																															
	Harmonic																																																																																																															
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																															
ANT	9																																																																																																															
Pol.	Horizontal						Vertical																																																																																																									
Peak Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>41.43</td><td>74.00</td><td>-32.57</td><td>62.38</td><td>34.24</td><td>10.40</td><td>65.59</td><td>0.00 -- -- PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.80</td><td>74.00</td><td>-31.20</td><td>60.71</td><td>35.94</td><td>12.78</td><td>66.63</td><td>0.00 -- -- PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	4960.00	41.43	74.00	-32.57	62.38	34.24	10.40	65.59	0.00 -- -- PEAK	2	7440.00	42.80	74.00	-31.20	60.71	35.94	12.78	66.63	0.00 -- -- PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>40.78</td><td>74.00</td><td>-33.22</td><td>61.73</td><td>34.24</td><td>10.40</td><td>65.59</td><td>0.00 -- -- PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.84</td><td>74.00</td><td>-31.16</td><td>60.75</td><td>35.94</td><td>12.78</td><td>66.63</td><td>0.00 -- -- PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	4960.00	40.78	74.00	-33.22	61.73	34.24	10.40	65.59	0.00 -- -- PEAK	2	7440.00	42.84	74.00	-31.16	60.75	35.94	12.78	66.63	0.00 -- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																								
1	4960.00	41.43	74.00	-32.57	62.38	34.24	10.40	65.59	0.00 -- -- PEAK																																																																																																							
2	7440.00	42.80	74.00	-31.20	60.71	35.94	12.78	66.63	0.00 -- -- PEAK																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																								
1	4960.00	40.78	74.00	-33.22	61.73	34.24	10.40	65.59	0.00 -- -- PEAK																																																																																																							
2	7440.00	42.84	74.00	-31.16	60.75	35.94	12.78	66.63	0.00 -- -- PEAK																																																																																																							





Mode	4																																																																																																																								
	Band Edge																																																																																																																								
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																								
ANT	10																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																		
Peak																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2355.11</td><td>49.16</td><td>74.00</td><td>-24.84</td><td>41.08</td><td>32.09</td><td>7.05</td><td>37.06</td><td>6.00</td><td>300</td><td>9 PEAK</td></tr><tr><td>2</td><td>2355.11</td><td>24.37</td><td>54.00</td><td>-29.63</td><td>16.29</td><td>32.09</td><td>7.05</td><td>37.06</td><td>6.00</td><td>300</td><td>9 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2355.11	49.16	74.00	-24.84	41.08	32.09	7.05	37.06	6.00	300	9 PEAK	2	2355.11	24.37	54.00	-29.63	16.29	32.09	7.05	37.06	6.00	300	9 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>100.82</td><td>-----</td><td>-----</td><td>92.33</td><td>32.41</td><td>7.12</td><td>37.04</td><td>6.00</td><td>300</td><td>9 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>76.03</td><td>-----</td><td>-----</td><td>67.54</td><td>32.41</td><td>7.12</td><td>37.04</td><td>6.00</td><td>300</td><td>9 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	100.82	-----	-----	92.33	32.41	7.12	37.04	6.00	300	9 PEAK	2	2402.00	76.03	-----	-----	67.54	32.41	7.12	37.04	6.00	300	9 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	2355.11	49.16	74.00	-24.84	41.08	32.09	7.05	37.06	6.00	300	9 PEAK																																																																																																														
2	2355.11	24.37	54.00	-29.63	16.29	32.09	7.05	37.06	6.00	300	9 AVERAGE																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	2402.00	100.82	-----	-----	92.33	32.41	7.12	37.04	6.00	300	9 PEAK																																																																																																														
2	2402.00	76.03	-----	-----	67.54	32.41	7.12	37.04	6.00	300	9 AVERAGE																																																																																																														



Mode	4																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																													
ANT	10																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2371.23</td><td>49.28</td><td>74.00</td><td>-24.72</td><td>41.05</td><td>32.20</td><td>7.00</td><td>37.05</td><td>6.00</td><td>300</td><td>265</td><td>PEAK</td></tr><tr><td>2</td><td>2371.23</td><td>24.49</td><td>54.00</td><td>-29.51</td><td>16.26</td><td>32.20</td><td>7.00</td><td>37.05</td><td>6.00</td><td>300</td><td>265</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2371.23	49.28	74.00	-24.72	41.05	32.20	7.00	37.05	6.00	300	265	PEAK	2	2371.23	24.49	54.00	-29.51	16.26	32.20	7.00	37.05	6.00	300	265	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>100.50</td><td>-----</td><td>-----</td><td>92.01</td><td>32.41</td><td>7.12</td><td>37.04</td><td>6.00</td><td>300</td><td>265</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>75.71</td><td>-----</td><td>-----</td><td>67.22</td><td>32.41</td><td>7.12</td><td>37.04</td><td>6.00</td><td>300</td><td>265</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	100.50	-----	-----	92.01	32.41	7.12	37.04	6.00	300	265	PEAK	2	2402.00	75.71	-----	-----	67.22	32.41	7.12	37.04	6.00	300	265	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2371.23	49.28	74.00	-24.72	41.05	32.20	7.00	37.05	6.00	300	265	PEAK																																																																																																																		
2	2371.23	24.49	54.00	-29.51	16.26	32.20	7.00	37.05	6.00	300	265	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2402.00	100.50	-----	-----	92.01	32.41	7.12	37.04	6.00	300	265	PEAK																																																																																																																		
2	2402.00	75.71	-----	-----	67.22	32.41	7.12	37.04	6.00	300	265	AVERAGE																																																																																																																		





Mode	4																																																									
	Harmonic																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																									
ANT	10																																																									
Pol.	Horizontal						Vertical																																																			
Peak Avg																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4804.00</td><td>41.08</td><td>74.00</td><td>-32.92</td><td>61.96</td><td>34.40</td><td>10.20</td><td>65.48</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4804.00	41.08	74.00	-32.92	61.96	34.40	10.20	65.48	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	4804.00	41.08	74.00	-32.92	61.96	34.40	10.20	65.48	0.00	--	--	PEAK																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4804.00</td><td>41.72</td><td>74.00</td><td>-32.28</td><td>62.60</td><td>34.40</td><td>10.20</td><td>65.48</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4804.00	41.72	74.00	-32.28	62.60	34.40	10.20	65.48	0.00	--	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	4804.00	41.72	74.00	-32.28	62.60	34.40	10.20	65.48	0.00	--	--	PEAK																																														





Mode	5																																																																																																																															
	Harmonic																																																																																																																															
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																															
ANT	10																																																																																																																															
Pol.	Horizontal							Vertical																																																																																																																								
Peak Avg																																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>4882.00</td><td>40.90</td><td>74.00</td><td>-33.10</td><td>61.81</td><td>34.32</td><td>10.30</td><td>65.53</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>42.26</td><td>74.00</td><td>-31.74</td><td>59.89</td><td>35.98</td><td>12.72</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	40.90	74.00	-33.10	61.81	34.32	10.30	65.53	0.00	--	--	PEAK	2	7323.00	42.26	74.00	-31.74	59.89	35.98	12.72	66.33	0.00	--	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>4882.00</td><td>40.85</td><td>74.00</td><td>-33.15</td><td>61.76</td><td>34.32</td><td>10.30</td><td>65.53</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>42.79</td><td>74.00</td><td>-31.21</td><td>60.42</td><td>35.98</td><td>12.72</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	40.85	74.00	-33.15	61.76	34.32	10.30	65.53	0.00	--	--	PEAK	2	7323.00	42.79	74.00	-31.21	60.42	35.98	12.72	66.33	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	4882.00	40.90	74.00	-33.10	61.81	34.32	10.30	65.53	0.00	--	--	PEAK																																																																																																																				
2	7323.00	42.26	74.00	-31.74	59.89	35.98	12.72	66.33	0.00	--	--	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	4882.00	40.85	74.00	-33.15	61.76	34.32	10.30	65.53	0.00	--	--	PEAK																																																																																																																				
2	7323.00	42.79	74.00	-31.21	60.42	35.98	12.72	66.33	0.00	--	--	PEAK																																																																																																																				





Mode	6																																																																																																																								
	Band Edge																																																																																																																								
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																								
ANT	10																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																		
Peak																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2498.64</td><td>50.45</td><td>74.00</td><td>-23.55</td><td>40.89</td><td>33.09</td><td>7.28</td><td>36.81</td><td>6.00</td><td>282</td><td>0 PEAK</td></tr><tr><td>2</td><td>2498.64</td><td>25.66</td><td>54.00</td><td>-28.34</td><td>16.10</td><td>33.09</td><td>7.28</td><td>36.81</td><td>6.00</td><td>282</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2498.64	50.45	74.00	-23.55	40.89	33.09	7.28	36.81	6.00	282	0 PEAK	2	2498.64	25.66	54.00	-28.34	16.10	33.09	7.28	36.81	6.00	282	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>100.74</td><td>-----</td><td>-----</td><td>91.39</td><td>32.96</td><td>7.25</td><td>36.86</td><td>6.00</td><td>282</td><td>0 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>75.94</td><td>-----</td><td>-----</td><td>66.59</td><td>32.96</td><td>7.25</td><td>36.86</td><td>6.00</td><td>282</td><td>0 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	100.74	-----	-----	91.39	32.96	7.25	36.86	6.00	282	0 PEAK	2	2480.00	75.94	-----	-----	66.59	32.96	7.25	36.86	6.00	282	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	2498.64	50.45	74.00	-23.55	40.89	33.09	7.28	36.81	6.00	282	0 PEAK																																																																																																														
2	2498.64	25.66	54.00	-28.34	16.10	33.09	7.28	36.81	6.00	282	0 AVERAGE																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	2480.00	100.74	-----	-----	91.39	32.96	7.25	36.86	6.00	282	0 PEAK																																																																																																														
2	2480.00	75.94	-----	-----	66.59	32.96	7.25	36.86	6.00	282	0 AVERAGE																																																																																																														





Mode	6																																																																																																																																											
	Band Edge																																																																																																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																											
ANT	10																																																																																																																																											
Pol.	Vertical						Fundamental																																																																																																																																					
Peak																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2498.23</td><td>50.85</td><td>74.00</td><td>-23.15</td><td>41.30</td><td>33.09</td><td>7.28</td><td>36.82</td><td>6.00</td><td>311</td><td>238</td><td>PEAK</td></tr><tr><td>2</td><td>2498.23</td><td>26.06</td><td>54.00</td><td>-27.94</td><td>16.51</td><td>33.09</td><td>7.28</td><td>36.82</td><td>6.00</td><td>311</td><td>238</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2498.23	50.85	74.00	-23.15	41.30	33.09	7.28	36.82	6.00	311	238	PEAK	2	2498.23	26.06	54.00	-27.94	16.51	33.09	7.28	36.82	6.00	311	238	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2480.00</td><td>98.40</td><td>-----</td><td>-----</td><td>89.05</td><td>32.96</td><td>7.25</td><td>36.86</td><td>6.00</td><td>311</td><td>238</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>73.61</td><td>-----</td><td>-----</td><td>64.26</td><td>32.96</td><td>7.25</td><td>36.86</td><td>6.00</td><td>311</td><td>238</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2480.00	98.40	-----	-----	89.05	32.96	7.25	36.86	6.00	311	238	PEAK	2	2480.00	73.61	-----	-----	64.26	32.96	7.25	36.86	6.00	311	238	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	2498.23	50.85	74.00	-23.15	41.30	33.09	7.28	36.82	6.00	311	238	PEAK																																																																																																																																
2	2498.23	26.06	54.00	-27.94	16.51	33.09	7.28	36.82	6.00	311	238	AVERAGE																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	2480.00	98.40	-----	-----	89.05	32.96	7.25	36.86	6.00	311	238	PEAK																																																																																																																																
2	2480.00	73.61	-----	-----	64.26	32.96	7.25	36.86	6.00	311	238	AVERAGE																																																																																																																																



Mode	6																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5 Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																									
ANT	10																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.08</td><td>74.00</td><td>-32.92</td><td>62.03</td><td>34.24</td><td>10.40</td><td>65.59</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>43.40</td><td>74.00</td><td>-30.60</td><td>61.31</td><td>35.94</td><td>12.78</td><td>66.63</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.08	74.00	-32.92	62.03	34.24	10.40	65.59	0.00	--	PEAK	2	7440.00	43.40	74.00	-30.60	61.31	35.94	12.78	66.63	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.21</td><td>74.00</td><td>-32.79</td><td>62.16</td><td>34.24</td><td>10.40</td><td>65.59</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.90</td><td>74.00</td><td>-31.10</td><td>60.81</td><td>35.94</td><td>12.78</td><td>66.63</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.21	74.00	-32.79	62.16	34.24	10.40	65.59	0.00	--	PEAK	2	7440.00	42.90	74.00	-31.10	60.81	35.94	12.78	66.63	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4960.00	41.08	74.00	-32.92	62.03	34.24	10.40	65.59	0.00	--	PEAK																																																																																																															
2	7440.00	43.40	74.00	-30.60	61.31	35.94	12.78	66.63	0.00	--	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4960.00	41.21	74.00	-32.79	62.16	34.24	10.40	65.59	0.00	--	PEAK																																																																																																															
2	7440.00	42.90	74.00	-31.10	60.81	35.94	12.78	66.63	0.00	--	PEAK																																																																																																															





Mode	7																																																																		
	Band Edge																																																																		
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																		
ANT	BF 9+10																																																																		
Pol.	Horizontal						Fundamental																																																												
Peak																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2364.21</td><td>49.31</td><td>74.00</td><td>-24.69</td><td>41.15</td><td>32.15</td><td>7.07</td><td>37.06</td><td>6.00</td><td>291</td><td>10 PEAK</td></tr><tr><td>2</td><td>2364.21</td><td>24.52</td><td>54.00</td><td>-29.48</td><td>16.36</td><td>32.15</td><td>7.07</td><td>37.06</td><td>6.00</td><td>291</td><td>10 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2364.21	49.31	74.00	-24.69	41.15	32.15	7.07	37.06	6.00	291	10 PEAK	2	2364.21	24.52	54.00	-29.48	16.36	32.15	7.07	37.06	6.00	291	10 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	2364.21	49.31	74.00	-24.69	41.15	32.15	7.07	37.06	6.00	291	10 PEAK																																																								
2	2364.21	24.52	54.00	-29.48	16.36	32.15	7.07	37.06	6.00	291	10 AVERAGE																																																								
																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>100.56</td><td>-----</td><td>-----</td><td>92.07</td><td>32.41</td><td>7.12</td><td>37.04</td><td>6.00</td><td>291</td><td>10 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>75.77</td><td>-----</td><td>-----</td><td>67.28</td><td>32.41</td><td>7.12</td><td>37.04</td><td>6.00</td><td>291</td><td>10 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	100.56	-----	-----	92.07	32.41	7.12	37.04	6.00	291	10 PEAK	2	2402.00	75.77	-----	-----	67.28	32.41	7.12	37.04	6.00	291	10 AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	2402.00	100.56	-----	-----	92.07	32.41	7.12	37.04	6.00	291	10 PEAK																																																								
2	2402.00	75.77	-----	-----	67.28	32.41	7.12	37.04	6.00	291	10 AVERAGE																																																								





Mode	7																																																																				
	Band Edge																																																																				
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																				
ANT	BF 9+10																																																																				
Pol.	Vertical						Fundamental																																																														
Peak																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.30</td><td>49.74</td><td>74.00</td><td>-24.26</td><td>41.36</td><td>32.33</td><td>7.10</td><td>37.05</td><td>6.00</td><td>332</td><td>266</td><td>PEAK</td></tr><tr><td>2</td><td>2389.30</td><td>24.95</td><td>54.00</td><td>-29.05</td><td>16.57</td><td>32.33</td><td>7.10</td><td>37.05</td><td>6.00</td><td>332</td><td>266</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.30	49.74	74.00	-24.26	41.36	32.33	7.10	37.05	6.00	332	266	PEAK	2	2389.30	24.95	54.00	-29.05	16.57	32.33	7.10	37.05	6.00	332	266	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2389.30	49.74	74.00	-24.26	41.36	32.33	7.10	37.05	6.00	332	266	PEAK																																																									
2	2389.30	24.95	54.00	-29.05	16.57	32.33	7.10	37.05	6.00	332	266	AVERAGE																																																									
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>98.50</td><td>-----</td><td>-----</td><td>90.01</td><td>32.41</td><td>7.12</td><td>37.04</td><td>6.00</td><td>332</td><td>266</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>73.71</td><td>-----</td><td>-----</td><td>65.22</td><td>32.41</td><td>7.12</td><td>37.04</td><td>6.00</td><td>332</td><td>266</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	98.50	-----	-----	90.01	32.41	7.12	37.04	6.00	332	266	PEAK	2	2402.00	73.71	-----	-----	65.22	32.41	7.12	37.04	6.00	332	266	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2402.00	98.50	-----	-----	90.01	32.41	7.12	37.04	6.00	332	266	PEAK																																																									
2	2402.00	73.71	-----	-----	65.22	32.41	7.12	37.04	6.00	332	266	AVERAGE																																																									





Mode	7																																																																																																			
	Harmonic																																																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																			
ANT	BF 9+10																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>40.13</td><td>74.00</td><td>-33.87</td><td>61.01</td><td>34.40</td><td>10.20</td><td>65.48</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	40.13	74.00	-33.87	61.01	34.40	10.20	65.48	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>40.06</td><td>74.00</td><td>-33.94</td><td>60.94</td><td>34.40</td><td>10.20</td><td>65.48</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	40.06	74.00	-33.94	60.94	34.40	10.20	65.48	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	4804.00	40.13	74.00	-33.87	61.01	34.40	10.20	65.48	0.00	--	--	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	4804.00	40.06	74.00	-33.94	60.94	34.40	10.20	65.48	0.00	--	--	PEAK																																																																																								



Mode	8																																																																																																																																									
	Harmonic																																																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																																									
ANT	BF 9+10																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																			
Peak Avg																																																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4882.00</td><td>40.24</td><td>74.00</td><td>-33.76</td><td>61.15</td><td>34.32</td><td>10.30</td><td>65.53</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>42.90</td><td>74.00</td><td>-31.10</td><td>60.53</td><td>35.98</td><td>12.72</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4882.00	40.24	74.00	-33.76	61.15	34.32	10.30	65.53	0.00	--	--	PEAK	2	7323.00	42.90	74.00	-31.10	60.53	35.98	12.72	66.33	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4882.00</td><td>40.19</td><td>74.00</td><td>-33.81</td><td>61.10</td><td>34.32</td><td>10.30</td><td>65.53</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>43.36</td><td>74.00</td><td>-30.64</td><td>60.99</td><td>35.98</td><td>12.72</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4882.00	40.19	74.00	-33.81	61.10	34.32	10.30	65.53	0.00	--	--	PEAK	2	7323.00	43.36	74.00	-30.64	60.99	35.98	12.72	66.33	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	4882.00	40.24	74.00	-33.76	61.15	34.32	10.30	65.53	0.00	--	--	PEAK																																																																																																																														
2	7323.00	42.90	74.00	-31.10	60.53	35.98	12.72	66.33	0.00	--	--	PEAK																																																																																																																														
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	4882.00	40.19	74.00	-33.81	61.10	34.32	10.30	65.53	0.00	--	--	PEAK																																																																																																																														
2	7323.00	43.36	74.00	-30.64	60.99	35.98	12.72	66.33	0.00	--	--	PEAK																																																																																																																														





Mode	9																																																																																																																																																																																															
	Band Edge																																																																																																																																																																																															
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																																																																															
ANT	BF 9+10																																																																																																																																																																																															
Pol.	Horizontal												Fundamental																																																																																																																																																																																			
Peak																																																																																																																																																																																																
	<table><tr><th colspan="2"></th><th colspan="4">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>2499.00</td><td>50.73</td><td>74.00</td><td>-23.27</td><td>41.17</td><td>33.09</td><td>7.28</td><td>36.81</td><td>6.00</td><td>100</td><td>176</td><td>PEAK</td><td></td></tr><tr><td>2</td><td>2499.00</td><td>25.94</td><td>54.00</td><td>-28.06</td><td>16.38</td><td>33.09</td><td>7.28</td><td>36.81</td><td>6.00</td><td>100</td><td>176</td><td>AVERAGE</td><td></td></tr></table>																										Limit				Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg					1	2499.00	50.73	74.00	-23.27	41.17	33.09	7.28	36.81	6.00	100	176	PEAK		2	2499.00	25.94	54.00	-28.06	16.38	33.09	7.28	36.81	6.00	100	176	AVERAGE		<table><tr><th colspan="2"></th><th colspan="4">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>2480.00</td><td>98.58</td><td>-----</td><td>-----</td><td>89.23</td><td>32.96</td><td>7.25</td><td>36.86</td><td>6.00</td><td>100</td><td>176</td><td>PEAK</td><td></td></tr><tr><td>2</td><td>2480.00</td><td>73.79</td><td>-----</td><td>-----</td><td>64.44</td><td>32.96</td><td>7.25</td><td>36.86</td><td>6.00</td><td>100</td><td>176</td><td>AVERAGE</td><td></td></tr></table>																										Limit				Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg					1	2480.00	98.58	-----	-----	89.23	32.96	7.25	36.86	6.00	100	176	PEAK		2	2480.00	73.79	-----	-----	64.44	32.96	7.25	36.86	6.00	100	176	AVERAGE	
			Limit				Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																						
1	2499.00	50.73	74.00	-23.27	41.17	33.09	7.28	36.81	6.00	100	176	PEAK																																																																																																																																																																																				
2	2499.00	25.94	54.00	-28.06	16.38	33.09	7.28	36.81	6.00	100	176	AVERAGE																																																																																																																																																																																				
		Limit				Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																						
1	2480.00	98.58	-----	-----	89.23	32.96	7.25	36.86	6.00	100	176	PEAK																																																																																																																																																																																				
2	2480.00	73.79	-----	-----	64.44	32.96	7.25	36.86	6.00	100	176	AVERAGE																																																																																																																																																																																				





Mode	9																																																															
	Band Edge																																																															
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																															
ANT	BF 9+10																																																															
Pol.	Vertical						Fundamental																																																									
Peak																																																																
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2492.98</td><td>50.20</td><td>74.00</td><td>-23.80</td><td>40.71</td><td>33.05</td><td>7.27</td><td>36.83</td><td>6.00</td><td>319</td><td>232</td><td>PEAK</td></tr><tr><td>2</td><td>2492.98</td><td>25.41</td><td>54.00</td><td>-28.59</td><td>15.92</td><td>33.05</td><td>7.27</td><td>36.83</td><td>6.00</td><td>319</td><td>232</td><td>AVERAGE</td></tr></table>													Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2492.98	50.20	74.00	-23.80	40.71	33.05	7.27	36.83	6.00	319	232	PEAK	2	2492.98	25.41	54.00	-28.59	15.92	33.05	7.27	36.83	6.00	319	232	AVERAGE
		Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																					
1	2492.98	50.20	74.00	-23.80	40.71	33.05	7.27	36.83	6.00	319	232	PEAK																																																				
2	2492.98	25.41	54.00	-28.59	15.92	33.05	7.27	36.83	6.00	319	232	AVERAGE																																																				
<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2480.00</td><td>97.26</td><td>-----</td><td>-----</td><td>87.91</td><td>32.96</td><td>7.25</td><td>36.86</td><td>6.00</td><td>319</td><td>232</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>72.47</td><td>-----</td><td>-----</td><td>63.12</td><td>32.96</td><td>7.25</td><td>36.86</td><td>6.00</td><td>319</td><td>232</td><td>AVERAGE</td></tr></table>													Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2480.00	97.26	-----	-----	87.91	32.96	7.25	36.86	6.00	319	232	PEAK	2	2480.00	72.47	-----	-----	63.12	32.96	7.25	36.86	6.00	319	232	AVERAGE	
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																					
1	2480.00	97.26	-----	-----	87.91	32.96	7.25	36.86	6.00	319	232	PEAK																																																				
2	2480.00	72.47	-----	-----	63.12	32.96	7.25	36.86	6.00	319	232	AVERAGE																																																				





Mode	9																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																									
ANT	BF 9+10																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.10</td><td>74.00</td><td>-33.90</td><td>61.05</td><td>34.24</td><td>10.40</td><td>65.59</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.21</td><td>74.00</td><td>-31.79</td><td>60.12</td><td>35.94</td><td>12.78</td><td>66.63</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.10	74.00	-33.90	61.05	34.24	10.40	65.59	0.00	--	PEAK	2	7440.00	42.21	74.00	-31.79	60.12	35.94	12.78	66.63	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.68</td><td>74.00</td><td>-33.32</td><td>61.63</td><td>34.24</td><td>10.40</td><td>65.59</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.97</td><td>74.00</td><td>-31.03</td><td>60.88</td><td>35.94</td><td>12.78</td><td>66.63</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.68	74.00	-33.32	61.63	34.24	10.40	65.59	0.00	--	PEAK	2	7440.00	42.97	74.00	-31.03	60.88	35.94	12.78	66.63	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4960.00	40.10	74.00	-33.90	61.05	34.24	10.40	65.59	0.00	--	PEAK																																																																																																															
2	7440.00	42.21	74.00	-31.79	60.12	35.94	12.78	66.63	0.00	--	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4960.00	40.68	74.00	-33.32	61.63	34.24	10.40	65.59	0.00	--	PEAK																																																																																																															
2	7440.00	42.97	74.00	-31.03	60.88	35.94	12.78	66.63	0.00	--	PEAK																																																																																																															



Mode	6	
	18G-25G	
	2400-2483.5 Bluetooth BR_GFSK_CH78_2480MHz	
ANT	10	
Pol.	Horizontal	Vertical
Peak Avg		




Mode	6																																																																																																																																																																									
	30-1G																																																																																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																																																									
ANT	10																																																																																																																																																																									
Pol.	Horizontal					Vertical																																																																																																																																																																				
QP																																																																																																																																																																										
	<table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>207.51</td><td>32.92</td><td>-10.58</td><td>43.50</td><td>48.02</td><td>14.90</td><td>2.11</td><td>32.11</td><td>--- Peak</td></tr><tr><td>2</td><td>285.11</td><td>37.71</td><td>-8.29</td><td>46.00</td><td>48.57</td><td>18.00</td><td>2.47</td><td>32.13</td><td>--- Peak</td></tr><tr><td>3</td><td>453.89</td><td>31.00</td><td>-14.92</td><td>46.00</td><td>37.38</td><td>22.82</td><td>3.10</td><td>32.22</td><td>--- Peak</td></tr><tr><td>4</td><td>647.89</td><td>28.79</td><td>-17.21</td><td>46.00</td><td>31.10</td><td>26.18</td><td>3.71</td><td>32.20</td><td>--- Peak</td></tr><tr><td>5</td><td>738.10</td><td>28.76</td><td>-17.24</td><td>46.00</td><td>29.56</td><td>27.52</td><td>3.96</td><td>32.28</td><td>--- Peak</td></tr><tr><td>6</td><td>844.80</td><td>31.50</td><td>-14.50</td><td>46.00</td><td>30.81</td><td>28.85</td><td>4.23</td><td>32.39</td><td>--- Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	207.51	32.92	-10.58	43.50	48.02	14.90	2.11	32.11	--- Peak	2	285.11	37.71	-8.29	46.00	48.57	18.00	2.47	32.13	--- Peak	3	453.89	31.00	-14.92	46.00	37.38	22.82	3.10	32.22	--- Peak	4	647.89	28.79	-17.21	46.00	31.10	26.18	3.71	32.20	--- Peak	5	738.10	28.76	-17.24	46.00	29.56	27.52	3.96	32.28	--- Peak	6	844.80	31.50	-14.50	46.00	30.81	28.85	4.23	32.39	--- Peak	<table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>32.91</td><td>30.97</td><td>-9.03</td><td>40.00</td><td>39.19</td><td>23.44</td><td>0.54</td><td>32.20</td><td>--- Peak</td></tr><tr><td>2</td><td>185.20</td><td>27.36</td><td>-16.14</td><td>43.50</td><td>42.89</td><td>14.59</td><td>1.98</td><td>32.10</td><td>--- Peak</td></tr><tr><td>3</td><td>359.80</td><td>27.79</td><td>-18.21</td><td>46.00</td><td>36.70</td><td>20.54</td><td>2.77</td><td>32.22</td><td>--- Peak</td></tr><tr><td>4</td><td>485.90</td><td>31.24</td><td>-14.76</td><td>46.00</td><td>37.00</td><td>23.37</td><td>3.21</td><td>32.34</td><td>--- Peak</td></tr><tr><td>5</td><td>732.28</td><td>29.42</td><td>-16.58</td><td>46.00</td><td>30.37</td><td>27.36</td><td>3.95</td><td>32.26</td><td>--- Peak</td></tr><tr><td>6</td><td>860.32</td><td>31.04</td><td>-14.96</td><td>46.00</td><td>30.21</td><td>28.92</td><td>4.27</td><td>32.36</td><td>--- Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	32.91	30.97	-9.03	40.00	39.19	23.44	0.54	32.20	--- Peak	2	185.20	27.36	-16.14	43.50	42.89	14.59	1.98	32.10	--- Peak	3	359.80	27.79	-18.21	46.00	36.70	20.54	2.77	32.22	--- Peak	4	485.90	31.24	-14.76	46.00	37.00	23.37	3.21	32.34	--- Peak	5	732.28	29.42	-16.58	46.00	30.37	27.36	3.95	32.26	--- Peak	6	860.32	31.04	-14.96	46.00	30.21	28.92	4.27	32.36	--- Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																
	1	207.51	32.92	-10.58	43.50	48.02	14.90	2.11	32.11	--- Peak																																																																																																																																																																
	2	285.11	37.71	-8.29	46.00	48.57	18.00	2.47	32.13	--- Peak																																																																																																																																																																
	3	453.89	31.00	-14.92	46.00	37.38	22.82	3.10	32.22	--- Peak																																																																																																																																																																
	4	647.89	28.79	-17.21	46.00	31.10	26.18	3.71	32.20	--- Peak																																																																																																																																																																
	5	738.10	28.76	-17.24	46.00	29.56	27.52	3.96	32.28	--- Peak																																																																																																																																																																
	6	844.80	31.50	-14.50	46.00	30.81	28.85	4.23	32.39	--- Peak																																																																																																																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																	
1	32.91	30.97	-9.03	40.00	39.19	23.44	0.54	32.20	--- Peak																																																																																																																																																																	
2	185.20	27.36	-16.14	43.50	42.89	14.59	1.98	32.10	--- Peak																																																																																																																																																																	
3	359.80	27.79	-18.21	46.00	36.70	20.54	2.77	32.22	--- Peak																																																																																																																																																																	
4	485.90	31.24	-14.76	46.00	37.00	23.37	3.21	32.34	--- Peak																																																																																																																																																																	
5	732.28	29.42	-16.58	46.00	30.37	27.36	3.95	32.26	--- Peak																																																																																																																																																																	
6	860.32	31.04	-14.96	46.00	30.21	28.92	4.27	32.36	--- Peak																																																																																																																																																																	


Appendix D. Duty Cycle Plots

<For SISO Ant.9>:

DH5 on time (One Pulse) Plot on Channel 39



DH5 on time (Count Pulses) Plot on Channel 39




Note:


1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.

<For SISO Ant.10>:

DH5 on time (One Pulse) Plot on Channel 39



DH5 on time (Count Pulses) Plot on Channel 39




Note:


1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.

<For Beamforming Mode>:

DH5 on time (One Pulse) Plot on Channel 39



DH5 on time (Count Pulses) Plot on Channel 39



Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.