





11BE20MIMO_Ant9_2437




11BE20MIMO_Ant10_2437







11BE20MIMO_Ant9_2462




11BE20MIMO_Ant10_2462








11BE40MIMO_Ant9_2437




11BE40MIMO_Ant10_2437






11BE40MIMO_Ant9_2452



Date: 4.APR.2024 17:51:29

11BE40MIMO_Ant10_2452



Date: 4.APR.2024 17:57:26




Band edge measurements


Test Result

TestMode	Antenna	ChName	Freq(MHz)	RefLevel[dBm /100KHz]	Result[dBm /100KHz]	Limit[dBm /100KHz]	Verdict
11B-CDD	Ant9	Low	2412	10.35	-40.94	≤-9.65	PASS
	Ant10	Low	2412	9.96	-43.03	≤-10.04	PASS
	Ant9	High	2462	10.39	-45.08	≤-9.61	PASS
	Ant10	High	2462	10.28	-44.5	≤-9.72	PASS
11G-CDD	Ant9	Low	2412	6.82	-33.14	≤-13.18	PASS
	Ant10	Low	2412	6.07	-36.87	≤-13.93	PASS
	Ant9	High	2462	5.91	-39.94	≤-14.09	PASS
	Ant10	High	2462	6.21	-44.22	≤-13.79	PASS
11BE20MIMO	Ant9	Low	2412	4.38	-38.65	≤-15.62	PASS
	Ant10	Low	2412	5.69	-36.17	≤-14.31	PASS
	Ant9	High	2462	4.43	-39.58	≤-15.57	PASS
	Ant10	High	2462	4.52	-39.71	≤-15.48	PASS
11BE40MIMO	Ant9	Low	2422	2.83	-36.22	≤-17.17	PASS
	Ant10	Low	2422	3.41	-39.65	≤-16.59	PASS
	Ant9	High	2452	2.72	-36.14	≤-17.28	PASS
	Ant10	High	2452	3.46	-35.82	≤-16.54	PASS




Test Graphs









11G-CDD_Ant9_Low_2412




11G-CDD_Ant10_Low_2412








11BE20MIMO_Ant9_Low_2412




11BE20MIMO_Ant10_Low_2412






11BE20MIMO_Ant9_High_2462



Date: 4.APR.2024 17:43:42


11BE20MIMO_Ant10_High_2462




Date: 4.APR.2024 17:44:52



11BE40MIMO_Ant9_Low_2422




11BE40MIMO_Ant10_Low_2422






11BE40MIMO_Ant9_High_2452



Date: 4.APR.2024 17:51:41

11BE40MIMO_Ant10_High_2452



Date: 4.APR.2024 17:57:38



Conducted Spurious Emission

Test Result


TestMode	Antenna	Freq(MHz)	FreqRange [Mhz]	RefLevel [dBm/100KHz]	Result [dBm/100KHz]	Limit [dBm/100KHz]	Verdict
11B-CDD	Ant9	2412	30~1000	10.35	-54.33	≤ -9.65	PASS
			1000~26500	10.35	-48.14	≤ -9.65	PASS
	Ant10	2412	30~1000	9.96	-55.04	≤ -10.04	PASS
			1000~26500	9.96	-48.59	≤ -10.04	PASS
	Ant9	2437	30~1000	10.49	-55.22	≤ -9.51	PASS
			1000~26500	10.49	-48.51	≤ -9.51	PASS
	Ant10	2437	30~1000	10.50	-55.74	≤ -9.5	PASS
			1000~26500	10.50	-48.54	≤ -9.5	PASS
	Ant9	2462	30~1000	10.39	-55.87	≤ -9.61	PASS
			1000~26500	10.39	-48.45	≤ -9.61	PASS
	Ant10	2462	30~1000	10.28	-55	≤ -9.72	PASS
			1000~26500	10.28	-48.93	≤ -9.72	PASS
11G-CDD	Ant9	2412	30~1000	6.82	-55.98	≤ -13.18	PASS
			1000~26500	6.82	-48.49	≤ -13.18	PASS
	Ant10	2412	30~1000	6.07	-55.71	≤ -13.93	PASS
			1000~26500	6.07	-48.53	≤ -13.93	PASS
	Ant9	2437	30~1000	6.07	-55.99	≤ -13.93	PASS
			1000~26500	6.07	-48.98	≤ -13.93	PASS
	Ant10	2437	30~1000	6.81	-55.29	≤ -13.19	PASS
			1000~26500	6.81	-48.84	≤ -13.19	PASS
	Ant9	2462	30~1000	5.91	-55.35	≤ -14.09	PASS
			1000~26500	5.91	-48.01	≤ -14.09	PASS
	Ant10	2462	30~1000	6.21	-56.11	≤ -13.79	PASS
			1000~26500	6.21	-48.05	≤ -13.79	PASS
11BE20MIMO	Ant9	2412	30~1000	4.38	-55.93	≤ -15.62	PASS
			1000~26500	4.38	-48.82	≤ -15.62	PASS
	Ant10	2412	30~1000	5.69	-55.34	≤ -14.31	PASS
			1000~26500	5.69	-48.9	≤ -14.31	PASS
	Ant9	2437	30~1000	4.05	-55.47	≤ -15.95	PASS
			1000~26500	4.05	-48.91	≤ -15.95	PASS
	Ant10	2437	30~1000	5.76	-56.18	≤ -14.24	PASS
			1000~26500	5.76	-48.03	≤ -14.24	PASS
	Ant9	2462	30~1000	4.43	-55.76	≤ -15.57	PASS



	Ant10	2462	1000~26500	4.43	-48.43	≤ -15.57	PASS
			30~1000	4.52	-54.92	≤ -15.48	PASS
11BE40MIMO	Ant9	2422	1000~26500	4.52	-48.21	≤ -15.48	PASS
			30~1000	2.83	-55.26	≤ -17.17	PASS
	Ant10	2422	1000~26500	2.83	-48.57	≤ -17.17	PASS
			30~1000	2.83	-48.57	≤ -17.17	PASS
	Ant9	2437	30~1000	3.41	-54.91	≤ -16.59	PASS
			1000~26500	3.41	-48.82	≤ -16.59	PASS
	Ant10	2437	30~1000	3.41	-48.82	≤ -16.59	PASS
			1000~26500	3.41	-48.82	≤ -16.59	PASS
	Ant9	2452	30~1000	2.64	-55.72	≤ -17.36	PASS
			1000~26500	2.64	-48.64	≤ -17.36	PASS
	Ant10	2437	30~1000	2.64	-48.64	≤ -17.36	PASS
			1000~26500	2.64	-48.64	≤ -17.36	PASS




Test Graphs






11B-CDD_Ant10_2412_30~1000




11B-CDD_Ant10_2412_1000~26500






11B-CDD_Ant9_2437_30~1000



Date: 4.APR.2024 17:17:31


11B-CDD_Ant9_2437_1000~26500




Date: 4.APR.2024 17:17:47



11B-CDD_Ant10_2437_30~1000




11B-CDD_Ant10_2437_1000~26500






11B-CDD_Ant9_2462_30~1000




11B-CDD_Ant9_2462_1000~26500






11B-CDD_Ant10_2462_30~1000



Date: 4.APR.2024 17:22:33


11B-CDD_Ant10_2462_1000~26500




Date: 4.APR.2024 17:22:49



11G-CDD_Ant9_2412_30~1000




11G-CDD_Ant9_2412_1000~26500






11G-CDD_Ant10_2412_30~1000




11G-CDD_Ant10_2412_1000~26500







11G-CDD_Ant9_2437_30~1000




11G-CDD_Ant9_2437_1000~26500









11G-CDD_Ant9_2462_30~1000




11G-CDD_Ant9_2462_1000~26500








11BE20MIMO_Ant9_2412_30~1000



Date: 4.APR.2024 17:34:27


11BE20MIMO_Ant9_2412_1000~26500



Date: 4.APR.2024 17:34:42




11BE20MIMO_Ant10_2412_30~1000



Date: 4.APR.2024 17:35:40


11BE20MIMO_Ant10_2412_1000~26500




Date: 4.APR.2024 17:35:56



11BE20MIMO_Ant9_2437_30~1000




11BE20MIMO_Ant9_2437_1000~26500






11BE20MIMO_Ant10_2437_30~1000




11BE20MIMO_Ant10_2437_1000~26500






11BE20MIMO_Ant9_2462_30~1000




11BE20MIMO_Ant9_2462_1000~26500






11BE20MIMO_Ant10_2462_30~1000



Date: 4.APR.2024 17:45:07


11BE20MIMO_Ant10_2462_1000~26500



Date: 4.APR.2024 17:45:22




11BE40MIMO_Ant9_2422_30~1000



Date: 4.APR.2024 17:49:03


11BE40MIMO_Ant9_2422_1000~26500



Date: 4.APR.2024 17:49:19




11BE40MIMO_Ant10_2422_30~1000



Date: 4.APR.2024 17:53:15


11BE40MIMO_Ant10_2422_1000~26500



Date: 4.APR.2024 17:53:31




11BE40MIMO_Ant9_2437_30~1000



Date: 4.APR.2024 17:50:27


11BE40MIMO_Ant9_2437_1000~26500



Date: 4.APR.2024 17:50:43




11BE40MIMO_Ant10_2437_30~1000



Date: 4.APR.2024 17:55:53


11BE40MIMO_Ant10_2437_1000~26500




Date: 4.APR.2024 17:56:08



11BE40MIMO_Ant9_2452_30~1000




11BE40MIMO_Ant9_2452_1000~26500






11BE40MIMO_Ant10_2452_30~1000



Date: 4.APR.2024 17:57:46

11BE40MIMO_Ant10_2452_1000~26500



Date: 4.APR.2024 17:58:02



<For 11be Partial RU>


Maximum power spectral density

Test Result

TestMode	Antenna	Freq(MHz)	RuSize	RuIndex	Result [dBm/3kHz]	Limit [dBm/3kHz]	Verdict
11BE20MIMO	Ant9	2412	26Tone	RU0	-9.73	≤8.00	PASS
			52Tone	RU37	-10.3	≤8.00	PASS
			106Tone	RU53	-10.11	≤8.00	PASS
	Ant10	2412	26Tone	RU0	-10.56	≤8.00	PASS
			52Tone	RU37	-9.2	≤8.00	PASS
			106Tone	RU53	-10.58	≤8.00	PASS
	total	2412	26Tone	RU0	-7.11	≤8.00	PASS
			52Tone	RU37	-6.70	≤8.00	PASS
			106Tone	RU53	-7.33	≤8.00	PASS
	Ant9	2462	26Tone	RU8	-11.70	≤8.00	PASS
			52Tone	RU40	-11.56	≤8.00	PASS
			106Tone	RU54	-11.51	≤8.00	PASS
	Ant10	2462	26Tone	RU8	-11.56	≤8.00	PASS
			52Tone	RU40	-11.52	≤8.00	PASS
			106Tone	RU54	-11.49	≤8.00	PASS
	total	2462	26Tone	RU8	-8.62	≤8.00	PASS
			52Tone	RU40	-8.53	≤8.00	PASS
			106Tone	RU54	-8.49	≤8.00	PASS




Test Graphs






11BE20MIMO_Ant9_2412_106Tone_RU53



Date: 11.APR.2024 07:01:46


11BE20MIMO_Ant10_2412_26Tone_RU0



Date: 11.APR.2024 06:47:33




11BE20MIMO_Ant10_2412_52Tone_RU37



Date: 11.APR.2024 06:51:08


11BE20MIMO_Ant10_2412_106Tone_RU53




Date: 11.APR.2024 07:01:58



11BE20MIMO_Ant9_2462_26Tone_RU8




11BE20MIMO_Ant9_2462_52Tone_RU40






11BE20MIMO_Ant9_2462_106Tone_RU54



Date: 14.MAY.2024 00:38:38


11BE20MIMO_Ant10_2462_26Tone_RU8



Date: 14.MAY.2024 00:34:15




11BE20MIMO_Ant10_2462_52Tone_RU40



Date: 14.MAY.2024 00:37:23

11BE20MIMO_Ant10_2462_106Tone_RU54



Date: 14.MAY.2024 00:39:35

<For 11be Small RU>


Maximum power spectral density

Test Result

TestMode	Antenna	Freq(MHz)	RuSize	RuIndex	Result [dBm/3kHz]	Limit [dBm/3kHz]	Verdict
11BE20MIMO	Ant9	2412	52Tone+26Tone	RU37+RU2	-11.40	≤8.00	PASS
			106Tone+26Tone	RU53+RU4	-11.64	≤8.00	PASS
	Ant10	2412	52Tone+26Tone	RU37+RU2	-11.89	≤8.00	PASS
			106Tone+26Tone	RU53+RU4	-12.31	≤8.00	PASS
	total	2412	52Tone+26Tone	RU37+RU2	-8.63	≤8.00	PASS
			106Tone+26Tone	RU53+RU4	-8.95	≤8.00	PASS
	Ant9	2462	52Tone+26Tone	RU40+RU6	-12.88	≤8.00	PASS
			106Tone+26Tone	RU54+RU4	-12.95	≤8.00	PASS
	Ant10	2462	52Tone+26Tone	RU40+RU6	-12.75	≤8.00	PASS
			106Tone+26Tone	RU54+RU4	-12.93	≤8.00	PASS
	total	2462	52Tone+26Tone	RU40+RU6	-9.80	≤8.00	PASS
			106Tone+26Tone	RU54+RU4	-9.93	≤8.00	PASS




Test Graphs






11BE20MIMO_Ant10_2412_52Tone+26Tone_RU37+RU2




11BE20MIMO_Ant10_2412_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant9_2462_52Tone+26Tone_RU40+RU6



Date: 14.MAY.2024 00:42:39


11BE20MIMO_Ant9_2462_106Tone+26Tone_RU54+RU4



Date: 14.MAY.2024 00:43:41




11BE20MIMO_Ant10_2462_52Tone+26Tone_RU40+RU6



Date: 14.MAY.2024 00:42:54

11BE20MIMO_Ant10_2462_106Tone+26Tone_RU54+RU4




Date: 14.MAY.2024 00:44:05



Appendix B. AC Conducted Emission Test Results


Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-L 2023 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.150	44.67	-21.33	66.00	34.20	0.05	10.42	QP
2	0.150	31.77	-24.23	56.00	21.30	0.05	10.42	Average
3 *	0.193	42.94	-20.95	63.89	32.50	0.03	10.41	QP
4	0.193	31.04	-22.85	53.89	20.60	0.03	10.41	Average
5	0.229	39.92	-22.56	62.48	29.51	0.03	10.38	QP
6	0.229	26.02	-26.46	52.48	15.61	0.03	10.38	Average
7	0.322	34.95	-24.71	59.66	24.60	0.03	10.32	QP
8	0.322	21.85	-27.81	49.66	11.50	0.03	10.32	Average
9	0.611	28.92	-27.08	56.00	18.80	-0.05	10.17	QP
10	0.611	16.32	-29.68	46.00	6.20	-0.05	10.17	Average
11	21.830	31.28	-28.72	60.00	20.19	-0.33	11.42	QP
12	21.830	24.98	-25.02	50.00	13.89	-0.33	11.42	Average

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-N 2023 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.157	43.96	-21.64	65.60	33.50	0.04	10.42	QP
2 *	0.157	34.06	-21.54	55.60	23.60	0.04	10.42	Average
3	0.193	40.66	-23.23	63.89	30.20	0.05	10.41	QP
4	0.193	29.36	-24.53	53.89	18.90	0.05	10.41	Average
5	0.237	37.99	-24.23	62.22	27.60	0.01	10.38	QP
6	0.237	27.19	-25.03	52.22	16.80	0.01	10.38	Average
7	0.279	35.82	-25.03	60.85	25.49	-0.02	10.35	QP
8	0.279	21.62	-29.23	50.85	11.29	-0.02	10.35	Average
9	0.592	31.61	-24.39	56.00	21.50	-0.07	10.18	QP
10	0.592	18.41	-27.59	46.00	8.30	-0.07	10.18	Average
11	19.224	29.28	-30.72	60.00	18.21	-0.25	11.32	QP
12	19.224	22.38	-27.62	50.00	11.31	-0.25	11.32	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)

Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Carl Ni	Relative Humidity :	22 ~ 23°C
		Temperature :	41 ~ 42%





Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Ch.	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	CDD 9+10	802.11b	01	2412	1Mbps	-	-
Mode 2	2400-2483.5	CDD 9+10	802.11b	06	2437	1Mbps	-	-
Mode 3	2400-2483.5	CDD 9+10	802.11b	11	2462	1Mbps	-	-
Mode 4	2400-2483.5	CDD 9+10	802.11g	01	2412	6Mbps	-	-
Mode 5	2400-2483.5	CDD 9+10	802.11g	06	2437	6Mbps	-	-
Mode 6	2400-2483.5	CDD 9+10	802.11g	11	2462	6Mbps	-	-
Mode 7	2400-2483.5	CDD 9+10	802.11be EHT20	01	2412	MCS0	Full RU	-
Mode 8	2400-2483.5	CDD 9+10	802.11be EHT20	06	2437	MCS0	Full RU	-
Mode 9	2400-2483.5	CDD 9+10	802.11be EHT20	11	2462	MCS0	Full RU	-
Mode 10	2400-2483.5	CDD 9+10	802.11be EHT40	03	2422	MCS0	Full RU	-
Mode 11	2400-2483.5	CDD 9+10	802.11be EHT40	06	2437	MCS0	Full RU	-
Mode 12	2400-2483.5	CDD 9+10	802.11be EHT40	09	2452	MCS0	Full RU	-
Mode 13	2400-2483.5	CDD 9+10	802.11be EHT20	01	2412	MCS0	Single RU 52/37	-
Mode 14	2400-2483.5	CDD 9+10	802.11be EHT20	11	2462	MCS0	Single RU 106/54	-
Mode 15	2400-2483.5	CDD 9+10	802.11be EHT20	01	2412	MCS0	Small RU 37+2	-
Mode 16	2400-2483.5	CDD 9+10	802.11be EHT20	11	2462	MCS0	Small RU 54+4	-





Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11b	01	2389.95	44.10	54.00	-9.90	H	AVERAGE	Pass	Band Edge
1	802.11b	01	4824.00	39.84	74.00	-34.16	V	PEAK	Pass	Harmonic
2	802.11b	06	-	-	-	-	-	-	-	Band Edge
2	802.11b	06	7311.00	43.01	74.00	-30.99	V	PEAK	Pass	Harmonic
3	802.11b	11	2486.50	44.30	54.00	-9.70	H	AVERAGE	Pass	Band Edge
3	802.11b	11	7386.00	43.40	74.00	-30.60	H	PEAK	Pass	Harmonic
4	802.11g	01	2389.95	49.31	54.00	-4.69	H	AVERAGE	Pass	Band Edge
4	802.11g	01	4824.00	38.93	74.00	-35.07	H	PEAK	Pass	Harmonic
5	802.11g	06	-	-	-	-	-	-	-	Band Edge
5	802.11g	06	7311.00	43.52	74.00	-30.48	H	PEAK	Pass	Harmonic
6	802.11g	11	2484.04	48.89	54.00	-5.11	H	AVERAGE	Pass	Band Edge
6	802.11g	11	7386.00	44.25	74.00	-29.75	V	PEAK	Pass	Harmonic
7	802.11be EHT20	01	2389.95	49.24	54.00	-4.76	V	AVERAGE	Pass	Band Edge
7	802.11be EHT20	01	4824.00	39.16	74.00	-34.84	H	PEAK	Pass	Harmonic
8	802.11be EHT20	06	-	-	-	-	-	-	-	Band Edge
8	802.11be EHT20	06	7311.00	42.58	74.00	-31.42	V	PEAK	Pass	Harmonic
9	802.11be EHT20	11	2483.50	50.67	54.00	-3.33	V	AVERAGE	Pass	Band Edge
9	802.11be EHT20	11	7386.00	44.78	74.00	-29.22	V	PEAK	Pass	Harmonic
10	802.11be EHT40	03	2389.95	49.16	54.00	-4.84	H	AVERAGE	Pass	Band Edge
10	802.11be EHT40	03	7266.00	43.39	74.00	-30.61	V	PEAK	Pass	Harmonic
11	802.11be EHT40	06	2484.40	48.52	54.00	-5.48	H	AVERAGE	Pass	Band Edge
11	802.11be EHT40	06	7311.00	43.07	74.00	-30.93	V	PEAK	Pass	Harmonic
12	802.11be EHT40	09	2483.50	50.02	54.00	-3.98	H	AVERAGE	Pass	Band Edge
12	802.11be EHT40	09	7356.00	43.37	74.00	-30.63	H	PEAK	Pass	Harmonic
13	802.11be EHT20	01	2389.56	44.75	54.00	-9.25	V	AVERAGE	Pass	Band Edge
13	802.11be EHT20	01	-	-	-	-	-	-	-	Harmonic
14	802.11be EHT20	11	2499.22	44.70	54.00	-9.30	H	AVERAGE	Pass	Band Edge
14	802.11be EHT20	11	-	-	-	-	-	-	-	Harmonic
15	802.11be EHT20	01	2388.65	44.45	54.00	-9.55	H	AVERAGE	Pass	Band Edge
15	802.11be EHT20	01	-	-	-	-	-	-	-	Harmonic
16	802.11be EHT20	11	2483.68	44.56	54.00	-9.44	H	AVERAGE	Pass	Band Edge
16	802.11be EHT20	11	-	-	-	-	-	-	-	Harmonic





Mode	1																																																																																																
	Band Edge																																																																																																
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																
ANT	CDD 9+10																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2326.90</td><td>55.24</td><td>74.00</td><td>-18.76</td><td>39.50</td><td>32.12</td><td>8.56</td><td>30.94</td><td>6.00</td><td>140</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2326.90	55.24	74.00	-18.76	39.50	32.12	8.56	30.94	6.00	140	0 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>108.88</td><td>-----</td><td>-----</td><td>92.60</td><td>32.40</td><td>8.82</td><td>30.94</td><td>6.00</td><td>140</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	108.88	-----	-----	92.60	32.40	8.82	30.94	6.00	140
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2326.90	55.24	74.00	-18.76	39.50	32.12	8.56	30.94	6.00	140	0 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2412.00	108.88	-----	-----	92.60	32.40	8.82	30.94	6.00	140	0 PEAK																																																																																						
Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>44.10</td><td>54.00</td><td>-9.90</td><td>27.87</td><td>32.38</td><td>8.78</td><td>30.93</td><td>6.00</td><td>140</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	44.10	54.00	-9.90	27.87	32.38	8.78	30.93	6.00	140	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>103.86</td><td>-----</td><td>-----</td><td>87.58</td><td>32.40</td><td>8.82</td><td>30.94</td><td>6.00</td><td>140</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	103.86	-----	-----	87.58	32.40	8.82	30.94	6.00	140
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2389.95	44.10	54.00	-9.90	27.87	32.38	8.78	30.93	6.00	140	0 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2412.00	103.86	-----	-----	87.58	32.40	8.82	30.94	6.00	140	0 AVERAGE																																																																																						



Mode	1																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																														
ANT	CDD 9+10																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.74</td><td>55.59</td><td>74.00</td><td>-18.41</td><td>39.37</td><td>32.38</td><td>8.77</td><td>30.93</td><td>6.00</td><td>374</td><td>242</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.74	55.59	74.00	-18.41	39.37	32.38	8.77	30.93	6.00	374	242	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>106.36</td><td>-----</td><td>-----</td><td>90.08</td><td>32.40</td><td>8.82</td><td>30.94</td><td>6.00</td><td>374</td><td>242</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	106.36	-----	-----	90.08	32.40	8.82	30.94	6.00	374	242
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2387.74	55.59	74.00	-18.41	39.37	32.38	8.77	30.93	6.00	374	242	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	106.36	-----	-----	90.08	32.40	8.82	30.94	6.00	374	242	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>43.88</td><td>54.00</td><td>-10.12</td><td>27.65</td><td>32.38</td><td>8.78</td><td>30.93</td><td>6.00</td><td>374</td><td>242</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	43.88	54.00	-10.12	27.65	32.38	8.78	30.93	6.00	374	242	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>101.41</td><td>-----</td><td>-----</td><td>85.13</td><td>32.40</td><td>8.82</td><td>30.94</td><td>6.00</td><td>374</td><td>242</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	101.41	-----	-----	85.13	32.40	8.82	30.94	6.00	374	242
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.95	43.88	54.00	-10.12	27.65	32.38	8.78	30.93	6.00	374	242	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	101.41	-----	-----	85.13	32.40	8.82	30.94	6.00	374	242	AVERAGE																																																																																																			







Mode	1																																																																																																	
	Harmonic																																																																																																	
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																	
ANT	CDD 9+10																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>38.73</td><td>74.00</td><td>-35.27</td><td>57.75</td><td>34.25</td><td>12.38</td><td>65.65</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	38.73	74.00	-35.27	57.75	34.25	12.38	65.65	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>39.84</td><td>74.00</td><td>-34.16</td><td>58.86</td><td>34.25</td><td>12.38</td><td>65.65</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	39.84	74.00	-34.16	58.86	34.25	12.38	65.65	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	4824.00	38.73	74.00	-35.27	57.75	34.25	12.38	65.65	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	4824.00	39.84	74.00	-34.16	58.86	34.25	12.38	65.65	0.00	--	PEAK																																																																																							







Mode	2																																																																																																																																											
	Harmonic																																																																																																																																											
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																																																											
ANT	CDD 9+10																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>41.57</td><td>74.00</td><td>-32.43</td><td>60.84</td><td>34.20</td><td>12.09</td><td>65.56</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>42.27</td><td>74.00</td><td>-31.73</td><td>56.35</td><td>35.00</td><td>14.95</td><td>64.83</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4874.00	41.57	74.00	-32.43	60.84	34.20	12.09	65.56	0.00	--	--	PEAK	2	7311.00	42.27	74.00	-31.73	56.35	35.00	14.95	64.83	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>41.39</td><td>74.00</td><td>-32.61</td><td>60.66</td><td>34.20</td><td>12.09</td><td>65.56</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>43.01</td><td>74.00</td><td>-30.99</td><td>57.09</td><td>35.80</td><td>14.95</td><td>64.83</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4874.00	41.39	74.00	-32.61	60.66	34.20	12.09	65.56	0.00	--	--	PEAK	2	7311.00	43.01	74.00	-30.99	57.09	35.80	14.95	64.83	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	4874.00	41.57	74.00	-32.43	60.84	34.20	12.09	65.56	0.00	--	--	PEAK																																																																																																																																
2	7311.00	42.27	74.00	-31.73	56.35	35.00	14.95	64.83	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	4874.00	41.39	74.00	-32.61	60.66	34.20	12.09	65.56	0.00	--	--	PEAK																																																																																																																																
2	7311.00	43.01	74.00	-30.99	57.09	35.80	14.95	64.83	0.00	--	--	PEAK																																																																																																																																





Mode	3																																																					
	Band Edge																																																					
	2400-2483.5_802.11b_CH11_2462MHz																																																					
ANT	CDD 9+10																																																					
Pol.	Horizontal						Fundamental																																															
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.44</td><td>55.87</td><td>74.00</td><td>-18.13</td><td>39.56</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>188</td><td>91 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.44	55.87	74.00	-18.13	39.56	32.40	8.88	30.97	6.00	188	91 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2486.44	55.87	74.00	-18.13	39.56	32.40	8.88	30.97	6.00	188	91 PEAK																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.50</td><td>44.30</td><td>54.00</td><td>-9.70</td><td>27.99</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>188</td><td>91 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.50	44.30	54.00	-9.70	27.99	32.40	8.88	30.97	6.00	188	91 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2486.50	44.30	54.00	-9.70	27.99	32.40	8.88	30.97	6.00	188	91 AVERAGE																																											
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>110.36</td><td>-----</td><td>-----</td><td>94.03</td><td>32.40</td><td>8.89</td><td>30.96</td><td>6.00</td><td>188</td><td>91 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	110.36	-----	-----	94.03	32.40	8.89	30.96	6.00	188	91 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2462.00	110.36	-----	-----	94.03	32.40	8.89	30.96	6.00	188	91 PEAK																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>105.21</td><td>-----</td><td>-----</td><td>88.88</td><td>32.40</td><td>8.89</td><td>30.96</td><td>6.00</td><td>188</td><td>91 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	105.21	-----	-----	88.88	32.40	8.89	30.96	6.00	188	91 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2462.00	105.21	-----	-----	88.88	32.40	8.89	30.96	6.00	188	91 AVERAGE																																											







Mode	3																																																				
	Band Edge																																																				
	2400-2483.5_802.11b_CH11_2462MHz																																																				
ANT	CDD 9+10																																																				
Pol.	Vertical						Fundamental																																														
Peak																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2498.20</td><td>56.47</td><td>74.00</td><td>-17.53</td><td>40.17</td><td>32.40</td><td>8.87</td><td>30.97</td><td>6.00</td><td>364</td><td>319 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2498.20	56.47	74.00	-17.53	40.17	32.40	8.87	30.97	6.00	364
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	2498.20	56.47	74.00	-17.53	40.17	32.40	8.87	30.97	6.00	364	319 PEAK																																										
Fundamental																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>106.93</td><td>-----</td><td>-----</td><td>90.60</td><td>32.40</td><td>8.89</td><td>30.96</td><td>6.00</td><td>364</td><td>319 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	106.93	-----	-----	90.60	32.40	8.89	30.96	6.00	364
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	2462.00	106.93	-----	-----	90.60	32.40	8.89	30.96	6.00	364	319 PEAK																																										
Avg																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.68</td><td>43.13</td><td>54.00</td><td>-10.87</td><td>26.82</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>364</td><td>319 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.68	43.13	54.00	-10.87	26.82	32.40	8.88	30.97	6.00	364
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	2486.68	43.13	54.00	-10.87	26.82	32.40	8.88	30.97	6.00	364	319 AVERAGE																																										
Fundamental																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>102.01</td><td>-----</td><td>-----</td><td>85.68</td><td>32.40</td><td>8.89</td><td>30.96</td><td>6.00</td><td>364</td><td>319 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	102.01	-----	-----	85.68	32.40	8.89	30.96	6.00	364
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	2462.00	102.01	-----	-----	85.68	32.40	8.89	30.96	6.00	364	319 AVERAGE																																										



Mode	3																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																																									
ANT	CDD 9+10																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>41.21</td><td>74.00</td><td>-32.79</td><td>60.42</td><td>34.25</td><td>12.00</td><td>65.46</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>43.40</td><td>74.00</td><td>-30.60</td><td>57.77</td><td>35.00</td><td>14.87</td><td>65.04</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	41.21	74.00	-32.79	60.42	34.25	12.00	65.46	0.00	--	PEAK	2	7386.00	43.40	74.00	-30.60	57.77	35.00	14.87	65.04	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>41.22</td><td>74.00</td><td>-32.78</td><td>60.43</td><td>34.25</td><td>12.00</td><td>65.46</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>42.87</td><td>74.00</td><td>-31.13</td><td>57.24</td><td>35.80</td><td>14.87</td><td>65.04</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	41.22	74.00	-32.78	60.43	34.25	12.00	65.46	0.00	--	PEAK	2	7386.00	42.87	74.00	-31.13	57.24	35.80	14.87	65.04	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4924.00	41.21	74.00	-32.79	60.42	34.25	12.00	65.46	0.00	--	PEAK																																																																																																															
2	7386.00	43.40	74.00	-30.60	57.77	35.00	14.87	65.04	0.00	--	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4924.00	41.22	74.00	-32.78	60.43	34.25	12.00	65.46	0.00	--	PEAK																																																																																																															
2	7386.00	42.87	74.00	-31.13	57.24	35.80	14.87	65.04	0.00	--	PEAK																																																																																																															



		4																																																																																																																
Mode		Band Edge																																																																																																																
		2400-2483.5_802.11g_CH01_2412MHz																																																																																																																
ANT		CDD 9+10																																																																																																																
Pol.	Horizontal											Fundamental																																																																																																						
Peak																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.56</td><td>63.78</td><td>74.00</td><td>-10.22</td><td>47.56</td><td>32.38</td><td>8.77</td><td>30.93</td><td>6.00</td><td>100</td><td>105</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.56	63.78	74.00	-10.22	47.56	32.38	8.77	30.93	6.00	100	105	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>108.92</td><td>-----</td><td>-----</td><td>92.63</td><td>32.40</td><td>8.83</td><td>30.94</td><td>6.00</td><td>100</td><td>105</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	108.92	-----	-----	92.63	32.40	8.83	30.94	6.00	100	105	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	2389.56	63.78	74.00	-10.22	47.56	32.38	8.77	30.93	6.00	100	105	PEAK																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	2412.00	108.92	-----	-----	92.63	32.40	8.83	30.94	6.00	100	105	PEAK																																																																																																						
Avg																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>49.31</td><td>54.00</td><td>-4.69</td><td>33.08</td><td>32.38</td><td>8.78</td><td>30.93</td><td>6.00</td><td>100</td><td>105</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	49.31	54.00	-4.69	33.08	32.38	8.78	30.93	6.00	100	105	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>99.75</td><td>-----</td><td>-----</td><td>83.46</td><td>32.40</td><td>8.83</td><td>30.94</td><td>6.00</td><td>100</td><td>105</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	99.75	-----	-----	83.46	32.40	8.83	30.94	6.00	100	105	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	2389.95	49.31	54.00	-4.69	33.08	32.38	8.78	30.93	6.00	100	105	AVERAGE																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	2412.00	99.75	-----	-----	83.46	32.40	8.83	30.94	6.00	100	105	AVERAGE																																																																																																						