

NR:

NR N2 ANT4-Low channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3704.0	-66.2	-13	-53.2	-71.06	3.58	8.44	Horizontal	Pass
5556.0	-61.65	-13	-48.65	-67.36	4.74	10.45	Horizontal	Pass
7408.0	-61.32	-13	-48.32	-68.01	4.94	11.63	Horizontal	Pass
3704.0	-66.29	-13	-53.29	-71.15	3.58	8.44	Vertical	Pass
5556.0	-61.71	-13	-48.71	-67.42	4.74	10.45	Vertical	Pass
7408.0	-61.08	-13	-48.08	-67.77	4.94	11.63	Vertical	Pass

NR N2 ANT4-Middle channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3724.0	-66.25	-13	-53.25	-71.12	3.6	8.47	Horizontal	Pass
5586.0	-61.46	-13	-48.46	-67.17	4.74	10.45	Horizontal	Pass
7448.0	-61.11	-13	-48.11	-67.85	4.94	11.68	Horizontal	Pass
3724.0	-66.65	-13	-53.65	-71.52	3.6	8.47	Vertical	Pass
5586.0	-61.97	-13	-48.97	-67.68	4.74	10.45	Vertical	Pass
7448.0	-60.96	-13	-47.96	-67.7	4.94	11.68	Vertical	Pass

NR N2 ANT4-High channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3744.0	-66.37	-13	-53.37	-71.26	3.61	8.5	Horizontal	Pass
5616.0	-61.59	-13	-48.59	-67.3	4.74	10.45	Horizontal	Pass
7488.0	-60.26	-13	-47.26	-67.05	4.94	11.73	Horizontal	Pass
3744.0	-66.38	-13	-53.38	-71.27	3.61	8.5	Vertical	Pass
5616.0	-61.8	-13	-48.8	-67.51	4.74	10.45	Vertical	Pass
7488.0	-60.14	-13	-47.14	-66.93	4.94	11.73	Vertical	Pass

NR N7 ANT6-Low channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5002.0	-61.87	-25	-36.87	-67.44	4.57	10.14	Horizontal	Pass
7503.0	-60.59	-25	-35.59	-67.39	4.94	11.74	Horizontal	Pass
10004.0	-58.24	-25	-33.24	-65.81	5.46	13.03	Horizontal	Pass
5002.0	-62.0	-25	-37.0	-67.57	4.57	10.14	Vertical	Pass
7503.0	-60.65	-25	-35.65	-67.45	4.94	11.74	Vertical	Pass
10004.0	-58.6	-25	-33.6	-66.17	5.46	13.03	Vertical	Pass

NR N7 ANT6-Middle channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5052.0	-62.04	-25	-37.04	-67.62	4.59	10.17	Horizontal	Pass
7578.0	-59.8	-25	-34.8	-66.68	4.95	11.83	Horizontal	Pass
10104.0	-57.81	-25	-32.81	-65.38	5.48	13.05	Horizontal	Pass
5052.0	-62.19	-25	-37.19	-67.77	4.59	10.17	Vertical	Pass
7578.0	-58.93	-25	-33.93	-65.81	4.95	11.83	Vertical	Pass
10104.0	-57.79	-25	-32.79	-65.36	5.48	13.05	Vertical	Pass

NR N7 ANT6-High channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5102.0	-62.39	-25	-37.39	-67.99	4.6	10.2	Horizontal	Pass
7653.0	-59.61	-25	-34.61	-66.58	4.95	11.92	Horizontal	Pass
10204.0	-58.07	-25	-33.07	-65.65	5.49	13.07	Horizontal	Pass
5102.0	-62.63	-25	-37.63	-68.23	4.6	10.2	Vertical	Pass
7653.0	-59.98	-25	-34.98	-66.95	4.95	11.92	Vertical	Pass
10204.0	-57.8	-25	-32.8	-65.38	5.49	13.07	Vertical	Pass

NR N38 ANT6-Low channel, Modulation: QPSK, Bandwidth:40MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5144.0	-62.34	-25	-37.34	-67.95	4.62	10.23	Horizontal	Pass
7716.0	-59.44	-25	-34.44	-66.47	4.96	11.99	Horizontal	Pass
10288.0	-57.89	-25	-32.89	-65.46	5.51	13.08	Horizontal	Pass
5144.0	-62.64	-25	-37.64	-68.25	4.62	10.23	Vertical	Pass
7716.0	-59.74	-25	-34.74	-66.77	4.96	11.99	Vertical	Pass
10288.0	-58.17	-25	-33.17	-65.74	5.51	13.08	Vertical	Pass

NR N38 ANT6-Middle channel, Modulation: QPSK, Bandwidth:40MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5154.0	-62.21	-25	-37.21	-67.83	4.62	10.24	Horizontal	Pass
7731.0	-59.72	-25	-34.72	-66.77	4.96	12.01	Horizontal	Pass
10344.0	-57.55	-25	-32.55	-65.12	5.52	13.09	Horizontal	Pass
5154.0	-62.4	-25	-37.4	-68.02	4.62	10.24	Vertical	Pass
7731.0	-59.44	-25	-34.44	-66.49	4.96	12.01	Vertical	Pass
10344.0	-57.87	-25	-32.87	-65.44	5.52	13.09	Vertical	Pass

NR N38 ANT6-High channel, Modulation: QPSK, Bandwidth:40MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5164.0	-62.5	-25	-37.5	-68.12	4.62	10.24	Horizontal	Pass
7746.0	-59.16	-25	-34.16	-66.23	4.96	12.03	Horizontal	Pass
10328.0	-58.21	-25	-33.21	-65.79	5.51	13.09	Horizontal	Pass
5164.0	-62.03	-25	-37.03	-67.65	4.62	10.24	Vertical	Pass
7746.0	-59.55	-25	-34.55	-66.62	4.96	12.03	Vertical	Pass
10328.0	-58.33	-25	-33.33	-65.91	5.51	13.09	Vertical	Pass

NR N41 ANT6-Low channel, Modulation: QPSK, Bandwidth:100MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
4994.04	-61.84	-25	-36.84	-67.4	4.57	10.13	Horizontal	Pass
7491.06	-60.58	-25	-35.58	-67.37	4.94	11.73	Horizontal	Pass
9988.08	-57.94	-25	-32.94	-65.52	5.46	13.04	Horizontal	Pass
4994.04	-61.95	-25	-36.95	-67.51	4.57	10.13	Vertical	Pass
7491.06	-59.95	-25	-34.95	-66.74	4.94	11.73	Vertical	Pass
9988.08	-57.74	-25	-32.74	-65.32	5.46	13.04	Vertical	Pass

NR N41 ANT6-Middle channel, Modulation: QPSK, Bandwidth:100MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5167.98	-62.41	-25	-37.41	-68.03	4.62	10.24	Horizontal	Pass
7751.97	-59.4	-25	-34.4	-66.48	4.96	12.04	Horizontal	Pass
10335.96	-58.17	-25	-33.17	-65.75	5.51	13.09	Horizontal	Pass
5167.98	-62.49	-25	-37.49	-68.11	4.62	10.24	Vertical	Pass
7751.97	-59.54	-25	-34.54	-66.62	4.96	12.04	Vertical	Pass
10335.96	-58.17	-25	-33.17	-65.75	5.51	13.09	Vertical	Pass

NR N41 ANT6-High channel, Modulation: QPSK, Bandwidth:100MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5341.98	-62.06	-25	-37.06	-67.73	4.68	10.35	Horizontal	Pass
8012.97	-59.07	-25	-34.07	-66.44	4.98	12.35	Horizontal	Pass
10683.96	-57.88	-25	-32.88	-65.43	5.63	13.18	Horizontal	Pass
5341.98	-62.35	-25	-37.35	-68.02	4.68	10.35	Vertical	Pass
8012.97	-59.71	-25	-34.71	-67.08	4.98	12.35	Vertical	Pass
10683.96	-58.0	-25	-33.0	-65.55	5.63	13.18	Vertical	Pass

NR N66 ANT6-Low channel, Modulation: QPSK, Bandwidth:40MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3424.0	-66.05	-13	-53.05	-70.67	3.36	7.98	Horizontal	Pass
5136.0	-62.16	-13	-49.16	-67.77	4.61	10.22	Horizontal	Pass
6848.0	-61.33	-13	-48.33	-67.37	4.9	10.94	Horizontal	Pass
3424.0	-65.46	-13	-52.46	-70.08	3.36	7.98	Vertical	Pass
5136.0	-62.1	-13	-49.1	-67.71	4.61	10.22	Vertical	Pass
6848.0	-61.03	-13	-48.03	-67.07	4.9	10.94	Vertical	Pass

NR N66 ANT6-Middle channel, Modulation: QPSK, Bandwidth:40MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3454.0	-66.15	-13	-53.15	-70.83	3.38	8.06	Horizontal	Pass
5181.0	-62.25	-13	-49.25	-67.87	4.63	10.25	Horizontal	Pass
6908.0	-61.57	-13	-48.57	-67.67	4.91	11.01	Horizontal	Pass
3454.0	-66.13	-13	-53.13	-70.81	3.38	8.06	Vertical	Pass
5181.0	-62.35	-13	-49.35	-67.97	4.63	10.25	Vertical	Pass
6908.0	-61.55	-13	-48.55	-67.65	4.91	11.01	Vertical	Pass

NR N66 ANT6-High channel, Modulation: QPSK, Bandwidth:40MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3484.0	-66.6	-13	-53.6	-71.34	3.39	8.13	Horizontal	Pass
5226.0	-62.27	-13	-49.27	-67.91	4.64	10.28	Horizontal	Pass
6968.0	-60.92	-13	-47.92	-67.1	4.91	11.09	Horizontal	Pass
3484.0	-66.71	-13	-53.71	-71.45	3.39	8.13	Vertical	Pass
5226.0	-62.45	-13	-49.45	-68.09	4.64	10.28	Vertical	Pass
6968.0	-61.47	-13	-48.47	-67.65	4.91	11.09	Vertical	Pass

NR N48 ANT9-Low channel, Modulation: QPSK, Bandwidth:40MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
7104.0	-59.49	-40	-19.49	-65.83	4.92	11.26	Horizontal	Pass
10656.0	-57.22	-40	-17.22	-64.78	5.61	13.17	Horizontal	Pass
14208.0	-53.55	-40	-13.55	-61.55	6.46	14.46	Horizontal	Pass
7104.0	-59.98	-40	-19.98	-66.32	4.92	11.26	Vertical	Pass
10656.0	-57.33	-40	-17.33	-64.89	5.61	13.17	Vertical	Pass
14208.0	-53.5	-40	-13.5	-61.5	6.46	14.46	Vertical	Pass

NR N48 ANT9-Middle channel, Modulation: QPSK, Bandwidth:40MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
7213.98	-59.57	-40	-19.57	-66.03	4.93	11.39	Horizontal	Pass
10820.97	-57.05	-40	-17.05	-64.58	5.69	13.22	Horizontal	Pass
14427.96	-53.17	-40	-13.17	-61.01	6.59	14.43	Horizontal	Pass
7213.98	-59.55	-40	-19.55	-66.01	4.93	11.39	Vertical	Pass
10820.97	-57.33	-40	-17.33	-64.86	5.69	13.22	Vertical	Pass
14427.96	-53.68	-40	-13.68	-61.52	6.59	14.43	Vertical	Pass

NR N48 ANT9-High channel, Modulation: QPSK, Bandwidth:40MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
7323.96	-60.23	-40	-20.23	-66.83	4.93	11.53	Horizontal	Pass
10985.94	-56.56	-40	-16.56	-64.06	5.77	13.27	Horizontal	Pass
14647.92	-54.18	-40	-14.18	-61.87	6.76	14.45	Horizontal	Pass
7323.96	-60.0	-40	-20.0	-66.6	4.93	11.53	Vertical	Pass
10985.94	-57.19	-40	-17.19	-64.69	5.77	13.27	Vertical	Pass
14647.92	-54.65	-40	-14.65	-62.34	6.76	14.45	Vertical	Pass

NR N77a(3450-3550MHz)-FCC ANT9-Middle channel, Modulation: QPSK, Bandwidth:100MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
6910.0	-60.85	-13	-47.85	-66.95	4.91	11.01	Horizontal	Pass
10365.0	-57.48	-13	-44.48	-65.06	5.52	13.1	Horizontal	Pass
13820.0	-54.06	-13	-41.06	-62.23	6.21	14.38	Horizontal	Pass
6910.0	-60.42	-13	-47.42	-66.52	4.91	11.01	Vertical	Pass
10365.0	-57.49	-13	-44.49	-65.07	5.52	13.1	Vertical	Pass
13820.0	-54.38	-13	-41.38	-62.55	6.21	14.38	Vertical	Pass

NR N77b(3700-3980MHz)-FCC ANT9-Low channel, Modulation: QPSK, Bandwidth:100MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
7410.0	-61.05	-13	-48.05	-67.74	4.94	11.63	Horizontal	Pass
11115.0	-57.8	-13	-44.8	-65.25	5.81	13.26	Horizontal	Pass
14820.0	-54.28	-13	-41.28	-61.84	6.92	14.48	Horizontal	Pass
7410.0	-61.03	-13	-48.03	-67.72	4.94	11.63	Vertical	Pass
11115.0	-57.75	-13	-44.75	-65.2	5.81	13.26	Vertical	Pass
14820.0	-53.58	-13	-40.58	-61.14	6.92	14.48	Vertical	Pass

NR N77b(3700-3980MHz)-FCC ANT9-Middle channel, Modulation: QPSK, Bandwidth:100MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
7590.0	-60.13	-13	-47.13	-67.03	4.95	11.85	Horizontal	Pass
11385.0	-58.14	-13	-45.14	-65.53	5.86	13.25	Horizontal	Pass
15180.0	-54.38	-13	-41.38	-61.71	7.09	14.42	Horizontal	Pass
7590.0	-60.33	-13	-47.33	-67.23	4.95	11.85	Vertical	Pass
11385.0	-57.86	-13	-44.86	-65.25	5.86	13.25	Vertical	Pass
15180.0	-54.86	-13	-41.86	-62.19	7.09	14.42	Vertical	Pass

NR N77b(3700-3980MHz)-FCC ANT9-High channel, Modulation: QPSK, Bandwidth:100MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
7770.0	-58.88	-13	-45.88	-65.98	4.96	12.06	Horizontal	Pass
11655.0	-56.6	-13	-43.6	-63.95	5.9	13.25	Horizontal	Pass
15540.0	-52.84	-13	-39.84	-59.94	7.12	14.22	Horizontal	Pass
7770.0	-58.94	-13	-45.94	-66.04	4.96	12.06	Vertical	Pass
11655.0	-56.48	-13	-43.48	-63.83	5.9	13.25	Vertical	Pass
15540.0	-53.3	-13	-40.3	-60.4	7.12	14.22	Vertical	Pass

NR N78a(3450-3550MHz)-FCC ANT9-Middle channel, Modulation: QPSK, Bandwidth:100MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
6910.0	-61.34	-13	-48.34	-67.44	4.91	11.01	Horizontal	Pass
10365.0	-58.16	-13	-45.16	-65.74	5.52	13.1	Horizontal	Pass
13820.0	-54.97	-13	-41.97	-63.14	6.21	14.38	Horizontal	Pass
6910.0	-61.27	-13	-48.27	-67.37	4.91	11.01	Vertical	Pass
10365.0	-58.03	-13	-45.03	-65.61	5.52	13.1	Vertical	Pass
13820.0	-54.6	-13	-41.6	-62.77	6.21	14.38	Vertical	Pass

NR N78b(3700-3800MHz)-FCC ANT9-Middle channel, Modulation: QPSK, Bandwidth:100MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
7410.0	-60.97	-13	-47.97	-67.66	4.94	11.63	Horizontal	Pass
11115.0	-56.98	-13	-43.98	-64.43	5.81	13.26	Horizontal	Pass
14820.0	-54.01	-13	-41.01	-61.57	6.92	14.48	Horizontal	Pass
7410.0	-61.05	-13	-48.05	-67.74	4.94	11.63	Vertical	Pass
11115.0	-56.85	-13	-43.85	-64.3	5.81	13.26	Vertical	Pass
14820.0	-54.24	-13	-41.24	-61.8	6.92	14.48	Vertical	Pass

NR N5 ANT0-Low channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1650.0	-62.1	-13	-49.1	-64.98	2.62	5.5	Horizontal	Pass
2475.0	-59.65	-13	-46.65	-62.35	3.06	5.76	Horizontal	Pass
3300.0	-67.03	-13	-54.03	-71.4	3.3	7.67	Horizontal	Pass
1650.0	-61.22	-13	-48.22	-64.1	2.62	5.5	Vertical	Pass
2475.0	-66.02	-13	-53.02	-68.72	3.06	5.76	Vertical	Pass
3300.0	-66.87	-13	-53.87	-71.24	3.3	7.67	Vertical	Pass

NR N5 ANT0-Middle channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1655.0	-71.77	-13	-58.77	-74.64	2.62	5.49	Horizontal	Pass
2482.5	-69.15	-13	-56.15	-71.86	3.07	5.78	Horizontal	Pass
3310.0	-67.47	-13	-54.47	-71.87	3.3	7.7	Horizontal	Pass
1655.0	-68.49	-13	-55.49	-71.36	2.62	5.49	Vertical	Pass
2482.5	-69.67	-13	-56.67	-72.38	3.07	5.78	Vertical	Pass
3310.0	-67.53	-13	-54.53	-71.93	3.3	7.7	Vertical	Pass

NR N5 ANT0-High channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1660.0	-71.71	-13	-58.71	-74.57	2.62	5.48	Horizontal	Pass
2490.0	-61.29	-13	-48.29	-64.02	3.07	5.8	Horizontal	Pass
3320.0	-67.4	-13	-54.4	-71.81	3.31	7.72	Horizontal	Pass
1660.0	-71.57	-13	-58.57	-74.43	2.62	5.48	Vertical	Pass
2490.0	-69.59	-13	-56.59	-72.32	3.07	5.8	Vertical	Pass
3320.0	-67.5	-13	-54.5	-71.91	3.31	7.72	Vertical	Pass

NR N12 ANT0-Low channel, Modulation: QPSK, Bandwidth:15MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1399.5	-66.21	-13	-53.21	-68.98	2.47	5.24	Horizontal	Pass
2099.25	-69.73	-13	-56.73	-71.8	2.79	4.86	Horizontal	Pass
2799.0	-68.11	-13	-55.11	-71.47	3.12	6.48	Horizontal	Pass
1399.5	-67.36	-13	-54.36	-70.13	2.47	5.24	Vertical	Pass
2099.25	-68.88	-13	-55.88	-70.95	2.79	4.86	Vertical	Pass
2799.0	-68.29	-13	-55.29	-71.65	3.12	6.48	Vertical	Pass

NR N12 ANT0-Middle channel, Modulation: QPSK, Bandwidth:15MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1401.5	-68.33	-13	-55.33	-71.11	2.48	5.26	Horizontal	Pass
2102.25	-70.43	-13	-57.43	-72.51	2.79	4.87	Horizontal	Pass
2803.0	-68.71	-13	-55.71	-72.08	3.12	6.49	Horizontal	Pass
1401.5	-70.71	-13	-57.71	-73.49	2.48	5.26	Vertical	Pass
2102.25	-70.37	-13	-57.37	-72.45	2.79	4.87	Vertical	Pass
2803.0	-67.84	-13	-54.84	-71.21	3.12	6.49	Vertical	Pass

NR N12 ANT0-High channel, Modulation: QPSK, Bandwidth:15MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1403.5	-68.75	-13	-55.75	-71.54	2.48	5.27	Horizontal	Pass
2105.25	-70.36	-13	-57.36	-72.43	2.8	4.87	Horizontal	Pass
2807.0	-68.66	-13	-55.66	-72.04	3.12	6.5	Horizontal	Pass
1403.5	-70.35	-13	-57.35	-73.14	2.48	5.27	Vertical	Pass
2105.25	-69.58	-13	-56.58	-71.65	2.8	4.87	Vertical	Pass
2807.0	-68.63	-13	-55.63	-72.01	3.12	6.5	Vertical	Pass

NR N26a(814-824MHz) ANT0-Middle channel, Modulation: QPSK, Bandwidth:10MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1629.0	-62.78	-13	-49.78	-65.71	2.62	5.55	Horizontal	Pass
2443.5	-58.43	-13	-45.43	-61.07	3.04	5.68	Horizontal	Pass
3258.0	-66.85	-13	-53.85	-71.13	3.28	7.56	Horizontal	Pass
1629.0	-64.38	-13	-51.38	-67.31	2.62	5.55	Vertical	Pass
2443.5	-55.44	-13	-42.44	-58.08	3.04	5.68	Vertical	Pass
3258.0	-66.62	-13	-53.62	-70.9	3.28	7.56	Vertical	Pass

NR N26b(824-849MHz) ANT0-Low channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1650.0	-62.35	-13	-49.35	-65.23	2.62	5.5	Horizontal	Pass
2475.0	-59.65	-13	-46.65	-62.35	3.06	5.76	Horizontal	Pass
3300.0	-66.66	-13	-53.66	-71.03	3.3	7.67	Horizontal	Pass
1650.0	-61.51	-13	-48.51	-64.39	2.62	5.5	Vertical	Pass
2475.0	-64.52	-13	-51.52	-67.22	3.06	5.76	Vertical	Pass
3300.0	-66.12	-13	-53.12	-70.49	3.3	7.67	Vertical	Pass

NR N26b(824-849MHz) ANT0-Middle channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1655.0	-64.7	-13	-51.7	-67.57	2.62	5.49	Horizontal	Pass
2482.5	-60.08	-13	-47.08	-62.79	3.07	5.78	Horizontal	Pass
3310.0	-67.06	-13	-54.06	-71.46	3.3	7.7	Horizontal	Pass
1655.0	-64.78	-13	-51.78	-67.65	2.62	5.49	Vertical	Pass
2482.5	-57.04	-13	-44.04	-59.75	3.07	5.78	Vertical	Pass
3310.0	-66.93	-13	-53.93	-71.33	3.3	7.7	Vertical	Pass

NR N26b(824-849MHz) ANT0-High channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1660.0	-65.72	-13	-52.72	-68.58	2.62	5.48	Horizontal	Pass
2490.0	-69.39	-13	-56.39	-72.12	3.07	5.8	Horizontal	Pass
3320.0	-67.24	-13	-54.24	-71.65	3.31	7.72	Horizontal	Pass
1660.0	-67.02	-13	-54.02	-69.88	2.62	5.48	Vertical	Pass
2490.0	-60.09	-13	-47.09	-62.82	3.07	5.8	Vertical	Pass
3320.0	-66.76	-13	-53.76	-71.17	3.31	7.72	Vertical	Pass

ENDC:

NSA_66A_n2A-Low channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3704.0	-65.99	-13	-52.99	-70.85	3.58	8.44	Horizontal	Pass
5556.0	-61.21	-13	-48.21	-66.92	4.74	10.45	Horizontal	Pass
7408.0	-60.93	-13	-47.93	-67.62	4.94	11.63	Horizontal	Pass
3704.0	-65.8	-13	-52.8	-70.66	3.58	8.44	Vertical	Pass
5556.0	-61.72	-13	-48.72	-67.43	4.74	10.45	Vertical	Pass
7408.0	-61.16	-13	-48.16	-67.85	4.94	11.63	Vertical	Pass

NSA_66A_n2A-Middle channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3724.0	-66.28	-13	-53.28	-71.15	3.6	8.47	Horizontal	Pass
5586.0	-61.99	-13	-48.99	-67.7	4.74	10.45	Horizontal	Pass
7448.0	-61.28	-13	-48.28	-68.02	4.94	11.68	Horizontal	Pass
3724.0	-66.02	-13	-53.02	-70.89	3.6	8.47	Vertical	Pass
5586.0	-61.62	-13	-48.62	-67.33	4.74	10.45	Vertical	Pass
7448.0	-60.7	-13	-47.7	-67.44	4.94	11.68	Vertical	Pass

NSA_66A_n2A-High channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3704.0	-65.81	-13	-52.81	-70.67	3.58	8.44	Horizontal	Pass
5556.0	-62.41	-13	-49.41	-68.12	4.74	10.45	Horizontal	Pass
7408.0	-61.89	-13	-48.89	-68.58	4.94	11.63	Horizontal	Pass
3704.0	-66.56	-13	-53.56	-71.42	3.58	8.44	Vertical	Pass
5556.0	-61.59	-13	-48.59	-67.3	4.74	10.45	Vertical	Pass
7408.0	-61.95	-13	-48.95	-68.64	4.94	11.63	Vertical	Pass

NSA_7A_n5A-Low channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3724.0	-65.83	-13	-52.83	-70.7	3.6	8.47	Horizontal	Pass
5586.0	-61.52	-13	-48.52	-67.23	4.74	10.45	Horizontal	Pass
7448.0	-60.47	-13	-47.47	-67.21	4.94	11.68	Horizontal	Pass
3724.0	-65.58	-13	-52.58	-70.45	3.6	8.47	Vertical	Pass
5586.0	-61.6	-13	-48.6	-67.31	4.74	10.45	Vertical	Pass
7448.0	-59.1	-13	-46.1	-65.84	4.94	11.68	Vertical	Pass

NSA_7A_n5A-Middle channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3744.0	-66.13	-13	-53.13	-71.02	3.61	8.5	Horizontal	Pass
5616.0	-61.22	-13	-48.22	-66.93	4.74	10.45	Horizontal	Pass
7488.0	-60.12	-13	-47.12	-66.91	4.94	11.73	Horizontal	Pass
3744.0	-65.61	-13	-52.61	-70.5	3.61	8.5	Vertical	Pass
5616.0	-61.75	-13	-48.75	-67.46	4.74	10.45	Vertical	Pass
7488.0	-60.39	-13	-47.39	-67.18	4.94	11.73	Vertical	Pass

NSA_7A_n5A-High channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3744.0	-65.84	-13	-52.84	-70.73	3.61	8.5	Horizontal	Pass
5616.0	-61.75	-13	-48.75	-67.46	4.74	10.45	Horizontal	Pass
7488.0	-60.49	-13	-47.49	-67.28	4.94	11.73	Horizontal	Pass
3744.0	-65.85	-13	-52.85	-70.74	3.61	8.5	Vertical	Pass
5616.0	-61.73	-13	-48.73	-67.44	4.74	10.45	Vertical	Pass
7488.0	-60.05	-13	-47.05	-66.84	4.94	11.73	Vertical	Pass

NSA_5A_n7A-Low channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5002.0	-61.81	-25	-36.81	-67.38	4.57	10.14	Horizontal	Pass
7503.0	-60.52	-25	-35.52	-67.32	4.94	11.74	Horizontal	Pass
10004.0	-58.3	-25	-33.3	-65.87	5.46	13.03	Horizontal	Pass
5002.0	-61.25	-25	-36.25	-66.82	4.57	10.14	Vertical	Pass
7503.0	-60.59	-25	-35.59	-67.39	4.94	11.74	Vertical	Pass
10004.0	-58.26	-25	-33.26	-65.83	5.46	13.03	Vertical	Pass

NSA_5A_n7A-Middle channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5052.0	-62.62	-25	-37.62	-68.2	4.59	10.17	Horizontal	Pass
7578.0	-60.7	-25	-35.7	-67.58	4.95	11.83	Horizontal	Pass
10104.0	-58.09	-25	-33.09	-65.66	5.48	13.05	Horizontal	Pass
5052.0	-62.06	-25	-37.06	-67.64	4.59	10.17	Vertical	Pass
7578.0	-60.17	-25	-35.17	-67.05	4.95	11.83	Vertical	Pass
10104.0	-57.96	-25	-32.96	-65.53	5.48	13.05	Vertical	Pass

NSA_5A_n7A-High channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5102.0	-62.96	-25	-37.96	-68.56	4.6	10.2	Horizontal	Pass
7653.0	-60.43	-25	-35.43	-67.4	4.95	11.92	Horizontal	Pass
10204.0	-58.63	-25	-33.63	-66.21	5.49	13.07	Horizontal	Pass
5102.0	-63.63	-25	-38.63	-69.23	4.6	10.2	Vertical	Pass
7653.0	-60.37	-25	-35.37	-67.34	4.95	11.92	Vertical	Pass
10204.0	-58.84	-25	-33.84	-66.42	5.49	13.07	Vertical	Pass

NSA_4A_n38A-Low channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5144.0	-62.76	-25	-37.76	-68.37	4.62	10.23	Horizontal	Pass
7716.0	-59.59	-25	-34.59	-66.62	4.96	11.99	Horizontal	Pass
10288.0	-57.78	-25	-32.78	-65.35	5.51	13.08	Horizontal	Pass
5144.0	-60.09	-25	-35.09	-65.7	4.62	10.23	Vertical	Pass
7716.0	-59.9	-25	-34.9	-66.93	4.96	11.99	Vertical	Pass
10288.0	-58.15	-25	-33.15	-65.72	5.51	13.08	Vertical	Pass

NSA_4A_n38A-Middle channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5154.0	-63.1	-25	-38.1	-68.72	4.62	10.24	Horizontal	Pass
7731.0	-59.79	-25	-34.79	-66.84	4.96	12.01	Horizontal	Pass
10344.0	-58.21	-25	-33.21	-65.78	5.52	13.09	Horizontal	Pass
5154.0	-62.97	-25	-37.97	-68.59	4.62	10.24	Vertical	Pass
7731.0	-60.26	-25	-35.26	-67.31	4.96	12.01	Vertical	Pass
10344.0	-58.33	-25	-33.33	-65.9	5.52	13.09	Vertical	Pass

NSA_4A_n38A-High channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5164.0	-63.01	-25	-38.01	-68.63	4.62	10.24	Horizontal	Pass
7746.0	-59.97	-25	-34.97	-67.04	4.96	12.03	Horizontal	Pass
10328.0	-58.76	-25	-33.76	-66.34	5.51	13.09	Horizontal	Pass
5164.0	-62.84	-25	-37.84	-68.46	4.62	10.24	Vertical	Pass
7746.0	-59.27	-25	-34.27	-66.34	4.96	12.03	Vertical	Pass
10328.0	-58.6	-25	-33.6	-66.18	5.51	13.09	Vertical	Pass

NSA_2A_n41A-Low channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5002.02	-61.94	-25	-36.94	-67.51	4.57	10.14	Horizontal	Pass
7503.03	-60.56	-25	-35.56	-67.36	4.94	11.74	Horizontal	Pass
10004.04	-58.3	-25	-33.3	-65.87	5.46	13.03	Horizontal	Pass
5002.02	-58.75	-25	-33.75	-64.32	4.57	10.14	Vertical	Pass
7503.03	-60.53	-25	-35.53	-67.33	4.94	11.74	Vertical	Pass
10004.04	-58.46	-25	-33.46	-66.03	5.46	13.03	Vertical	Pass

NSA_2A_n41A-Middle channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5095.98	-62.79	-25	-37.79	-68.39	4.6	10.2	Horizontal	Pass
7643.97	-60.47	-25	-35.47	-67.43	4.95	11.91	Horizontal	Pass
10191.96	-58.32	-25	-33.32	-65.89	5.49	13.06	Horizontal	Pass
5095.98	-62.91	-25	-37.91	-68.51	4.6	10.2	Vertical	Pass
7643.97	-60.56	-25	-35.56	-67.52	4.95	11.91	Vertical	Pass
10191.96	-58.38	-25	-33.38	-65.95	5.49	13.06	Vertical	Pass

NSA_2A_n41A-High channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5190.0	-63.51	-25	-38.51	-69.14	4.63	10.26	Horizontal	Pass
7785.0	-59.77	-25	-34.77	-66.89	4.96	12.08	Horizontal	Pass
10380.0	-58.62	-25	-33.62	-66.2	5.52	13.1	Horizontal	Pass
5190.0	-63.35	-25	-38.35	-68.98	4.63	10.26	Vertical	Pass
7785.0	-59.82	-25	-34.82	-66.94	4.96	12.08	Vertical	Pass
10380.0	-58.85	-25	-33.85	-66.43	5.52	13.1	Vertical	Pass

NSA_2A_n66A-Low channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3424.0	-65.97	-13	-52.97	-70.59	3.36	7.98	Horizontal	Pass
5136.0	-62.33	-13	-49.33	-67.94	4.61	10.22	Horizontal	Pass
6848.0	-61.87	-13	-48.87	-67.91	4.9	10.94	Horizontal	Pass
3424.0	-63.03	-13	-50.03	-67.65	3.36	7.98	Vertical	Pass
5136.0	-60.85	-13	-47.85	-66.46	4.61	10.22	Vertical	Pass
6848.0	-61.43	-13	-48.43	-67.47	4.9	10.94	Vertical	Pass

NSA_2A_n66A-Middle channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3454.0	-66.68	-13	-53.68	-71.36	3.38	8.06	Horizontal	Pass
5181.0	-62.66	-13	-49.66	-68.28	4.63	10.25	Horizontal	Pass
6908.0	-62.31	-13	-49.31	-68.41	4.91	11.01	Horizontal	Pass
3454.0	-66.89	-13	-53.89	-71.57	3.38	8.06	Vertical	Pass
5181.0	-62.63	-13	-49.63	-68.25	4.63	10.25	Vertical	Pass
6908.0	-62.25	-13	-49.25	-68.35	4.91	11.01	Vertical	Pass

NSA_2A_n66A-High channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3484.0	-67.22	-13	-54.22	-71.96	3.39	8.13	Horizontal	Pass
5226.0	-62.96	-13	-49.96	-68.6	4.64	10.28	Horizontal	Pass
6968.0	-61.67	-13	-48.67	-67.85	4.91	11.09	Horizontal	Pass
3484.0	-66.89	-13	-53.89	-71.63	3.39	8.13	Vertical	Pass
5226.0	-62.28	-13	-49.28	-67.92	4.64	10.28	Vertical	Pass
6968.0	-62.5	-13	-49.5	-68.68	4.91	11.09	Vertical	Pass

NSA_2A_n77A 3450-3550-Middle channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
6910.0	-60.87	-13	-47.87	-66.97	4.91	11.01	Horizontal	Pass
10365.0	-57.6	-13	-44.6	-65.18	5.52	13.1	Horizontal	Pass
13820.0	-54.28	-13	-41.28	-62.45	6.21	14.38	Horizontal	Pass
6910.0	-60.83	-13	-47.83	-66.93	4.91	11.01	Vertical	Pass
10365.0	-57.4	-13	-44.4	-64.98	5.52	13.1	Vertical	Pass
13820.0	-54.64	-13	-41.64	-62.81	6.21	14.38	Vertical	Pass

NSA_2A_n77A 3700-3980-Low channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
7410.0	-54.72	-13	-41.72	-61.41	4.94	11.63	Horizontal	Pass
11115.0	-57.06	-13	-44.06	-64.51	5.81	13.26	Horizontal	Pass
14820.0	-54.12	-13	-41.12	-61.68	6.92	14.48	Horizontal	Pass
7410.0	-55.59	-13	-42.59	-62.28	4.94	11.63	Vertical	Pass
11115.0	-55.91	-13	-42.91	-63.36	5.81	13.26	Vertical	Pass
14820.0	-54.19	-13	-41.19	-61.75	6.92	14.48	Vertical	Pass

NSA_2A_n77A 3700-3980-Middle channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
7590.0	-59.58	-13	-46.58	-66.48	4.95	11.85	Horizontal	Pass
11385.0	-58.03	-13	-45.03	-65.42	5.86	13.25	Horizontal	Pass
15180.0	-54.82	-13	-41.82	-62.15	7.09	14.42	Horizontal	Pass
7590.0	-59.82	-13	-46.82	-66.72	4.95	11.85	Vertical	Pass
11385.0	-57.65	-13	-44.65	-65.04	5.86	13.25	Vertical	Pass
15180.0	-54.85	-13	-41.85	-62.18	7.09	14.42	Vertical	Pass

NSA_2A_n77A 3700-3980-High channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
7770.0	-59.8	-13	-46.8	-66.9	4.96	12.06	Horizontal	Pass
11655.0	-57.02	-13	-44.02	-64.37	5.9	13.25	Horizontal	Pass
15540.0	-53.48	-13	-40.48	-60.58	7.12	14.22	Horizontal	Pass
7770.0	-59.43	-13	-46.43	-66.53	4.96	12.06	Vertical	Pass
11655.0	-57.21	-13	-44.21	-64.56	5.9	13.25	Vertical	Pass
15540.0	-53.47	-13	-40.47	-60.57	7.12	14.22	Vertical	Pass

NSA_4A_n78A 3450-3550-Middle channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
6910.0	-60.94	-13	-47.94	-67.04	4.91	11.01	Horizontal	Pass
10365.0	-58.18	-13	-45.18	-65.76	5.52	13.1	Horizontal	Pass
13820.0	-54.83	-13	-41.83	-63.0	6.21	14.38	Horizontal	Pass
6910.0	-61.71	-13	-48.71	-67.81	4.91	11.01	Vertical	Pass
10365.0	-57.83	-13	-44.83	-65.41	5.52	13.1	Vertical	Pass
13820.0	-54.99	-13	-41.99	-63.16	6.21	14.38	Vertical	Pass

NSA_4A_n78A 3700-3800-Middle channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
7410.0	-61.26	-13	-48.26	-67.95	4.94	11.63	Horizontal	Pass
11115.0	-57.67	-13	-44.67	-65.12	5.81	13.26	Horizontal	Pass
14820.0	-53.8	-13	-40.8	-61.36	6.92	14.48	Horizontal	Pass
7410.0	-61.53	-13	-48.53	-68.22	4.94	11.63	Vertical	Pass
11115.0	-57.35	-13	-44.35	-64.8	5.81	13.26	Vertical	Pass
14820.0	-54.94	-13	-41.94	-62.5	6.92	14.48	Vertical	Pass

Remark: all modes had been tested, and only the worst case test data is recorded in the report.