




Band edge measurements


Test Result


TestMode	Antenna	ChName	Freq(MHz)	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant16	Low	2402	12.28	-44.02	≤ -7.72	PASS
	Ant7	Low	2402	11.49	-43.33	≤ -8.51	PASS
	Ant16	High	2480	12.49	-43.07	≤ -7.51	PASS
	Ant7	High	2480	11.38	-42.91	≤ -8.62	PASS
	Ant16	Low	Hop_2402	11.92	-43.45	≤ -8.08	PASS
	Ant7	Low	Hop_2402	11.21	-43.09	≤ -8.79	PASS
	Ant16	High	Hop_2480	13.10	-43.34	≤ -6.9	PASS
	Ant7	High	Hop_2480	12.30	-43.31	≤ -7.7	PASS
2DH1	Ant16	Low	2402	6.94	-44.14	≤ -13.06	PASS
	Ant7	Low	2402	5.94	-43.4	≤ -14.06	PASS
	Ant16	High	2480	8.01	-43.17	≤ -11.99	PASS
	Ant7	High	2480	6.25	-42.8	≤ -13.75	PASS
	Ant16	Low	Hop_2402	6.43	-43.83	≤ -13.57	PASS
	Ant7	Low	Hop_2402	5.74	-44.05	≤ -14.26	PASS
	Ant16	High	Hop_2480	8.62	-42.76	≤ -11.38	PASS
	Ant7	High	Hop_2480	6.68	-42.75	≤ -13.32	PASS
3DH1	Ant16	Low	2402	7.04	-43.65	≤ -12.96	PASS
	Ant7	Low	2402	6.05	-42.87	≤ -13.95	PASS
	Ant16	High	2480	8.09	-42.47	≤ -11.91	PASS
	Ant7	High	2480	6.33	-42.14	≤ -13.67	PASS
	Ant16	Low	Hop_2402	6.74	-44.26	≤ -13.26	PASS
	Ant7	Low	Hop_2402	5.74	-43.93	≤ -14.26	PASS
	Ant16	High	Hop_2480	8.56	-42.84	≤ -11.44	PASS
	Ant7	High	Hop_2480	7.14	-43.19	≤ -12.86	PASS





Test Graphs































Conducted Spurious Emission

Test Result


TestMode	Antenna	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant16	2402	Reference	12.29	12.29	---	PASS
			30~1000	12.29	-44.7	≤-7.71	PASS
			1000~26500	12.29	-39.73	≤-7.71	PASS
	Ant7	2402	Reference	11.49	11.49	---	PASS
			30~1000	11.49	-45.03	≤-8.51	PASS
			1000~26500	11.49	-39.15	≤-8.51	PASS
	Ant16	2441	Reference	12.37	12.37	---	PASS
			30~1000	12.37	-44.62	≤-7.63	PASS
			1000~26500	12.37	-38.83	≤-7.63	PASS
	Ant7	2441	Reference	11.77	11.77	---	PASS
			30~1000	11.77	-45.13	≤-8.23	PASS
			1000~26500	11.77	-39.24	≤-8.23	PASS
	Ant16	2480	Reference	12.64	12.64	---	PASS
			30~1000	12.64	-44.26	≤-7.36	PASS
			1000~26500	12.64	-38.91	≤-7.36	PASS
	Ant7	2480	Reference	11.66	11.66	---	PASS
			30~1000	11.66	-42.75	≤-8.34	PASS
			1000~26500	11.66	-39.2	≤-8.34	PASS
2DH1	Ant16	2402	Reference	6.89	6.89	---	PASS
			30~1000	6.89	-45.34	≤-13.11	PASS
			1000~26500	6.89	-39.06	≤-13.11	PASS
	Ant7	2402	Reference	5.89	5.89	---	PASS
			30~1000	5.89	-45.02	≤-14.11	PASS
			1000~26500	5.89	-39.38	≤-14.11	PASS
	Ant16	2441	Reference	7.15	7.15	---	PASS
			30~1000	7.15	-45.14	≤-12.85	PASS
			1000~26500	7.15	-39.5	≤-12.85	PASS
	Ant7	2441	Reference	6.38	6.38	---	PASS
			30~1000	6.38	-44.99	≤-13.62	PASS
			1000~26500	6.38	-38.33	≤-13.62	PASS
	Ant16	2480	Reference	8.11	8.11	---	PASS
			30~1000	8.11	-44.16	≤-11.89	PASS
			1000~26500	8.11	-38.21	≤-11.89	PASS





	Ant7	2480	Reference	6.42	6.42	---	PASS
			30~1000	6.42	-45.16	≤ -13.58	PASS
			1000~26500	6.42	-38.26	≤ -13.58	PASS
3DH1	Ant16	2402	Reference	7.06	7.06	---	PASS
			30~1000	7.06	-44.71	≤ -12.94	PASS
			1000~26500	7.06	-39.43	≤ -12.94	PASS
	Ant7	2402	Reference	6.03	6.03	---	PASS
			30~1000	6.03	-44.69	≤ -13.97	PASS
			1000~26500	6.03	-39.08	≤ -13.97	PASS
	Ant16	2441	Reference	7.32	7.32	---	PASS
			30~1000	7.32	-45.49	≤ -12.68	PASS
			1000~26500	7.32	-38.29	≤ -12.68	PASS
	Ant7	2441	Reference	6.51	6.51	---	PASS
			30~1000	6.51	-45.3	≤ -13.49	PASS
			1000~26500	6.51	-39.44	≤ -13.49	PASS
	Ant16	2480	Reference	8.32	8.32	---	PASS
			30~1000	8.32	-41.53	≤ -11.68	PASS
			1000~26500	8.32	-39.33	≤ -11.68	PASS
	Ant7	2480	Reference	6.57	6.57	---	PASS
			30~1000	6.57	-45.28	≤ -13.43	PASS
			1000~26500	6.57	-38.48	≤ -13.43	PASS





Test Graphs

















































































Appendix B. AC Conducted Emission Test Results





Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.197	37.74	-26.02	63.76	27.20	0.13	10.41	QP
2	0.197	24.84	-28.92	53.76	14.30	0.13	10.41	Average
3	0.524	36.86	-19.14	56.00	26.80	-0.15	10.21	QP
4	0.524	28.26	-17.74	46.00	18.20	-0.15	10.21	Average
5 *	0.595	39.62	-16.38	56.00	29.60	-0.16	10.18	QP
6	0.595	28.54	-17.46	46.00	18.52	-0.16	10.18	Average
7	0.634	37.50	-18.50	56.00	27.50	-0.16	10.16	QP
8	0.634	25.20	-20.80	46.00	15.20	-0.16	10.16	Average
9	4.647	25.35	-30.65	56.00	15.50	-0.21	10.06	QP
10	4.647	18.05	-27.95	46.00	8.20	-0.21	10.06	Average
11	16.312	29.22	-30.78	60.00	18.20	-0.23	11.25	QP
12	16.312	21.52	-28.48	50.00	10.50	-0.23	11.25	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C Radiated Spurious Emission Test Data

Test Engineer :	Koi Ji	Relative Humidity :	51~53%
		Temperature :	25.2~26.5°C



Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	7	Bluetooth BR_GFSK	00	2402	1Mbps	-	-
Mode 2	2400-2483.5	7	Bluetooth BR_GFSK	39	2441	1Mbps	-	-
Mode 3	2400-2483.5	7	Bluetooth BR_GFSK	78	2480	1Mbps	-	-
Mode 4	2400-2483.5	16	Bluetooth BR_GFSK	00	2402	1Mbps	-	-
Mode 5	2400-2483.5	16	Bluetooth BR_GFSK	39	2441	1Mbps	-	-
Mode 6	2400-2483.5	16	Bluetooth BR_GFSK	78	2480	1Mbps	-	-
Mode 7	2400-2483.5	BF 7+16	Bluetooth BR_GFSK	0	2402	1Mbps	-	-
Mode 8	2400-2483.5	BF 7+16	Bluetooth BR_GFSK	39	2441	1Mbps	-	-
Mode 9	2400-2483.5	BF 7+16	Bluetooth BR_GFSK	78	2480	1Mbps	-	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	Bluetooth BR_GFSK	00	2386.83	54.82	74.00	-19.18	V	PEAK	Pass	Band Edge
1	Bluetooth BR_GFSK	00	4804.00	39.80	74.00	-34.20	H	PEAK	Pass	Harmonic
2	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
2	Bluetooth BR_GFSK	39	7323.00	42.27	74.00	-31.73	V	PEAK	Pass	Harmonic
3	Bluetooth BR_GFSK	78	2498.76	55.39	74.00	-18.61	V	PEAK	Pass	Band Edge
3	Bluetooth BR_GFSK	78	7440.00	42.46	74.00	-31.54	V	PEAK	Pass	Harmonic
4	Bluetooth BR_GFSK	00	2349.26	55.08	74.00	-18.92	V	PEAK	Pass	Band Edge
4	Bluetooth BR_GFSK	00	4804.00	39.87	74.00	-34.13	H	PEAK	Pass	Harmonic
5	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
5	Bluetooth BR_GFSK	39	7323.00	42.03	74.00	-31.97	H	PEAK	Pass	Harmonic
6	Bluetooth BR_GFSK	78	2486.49	55.97	74.00	-18.03	H	PEAK	Pass	Band Edge
6	Bluetooth BR_GFSK	78	7440.00	42.68	74.00	-31.32	V	PEAK	Pass	Harmonic
7	Bluetooth BR_GFSK	0	2386.70	56.52	74.00	-17.48	H	PEAK	Pass	Band Edge
7	Bluetooth BR_GFSK	0	7206.00	44.26	74.00	-29.74	V	PEAK	Pass	Harmonic
8	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
8	Bluetooth BR_GFSK	39	7323.00	44.15	74.00	-29.85	H	PEAK	Pass	Harmonic
9	Bluetooth BR_GFSK	78	2497.40	56.24	74.00	-17.76	V	PEAK	Pass	Band Edge
9	Bluetooth BR_GFSK	78	7440.00	43.93	74.00	-30.07	V	PEAK	Pass	Harmonic





Mode	1																																																																																																									
	Band Edge																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																									
ANT	7																																																																																																									
Pol.	Horizontal										Fundamental																																																																																															
Peak																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2318.58</td><td>54.35</td><td>74.00</td><td>-19.65</td><td>38.79</td><td>31.90</td><td>8.61</td><td>30.95</td></tr><tr><td>2</td><td>2318.58</td><td>29.56</td><td>54.00</td><td>-24.44</td><td>14.00</td><td>31.90</td><td>8.61</td><td>30.95</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2318.58	54.35	74.00	-19.65	38.79	31.90	8.61	30.95	2	2318.58	29.56	54.00	-24.44	14.00	31.90	8.61	30.95	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2402.00</td><td>99.92</td><td>83.84</td><td>32.21</td><td>8.80</td><td>30.93</td><td>6.00</td><td>129</td></tr><tr><td>2</td><td>2402.00</td><td>75.13</td><td>59.05</td><td>32.21</td><td>8.80</td><td>30.93</td><td>6.00</td><td>129</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2402.00	99.92	83.84	32.21	8.80	30.93	6.00	129	2	2402.00	75.13	59.05	32.21	8.80	30.93	6.00	129
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	2318.58	54.35	74.00	-19.65	38.79	31.90	8.61	30.95																																																																																																		
2	2318.58	29.56	54.00	-24.44	14.00	31.90	8.61	30.95																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	2402.00	99.92	83.84	32.21	8.80	30.93	6.00	129																																																																																																		
2	2402.00	75.13	59.05	32.21	8.80	30.93	6.00	129																																																																																																		





Mode	1																																																																																																																									
	Band Edge																																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																									
ANT	7																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																			
Peak																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.83</td><td>54.82</td><td>74.00</td><td>-19.18</td><td>30.86</td><td>32.12</td><td>8.77</td><td>30.93</td><td>6.00</td><td>381</td><td>353</td><td>PEAK</td></tr><tr><td>2</td><td>2386.83</td><td>30.03</td><td>54.00</td><td>-23.97</td><td>14.07</td><td>32.12</td><td>8.77</td><td>30.93</td><td>6.00</td><td>381</td><td>353</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.83	54.82	74.00	-19.18	30.86	32.12	8.77	30.93	6.00	381	353	PEAK	2	2386.83	30.03	54.00	-23.97	14.07	32.12	8.77	30.93	6.00	381	353	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>95.69</td><td>-----</td><td>-----</td><td>79.61</td><td>32.21</td><td>8.80</td><td>30.93</td><td>6.00</td><td>381</td><td>353</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>70.90</td><td>-----</td><td>-----</td><td>54.82</td><td>32.21</td><td>8.80</td><td>30.93</td><td>6.00</td><td>381</td><td>353</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	95.69	-----	-----	79.61	32.21	8.80	30.93	6.00	381	353	PEAK	2	2402.00	70.90	-----	-----	54.82	32.21	8.80	30.93	6.00	381	353	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	2386.83	54.82	74.00	-19.18	30.86	32.12	8.77	30.93	6.00	381	353	PEAK																																																																																																														
2	2386.83	30.03	54.00	-23.97	14.07	32.12	8.77	30.93	6.00	381	353	AVERAGE																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	2402.00	95.69	-----	-----	79.61	32.21	8.80	30.93	6.00	381	353	PEAK																																																																																																														
2	2402.00	70.90	-----	-----	54.82	32.21	8.80	30.93	6.00	381	353	AVERAGE																																																																																																														





Mode	1																																																																																																
	Harmonic																																																																																																
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																
ANT	7																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4804.00</td><td>39.80</td><td>74.00</td><td>-34.20</td><td>59.09</td><td>34.11</td><td>12.57</td><td>65.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.80	74.00	-34.20	59.09	34.11	12.57	65.97	0.00	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4804.00</td><td>39.66</td><td>74.00</td><td>-34.34</td><td>58.95</td><td>34.11</td><td>12.57</td><td>65.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.66	74.00	-34.34	58.95	34.11	12.57	65.97	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4804.00	39.80	74.00	-34.20	59.09	34.11	12.57	65.97	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4804.00	39.66	74.00	-34.34	58.95	34.11	12.57	65.97	0.00	--	PEAK																																																																																						





Mode	2																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																									
ANT	7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>40.47</td><td>74.00</td><td>-33.53</td><td>59.72</td><td>34.14</td><td>12.47</td><td>65.86</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>41.80</td><td>74.00</td><td>-32.20</td><td>56.54</td><td>35.75</td><td>14.72</td><td>65.21</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	40.47	74.00	-33.53	59.72	34.14	12.47	65.86	0.00	--	PEAK	2	7323.00	41.80	74.00	-32.20	56.54	35.75	14.72	65.21	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>39.32</td><td>74.00</td><td>-34.68</td><td>58.57</td><td>34.14</td><td>12.47</td><td>65.86</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>42.27</td><td>74.00</td><td>-31.73</td><td>57.01</td><td>35.75</td><td>14.72</td><td>65.21</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	39.32	74.00	-34.68	58.57	34.14	12.47	65.86	0.00	--	PEAK	2	7323.00	42.27	74.00	-31.73	57.01	35.75	14.72	65.21	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4882.00	40.47	74.00	-33.53	59.72	34.14	12.47	65.86	0.00	--	PEAK																																																																																																															
2	7323.00	41.80	74.00	-32.20	56.54	35.75	14.72	65.21	0.00	--	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4882.00	39.32	74.00	-34.68	58.57	34.14	12.47	65.86	0.00	--	PEAK																																																																																																															
2	7323.00	42.27	74.00	-31.73	57.01	35.75	14.72	65.21	0.00	--	PEAK																																																																																																															



Mode	3																																																															
	Band Edge																																																															
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																															
ANT	7																																																															
Pol.	Horizontal																																																															
Peak																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2495.75</td><td>54.87</td><td>74.00</td><td>-19.13</td><td>38.62</td><td>32.39</td><td>8.83</td><td>30.97</td><td>6.00</td><td>152</td><td>311 PEAK</td></tr><tr><td>2</td><td>2495.75</td><td>30.00</td><td>54.00</td><td>-23.92</td><td>13.83</td><td>32.39</td><td>8.83</td><td>30.97</td><td>6.00</td><td>152</td><td>311 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2495.75	54.87	74.00	-19.13	38.62	32.39	8.83	30.97	6.00	152	311 PEAK	2	2495.75	30.00	54.00	-23.92	13.83	32.39	8.83	30.97	6.00	152	311 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	2495.75	54.87	74.00	-19.13	38.62	32.39	8.83	30.97	6.00	152	311 PEAK																																																					
2	2495.75	30.00	54.00	-23.92	13.83	32.39	8.83	30.97	6.00	152	311 AVERAGE																																																					
																																																																
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>102.60</td><td>-----</td><td>-----</td><td>86.39</td><td>32.36</td><td>8.82</td><td>30.97</td><td>6.00</td><td>152</td><td>311 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>77.81</td><td>-----</td><td>-----</td><td>61.60</td><td>32.36</td><td>8.82</td><td>30.97</td><td>6.00</td><td>152</td><td>311 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	102.60	-----	-----	86.39	32.36	8.82	30.97	6.00	152	311 PEAK	2	2480.00	77.81	-----	-----	61.60	32.36	8.82	30.97	6.00	152	311 AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	2480.00	102.60	-----	-----	86.39	32.36	8.82	30.97	6.00	152	311 PEAK																																																					
2	2480.00	77.81	-----	-----	61.60	32.36	8.82	30.97	6.00	152	311 AVERAGE																																																					





Mode	3																																																															
	Band Edge																																																															
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																															
ANT	7																																																															
Pol.	Vertical																																																															
Peak																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2498.76</td><td>55.39</td><td>74.00</td><td>-18.61</td><td>39.14</td><td>32.40</td><td>8.83</td><td>30.98</td><td>6.00</td><td>253</td><td>0 PEAK</td></tr><tr><td>2</td><td>2498.76</td><td>30.60</td><td>54.00</td><td>-23.40</td><td>14.35</td><td>32.40</td><td>8.83</td><td>30.98</td><td>6.00</td><td>253</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2498.76	55.39	74.00	-18.61	39.14	32.40	8.83	30.98	6.00	253	0 PEAK	2	2498.76	30.60	54.00	-23.40	14.35	32.40	8.83	30.98	6.00	253	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	2498.76	55.39	74.00	-18.61	39.14	32.40	8.83	30.98	6.00	253	0 PEAK																																																					
2	2498.76	30.60	54.00	-23.40	14.35	32.40	8.83	30.98	6.00	253	0 AVERAGE																																																					
																																																																
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>94.00</td><td>-----</td><td>-----</td><td>77.79</td><td>32.36</td><td>8.82</td><td>30.97</td><td>6.00</td><td>253</td><td>0 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>69.21</td><td>-----</td><td>-----</td><td>53.00</td><td>32.36</td><td>8.82</td><td>30.97</td><td>6.00</td><td>253</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	94.00	-----	-----	77.79	32.36	8.82	30.97	6.00	253	0 PEAK	2	2480.00	69.21	-----	-----	53.00	32.36	8.82	30.97	6.00	253	0 AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	2480.00	94.00	-----	-----	77.79	32.36	8.82	30.97	6.00	253	0 PEAK																																																					
2	2480.00	69.21	-----	-----	53.00	32.36	8.82	30.97	6.00	253	0 AVERAGE																																																					





Mode	3																																																																					
	Harmonic																																																																					
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																					
ANT	7																																																																					
Pol.	Horizontal																																																																					
Peak Avg																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>40.10</td><td>74.00</td><td>-33.90</td><td>59.53</td><td>33.94</td><td>12.38</td><td>65.75</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.28</td><td>74.00</td><td>-31.72</td><td>57.13</td><td>35.00</td><td>14.92</td><td>65.57</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	40.10	74.00	-33.90	59.53	33.94	12.38	65.75	0.00	--	-- PEAK	2	7440.00	42.28	74.00	-31.72	57.13	35.00	14.92	65.57	0.00	--	-- PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	4960.00	40.10	74.00	-33.90	59.53	33.94	12.38	65.75	0.00	--	-- PEAK																																																											
2	7440.00	42.28	74.00	-31.72	57.13	35.00	14.92	65.57	0.00	--	-- PEAK																																																											
Peak Avg																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>40.38</td><td>74.00</td><td>-33.62</td><td>59.81</td><td>33.94</td><td>12.38</td><td>65.75</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.46</td><td>74.00</td><td>-31.54</td><td>57.31</td><td>35.00</td><td>14.92</td><td>65.57</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	40.38	74.00	-33.62	59.81	33.94	12.38	65.75	0.00	--	-- PEAK	2	7440.00	42.46	74.00	-31.54	57.31	35.00	14.92	65.57	0.00	--	-- PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	4960.00	40.38	74.00	-33.62	59.81	33.94	12.38	65.75	0.00	--	-- PEAK																																																											
2	7440.00	42.46	74.00	-31.54	57.31	35.00	14.92	65.57	0.00	--	-- PEAK																																																											





Mode	4																																																																																																																								
	Band Edge																																																																																																																								
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																								
ANT	16																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																		
Peak																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2345.10</td><td>54.41</td><td>74.00</td><td>-19.59</td><td>30.78</td><td>31.90</td><td>8.67</td><td>30.94</td><td>6.00</td><td>100</td><td>98 PEAK</td></tr><tr><td>2</td><td>2345.10</td><td>29.62</td><td>54.00</td><td>-24.38</td><td>13.99</td><td>31.90</td><td>8.67</td><td>30.94</td><td>6.00</td><td>100</td><td>98 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	2345.10	54.41	74.00	-19.59	30.78	31.90	8.67	30.94	6.00	100	98 PEAK	2	2345.10	29.62	54.00	-24.38	13.99	31.90	8.67	30.94	6.00	100	98 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>98.82</td><td>-----</td><td>-----</td><td>82.75</td><td>32.20</td><td>8.80</td><td>30.93</td><td>6.00</td><td>100</td><td>98 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>74.03</td><td>-----</td><td>-----</td><td>57.96</td><td>32.20</td><td>8.80</td><td>30.93</td><td>6.00</td><td>100</td><td>98 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	2402.00	98.82	-----	-----	82.75	32.20	8.80	30.93	6.00	100	98 PEAK	2	2402.00	74.03	-----	-----	57.96	32.20	8.80	30.93	6.00	100	98 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	2345.10	54.41	74.00	-19.59	30.78	31.90	8.67	30.94	6.00	100	98 PEAK																																																																																																														
2	2345.10	29.62	54.00	-24.38	13.99	31.90	8.67	30.94	6.00	100	98 AVERAGE																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	2402.00	98.82	-----	-----	82.75	32.20	8.80	30.93	6.00	100	98 PEAK																																																																																																														
2	2402.00	74.03	-----	-----	57.96	32.20	8.80	30.93	6.00	100	98 AVERAGE																																																																																																														





Mode	4																																																																																																																														
	Band Edge																																																																																																																														
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																														
ANT	16																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																								
Peak																																																																																																																															
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2349.26</td><td>55.08</td><td>74.00</td><td>-18.92</td><td>39.44</td><td>31.90</td><td>8.68</td><td>30.94</td><td>6.00</td><td>387</td><td>68 PEAK</td></tr><tr><td>2</td><td>2349.26</td><td>30.29</td><td>54.00</td><td>-23.71</td><td>14.65</td><td>31.90</td><td>8.68</td><td>30.94</td><td>6.00</td><td>387</td><td>68 AVERAGE</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2349.26	55.08	74.00	-18.92	39.44	31.90	8.68	30.94	6.00	387	68 PEAK	2	2349.26	30.29	54.00	-23.71	14.65	31.90	8.68	30.94	6.00	387	68 AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2402.00</td><td>96.24</td><td>-----</td><td>80.17</td><td>32.20</td><td>8.80</td><td>30.93</td><td>6.00</td><td>387</td><td>68 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>71.45</td><td>-----</td><td>55.38</td><td>32.20</td><td>8.80</td><td>30.93</td><td>6.00</td><td>387</td><td>68 AVERAGE</td></tr></table>							Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2402.00	96.24	-----	80.17	32.20	8.80	30.93	6.00	387	68 PEAK	2	2402.00	71.45	-----	55.38	32.20	8.80	30.93	6.00	387	68 AVERAGE
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	2349.26	55.08	74.00	-18.92	39.44	31.90	8.68	30.94	6.00	387	68 PEAK																																																																																																																				
2	2349.26	30.29	54.00	-23.71	14.65	31.90	8.68	30.94	6.00	387	68 AVERAGE																																																																																																																				
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	2402.00	96.24	-----	80.17	32.20	8.80	30.93	6.00	387	68 PEAK																																																																																																																					
2	2402.00	71.45	-----	55.38	32.20	8.80	30.93	6.00	387	68 AVERAGE																																																																																																																					





Mode	4																																																																																																
	Harmonic																																																																																																
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																
ANT	16																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.87</td><td>74.00</td><td>-34.13</td><td>59.16</td><td>34.11</td><td>12.57</td><td>65.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.87	74.00	-34.13	59.16	34.11	12.57	65.97	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.73</td><td>74.00</td><td>-34.27</td><td>59.02</td><td>34.11</td><td>12.57</td><td>65.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.73	74.00	-34.27	59.02	34.11	12.57	65.97	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4804.00	39.87	74.00	-34.13	59.16	34.11	12.57	65.97	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4804.00	39.73	74.00	-34.27	59.02	34.11	12.57	65.97	0.00	--	PEAK																																																																																						





Mode	5																																																																					
	Harmonic																																																																					
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																					
ANT	16																																																																					
Pol.	Horizontal																																																																					
Peak Avg																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4882.00</td><td>39.49</td><td>74.00</td><td>-34.51</td><td>58.74</td><td>34.14</td><td>12.47</td><td>65.86</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>42.03</td><td>74.00</td><td>-31.97</td><td>56.77</td><td>35.75</td><td>14.72</td><td>65.21</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4882.00	39.49	74.00	-34.51	58.74	34.14	12.47	65.86	0.00	--	-- PEAK	2	7323.00	42.03	74.00	-31.97	56.77	35.75	14.72	65.21	0.00	--	-- PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	4882.00	39.49	74.00	-34.51	58.74	34.14	12.47	65.86	0.00	--	-- PEAK																																																											
2	7323.00	42.03	74.00	-31.97	56.77	35.75	14.72	65.21	0.00	--	-- PEAK																																																											
Peak Avg																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4882.00</td><td>39.87</td><td>74.00</td><td>-34.13</td><td>59.12</td><td>34.14</td><td>12.47</td><td>65.86</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>41.95</td><td>74.00</td><td>-32.05</td><td>56.69</td><td>35.75</td><td>14.72</td><td>65.21</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4882.00	39.87	74.00	-34.13	59.12	34.14	12.47	65.86	0.00	--	-- PEAK	2	7323.00	41.95	74.00	-32.05	56.69	35.75	14.72	65.21	0.00	--	-- PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	4882.00	39.87	74.00	-34.13	59.12	34.14	12.47	65.86	0.00	--	-- PEAK																																																											
2	7323.00	41.95	74.00	-32.05	56.69	35.75	14.72	65.21	0.00	--	-- PEAK																																																											




Mode	6																																																																																																																						
	Band Edge																																																																																																																						
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																						
ANT	16																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>2486.49</td><td>55.97</td><td>74.00</td><td>-18.03</td><td>39.74</td><td>32.37</td><td>8.83</td><td>30.97</td><td>6.00</td><td>152</td><td>311 PEAK</td></tr><tr><td>2</td><td>2486.49</td><td>31.18</td><td>54.00</td><td>-22.82</td><td>14.95</td><td>32.37</td><td>8.83</td><td>30.97</td><td>6.00</td><td>152</td><td>311 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark	1	2486.49	55.97	74.00	-18.03	39.74	32.37	8.83	30.97	6.00	152	311 PEAK	2	2486.49	31.18	54.00	-22.82	14.95	32.37	8.83	30.97	6.00	152	311 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>2480.00</td><td>102.00</td><td>-----</td><td>-----</td><td>85.79</td><td>32.36</td><td>8.82</td><td>30.97</td><td>6.00</td><td>152</td><td>311 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>77.21</td><td>-----</td><td>-----</td><td>61.00</td><td>32.36</td><td>8.82</td><td>30.97</td><td>6.00</td><td>152</td><td>311 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark	1	2480.00	102.00	-----	-----	85.79	32.36	8.82	30.97	6.00	152	311 PEAK	2	2480.00	77.21	-----	-----	61.00	32.36	8.82	30.97	6.00	152	311 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark																																																																																																												
1	2486.49	55.97	74.00	-18.03	39.74	32.37	8.83	30.97	6.00	152	311 PEAK																																																																																																												
2	2486.49	31.18	54.00	-22.82	14.95	32.37	8.83	30.97	6.00	152	311 AVERAGE																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark																																																																																																												
1	2480.00	102.00	-----	-----	85.79	32.36	8.82	30.97	6.00	152	311 PEAK																																																																																																												
2	2480.00	77.21	-----	-----	61.00	32.36	8.82	30.97	6.00	152	311 AVERAGE																																																																																																												





Mode	6																																																																																											
	Band Edge																																																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																											
ANT	16																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2485.90</td><td>55.52</td><td>74.00</td><td>-18.48</td><td>39.29</td><td>32.37</td><td>8.83</td><td>30.97</td></tr><tr><td>2</td><td>2485.90</td><td>30.73</td><td>54.00</td><td>-23.27</td><td>14.50</td><td>32.37</td><td>8.83</td><td>30.97</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2485.90	55.52	74.00	-18.48	39.29	32.37	8.83	30.97	2	2485.90	30.73	54.00	-23.27	14.50	32.37	8.83	30.97	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2480.00</td><td>93.61</td><td>-----</td><td>-----</td><td>77.40</td><td>32.36</td><td>8.82</td><td>30.97</td></tr><tr><td>2</td><td>2480.00</td><td>68.82</td><td>-----</td><td>-----</td><td>52.61</td><td>32.36</td><td>8.82</td><td>30.97</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2480.00	93.61	-----	-----	77.40	32.36	8.82	30.97	2	2480.00	68.82	-----	-----	52.61	32.36	8.82	30.97
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																				
1	2485.90	55.52	74.00	-18.48	39.29	32.37	8.83	30.97																																																																																				
2	2485.90	30.73	54.00	-23.27	14.50	32.37	8.83	30.97																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																				
1	2480.00	93.61	-----	-----	77.40	32.36	8.82	30.97																																																																																				
2	2480.00	68.82	-----	-----	52.61	32.36	8.82	30.97																																																																																				





Mode	6																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																													
ANT	16																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.34</td><td>74.00</td><td>-34.66</td><td>58.77</td><td>33.94</td><td>12.38</td><td>65.75</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.18</td><td>74.00</td><td>-31.82</td><td>57.03</td><td>35.00</td><td>14.92</td><td>65.57</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	39.34	74.00	-34.66	58.77	33.94	12.38	65.75	0.00	--	--	PEAK	2	7440.00	42.18	74.00	-31.82	57.03	35.00	14.92	65.57	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.54</td><td>74.00</td><td>-33.46</td><td>59.97</td><td>33.94</td><td>12.38</td><td>65.75</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.68</td><td>74.00</td><td>-31.32</td><td>57.53</td><td>35.00</td><td>14.92</td><td>65.57</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.54	74.00	-33.46	59.97	33.94	12.38	65.75	0.00	--	--	PEAK	2	7440.00	42.68	74.00	-31.32	57.53	35.00	14.92	65.57	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4960.00	39.34	74.00	-34.66	58.77	33.94	12.38	65.75	0.00	--	--	PEAK																																																																																																																		
2	7440.00	42.18	74.00	-31.82	57.03	35.00	14.92	65.57	0.00	--	--	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4960.00	40.54	74.00	-33.46	59.97	33.94	12.38	65.75	0.00	--	--	PEAK																																																																																																																		
2	7440.00	42.68	74.00	-31.32	57.53	35.00	14.92	65.57	0.00	--	--	PEAK																																																																																																																		







Mode	7																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																																													
ANT	7+16																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.70</td><td>56.52</td><td>74.00</td><td>-17.48</td><td>43.66</td><td>32.44</td><td>6.60</td><td>32.18</td><td>6.00</td><td>106</td><td>195</td><td>PEAK</td></tr><tr><td>2</td><td>2386.70</td><td>31.74</td><td>54.00</td><td>-22.26</td><td>18.88</td><td>32.44</td><td>6.60</td><td>32.18</td><td>6.00</td><td>106</td><td>195</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.70	56.52	74.00	-17.48	43.66	32.44	6.60	32.18	6.00	106	195	PEAK	2	2386.70	31.74	54.00	-22.26	18.88	32.44	6.60	32.18	6.00	106	195	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>110.77</td><td>-----</td><td>-----</td><td>97.74</td><td>32.59</td><td>6.62</td><td>32.18</td><td>6.00</td><td>106</td><td>195</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>85.99</td><td>-----</td><td>-----</td><td>72.96</td><td>32.59</td><td>6.62</td><td>32.18</td><td>6.00</td><td>106</td><td>195</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	110.77	-----	-----	97.74	32.59	6.62	32.18	6.00	106	195	PEAK	2	2402.00	85.99	-----	-----	72.96	32.59	6.62	32.18	6.00	106	195	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2386.70	56.52	74.00	-17.48	43.66	32.44	6.60	32.18	6.00	106	195	PEAK																																																																																																																		
2	2386.70	31.74	54.00	-22.26	18.88	32.44	6.60	32.18	6.00	106	195	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2402.00	110.77	-----	-----	97.74	32.59	6.62	32.18	6.00	106	195	PEAK																																																																																																																		
2	2402.00	85.99	-----	-----	72.96	32.59	6.62	32.18	6.00	106	195	AVERAGE																																																																																																																		





Mode	7																																																																			
	Band Edge																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																			
ANT	7+16																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2376.95</td><td>55.76</td><td>74.00</td><td>-18.24</td><td>43.05</td><td>32.32</td><td>6.58</td><td>32.19</td><td>6.00</td><td>342</td><td>63 PEAK</td></tr><tr><td>2</td><td>2376.95</td><td>30.98</td><td>54.00</td><td>-23.02</td><td>18.27</td><td>32.32</td><td>6.58</td><td>32.19</td><td>6.00</td><td>342</td><td>63 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2376.95	55.76	74.00	-18.24	43.05	32.32	6.58	32.19	6.00	342	63 PEAK	2	2376.95	30.98	54.00	-23.02	18.27	32.32	6.58	32.19	6.00	342	63 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2376.95	55.76	74.00	-18.24	43.05	32.32	6.58	32.19	6.00	342	63 PEAK																																																									
2	2376.95	30.98	54.00	-23.02	18.27	32.32	6.58	32.19	6.00	342	63 AVERAGE																																																									
																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>108.06</td><td>-----</td><td>95.03</td><td>32.59</td><td>6.62</td><td>32.18</td><td>6.00</td><td>342</td><td>63 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>83.28</td><td>-----</td><td>70.25</td><td>32.59</td><td>6.62</td><td>32.18</td><td>6.00</td><td>342</td><td>63 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	108.06	-----	95.03	32.59	6.62	32.18	6.00	342	63 PEAK	2	2402.00	83.28	-----	70.25	32.59	6.62	32.18	6.00	342	63 AVERAGE			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2402.00	108.06	-----	95.03	32.59	6.62	32.18	6.00	342	63 PEAK																																																										
2	2402.00	83.28	-----	70.25	32.59	6.62	32.18	6.00	342	63 AVERAGE																																																										





Mode	7																																																																																																																														
	Harmonic																																																																																																																														
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																																														
ANT	7+16																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																								
Peak Avg																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>41.98</td><td>74.00</td><td>-32.02</td><td>59.62</td><td>34.20</td><td>9.44</td><td>61.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7206.00</td><td>43.89</td><td>74.00</td><td>-30.11</td><td>57.13</td><td>35.60</td><td>11.65</td><td>60.49</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	41.98	74.00	-32.02	59.62	34.20	9.44	61.28	0.00	---	---	PEAK	2	7206.00	43.89	74.00	-30.11	57.13	35.60	11.65	60.49	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>41.95</td><td>74.00</td><td>-32.05</td><td>59.59</td><td>34.20</td><td>9.44</td><td>61.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7206.00</td><td>44.26</td><td>74.00</td><td>-29.74</td><td>57.50</td><td>35.60</td><td>11.65</td><td>60.49</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	41.95	74.00	-32.05	59.59	34.20	9.44	61.28	0.00	---	---	PEAK	2	7206.00	44.26	74.00	-29.74	57.50	35.60	11.65	60.49	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	4804.00	41.98	74.00	-32.02	59.62	34.20	9.44	61.28	0.00	---	---	PEAK																																																																																																																			
2	7206.00	43.89	74.00	-30.11	57.13	35.60	11.65	60.49	0.00	---	---	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	4804.00	41.95	74.00	-32.05	59.59	34.20	9.44	61.28	0.00	---	---	PEAK																																																																																																																			
2	7206.00	44.26	74.00	-29.74	57.50	35.60	11.65	60.49	0.00	---	---	PEAK																																																																																																																			



Mode	8																																																																	
	Harmonic																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																	
ANT	7+16																																																																	
Pol.	Horizontal																																																																	
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>40.88</td><td>74.00</td><td>-33.12</td><td>58.43</td><td>34.14</td><td>9.53</td><td>61.22</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>44.15</td><td>74.00</td><td>-29.85</td><td>57.51</td><td>35.70</td><td>11.69</td><td>60.75</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4882.00	40.88	74.00	-33.12	58.43	34.14	9.53	61.22	0.00	--- PEAK	2	7323.00	44.15	74.00	-29.85	57.51	35.70	11.69	60.75	0.00	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	4882.00	40.88	74.00	-33.12	58.43	34.14	9.53	61.22	0.00	--- PEAK																																																								
2	7323.00	44.15	74.00	-29.85	57.51	35.70	11.69	60.75	0.00	--- PEAK																																																								
Vertical																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>41.15</td><td>74.00</td><td>-32.85</td><td>58.70</td><td>34.14</td><td>9.53</td><td>61.22</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>43.91</td><td>74.00</td><td>-30.09</td><td>57.27</td><td>35.70</td><td>11.69</td><td>60.75</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4882.00	41.15	74.00	-32.85	58.70	34.14	9.53	61.22	0.00	--- PEAK	2	7323.00	43.91	74.00	-30.09	57.27	35.70	11.69	60.75	0.00	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	4882.00	41.15	74.00	-32.85	58.70	34.14	9.53	61.22	0.00	--- PEAK																																																								
2	7323.00	43.91	74.00	-30.09	57.27	35.70	11.69	60.75	0.00	--- PEAK																																																								





Mode	9																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																													
ANT	7+16																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.54</td><td>55.73</td><td>74.00</td><td>-18.27</td><td>42.63</td><td>32.60</td><td>6.73</td><td>32.23</td><td>6.00</td><td>100</td><td>201</td><td>PEAK</td></tr><tr><td>2</td><td>2483.54</td><td>30.95</td><td>54.00</td><td>-23.05</td><td>17.85</td><td>32.60</td><td>6.73</td><td>32.23</td><td>6.00</td><td>100</td><td>201</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.54	55.73	74.00	-18.27	42.63	32.60	6.73	32.23	6.00	100	201	PEAK	2	2483.54	30.95	54.00	-23.05	17.85	32.60	6.73	32.23	6.00	100	201	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>109.63</td><td>-----</td><td>-----</td><td>96.55</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>100</td><td>201</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>84.85</td><td>-----</td><td>-----</td><td>71.77</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>100</td><td>201</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	109.63	-----	-----	96.55	32.58	6.73	32.23	6.00	100	201	PEAK	2	2480.00	84.85	-----	-----	71.77	32.58	6.73	32.23	6.00	100	201	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2483.54	55.73	74.00	-18.27	42.63	32.60	6.73	32.23	6.00	100	201	PEAK																																																																																																																		
2	2483.54	30.95	54.00	-23.05	17.85	32.60	6.73	32.23	6.00	100	201	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2480.00	109.63	-----	-----	96.55	32.58	6.73	32.23	6.00	100	201	PEAK																																																																																																																		
2	2480.00	84.85	-----	-----	71.77	32.58	6.73	32.23	6.00	100	201	AVERAGE																																																																																																																		



		9																																																																			
Mode	Band Edge																																																																				
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																				
ANT	7+16																																																																				
Pol.	Vertical						Fundamental																																																														
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2497.40</td><td>56.24</td><td>74.00</td><td>-17.76</td><td>43.05</td><td>32.68</td><td>6.75</td><td>32.24</td><td>6.00</td><td>300</td><td>212 PEAK</td></tr><tr><td>2</td><td>2497.40</td><td>31.46</td><td>54.00</td><td>-22.54</td><td>18.27</td><td>32.68</td><td>6.75</td><td>32.24</td><td>6.00</td><td>300</td><td>212 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2497.40	56.24	74.00	-17.76	43.05	32.68	6.75	32.24	6.00	300	212 PEAK	2	2497.40	31.46	54.00	-22.54	18.27	32.68	6.75	32.24	6.00	300	212 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2497.40	56.24	74.00	-17.76	43.05	32.68	6.75	32.24	6.00	300	212 PEAK																																																										
2	2497.40	31.46	54.00	-22.54	18.27	32.68	6.75	32.24	6.00	300	212 AVERAGE																																																										
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>101.06</td><td>-----</td><td>-----</td><td>87.98</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>300</td><td>212 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>76.28</td><td>-----</td><td>-----</td><td>63.20</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>300</td><td>212 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	101.06	-----	-----	87.98	32.58	6.73	32.23	6.00	300	212 PEAK	2	2480.00	76.28	-----	-----	63.20	32.58	6.73	32.23	6.00	300	212 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2480.00	101.06	-----	-----	87.98	32.58	6.73	32.23	6.00	300	212 PEAK																																																										
2	2480.00	76.28	-----	-----	63.20	32.58	6.73	32.23	6.00	300	212 AVERAGE																																																										



Mode	9																																																																																																																														
	Harmonic																																																																																																																														
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																														
ANT	7+16																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																								
Peak Avg																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.74</td><td>74.00</td><td>-32.26</td><td>59.29</td><td>34.00</td><td>9.61</td><td>61.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>43.51</td><td>74.00</td><td>-30.49</td><td>57.06</td><td>35.70</td><td>11.77</td><td>61.02</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.74	74.00	-32.26	59.29	34.00	9.61	61.16	0.00	---	---	PEAK	2	7440.00	43.51	74.00	-30.49	57.06	35.70	11.77	61.02	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>42.43</td><td>74.00</td><td>-31.57</td><td>59.98</td><td>34.00</td><td>9.61</td><td>61.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>43.93</td><td>74.00</td><td>-30.07</td><td>57.48</td><td>35.70</td><td>11.77</td><td>61.02</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	42.43	74.00	-31.57	59.98	34.00	9.61	61.16	0.00	---	---	PEAK	2	7440.00	43.93	74.00	-30.07	57.48	35.70	11.77	61.02	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	4960.00	41.74	74.00	-32.26	59.29	34.00	9.61	61.16	0.00	---	---	PEAK																																																																																																																			
2	7440.00	43.51	74.00	-30.49	57.06	35.70	11.77	61.02	0.00	---	---	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	4960.00	42.43	74.00	-31.57	59.98	34.00	9.61	61.16	0.00	---	---	PEAK																																																																																																																			
2	7440.00	43.93	74.00	-30.07	57.48	35.70	11.77	61.02	0.00	---	---	PEAK																																																																																																																			


Appendix D. Duty Cycle Plots

Ant 16/7

3DH5 on time (One Pulse) Plot on Channel 39



3DH5 on time (Count Pulses) Plot on Channel 39



Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. 3DH5 has the highest duty cycle worst case and is reported.