








Mode	66																																																																							
	Band Edge - R																																																																							
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Puncturing 20M ③_5775MHz																																																																							
ANT	CDD 6+17																																																																							
Pol.	Vertical	Fundamental																																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>52.94</td><td>112.27</td><td>-59.33</td><td>39.93</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>300</td><td>245 PEAK</td></tr><tr><td>2</td><td>5867.20</td><td>58.04</td><td>107.48</td><td>-49.44</td><td>44.97</td><td>34.77</td><td>10.46</td><td>32.16</td><td>0.00</td><td>300</td><td>245 PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>53.86</td><td>69.23</td><td>-15.37</td><td>40.47</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>300</td><td>245 PEAK</td></tr><tr><td>4</td><td>5942.80</td><td>54.27</td><td>68.20</td><td>-13.93</td><td>40.75</td><td>35.16</td><td>10.53</td><td>32.17</td><td>0.00</td><td>300</td><td>245 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.40	52.94	112.27	-59.33	39.93	34.72	10.45	32.16	0.00	300	245 PEAK	2	5867.20	58.04	107.48	-49.44	44.97	34.77	10.46	32.16	0.00	300	245 PEAK	3	5923.60	53.86	69.23	-15.37	40.47	35.04	10.51	32.16	0.00	300	245 PEAK	4	5942.80	54.27	68.20	-13.93	40.75	35.16	10.53	32.17	0.00	300	245 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																														
1	5854.40	52.94	112.27	-59.33	39.93	34.72	10.45	32.16	0.00	300	245 PEAK																																																													
2	5867.20	58.04	107.48	-49.44	44.97	34.77	10.46	32.16	0.00	300	245 PEAK																																																													
3	5923.60	53.86	69.23	-15.37	40.47	35.04	10.51	32.16	0.00	300	245 PEAK																																																													
4	5942.80	54.27	68.20	-13.93	40.75	35.16	10.53	32.17	0.00	300	245 PEAK																																																													






		74																																																																																									
Mode	Band Edge - L																																																																																										
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Large RU 484+242 ①_5775MHz																																																																																										
ANT	CDD 6+17																																																																																										
Pol.	Horizontal																																																																																										
Peak																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5644.80</td><td>56.54</td><td>68.20</td><td>-11.66</td><td>39.37</td><td>34.59</td><td>12.58</td><td>30.00</td><td>0.00</td><td>100</td><td>115 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>56.14</td><td>68.20</td><td>-12.06</td><td>38.97</td><td>34.60</td><td>12.58</td><td>30.01</td><td>0.00</td><td>100</td><td>115 PEAK</td></tr><tr><td>3</td><td>5706.40</td><td>58.96</td><td>107.09</td><td>-48.13</td><td>41.81</td><td>34.61</td><td>12.65</td><td>30.11</td><td>0.00</td><td>100</td><td>115 PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>57.63</td><td>112.72</td><td>-55.09</td><td>40.45</td><td>34.64</td><td>12.67</td><td>30.13</td><td>0.00</td><td>100</td><td>115 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5644.80	56.54	68.20	-11.66	39.37	34.59	12.58	30.00	0.00	100	115 PEAK	2	5650.00	56.14	68.20	-12.06	38.97	34.60	12.58	30.01	0.00	100	115 PEAK	3	5706.40	58.96	107.09	-48.13	41.81	34.61	12.65	30.11	0.00	100	115 PEAK	4	5720.80	57.63	112.72	-55.09	40.45	34.64	12.67	30.13	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5644.80	56.54	68.20	-11.66	39.37	34.59	12.58	30.00	0.00	100	115 PEAK																																																																																
2	5650.00	56.14	68.20	-12.06	38.97	34.60	12.58	30.01	0.00	100	115 PEAK																																																																																
3	5706.40	58.96	107.09	-48.13	41.81	34.61	12.65	30.11	0.00	100	115 PEAK																																																																																
4	5720.80	57.63	112.72	-55.09	40.45	34.64	12.67	30.13	0.00	100	115 PEAK																																																																																
Fundamental																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>102.61</td><td>-----</td><td>-----</td><td>85.41</td><td>34.68</td><td>12.69</td><td>30.17</td><td>0.00</td><td>100</td><td>115 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	102.61	-----	-----	85.41	34.68	12.69	30.17	0.00	100	115 PEAK																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5775.00	102.61	-----	-----	85.41	34.68	12.69	30.17	0.00	100	115 PEAK																																																																																
Avg	Blank																																																																																										
																																																																																											
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>93.14</td><td>-----</td><td>-----</td><td>75.92</td><td>34.70</td><td>12.71</td><td>30.19</td><td>0.00</td><td>100</td><td>115 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	93.14	-----	-----	75.92	34.70	12.71	30.19	0.00	100	115 AVERAGE																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5775.00	93.14	-----	-----	75.92	34.70	12.71	30.19	0.00	100	115 AVERAGE																																																																																




Mode	74																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Large RU 484+242 ①_5775MHz																																																																																				
ANT	CDD 6+17																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>53.69</td><td>112.27</td><td>-58.58</td><td>36.37</td><td>34.83</td><td>12.86</td><td>30.37</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr><tr><td>2</td><td>5874.40</td><td>54.35</td><td>105.47</td><td>-51.12</td><td>36.88</td><td>34.95</td><td>12.90</td><td>30.38</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>55.22</td><td>69.23</td><td>-14.01</td><td>37.54</td><td>35.10</td><td>12.98</td><td>30.40</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr><tr><td>4</td><td>5933.20</td><td>57.39</td><td>68.20</td><td>-10.81</td><td>39.70</td><td>35.10</td><td>13.00</td><td>30.41</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	53.69	112.27	-58.58	36.37	34.83	12.86	30.37	0.00	100	115	PEAK	2	5874.40	54.35	105.47	-51.12	36.88	34.95	12.90	30.38	0.00	100	115	PEAK	3	5923.60	55.22	69.23	-14.01	37.54	35.10	12.98	30.40	0.00	100	115	PEAK	4	5933.20	57.39	68.20	-10.81	39.70	35.10	13.00	30.41	0.00	100	115	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.40	53.69	112.27	-58.58	36.37	34.83	12.86	30.37	0.00	100	115	PEAK																																																																									
2	5874.40	54.35	105.47	-51.12	36.88	34.95	12.90	30.38	0.00	100	115	PEAK																																																																									
3	5923.60	55.22	69.23	-14.01	37.54	35.10	12.98	30.40	0.00	100	115	PEAK																																																																									
4	5933.20	57.39	68.20	-10.81	39.70	35.10	13.00	30.41	0.00	100	115	PEAK																																																																									





	74																																																																																																																														
Mode	Band Edge - L																																																																																																																														
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Large RU 484+242 ①_5775MHz																																																																																																																														
ANT	CDD 6+17																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																								
Peak																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5629.20</td><td>56.62</td><td>68.20</td><td>-11.58</td><td>39.49</td><td>34.56</td><td>12.56</td><td>29.99</td><td>0.00</td><td>297</td><td>66 PEAK</td></tr><tr><td>2 5650.40</td><td>53.16</td><td>68.50</td><td>-15.34</td><td>35.99</td><td>34.60</td><td>12.58</td><td>30.01</td><td>0.00</td><td>297</td><td>66 PEAK</td></tr><tr><td>3 5708.00</td><td>57.10</td><td>107.54</td><td>-50.44</td><td>39.94</td><td>34.62</td><td>12.65</td><td>30.11</td><td>0.00</td><td>297</td><td>66 PEAK</td></tr><tr><td>4 5721.20</td><td>57.38</td><td>113.64</td><td>-56.26</td><td>40.20</td><td>34.64</td><td>12.67</td><td>30.13</td><td>0.00</td><td>297</td><td>66 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5629.20	56.62	68.20	-11.58	39.49	34.56	12.56	29.99	0.00	297	66 PEAK	2 5650.40	53.16	68.50	-15.34	35.99	34.60	12.58	30.01	0.00	297	66 PEAK	3 5708.00	57.10	107.54	-50.44	39.94	34.62	12.65	30.11	0.00	297	66 PEAK	4 5721.20	57.38	113.64	-56.26	40.20	34.64	12.67	30.13	0.00	297	66 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>99.04</td><td>-----</td><td>-----</td><td>81.75</td><td>34.79</td><td>12.76</td><td>30.26</td><td>0.00</td><td>297</td><td>66 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	99.04	-----	-----	81.75	34.79	12.76	30.26	0.00	297
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1 5629.20	56.62	68.20	-11.58	39.49	34.56	12.56	29.99	0.00	297	66 PEAK																																																																																																																					
2 5650.40	53.16	68.50	-15.34	35.99	34.60	12.58	30.01	0.00	297	66 PEAK																																																																																																																					
3 5708.00	57.10	107.54	-50.44	39.94	34.62	12.65	30.11	0.00	297	66 PEAK																																																																																																																					
4 5721.20	57.38	113.64	-56.26	40.20	34.64	12.67	30.13	0.00	297	66 PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1 5775.00	99.04	-----	-----	81.75	34.79	12.76	30.26	0.00	297	66 PEAK																																																																																																																					
Avg	Blank																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>91.49</td><td>-----</td><td>-----</td><td>74.20</td><td>34.79</td><td>12.76</td><td>30.26</td><td>0.00</td><td>297</td><td>66 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	91.49	-----	-----	74.20	34.79	12.76	30.26	0.00	297	66 AVERAGE																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1 5775.00	91.49	-----	-----	74.20	34.79	12.76	30.26	0.00	297	66 AVERAGE																																																																																																																					





Mode	74																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Large RU 484+242 ①_5775MHz																																																																																				
ANT	CDD 6+17																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>53.20</td><td>111.36</td><td>-58.16</td><td>35.88</td><td>34.83</td><td>12.86</td><td>30.37</td><td>0.00</td><td>297</td><td>66</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>55.45</td><td>105.58</td><td>-50.13</td><td>37.99</td><td>34.94</td><td>12.90</td><td>30.38</td><td>0.00</td><td>297</td><td>66</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>53.79</td><td>68.35</td><td>-14.56</td><td>36.12</td><td>35.10</td><td>12.98</td><td>30.41</td><td>0.00</td><td>297</td><td>66</td><td>PEAK</td></tr><tr><td>4</td><td>5930.40</td><td>55.26</td><td>68.20</td><td>-12.94</td><td>37.58</td><td>35.10</td><td>12.99</td><td>30.41</td><td>0.00</td><td>297</td><td>66</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	53.20	111.36	-58.16	35.88	34.83	12.86	30.37	0.00	297	66	PEAK	2	5874.00	55.45	105.58	-50.13	37.99	34.94	12.90	30.38	0.00	297	66	PEAK	3	5924.00	53.79	68.35	-14.56	36.12	35.10	12.98	30.41	0.00	297	66	PEAK	4	5930.40	55.26	68.20	-12.94	37.58	35.10	12.99	30.41	0.00	297	66	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.00	53.20	111.36	-58.16	35.88	34.83	12.86	30.37	0.00	297	66	PEAK																																																																									
2	5874.00	55.45	105.58	-50.13	37.99	34.94	12.90	30.38	0.00	297	66	PEAK																																																																									
3	5924.00	53.79	68.35	-14.56	36.12	35.10	12.98	30.41	0.00	297	66	PEAK																																																																									
4	5930.40	55.26	68.20	-12.94	37.58	35.10	12.99	30.41	0.00	297	66	PEAK																																																																									





Mode	38	
	18G-40G	
	U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz	
ANT	CDD 6+17	
Pol.	Horizontal	Vertical
Peak Avg		





Mode	38																																																																																																											
	30-1G																																																																																																											
	U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz																																																																																																											
ANT	CDD 6+17																																																																																																											
Pol.	Horizontal						Vertical																																																																																																					
Peak																																																																																																												
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.00</td><td>20.76</td><td>40.00</td><td>-19.24</td><td>28.50</td><td>24.57</td><td>0.71</td><td>33.02</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>62.01</td><td>14.21</td><td>40.00</td><td>-25.79</td><td>33.42</td><td>12.52</td><td>1.17</td><td>32.90</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>144.46</td><td>16.05</td><td>43.50</td><td>-27.45</td><td>30.58</td><td>16.49</td><td>1.81</td><td>32.83</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>241.46</td><td>22.48</td><td>46.00</td><td>-23.52</td><td>34.99</td><td>17.90</td><td>2.37</td><td>32.78</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>278.32</td><td>23.35</td><td>46.00</td><td>-22.65</td><td>34.67</td><td>18.93</td><td>2.55</td><td>32.80</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>728.40</td><td>28.22</td><td>46.00</td><td>-17.78</td><td>31.44</td><td>25.57</td><td>4.13</td><td>32.92</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>													Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	30.00	20.76	40.00	-19.24	28.50	24.57	0.71	33.02	0.00	---	Peak	2	62.01	14.21	40.00	-25.79	33.42	12.52	1.17	32.90	0.00	---	Peak	3	144.46	16.05	43.50	-27.45	30.58	16.49	1.81	32.83	0.00	---	Peak	4	241.46	22.48	46.00	-23.52	34.99	17.90	2.37	32.78	0.00	---	Peak	5	278.32	23.35	46.00	-22.65	34.67	18.93	2.55	32.80	0.00	---	Peak	6	728.40	28.22	46.00	-17.78	31.44	25.57	4.13	32.92	0.00	---	Peak
		Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	30.00	20.76	40.00	-19.24	28.50	24.57	0.71	33.02	0.00	---	Peak																																																																																																	
2	62.01	14.21	40.00	-25.79	33.42	12.52	1.17	32.90	0.00	---	Peak																																																																																																	
3	144.46	16.05	43.50	-27.45	30.58	16.49	1.81	32.83	0.00	---	Peak																																																																																																	
4	241.46	22.48	46.00	-23.52	34.99	17.90	2.37	32.78	0.00	---	Peak																																																																																																	
5	278.32	23.35	46.00	-22.65	34.67	18.93	2.55	32.80	0.00	---	Peak																																																																																																	
6	728.40	28.22	46.00	-17.78	31.44	25.57	4.13	32.92	0.00	---	Peak																																																																																																	
																																																																																																												
<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.00</td><td>21.79</td><td>40.00</td><td>-18.21</td><td>29.53</td><td>24.57</td><td>0.71</td><td>33.02</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>42.61</td><td>22.32</td><td>40.00</td><td>-17.68</td><td>36.78</td><td>17.57</td><td>0.93</td><td>32.96</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>62.01</td><td>17.55</td><td>40.00</td><td>-22.45</td><td>36.76</td><td>12.52</td><td>1.17</td><td>32.90</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>252.13</td><td>22.09</td><td>46.00</td><td>-23.91</td><td>33.97</td><td>18.46</td><td>2.43</td><td>32.77</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>461.65</td><td>22.13</td><td>46.00</td><td>-23.87</td><td>29.10</td><td>22.78</td><td>3.28</td><td>33.03</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>736.16</td><td>27.49</td><td>46.00</td><td>-18.51</td><td>30.54</td><td>25.67</td><td>4.15</td><td>32.87</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>													Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	30.00	21.79	40.00	-18.21	29.53	24.57	0.71	33.02	0.00	---	Peak	2	42.61	22.32	40.00	-17.68	36.78	17.57	0.93	32.96	0.00	---	Peak	3	62.01	17.55	40.00	-22.45	36.76	12.52	1.17	32.90	0.00	---	Peak	4	252.13	22.09	46.00	-23.91	33.97	18.46	2.43	32.77	0.00	---	Peak	5	461.65	22.13	46.00	-23.87	29.10	22.78	3.28	33.03	0.00	---	Peak	6	736.16	27.49	46.00	-18.51	30.54	25.67	4.15	32.87	0.00	---	Peak	
	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	30.00	21.79	40.00	-18.21	29.53	24.57	0.71	33.02	0.00	---	Peak																																																																																																	
2	42.61	22.32	40.00	-17.68	36.78	17.57	0.93	32.96	0.00	---	Peak																																																																																																	
3	62.01	17.55	40.00	-22.45	36.76	12.52	1.17	32.90	0.00	---	Peak																																																																																																	
4	252.13	22.09	46.00	-23.91	33.97	18.46	2.43	32.77	0.00	---	Peak																																																																																																	
5	461.65	22.13	46.00	-23.87	29.10	22.78	3.28	33.03	0.00	---	Peak																																																																																																	
6	736.16	27.49	46.00	-18.51	30.54	25.67	4.15	32.87	0.00	---	Peak																																																																																																	





Mode	41																																																																																																
	Harmonic																																																																																																
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																																
ANT	CDD 6+17																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>47.07</td><td>74.00</td><td>-26.93</td><td>59.03</td><td>38.08</td><td>16.32</td><td>66.36</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	47.07	74.00	-26.93	59.03	38.08	16.32	66.36	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>57.62</td><td>38.08</td><td>16.32</td><td>66.36</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	45.66	74.00	-28.34	57.62	38.08	16.32	66.36	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11440.00	47.07	74.00	-26.93	59.03	38.08	16.32	66.36	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11440.00	45.66	74.00	-28.34	57.62	38.08	16.32	66.36	0.00	--	PEAK																																																																																						





Mode	42																																																																																																
	Harmonic																																																																																																
	U-NII-2C_5.47-5.85_802.11BE EHT20_CH144_Full_5720MHz																																																																																																
ANT	CDD 6+17																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>46.69</td><td>74.00</td><td>-27.31</td><td>58.65</td><td>38.08</td><td>16.32</td><td>66.36</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	46.69	74.00	-27.31	58.65	38.08	16.32	66.36	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>45.07</td><td>74.00</td><td>-28.93</td><td>57.03</td><td>38.08</td><td>16.32</td><td>66.36</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	45.07	74.00	-28.93	57.03	38.08	16.32	66.36	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11440.00	46.69	74.00	-27.31	58.65	38.08	16.32	66.36	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11440.00	45.07	74.00	-28.93	57.03	38.08	16.32	66.36	0.00	--	PEAK																																																																																						







Mode	43																																																																																																	
	Harmonic																																																																																																	
	U-NII-2C_5.47-5.85_802.11BE EHT40_CH142_Full_5710MHz																																																																																																	
ANT	CDD 6+17																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>46.51</td><td>74.00</td><td>-27.49</td><td>58.53</td><td>38.04</td><td>16.31</td><td>66.37</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	46.51	74.00	-27.49	58.53	38.04	16.31	66.37	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>44.82</td><td>74.00</td><td>-29.18</td><td>56.84</td><td>38.04</td><td>16.31</td><td>66.37</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	44.82	74.00	-29.18	56.84	38.04	16.31	66.37	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11420.00	46.51	74.00	-27.49	58.53	38.04	16.31	66.37	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11420.00	44.82	74.00	-29.18	56.84	38.04	16.31	66.37	0.00	--	PEAK																																																																																							







Mode	44																																																																																																		
	Harmonic																																																																																																		
	U-NII-2C_5.47-5.85_802.11BE EHT80_CH138_Full_5690MHz																																																																																																		
ANT	CDD 6+17																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>44.86</td><td>74.00</td><td>-29.14</td><td>56.99</td><td>37.98</td><td>16.29</td><td>66.40</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11380.00	44.86	74.00	-29.14	56.99	37.98	16.29	66.40	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>45.36</td><td>74.00</td><td>-28.64</td><td>57.49</td><td>37.98</td><td>16.29</td><td>66.40</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11380.00	45.36	74.00	-28.64	57.49	37.98	16.29	66.40	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11380.00	44.86	74.00	-29.14	56.99	37.98	16.29	66.40	0.00	--	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11380.00	45.36	74.00	-28.64	57.49	37.98	16.29	66.40	0.00	--	--	PEAK																																																																																							







		75																																																																	
Mode		Co-location Band Edge																																																																	
		802.11be EHT20_CH36_5180MHz_Full																																																																	
ANT		CDD 6+17																																																																	
Pol.		Horizontal																																																																	
Peak																																																																			
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5148.05</td><td>63.15</td><td>74.00</td><td>-10.85</td><td>47.21</td><td>34.11</td><td>12.03</td><td>30.20</td><td>0.00</td><td>100</td><td>63 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5148.05	63.15	74.00	-10.85	47.21	34.11	12.03	30.20	0.00	100	63 PEAK										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																									
1	5148.05	63.15	74.00	-10.85	47.21	34.11	12.03	30.20	0.00	100	63 PEAK																																																								
Fundamental																																																																			
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2473.20</td><td>104.34</td><td>-----</td><td>-----</td><td>94.74</td><td>32.35</td><td>8.21</td><td>30.96</td><td>0.00</td><td>100</td><td>63 Peak</td></tr><tr><td>2</td><td>5180.00</td><td>109.47</td><td>-----</td><td>-----</td><td>93.36</td><td>34.24</td><td>12.06</td><td>30.19</td><td>0.00</td><td>100</td><td>63 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2473.20	104.34	-----	-----	94.74	32.35	8.21	30.96	0.00	100	63 Peak	2	5180.00	109.47	-----	-----	93.36	34.24	12.06	30.19	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																									
1	2473.20	104.34	-----	-----	94.74	32.35	8.21	30.96	0.00	100	63 Peak																																																								
2	5180.00	109.47	-----	-----	93.36	34.24	12.06	30.19	0.00	100	63 PEAK																																																								
Avg																																																																			
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5146.43</td><td>49.85</td><td>54.00</td><td>-4.15</td><td>33.91</td><td>34.11</td><td>12.03</td><td>30.20</td><td>0.00</td><td>100</td><td>63 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5146.43	49.85	54.00	-4.15	33.91	34.11	12.03	30.20	0.00	100	63 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																									
1	5146.43	49.85	54.00	-4.15	33.91	34.11	12.03	30.20	0.00	100	63 AVERAGE																																																								
																																																																			
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2473.20</td><td>100.68</td><td>-----</td><td>-----</td><td>91.08</td><td>32.35</td><td>8.21</td><td>30.96</td><td>0.00</td><td>100</td><td>63 Average</td></tr><tr><td>2</td><td>5180.00</td><td>100.76</td><td>-----</td><td>-----</td><td>84.65</td><td>34.24</td><td>12.06</td><td>30.19</td><td>0.00</td><td>100</td><td>63 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2473.20	100.68	-----	-----	91.08	32.35	8.21	30.96	0.00	100	63 Average	2	5180.00	100.76	-----	-----	84.65	34.24	12.06	30.19	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																									
1	2473.20	100.68	-----	-----	91.08	32.35	8.21	30.96	0.00	100	63 Average																																																								
2	5180.00	100.76	-----	-----	84.65	34.24	12.06	30.19	0.00	100	63 AVERAGE																																																								







		75																																																																																																	
Mode		Co-location Band Edge																																																																																																	
		802.11be EHT20_CH36_5180MHz_Full																																																																																																	
ANT		CDD 6+17																																																																																																	
Pol.	Vertical										Fundamental																																																																																								
Peak																																																																																																			
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5141.85	59.54	74.00	-14.46	43.59	34.13	12.03	30.21	0.00	235 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2473.20</td><td>96.07</td><td>-----</td><td>86.47</td><td>32.35</td><td>8.21</td><td>30.96</td><td>0.00</td><td>338</td><td>235 Peak</td></tr><tr><td>2</td><td>5180.00</td><td>105.46</td><td>-----</td><td>89.37</td><td>34.22</td><td>12.06</td><td>30.19</td><td>0.00</td><td>338</td><td>235 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2473.20	96.07	-----	86.47	32.35	8.21	30.96	0.00	338	235 Peak	2	5180.00	105.46	-----	89.37	34.22	12.06	30.19	0.00	338
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5141.85	59.54	74.00	-14.46	43.59	34.13	12.03	30.21	0.00	235 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2473.20	96.07	-----	86.47	32.35	8.21	30.96	0.00	338	235 Peak																																																																																									
2	5180.00	105.46	-----	89.37	34.22	12.06	30.19	0.00	338	235 PEAK																																																																																									
Avg																																																																																																			
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5141.75	47.37	54.00	-6.63	31.42	34.13	12.03	30.21	0.00	235 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2473.20</td><td>92.33</td><td>-----</td><td>82.73</td><td>32.35</td><td>8.21</td><td>30.96</td><td>0.00</td><td>338</td><td>235 Average</td></tr><tr><td>2</td><td>5180.00</td><td>96.55</td><td>-----</td><td>80.46</td><td>34.22</td><td>12.06</td><td>30.19</td><td>0.00</td><td>338</td><td>235 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2473.20	92.33	-----	82.73	32.35	8.21	30.96	0.00	338	235 Average	2	5180.00	96.55	-----	80.46	34.22	12.06	30.19	0.00	338
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5141.75	47.37	54.00	-6.63	31.42	34.13	12.03	30.21	0.00	235 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2473.20	92.33	-----	82.73	32.35	8.21	30.96	0.00	338	235 Average																																																																																									
2	5180.00	96.55	-----	80.46	34.22	12.06	30.19	0.00	338	235 AVERAGE																																																																																									







		75										
Mode		Co-location Harmonic										
		802.11be EHT20_CH36_5180MHz_Full										
ANT		CDD 6+17										
Pol.		Horizontal										
Peak												
Avg												
		Vertical										
Peak												
Avg												
		Horizontal										
		Vertical										





Mode	75																																																																																																		
	Co-location Band Edge																																																																																																		
	Bluetooth-LE_CH38_2478MHz																																																																																																		
ANT	16																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>55.75</td><td>74.00</td><td>-18.25</td><td>40.12</td><td>32.37</td><td>8.23</td><td>30.97</td><td>6.00</td><td>132 112 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	55.75	74.00	-18.25	40.12	32.37	8.23	30.97	6.00	132 112 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>110.36</td><td>-----</td><td>-----</td><td>94.75</td><td>32.36</td><td>8.22</td><td>30.97</td><td>6.00</td><td>132 112 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	110.36	-----	-----	94.75	32.36	8.22	30.97	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.50	55.75	74.00	-18.25	40.12	32.37	8.23	30.97	6.00	132 112 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2478.00	110.36	-----	-----	94.75	32.36	8.22	30.97	6.00	132 112 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>46.67</td><td>54.00</td><td>-7.33</td><td>31.04</td><td>32.37</td><td>8.23</td><td>30.97</td><td>6.00</td><td>132 112 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	46.67	54.00	-7.33	31.04	32.37	8.23	30.97	6.00	132 112 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>108.39</td><td>-----</td><td>-----</td><td>92.78</td><td>32.36</td><td>8.22</td><td>30.97</td><td>6.00</td><td>132 112 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	108.39	-----	-----	92.78	32.36	8.22	30.97	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.50	46.67	54.00	-7.33	31.04	32.37	8.23	30.97	6.00	132 112 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2478.00	108.39	-----	-----	92.78	32.36	8.22	30.97	6.00	132 112 AVERAGE																																																																																									







		75																																																																																																										
Mode		Co-location Band Edge																																																																																																										
		Bluetooth-LE_CH38_2478MHz																																																																																																										
ANT		16																																																																																																										
Pol.		Vertical					Fundamental																																																																																																					
Peak																																																																																																												
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.68</td><td>56.02</td><td>74.00</td><td>-17.98</td><td>40.39</td><td>32.37</td><td>8.23</td><td>30.97</td><td>6.00</td><td>400 191 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.68	56.02	74.00	-17.98	40.39	32.37	8.23	30.97	6.00	400 191 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2478.00</td><td>107.49</td><td>-----</td><td>-----</td><td>91.88</td><td>32.36</td><td>8.22</td><td>30.97</td><td>6.00</td><td>400 191 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	107.49	-----	-----	91.88	32.36	8.22	30.97	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2483.68	56.02	74.00	-17.98	40.39	32.37	8.23	30.97	6.00	400 191 PEAK																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2478.00	107.49	-----	-----	91.88	32.36	8.22	30.97	6.00	400 191 PEAK																																																																																																		
Avg																																																																																																												
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>45.76</td><td>54.00</td><td>-8.24</td><td>30.13</td><td>32.37</td><td>8.23</td><td>30.97</td><td>6.00</td><td>400 191 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	45.76	54.00	-8.24	30.13	32.37	8.23	30.97	6.00	400 191 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2478.00</td><td>105.31</td><td>-----</td><td>-----</td><td>89.70</td><td>32.36</td><td>8.22</td><td>30.97</td><td>6.00</td><td>400 191 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	105.31	-----	-----	89.70	32.36	8.22	30.97	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2483.50	45.76	54.00	-8.24	30.13	32.37	8.23	30.97	6.00	400 191 AVERAGE																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2478.00	105.31	-----	-----	89.70	32.36	8.22	30.97	6.00	400 191 AVERAGE																																																																																																		







Mode	75																																																																																																																																				
	Co-location Harmonic																																																																																																																																				
	Bluetooth-LE _CH38_2478MHz																																																																																																																																				
ANT	16																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																														
Peak Avg																																																																																																																																					
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>41.50</td><td>74.00</td><td>-32.50</td><td>61.49</td><td>33.92</td><td>11.84</td><td>65.75</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5180.00</td><td>57.47</td><td>74.00</td><td>-16.53</td><td>77.04</td><td>34.22</td><td>12.06</td><td>65.85</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	41.50	74.00	-32.50	61.49	33.92	11.84	65.75	0.00	---	---	PEAK	2	5180.00	57.47	74.00	-16.53	77.04	34.22	12.06	65.85	0.00	---	---	Peak	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>40.62</td><td>74.00</td><td>-33.38</td><td>60.61</td><td>33.92</td><td>11.84</td><td>65.75</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5180.00</td><td>55.32</td><td>74.00</td><td>-18.68</td><td>74.09</td><td>34.22</td><td>12.06</td><td>65.85</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	40.62	74.00	-33.38	60.61	33.92	11.84	65.75	0.00	---	---	PEAK	2	5180.00	55.32	74.00	-18.68	74.09	34.22	12.06	65.85	0.00	---	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																													
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	4956.00	41.50	74.00	-32.50	61.49	33.92	11.84	65.75	0.00	---	---	PEAK																																																																																																																									
2	5180.00	57.47	74.00	-16.53	77.04	34.22	12.06	65.85	0.00	---	---	Peak																																																																																																																									
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																													
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	4956.00	40.62	74.00	-33.38	60.61	33.92	11.84	65.75	0.00	---	---	PEAK																																																																																																																									
2	5180.00	55.32	74.00	-18.68	74.09	34.22	12.06	65.85	0.00	---	---	Peak																																																																																																																									





		76																																																																		
Mode		Co-location Band Edge																																																																		
		802.11be EHT20_CH36_5180MHz_Full																																																																		
ANT		CDD 6+17																																																																		
Pol.		Horizontal																																																																		
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5128.55</td><td>58.68</td><td>74.00</td><td>-15.32</td><td>42.68</td><td>34.19</td><td>12.02</td><td>30.21</td><td>0.00</td><td>100</td><td>60 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5128.55	58.68	74.00	-15.32	42.68	34.19	12.02	30.21	0.00	100	60 PEAK											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5128.55	58.68	74.00	-15.32	42.68	34.19	12.02	30.21	0.00	100	60 PEAK																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2425.20</td><td>96.22</td><td>-----</td><td>-----</td><td>86.79</td><td>32.25</td><td>8.12</td><td>30.94</td><td>0.00</td><td>100</td><td>60 Peak</td></tr><tr><td>2</td><td>5180.00</td><td>109.92</td><td>-----</td><td>-----</td><td>93.81</td><td>34.24</td><td>12.06</td><td>30.19</td><td>0.00</td><td>100</td><td>60 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2425.20	96.22	-----	-----	86.79	32.25	8.12	30.94	0.00	100	60 Peak	2	5180.00	109.92	-----	-----	93.81	34.24	12.06	30.19	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	2425.20	96.22	-----	-----	86.79	32.25	8.12	30.94	0.00	100	60 Peak																																																									
2	5180.00	109.92	-----	-----	93.81	34.24	12.06	30.19	0.00	100	60 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.35</td><td>47.51</td><td>54.00</td><td>-6.49</td><td>31.57</td><td>34.11</td><td>12.03</td><td>30.20</td><td>0.00</td><td>100</td><td>60 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5146.35	47.51	54.00	-6.49	31.57	34.11	12.03	30.20	0.00	100	60 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5146.35	47.51	54.00	-6.49	31.57	34.11	12.03	30.20	0.00	100	60 AVERAGE																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2425.20</td><td>88.45</td><td>-----</td><td>-----</td><td>79.02</td><td>32.25</td><td>8.12</td><td>30.94</td><td>0.00</td><td>100</td><td>60 Average</td></tr><tr><td>2</td><td>5180.00</td><td>101.92</td><td>-----</td><td>-----</td><td>85.81</td><td>34.24</td><td>12.06</td><td>30.19</td><td>0.00</td><td>100</td><td>60 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2425.20	88.45	-----	-----	79.02	32.25	8.12	30.94	0.00	100	60 Average	2	5180.00	101.92	-----	-----	85.81	34.24	12.06	30.19	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	2425.20	88.45	-----	-----	79.02	32.25	8.12	30.94	0.00	100	60 Average																																																									
2	5180.00	101.92	-----	-----	85.81	34.24	12.06	30.19	0.00	100	60 AVERAGE																																																									







		76																																																																																																																					
Mode		Co-location Band Edge																																																																																																																					
		802.11be EHT20_CH36_5180MHz_Full																																																																																																																					
ANT		CDD 6+17																																																																																																																					
Pol.		Vertical					Fundamental																																																																																																																
Peak																																																																																																																							
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5148.75</td><td>56.42</td><td>74.00</td><td>-17.58</td><td>40.49</td><td>34.10</td><td>12.03</td><td>30.20</td><td>0.00</td><td>300 232 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.75	56.42	74.00	-17.58	40.49	34.10	12.03	30.20	0.00	300 232 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2413.20</td><td>100.83</td><td>-----</td><td>-----</td><td>91.44</td><td>32.23</td><td>8.10</td><td>30.94</td><td>0.00</td><td>300 232 Peak</td></tr><tr><td>2</td><td>5180.00</td><td>106.25</td><td>-----</td><td>-----</td><td>90.16</td><td>34.22</td><td>12.06</td><td>30.19</td><td>0.00</td><td>300 232 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2413.20	100.83	-----	-----	91.44	32.23	8.10	30.94	0.00	300 232 Peak	2	5180.00	106.25	-----	-----	90.16	34.22	12.06	30.19	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5148.75	56.42	74.00	-17.58	40.49	34.10	12.03	30.20	0.00	300 232 PEAK																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	2413.20	100.83	-----	-----	91.44	32.23	8.10	30.94	0.00	300 232 Peak																																																																																																													
2	5180.00	106.25	-----	-----	90.16	34.22	12.06	30.19	0.00	300 232 PEAK																																																																																																													
Avg																																																																																																																							
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5142.05</td><td>45.48</td><td>54.00</td><td>-8.52</td><td>29.53</td><td>34.13</td><td>12.03</td><td>30.21</td><td>0.00</td><td>232 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5142.05	45.48	54.00	-8.52	29.53	34.13	12.03	30.21	0.00	232 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2413.20</td><td>89.55</td><td>-----</td><td>-----</td><td>80.16</td><td>32.23</td><td>8.10</td><td>30.94</td><td>0.00</td><td>300 232 Average</td></tr><tr><td>2</td><td>5180.00</td><td>97.11</td><td>-----</td><td>-----</td><td>81.02</td><td>34.22</td><td>12.06</td><td>30.19</td><td>0.00</td><td>300 232 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2413.20	89.55	-----	-----	80.16	32.23	8.10	30.94	0.00	300 232 Average	2	5180.00	97.11	-----	-----	81.02	34.22	12.06	30.19	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5142.05	45.48	54.00	-8.52	29.53	34.13	12.03	30.21	0.00	232 AVERAGE																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	2413.20	89.55	-----	-----	80.16	32.23	8.10	30.94	0.00	300 232 Average																																																																																																													
2	5180.00	97.11	-----	-----	81.02	34.22	12.06	30.19	0.00	300 232 AVERAGE																																																																																																													





Mode	76																																																																																																		
	Co-location Harmonic																																																																																																		
	802.11be EHT20_CH36_5180MHz_Full																																																																																																		
ANT	CDD 6+17																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>45.00</td><td>68.20</td><td>-23.20</td><td>55.45</td><td>37.46</td><td>17.54</td><td>65.45</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	45.00	68.20	-23.20	55.45	37.46	17.54	65.45	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>45.44</td><td>68.20</td><td>-22.76</td><td>55.89</td><td>37.46</td><td>17.54</td><td>65.45</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	45.44	68.20	-22.76	55.89	37.46	17.54	65.45	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10360.00	45.00	68.20	-23.20	55.45	37.46	17.54	65.45	0.00	---	---	PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10360.00	45.44	68.20	-22.76	55.89	37.46	17.54	65.45	0.00	---	---	PEAK																																																																																							







		76																																																																																											
Mode		Co-location Band Edge																																																																																											
		802.11be EHT40_CH03_2422MHz_Full																																																																																											
ANT		CDD 7+16																																																																																											
Pol.		Horizontal					Fundamental																																																																																						
Peak																																																																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.65	58.33	74.00	-15.67	43.08	32.13	8.05	30.93	6.00	306	322 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>103.46</td><td>-----</td><td>88.00</td><td>32.27</td><td>8.14</td><td>30.95</td><td>6.00</td><td>306</td><td>322 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	103.46	-----	88.00	32.27	8.14	30.95	6.00	306
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2388.65	58.33	74.00	-15.67	43.08	32.13	8.05	30.93	6.00	306	322 PEAK																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2422.00	103.46	-----	88.00	32.27	8.14	30.95	6.00	306	322 PEAK																																																																																			
Avg																																																																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	47.59	54.00	-6.41	32.33	32.14	8.05	30.93	6.00	306	322 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>93.19</td><td>-----</td><td>77.73</td><td>32.27</td><td>8.14</td><td>30.95</td><td>6.00</td><td>306</td><td>322 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	93.19	-----	77.73	32.27	8.14	30.95	6.00	306
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2389.95	47.59	54.00	-6.41	32.33	32.14	8.05	30.93	6.00	306	322 AVERAGE																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2422.00	93.19	-----	77.73	32.27	8.14	30.95	6.00	306	322 AVERAGE																																																																																			





Mode	76																																																							
	Co-location Band Edge																																																							
	802.11be EHT40_CH03_2422MHz_Full																																																							
ANT	CDD 7+16																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2493.28</td><td>54.90</td><td>74.00</td><td>-19.10</td><td>39.23</td><td>32.39</td><td>8.25</td><td>30.97</td><td>6.00</td><td>306</td><td>322 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2493.28	54.90	74.00	-19.10	39.23	32.39	8.25	30.97	6.00	306	322 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2493.28	54.90	74.00	-19.10	39.23	32.39	8.25	30.97	6.00	306	322 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.06</td><td>43.64</td><td>54.00</td><td>-10.36</td><td>28.00</td><td>32.37</td><td>8.24</td><td>30.97</td><td>6.00</td><td>306</td><td>322 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.06	43.64	54.00	-10.36	28.00	32.37	8.24	30.97	6.00	306	322 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2485.06	43.64	54.00	-10.36	28.00	32.37	8.24	30.97	6.00	306	322 AVERAGE																																													





		76																																																																																							
Mode		Co-location Band Edge																																																																																							
		802.11be EHT40_CH03_2422MHz_Full																																																																																							
ANT		CDD 7+16																																																																																							
Pol.		Vertical					Fundamental																																																																																		
Peak																																																																																									
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	57.82	74.00	-16.18	42.56	32.14	8.05	30.93	6.00	100	159 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2422.00</td><td>104.21</td><td>-----</td><td>88.73</td><td>32.28</td><td>8.15</td><td>30.95</td><td>6.00</td><td>100</td><td>159 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	104.21	-----	88.73	32.28	8.15	30.95	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2389.69	57.82	74.00	-16.18	42.56	32.14	8.05	30.93	6.00	100	159 PEAK																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2422.00	104.21	-----	88.73	32.28	8.15	30.95	6.00	100	159 PEAK																																																																															
Avg																																																																																									
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.13	45.79	54.00	-8.21	30.54	32.13	8.05	30.93	6.00	100	159 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2422.00</td><td>93.42</td><td>-----</td><td>77.94</td><td>32.28</td><td>8.15</td><td>30.95</td><td>6.00</td><td>100</td><td>159 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	93.42	-----	77.94	32.28	8.15	30.95	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2388.13	45.79	54.00	-8.21	30.54	32.13	8.05	30.93	6.00	100	159 AVERAGE																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2422.00	93.42	-----	77.94	32.28	8.15	30.95	6.00	100	159 AVERAGE																																																																															



Mode	76																																																	
	Co-location Band Edge																																																	
	802.11be EHT40_CH03_2422MHz_Full																																																	
ANT	CDD 7+16																																																	
Pol.	Vertical						Fundamental																																											
Peak							Blank																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.92</td><td>56.05</td><td>74.00</td><td>-17.95</td><td>40.42</td><td>32.37</td><td>8.23</td><td>30.97</td><td>6.00</td><td>100</td><td>159 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.92	56.05	74.00	-17.95	40.42
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																								
1	2483.92	56.05	74.00	-17.95	40.42	32.37	8.23	30.97	6.00	100	159 PEAK																																							
Avg							Blank																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.86</td><td>44.11</td><td>54.00</td><td>-9.89</td><td>28.48</td><td>32.37</td><td>8.23</td><td>30.97</td><td>6.00</td><td>100</td><td>159 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.86	44.11	54.00	-9.89	28.48
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																								
1	2483.86	44.11	54.00	-9.89	28.48	32.37	8.23	30.97	6.00	100	159 AVERAGE																																							




		76																																																																																																																												
Mode	Co-location Harmonic																																																																																																																													
	802.11be EHT40_CH03_2422MHz_Full																																																																																																																													
ANT	CDD 7+16																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4844.00</td><td>41.52</td><td>74.00</td><td>-32.48</td><td>61.63</td><td>34.19</td><td>11.62</td><td>65.92</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5188.00</td><td>65.18</td><td>74.00</td><td>-8.82</td><td>84.73</td><td>34.25</td><td>12.06</td><td>65.86</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4844.00	41.52	74.00	-32.48	61.63	34.19	11.62	65.92	0.00	---	PEAK	2	5188.00	65.18	74.00	-8.82	84.73	34.25	12.06	65.86	0.00	---	Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4844.00</td><td>41.49</td><td>74.00</td><td>-32.51</td><td>61.60</td><td>34.19</td><td>11.62</td><td>65.92</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5187.20</td><td>64.89</td><td>74.00</td><td>-9.11</td><td>84.44</td><td>34.25</td><td>12.06</td><td>65.86</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4844.00	41.49	74.00	-32.51	61.60	34.19	11.62	65.92	0.00	---	PEAK	2	5187.20	64.89	74.00	-9.11	84.44	34.25	12.06	65.86	0.00	---	Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4844.00	41.52	74.00	-32.48	61.63	34.19	11.62	65.92	0.00	---	PEAK																																																																																																																			
2	5188.00	65.18	74.00	-8.82	84.73	34.25	12.06	65.86	0.00	---	Peak																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4844.00	41.49	74.00	-32.51	61.60	34.19	11.62	65.92	0.00	---	PEAK																																																																																																																			
2	5187.20	64.89	74.00	-9.11	84.44	34.25	12.06	65.86	0.00	---	Peak																																																																																																																			

Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	98.97	-	-	10Hz
802.11be EHT20	100	-	-	10Hz
802.11be EHT40	100	-	-	10Hz
802.11be EHT80	100	-	-	10Hz
802.11be EHT160	100	-	-	10Hz
802.11be EHT20 RU26	100	-	-	10Hz
802.11be EHT20 RU52	100	-	-	10Hz
802.11be EHT20 RU106	100	-	-	10Hz
802.11be EHT20- Small RU52+26	100	-	-	10Hz
802.11be EHT20- Small RU106+26	100	-	-	10Hz
802.11be EHT80- Large RU484+24	98.08	-	-	10Hz
802.11be EHT160- Large RU996+484	98.16	-	-	10Hz
802.11be EHT160- Large RU996+996+996	98.16	-	-	10Hz
802.11be EHT80 Puncturing 20M	100	-	-	10Hz
802.11be EHT160 Puncturing 20M	100	-	-	10Hz
802.11be EHT160 Puncturing 40M	100	-	-	10Hz




802.11a



Date: 20.SEP.2024 02:21:27


802.11be EHT20



Date: 20.SEP.2024 04:00:48




802.11be EHT40



Date: 20.SEP.2024 04:01:37


802.11be EHT80




Date: 20.SEP.2024 04:02:30



802.11be EHT160




802.11be EHT20 RU26






802.11be EHT20 RU52




802.11be EHT20 RU106






802.11be EHT20-Small RU52+26



Date: 1.OCT.2024 14:34:21


802.11be EHT20-Small RU106+26



Date: 1.OCT.2024 14:35:12




802.11be EHT80-Large RU484+242



Date: 1.OCT.2024 14:39:55


802.11be EHT160-Large RU996+484



Date: 1.JAN.2003 19:49:25




802.11be EHT160-Large RU996 + 996



Date: 1.JAN.2003 19:45:07


802.11be EHT80-Puncturing 20M



Date: 1.OCT.2024 14:37:52



802.11be EHT160-Puncturing 20M



802.11be EHT160-Puncturing 40M

