


---

# Spurious Emission at Antenna Terminals

## 1. LTE\_Band48


### 1.1. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:1, Channel:55265, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.017           | -57.94      | -40         | 17.94       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.34      | -40         | 31.34       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 822.4           | -63.26      | -40         | 23.26       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2957            | -48.64      | -40         | 8.64        | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3285            | -46.37      | -40         | 6.37        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3550            | 22.27       | 60          | 37.73       | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 4224            | -45.36      | -40         | 5.36        | Pass    | 2751        |
| 6500                  | 26500                | 1         | RMS      | 26011           | -50.33      | -40         | 10.33       | Pass    | 20003       |




## 1.2. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:2, Channel:55265, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.017           | -57.05      | -40         | 17.05       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.02      | -40         | 31.02       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 848.1           | -63.3       | -40         | 23.3        | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2950            | -48.63      | -40         | 8.63        | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3287            | -46.35      | -40         | 6.35        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3550            | 21.97       | 60          | 38.03       | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 4225            | -45.33      | -40         | 5.33        | Pass    | 2751        |
| 6500                  | 26500                | 1         | RMS      | 25997           | -50.06      | -40         | 10.06       | Pass    | 20003       |




### 1.3. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:3, Channel:55990, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.017           | -58.41      | -40         | 18.41       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.47      | -40         | 31.47       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 845             | -63.24      | -40         | 23.24       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2954            | -48.63      | -40         | 8.63        | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3315            | -46.22      | -40         | 6.22        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3622.5          | 22.79       | 60          | 37.21       | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 4223            | -45.12      | -40         | 5.12        | Pass    | 2751        |
| 6500                  | 26500                | 1         | RMS      | 26012           | -50.25      | -40         | 10.25       | Pass    | 20003       |




#### 1.4. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:4, Channel:55990, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.017           | -58.4       | -40         | 18.4        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.31      | -40         | 31.31       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 967.278         | -63.23      | -40         | 23.23       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2947            | -48.68      | -40         | 8.68        | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3315            | -46.31      | -40         | 6.31        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3622.5          | 21.88       | 60          | 38.12       | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 4224            | -44.62      | -40         | 4.62        | Pass    | 2751        |
| 6500                  | 26500                | 1         | RMS      | 25988           | -50.35      | -40         | 10.35       | Pass    | 20003       |




### 1.5. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:5, Channel:56715, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.017           | -57.95      | -40         | 17.95       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.89      | -40         | 31.89       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 856.205         | -63.3       | -40         | 23.3        | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2958            | -48.61      | -40         | 8.61        | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3293            | -46.39      | -40         | 6.39        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3695            | 22.38       | 60          | 37.62       | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 4225            | -45.4       | -40         | 5.4         | Pass    | 2751        |
| 6500                  | 26500                | 1         | RMS      | 26001           | -50.17      | -40         | 10.17       | Pass    | 20003       |




## 1.6. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:6, Channel:56715, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.017           | -58.02      | -40         | 18.02       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.74      | -40         | 31.74       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 848.3           | -63.16      | -40         | 23.16       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2961            | -48.61      | -40         | 8.61        | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3281            | -46.38      | -40         | 6.38        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3695            | 21.41       | 60          | 38.59       | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 4225            | -45.21      | -40         | 5.21        | Pass    | 2751        |
| 6500                  | 26500                | 1         | RMS      | 25986           | -50.29      | -40         | 10.29       | Pass    | 20003       |




### 1.7. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:7, Channel:55290, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.017           | -58.21      | -40         | 18.21       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.08      | -40         | 32.08       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 852.402         | -63.33      | -40         | 23.33       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2956            | -48.63      | -40         | 8.63        | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3291            | -46.34      | -40         | 6.34        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3550            | 22.69       | 60          | 37.31       | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 4224            | -45.13      | -40         | 5.13        | Pass    | 2751        |
| 6500                  | 26500                | 1         | RMS      | 26011           | -50.3       | -40         | 10.3        | Pass    | 20003       |




## 1.8. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:8, Channel:55290, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.017           | -58.1       | -40         | 18.1        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -71.41      | -40         | 31.41       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 855.804         | -63.33      | -40         | 23.33       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2956            | -48.63      | -40         | 8.63        | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3285            | -46.34      | -40         | 6.34        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3550            | 22.09       | 60          | 37.91       | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 4224            | -45.14      | -40         | 5.14        | Pass    | 2751        |
| 6500                  | 26500                | 1         | RMS      | 25992           | -50.28      | -40         | 10.28       | Pass    | 20003       |




### 1.9. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:9, Channel:55990, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.017           | -57.43      | -40         | 17.43       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.62      | -40         | 31.62       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 927.852         | -63.43      | -40         | 23.43       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2956            | -48.62      | -40         | 8.62        | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3313            | -46.32      | -40         | 6.32        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3620            | 22.73       | 60          | 37.27       | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 4225            | -45.63      | -40         | 5.63        | Pass    | 2751        |
| 6500                  | 26500                | 1         | RMS      | 26000           | -50.28      | -40         | 10.28       | Pass    | 20003       |




### 1.10. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:10, Channel:55990, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.017           | -59.1       | -40         | 19.1        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.24            | -71.86      | -40         | 31.86       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 839.5           | -63.4       | -40         | 23.4        | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2957            | -48.62      | -40         | 8.62        | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3313            | -46.29      | -40         | 6.29        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3620            | 22.08       | 60          | 37.92       | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 4224            | -44.92      | -40         | 4.92        | Pass    | 2751        |
| 6500                  | 26500                | 1         | RMS      | 25997           | -50.24      | -40         | 10.24       | Pass    | 20003       |




### 1.11. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:11, Channel:56690, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.017           | -58.66      | -40         | 18.66       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.69      | -40         | 31.69       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 953.969         | -63.34      | -40         | 23.34       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2951            | -48.67      | -40         | 8.67        | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3291            | -46.37      | -40         | 6.37        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3690            | 22.29       | 60          | 37.71       | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 4225            | -45.52      | -40         | 5.52        | Pass    | 2751        |
| 6500                  | 26500                | 1         | RMS      | 25998           | -50.32      | -40         | 10.32       | Pass    | 20003       |




### 1.12. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:12, Channel:56690, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.017           | -58.04      | -40         | 18.04       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.42      | -40         | 31.42       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 828.3           | -63.24      | -40         | 23.24       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2952            | -48.63      | -40         | 8.63        | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3285            | -46.37      | -40         | 6.37        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3690            | 21.68       | 60          | 38.32       | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 4225            | -45.36      | -40         | 5.36        | Pass    | 2751        |
| 6500                  | 26500                | 1         | RMS      | 25991           | -50.29      | -40         | 10.29       | Pass    | 20003       |




### 1.13. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:13, Channel:55315, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.017           | -58.09      | -40         | 18.09       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.8       | -40         | 31.8        | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 843.3           | -63.31      | -40         | 23.31       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2956            | -48.67      | -40         | 8.67        | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3291            | -46.36      | -40         | 6.36        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3550.625        | 21.52       | 60          | 38.48       | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 4223            | -45.26      | -40         | 5.26        | Pass    | 2751        |
| 6500                  | 26500                | 1         | RMS      | 26007           | -50.23      | -40         | 10.23       | Pass    | 20003       |




# 1.14. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:14, Channel:55315, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.017           | -58.03      | -40         | 18.03       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.36      | -40         | 31.36       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 842.7           | -63.3       | -40         | 23.3        | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2955            | -48.63      | -40         | 8.63        | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3281            | -46.36      | -40         | 6.36        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3550            | 20.94       | 60          | 39.06       | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 4225            | -45.47      | -40         | 5.47        | Pass    | 2751        |
| 6500                  | 26500                | 1         | RMS      | 26000           | -50.22      | -40         | 10.22       | Pass    | 20003       |




### 1.15. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:15, Channel:55990, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.017           | -57.75      | -40         | 17.75       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.09      | -40         | 31.09       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 844.8           | -63.11      | -40         | 23.11       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2956            | -48.59      | -40         | 8.59        | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3287            | -46.35      | -40         | 6.35        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3618.125        | 21.89       | 60          | 38.11       | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 4225            | -45.23      | -40         | 5.23        | Pass    | 2751        |
| 6500                  | 26500                | 1         | RMS      | 26000           | -50.25      | -40         | 10.25       | Pass    | 20003       |




### 1.16. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:16, Channel:55990, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.017           | -58.33      | -40         | 18.33       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.26      | -40         | 31.26       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 844.2           | -63.24      | -40         | 23.24       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2957            | -48.66      | -40         | 8.66        | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3283            | -46.34      | -40         | 6.34        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3617.5          | 21.05       | 60          | 38.95       | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 4224            | -44.55      | -40         | 4.55        | Pass    | 2751        |
| 6500                  | 26500                | 1         | RMS      | 26003           | -50.24      | -40         | 10.24       | Pass    | 20003       |




### 1.17. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:17, Channel:56665, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.017           | -58.29      | -40         | 18.29       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -71.37      | -40         | 31.37       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 827.1           | -63.17      | -40         | 23.17       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2954            | -48.64      | -40         | 8.64        | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3291            | -46.36      | -40         | 6.36        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3685.625        | 21.26       | 60          | 38.74       | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 4224            | -44.64      | -40         | 4.64        | Pass    | 2751        |
| 6500                  | 26500                | 1         | RMS      | 26001           | -50.25      | -40         | 10.25       | Pass    | 20003       |




### 1.18. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:18, Channel:56665, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.017           | -57.36      | -40         | 17.36       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.22            | -71.57      | -40         | 31.57       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 826.6           | -63.32      | -40         | 23.32       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2945            | -48.65      | -40         | 8.65        | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3291            | -46.38      | -40         | 6.38        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3685.625        | 20.76       | 60          | 39.24       | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 4225            | -44.93      | -40         | 4.93        | Pass    | 2751        |
| 6500                  | 26500                | 1         | RMS      | 26002           | -50.25      | -40         | 10.25       | Pass    | 20003       |




### 1.19. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:19, Channel:55340, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.017           | -57.44      | -40         | 17.44       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.2             | -71.68      | -40         | 31.68       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 860.808         | -63.26      | -40         | 23.26       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2943            | -48.62      | -40         | 8.62        | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3286            | -46.35      | -40         | 6.35        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3550.625        | 22.47       | 60          | 37.53       | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 4225            | -45.89      | -40         | 5.89        | Pass    | 2751        |
| 6500                  | 26500                | 1         | RMS      | 25995           | -50.22      | -40         | 10.22       | Pass    | 20003       |




## 1.20. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:20, Channel:55340, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.017           | -57.13      | -40         | 17.13       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.23            | -71.95      | -40         | 31.95       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 829.5           | -63.3       | -40         | 23.3        | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2957            | -48.58      | -40         | 8.58        | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3280            | -46.37      | -40         | 6.37        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3550.625        | 21.89       | 60          | 38.11       | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 4225            | -45.77      | -40         | 5.77        | Pass    | 2751        |
| 6500                  | 26500                | 1         | RMS      | 26001           | -50.26      | -40         | 10.26       | Pass    | 20003       |




### 1.21. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:21, Channel:55990, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.017           | -56.73      | -40         | 16.73       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.26      | -40         | 31.26       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 917.645         | -63.3       | -40         | 23.3        | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2946            | -48.63      | -40         | 8.63        | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3289            | -46.37      | -40         | 6.37        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3615.625        | 22.46       | 60          | 37.54       | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 4224            | -45         | -40         | 5           | Pass    | 2751        |
| 6500                  | 26500                | 1         | RMS      | 26012           | -50.3       | -40         | 10.3        | Pass    | 20003       |




## 1.22. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:22, Channel:55990, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.017           | -56.48      | -40         | 16.48       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.67      | -40         | 31.67       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 848.7           | -63.24      | -40         | 23.24       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2948            | -48.61      | -40         | 8.61        | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3286            | -46.34      | -40         | 6.34        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3615.625        | 21.96       | 60          | 38.04       | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 4225            | -45.6       | -40         | 5.6         | Pass    | 2751        |
| 6500                  | 26500                | 1         | RMS      | 26004           | -50.23      | -40         | 10.23       | Pass    | 20003       |




### 1.23. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:23, Channel:56640, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.017           | -57.67      | -40         | 17.67       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.62      | -40         | 30.62       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 844.8           | -63.21      | -40         | 23.21       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2943            | -48.6       | -40         | 8.6         | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3290            | -46.4       | -40         | 6.4         | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3680.625        | 22.36       | 60          | 37.64       | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 4224            | -45.04      | -40         | 5.04        | Pass    | 2751        |
| 6500                  | 26500                | 1         | RMS      | 25992           | -50.2       | -40         | 10.2        | Pass    | 20003       |



### 1.24. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:24, Channel:56640, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.017           | -58.28      | -40         | 18.28       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.45      | -40         | 31.45       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 854.404         | -63.39      | -40         | 23.39       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2956            | -48.61      | -40         | 8.61        | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3283            | -46.35      | -40         | 6.35        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3680.625        | 21.63       | 60          | 38.37       | Pass    | 401         |
| 3750                  | 6500                 | 1         | RMS      | 4224            | -45.08      | -40         | 5.08        | Pass    | 2751        |
| 6500                  | 26500                | 1         | RMS      | 26017           | -50.31      | -40         | 10.31       | Pass    | 20003       |



## 1. n48 30kHz


**1.1. Spurious Emission at Antenna Terminals for SA\_Part96(NTNV)(Subtest:1, Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.07            | -69.63      | -40         | 29.63       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -73.84      | -40         | 33.84       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 886.024         | -64.71      | -40         | 24.71       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2885            | -52.56      | -40         | 12.56       | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3029            | -47.57      | -40         | 7.57        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3558.125        | 12.58       | 60          | 47.42       | Pass    | 401         |
| 3750                  | 7000                 | 1         | RMS      | 3860            | -64.73      | -40         | 24.73       | Pass    | 3251        |
| 7000                  | 26500                | 1         | RMS      | 25200           | -52.77      | -40         | 12.77       | Pass    | 19503       |




## 1.2. Spurious Emission at Antenna Terminals for SA\_Part96(NTNV)(Subtest:2, Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.07            | -68.51      | -40         | 28.51       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -74.07      | -40         | 34.07       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 747.5           | -64.87      | -40         | 24.87       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2869            | -52.23      | -40         | 12.23       | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3029            | -47.73      | -40         | 7.73        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3550.625        | 20.68       | 60          | 39.32       | Pass    | 401         |
| 3750                  | 7000                 | 1         | RMS      | 3858            | -56.96      | -40         | 16.96       | Pass    | 3251        |
| 7000                  | 26500                | 1         | RMS      | 25880           | -52.96      | -40         | 12.96       | Pass    | 19503       |




### 1.3. Spurious Emission at Antenna Terminals for SA\_Part96(NTNV)(Subtest:3, Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.07            | -68.74      | -40         | 28.74       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.2             | -72.13      | -40         | 32.13       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 899.033         | -65.33      | -40         | 25.33       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2884            | -52.54      | -40         | 12.54       | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3031            | -47.74      | -40         | 7.74        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3559.375        | 20.44       | 60          | 39.56       | Pass    | 401         |
| 3750                  | 7000                 | 1         | RMS      | 3866            | -60.21      | -40         | 20.21       | Pass    | 3251        |
| 7000                  | 26500                | 1         | RMS      | 25200           | -52.9       | -40         | 12.9        | Pass    | 19503       |




#### 1.4. Spurious Emission at Antenna Terminals for SA\_Part96(NTNV)(Subtest:1, Channel:641666, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.07            | -70.59      | -40         | 30.59       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.23            | -74.47      | -40         | 34.47       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 871.415         | -64.89      | -40         | 24.89       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2866            | -52.49      | -40         | 12.49       | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3028            | -47.75      | -40         | 7.75        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3628.125        | 13.3        | 60          | 46.7        | Pass    | 401         |
| 3750                  | 7000                 | 1         | RMS      | 3933            | -64.55      | -40         | 24.55       | Pass    | 3251        |
| 7000                  | 26500                | 1         | RMS      | 25211           | -52.5       | -40         | 12.5        | Pass    | 19503       |




**1.5. Spurious Emission at Antenna Terminals for SA\_Part96(NTNV)(Subtest:2, Channel:641666, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.07            | -69.33      | -40         | 29.33       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.79      | -40         | 32.79       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 963.776         | -65.15      | -40         | 25.15       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2876            | -52.56      | -40         | 12.56       | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3030            | -47.66      | -40         | 7.66        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3620.625        | 21.23       | 60          | 38.77       | Pass    | 401         |
| 3750                  | 7000                 | 1         | RMS      | 3928            | -57.78      | -40         | 17.78       | Pass    | 3251        |
| 7000                  | 26500                | 1         | RMS      | 25191           | -52.82      | -40         | 12.82       | Pass    | 19503       |




**1.6. Spurious Emission at Antenna Terminals for SA\_Part96(NTNV)(Subtest:3, Channel:641666, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.07            | -68.67      | -40         | 28.67       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.22            | -73.78      | -40         | 33.78       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 865.011         | -64.71      | -40         | 24.71       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2869            | -52.36      | -40         | 12.36       | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3034            | -47.71      | -40         | 7.71        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3629.375        | 21.11       | 60          | 38.89       | Pass    | 401         |
| 3750                  | 7000                 | 1         | RMS      | 3936            | -57.24      | -40         | 17.24       | Pass    | 3251        |
| 7000                  | 26500                | 1         | RMS      | 26020           | -52.77      | -40         | 12.77       | Pass    | 19503       |




### 1.7. Spurious Emission at Antenna Terminals for SA\_Part96(NTNV)(Subtest:1, Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.07            | -69.7       | -40         | 29.7        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -74.01      | -40         | 34.01       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 934.557         | -65.12      | -40         | 25.12       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2884            | -52.49      | -40         | 12.49       | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3026            | -47.79      | -40         | 7.79        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3698.125        | 13.63       | 60          | 46.37       | Pass    | 401         |
| 3750                  | 7000                 | 1         | RMS      | 3999            | -63.08      | -40         | 23.08       | Pass    | 3251        |
| 7000                  | 26500                | 1         | RMS      | 25185           | -52.55      | -40         | 12.55       | Pass    | 19503       |




**1.8. Spurious Emission at Antenna Terminals for SA\_Part96(NTNV)(Subtest:2, Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.07            | -71.31      | -40         | 31.31       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -73.52      | -40         | 33.52       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 912.042         | -65.22      | -40         | 25.22       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2869            | -52.43      | -40         | 12.43       | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3031            | -47.74      | -40         | 7.74        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3690.625        | 21.51       | 60          | 38.49       | Pass    | 401         |
| 3750                  | 7000                 | 1         | RMS      | 3998            | -56.79      | -40         | 16.79       | Pass    | 3251        |
| 7000                  | 26500                | 1         | RMS      | 25874           | -53.02      | -40         | 13.02       | Pass    | 19503       |




**1.9. Spurious Emission at Antenna Terminals for SA\_Part96(NTNV)(Subtest:3, Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.07            | -70.97      | -40         | 30.97       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.65            | -73.11      | -40         | 33.11       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 962.175         | -65.25      | -40         | 25.25       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2875            | -52.23      | -40         | 12.23       | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3025            | -47.78      | -40         | 7.78        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3699.375        | 21.36       | 60          | 38.64       | Pass    | 401         |
| 3750                  | 7000                 | 1         | RMS      | 4006            | -59.31      | -40         | 19.31       | Pass    | 3251        |
| 7000                  | 26500                | 1         | RMS      | 25498           | -52.97      | -40         | 12.97       | Pass    | 19503       |




### 1.10. Spurious Emission at Antenna Terminals for SA\_Part96(NTNV)(Subtest:1, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.07            | -68.81      | -40         | 28.81       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.44      | -40         | 32.44       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 969.28          | -64.92      | -40         | 24.92       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2859            | -52.49      | -40         | 12.49       | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3032            | -47.66      | -40         | 7.66        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3567.5          | 9.29        | 60          | 50.71       | Pass    | 401         |
| 3750                  | 7000                 | 1         | RMS      | 3871            | -66.18      | -40         | 26.18       | Pass    | 3251        |
| 7000                  | 26500                | 1         | RMS      | 25829           | -52.78      | -40         | 12.78       | Pass    | 19503       |




### 1.11. Spurious Emission at Antenna Terminals for SA\_Part96(NTNV)(Subtest:2, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.07            | -69.11      | -40         | 29.11       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -73.82      | -40         | 33.82       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 982.288         | -65.42      | -40         | 25.42       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2861            | -52.5       | -40         | 12.5        | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3030            | -47.67      | -40         | 7.67        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3551.25         | 20.44       | 60          | 39.56       | Pass    | 401         |
| 3750                  | 7000                 | 1         | RMS      | 3858            | -58.8       | -40         | 18.8        | Pass    | 3251        |
| 7000                  | 26500                | 1         | RMS      | 25198           | -52.81      | -40         | 12.81       | Pass    | 19503       |




**1.12. Spurious Emission at Antenna Terminals for SA\_Part96(NTNV)(Subtest:3, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.07            | -69.84      | -40         | 29.84       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.92      | -40         | 32.92       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 931.955         | -65.15      | -40         | 25.15       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2868            | -52.48      | -40         | 12.48       | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3031            | -47.75      | -40         | 7.75        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3568.75         | 20.72       | 60          | 39.28       | Pass    | 401         |
| 3750                  | 7000                 | 1         | RMS      | 3876            | -58.76      | -40         | 18.76       | Pass    | 3251        |
| 7000                  | 26500                | 1         | RMS      | 25187           | -52.76      | -40         | 12.76       | Pass    | 19503       |




### 1.13. Spurious Emission at Antenna Terminals for SA\_Part96(NTNV)(Subtest:1, Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.07            | -69.84      | -40         | 29.84       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.32            | -73.84      | -40         | 33.84       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 1000            | -64.9       | -40         | 24.9        | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2872            | -52.46      | -40         | 12.46       | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3027            | -47.74      | -40         | 7.74        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3632.5          | 10.02       | 60          | 49.98       | Pass    | 401         |
| 3750                  | 7000                 | 1         | RMS      | 3925            | -65.78      | -40         | 25.78       | Pass    | 3251        |
| 7000                  | 26500                | 1         | RMS      | 25202           | -52.6       | -40         | 12.6        | Pass    | 19503       |




# 1.14. Spurious Emission at Antenna Terminals for SA\_Part96(NTNV)(Subtest:2, Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.07            | -69.24      | -40         | 29.24       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -73.42      | -40         | 33.42       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 852.702         | -65.15      | -40         | 25.15       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2880            | -52.37      | -40         | 12.37       | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3034            | -47.77      | -40         | 7.77        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3616.25         | 20.86       | 60          | 39.14       | Pass    | 401         |
| 3750                  | 7000                 | 1         | RMS      | 3923            | -57.46      | -40         | 17.46       | Pass    | 3251        |
| 7000                  | 26500                | 1         | RMS      | 26196           | -52.8       | -40         | 12.8        | Pass    | 19503       |




**1.15. Spurious Emission at Antenna Terminals for SA\_Part96(NTNV)(Subtest:3, Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.07            | -69.2       | -40         | 29.2        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.27            | -73.1       | -40         | 33.1        | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 749.2           | -64.97      | -40         | 24.97       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2864            | -52.46      | -40         | 12.46       | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3029            | -47.67      | -40         | 7.67        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3633.75         | 21.31       | 60          | 38.69       | Pass    | 401         |
| 3750                  | 7000                 | 1         | RMS      | 3941            | -58.12      | -40         | 18.12       | Pass    | 3251        |
| 7000                  | 26500                | 1         | RMS      | 25208           | -53.05      | -40         | 13.05       | Pass    | 19503       |




**1.16. Spurious Emission at Antenna Terminals for SA\_Part96(NTNV)(Subtest:1, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.07            | -69.41      | -40         | 29.41       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 1.17            | -74.94      | -40         | 34.94       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 738             | -65.3       | -40         | 25.3        | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2865            | -52.59      | -40         | 12.59       | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3027            | -47.79      | -40         | 7.79        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3696.875        | 10.29       | 60          | 49.71       | Pass    | 401         |
| 3750                  | 7000                 | 1         | RMS      | 3750            | -64.45      | -40         | 24.45       | Pass    | 3251        |
| 7000                  | 26500                | 1         | RMS      | 25920           | -53.05      | -40         | 13.05       | Pass    | 19503       |




**1.17. Spurious Emission at Antenna Terminals for SA\_Part96(NTNV)(Subtest:2, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.07            | -69.52      | -40         | 29.52       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.28            | -73.7       | -40         | 33.7        | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 911.041         | -65.08      | -40         | 25.08       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2869            | -52.43      | -40         | 12.43       | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3028            | -47.79      | -40         | 7.79        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3681.25         | 21.21       | 60          | 38.79       | Pass    | 401         |
| 3750                  | 7000                 | 1         | RMS      | 3988            | -57.71      | -40         | 17.71       | Pass    | 3251        |
| 7000                  | 26500                | 1         | RMS      | 25202           | -52.84      | -40         | 12.84       | Pass    | 19503       |




**1.18. Spurious Emission at Antenna Terminals for SA\_Part96(NTNV)(Subtest:3, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.07            | -70.1       | -40         | 30.1        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.32            | -73.96      | -40         | 33.96       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 993.696         | -65.44      | -40         | 25.44       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2885            | -52.43      | -40         | 12.43       | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3029            | -47.71      | -40         | 7.71        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3698.75         | 21.58       | 60          | 38.42       | Pass    | 401         |
| 3750                  | 7000                 | 1         | RMS      | 4006            | -57.96      | -40         | 17.96       | Pass    | 3251        |
| 7000                  | 26500                | 1         | RMS      | 25167           | -52.83      | -40         | 12.83       | Pass    | 19503       |




### 1.19. Spurious Emission at Antenna Terminals for SA\_Part96(NTNV)(Subtest:1, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detect or | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|-----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS       | 0.07            | -69.25      | -40         | 29.25       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS       | 0.19            | -72.02      | -40         | 32.02       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS       | 984.89          | -65.27      | -40         | 25.27       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS       | 2875            | -52.49      | -40         | 12.49       | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS       | 3500            | -45.29      | -40         | 5.29        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS       | 3576.875        | 6.13        | 60          | 53.87       | Pass    | 401         |
| 3750                  | 7000                 | 1         | RMS       | 3871            | -67.21      | -40         | 27.21       | Pass    | 3251        |
| 7000                  | 26500                | 1         | RMS       | 25200           | -52.86      | -40         | 12.86       | Pass    | 19503       |




**1.20. Spurious Emission at Antenna Terminals for SA\_Part96(NTNV)(Subtest:2, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.07            | -70.65      | -40         | 30.65       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.44      | -40         | 32.44       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 722.2           | -65.4       | -40         | 25.4        | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2872            | -52.51      | -40         | 12.51       | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3040            | -47.74      | -40         | 7.74        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3551.25         | 20.79       | 60          | 39.21       | Pass    | 401         |
| 3750                  | 7000                 | 1         | RMS      | 3858            | -58.76      | -40         | 18.76       | Pass    | 3251        |
| 7000                  | 26500                | 1         | RMS      | 25197           | -52.46      | -40         | 12.46       | Pass    | 19503       |




### 1.21. Spurious Emission at Antenna Terminals for SA\_Part96(NTNV)(Subtest:3, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.07            | -68.55      | -40         | 28.55       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -74.44      | -40         | 34.44       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 911.842         | -65.26      | -40         | 25.26       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2873            | -52.4       | -40         | 12.4        | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3035            | -47.72      | -40         | 7.72        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3588.75         | 21.1        | 60          | 38.9        | Pass    | 401         |
| 3750                  | 7000                 | 1         | RMS      | 3896            | -59.68      | -40         | 19.68       | Pass    | 3251        |
| 7000                  | 26500                | 1         | RMS      | 25188           | -53.04      | -40         | 13.04       | Pass    | 19503       |




## 1.22. Spurious Emission at Antenna Terminals for SA\_Part96(NTNV)(Subtest:1, Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.07            | -69.05      | -40         | 29.05       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.32            | -73.69      | -40         | 33.69       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 921.248         | -64.82      | -40         | 24.82       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2864            | -52.36      | -40         | 12.36       | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3033            | -47.77      | -40         | 7.77        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3639.375        | 6.91        | 60          | 53.09       | Pass    | 401         |
| 3750                  | 7000                 | 1         | RMS      | 3917            | -65.87      | -40         | 25.87       | Pass    | 3251        |
| 7000                  | 26500                | 1         | RMS      | 25185           | -52.66      | -40         | 12.66       | Pass    | 19503       |




### 1.23. Spurious Emission at Antenna Terminals for SA\_Part96(NTNV)(Subtest:2, Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.07            | -69.49      | -40         | 29.49       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.2             | -72.76      | -40         | 32.76       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 889.327         | -65.33      | -40         | 25.33       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2871            | -52.43      | -40         | 12.43       | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3028            | -47.73      | -40         | 7.73        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3606.25         | 21.19       | 60          | 38.81       | Pass    | 401         |
| 3750                  | 7000                 | 1         | RMS      | 3913            | -57.72      | -40         | 17.72       | Pass    | 3251        |
| 7000                  | 26500                | 1         | RMS      | 25208           | -52.9       | -40         | 12.9        | Pass    | 19503       |




#### 1.24. Spurious Emission at Antenna Terminals for SA\_Part96(NTNV)(Subtest:3, Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.07            | -70.74      | -40         | 30.74       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.35            | -73.83      | -40         | 33.83       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 905.537         | -65.56      | -40         | 25.56       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2863            | -52.51      | -40         | 12.51       | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3029            | -47.75      | -40         | 7.75        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3643.75         | 21.74       | 60          | 38.26       | Pass    | 401         |
| 3750                  | 7000                 | 1         | RMS      | 3951            | -58.13      | -40         | 18.13       | Pass    | 3251        |
| 7000                  | 26500                | 1         | RMS      | 25209           | -52.95      | -40         | 12.95       | Pass    | 19503       |




### 1.25. Spurious Emission at Antenna Terminals for SA\_Part96(NTNV)(Subtest:1, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.07            | -70.4       | -40         | 30.4        | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -73.4       | -40         | 33.4        | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 903.236         | -65.48      | -40         | 25.48       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2880            | -52.55      | -40         | 12.55       | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3036            | -47.76      | -40         | 7.76        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3697.5          | 7.4         | 60          | 52.6        | Pass    | 401         |
| 3750                  | 7000                 | 1         | RMS      | 3750            | -46.58      | -40         | 6.58        | Pass    | 3251        |
| 7000                  | 26500                | 1         | RMS      | 25204           | -52.98      | -40         | 12.98       | Pass    | 19503       |




**1.26. Spurious Emission at Antenna Terminals for SA\_Part96(NTNV)(Subtest:2, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.07            | -69.86      | -40         | 29.86       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.07      | -40         | 32.07       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 964.877         | -65.57      | -40         | 25.57       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2864            | -52.54      | -40         | 12.54       | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3030            | -47.78      | -40         | 7.78        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3661.25         | 21.71       | 60          | 38.29       | Pass    | 401         |
| 3750                  | 7000                 | 1         | RMS      | 3968            | -58.15      | -40         | 18.15       | Pass    | 3251        |
| 7000                  | 26500                | 1         | RMS      | 25201           | -53.01      | -40         | 13.01       | Pass    | 19503       |



**1.27. Spurious Emission at Antenna Terminals for SA\_Part96(NTNV)(Subtest:3, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.07            | -71.56      | -40         | 31.56       | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.69      | -40         | 32.69       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 888.326         | -64.99      | -40         | 24.99       | Pass    | 9701        |
| 1000                  | 3000                 | 1         | RMS      | 2866            | -52.54      | -40         | 12.54       | Pass    | 2001        |
| 3000                  | 3500                 | 1         | RMS      | 3028            | -47.76      | -40         | 7.76        | Pass    | 501         |
| 3500                  | 3750                 | 1         | RMS      | 3698.75         | 22.04       | 60          | 37.96       | Pass    | 401         |
| 3750                  | 7000                 | 1         | RMS      | 4006            | -58.37      | -40         | 18.37       | Pass    | 3251        |
| 7000                  | 26500                | 1         | RMS      | 25198           | -52.98      | -40         | 12.98       | Pass    | 19503       |



--BLANK BELOW--