

RF Power Range (N12- DSI5-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N12	5 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		36		22.50 - 24.50
		36		23.50 - 25.50
		36		22.50 - 24.50
		75		22.50 - 24.50
		1	DFT-s-OFDM QPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		36		22.50 - 24.50
		36		23.50 - 25.50
		36		22.50 - 24.50
		75		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N12- Full-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N12	5 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		36		22.50 - 24.50
		36		23.50 - 25.50
		36		22.50 - 24.50
		75		22.50 - 24.50
		1	DFT-s-OFDM QPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		36		22.50 - 24.50
		36		23.50 - 25.50
		36		22.50 - 24.50
		75		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N12- DSI1-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N12	5 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		36		22.50 - 24.50
		36		23.50 - 25.50
		36		22.50 - 24.50
		75		22.50 - 24.50
		1	DFT-s-OFDM QPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		36		22.50 - 24.50
		36		23.50 - 25.50
		36		22.50 - 24.50
		75		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N12- DSI2-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N12	5 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		36		22.50 - 24.50
		36		23.50 - 25.50
		36		22.50 - 24.50
		75		22.50 - 24.50
		1	DFT-s-OFDM QPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		36		22.50 - 24.50
		36		23.50 - 25.50
		36		22.50 - 24.50
		75		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N12- DSI3-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N12	5 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		36		22.50 - 24.50
		36		23.50 - 25.50
		36		22.50 - 24.50
		75		22.50 - 24.50
		1	DFT-s-OFDM QPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		36		22.50 - 24.50
		36		23.50 - 25.50
		36		22.50 - 24.50
		75		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N12- DSI4-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N12	5 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		36		22.50 - 24.50
		36		23.50 - 25.50
		36		22.50 - 24.50
		75		22.50 - 24.50
		1	DFT-s-OFDM QPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		36		22.50 - 24.50
		36		23.50 - 25.50
		36		22.50 - 24.50
		75		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N12- DSI5-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N12	5 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		36		22.50 - 24.50
		36		23.50 - 25.50
		36		22.50 - 24.50
		75		22.50 - 24.50
		1	DFT-s-OFDM QPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		36		22.50 - 24.50
		36		23.50 - 25.50
		36		22.50 - 24.50
		75		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N26- Full-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N26	5 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		80		22.50 - 24.50
		80		23.50 - 25.50
		80	DFT-s-OFDM QPSK	22.50 - 24.50
		160		22.50 - 24.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		80		22.50 - 24.50
		80		23.50 - 25.50
		80		22.50 - 24.50
		160		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N26- DSI1-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N26	5 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		80		22.50 - 24.50
		80		23.50 - 25.50
		80	DFT-s-OFDM QPSK	22.50 - 24.50
		160		22.50 - 24.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		80		22.50 - 24.50
		80		23.50 - 25.50
		80		22.50 - 24.50
		160		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N26- DSI2-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N26	5 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	10 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	15 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	20 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	25 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	30 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
		1		23.00 - 25.00
		1		23.00 - 25.00
		80		22.50 - 24.50
		80		23.00 - 25.00
		80	DFT-s-OFDM QPSK	22.50 - 24.50
		160		22.50 - 24.50
		1		23.00 - 25.00
		1		23.00 - 25.00
		1		23.00 - 25.00
		80		22.50 - 24.50
		80		23.00 - 25.00
		80		22.50 - 24.50
		160		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N26- DSI3-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N26	5 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	10 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	15 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	20 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	25 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	30 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
		1		23.00 - 25.00
		1		23.00 - 25.00
		80		22.50 - 24.50
		80		23.00 - 25.00
		80	DFT-s-OFDM QPSK	22.50 - 24.50
		160		22.50 - 24.50
		1		23.00 - 25.00
		1		23.00 - 25.00
		1		23.00 - 25.00
		80		22.50 - 24.50
		80		23.00 - 25.00
		80		22.50 - 24.50
		160		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N26- DSI4-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N26	5 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		80		22.50 - 24.50
		80		23.50 - 25.50
		80	DFT-s-OFDM QPSK	22.50 - 24.50
		160		22.50 - 24.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		80		22.50 - 24.50
		80		23.50 - 25.50
		80		22.50 - 24.50
		160		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N26- DSI5-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N26	5 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	10 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	15 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	20 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	25 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	30 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
		1		23.00 - 25.00
		1		23.00 - 25.00
		80		22.50 - 24.50
		80		23.00 - 25.00
		80	DFT-s-OFDM QPSK	22.50 - 24.50
		160		22.50 - 24.50
		1		23.00 - 25.00
		1		23.00 - 25.00
		1		23.00 - 25.00
		80		22.50 - 24.50
		80		23.00 - 25.00
		80		22.50 - 24.50
		160		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N26- Full-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N26	5 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		80		22.50 - 24.50
		80		23.50 - 25.50
		80	DFT-s-OFDM QPSK	22.50 - 24.50
		160		22.50 - 24.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		80		22.50 - 24.50
		80		23.50 - 25.50
		80		22.50 - 24.50
		160		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N26- DSI1-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N26	5 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	10 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	15 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	20 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	25 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	30 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
		1		21.50 - 23.50
		1		21.50 - 23.50
		80		21.50 - 23.50
		80		21.50 - 23.50
		80		21.50 - 23.50
		160		21.50 - 23.50
		1	DFT-s-OFDM QPSK	21.50 - 23.50
		1		21.50 - 23.50
		1		21.50 - 23.50
		80		21.50 - 23.50
		80		21.50 - 23.50
		80		21.50 - 23.50
		160		21.50 - 23.50
		1	DFT-s-OFDM 16QAM	21.50 - 23.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	21.50 - 23.50
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N26- DSI2-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N26	5 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		80		22.50 - 24.50
		80		23.50 - 25.50
		80	DFT-s-OFDM QPSK	22.50 - 24.50
		160		22.50 - 24.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		80		22.50 - 24.50
		80		23.50 - 25.50
		80		22.50 - 24.50
		160		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N26- DSI3-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N26	5 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	10 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	15 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	20 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	25 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	30 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
		1		21.50 - 23.50
		1		21.50 - 23.50
		80		21.50 - 23.50
		80		21.50 - 23.50
		80		21.50 - 23.50
		160		21.50 - 23.50
		1	DFT-s-OFDM QPSK	21.50 - 23.50
		1		21.50 - 23.50
		1		21.50 - 23.50
		80		21.50 - 23.50
		80		21.50 - 23.50
		80		21.50 - 23.50
		160		21.50 - 23.50
		1	DFT-s-OFDM 16QAM	21.50 - 23.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	21.50 - 23.50
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N26- DSI4-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N26	5 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		80		22.50 - 24.50
		80		23.50 - 25.50
		80	DFT-s-OFDM QPSK	22.50 - 24.50
		160		22.50 - 24.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		80		22.50 - 24.50
		80		23.50 - 25.50
		80		22.50 - 24.50
		160		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N26- DSI5-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N26	5 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	10 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	15 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	20 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	25 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	30 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
		1		21.50 - 23.50
		1		21.50 - 23.50
		80		21.50 - 23.50
		80		21.50 - 23.50
		80		21.50 - 23.50
		160		21.50 - 23.50
		1	DFT-s-OFDM QPSK	21.50 - 23.50
		1		21.50 - 23.50
		1		21.50 - 23.50
		80		21.50 - 23.50
		80		21.50 - 23.50
		80		21.50 - 23.50
		160		21.50 - 23.50
		1	DFT-s-OFDM 16QAM	21.50 - 23.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	21.50 - 23.50
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N38- Full-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N38	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	40 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		50		22.50 - 24.50
		50		23.50 - 25.50
		50	DFT-s-OFDM QPSK	22.50 - 24.50
		100		22.50 - 24.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		50		22.50 - 24.50
		50		23.50 - 25.50
		50		22.50 - 24.50
		100		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N38- DSI1-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N38	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	40 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		50		22.50 - 24.50
		50		23.50 - 25.50
		50	DFT-s-OFDM QPSK	22.50 - 24.50
		100		22.50 - 24.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		50		22.50 - 24.50
		50		23.50 - 25.50
		50		22.50 - 24.50
		100		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N38- DSI2-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N38	10 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	15 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	20 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	25 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	30 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	40 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
		1		21.00 - 23.00
		1		21.00 - 23.00
		50		21.00 - 23.00
		50		21.00 - 23.00
		50		21.00 - 23.00
		100		21.00 - 23.00
		1	DFT-s-OFDM QPSK	21.00 - 23.00
		1		21.00 - 23.00
		1		21.00 - 23.00
		50		21.00 - 23.00
		50		21.00 - 23.00
		50		21.00 - 23.00
		100		21.00 - 23.00
		1	DFT-s-OFDM 16QAM	21.00 - 23.00
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	21.00 - 23.00
		1	CP-OFDM 16QAM	21.00 - 23.00
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N38- DSI3-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N38	10 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	15 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	20 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	25 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	30 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	40 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
		1		21.00 - 23.00
		1		21.00 - 23.00
		50		21.00 - 23.00
		50		21.00 - 23.00
		50		21.00 - 23.00
		100		21.00 - 23.00
		1	DFT-s-OFDM QPSK	21.00 - 23.00
		1		21.00 - 23.00
		1		21.00 - 23.00
		50		21.00 - 23.00
		50		21.00 - 23.00
		50		21.00 - 23.00
		100		21.00 - 23.00
		1	DFT-s-OFDM 16QAM	21.00 - 23.00
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	21.00 - 23.00
		1	CP-OFDM 16QAM	21.00 - 23.00
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N38- DSI4-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N38	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	40 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		50		22.50 - 24.50
		50		23.50 - 25.50
		50	DFT-s-OFDM QPSK	22.50 - 24.50
		100		22.50 - 24.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		50		22.50 - 24.50
		50		23.50 - 25.50
		50		22.50 - 24.50
		100		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N38- DSI5-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N38	10 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	15 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	20 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	25 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	30 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	40 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
		1		21.00 - 23.00
		1		21.00 - 23.00
		50		21.00 - 23.00
		50		21.00 - 23.00
		50		21.00 - 23.00
		100		21.00 - 23.00
		1	DFT-s-OFDM QPSK	21.00 - 23.00
		1		21.00 - 23.00
		1		21.00 - 23.00
		50		21.00 - 23.00
		50		21.00 - 23.00
		50		21.00 - 23.00
		100		21.00 - 23.00
		1	DFT-s-OFDM 16QAM	21.00 - 23.00
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	21.00 - 23.00
		1	CP-OFDM 16QAM	21.00 - 23.00
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N38(ENDC)- Full-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N38	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	40 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		50		22.50 - 24.50
		50		23.50 - 25.50
		50	DFT-s-OFDM QPSK	22.50 - 24.50
		100		22.50 - 24.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		50		22.50 - 24.50
		50		23.50 - 25.50
		50		22.50 - 24.50
		100		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N38(ENDC)- DSI1-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N38	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	40 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		50		22.50 - 24.50
		50		23.50 - 25.50
		50	DFT-s-OFDM QPSK	22.50 - 24.50
		100		22.50 - 24.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		50		22.50 - 24.50
		50		23.50 - 25.50
		50		22.50 - 24.50
		100		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N38(ENDC)- DSI2-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N38	10 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	15 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	20 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	25 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	30 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	40 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
		1		19.50 - 21.50
		1		19.50 - 21.50
		50		19.50 - 21.50
		50		19.50 - 21.50
		50		19.50 - 21.50
		100		19.50 - 21.50
		1	DFT-s-OFDM QPSK	19.50 - 21.50
		1		19.50 - 21.50
		1		19.50 - 21.50
		50		19.50 - 21.50
		50		19.50 - 21.50
		50		19.50 - 21.50
		100		19.50 - 21.50
		1	DFT-s-OFDM 16QAM	19.50 - 21.50
		1	DFT-s-OFDM 64QAM	19.50 - 21.50
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	19.50 - 21.50
		1	CP-OFDM 16QAM	19.50 - 21.50
		1	CP-OFDM 64QAM	19.50 - 21.50
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N38(ENDC)- DSI3-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N38	10 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	15 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	20 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	25 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	30 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	40 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
		1		19.50 - 21.50
		1		19.50 - 21.50
		50		19.50 - 21.50
		50		19.50 - 21.50
		50		19.50 - 21.50
		100		19.50 - 21.50
		1	DFT-s-OFDM QPSK	19.50 - 21.50
		1		19.50 - 21.50
		1		19.50 - 21.50
		50		19.50 - 21.50
		50		19.50 - 21.50
		50		19.50 - 21.50
		100		19.50 - 21.50
		1	DFT-s-OFDM 16QAM	19.50 - 21.50
		1	DFT-s-OFDM 64QAM	19.50 - 21.50
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	19.50 - 21.50
		1	CP-OFDM 16QAM	19.50 - 21.50
		1	CP-OFDM 64QAM	19.50 - 21.50
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N38(ENDC)- DSI4-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N38	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	40 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		50		22.50 - 24.50
		50		23.50 - 25.50
		50	DFT-s-OFDM QPSK	22.50 - 24.50
		100		22.50 - 24.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		50		22.50 - 24.50
		50		23.50 - 25.50
		50		22.50 - 24.50
		100		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N38(ENDC)- DSI5-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N38	10 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	15 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	20 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	25 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	30 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	40 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
		1		21.00 - 23.00
		1		21.00 - 23.00
		50		21.00 - 23.00
		50		21.00 - 23.00
		50		21.00 - 23.00
		100		21.00 - 23.00
		1	DFT-s-OFDM QPSK	21.00 - 23.00
		1		21.00 - 23.00
		1		21.00 - 23.00
		50		21.00 - 23.00
		50		21.00 - 23.00
		50		21.00 - 23.00
		100		21.00 - 23.00
		1	DFT-s-OFDM 16QAM	21.00 - 23.00
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	21.00 - 23.00
		1	CP-OFDM 16QAM	21.00 - 23.00
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N38- Full-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N38	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	40 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		50		22.50 - 24.50
		50		23.50 - 25.50
		50	DFT-s-OFDM QPSK	22.50 - 24.50
		100		22.50 - 24.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		50		22.50 - 24.50
		50		23.50 - 25.50
		50		22.50 - 24.50
		100		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N38- DSI1-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N38	10 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	15 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	20 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	25 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	30 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	40 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		50		18.00 - 20.00
		50		18.00 - 20.00
		50		18.00 - 20.00
		100		18.00 - 20.00
		1	DFT-s-OFDM QPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		50		18.00 - 20.00
		50		18.00 - 20.00
		50		18.00 - 20.00
		100		18.00 - 20.00
		1	DFT-s-OFDM 16QAM	18.00 - 20.00
		1	DFT-s-OFDM 64QAM	18.00 - 20.00
		1	DFT-s-OFDM 256QAM	18.00 - 20.00
		1	CP-OFDM QPSK	18.00 - 20.00
		1	CP-OFDM 16QAM	18.00 - 20.00
		1	CP-OFDM 64QAM	18.00 - 20.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N38- DSI2-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N38	10 MHz	1	DFT-s-OFDM BPSK	22.50 - 24.50
	15 MHz	1	DFT-s-OFDM BPSK	22.50 - 24.50
	20 MHz	1	DFT-s-OFDM BPSK	22.50 - 24.50
	25 MHz	1	DFT-s-OFDM BPSK	22.50 - 24.50
	30 MHz	1	DFT-s-OFDM BPSK	22.50 - 24.50
	40 MHz	1	DFT-s-OFDM BPSK	22.50 - 24.50
		1		22.50 - 24.50
		1		22.50 - 24.50
		50		22.50 - 24.50
		50		22.50 - 24.50
		50		22.50 - 24.50
		100		22.50 - 24.50
		1	DFT-s-OFDM QPSK	22.50 - 24.50
		1		22.50 - 24.50
		1		22.50 - 24.50
		50		22.50 - 24.50
		50		22.50 - 24.50
		50		22.50 - 24.50
		100		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N38- DSI3-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N38	10 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	15 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	20 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	25 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	30 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	40 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
		1		17.50 - 19.50
		1		17.50 - 19.50
		50		17.50 - 19.50
		50		17.50 - 19.50
		50		17.50 - 19.50
		100		17.50 - 19.50
		1	DFT-s-OFDM QPSK	17.50 - 19.50
		1		17.50 - 19.50
		1		17.50 - 19.50
		50		17.50 - 19.50
		50		17.50 - 19.50
		50		17.50 - 19.50
		100		17.50 - 19.50
		1	DFT-s-OFDM 16QAM	17.50 - 19.50
		1	DFT-s-OFDM 64QAM	17.50 - 19.50
		1	DFT-s-OFDM 256QAM	17.50 - 19.50
		1	CP-OFDM QPSK	17.50 - 19.50
		1	CP-OFDM 16QAM	17.50 - 19.50
		1	CP-OFDM 64QAM	17.50 - 19.50
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N38- DSI4-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N38	10 MHz	1	DFT-s-OFDM BPSK	22.50 - 24.50
	15 MHz	1	DFT-s-OFDM BPSK	22.50 - 24.50
	20 MHz	1	DFT-s-OFDM BPSK	22.50 - 24.50
	25 MHz	1	DFT-s-OFDM BPSK	22.50 - 24.50
	30 MHz	1	DFT-s-OFDM BPSK	22.50 - 24.50
	40 MHz	1	DFT-s-OFDM BPSK	22.50 - 24.50
		1		22.50 - 24.50
		1		22.50 - 24.50
		50		22.50 - 24.50
		50		22.50 - 24.50
		50		22.50 - 24.50
		100		22.50 - 24.50
		1	DFT-s-OFDM QPSK	22.50 - 24.50
		1		22.50 - 24.50
		1		22.50 - 24.50
		50		22.50 - 24.50
		50		22.50 - 24.50
		50		22.50 - 24.50
		100		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N38- DSI5-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N38	10 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	15 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	20 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	25 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	30 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	40 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
		1		18.50 - 20.50
		1		18.50 - 20.50
		50		18.50 - 20.50
		50		18.50 - 20.50
		50		18.50 - 20.50
		100		18.50 - 20.50
		1	DFT-s-OFDM QPSK	18.50 - 20.50
		1		18.50 - 20.50
		1		18.50 - 20.50
		50		18.50 - 20.50
		50		18.50 - 20.50
		50		18.50 - 20.50
		100		18.50 - 20.50
		1	DFT-s-OFDM 16QAM	18.50 - 20.50
		1	DFT-s-OFDM 64QAM	18.50 - 20.50
		1	DFT-s-OFDM 256QAM	18.50 - 20.50
		1	CP-OFDM QPSK	18.50 - 20.50
		1	CP-OFDM 16QAM	18.50 - 20.50
		1	CP-OFDM 64QAM	18.50 - 20.50
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N38(ENDC)- Full-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N38	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	40 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		50		22.50 - 24.50
		50		23.50 - 25.50
		50	DFT-s-OFDM QPSK	22.50 - 24.50
		100		22.50 - 24.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		50		22.50 - 24.50
		50		23.50 - 25.50
		50		22.50 - 24.50
		100		22.50 - 24.50
		1		22.50 - 24.50
		1		21.00 - 23.00
		1		19.00 - 21.00
		1		22.00 - 24.00
		1		21.50 - 23.50
		1		20.00 - 22.00
		1		17.00 - 19.00
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N38(ENDC)- DSI1-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N38	10 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	15 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	20 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	25 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	30 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	40 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
		1		15.50 - 17.50
		1		15.50 - 17.50
		50		15.50 - 17.50
		50		15.50 - 17.50
		50		15.50 - 17.50
		100		15.50 - 17.50
		1	DFT-s-OFDM QPSK	15.50 - 17.50
		1		15.50 - 17.50
		1		15.50 - 17.50
		50		15.50 - 17.50
		50		15.50 - 17.50
		50		15.50 - 17.50
		100		15.50 - 17.50
		1	DFT-s-OFDM 16QAM	15.50 - 17.50
		1	DFT-s-OFDM 64QAM	15.50 - 17.50
		1	DFT-s-OFDM 256QAM	15.50 - 17.50
		1	CP-OFDM QPSK	15.50 - 17.50
		1	CP-OFDM 16QAM	15.50 - 17.50
		1	CP-OFDM 64QAM	15.50 - 17.50
		1	CP-OFDM 256QAM	15.50 - 17.50

RF Power Range (N38(ENDC)- DSI2-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N38	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	40 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		50		22.50 - 24.50
		50		23.50 - 25.50
		50	DFT-s-OFDM QPSK	22.50 - 24.50
		100		22.50 - 24.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		50		22.50 - 24.50
		50		23.50 - 25.50
		50		22.50 - 24.50
		100		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N38(ENDC)- DSI3-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N38	10 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	15 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	20 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	25 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	30 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	40 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
		1		15.00 - 17.00
		1		15.00 - 17.00
		50		15.00 - 17.00
		50		15.00 - 17.00
		50		15.00 - 17.00
		100		15.00 - 17.00
		1	DFT-s-OFDM QPSK	15.00 - 17.00
		1		15.00 - 17.00
		1		15.00 - 17.00
		50		15.00 - 17.00
		50		15.00 - 17.00
		50		15.00 - 17.00
		100		15.00 - 17.00
		1	DFT-s-OFDM 16QAM	15.00 - 17.00
		1	DFT-s-OFDM 64QAM	15.00 - 17.00
		1	DFT-s-OFDM 256QAM	15.00 - 17.00
		1	CP-OFDM QPSK	15.00 - 17.00
		1	CP-OFDM 16QAM	15.00 - 17.00
		1	CP-OFDM 64QAM	15.00 - 17.00
		1	CP-OFDM 256QAM	15.00 - 17.00

RF Power Range (N38(ENDC)- DSI4-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N38	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	40 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		50		22.50 - 24.50
		50		23.50 - 25.50
		50	DFT-s-OFDM QPSK	22.50 - 24.50
		100		22.50 - 24.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		50		22.50 - 24.50
		50		23.50 - 25.50
		50		22.50 - 24.50
		100		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N38(ENDC)- DSI5-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N38	10 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	15 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	20 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	25 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	30 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	40 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
		1		18.50 - 20.50
		1		18.50 - 20.50
		50		18.50 - 20.50
		50		18.50 - 20.50
		50		18.50 - 20.50
		100		18.50 - 20.50
		1	DFT-s-OFDM QPSK	18.50 - 20.50
		1		18.50 - 20.50
		1		18.50 - 20.50
		50		18.50 - 20.50
		50		18.50 - 20.50
		50		18.50 - 20.50
		100		18.50 - 20.50
		1	DFT-s-OFDM 16QAM	18.50 - 20.50
		1	DFT-s-OFDM 64QAM	18.50 - 20.50
		1	DFT-s-OFDM 256QAM	18.50 - 20.50
		1	CP-OFDM QPSK	18.50 - 20.50
		1	CP-OFDM 16QAM	18.50 - 20.50
		1	CP-OFDM 64QAM	18.50 - 20.50
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N38- Full-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N38	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	40 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		50		22.50 - 24.50
		50		23.50 - 25.50
		50	DFT-s-OFDM QPSK	22.50 - 24.50
		100		22.50 - 24.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		50		22.50 - 24.50
		50		23.50 - 25.50
		50		22.50 - 24.50
		100		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N38- DSI1-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N38	10 MHz	1	DFT-s-OFDM BPSK	20.00 - 22.00
	15 MHz	1	DFT-s-OFDM BPSK	20.00 - 22.00
	20 MHz	1	DFT-s-OFDM BPSK	20.00 - 22.00
	25 MHz	1	DFT-s-OFDM BPSK	20.00 - 22.00
	30 MHz	1	DFT-s-OFDM BPSK	20.00 - 22.00
	40 MHz	1	DFT-s-OFDM BPSK	20.00 - 22.00
		1		20.00 - 22.00
		1		20.00 - 22.00
		50		20.00 - 22.00
		50		20.00 - 22.00
		50		20.00 - 22.00
		100		20.00 - 22.00
		1	DFT-s-OFDM QPSK	20.00 - 22.00
		1		20.00 - 22.00
		1		20.00 - 22.00
		50		20.00 - 22.00
		50		20.00 - 22.00
		50		20.00 - 22.00
		100		20.00 - 22.00
		1	DFT-s-OFDM 16QAM	20.00 - 22.00
		1	DFT-s-OFDM 64QAM	20.00 - 22.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	20.00 - 22.00
		1	CP-OFDM 16QAM	20.00 - 22.00
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N38- DSI2-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N38	10 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	15 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	20 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	25 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	30 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	40 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
		1		16.50 - 18.50
		1		16.50 - 18.50
		50		16.50 - 18.50
		50		16.50 - 18.50
		50		16.50 - 18.50
		100		16.50 - 18.50
		1	DFT-s-OFDM QPSK	16.50 - 18.50
		1		16.50 - 18.50
		1		16.50 - 18.50
		50		16.50 - 18.50
		50		16.50 - 18.50
		50		16.50 - 18.50
		100		16.50 - 18.50
		1	DFT-s-OFDM 16QAM	16.50 - 18.50
		1	DFT-s-OFDM 64QAM	16.50 - 18.50
		1	DFT-s-OFDM 256QAM	16.50 - 18.50
		1	CP-OFDM QPSK	16.50 - 18.50
		1	CP-OFDM 16QAM	16.50 - 18.50
		1	CP-OFDM 64QAM	16.50 - 18.50
		1	CP-OFDM 256QAM	16.50 - 18.50

RF Power Range (N38- DSI3-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N38	10 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	15 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	20 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	25 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	30 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	40 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
		1		16.50 - 18.50
		1		16.50 - 18.50
		50		16.50 - 18.50
		50		16.50 - 18.50
		50		16.50 - 18.50
		100		16.50 - 18.50
		1	DFT-s-OFDM QPSK	16.50 - 18.50
		1		16.50 - 18.50
		1		16.50 - 18.50
		50		16.50 - 18.50
		50		16.50 - 18.50
		50		16.50 - 18.50
		100		16.50 - 18.50
		1	DFT-s-OFDM 16QAM	16.50 - 18.50
		1	DFT-s-OFDM 64QAM	16.50 - 18.50
		1	DFT-s-OFDM 256QAM	16.50 - 18.50
		1	CP-OFDM QPSK	16.50 - 18.50
		1	CP-OFDM 16QAM	16.50 - 18.50
		1	CP-OFDM 64QAM	16.50 - 18.50
		1	CP-OFDM 256QAM	16.50 - 18.50

RF Power Range (N38- DSI4-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N38	10 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	15 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	20 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	25 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	30 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	40 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
		1		16.50 - 18.50
		1		16.50 - 18.50
		50		16.50 - 18.50
		50		16.50 - 18.50
		50		16.50 - 18.50
		100		16.50 - 18.50
		1	DFT-s-OFDM QPSK	16.50 - 18.50
		1		16.50 - 18.50
		1		16.50 - 18.50
		50		16.50 - 18.50
		50		16.50 - 18.50
		50		16.50 - 18.50
		100		16.50 - 18.50
		1	DFT-s-OFDM 16QAM	16.50 - 18.50
		1	DFT-s-OFDM 64QAM	16.50 - 18.50
		1	DFT-s-OFDM 256QAM	16.50 - 18.50
		1	CP-OFDM QPSK	16.50 - 18.50
		1	CP-OFDM 16QAM	16.50 - 18.50
		1	CP-OFDM 64QAM	16.50 - 18.50
		1	CP-OFDM 256QAM	16.50 - 18.50

RF Power Range (N38- DSI5-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N38	10 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	15 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	20 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	25 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	30 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	40 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
		1		16.50 - 18.50
		1		16.50 - 18.50
		50		16.50 - 18.50
		50		16.50 - 18.50
		50		16.50 - 18.50
		100		16.50 - 18.50
		1	DFT-s-OFDM QPSK	16.50 - 18.50
		1		16.50 - 18.50
		1		16.50 - 18.50
		50		16.50 - 18.50
		50		16.50 - 18.50
		50		16.50 - 18.50
		100		16.50 - 18.50
		1	DFT-s-OFDM 16QAM	16.50 - 18.50
		1	DFT-s-OFDM 64QAM	16.50 - 18.50
		1	DFT-s-OFDM 256QAM	16.50 - 18.50
		1	CP-OFDM QPSK	16.50 - 18.50
		1	CP-OFDM 16QAM	16.50 - 18.50
		1	CP-OFDM 64QAM	16.50 - 18.50
		1	CP-OFDM 256QAM	16.50 - 18.50

RF Power Range (N41- Full-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N41	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	35 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	40 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	45 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	50 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	60 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	70 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	80 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	90 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	100 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		135		22.50 - 24.50
		135		23.50 - 25.50
		135		22.50 - 24.50
		270		22.50 - 24.50
		1	DFT-s-OFDM QPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		135		22.50 - 24.50
		135		23.50 - 25.50
		135		22.50 - 24.50
		270		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N41-DSI1-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N41	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	35 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	40 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	45 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	50 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	60 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	70 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	80 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	90 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	100 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		135		22.50 - 24.50
		135		23.50 - 25.50
		135		22.50 - 24.50
		270		22.50 - 24.50
		1	DFT-s-OFDM QPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		135		22.50 - 24.50
		135		23.50 - 25.50
		135		22.50 - 24.50
		270		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N41-DSI2-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N41	10 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	15 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	20 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	25 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	30 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	35 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	40 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	45 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	50 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	60 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	70 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	80 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	90 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	100 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
		1		19.50 - 21.50
		1		19.50 - 21.50
		135		19.50 - 21.50
		135		19.50 - 21.50
		135		19.50 - 21.50
		270		19.50 - 21.50
		1	DFT-s-OFDM QPSK	19.50 - 21.50
		1		19.50 - 21.50
		1		19.50 - 21.50
		135		19.50 - 21.50
		135		19.50 - 21.50
		135		19.50 - 21.50
		270		19.50 - 21.50
		1	DFT-s-OFDM 16QAM	19.50 - 21.50
		1	DFT-s-OFDM 64QAM	19.50 - 21.50
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	19.50 - 21.50
		1	CP-OFDM 16QAM	19.50 - 21.50
		1	CP-OFDM 64QAM	19.50 - 21.50
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N41-DSI3-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N41	10 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	15 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	20 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	25 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	30 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	35 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	40 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	45 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	50 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	60 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	70 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	80 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	90 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	100 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
		1		19.50 - 21.50
		1		19.50 - 21.50
		135		19.50 - 21.50
		135		19.50 - 21.50
		135		19.50 - 21.50
		270		19.50 - 21.50
		1	DFT-s-OFDM QPSK	19.50 - 21.50
		1		19.50 - 21.50
		1		19.50 - 21.50
		135		19.50 - 21.50
		135		19.50 - 21.50
		135		19.50 - 21.50
		270		19.50 - 21.50
		1	DFT-s-OFDM 16QAM	19.50 - 21.50
		1	DFT-s-OFDM 64QAM	19.50 - 21.50
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	19.50 - 21.50
		1	CP-OFDM 16QAM	19.50 - 21.50
		1	CP-OFDM 64QAM	19.50 - 21.50
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N41-DSI4-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N41	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	35 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	40 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	45 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	50 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	60 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	70 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	80 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	90 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	100 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		135		22.50 - 24.50
		135		23.50 - 25.50
		135		22.50 - 24.50
		270		22.50 - 24.50
		1	DFT-s-OFDM QPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		135		22.50 - 24.50
		135		23.50 - 25.50
		135		22.50 - 24.50
		270		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N41-DSI5-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N41	10 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	15 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	20 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	25 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	30 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	35 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	40 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	45 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	50 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	60 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	70 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	80 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	90 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	100 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
		1		19.50 - 21.50
		1		19.50 - 21.50
		135		19.50 - 21.50
		135		19.50 - 21.50
		135		19.50 - 21.50
		270		19.50 - 21.50
		1	DFT-s-OFDM QPSK	19.50 - 21.50
		1		19.50 - 21.50
		1		19.50 - 21.50
		135		19.50 - 21.50
		135		19.50 - 21.50
		135		19.50 - 21.50
		270		19.50 - 21.50
		1	DFT-s-OFDM 16QAM	19.50 - 21.50
		1	DFT-s-OFDM 64QAM	19.50 - 21.50
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	19.50 - 21.50
		1	CP-OFDM 16QAM	19.50 - 21.50
		1	CP-OFDM 64QAM	19.50 - 21.50
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N41(ENDC)- Full-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N41	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	35 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	40 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	45 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	50 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	60 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	70 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	80 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	90 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	100 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		135		22.50 - 24.50
		135		23.50 - 25.50
		135		22.50 - 24.50
		270		22.50 - 24.50
		1	DFT-s-OFDM QPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		135		22.50 - 24.50
		135		23.50 - 25.50
		135		22.50 - 24.50
		270		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N41(ENDC)-DSI1-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N41	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	35 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	40 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	45 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	50 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	60 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	70 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	80 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	90 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	100 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		135		22.50 - 24.50
		135		23.50 - 25.50
		135		22.50 - 24.50
		270		22.50 - 24.50
		1	DFT-s-OFDM QPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		135		22.50 - 24.50
		135		23.50 - 25.50
		135		22.50 - 24.50
		270		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N41(ENDC)-DSI2-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N41	10 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	15 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	20 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	25 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	30 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	35 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	40 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	45 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	50 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	60 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	70 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	80 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	90 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	100 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
		1		17.50 - 19.50
		1		17.50 - 19.50
		135		17.50 - 19.50
		135		17.50 - 19.50
		135		17.50 - 19.50
		270		17.50 - 19.50
		1	DFT-s-OFDM QPSK	17.50 - 19.50
		1		17.50 - 19.50
		1		17.50 - 19.50
		135		17.50 - 19.50
		135		17.50 - 19.50
		135		17.50 - 19.50
		270		17.50 - 19.50
		1	DFT-s-OFDM 16QAM	17.50 - 19.50
		1	DFT-s-OFDM 64QAM	17.50 - 19.50
		1	DFT-s-OFDM 256QAM	17.50 - 19.50
		1	CP-OFDM QPSK	17.50 - 19.50
		1	CP-OFDM 16QAM	17.50 - 19.50
		1	CP-OFDM 64QAM	17.50 - 19.50
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N41(ENDC)-DSI3-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N41	10 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	15 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	20 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	25 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	30 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	35 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	40 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	45 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	50 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	60 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	70 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	80 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	90 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	100 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
		1		17.50 - 19.50
		1		17.50 - 19.50
		135		17.50 - 19.50
		135		17.50 - 19.50
		135		17.50 - 19.50
		270		17.50 - 19.50
		1	DFT-s-OFDM QPSK	17.50 - 19.50
		1		17.50 - 19.50
		1		17.50 - 19.50
		135		17.50 - 19.50
		135		17.50 - 19.50
		135		17.50 - 19.50
		270		17.50 - 19.50
		1	DFT-s-OFDM 16QAM	17.50 - 19.50
		1	DFT-s-OFDM 64QAM	17.50 - 19.50
		1	DFT-s-OFDM 256QAM	17.50 - 19.50
		1	CP-OFDM QPSK	17.50 - 19.50
		1	CP-OFDM 16QAM	17.50 - 19.50
		1	CP-OFDM 64QAM	17.50 - 19.50
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N41(ENDC)-DSI4-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N41	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	35 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	40 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	45 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	50 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	60 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	70 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	80 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	90 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	100 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		135		22.50 - 24.50
		135		23.50 - 25.50
		135		22.50 - 24.50
		270		22.50 - 24.50
		1	DFT-s-OFDM QPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		135		22.50 - 24.50
		135		23.50 - 25.50
		135		22.50 - 24.50
		270		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N41(ENDC)-DSI5-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N41	10 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	15 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	20 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	25 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	30 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	35 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	40 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	45 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	50 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	60 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	70 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	80 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	90 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	100 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
		1		21.00 - 23.00
		1		21.00 - 23.00
		135		21.00 - 23.00
		135		21.00 - 23.00
		135		21.00 - 23.00
		270		21.00 - 23.00
		1	DFT-s-OFDM QPSK	21.00 - 23.00
		1		21.00 - 23.00
		1		21.00 - 23.00
		135		21.00 - 23.00
		135		21.00 - 23.00
		135		21.00 - 23.00
		270		21.00 - 23.00
		1	DFT-s-OFDM 16QAM	21.00 - 23.00
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	21.00 - 23.00
		1	CP-OFDM 16QAM	21.00 - 23.00
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N41- Full-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N41	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	35 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	40 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	45 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	50 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	60 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	70 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	80 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	90 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	100 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		135		22.50 - 24.50
		135		23.50 - 25.50
		135		22.50 - 24.50
		270		22.50 - 24.50
		1	DFT-s-OFDM QPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		135		22.50 - 24.50
		135		23.50 - 25.50
		135		22.50 - 24.50
		270		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N41-DSI1-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N41	10 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	15 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	20 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	25 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	30 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	35 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	40 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	45 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	50 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	60 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	70 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	80 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	90 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	100 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM QPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM 16QAM	18.00 - 20.00
		1	DFT-s-OFDM 64QAM	18.00 - 20.00
		1	DFT-s-OFDM 256QAM	18.00 - 20.00
		1	CP-OFDM QPSK	18.00 - 20.00
		1	CP-OFDM 16QAM	18.00 - 20.00
		1	CP-OFDM 64QAM	18.00 - 20.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N41-DSI2-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N41	10 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	15 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	20 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	25 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	30 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	35 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	40 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	45 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	50 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	60 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	70 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	80 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	90 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	100 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
		1		22.00 - 24.00
		1		22.00 - 24.00
		135		22.00 - 24.00
		135		22.00 - 24.00
		135		22.00 - 24.00
		270		22.00 - 24.00
		1	DFT-s-OFDM QPSK	22.00 - 24.00
		1		22.00 - 24.00
		1		22.00 - 24.00
		135		22.00 - 24.00
		135		22.00 - 24.00
		135		22.00 - 24.00
		270		22.00 - 24.00
		1	DFT-s-OFDM 16QAM	22.00 - 24.00
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N41-DSI3-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N41	10 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	15 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	20 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	25 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	30 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	35 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	40 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	45 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	50 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	60 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	70 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	80 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	90 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	100 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
		1		17.50 - 19.50
		1		17.50 - 19.50
		135		17.50 - 19.50
		135		17.50 - 19.50
		135		17.50 - 19.50
		270		17.50 - 19.50
		1	DFT-s-OFDM QPSK	17.50 - 19.50
		1		17.50 - 19.50
		1		17.50 - 19.50
		135		17.50 - 19.50
		135		17.50 - 19.50
		135		17.50 - 19.50
		270		17.50 - 19.50
		1	DFT-s-OFDM 16QAM	17.50 - 19.50
		1	DFT-s-OFDM 64QAM	17.50 - 19.50
		1	DFT-s-OFDM 256QAM	17.50 - 19.50
		1	CP-OFDM QPSK	17.50 - 19.50
		1	CP-OFDM 16QAM	17.50 - 19.50
		1	CP-OFDM 64QAM	17.50 - 19.50
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N41-DSI4-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N41	10 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	15 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	20 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	25 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	30 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	35 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	40 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	45 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	50 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	60 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	70 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	80 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	90 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	100 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
		1		22.00 - 24.00
		1		22.00 - 24.00
		135		22.00 - 24.00
		135		22.00 - 24.00
		135		22.00 - 24.00
		270		22.00 - 24.00
		1	DFT-s-OFDM QPSK	22.00 - 24.00
		1		22.00 - 24.00
		1		22.00 - 24.00
		135		22.00 - 24.00
		135		22.00 - 24.00
		135		22.00 - 24.00
		270		22.00 - 24.00
		1	DFT-s-OFDM 16QAM	22.00 - 24.00
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N41-DSI5-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N41	10 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	15 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	20 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	25 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	30 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	35 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	40 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	45 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	50 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	60 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	70 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	80 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	90 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	100 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
		1		18.50 - 20.50
		1		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		270		18.50 - 20.50
		1	DFT-s-OFDM QPSK	18.50 - 20.50
		1		18.50 - 20.50
		1		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		270		18.50 - 20.50
		1	DFT-s-OFDM 16QAM	18.50 - 20.50
		1	DFT-s-OFDM 64QAM	18.50 - 20.50
		1	DFT-s-OFDM 256QAM	18.50 - 20.50
		1	CP-OFDM QPSK	18.50 - 20.50
		1	CP-OFDM 16QAM	18.50 - 20.50
		1	CP-OFDM 64QAM	18.50 - 20.50
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N41(ENDC)- Full-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N41	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	35 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	40 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	45 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	50 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	60 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	70 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	80 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	90 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	100 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		135		22.50 - 24.50
		135		23.50 - 25.50
		135		22.50 - 24.50
		270		22.50 - 24.50
		1	DFT-s-OFDM QPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		135		22.50 - 24.50
		135		23.50 - 25.50
		135		22.50 - 24.50
		270		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N41(ENDC)-DSI1-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N41	10 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	15 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	20 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	25 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	30 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	35 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	40 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	45 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	50 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	60 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	70 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	80 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	90 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	100 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
		1		15.50 - 17.50
		1		15.50 - 17.50
		135		15.50 - 17.50
		135		15.50 - 17.50
		135		15.50 - 17.50
		270		15.50 - 17.50
		1	DFT-s-OFDM QPSK	15.50 - 17.50
		1		15.50 - 17.50
		1		15.50 - 17.50
		135		15.50 - 17.50
		135		15.50 - 17.50
		135		15.50 - 17.50
		270		15.50 - 17.50
		1	DFT-s-OFDM 16QAM	15.50 - 17.50
		1	DFT-s-OFDM 64QAM	15.50 - 17.50
		1	DFT-s-OFDM 256QAM	15.50 - 17.50
		1	CP-OFDM QPSK	15.50 - 17.50
		1	CP-OFDM 16QAM	15.50 - 17.50
		1	CP-OFDM 64QAM	15.50 - 17.50
		1	CP-OFDM 256QAM	15.50 - 17.50

RF Power Range (N41(ENDC)-DSI2-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N41	10 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	15 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	20 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	25 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	30 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	35 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	40 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	45 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	50 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	60 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	70 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	80 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	90 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	100 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
		1		22.00 - 24.00
		1		22.00 - 24.00
		135		22.00 - 24.00
		135		22.00 - 24.00
		135		22.00 - 24.00
		270		22.00 - 24.00
		1	DFT-s-OFDM QPSK	22.00 - 24.00
		1		22.00 - 24.00
		1		22.00 - 24.00
		135		22.00 - 24.00
		135		22.00 - 24.00
		135		22.00 - 24.00
		270		22.00 - 24.00
		1	DFT-s-OFDM 16QAM	22.00 - 24.00
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N41(ENDC)-DSI3-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N41	10 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	15 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	20 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	25 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	30 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	35 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	40 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	45 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	50 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	60 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	70 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	80 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	90 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	100 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
		1		15.00 - 17.00
		1		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		270		15.00 - 17.00
		1	DFT-s-OFDM QPSK	15.00 - 17.00
		1		15.00 - 17.00
		1		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		270		15.00 - 17.00
		1	DFT-s-OFDM 16QAM	15.00 - 17.00
		1	DFT-s-OFDM 64QAM	15.00 - 17.00
		1	DFT-s-OFDM 256QAM	15.00 - 17.00
		1	CP-OFDM QPSK	15.00 - 17.00
		1	CP-OFDM 16QAM	15.00 - 17.00
		1	CP-OFDM 64QAM	15.00 - 17.00
		1	CP-OFDM 256QAM	15.00 - 17.00

RF Power Range (N41(ENDC)-DSI4-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N41	10 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	15 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	20 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	25 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	30 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	35 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	40 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	45 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	50 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	60 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	70 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	80 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	90 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	100 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
		1		22.00 - 24.00
		1		22.00 - 24.00
		135		22.00 - 24.00
		135		22.00 - 24.00
		135		22.00 - 24.00
		270		22.00 - 24.00
		1	DFT-s-OFDM QPSK	22.00 - 24.00
		1		22.00 - 24.00
		1		22.00 - 24.00
		135		22.00 - 24.00
		135		22.00 - 24.00
		135		22.00 - 24.00
		270		22.00 - 24.00
		1	DFT-s-OFDM 16QAM	22.00 - 24.00
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N41(ENDC)-DSI5-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N41	10 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	15 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	20 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	25 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	30 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	35 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	40 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	45 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	50 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	60 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	70 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	80 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	90 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	100 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
		1		15.50 - 17.50
		1		15.50 - 17.50
		135		15.50 - 17.50
		135		15.50 - 17.50
		135		15.50 - 17.50
		270		15.50 - 17.50
		1	DFT-s-OFDM QPSK	15.50 - 17.50
		1		15.50 - 17.50
		1		15.50 - 17.50
		135		15.50 - 17.50
		135		15.50 - 17.50
		135		15.50 - 17.50
		270		15.50 - 17.50
		1	DFT-s-OFDM 16QAM	15.50 - 17.50
		1	DFT-s-OFDM 64QAM	15.50 - 17.50
		1	DFT-s-OFDM 256QAM	15.50 - 17.50
		1	CP-OFDM QPSK	15.50 - 17.50
		1	CP-OFDM 16QAM	15.50 - 17.50
		1	CP-OFDM 64QAM	15.50 - 17.50
		1	CP-OFDM 256QAM	15.50 - 17.50

RF Power Range (N41- Full-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N41	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	35 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	40 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	45 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	50 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	60 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	70 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	80 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	90 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	100 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		135		22.50 - 24.50
		135		23.50 - 25.50
		135		22.50 - 24.50
		270		22.50 - 24.50
		1	DFT-s-OFDM QPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		135		22.50 - 24.50
		135		23.50 - 25.50
		135		22.50 - 24.50
		270		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N41-DSI1-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N41	10 MHz	1	DFT-s-OFDM BPSK	20.00 - 22.00
	15 MHz	1	DFT-s-OFDM BPSK	20.00 - 22.00
	20 MHz	1	DFT-s-OFDM BPSK	20.00 - 22.00
	25 MHz	1	DFT-s-OFDM BPSK	20.00 - 22.00
	30 MHz	1	DFT-s-OFDM BPSK	20.00 - 22.00
	35 MHz	1	DFT-s-OFDM BPSK	20.00 - 22.00
	40 MHz	1	DFT-s-OFDM BPSK	20.00 - 22.00
	45 MHz	1	DFT-s-OFDM BPSK	20.00 - 22.00
	50 MHz	1	DFT-s-OFDM BPSK	20.00 - 22.00
	60 MHz	1	DFT-s-OFDM BPSK	20.00 - 22.00
	70 MHz	1	DFT-s-OFDM BPSK	20.00 - 22.00
	80 MHz	1	DFT-s-OFDM BPSK	20.00 - 22.00
	90 MHz	1	DFT-s-OFDM BPSK	20.00 - 22.00
	100 MHz	1	DFT-s-OFDM BPSK	20.00 - 22.00
		1		20.00 - 22.00
		1		20.00 - 22.00
		135		20.00 - 22.00
		135		20.00 - 22.00
		135		20.00 - 22.00
		270		20.00 - 22.00
		1	DFT-s-OFDM QPSK	20.00 - 22.00
		1		20.00 - 22.00
		1		20.00 - 22.00
		135		20.00 - 22.00
		135		20.00 - 22.00
		135		20.00 - 22.00
		270		20.00 - 22.00
		1	DFT-s-OFDM 16QAM	20.00 - 22.00
		1	DFT-s-OFDM 64QAM	20.00 - 22.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	20.00 - 22.00
		1	CP-OFDM 16QAM	20.00 - 22.00
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N41-DSI2-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N41	10 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	15 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	20 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	25 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	30 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	35 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	40 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	45 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	50 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	60 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	70 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	80 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	90 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	100 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
		1		16.50 - 18.50
		1		16.50 - 18.50
		135		16.50 - 18.50
		135		16.50 - 18.50
		135		16.50 - 18.50
		270		16.50 - 18.50
		1	DFT-s-OFDM QPSK	16.50 - 18.50
		1		16.50 - 18.50
		1		16.50 - 18.50
		135		16.50 - 18.50
		135		16.50 - 18.50
		135		16.50 - 18.50
		270		16.50 - 18.50
		1	DFT-s-OFDM 16QAM	16.50 - 18.50
		1	DFT-s-OFDM 64QAM	16.50 - 18.50
		1	DFT-s-OFDM 256QAM	16.50 - 18.50
		1	CP-OFDM QPSK	16.50 - 18.50
		1	CP-OFDM 16QAM	16.50 - 18.50
		1	CP-OFDM 64QAM	16.50 - 18.50
		1	CP-OFDM 256QAM	16.50 - 18.50

RF Power Range (N41-DSI3-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N41	10 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	15 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	20 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	25 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	30 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	35 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	40 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	45 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	50 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	60 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	70 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	80 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	90 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	100 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
		1		16.50 - 18.50
		1		16.50 - 18.50
		135		16.50 - 18.50
		135		16.50 - 18.50
		135		16.50 - 18.50
		270		16.50 - 18.50
		1	DFT-s-OFDM QPSK	16.50 - 18.50
		1		16.50 - 18.50
		1		16.50 - 18.50
		135		16.50 - 18.50
		135		16.50 - 18.50
		135		16.50 - 18.50
		270		16.50 - 18.50
		1	DFT-s-OFDM 16QAM	16.50 - 18.50
		1	DFT-s-OFDM 64QAM	16.50 - 18.50
		1	DFT-s-OFDM 256QAM	16.50 - 18.50
		1	CP-OFDM QPSK	16.50 - 18.50
		1	CP-OFDM 16QAM	16.50 - 18.50
		1	CP-OFDM 64QAM	16.50 - 18.50
		1	CP-OFDM 256QAM	16.50 - 18.50

RF Power Range (N41-DSI4-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N41	10 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	15 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	20 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	25 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	30 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	35 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	40 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	45 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	50 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	60 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	70 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	80 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	90 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	100 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
		1		16.50 - 18.50
		1		16.50 - 18.50
		135		16.50 - 18.50
		135		16.50 - 18.50
		135		16.50 - 18.50
		270		16.50 - 18.50
		1	DFT-s-OFDM QPSK	16.50 - 18.50
		1		16.50 - 18.50
		1		16.50 - 18.50
		135		16.50 - 18.50
		135		16.50 - 18.50
		135		16.50 - 18.50
		270		16.50 - 18.50
		1	DFT-s-OFDM 16QAM	16.50 - 18.50
		1	DFT-s-OFDM 64QAM	16.50 - 18.50
		1	DFT-s-OFDM 256QAM	16.50 - 18.50
		1	CP-OFDM QPSK	16.50 - 18.50
		1	CP-OFDM 16QAM	16.50 - 18.50
		1	CP-OFDM 64QAM	16.50 - 18.50
		1	CP-OFDM 256QAM	16.50 - 18.50

RF Power Range (N41-DSI5-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N41	10 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	15 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	20 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	25 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	30 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	35 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	40 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	45 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	50 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	60 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	70 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	80 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	90 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	100 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
		1		16.50 - 18.50
		1		16.50 - 18.50
		135		16.50 - 18.50
		135		16.50 - 18.50
		135		16.50 - 18.50
		270		16.50 - 18.50
		1	DFT-s-OFDM QPSK	16.50 - 18.50
		1		16.50 - 18.50
		1		16.50 - 18.50
		135		16.50 - 18.50
		135		16.50 - 18.50
		135		16.50 - 18.50
		270		16.50 - 18.50
		1	DFT-s-OFDM 16QAM	16.50 - 18.50
		1	DFT-s-OFDM 64QAM	16.50 - 18.50
		1	DFT-s-OFDM 256QAM	16.50 - 18.50
		1	CP-OFDM QPSK	16.50 - 18.50
		1	CP-OFDM 16QAM	16.50 - 18.50
		1	CP-OFDM 64QAM	16.50 - 18.50
		1	CP-OFDM 256QAM	16.50 - 18.50

RF Power Range (N48- Full-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N48	10 MHz	1	DFT-s-OFDM BPSK	22.50 - 24.50
	15 MHz	1	DFT-s-OFDM BPSK	22.50 - 24.50
	20 MHz	1	DFT-s-OFDM BPSK	22.50 - 24.50
	30 MHz	1	DFT-s-OFDM BPSK	22.50 - 24.50
	40 MHz	1	DFT-s-OFDM BPSK	22.50 - 24.50
	50 MHz	1	DFT-s-OFDM BPSK	22.50 - 24.50
	60 MHz	1	DFT-s-OFDM BPSK	22.50 - 24.50
	70 MHz	1	DFT-s-OFDM BPSK	22.50 - 24.50
	80 MHz	1	DFT-s-OFDM BPSK	22.50 - 24.50
	90 MHz	1	DFT-s-OFDM BPSK	22.50 - 24.50
	100 MHz	1	DFT-s-OFDM BPSK	22.50 - 24.50
		1		22.50 - 24.50
		1		22.50 - 24.50
		135		21.50 - 23.50
		135		22.50 - 24.50
		135		21.50 - 23.50
		270		21.50 - 23.50
		1	DFT-s-OFDM QPSK	22.50 - 24.50
		1		22.50 - 24.50
		1		22.50 - 24.50
		135		21.50 - 23.50
		135		22.50 - 24.50
		135		21.50 - 23.50
		270		21.50 - 23.50
		1	DFT-s-OFDM 16QAM	21.50 - 23.50
		1	DFT-s-OFDM 64QAM	20.00 - 22.00
		1	DFT-s-OFDM 256QAM	18.00 - 20.00
		1	CP-OFDM QPSK	21.00 - 23.00
		1	CP-OFDM 16QAM	20.50 - 22.50
		1	CP-OFDM 64QAM	19.00 - 21.00
		1	CP-OFDM 256QAM	16.00 - 18.00

RF Power Range (N48-DSI1-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N48	10 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	15 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	20 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	30 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	40 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	50 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	60 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	70 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	80 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	90 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	100 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM QPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM 16QAM	18.00 - 20.00
		1	DFT-s-OFDM 64QAM	18.00 - 20.00
		1	DFT-s-OFDM 256QAM	18.00 - 20.00
		1	CP-OFDM QPSK	18.00 - 20.00
		1	CP-OFDM 16QAM	18.00 - 20.00
		1	CP-OFDM 64QAM	18.00 - 20.00
		1	CP-OFDM 256QAM	16.00 - 18.00

RF Power Range (N48-DSI2-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N48	10 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	15 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	20 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	30 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	40 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	50 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	60 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	70 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	80 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	90 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	100 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM QPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM 16QAM	17.00 - 19.00
		1	DFT-s-OFDM 64QAM	17.00 - 19.00
		1	DFT-s-OFDM 256QAM	17.00 - 19.00
		1	CP-OFDM QPSK	17.00 - 19.00
		1	CP-OFDM 16QAM	17.00 - 19.00
		1	CP-OFDM 64QAM	17.00 - 19.00
		1	CP-OFDM 256QAM	16.00 - 18.00

RF Power Range (N48-DSI3-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N48	10 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	15 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	20 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	30 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	40 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	50 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	60 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	70 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	80 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	90 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	100 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM QPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM 16QAM	17.00 - 19.00
		1	DFT-s-OFDM 64QAM	17.00 - 19.00
		1	DFT-s-OFDM 256QAM	17.00 - 19.00
		1	CP-OFDM QPSK	17.00 - 19.00
		1	CP-OFDM 16QAM	17.00 - 19.00
		1	CP-OFDM 64QAM	17.00 - 19.00
		1	CP-OFDM 256QAM	16.00 - 18.00

RF Power Range (N48-DSI4-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N48	10 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	15 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	20 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	30 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	40 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	50 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	60 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	70 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	80 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	90 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	100 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM QPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM 16QAM	17.00 - 19.00
		1	DFT-s-OFDM 64QAM	17.00 - 19.00
		1	DFT-s-OFDM 256QAM	17.00 - 19.00
		1	CP-OFDM QPSK	17.00 - 19.00
		1	CP-OFDM 16QAM	17.00 - 19.00
		1	CP-OFDM 64QAM	17.00 - 19.00
		1	CP-OFDM 256QAM	16.00 - 18.00

RF Power Range (N48-DSI5-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N48	10 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	15 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	20 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	30 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	40 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	50 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	60 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	70 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	80 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	90 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	100 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM QPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM 16QAM	17.00 - 19.00
		1	DFT-s-OFDM 64QAM	17.00 - 19.00
		1	DFT-s-OFDM 256QAM	17.00 - 19.00
		1	CP-OFDM QPSK	17.00 - 19.00
		1	CP-OFDM 16QAM	17.00 - 19.00
		1	CP-OFDM 64QAM	17.00 - 19.00
		1	CP-OFDM 256QAM	16.00 - 18.00

RF Power Range (N48- Full-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N48	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	40 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	50 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	60 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	70 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	80 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	90 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	100 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		135		22.50 - 24.50
		135		23.50 - 25.50
		135		22.50 - 24.50
		270		22.50 - 24.50
		1	DFT-s-OFDM QPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		135		22.50 - 24.50
		135		23.50 - 25.50
		135		22.50 - 24.50
		270		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N48-DSI1-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N48	10 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	15 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	20 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	30 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	40 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	50 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	60 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	70 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	80 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	90 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	100 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM QPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM 16QAM	17.00 - 19.00
		1	DFT-s-OFDM 64QAM	17.00 - 19.00
		1	DFT-s-OFDM 256QAM	17.00 - 19.00
		1	CP-OFDM QPSK	17.00 - 19.00
		1	CP-OFDM 16QAM	17.00 - 19.00
		1	CP-OFDM 64QAM	17.00 - 19.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N48-DSI2-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N48	10 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	15 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	20 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	30 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	40 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	50 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	60 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	70 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	80 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	90 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	100 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
		1		16.50 - 18.50
		1		16.50 - 18.50
		135		16.50 - 18.50
		135		16.50 - 18.50
		135		16.50 - 18.50
		270		16.50 - 18.50
		1	DFT-s-OFDM QPSK	16.50 - 18.50
		1		16.50 - 18.50
		1		16.50 - 18.50
		135		16.50 - 18.50
		135		16.50 - 18.50
		135		16.50 - 18.50
		270		16.50 - 18.50
		1	DFT-s-OFDM 16QAM	16.50 - 18.50
		1	DFT-s-OFDM 64QAM	16.50 - 18.50
		1	DFT-s-OFDM 256QAM	16.50 - 18.50
		1	CP-OFDM QPSK	16.50 - 18.50
		1	CP-OFDM 16QAM	16.50 - 18.50
		1	CP-OFDM 64QAM	16.50 - 18.50
		1	CP-OFDM 256QAM	16.50 - 18.50

RF Power Range (N48-DSI3-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N48	10 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	15 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	20 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	30 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	40 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	50 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	60 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	70 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	80 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	90 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	100 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
		1		16.50 - 18.50
		1		16.50 - 18.50
		135		16.50 - 18.50
		135		16.50 - 18.50
		135		16.50 - 18.50
		270		16.50 - 18.50
		1	DFT-s-OFDM QPSK	16.50 - 18.50
		1		16.50 - 18.50
		1		16.50 - 18.50
		135		16.50 - 18.50
		135		16.50 - 18.50
		135		16.50 - 18.50
		270		16.50 - 18.50
		1	DFT-s-OFDM 16QAM	16.50 - 18.50
		1	DFT-s-OFDM 64QAM	16.50 - 18.50
		1	DFT-s-OFDM 256QAM	16.50 - 18.50
		1	CP-OFDM QPSK	16.50 - 18.50
		1	CP-OFDM 16QAM	16.50 - 18.50
		1	CP-OFDM 64QAM	16.50 - 18.50
		1	CP-OFDM 256QAM	16.50 - 18.50

RF Power Range (N48-DSI4-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N48	10 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	15 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	20 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	30 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	40 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	50 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	60 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	70 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	80 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	90 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	100 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
		1		16.50 - 18.50
		1		16.50 - 18.50
		135		16.50 - 18.50
		135		16.50 - 18.50
		135		16.50 - 18.50
		270		16.50 - 18.50
		1	DFT-s-OFDM QPSK	16.50 - 18.50
		1		16.50 - 18.50
		1		16.50 - 18.50
		135		16.50 - 18.50
		135		16.50 - 18.50
		135		16.50 - 18.50
		270		16.50 - 18.50
		1	DFT-s-OFDM 16QAM	16.50 - 18.50
		1	DFT-s-OFDM 64QAM	16.50 - 18.50
		1	DFT-s-OFDM 256QAM	16.50 - 18.50
		1	CP-OFDM QPSK	16.50 - 18.50
		1	CP-OFDM 16QAM	16.50 - 18.50
		1	CP-OFDM 64QAM	16.50 - 18.50
		1	CP-OFDM 256QAM	16.50 - 18.50

RF Power Range (N48-DSI5-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N48	10 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	15 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	20 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	30 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	40 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	50 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	60 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	70 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	80 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	90 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	100 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
		1		17.50 - 19.50
		1		17.50 - 19.50
		135		17.50 - 19.50
		135		17.50 - 19.50
		135		17.50 - 19.50
		270		17.50 - 19.50
		1	DFT-s-OFDM QPSK	17.50 - 19.50
		1		17.50 - 19.50
		1		17.50 - 19.50
		135		17.50 - 19.50
		135		17.50 - 19.50
		135		17.50 - 19.50
		270		17.50 - 19.50
		1	DFT-s-OFDM 16QAM	17.50 - 19.50
		1	DFT-s-OFDM 64QAM	17.50 - 19.50
		1	DFT-s-OFDM 256QAM	17.50 - 19.50
		1	CP-OFDM QPSK	17.50 - 19.50
		1	CP-OFDM 16QAM	17.50 - 19.50
		1	CP-OFDM 64QAM	17.50 - 19.50
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N48- Full-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N48	10 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	15 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	20 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	30 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	40 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	50 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	60 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	70 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	80 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	90 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	100 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
		1		20.50 - 22.50
		1		20.50 - 22.50
		135		19.50 - 21.50
		135		20.50 - 22.50
		135		19.50 - 21.50
		270		19.50 - 21.50
		1	DFT-s-OFDM QPSK	20.50 - 22.50
		1		20.50 - 22.50
		1		20.50 - 22.50
		135		19.50 - 21.50
		135		20.50 - 22.50
		135		19.50 - 21.50
		270		19.50 - 21.50
		1	DFT-s-OFDM 16QAM	19.50 - 21.50
		1	DFT-s-OFDM 64QAM	18.00 - 20.00
		1	DFT-s-OFDM 256QAM	16.00 - 18.00
		1	CP-OFDM QPSK	19.00 - 21.00
		1	CP-OFDM 16QAM	18.50 - 20.50
		1	CP-OFDM 64QAM	17.00 - 19.00
		1	CP-OFDM 256QAM	14.00 - 16.00

RF Power Range (N48-DSI1-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N48	10 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	15 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	20 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	30 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	40 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	50 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	60 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	70 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	80 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	90 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	100 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
		1		20.50 - 22.50
		1		20.50 - 22.50
		135		19.50 - 21.50
		135		20.50 - 22.50
		135		19.50 - 21.50
		270		19.50 - 21.50
		1	DFT-s-OFDM QPSK	20.50 - 22.50
		1		20.50 - 22.50
		1		20.50 - 22.50
		135		19.50 - 21.50
		135		20.50 - 22.50
		135		19.50 - 21.50
		270		19.50 - 21.50
		1	DFT-s-OFDM 16QAM	19.50 - 21.50
		1	DFT-s-OFDM 64QAM	18.00 - 20.00
		1	DFT-s-OFDM 256QAM	16.00 - 18.00
		1	CP-OFDM QPSK	19.00 - 21.00
		1	CP-OFDM 16QAM	18.50 - 20.50
		1	CP-OFDM 64QAM	17.00 - 19.00
		1	CP-OFDM 256QAM	14.00 - 16.00

RF Power Range (N48-DSI2-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N48	10 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	15 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	20 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	30 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	40 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	50 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	60 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	70 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	80 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	90 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	100 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
		1		19.50 - 21.50
		1		19.50 - 21.50
		135		19.50 - 21.50
		135		19.50 - 21.50
		135		19.50 - 21.50
		270		19.50 - 21.50
		1	DFT-s-OFDM QPSK	19.50 - 21.50
		1		19.50 - 21.50
		1		19.50 - 21.50
		135		19.50 - 21.50
		135		19.50 - 21.50
		135		19.50 - 21.50
		270		19.50 - 21.50
		1	DFT-s-OFDM 16QAM	19.50 - 21.50
		1	DFT-s-OFDM 64QAM	18.00 - 20.00
		1	DFT-s-OFDM 256QAM	16.00 - 18.00
		1	CP-OFDM QPSK	19.00 - 21.00
		1	CP-OFDM 16QAM	18.50 - 20.50
		1	CP-OFDM 64QAM	17.00 - 19.00
		1	CP-OFDM 256QAM	14.00 - 16.00

RF Power Range (N48-DSI3-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N48	10 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	15 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	20 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	30 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	40 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	50 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	60 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	70 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	80 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	90 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	100 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM QPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM 16QAM	18.00 - 20.00
		1	DFT-s-OFDM 64QAM	18.00 - 20.00
		1	DFT-s-OFDM 256QAM	16.00 - 18.00
		1	CP-OFDM QPSK	18.00 - 20.00
		1	CP-OFDM 16QAM	18.00 - 20.00
		1	CP-OFDM 64QAM	17.00 - 19.00
		1	CP-OFDM 256QAM	14.00 - 16.00

RF Power Range (N48-DSI4-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N48	10 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	15 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	20 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	30 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	40 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	50 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	60 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	70 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	80 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	90 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
	100 MHz	1	DFT-s-OFDM BPSK	19.50 - 21.50
		1		19.50 - 21.50
		1		19.50 - 21.50
		135		19.50 - 21.50
		135		19.50 - 21.50
		135		19.50 - 21.50
		270		19.50 - 21.50
		1	DFT-s-OFDM QPSK	19.50 - 21.50
		1		19.50 - 21.50
		1		19.50 - 21.50
		135		19.50 - 21.50
		135		19.50 - 21.50
		135		19.50 - 21.50
		270		19.50 - 21.50
		1	DFT-s-OFDM 16QAM	19.50 - 21.50
		1	DFT-s-OFDM 64QAM	18.00 - 20.00
		1	DFT-s-OFDM 256QAM	16.00 - 18.00
		1	CP-OFDM QPSK	19.00 - 21.00
		1	CP-OFDM 16QAM	18.50 - 20.50
		1	CP-OFDM 64QAM	17.00 - 19.00
		1	CP-OFDM 256QAM	14.00 - 16.00

RF Power Range (N48-DSI5-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N48	10 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	15 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	20 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	30 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	40 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	50 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	60 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	70 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	80 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	90 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	100 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
		1		19.00 - 21.00
		1		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		270		19.00 - 21.00
		1	DFT-s-OFDM QPSK	19.00 - 21.00
		1		19.00 - 21.00
		1		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		270		19.00 - 21.00
		1	DFT-s-OFDM 16QAM	19.00 - 21.00
		1	DFT-s-OFDM 64QAM	18.00 - 20.00
		1	DFT-s-OFDM 256QAM	16.00 - 18.00
		1	CP-OFDM QPSK	19.00 - 21.00
		1	CP-OFDM 16QAM	18.50 - 20.50
		1	CP-OFDM 64QAM	17.00 - 19.00
		1	CP-OFDM 256QAM	14.00 - 16.00

RF Power Range (N48- Full-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N48	10 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	15 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	20 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	30 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	40 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	50 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	60 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	70 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	80 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	90 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	100 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
		1		21.50 - 23.50
		1		21.50 - 23.50
		135		20.50 - 22.50
		135		21.50 - 23.50
		135		20.50 - 22.50
		270		20.50 - 22.50
		1	DFT-s-OFDM QPSK	21.50 - 23.50
		1		21.50 - 23.50
		1		21.50 - 23.50
		135		20.50 - 22.50
		135		21.50 - 23.50
		135		20.50 - 22.50
		270		20.50 - 22.50
		1	DFT-s-OFDM 16QAM	20.50 - 22.50
		1	DFT-s-OFDM 64QAM	19.00 - 21.00
		1	DFT-s-OFDM 256QAM	17.00 - 19.00
		1	CP-OFDM QPSK	20.00 - 22.00
		1	CP-OFDM 16QAM	19.50 - 21.50
		1	CP-OFDM 64QAM	18.00 - 20.00
		1	CP-OFDM 256QAM	15.00 - 17.00

RF Power Range (N48-DSI1-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N48	10 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	15 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	20 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	30 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	40 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	50 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	60 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	70 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	80 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	90 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	100 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
		1		20.50 - 22.50
		1		20.50 - 22.50
		135		20.50 - 22.50
		135		20.50 - 22.50
		135		20.50 - 22.50
		270		20.50 - 22.50
		1	DFT-s-OFDM QPSK	20.50 - 22.50
		1		20.50 - 22.50
		1		20.50 - 22.50
		135		20.50 - 22.50
		135		20.50 - 22.50
		135		20.50 - 22.50
		270		20.50 - 22.50
		1	DFT-s-OFDM 16QAM	20.50 - 22.50
		1	DFT-s-OFDM 64QAM	19.00 - 21.00
		1	DFT-s-OFDM 256QAM	17.00 - 19.00
		1	CP-OFDM QPSK	20.00 - 22.00
		1	CP-OFDM 16QAM	19.50 - 21.50
		1	CP-OFDM 64QAM	18.00 - 20.00
		1	CP-OFDM 256QAM	15.00 - 17.00

RF Power Range (N48-DSI2-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N48	10 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	15 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	20 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	30 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	40 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	50 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	60 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	70 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	80 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	90 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	100 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM QPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM 16QAM	18.00 - 20.00
		1	DFT-s-OFDM 64QAM	18.00 - 20.00
		1	DFT-s-OFDM 256QAM	17.00 - 19.00
		1	CP-OFDM QPSK	18.00 - 20.00
		1	CP-OFDM 16QAM	18.00 - 20.00
		1	CP-OFDM 64QAM	18.00 - 20.00
		1	CP-OFDM 256QAM	15.00 - 17.00

RF Power Range (N48-DSI3-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N48	10 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	15 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	20 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	30 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	40 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	50 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	60 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	70 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	80 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	90 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	100 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM QPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM 16QAM	18.00 - 20.00
		1	DFT-s-OFDM 64QAM	18.00 - 20.00
		1	DFT-s-OFDM 256QAM	17.00 - 19.00
		1	CP-OFDM QPSK	18.00 - 20.00
		1	CP-OFDM 16QAM	18.00 - 20.00
		1	CP-OFDM 64QAM	18.00 - 20.00
		1	CP-OFDM 256QAM	15.00 - 17.00

RF Power Range (N48-DSI4-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N48	10 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	15 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	20 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	30 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	40 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	50 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	60 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	70 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	80 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	90 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	100 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM QPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM 16QAM	18.00 - 20.00
		1	DFT-s-OFDM 64QAM	18.00 - 20.00
		1	DFT-s-OFDM 256QAM	17.00 - 19.00
		1	CP-OFDM QPSK	18.00 - 20.00
		1	CP-OFDM 16QAM	18.00 - 20.00
		1	CP-OFDM 64QAM	18.00 - 20.00
		1	CP-OFDM 256QAM	15.00 - 17.00

RF Power Range (N48-DSI5-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N48	10 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	15 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	20 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	30 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	40 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	50 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	60 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	70 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	80 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	90 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	100 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
		1		19.00 - 21.00
		1		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		270		19.00 - 21.00
		1	DFT-s-OFDM QPSK	19.00 - 21.00
		1		19.00 - 21.00
		1		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		270		19.00 - 21.00
		1	DFT-s-OFDM 16QAM	19.00 - 21.00
		1	DFT-s-OFDM 64QAM	19.00 - 21.00
		1	DFT-s-OFDM 256QAM	17.00 - 19.00
		1	CP-OFDM QPSK	19.00 - 21.00
		1	CP-OFDM 16QAM	19.00 - 21.00
		1	CP-OFDM 64QAM	18.00 - 20.00
		1	CP-OFDM 256QAM	15.00 - 17.00

RF Power Range (N66- Full-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N66	5 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	35 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	40 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	45 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		121		22.50 - 24.50
		121		23.50 - 25.50
		121		22.50 - 24.50
		241		22.50 - 24.50
		1	DFT-s-OFDM QPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		121		22.50 - 24.50
		121		23.50 - 25.50
		121		22.50 - 24.50
		241		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N66-DSI1-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N66	5 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	35 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	40 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	45 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		121		22.50 - 24.50
		121		23.50 - 25.50
		121		22.50 - 24.50
		241		22.50 - 24.50
		1	DFT-s-OFDM QPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		121		22.50 - 24.50
		121		23.50 - 25.50
		121		22.50 - 24.50
		241		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N66-DSI2-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N66	5 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	10 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	15 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	20 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	25 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	30 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	35 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	40 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	45 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
		1		18.50 - 20.50
		1		18.50 - 20.50
		121		18.50 - 20.50
		121		18.50 - 20.50
		121		18.50 - 20.50
		241		18.50 - 20.50
		1	DFT-s-OFDM QPSK	18.50 - 20.50
		1		18.50 - 20.50
		1		18.50 - 20.50
		121		18.50 - 20.50
		121		18.50 - 20.50
		121		18.50 - 20.50
		241		18.50 - 20.50
		1	DFT-s-OFDM 16QAM	18.50 - 20.50
		1	DFT-s-OFDM 64QAM	18.50 - 20.50
		1	DFT-s-OFDM 256QAM	18.50 - 20.50
		1	CP-OFDM QPSK	18.50 - 20.50
		1	CP-OFDM 16QAM	18.50 - 20.50
		1	CP-OFDM 64QAM	18.50 - 20.50
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N66-DSI3-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N66	5 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	10 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	15 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	20 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	25 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	30 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	35 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	40 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	45 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
		1		18.50 - 20.50
		1		18.50 - 20.50
		121		18.50 - 20.50
		121		18.50 - 20.50
		121		18.50 - 20.50
		241		18.50 - 20.50
		1	DFT-s-OFDM QPSK	18.50 - 20.50
		1		18.50 - 20.50
		1		18.50 - 20.50
		121		18.50 - 20.50
		121		18.50 - 20.50
		121		18.50 - 20.50
		241		18.50 - 20.50
		1	DFT-s-OFDM 16QAM	18.50 - 20.50
		1	DFT-s-OFDM 64QAM	18.50 - 20.50
		1	DFT-s-OFDM 256QAM	18.50 - 20.50
		1	CP-OFDM QPSK	18.50 - 20.50
		1	CP-OFDM 16QAM	18.50 - 20.50
		1	CP-OFDM 64QAM	18.50 - 20.50
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N66-DSI4-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N66	5 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	35 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	40 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	45 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		121		22.50 - 24.50
		121		23.50 - 25.50
		121		22.50 - 24.50
		241		22.50 - 24.50
		1	DFT-s-OFDM QPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		121		22.50 - 24.50
		121		23.50 - 25.50
		121		22.50 - 24.50
		241		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N66-DSI5-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N66	5 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	10 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	15 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	20 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	25 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	30 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	35 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	40 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	45 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
		1		18.50 - 20.50
		1		18.50 - 20.50
		121		18.50 - 20.50
		121		18.50 - 20.50
		121		18.50 - 20.50
		241		18.50 - 20.50
		1	DFT-s-OFDM QPSK	18.50 - 20.50
		1		18.50 - 20.50
		1		18.50 - 20.50
		121		18.50 - 20.50
		121		18.50 - 20.50
		121		18.50 - 20.50
		241		18.50 - 20.50
		1	DFT-s-OFDM 16QAM	18.50 - 20.50
		1	DFT-s-OFDM 64QAM	18.50 - 20.50
		1	DFT-s-OFDM 256QAM	18.50 - 20.50
		1	CP-OFDM QPSK	18.50 - 20.50
		1	CP-OFDM 16QAM	18.50 - 20.50
		1	CP-OFDM 64QAM	18.50 - 20.50
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N66(ENDC)- Full-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N66	5 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	35 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	40 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	45 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		121		22.50 - 24.50
		121		23.50 - 25.50
		121		22.50 - 24.50
		241		22.50 - 24.50
		1	DFT-s-OFDM QPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		121		22.50 - 24.50
		121		23.50 - 25.50
		121		22.50 - 24.50
		241		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N66(ENDC)-DSI1-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N66	5 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	35 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	40 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	45 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		121		22.50 - 24.50
		121		23.50 - 25.50
		121		22.50 - 24.50
		241		22.50 - 24.50
		1	DFT-s-OFDM QPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		121		22.50 - 24.50
		121		23.50 - 25.50
		121		22.50 - 24.50
		241		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N66(ENDC)-DSI2-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N66	5 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	10 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	15 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	20 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	25 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	30 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	35 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	40 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	45 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		121		17.00 - 19.00
		121		17.00 - 19.00
		121		17.00 - 19.00
		241		17.00 - 19.00
		1	DFT-s-OFDM QPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		121		17.00 - 19.00
		121		17.00 - 19.00
		121		17.00 - 19.00
		241		17.00 - 19.00
		1	DFT-s-OFDM 16QAM	17.00 - 19.00
		1	DFT-s-OFDM 64QAM	17.00 - 19.00
		1	DFT-s-OFDM 256QAM	17.00 - 19.00
		1	CP-OFDM QPSK	17.00 - 19.00
		1	CP-OFDM 16QAM	17.00 - 19.00
		1	CP-OFDM 64QAM	17.00 - 19.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N66(ENDC)-DSI3-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N66	5 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	10 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	15 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	20 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	25 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	30 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	35 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	40 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	45 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		121		17.00 - 19.00
		121		17.00 - 19.00
		121		17.00 - 19.00
		241		17.00 - 19.00
		1	DFT-s-OFDM QPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		121		17.00 - 19.00
		121		17.00 - 19.00
		121		17.00 - 19.00
		241		17.00 - 19.00
		1	DFT-s-OFDM 16QAM	17.00 - 19.00
		1	DFT-s-OFDM 64QAM	17.00 - 19.00
		1	DFT-s-OFDM 256QAM	17.00 - 19.00
		1	CP-OFDM QPSK	17.00 - 19.00
		1	CP-OFDM 16QAM	17.00 - 19.00
		1	CP-OFDM 64QAM	17.00 - 19.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N66(ENDC)-DSI4-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N66	5 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	35 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	40 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	45 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		121		22.50 - 24.50
		121		23.50 - 25.50
		121		22.50 - 24.50
		241		22.50 - 24.50
		1	DFT-s-OFDM QPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		121		22.50 - 24.50
		121		23.50 - 25.50
		121		22.50 - 24.50
		241		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N66(ENDC)-DSI5-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N66	5 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	10 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	15 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	20 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	25 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	30 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	35 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	40 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
	45 MHz	1	DFT-s-OFDM BPSK	17.50 - 19.50
		1		17.50 - 19.50
		1		17.50 - 19.50
		121		17.50 - 19.50
		121		17.50 - 19.50
		121		17.50 - 19.50
		241		17.50 - 19.50
		1	DFT-s-OFDM QPSK	17.50 - 19.50
		1		17.50 - 19.50
		1		17.50 - 19.50
		121		17.50 - 19.50
		121		17.50 - 19.50
		121		17.50 - 19.50
		241		17.50 - 19.50
		1	DFT-s-OFDM 16QAM	17.50 - 19.50
		1	DFT-s-OFDM 64QAM	17.50 - 19.50
		1	DFT-s-OFDM 256QAM	17.50 - 19.50
		1	CP-OFDM QPSK	17.50 - 19.50
		1	CP-OFDM 16QAM	17.50 - 19.50
		1	CP-OFDM 64QAM	17.50 - 19.50
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N66- Full-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N66	5 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	35 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	40 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	45 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		121		22.50 - 24.50
		121		23.50 - 25.50
		121		22.50 - 24.50
		241		22.50 - 24.50
		1	DFT-s-OFDM QPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		121		22.50 - 24.50
		121		23.50 - 25.50
		121		22.50 - 24.50
		241		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N66-DSI1-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N66	5 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	10 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	15 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	20 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	25 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	30 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	35 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	40 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	45 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
		1		15.50 - 17.50
		1		15.50 - 17.50
		121		15.50 - 17.50
		121		15.50 - 17.50
		121		15.50 - 17.50
		241		15.50 - 17.50
		1	DFT-s-OFDM QPSK	15.50 - 17.50
		1		15.50 - 17.50
		1		15.50 - 17.50
		121		15.50 - 17.50
		121		15.50 - 17.50
		121		15.50 - 17.50
		241		15.50 - 17.50
		1	DFT-s-OFDM 16QAM	15.50 - 17.50
		1	DFT-s-OFDM 64QAM	15.50 - 17.50
		1	DFT-s-OFDM 256QAM	15.50 - 17.50
		1	CP-OFDM QPSK	15.50 - 17.50
		1	CP-OFDM 16QAM	15.50 - 17.50
		1	CP-OFDM 64QAM	15.50 - 17.50
		1	CP-OFDM 256QAM	15.50 - 17.50

RF Power Range (N66-DSI2-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N66	5 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	10 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	15 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	20 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	25 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	30 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	35 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	40 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	45 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
		1		21.50 - 23.50
		1		21.50 - 23.50
		121		21.50 - 23.50
		121		21.50 - 23.50
		121		21.50 - 23.50
		241		21.50 - 23.50
		1	DFT-s-OFDM QPSK	21.50 - 23.50
		1		21.50 - 23.50
		1		21.50 - 23.50
		121		21.50 - 23.50
		121		21.50 - 23.50
		121		21.50 - 23.50
		241		21.50 - 23.50
		1	DFT-s-OFDM 16QAM	21.50 - 23.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	21.50 - 23.50
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N66-DSI3-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N66	5 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	10 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	15 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	20 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	25 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	30 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	35 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	40 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	45 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
		1		14.50 - 16.50
		1		14.50 - 16.50
		121		14.50 - 16.50
		121		14.50 - 16.50
		121		14.50 - 16.50
		241		14.50 - 16.50
		1	DFT-s-OFDM QPSK	14.50 - 16.50
		1		14.50 - 16.50
		1		14.50 - 16.50
		121		14.50 - 16.50
		121		14.50 - 16.50
		121		14.50 - 16.50
		241		14.50 - 16.50
		1	DFT-s-OFDM 16QAM	14.50 - 16.50
		1	DFT-s-OFDM 64QAM	14.50 - 16.50
		1	DFT-s-OFDM 256QAM	14.50 - 16.50
		1	CP-OFDM QPSK	14.50 - 16.50
		1	CP-OFDM 16QAM	14.50 - 16.50
		1	CP-OFDM 64QAM	14.50 - 16.50
		1	CP-OFDM 256QAM	14.50 - 16.50

RF Power Range (N66-DSI4-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N66	5 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	10 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	15 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	20 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	25 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	30 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	35 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	40 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	45 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
		1		21.50 - 23.50
		1		21.50 - 23.50
		121		21.50 - 23.50
		121		21.50 - 23.50
		121		21.50 - 23.50
		241		21.50 - 23.50
		1	DFT-s-OFDM QPSK	21.50 - 23.50
		1		21.50 - 23.50
		1		21.50 - 23.50
		121		21.50 - 23.50
		121		21.50 - 23.50
		121		21.50 - 23.50
		241		21.50 - 23.50
		1	DFT-s-OFDM 16QAM	21.50 - 23.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	21.50 - 23.50
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N66-DSI5-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N66	5 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	10 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	15 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	20 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	25 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	30 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	35 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	40 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	45 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
		1		14.50 - 16.50
		1		14.50 - 16.50
		121		14.50 - 16.50
		121		14.50 - 16.50
		121		14.50 - 16.50
		241		14.50 - 16.50
		1	DFT-s-OFDM QPSK	14.50 - 16.50
		1		14.50 - 16.50
		1		14.50 - 16.50
		121		14.50 - 16.50
		121		14.50 - 16.50
		121		14.50 - 16.50
		241		14.50 - 16.50
		1	DFT-s-OFDM 16QAM	14.50 - 16.50
		1	DFT-s-OFDM 64QAM	14.50 - 16.50
		1	DFT-s-OFDM 256QAM	14.50 - 16.50
		1	CP-OFDM QPSK	14.50 - 16.50
		1	CP-OFDM 16QAM	14.50 - 16.50
		1	CP-OFDM 64QAM	14.50 - 16.50
		1	CP-OFDM 256QAM	14.50 - 16.50

RF Power Range (N66(ENDC)- Full-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N66	5 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	35 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	40 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	45 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		121		22.50 - 24.50
		121		23.50 - 25.50
		121		22.50 - 24.50
		241		22.50 - 24.50
		1	DFT-s-OFDM QPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		121		22.50 - 24.50
		121		23.50 - 25.50
		121		22.50 - 24.50
		241		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N66(ENDC)-DSI1-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N66	5 MHz	1	DFT-s-OFDM BPSK	13.50 - 15.50
	10 MHz	1	DFT-s-OFDM BPSK	13.50 - 15.50
	15 MHz	1	DFT-s-OFDM BPSK	13.50 - 15.50
	20 MHz	1	DFT-s-OFDM BPSK	13.50 - 15.50
	25 MHz	1	DFT-s-OFDM BPSK	13.50 - 15.50
	30 MHz	1	DFT-s-OFDM BPSK	13.50 - 15.50
	35 MHz	1	DFT-s-OFDM BPSK	13.50 - 15.50
	40 MHz	1	DFT-s-OFDM BPSK	13.50 - 15.50
	45 MHz	1	DFT-s-OFDM BPSK	13.50 - 15.50
		1		13.50 - 15.50
		1		13.50 - 15.50
		121		13.50 - 15.50
		121		13.50 - 15.50
		121		13.50 - 15.50
		241		13.50 - 15.50
		1	DFT-s-OFDM QPSK	13.50 - 15.50
		1		13.50 - 15.50
		1		13.50 - 15.50
		121		13.50 - 15.50
		121		13.50 - 15.50
		121		13.50 - 15.50
		241		13.50 - 15.50
		1	DFT-s-OFDM 16QAM	13.50 - 15.50
		1	DFT-s-OFDM 64QAM	13.50 - 15.50
		1	DFT-s-OFDM 256QAM	13.50 - 15.50
		1	CP-OFDM QPSK	13.50 - 15.50
		1	CP-OFDM 16QAM	13.50 - 15.50
		1	CP-OFDM 64QAM	13.50 - 15.50
		1	CP-OFDM 256QAM	13.50 - 15.50

RF Power Range (N66(ENDC)-DSI2-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N66	5 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	10 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	15 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	20 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	25 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	30 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	35 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	40 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	45 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
		1		21.50 - 23.50
		1		21.50 - 23.50
		121		21.50 - 23.50
		121		21.50 - 23.50
		121		21.50 - 23.50
		241		21.50 - 23.50
		1	DFT-s-OFDM QPSK	21.50 - 23.50
		1		21.50 - 23.50
		1		21.50 - 23.50
		121		21.50 - 23.50
		121		21.50 - 23.50
		121		21.50 - 23.50
		241		21.50 - 23.50
		1	DFT-s-OFDM 16QAM	21.50 - 23.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	21.50 - 23.50
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N66(ENDC)-DSI3-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N66	5 MHz	1	DFT-s-OFDM BPSK	14.00 - 16.00
	10 MHz	1	DFT-s-OFDM BPSK	14.00 - 16.00
	15 MHz	1	DFT-s-OFDM BPSK	14.00 - 16.00
	20 MHz	1	DFT-s-OFDM BPSK	14.00 - 16.00
	25 MHz	1	DFT-s-OFDM BPSK	14.00 - 16.00
	30 MHz	1	DFT-s-OFDM BPSK	14.00 - 16.00
	35 MHz	1	DFT-s-OFDM BPSK	14.00 - 16.00
	40 MHz	1	DFT-s-OFDM BPSK	14.00 - 16.00
	45 MHz	1	DFT-s-OFDM BPSK	14.00 - 16.00
		1		14.00 - 16.00
		1		14.00 - 16.00
		121		14.00 - 16.00
		121		14.00 - 16.00
		121		14.00 - 16.00
		241		14.00 - 16.00
		1	DFT-s-OFDM QPSK	14.00 - 16.00
		1		14.00 - 16.00
		1		14.00 - 16.00
		121		14.00 - 16.00
		121		14.00 - 16.00
		121		14.00 - 16.00
		241		14.00 - 16.00
		1	DFT-s-OFDM 16QAM	14.00 - 16.00
		1	DFT-s-OFDM 64QAM	14.00 - 16.00
		1	DFT-s-OFDM 256QAM	14.00 - 16.00
		1	CP-OFDM QPSK	14.00 - 16.00
		1	CP-OFDM 16QAM	14.00 - 16.00
		1	CP-OFDM 64QAM	14.00 - 16.00
		1	CP-OFDM 256QAM	14.00 - 16.00

RF Power Range (N66(ENDC)-DSI4-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N66	5 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	10 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	15 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	20 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	25 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	30 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	35 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	40 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
	45 MHz	1	DFT-s-OFDM BPSK	21.50 - 23.50
		1		21.50 - 23.50
		1		21.50 - 23.50
		121		21.50 - 23.50
		121		21.50 - 23.50
		121		21.50 - 23.50
		241		21.50 - 23.50
		1	DFT-s-OFDM QPSK	21.50 - 23.50
		1		21.50 - 23.50
		1		21.50 - 23.50
		121		21.50 - 23.50
		121		21.50 - 23.50
		121		21.50 - 23.50
		241		21.50 - 23.50
		1	DFT-s-OFDM 16QAM	21.50 - 23.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	21.50 - 23.50
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N66(ENDC)-DSI5-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N66	5 MHz	1	DFT-s-OFDM BPSK	13.50 - 15.50
	10 MHz	1	DFT-s-OFDM BPSK	13.50 - 15.50
	15 MHz	1	DFT-s-OFDM BPSK	13.50 - 15.50
	20 MHz	1	DFT-s-OFDM BPSK	13.50 - 15.50
	25 MHz	1	DFT-s-OFDM BPSK	13.50 - 15.50
	30 MHz	1	DFT-s-OFDM BPSK	13.50 - 15.50
	35 MHz	1	DFT-s-OFDM BPSK	13.50 - 15.50
	40 MHz	1	DFT-s-OFDM BPSK	13.50 - 15.50
	45 MHz	1	DFT-s-OFDM BPSK	13.50 - 15.50
		1		13.50 - 15.50
		1		13.50 - 15.50
		121		13.50 - 15.50
		121		13.50 - 15.50
		121		13.50 - 15.50
		241		13.50 - 15.50
		1	DFT-s-OFDM QPSK	13.50 - 15.50
		1		13.50 - 15.50
		1		13.50 - 15.50
		121		13.50 - 15.50
		121		13.50 - 15.50
		121		13.50 - 15.50
		241		13.50 - 15.50
		1	DFT-s-OFDM 16QAM	13.50 - 15.50
		1	DFT-s-OFDM 64QAM	13.50 - 15.50
		1	DFT-s-OFDM 256QAM	13.50 - 15.50
		1	CP-OFDM QPSK	13.50 - 15.50
		1	CP-OFDM 16QAM	13.50 - 15.50
		1	CP-OFDM 64QAM	13.50 - 15.50
		1	CP-OFDM 256QAM	13.50 - 15.50

RF Power Range (N66- Full-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N66	5 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	35 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	40 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	45 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		121		22.50 - 24.50
		121		23.50 - 25.50
		121		22.50 - 24.50
		241		22.50 - 24.50
		1	DFT-s-OFDM QPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		121		22.50 - 24.50
		121		23.50 - 25.50
		121		22.50 - 24.50
		241		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N66-DSI1-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N66	5 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	10 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	15 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	20 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	25 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	30 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	35 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	40 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	45 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
		1		22.00 - 24.00
		1		22.00 - 24.00
		121		22.00 - 24.00
		121		22.00 - 24.00
		121		22.00 - 24.00
		241		22.00 - 24.00
		1	DFT-s-OFDM QPSK	22.00 - 24.00
		1		22.00 - 24.00
		1		22.00 - 24.00
		121		22.00 - 24.00
		121		22.00 - 24.00
		121		22.00 - 24.00
		241		22.00 - 24.00
		1	DFT-s-OFDM 16QAM	22.00 - 24.00
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N66-DSI2-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N66	5 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	10 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	15 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	20 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	25 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	30 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	35 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	40 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	45 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
		1		16.50 - 18.50
		1		16.50 - 18.50
		121		16.50 - 18.50
		121		16.50 - 18.50
		121		16.50 - 18.50
		241		16.50 - 18.50
		1	DFT-s-OFDM QPSK	16.50 - 18.50
		1		16.50 - 18.50
		1		16.50 - 18.50
		121		16.50 - 18.50
		121		16.50 - 18.50
		121		16.50 - 18.50
		241		16.50 - 18.50
		1	DFT-s-OFDM 16QAM	16.50 - 18.50
		1	DFT-s-OFDM 64QAM	16.50 - 18.50
		1	DFT-s-OFDM 256QAM	16.50 - 18.50
		1	CP-OFDM QPSK	16.50 - 18.50
		1	CP-OFDM 16QAM	16.50 - 18.50
		1	CP-OFDM 64QAM	16.50 - 18.50
		1	CP-OFDM 256QAM	16.50 - 18.50

RF Power Range (N66-DSI3-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N66	5 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	10 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	15 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	20 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	25 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	30 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	35 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	40 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	45 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
		1		16.50 - 18.50
		1		16.50 - 18.50
		121		16.50 - 18.50
		121		16.50 - 18.50
		121		16.50 - 18.50
		241		16.50 - 18.50
		1	DFT-s-OFDM QPSK	16.50 - 18.50
		1		16.50 - 18.50
		1		16.50 - 18.50
		121		16.50 - 18.50
		121		16.50 - 18.50
		121		16.50 - 18.50
		241		16.50 - 18.50
		1	DFT-s-OFDM 16QAM	16.50 - 18.50
		1	DFT-s-OFDM 64QAM	16.50 - 18.50
		1	DFT-s-OFDM 256QAM	16.50 - 18.50
		1	CP-OFDM QPSK	16.50 - 18.50
		1	CP-OFDM 16QAM	16.50 - 18.50
		1	CP-OFDM 64QAM	16.50 - 18.50
		1	CP-OFDM 256QAM	16.50 - 18.50

RF Power Range (N66-DSI4-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N66	5 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	10 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	15 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	20 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	25 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	30 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	35 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	40 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	45 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
		1		16.50 - 18.50
		1		16.50 - 18.50
		121		16.50 - 18.50
		121		16.50 - 18.50
		121		16.50 - 18.50
		241		16.50 - 18.50
		1	DFT-s-OFDM QPSK	16.50 - 18.50
		1		16.50 - 18.50
		1		16.50 - 18.50
		121		16.50 - 18.50
		121		16.50 - 18.50
		121		16.50 - 18.50
		241		16.50 - 18.50
		1	DFT-s-OFDM 16QAM	16.50 - 18.50
		1	DFT-s-OFDM 64QAM	16.50 - 18.50
		1	DFT-s-OFDM 256QAM	16.50 - 18.50
		1	CP-OFDM QPSK	16.50 - 18.50
		1	CP-OFDM 16QAM	16.50 - 18.50
		1	CP-OFDM 64QAM	16.50 - 18.50
		1	CP-OFDM 256QAM	16.50 - 18.50

RF Power Range (N66-DSI5-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N66	5 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	10 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	15 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	20 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	25 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	30 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	35 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	40 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	45 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
		1		14.50 - 16.50
		1		14.50 - 16.50
		121		14.50 - 16.50
		121		14.50 - 16.50
		121		14.50 - 16.50
		241		14.50 - 16.50
		1	DFT-s-OFDM QPSK	14.50 - 16.50
		1		14.50 - 16.50
		1		14.50 - 16.50
		121		14.50 - 16.50
		121		14.50 - 16.50
		121		14.50 - 16.50
		241		14.50 - 16.50
		1	DFT-s-OFDM 16QAM	14.50 - 16.50
		1	DFT-s-OFDM 64QAM	14.50 - 16.50
		1	DFT-s-OFDM 256QAM	14.50 - 16.50
		1	CP-OFDM QPSK	14.50 - 16.50
		1	CP-OFDM 16QAM	14.50 - 16.50
		1	CP-OFDM 64QAM	14.50 - 16.50
		1	CP-OFDM 256QAM	14.50 - 16.50

RF Power Range (N66(ENDC)- Full-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N66	5 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	35 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	40 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	45 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		121		22.50 - 24.50
		121		23.50 - 25.50
		121		22.50 - 24.50
		241		22.50 - 24.50
		1	DFT-s-OFDM QPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		121		22.50 - 24.50
		121		23.50 - 25.50
		121		22.50 - 24.50
		241		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N66(ENDC)-DSI1-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N66	5 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	10 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	15 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	20 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	25 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	30 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	35 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	40 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	45 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
		1		22.00 - 24.00
		1		22.00 - 24.00
		121		22.00 - 24.00
		121		22.00 - 24.00
		121		22.00 - 24.00
		241		22.00 - 24.00
		1	DFT-s-OFDM QPSK	22.00 - 24.00
		1		22.00 - 24.00
		1		22.00 - 24.00
		121		22.00 - 24.00
		121		22.00 - 24.00
		121		22.00 - 24.00
		241		22.00 - 24.00
		1	DFT-s-OFDM 16QAM	22.00 - 24.00
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N66(ENDC)-DSI2-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N66	5 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	10 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	15 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	20 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	25 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	30 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	35 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	40 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	45 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
		1		15.50 - 17.50
		1		15.50 - 17.50
		121		15.50 - 17.50
		121		15.50 - 17.50
		121		15.50 - 17.50
		241		15.50 - 17.50
		1	DFT-s-OFDM QPSK	15.50 - 17.50
		1		15.50 - 17.50
		1		15.50 - 17.50
		121		15.50 - 17.50
		121		15.50 - 17.50
		121		15.50 - 17.50
		241		15.50 - 17.50
		1	DFT-s-OFDM 16QAM	15.50 - 17.50
		1	DFT-s-OFDM 64QAM	15.50 - 17.50
		1	DFT-s-OFDM 256QAM	15.50 - 17.50
		1	CP-OFDM QPSK	15.50 - 17.50
		1	CP-OFDM 16QAM	15.50 - 17.50
		1	CP-OFDM 64QAM	15.50 - 17.50
		1	CP-OFDM 256QAM	15.50 - 17.50

RF Power Range (N66(ENDC)-DSI3-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N66	5 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	10 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	15 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	20 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	25 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	30 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	35 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	40 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	45 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
		1		15.50 - 17.50
		1		15.50 - 17.50
		121		15.50 - 17.50
		121		15.50 - 17.50
		121		15.50 - 17.50
		241		15.50 - 17.50
		1	DFT-s-OFDM QPSK	15.50 - 17.50
		1		15.50 - 17.50
		1		15.50 - 17.50
		121		15.50 - 17.50
		121		15.50 - 17.50
		121		15.50 - 17.50
		241		15.50 - 17.50
		1	DFT-s-OFDM 16QAM	15.50 - 17.50
		1	DFT-s-OFDM 64QAM	15.50 - 17.50
		1	DFT-s-OFDM 256QAM	15.50 - 17.50
		1	CP-OFDM QPSK	15.50 - 17.50
		1	CP-OFDM 16QAM	15.50 - 17.50
		1	CP-OFDM 64QAM	15.50 - 17.50
		1	CP-OFDM 256QAM	15.50 - 17.50

RF Power Range (N66(ENDC)-DSI4-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N66	5 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	10 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	15 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	20 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	25 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	30 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	35 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	40 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	45 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
		1		15.50 - 17.50
		1		15.50 - 17.50
		121		15.50 - 17.50
		121		15.50 - 17.50
		121		15.50 - 17.50
		241		15.50 - 17.50
		1	DFT-s-OFDM QPSK	15.50 - 17.50
		1		15.50 - 17.50
		1		15.50 - 17.50
		121		15.50 - 17.50
		121		15.50 - 17.50
		121		15.50 - 17.50
		241		15.50 - 17.50
		1	DFT-s-OFDM 16QAM	15.50 - 17.50
		1	DFT-s-OFDM 64QAM	15.50 - 17.50
		1	DFT-s-OFDM 256QAM	15.50 - 17.50
		1	CP-OFDM QPSK	15.50 - 17.50
		1	CP-OFDM 16QAM	15.50 - 17.50
		1	CP-OFDM 64QAM	15.50 - 17.50
		1	CP-OFDM 256QAM	15.50 - 17.50

RF Power Range (N66(ENDC)-DSI5-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N66	5 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	10 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	15 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	20 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	25 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	30 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	35 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	40 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	45 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
		1		14.50 - 16.50
		1		14.50 - 16.50
		121		14.50 - 16.50
		121		14.50 - 16.50
		121		14.50 - 16.50
		241		14.50 - 16.50
		1	DFT-s-OFDM QPSK	14.50 - 16.50
		1		14.50 - 16.50
		1		14.50 - 16.50
		121		14.50 - 16.50
		121		14.50 - 16.50
		121		14.50 - 16.50
		241		14.50 - 16.50
		1	DFT-s-OFDM 16QAM	14.50 - 16.50
		1	DFT-s-OFDM 64QAM	14.50 - 16.50
		1	DFT-s-OFDM 256QAM	14.50 - 16.50
		1	CP-OFDM QPSK	14.50 - 16.50
		1	CP-OFDM 16QAM	14.50 - 16.50
		1	CP-OFDM 64QAM	14.50 - 16.50
		1	CP-OFDM 256QAM	14.50 - 16.50

RF Power Range (N71- Full-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N71	5 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	35 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		90		22.50 - 24.50
		90		23.50 - 25.50
		90		22.50 - 24.50
		180		22.50 - 24.50
		1	DFT-s-OFDM QPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		90		22.50 - 24.50
		90		23.50 - 25.50
		90		22.50 - 24.50
		180		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N71-DSI1-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N71	5 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	35 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		90		22.50 - 24.50
		90		23.50 - 25.50
		90		22.50 - 24.50
		180		22.50 - 24.50
		1	DFT-s-OFDM QPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		90		22.50 - 24.50
		90		23.50 - 25.50
		90		22.50 - 24.50
		180		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N71-DSI2-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N71	5 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	35 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		90		22.50 - 24.50
		90		23.50 - 25.50
		90		22.50 - 24.50
		180		22.50 - 24.50
		1	DFT-s-OFDM QPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		90		22.50 - 24.50
		90		23.50 - 25.50
		90		22.50 - 24.50
		180		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N71-DSI3-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N71	5 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	35 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		90		22.50 - 24.50
		90		23.50 - 25.50
		90		22.50 - 24.50
		180		22.50 - 24.50
		1	DFT-s-OFDM QPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		90		22.50 - 24.50
		90		23.50 - 25.50
		90		22.50 - 24.50
		180		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N71-DSI4-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N71	5 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	35 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		90		22.50 - 24.50
		90		23.50 - 25.50
		90		22.50 - 24.50
		180		22.50 - 24.50
		1	DFT-s-OFDM QPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		90		22.50 - 24.50
		90		23.50 - 25.50
		90		22.50 - 24.50
		180		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N71-DSI5-ANT1)

Band	Bandwidth	RB	Modulation	Range(dBm)
N71	5 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	35 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		90		22.50 - 24.50
		90		23.50 - 25.50
		90		22.50 - 24.50
		180		22.50 - 24.50
		1	DFT-s-OFDM QPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		90		22.50 - 24.50
		90		23.50 - 25.50
		90		22.50 - 24.50
		180		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N71- Full-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N71	5 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	35 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		90		22.50 - 24.50
		90		23.50 - 25.50
		90		22.50 - 24.50
		180		22.50 - 24.50
		1	DFT-s-OFDM QPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		90		22.50 - 24.50
		90		23.50 - 25.50
		90		22.50 - 24.50
		180		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N71-DSI1-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N71	5 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	35 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		90		22.50 - 24.50
		90		23.50 - 25.50
		90		22.50 - 24.50
		180		22.50 - 24.50
		1	DFT-s-OFDM QPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		90		22.50 - 24.50
		90		23.50 - 25.50
		90		22.50 - 24.50
		180		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N71-DSI2-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N71	5 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	35 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		90		22.50 - 24.50
		90		23.50 - 25.50
		90		22.50 - 24.50
		180		22.50 - 24.50
		1	DFT-s-OFDM QPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		90		22.50 - 24.50
		90		23.50 - 25.50
		90		22.50 - 24.50
		180		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N71-DSI3-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N71	5 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	35 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		90		22.50 - 24.50
		90		23.50 - 25.50
		90		22.50 - 24.50
		180		22.50 - 24.50
		1	DFT-s-OFDM QPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		90		22.50 - 24.50
		90		23.50 - 25.50
		90		22.50 - 24.50
		180		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N71-DSI4-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N71	5 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	35 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		90		22.50 - 24.50
		90		23.50 - 25.50
		90		22.50 - 24.50
		180		22.50 - 24.50
		1	DFT-s-OFDM QPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		90		22.50 - 24.50
		90		23.50 - 25.50
		90		22.50 - 24.50
		180		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N71-DSI5-ANT4)

Band	Bandwidth	RB	Modulation	Range(dBm)
N71	5 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	10 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	15 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	20 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	25 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	30 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
	35 MHz	1	DFT-s-OFDM BPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		90		22.50 - 24.50
		90		23.50 - 25.50
		90		22.50 - 24.50
		180		22.50 - 24.50
		1	DFT-s-OFDM QPSK	23.50 - 25.50
		1		23.50 - 25.50
		1		23.50 - 25.50
		90		22.50 - 24.50
		90		23.50 - 25.50
		90		22.50 - 24.50
		180		22.50 - 24.50
		1	DFT-s-OFDM 16QAM	22.50 - 24.50
		1	DFT-s-OFDM 64QAM	21.00 - 23.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	22.00 - 24.00
		1	CP-OFDM 16QAM	21.50 - 23.50
		1	CP-OFDM 64QAM	20.00 - 22.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N77(3450-3550)- Full-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	15 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	20 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	25 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	30 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	40 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	50 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	60 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	70 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	80 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	90 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	100 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
		1		25.00 - 27.00
		1		25.00 - 27.00
		135		24.00 - 26.00
		135		25.00 - 27.00
		135		24.00 - 26.00
		270		24.00 - 26.00
		1	DFT-s-OFDM QPSK	25.00 - 27.00
		1		25.00 - 27.00
		1		25.00 - 27.00
		135		24.00 - 26.00
		135		25.00 - 27.00
		135		24.00 - 26.00
		270		24.00 - 26.00
		1	DFT-s-OFDM 16QAM	24.00 - 26.00
		1	DFT-s-OFDM 64QAM	22.50 - 24.50
		1	DFT-s-OFDM 256QAM	20.50 - 22.50
		1	CP-OFDM QPSK	23.50 - 25.50
		1	CP-OFDM 16QAM	23.00 - 25.00
		1	CP-OFDM 64QAM	21.50 - 23.50
		1	CP-OFDM 256QAM	18.50 - 20.50

RF Power Range (N77(3450-3550)-DSI1-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	15 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	20 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	25 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	30 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	40 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	50 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	60 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	70 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	80 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	90 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	100 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
		1		19.00 - 21.00
		1		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		270		19.00 - 21.00
		1	DFT-s-OFDM QPSK	19.00 - 21.00
		1		19.00 - 21.00
		1		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		270		19.00 - 21.00
		1	DFT-s-OFDM 16QAM	19.00 - 21.00
		1	DFT-s-OFDM 64QAM	19.00 - 21.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	19.00 - 21.00
		1	CP-OFDM 16QAM	19.00 - 21.00
		1	CP-OFDM 64QAM	19.00 - 21.00
		1	CP-OFDM 256QAM	18.50 - 20.50

RF Power Range (N77(3450-3550)-DSI2-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	15 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	20 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	25 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	30 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	40 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	50 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	60 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	70 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	80 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	90 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	100 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM QPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM 16QAM	18.00 - 20.00
		1	DFT-s-OFDM 64QAM	18.00 - 20.00
		1	DFT-s-OFDM 256QAM	18.00 - 20.00
		1	CP-OFDM QPSK	18.00 - 20.00
		1	CP-OFDM 16QAM	18.00 - 20.00
		1	CP-OFDM 64QAM	18.00 - 20.00
		1	CP-OFDM 256QAM	18.00 - 20.00

RF Power Range (N77(3450-3550)-DSI3-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3450-3550)	5 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	15 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	20 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	25 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	30 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	40 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	50 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	60 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	70 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	80 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	90 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	100 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM QPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM 16QAM	18.00 - 20.00
		1	DFT-s-OFDM 64QAM	18.00 - 20.00
		1	DFT-s-OFDM 256QAM	18.00 - 20.00
		1	CP-OFDM QPSK	18.00 - 20.00
		1	CP-OFDM 16QAM	18.00 - 20.00
		1	CP-OFDM 64QAM	18.00 - 20.00
		1	CP-OFDM 256QAM	18.00 - 20.00

RF Power Range (N77(3450-3550)-DSI4-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	15 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	20 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	25 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	30 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	40 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	50 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	60 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	70 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	80 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	90 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	100 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM QPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM 16QAM	18.00 - 20.00
		1	DFT-s-OFDM 64QAM	18.00 - 20.00
		1	DFT-s-OFDM 256QAM	18.00 - 20.00
		1	CP-OFDM QPSK	18.00 - 20.00
		1	CP-OFDM 16QAM	18.00 - 20.00
		1	CP-OFDM 64QAM	18.00 - 20.00
		1	CP-OFDM 256QAM	18.00 - 20.00

RF Power Range (N77(3450-3550)-DSI5-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	15 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	20 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	25 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	30 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	40 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	50 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	60 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	70 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	80 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	90 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	100 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM QPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM 16QAM	18.00 - 20.00
		1	DFT-s-OFDM 64QAM	18.00 - 20.00
		1	DFT-s-OFDM 256QAM	18.00 - 20.00
		1	CP-OFDM QPSK	18.00 - 20.00
		1	CP-OFDM 16QAM	18.00 - 20.00
		1	CP-OFDM 64QAM	18.00 - 20.00
		1	CP-OFDM 256QAM	18.00 - 20.00

RF Power Range (N77(3450-3550)(ENDC)- Full-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	15 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	20 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	25 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	30 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	40 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	50 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	60 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	70 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	80 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	90 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	100 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
		1		25.00 - 27.00
		1		25.00 - 27.00
		135		24.00 - 26.00
		135		25.00 - 27.00
		135		24.00 - 26.00
		270		24.00 - 26.00
		1	DFT-s-OFDM QPSK	25.00 - 27.00
		1		25.00 - 27.00
		1		25.00 - 27.00
		135		24.00 - 26.00
		135		25.00 - 27.00
		135		24.00 - 26.00
		270		24.00 - 26.00
		1	DFT-s-OFDM 16QAM	24.00 - 26.00
		1	DFT-s-OFDM 64QAM	22.50 - 24.50
		1	DFT-s-OFDM 256QAM	20.50 - 22.50
		1	CP-OFDM QPSK	23.50 - 25.50
		1	CP-OFDM 16QAM	23.00 - 25.00
		1	CP-OFDM 64QAM	21.50 - 23.50
		1	CP-OFDM 256QAM	18.50 - 20.50

RF Power Range (N77(3450-3550)(ENDC)-DSI1-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	15 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	20 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	25 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	30 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	40 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	50 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	60 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	70 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	80 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	90 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	100 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
		1		16.00 - 18.00
		1		16.00 - 18.00
		135		16.00 - 18.00
		135		16.00 - 18.00
		135		16.00 - 18.00
		270		16.00 - 18.00
		1	DFT-s-OFDM QPSK	16.00 - 18.00
		1		16.00 - 18.00
		1		16.00 - 18.00
		135		16.00 - 18.00
		135		16.00 - 18.00
		135		16.00 - 18.00
		270		16.00 - 18.00
		1	DFT-s-OFDM 16QAM	16.00 - 18.00
		1	DFT-s-OFDM 64QAM	16.00 - 18.00
		1	DFT-s-OFDM 256QAM	16.00 - 18.00
		1	CP-OFDM QPSK	16.00 - 18.00
		1	CP-OFDM 16QAM	16.00 - 18.00
		1	CP-OFDM 64QAM	16.00 - 18.00
		1	CP-OFDM 256QAM	16.00 - 18.00

RF Power Range (N77(3450-3550)(ENDC)-DSI2-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	15 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	20 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	25 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	30 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	40 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	50 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	60 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	70 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	80 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	90 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	100 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
		1		15.00 - 17.00
		1		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		270		15.00 - 17.00
		1	DFT-s-OFDM QPSK	15.00 - 17.00
		1		15.00 - 17.00
		1		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		270		15.00 - 17.00
		1	DFT-s-OFDM 16QAM	15.00 - 17.00
		1	DFT-s-OFDM 64QAM	15.00 - 17.00
		1	DFT-s-OFDM 256QAM	15.00 - 17.00
		1	CP-OFDM QPSK	15.00 - 17.00
		1	CP-OFDM 16QAM	15.00 - 17.00
		1	CP-OFDM 64QAM	15.00 - 17.00
		1	CP-OFDM 256QAM	15.00 - 17.00

RF Power Range (N77(3450-3550)(ENDC)-DSI3-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3450-3550)	5 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	15 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	20 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	25 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	30 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	40 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	50 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	60 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	70 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	80 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	90 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	100 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
		1		15.00 - 17.00
		1		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		270		15.00 - 17.00
		1	DFT-s-OFDM QPSK	15.00 - 17.00
		1		15.00 - 17.00
		1		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		270		15.00 - 17.00
		1	DFT-s-OFDM 16QAM	15.00 - 17.00
		1	DFT-s-OFDM 64QAM	15.00 - 17.00
		1	DFT-s-OFDM 256QAM	15.00 - 17.00
		1	CP-OFDM QPSK	15.00 - 17.00
		1	CP-OFDM 16QAM	15.00 - 17.00
		1	CP-OFDM 64QAM	15.00 - 17.00
		1	CP-OFDM 256QAM	15.00 - 17.00

RF Power Range (N77(3450-3550)(ENDC)-DSI4-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	15 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	20 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	25 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	30 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	40 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	50 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	60 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	70 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	80 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	90 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	100 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
		1		15.00 - 17.00
		1		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		270		15.00 - 17.00
		1	DFT-s-OFDM QPSK	15.00 - 17.00
		1		15.00 - 17.00
		1		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		270		15.00 - 17.00
		1	DFT-s-OFDM 16QAM	15.00 - 17.00
		1	DFT-s-OFDM 64QAM	15.00 - 17.00
		1	DFT-s-OFDM 256QAM	15.00 - 17.00
		1	CP-OFDM QPSK	15.00 - 17.00
		1	CP-OFDM 16QAM	15.00 - 17.00
		1	CP-OFDM 64QAM	15.00 - 17.00
		1	CP-OFDM 256QAM	15.00 - 17.00

RF Power Range (N77(3450-3550)(ENDC)-DSI5-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	15 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	20 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	25 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	30 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	40 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	50 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	60 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	70 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	80 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	90 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	100 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM QPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM 16QAM	17.00 - 19.00
		1	DFT-s-OFDM 64QAM	17.00 - 19.00
		1	DFT-s-OFDM 256QAM	17.00 - 19.00
		1	CP-OFDM QPSK	17.00 - 19.00
		1	CP-OFDM 16QAM	17.00 - 19.00
		1	CP-OFDM 64QAM	17.00 - 19.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N77(3450-3550)- Full-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	15 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	20 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	25 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	30 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	40 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	50 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	60 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	70 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	80 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	90 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	100 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
		1		25.50 - 27.50
		1		25.50 - 27.50
		135		24.50 - 26.50
		135		25.50 - 27.50
		135		24.50 - 26.50
		270		24.50 - 26.50
		1	DFT-s-OFDM QPSK	25.50 - 27.50
		1		25.50 - 27.50
		1		25.50 - 27.50
		135		24.50 - 26.50
		135		25.50 - 27.50
		135		24.50 - 26.50
		270		24.50 - 26.50
		1	DFT-s-OFDM 16QAM	24.50 - 26.50
		1	DFT-s-OFDM 64QAM	23.00 - 25.00
		1	DFT-s-OFDM 256QAM	21.00 - 23.00
		1	CP-OFDM QPSK	24.00 - 26.00
		1	CP-OFDM 16QAM	23.50 - 25.50
		1	CP-OFDM 64QAM	22.00 - 24.00
		1	CP-OFDM 256QAM	19.00 - 21.00

RF Power Range (N77(3450-3550)-DSI1-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	15 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	20 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	25 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	30 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	40 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	50 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	60 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	70 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	80 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	90 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	100 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM QPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM 16QAM	18.00 - 20.00
		1	DFT-s-OFDM 64QAM	18.00 - 20.00
		1	DFT-s-OFDM 256QAM	18.00 - 20.00
		1	CP-OFDM QPSK	18.00 - 20.00
		1	CP-OFDM 16QAM	18.00 - 20.00
		1	CP-OFDM 64QAM	18.00 - 20.00
		1	CP-OFDM 256QAM	18.00 - 20.00

RF Power Range (N77(3450-3550)-DSI2-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	15 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	20 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	25 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	30 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	40 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	50 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	60 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	70 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	80 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	90 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	100 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM QPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM 16QAM	17.00 - 19.00
		1	DFT-s-OFDM 64QAM	17.00 - 19.00
		1	DFT-s-OFDM 256QAM	17.00 - 19.00
		1	CP-OFDM QPSK	17.00 - 19.00
		1	CP-OFDM 16QAM	17.00 - 19.00
		1	CP-OFDM 64QAM	17.00 - 19.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N77(3450-3550)-DSI3-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3450-3550)	5 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	15 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	20 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	25 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	30 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	40 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	50 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	60 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	70 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	80 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	90 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	100 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM QPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM 16QAM	17.00 - 19.00
		1	DFT-s-OFDM 64QAM	17.00 - 19.00
		1	DFT-s-OFDM 256QAM	17.00 - 19.00
		1	CP-OFDM QPSK	17.00 - 19.00
		1	CP-OFDM 16QAM	17.00 - 19.00
		1	CP-OFDM 64QAM	17.00 - 19.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N77(3450-3550)-DSI4-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	15 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	20 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	25 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	30 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	40 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	50 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	60 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	70 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	80 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	90 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	100 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM QPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM 16QAM	17.00 - 19.00
		1	DFT-s-OFDM 64QAM	17.00 - 19.00
		1	DFT-s-OFDM 256QAM	17.00 - 19.00
		1	CP-OFDM QPSK	17.00 - 19.00
		1	CP-OFDM 16QAM	17.00 - 19.00
		1	CP-OFDM 64QAM	17.00 - 19.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N77(3450-3550)-DSI5-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	15 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	20 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	25 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	30 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	40 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	50 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	60 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	70 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	80 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	90 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	100 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM QPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM 16QAM	17.00 - 19.00
		1	DFT-s-OFDM 64QAM	17.00 - 19.00
		1	DFT-s-OFDM 256QAM	17.00 - 19.00
		1	CP-OFDM QPSK	17.00 - 19.00
		1	CP-OFDM 16QAM	17.00 - 19.00
		1	CP-OFDM 64QAM	17.00 - 19.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N77(3450-3550)(ENDC)- Full-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3450-3550)(ENDC)	10 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	15 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	20 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	25 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	30 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	40 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	50 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	60 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	70 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	80 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	90 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	100 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
		1		25.50 - 27.50
		1		25.50 - 27.50
		135		24.50 - 26.50
		135		25.50 - 27.50
		135		24.50 - 26.50
		270		24.50 - 26.50
		1	DFT-s-OFDM QPSK	25.50 - 27.50
		1		25.50 - 27.50
		1		25.50 - 27.50
		135		24.50 - 26.50
		135		25.50 - 27.50
		135		24.50 - 26.50
		270		24.50 - 26.50
		1	DFT-s-OFDM 16QAM	24.50 - 26.50
		1	DFT-s-OFDM 64QAM	23.00 - 25.00
		1	DFT-s-OFDM 256QAM	21.00 - 23.00
		1	CP-OFDM QPSK	24.00 - 26.00
		1	CP-OFDM 16QAM	23.50 - 25.50
		1	CP-OFDM 64QAM	22.00 - 24.00
		1	CP-OFDM 256QAM	19.00 - 21.00

RF Power Range (N77(3450-3550)(ENDC)-DSI1-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3450-3550)(ENDC)	10 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	15 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	20 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	25 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	30 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	40 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	50 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	60 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	70 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	80 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	90 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	100 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
		1		15.50 - 17.50
		1		15.50 - 17.50
		135		15.50 - 17.50
		135		15.50 - 17.50
		135		15.50 - 17.50
		270		15.50 - 17.50
		1	DFT-s-OFDM QPSK	15.50 - 17.50
		1		15.50 - 17.50
		1		15.50 - 17.50
		135		15.50 - 17.50
		135		15.50 - 17.50
		135		15.50 - 17.50
		270		15.50 - 17.50
		1	DFT-s-OFDM 16QAM	15.50 - 17.50
		1	DFT-s-OFDM 64QAM	15.50 - 17.50
		1	DFT-s-OFDM 256QAM	15.50 - 17.50
		1	CP-OFDM QPSK	15.50 - 17.50
		1	CP-OFDM 16QAM	15.50 - 17.50
		1	CP-OFDM 64QAM	15.50 - 17.50
		1	CP-OFDM 256QAM	15.50 - 17.50

RF Power Range (N77(3450-3550)(ENDC)-DSI2-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3450-3550)(ENDC)	10 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	15 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	20 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	25 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	30 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	40 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	50 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	60 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	70 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	80 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	90 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	100 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
		1		14.50 - 16.50
		1		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		270		14.50 - 16.50
		1	DFT-s-OFDM QPSK	14.50 - 16.50
		1		14.50 - 16.50
		1		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		270		14.50 - 16.50
		1	DFT-s-OFDM 16QAM	14.50 - 16.50
		1	DFT-s-OFDM 64QAM	14.50 - 16.50
		1	DFT-s-OFDM 256QAM	14.50 - 16.50
		1	CP-OFDM QPSK	14.50 - 16.50
		1	CP-OFDM 16QAM	14.50 - 16.50
		1	CP-OFDM 64QAM	14.50 - 16.50
		1	CP-OFDM 256QAM	14.50 - 16.50

RF Power Range (N77(3450-3550)(ENDC)-DSI3-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3450-3550)(ENDC)	5 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	15 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	20 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	25 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	30 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	40 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	50 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	60 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	70 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	80 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	90 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	100 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
		1		14.50 - 16.50
		1		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		270		14.50 - 16.50
		1	DFT-s-OFDM QPSK	14.50 - 16.50
		1		14.50 - 16.50
		1		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		270		14.50 - 16.50
		1	DFT-s-OFDM 16QAM	14.50 - 16.50
		1	DFT-s-OFDM 64QAM	14.50 - 16.50
		1	DFT-s-OFDM 256QAM	14.50 - 16.50
		1	CP-OFDM QPSK	14.50 - 16.50
		1	CP-OFDM 16QAM	14.50 - 16.50
		1	CP-OFDM 64QAM	14.50 - 16.50
		1	CP-OFDM 256QAM	14.50 - 16.50

RF Power Range (N77(3450-3550)(ENDC)-DSI4-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3450-3550)(ENDC)	10 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	15 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	20 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	25 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	30 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	40 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	50 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	60 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	70 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	80 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	90 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	100 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
		1		14.50 - 16.50
		1		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		270		14.50 - 16.50
		1	DFT-s-OFDM QPSK	14.50 - 16.50
		1		14.50 - 16.50
		1		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		270		14.50 - 16.50
		1	DFT-s-OFDM 16QAM	14.50 - 16.50
		1	DFT-s-OFDM 64QAM	14.50 - 16.50
		1	DFT-s-OFDM 256QAM	14.50 - 16.50
		1	CP-OFDM QPSK	14.50 - 16.50
		1	CP-OFDM 16QAM	14.50 - 16.50
		1	CP-OFDM 64QAM	14.50 - 16.50
		1	CP-OFDM 256QAM	14.50 - 16.50

RF Power Range (N77(3450-3550)(ENDC)-DSI5-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3450-3550)(ENDC)	10 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	15 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	20 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	25 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	30 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	40 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	50 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	60 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	70 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	80 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	90 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	100 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM QPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM 16QAM	17.00 - 19.00
		1	DFT-s-OFDM 64QAM	17.00 - 19.00
		1	DFT-s-OFDM 256QAM	17.00 - 19.00
		1	CP-OFDM QPSK	17.00 - 19.00
		1	CP-OFDM 16QAM	17.00 - 19.00
		1	CP-OFDM 64QAM	17.00 - 19.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N77(3450-3550)- Full-ANT2)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	15 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	20 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	25 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	30 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	40 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	50 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	60 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	70 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	80 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	90 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	100 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
		1		23.00 - 25.00
		1		23.00 - 25.00
		135		22.00 - 24.00
		135		23.00 - 25.00
		135		22.00 - 24.00
		270		22.00 - 24.00
		1	DFT-s-OFDM QPSK	23.00 - 25.00
		1		23.00 - 25.00
		1		23.00 - 25.00
		135		22.00 - 24.00
		135		23.00 - 25.00
		135		22.00 - 24.00
		270		22.00 - 24.00
		1	DFT-s-OFDM 16QAM	22.00 - 24.00
		1	DFT-s-OFDM 64QAM	20.50 - 22.50
		1	DFT-s-OFDM 256QAM	18.50 - 20.50
		1	CP-OFDM QPSK	21.50 - 23.50
		1	CP-OFDM 16QAM	21.00 - 23.00
		1	CP-OFDM 64QAM	19.50 - 21.50
		1	CP-OFDM 256QAM	16.50 - 18.50

RF Power Range (N77(3450-3550)-DSI1-ANT2)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	15 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	20 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	25 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	30 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	40 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	50 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	60 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	70 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	80 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	90 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	100 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
		1		22.00 - 24.00
		1		22.00 - 24.00
		135		22.00 - 24.00
		135		22.00 - 24.00
		135		22.00 - 24.00
		270		22.00 - 24.00
		1	DFT-s-OFDM QPSK	22.00 - 24.00
		1		22.00 - 24.00
		1		22.00 - 24.00
		135		22.00 - 24.00
		135		22.00 - 24.00
		135		22.00 - 24.00
		270		22.00 - 24.00
		1	DFT-s-OFDM 16QAM	22.00 - 24.00
		1	DFT-s-OFDM 64QAM	20.50 - 22.50
		1	DFT-s-OFDM 256QAM	18.50 - 20.50
		1	CP-OFDM QPSK	21.50 - 23.50
		1	CP-OFDM 16QAM	21.00 - 23.00
		1	CP-OFDM 64QAM	19.50 - 21.50
		1	CP-OFDM 256QAM	16.50 - 18.50

RF Power Range (N77(3450-3550)-DSI2-ANT2)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	15 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	20 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	25 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	30 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	40 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	50 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	60 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	70 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	80 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	90 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	100 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
		1		19.00 - 21.00
		1		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		270		19.00 - 21.00
		1	DFT-s-OFDM QPSK	19.00 - 21.00
		1		19.00 - 21.00
		1		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		270		19.00 - 21.00
		1	DFT-s-OFDM 16QAM	19.00 - 21.00
		1	DFT-s-OFDM 64QAM	19.00 - 21.00
		1	DFT-s-OFDM 256QAM	18.50 - 20.50
		1	CP-OFDM QPSK	19.00 - 21.00
		1	CP-OFDM 16QAM	19.00 - 21.00
		1	CP-OFDM 64QAM	19.00 - 21.00
		1	CP-OFDM 256QAM	16.50 - 18.50

RF Power Range (N77(3450-3550)-DSI3-ANT2)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3450-3550)	5 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	15 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	20 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	25 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	30 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	40 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	50 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	60 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	70 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	80 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	90 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	100 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
		1		19.00 - 21.00
		1		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		270		19.00 - 21.00
		1	DFT-s-OFDM QPSK	19.00 - 21.00
		1		19.00 - 21.00
		1		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		270		19.00 - 21.00
		1	DFT-s-OFDM 16QAM	19.00 - 21.00
		1	DFT-s-OFDM 64QAM	19.00 - 21.00
		1	DFT-s-OFDM 256QAM	18.50 - 20.50
		1	CP-OFDM QPSK	19.00 - 21.00
		1	CP-OFDM 16QAM	19.00 - 21.00
		1	CP-OFDM 64QAM	19.00 - 21.00
		1	CP-OFDM 256QAM	16.50 - 18.50

RF Power Range (N77(3450-3550)-DSI4-ANT2)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	15 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	20 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	25 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	30 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	40 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	50 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	60 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	70 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	80 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	90 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	100 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
		1		19.00 - 21.00
		1		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		270		19.00 - 21.00
		1	DFT-s-OFDM QPSK	19.00 - 21.00
		1		19.00 - 21.00
		1		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		270		19.00 - 21.00
		1	DFT-s-OFDM 16QAM	19.00 - 21.00
		1	DFT-s-OFDM 64QAM	19.00 - 21.00
		1	DFT-s-OFDM 256QAM	18.50 - 20.50
		1	CP-OFDM QPSK	19.00 - 21.00
		1	CP-OFDM 16QAM	19.00 - 21.00
		1	CP-OFDM 64QAM	19.00 - 21.00
		1	CP-OFDM 256QAM	16.50 - 18.50

RF Power Range (N77(3450-3550)-DSI5-ANT2)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	15 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	20 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	25 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	30 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	40 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	50 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	60 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	70 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	80 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	90 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	100 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
		1		19.00 - 21.00
		1		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		270		19.00 - 21.00
		1	DFT-s-OFDM QPSK	19.00 - 21.00
		1		19.00 - 21.00
		1		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		270		19.00 - 21.00
		1	DFT-s-OFDM 16QAM	19.00 - 21.00
		1	DFT-s-OFDM 64QAM	19.00 - 21.00
		1	DFT-s-OFDM 256QAM	18.50 - 20.50
		1	CP-OFDM QPSK	19.00 - 21.00
		1	CP-OFDM 16QAM	19.00 - 21.00
		1	CP-OFDM 64QAM	19.00 - 21.00
		1	CP-OFDM 256QAM	16.50 - 18.50

RF Power Range (N77(3450-3550)- Full-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	15 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	20 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	25 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	30 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	40 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	50 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	60 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	70 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	80 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	90 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	100 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
		1		22.00 - 24.00
		1		22.00 - 24.00
		135		21.00 - 23.00
		135		22.00 - 24.00
		135		21.00 - 23.00
		270		21.00 - 23.00
		1	DFT-s-OFDM QPSK	22.00 - 24.00
		1		22.00 - 24.00
		1		22.00 - 24.00
		135		21.00 - 23.00
		135		22.00 - 24.00
		135		21.00 - 23.00
		270		21.00 - 23.00
		1	DFT-s-OFDM 16QAM	21.00 - 23.00
		1	DFT-s-OFDM 64QAM	19.50 - 21.50
		1	DFT-s-OFDM 256QAM	17.50 - 19.50
		1	CP-OFDM QPSK	20.50 - 22.50
		1	CP-OFDM 16QAM	20.00 - 22.00
		1	CP-OFDM 64QAM	18.50 - 20.50
		1	CP-OFDM 256QAM	15.50 - 17.50

RF Power Range (N77(3450-3550)-DSI1-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	15 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	20 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	25 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	30 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	40 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	50 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	60 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	70 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	80 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	90 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	100 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
		1		22.00 - 24.00
		1		22.00 - 24.00
		135		21.00 - 23.00
		135		22.00 - 24.00
		135		21.00 - 23.00
		270		21.00 - 23.00
		1	DFT-s-OFDM QPSK	22.00 - 24.00
		1		22.00 - 24.00
		1		22.00 - 24.00
		135		21.00 - 23.00
		135		22.00 - 24.00
		135		21.00 - 23.00
		270		21.00 - 23.00
		1	DFT-s-OFDM 16QAM	21.00 - 23.00
		1	DFT-s-OFDM 64QAM	19.50 - 21.50
		1	DFT-s-OFDM 256QAM	17.50 - 19.50
		1	CP-OFDM QPSK	20.50 - 22.50
		1	CP-OFDM 16QAM	20.00 - 22.00
		1	CP-OFDM 64QAM	18.50 - 20.50
		1	CP-OFDM 256QAM	15.50 - 17.50

RF Power Range (N77(3450-3550)-DSI2-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	15 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	20 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	25 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	30 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	40 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	50 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	60 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	70 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	80 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	90 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	100 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
		1		21.00 - 23.00
		1		21.00 - 23.00
		135		21.00 - 23.00
		135		21.00 - 23.00
		135		21.00 - 23.00
		270		21.00 - 23.00
		1	DFT-s-OFDM QPSK	21.00 - 23.00
		1		21.00 - 23.00
		1		21.00 - 23.00
		135		21.00 - 23.00
		135		21.00 - 23.00
		135		21.00 - 23.00
		270		21.00 - 23.00
		1	DFT-s-OFDM 16QAM	21.00 - 23.00
		1	DFT-s-OFDM 64QAM	19.50 - 21.50
		1	DFT-s-OFDM 256QAM	17.50 - 19.50
		1	CP-OFDM QPSK	20.50 - 22.50
		1	CP-OFDM 16QAM	20.00 - 22.00
		1	CP-OFDM 64QAM	18.50 - 20.50
		1	CP-OFDM 256QAM	15.50 - 17.50

RF Power Range (N77(3450-3550)-DSI3-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3450-3550)	5 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	15 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	20 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	25 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	30 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	40 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	50 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	60 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	70 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	80 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	90 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	100 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM QPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM 16QAM	18.00 - 20.00
		1	DFT-s-OFDM 64QAM	18.00 - 20.00
		1	DFT-s-OFDM 256QAM	17.50 - 19.50
		1	CP-OFDM QPSK	18.00 - 20.00
		1	CP-OFDM 16QAM	18.00 - 20.00
		1	CP-OFDM 64QAM	18.00 - 20.00
		1	CP-OFDM 256QAM	15.50 - 17.50

RF Power Range (N77(3450-3550)-DSI4-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	15 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	20 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	25 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	30 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	40 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	50 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	60 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	70 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	80 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	90 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	100 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
		1		21.00 - 23.00
		1		21.00 - 23.00
		135		21.00 - 23.00
		135		21.00 - 23.00
		135		21.00 - 23.00
		270		21.00 - 23.00
		1	DFT-s-OFDM QPSK	21.00 - 23.00
		1		21.00 - 23.00
		1		21.00 - 23.00
		135		21.00 - 23.00
		135		21.00 - 23.00
		135		21.00 - 23.00
		270		21.00 - 23.00
		1	DFT-s-OFDM 16QAM	21.00 - 23.00
		1	DFT-s-OFDM 64QAM	19.50 - 21.50
		1	DFT-s-OFDM 256QAM	17.50 - 19.50
		1	CP-OFDM QPSK	20.50 - 22.50
		1	CP-OFDM 16QAM	20.00 - 22.00
		1	CP-OFDM 64QAM	18.50 - 20.50
		1	CP-OFDM 256QAM	15.50 - 17.50

RF Power Range (N77(3450-3550)-DSI5-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	15 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	20 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	25 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	30 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	40 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	50 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	60 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	70 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	80 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	90 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	100 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
		1		19.00 - 21.00
		1		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		270		19.00 - 21.00
		1	DFT-s-OFDM QPSK	19.00 - 21.00
		1		19.00 - 21.00
		1		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		270		19.00 - 21.00
		1	DFT-s-OFDM 16QAM	19.00 - 21.00
		1	DFT-s-OFDM 64QAM	19.00 - 21.00
		1	DFT-s-OFDM 256QAM	17.50 - 19.50
		1	CP-OFDM QPSK	19.00 - 21.00
		1	CP-OFDM 16QAM	19.00 - 21.00
		1	CP-OFDM 64QAM	18.50 - 20.50
		1	CP-OFDM 256QAM	15.50 - 17.50

RF Power Range (N77(3700-3980)- Full-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3700-3980)	10 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	15 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	20 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	25 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	30 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	40 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	50 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	60 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	70 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	80 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	90 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	100 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
		1		25.00 - 27.00
		1		25.00 - 27.00
		135		24.00 - 26.00
		135		25.00 - 27.00
		135		24.00 - 26.00
		270		24.00 - 26.00
		1	DFT-s-OFDM QPSK	25.00 - 27.00
		1		25.00 - 27.00
		1		25.00 - 27.00
		135		24.00 - 26.00
		135		25.00 - 27.00
		135		24.00 - 26.00
		270		24.00 - 26.00
		1	DFT-s-OFDM 16QAM	24.00 - 26.00
		1	DFT-s-OFDM 64QAM	22.50 - 24.50
		1	DFT-s-OFDM 256QAM	20.50 - 22.50
		1	CP-OFDM QPSK	23.50 - 25.50
		1	CP-OFDM 16QAM	23.00 - 25.00
		1	CP-OFDM 64QAM	21.50 - 23.50
		1	CP-OFDM 256QAM	18.50 - 20.50

RF Power Range (N77(3700-3980)-DSI1-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3700-3980)	10 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	15 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	20 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	25 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	30 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	40 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	50 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	60 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	70 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	80 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	90 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	100 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
		1		19.00 - 21.00
		1		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		270		19.00 - 21.00
		1	DFT-s-OFDM QPSK	19.00 - 21.00
		1		19.00 - 21.00
		1		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		270		19.00 - 21.00
		1	DFT-s-OFDM 16QAM	19.00 - 21.00
		1	DFT-s-OFDM 64QAM	19.00 - 21.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	19.00 - 21.00
		1	CP-OFDM 16QAM	19.00 - 21.00
		1	CP-OFDM 64QAM	19.00 - 21.00
		1	CP-OFDM 256QAM	18.50 - 20.50

RF Power Range (N77(3700-3980)-DSI2-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3700-3980)	10 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	15 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	20 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	25 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	30 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	40 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	50 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	60 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	70 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	80 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	90 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	100 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM QPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM 16QAM	18.00 - 20.00
		1	DFT-s-OFDM 64QAM	18.00 - 20.00
		1	DFT-s-OFDM 256QAM	18.00 - 20.00
		1	CP-OFDM QPSK	18.00 - 20.00
		1	CP-OFDM 16QAM	18.00 - 20.00
		1	CP-OFDM 64QAM	18.00 - 20.00
		1	CP-OFDM 256QAM	18.00 - 20.00

RF Power Range (N77(3700-3980)-DSI3-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3700-3980)	5 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	15 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	20 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	25 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	30 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	40 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	50 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	60 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	70 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	80 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	90 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	100 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM QPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM 16QAM	18.00 - 20.00
		1	DFT-s-OFDM 64QAM	18.00 - 20.00
		1	DFT-s-OFDM 256QAM	18.00 - 20.00
		1	CP-OFDM QPSK	18.00 - 20.00
		1	CP-OFDM 16QAM	18.00 - 20.00
		1	CP-OFDM 64QAM	18.00 - 20.00
		1	CP-OFDM 256QAM	18.00 - 20.00

RF Power Range (N77(3700-3980)-DSI4-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3700-3980)	10 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	15 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	20 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	25 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	30 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	40 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	50 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	60 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	70 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	80 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	90 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	100 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM QPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM 16QAM	18.00 - 20.00
		1	DFT-s-OFDM 64QAM	18.00 - 20.00
		1	DFT-s-OFDM 256QAM	18.00 - 20.00
		1	CP-OFDM QPSK	18.00 - 20.00
		1	CP-OFDM 16QAM	18.00 - 20.00
		1	CP-OFDM 64QAM	18.00 - 20.00
		1	CP-OFDM 256QAM	18.00 - 20.00

RF Power Range (N77(3700-3980)-DSI5-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3700-3980)	10 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	15 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	20 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	25 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	30 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	40 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	50 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	60 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	70 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	80 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	90 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	100 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM QPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM 16QAM	18.00 - 20.00
		1	DFT-s-OFDM 64QAM	18.00 - 20.00
		1	DFT-s-OFDM 256QAM	18.00 - 20.00
		1	CP-OFDM QPSK	18.00 - 20.00
		1	CP-OFDM 16QAM	18.00 - 20.00
		1	CP-OFDM 64QAM	18.00 - 20.00
		1	CP-OFDM 256QAM	18.00 - 20.00

RF Power Range (N77(3700-3980)(ENDC)(ENDC)- Full-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3700-3980)(ENDC)	10 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	15 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	20 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	25 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	30 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	40 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	50 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	60 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	70 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	80 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	90 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	100 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
		1		25.00 - 27.00
		1		25.00 - 27.00
		135		24.00 - 26.00
		135		25.00 - 27.00
		135		24.00 - 26.00
		270		24.00 - 26.00
		1	DFT-s-OFDM QPSK	25.00 - 27.00
		1		25.00 - 27.00
		1		25.00 - 27.00
		135		24.00 - 26.00
		135		25.00 - 27.00
		135		24.00 - 26.00
		270		24.00 - 26.00
		1	DFT-s-OFDM 16QAM	24.00 - 26.00
		1	DFT-s-OFDM 64QAM	22.50 - 24.50
		1	DFT-s-OFDM 256QAM	20.50 - 22.50
		1	CP-OFDM QPSK	23.50 - 25.50
		1	CP-OFDM 16QAM	23.00 - 25.00
		1	CP-OFDM 64QAM	21.50 - 23.50
		1	CP-OFDM 256QAM	18.50 - 20.50

RF Power Range (N77(3700-3980)(ENDC)(ENDC)-DS11-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3700-3980)(ENDC)	10 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	15 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	20 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	25 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	30 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	40 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	50 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	60 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	70 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	80 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	90 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	100 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
		1		16.00 - 18.00
		1		16.00 - 18.00
		135		16.00 - 18.00
		135		16.00 - 18.00
		135		16.00 - 18.00
		270		16.00 - 18.00
		1	DFT-s-OFDM QPSK	16.00 - 18.00
		1		16.00 - 18.00
		1		16.00 - 18.00
		135		16.00 - 18.00
		135		16.00 - 18.00
		135		16.00 - 18.00
		270		16.00 - 18.00
		1	DFT-s-OFDM 16QAM	16.00 - 18.00
		1	DFT-s-OFDM 64QAM	16.00 - 18.00
		1	DFT-s-OFDM 256QAM	16.00 - 18.00
		1	CP-OFDM QPSK	16.00 - 18.00
		1	CP-OFDM 16QAM	16.00 - 18.00
		1	CP-OFDM 64QAM	16.00 - 18.00
		1	CP-OFDM 256QAM	16.00 - 18.00

RF Power Range (N77(3700-3980)(ENDC)(ENDC)-DSI2-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3700-3980)(ENDC)	10 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	15 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	20 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	25 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	30 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	40 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	50 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	60 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	70 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	80 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	90 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	100 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
		1		15.00 - 17.00
		1		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		270		15.00 - 17.00
		1	DFT-s-OFDM QPSK	15.00 - 17.00
		1		15.00 - 17.00
		1		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		270		15.00 - 17.00
		1	DFT-s-OFDM 16QAM	15.00 - 17.00
		1	DFT-s-OFDM 64QAM	15.00 - 17.00
		1	DFT-s-OFDM 256QAM	15.00 - 17.00
		1	CP-OFDM QPSK	15.00 - 17.00
		1	CP-OFDM 16QAM	15.00 - 17.00
		1	CP-OFDM 64QAM	15.00 - 17.00
		1	CP-OFDM 256QAM	15.00 - 17.00

RF Power Range (N77(3700-3980)(ENDC)(ENDC)-DSI3-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3700-3980)(ENDC)	5 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	15 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	20 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	25 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	30 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	40 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	50 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	60 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	70 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	80 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	90 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	100 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
		1		15.00 - 17.00
		1		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		270		15.00 - 17.00
		1	DFT-s-OFDM QPSK	15.00 - 17.00
		1		15.00 - 17.00
		1		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		270		15.00 - 17.00
		1	DFT-s-OFDM 16QAM	15.00 - 17.00
		1	DFT-s-OFDM 64QAM	15.00 - 17.00
		1	DFT-s-OFDM 256QAM	15.00 - 17.00
		1	CP-OFDM QPSK	15.00 - 17.00
		1	CP-OFDM 16QAM	15.00 - 17.00
		1	CP-OFDM 64QAM	15.00 - 17.00
		1	CP-OFDM 256QAM	15.00 - 17.00

RF Power Range (N77(3700-3980)(ENDC)(ENDC)-DSI4-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3700-3980)(ENDC)	10 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	15 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	20 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	25 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	30 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	40 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	50 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	60 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	70 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	80 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	90 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	100 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
		1		15.00 - 17.00
		1		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		270		15.00 - 17.00
		1	DFT-s-OFDM QPSK	15.00 - 17.00
		1		15.00 - 17.00
		1		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		270		15.00 - 17.00
		1	DFT-s-OFDM 16QAM	15.00 - 17.00
		1	DFT-s-OFDM 64QAM	15.00 - 17.00
		1	DFT-s-OFDM 256QAM	15.00 - 17.00
		1	CP-OFDM QPSK	15.00 - 17.00
		1	CP-OFDM 16QAM	15.00 - 17.00
		1	CP-OFDM 64QAM	15.00 - 17.00
		1	CP-OFDM 256QAM	15.00 - 17.00

RF Power Range (N77(3700-3980)(ENDC)(ENDC)-DSI5-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3700-3980)(ENDC)	10 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	15 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	20 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	25 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	30 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	40 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	50 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	60 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	70 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	80 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	90 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	100 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM QPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM 16QAM	17.00 - 19.00
		1	DFT-s-OFDM 64QAM	17.00 - 19.00
		1	DFT-s-OFDM 256QAM	17.00 - 19.00
		1	CP-OFDM QPSK	17.00 - 19.00
		1	CP-OFDM 16QAM	17.00 - 19.00
		1	CP-OFDM 64QAM	17.00 - 19.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N77(3700-3980)- Full-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3700-3980)	10 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	15 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	20 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	25 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	30 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	40 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	50 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	60 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	70 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	80 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	90 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	100 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
		1		25.50 - 27.50
		1		25.50 - 27.50
		135		24.50 - 26.50
		135		25.50 - 27.50
		135		24.50 - 26.50
		270		24.50 - 26.50
		1	DFT-s-OFDM QPSK	25.50 - 27.50
		1		25.50 - 27.50
		1		25.50 - 27.50
		135		24.50 - 26.50
		135		25.50 - 27.50
		135		24.50 - 26.50
		270		24.50 - 26.50
		1	DFT-s-OFDM 16QAM	24.50 - 26.50
		1	DFT-s-OFDM 64QAM	23.00 - 25.00
		1	DFT-s-OFDM 256QAM	21.00 - 23.00
		1	CP-OFDM QPSK	24.00 - 26.00
		1	CP-OFDM 16QAM	23.50 - 25.50
		1	CP-OFDM 64QAM	22.00 - 24.00
		1	CP-OFDM 256QAM	19.00 - 21.00

RF Power Range (N77(3700-3980)-DSI1-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3700-3980)	10 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	15 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	20 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	25 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	30 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	40 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	50 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	60 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	70 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	80 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	90 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	100 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM QPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM 16QAM	18.00 - 20.00
		1	DFT-s-OFDM 64QAM	18.00 - 20.00
		1	DFT-s-OFDM 256QAM	18.00 - 20.00
		1	CP-OFDM QPSK	18.00 - 20.00
		1	CP-OFDM 16QAM	18.00 - 20.00
		1	CP-OFDM 64QAM	18.00 - 20.00
		1	CP-OFDM 256QAM	18.00 - 20.00

RF Power Range (N77(3700-3980)-DSI2-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3700-3980)	10 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	15 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	20 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	25 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	30 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	40 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	50 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	60 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	70 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	80 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	90 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	100 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM QPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM 16QAM	17.00 - 19.00
		1	DFT-s-OFDM 64QAM	17.00 - 19.00
		1	DFT-s-OFDM 256QAM	17.00 - 19.00
		1	CP-OFDM QPSK	17.00 - 19.00
		1	CP-OFDM 16QAM	17.00 - 19.00
		1	CP-OFDM 64QAM	17.00 - 19.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N77(3700-3980)-DSI3-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3700-3980)	5 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	15 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	20 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	25 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	30 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	40 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	50 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	60 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	70 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	80 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	90 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	100 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM QPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM 16QAM	17.00 - 19.00
		1	DFT-s-OFDM 64QAM	17.00 - 19.00
		1	DFT-s-OFDM 256QAM	17.00 - 19.00
		1	CP-OFDM QPSK	17.00 - 19.00
		1	CP-OFDM 16QAM	17.00 - 19.00
		1	CP-OFDM 64QAM	17.00 - 19.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N77(3700-3980)-DSI4-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3700-3980)	10 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	15 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	20 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	25 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	30 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	40 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	50 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	60 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	70 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	80 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	90 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	100 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM QPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM 16QAM	17.00 - 19.00
		1	DFT-s-OFDM 64QAM	17.00 - 19.00
		1	DFT-s-OFDM 256QAM	17.00 - 19.00
		1	CP-OFDM QPSK	17.00 - 19.00
		1	CP-OFDM 16QAM	17.00 - 19.00
		1	CP-OFDM 64QAM	17.00 - 19.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N77(3700-3980)-DSI5-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3700-3980)	10 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	15 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	20 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	25 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	30 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	40 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	50 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	60 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	70 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	80 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	90 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	100 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM QPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM 16QAM	17.00 - 19.00
		1	DFT-s-OFDM 64QAM	17.00 - 19.00
		1	DFT-s-OFDM 256QAM	17.00 - 19.00
		1	CP-OFDM QPSK	17.00 - 19.00
		1	CP-OFDM 16QAM	17.00 - 19.00
		1	CP-OFDM 64QAM	17.00 - 19.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N77(3700-3980)(ENDC)(ENDC)- Full-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3700-3980)(ENDC)(ENDC)	10 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	15 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	20 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	25 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	30 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	40 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	50 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	60 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	70 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	80 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	90 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	100 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
		1		25.50 - 27.50
		1		25.50 - 27.50
		135		24.50 - 26.50
		135		25.50 - 27.50
		135		24.50 - 26.50
		270		24.50 - 26.50
		1	DFT-s-OFDM QPSK	25.50 - 27.50
		1		25.50 - 27.50
		1		25.50 - 27.50
		135		24.50 - 26.50
		135		25.50 - 27.50
		135		24.50 - 26.50
		270		24.50 - 26.50
		1	DFT-s-OFDM 16QAM	24.50 - 26.50
		1	DFT-s-OFDM 64QAM	23.00 - 25.00
		1	DFT-s-OFDM 256QAM	21.00 - 23.00
		1	CP-OFDM QPSK	24.00 - 26.00
		1	CP-OFDM 16QAM	23.50 - 25.50
		1	CP-OFDM 64QAM	22.00 - 24.00
		1	CP-OFDM 256QAM	19.00 - 21.00

RF Power Range (N77(3700-3980)(ENDC)(ENDC)-DS11-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3700-3980)(ENDC)(ENDC)	10 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	15 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	20 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	25 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	30 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	40 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	50 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	60 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	70 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	80 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	90 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	100 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
		1		15.50 - 17.50
		1		15.50 - 17.50
		135		15.50 - 17.50
		135		15.50 - 17.50
		135		15.50 - 17.50
		270		15.50 - 17.50
		1	DFT-s-OFDM QPSK	15.50 - 17.50
		1		15.50 - 17.50
		1		15.50 - 17.50
		135		15.50 - 17.50
		135		15.50 - 17.50
		135		15.50 - 17.50
		270		15.50 - 17.50
		1	DFT-s-OFDM 16QAM	15.50 - 17.50
		1	DFT-s-OFDM 64QAM	15.50 - 17.50
		1	DFT-s-OFDM 256QAM	15.50 - 17.50
		1	CP-OFDM QPSK	15.50 - 17.50
		1	CP-OFDM 16QAM	15.50 - 17.50
		1	CP-OFDM 64QAM	15.50 - 17.50
		1	CP-OFDM 256QAM	15.50 - 17.50

RF Power Range (N77(3700-3980)(ENDC)(ENDC)-DSI2-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3700-3980)(ENDC)(ENDC)	10 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	15 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	20 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	25 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	30 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	40 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	50 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	60 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	70 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	80 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	90 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	100 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
		1		14.50 - 16.50
		1		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		270		14.50 - 16.50
		1	DFT-s-OFDM QPSK	14.50 - 16.50
		1		14.50 - 16.50
		1		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		270		14.50 - 16.50
		1	DFT-s-OFDM 16QAM	14.50 - 16.50
		1	DFT-s-OFDM 64QAM	14.50 - 16.50
		1	DFT-s-OFDM 256QAM	14.50 - 16.50
		1	CP-OFDM QPSK	14.50 - 16.50
		1	CP-OFDM 16QAM	14.50 - 16.50
		1	CP-OFDM 64QAM	14.50 - 16.50
		1	CP-OFDM 256QAM	14.50 - 16.50

RF Power Range (N77(3700-3980)(ENDC)(ENDC)-DSI3-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3700-3980)(ENDC)(ENDC)	5 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	15 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	20 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	25 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	30 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	40 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	50 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	60 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	70 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	80 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	90 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	100 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
		1		14.50 - 16.50
		1		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		270		14.50 - 16.50
		1	DFT-s-OFDM QPSK	14.50 - 16.50
		1		14.50 - 16.50
		1		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		270		14.50 - 16.50
		1	DFT-s-OFDM 16QAM	14.50 - 16.50
		1	DFT-s-OFDM 64QAM	14.50 - 16.50
		1	DFT-s-OFDM 256QAM	14.50 - 16.50
		1	CP-OFDM QPSK	14.50 - 16.50
		1	CP-OFDM 16QAM	14.50 - 16.50
		1	CP-OFDM 64QAM	14.50 - 16.50
		1	CP-OFDM 256QAM	14.50 - 16.50

RF Power Range (N77(3700-3980)(ENDC)(ENDC)-DSI4-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3700-3980)(ENDC)(ENDC)	10 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	15 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	20 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	25 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	30 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	40 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	50 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	60 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	70 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	80 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	90 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	100 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
		1		14.50 - 16.50
		1		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		270		14.50 - 16.50
		1	DFT-s-OFDM QPSK	14.50 - 16.50
		1		14.50 - 16.50
		1		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		270		14.50 - 16.50
		1	DFT-s-OFDM 16QAM	14.50 - 16.50
		1	DFT-s-OFDM 64QAM	14.50 - 16.50
		1	DFT-s-OFDM 256QAM	14.50 - 16.50
		1	CP-OFDM QPSK	14.50 - 16.50
		1	CP-OFDM 16QAM	14.50 - 16.50
		1	CP-OFDM 64QAM	14.50 - 16.50
		1	CP-OFDM 256QAM	14.50 - 16.50

RF Power Range (N77(3700-3980)(ENDC)(ENDC)-DSI5-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3700-3980)(ENDC)(ENDC)	10 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	15 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	20 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	25 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	30 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	40 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	50 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	60 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	70 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	80 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	90 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	100 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM QPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM 16QAM	17.00 - 19.00
		1	DFT-s-OFDM 64QAM	17.00 - 19.00
		1	DFT-s-OFDM 256QAM	17.00 - 19.00
		1	CP-OFDM QPSK	17.00 - 19.00
		1	CP-OFDM 16QAM	17.00 - 19.00
		1	CP-OFDM 64QAM	17.00 - 19.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N77(3700-3980)- Full-ANT2)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3700-3980)	10 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	15 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	20 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	25 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	30 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	40 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	50 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	60 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	70 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	80 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	90 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	100 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
		1		23.00 - 25.00
		1		23.00 - 25.00
		135		22.00 - 24.00
		135		23.00 - 25.00
		135		22.00 - 24.00
		270		22.00 - 24.00
		1	DFT-s-OFDM QPSK	23.00 - 25.00
		1		23.00 - 25.00
		1		23.00 - 25.00
		135		22.00 - 24.00
		135		23.00 - 25.00
		135		22.00 - 24.00
		270		22.00 - 24.00
		1	DFT-s-OFDM 16QAM	22.00 - 24.00
		1	DFT-s-OFDM 64QAM	20.50 - 22.50
		1	DFT-s-OFDM 256QAM	18.50 - 20.50
		1	CP-OFDM QPSK	21.50 - 23.50
		1	CP-OFDM 16QAM	21.00 - 23.00
		1	CP-OFDM 64QAM	19.50 - 21.50
		1	CP-OFDM 256QAM	16.50 - 18.50

RF Power Range (N77(3700-3980)-DSI1-ANT2)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3700-3980)	10 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	15 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	20 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	25 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	30 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	40 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	50 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	60 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	70 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	80 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	90 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	100 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
		1		22.00 - 24.00
		1		22.00 - 24.00
		135		22.00 - 24.00
		135		22.00 - 24.00
		135		22.00 - 24.00
		270		22.00 - 24.00
		1	DFT-s-OFDM QPSK	22.00 - 24.00
		1		22.00 - 24.00
		1		22.00 - 24.00
		135		22.00 - 24.00
		135		22.00 - 24.00
		135		22.00 - 24.00
		270		22.00 - 24.00
		1	DFT-s-OFDM 16QAM	22.00 - 24.00
		1	DFT-s-OFDM 64QAM	20.50 - 22.50
		1	DFT-s-OFDM 256QAM	18.50 - 20.50
		1	CP-OFDM QPSK	21.50 - 23.50
		1	CP-OFDM 16QAM	21.00 - 23.00
		1	CP-OFDM 64QAM	19.50 - 21.50
		1	CP-OFDM 256QAM	16.50 - 18.50

RF Power Range (N77(3700-3980)-DSI2-ANT2)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3700-3980)	10 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	15 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	20 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	25 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	30 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	40 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	50 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	60 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	70 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	80 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	90 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	100 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
		1		19.00 - 21.00
		1		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		270		19.00 - 21.00
		1	DFT-s-OFDM QPSK	19.00 - 21.00
		1		19.00 - 21.00
		1		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		270		19.00 - 21.00
		1	DFT-s-OFDM 16QAM	19.00 - 21.00
		1	DFT-s-OFDM 64QAM	19.00 - 21.00
		1	DFT-s-OFDM 256QAM	18.50 - 20.50
		1	CP-OFDM QPSK	19.00 - 21.00
		1	CP-OFDM 16QAM	19.00 - 21.00
		1	CP-OFDM 64QAM	19.00 - 21.00
		1	CP-OFDM 256QAM	16.50 - 18.50

RF Power Range (N77(3700-3980)-DSI3-ANT2)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3700-3980)	5 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	15 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	20 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	25 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	30 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	40 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	50 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	60 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	70 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	80 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	90 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	100 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
		1		19.00 - 21.00
		1		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		270		19.00 - 21.00
		1	DFT-s-OFDM QPSK	19.00 - 21.00
		1		19.00 - 21.00
		1		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		270		19.00 - 21.00
		1	DFT-s-OFDM 16QAM	19.00 - 21.00
		1	DFT-s-OFDM 64QAM	19.00 - 21.00
		1	DFT-s-OFDM 256QAM	18.50 - 20.50
		1	CP-OFDM QPSK	19.00 - 21.00
		1	CP-OFDM 16QAM	19.00 - 21.00
		1	CP-OFDM 64QAM	19.00 - 21.00
		1	CP-OFDM 256QAM	16.50 - 18.50

RF Power Range (N77(3700-3980)-DSI4-ANT2)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3700-3980)	10 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	15 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	20 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	25 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	30 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	40 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	50 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	60 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	70 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	80 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	90 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	100 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
		1		19.00 - 21.00
		1		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		270		19.00 - 21.00
		1	DFT-s-OFDM QPSK	19.00 - 21.00
		1		19.00 - 21.00
		1		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		270		19.00 - 21.00
		1	DFT-s-OFDM 16QAM	19.00 - 21.00
		1	DFT-s-OFDM 64QAM	19.00 - 21.00
		1	DFT-s-OFDM 256QAM	18.50 - 20.50
		1	CP-OFDM QPSK	19.00 - 21.00
		1	CP-OFDM 16QAM	19.00 - 21.00
		1	CP-OFDM 64QAM	19.00 - 21.00
		1	CP-OFDM 256QAM	16.50 - 18.50

RF Power Range (N77(3700-3980)-DSI5-ANT2)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3700-3980)	10 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	15 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	20 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	25 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	30 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	40 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	50 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	60 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	70 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	80 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	90 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	100 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
		1		19.00 - 21.00
		1		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		270		19.00 - 21.00
		1	DFT-s-OFDM QPSK	19.00 - 21.00
		1		19.00 - 21.00
		1		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		270		19.00 - 21.00
		1	DFT-s-OFDM 16QAM	19.00 - 21.00
		1	DFT-s-OFDM 64QAM	19.00 - 21.00
		1	DFT-s-OFDM 256QAM	18.50 - 20.50
		1	CP-OFDM QPSK	19.00 - 21.00
		1	CP-OFDM 16QAM	19.00 - 21.00
		1	CP-OFDM 64QAM	19.00 - 21.00
		1	CP-OFDM 256QAM	16.50 - 18.50

RF Power Range (N77(3700-3980)- Full-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3700-3980)	10 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	15 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	20 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	25 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	30 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	40 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	50 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	60 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	70 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	80 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	90 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	100 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
		1		22.00 - 24.00
		1		22.00 - 24.00
		135		21.00 - 23.00
		135		22.00 - 24.00
		135		21.00 - 23.00
		270		21.00 - 23.00
		1	DFT-s-OFDM QPSK	22.00 - 24.00
		1		22.00 - 24.00
		1		22.00 - 24.00
		135		21.00 - 23.00
		135		22.00 - 24.00
		135		21.00 - 23.00
		270		21.00 - 23.00
		1	DFT-s-OFDM 16QAM	21.00 - 23.00
		1	DFT-s-OFDM 64QAM	19.50 - 21.50
		1	DFT-s-OFDM 256QAM	17.50 - 19.50
		1	CP-OFDM QPSK	20.50 - 22.50
		1	CP-OFDM 16QAM	20.00 - 22.00
		1	CP-OFDM 64QAM	18.50 - 20.50
		1	CP-OFDM 256QAM	15.50 - 17.50

RF Power Range (N77(3700-3980)-DSI1-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3700-3980)	10 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	15 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	20 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	25 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	30 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	40 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	50 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	60 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	70 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	80 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	90 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	100 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
		1		22.00 - 24.00
		1		22.00 - 24.00
		135		21.00 - 23.00
		135		22.00 - 24.00
		135		21.00 - 23.00
		270		21.00 - 23.00
		1	DFT-s-OFDM QPSK	22.00 - 24.00
		1		22.00 - 24.00
		1		22.00 - 24.00
		135		21.00 - 23.00
		135		22.00 - 24.00
		135		21.00 - 23.00
		270		21.00 - 23.00
		1	DFT-s-OFDM 16QAM	21.00 - 23.00
		1	DFT-s-OFDM 64QAM	19.50 - 21.50
		1	DFT-s-OFDM 256QAM	17.50 - 19.50
		1	CP-OFDM QPSK	20.50 - 22.50
		1	CP-OFDM 16QAM	20.00 - 22.00
		1	CP-OFDM 64QAM	18.50 - 20.50
		1	CP-OFDM 256QAM	15.50 - 17.50

RF Power Range (N77(3700-3980)-DSI2-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3700-3980)	10 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	15 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	20 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	25 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	30 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	40 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	50 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	60 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	70 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	80 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	90 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	100 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
		1		21.00 - 23.00
		1		21.00 - 23.00
		135		21.00 - 23.00
		135		21.00 - 23.00
		135		21.00 - 23.00
		270		21.00 - 23.00
		1	DFT-s-OFDM QPSK	21.00 - 23.00
		1		21.00 - 23.00
		1		21.00 - 23.00
		135		21.00 - 23.00
		135		21.00 - 23.00
		135		21.00 - 23.00
		270		21.00 - 23.00
		1	DFT-s-OFDM 16QAM	21.00 - 23.00
		1	DFT-s-OFDM 64QAM	19.50 - 21.50
		1	DFT-s-OFDM 256QAM	17.50 - 19.50
		1	CP-OFDM QPSK	20.50 - 22.50
		1	CP-OFDM 16QAM	20.00 - 22.00
		1	CP-OFDM 64QAM	18.50 - 20.50
		1	CP-OFDM 256QAM	15.50 - 17.50

RF Power Range (N77(3700-3980)-DSI3-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3700-3980)	5 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	15 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	20 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	25 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	30 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	40 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	50 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	60 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	70 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	80 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	90 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	100 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM QPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM 16QAM	18.00 - 20.00
		1	DFT-s-OFDM 64QAM	18.00 - 20.00
		1	DFT-s-OFDM 256QAM	17.50 - 19.50
		1	CP-OFDM QPSK	18.00 - 20.00
		1	CP-OFDM 16QAM	18.00 - 20.00
		1	CP-OFDM 64QAM	18.00 - 20.00
		1	CP-OFDM 256QAM	15.50 - 17.50

RF Power Range (N77(3700-3980)-DSI4-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3700-3980)	10 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	15 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	20 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	25 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	30 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	40 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	50 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	60 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	70 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	80 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	90 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
	100 MHz	1	DFT-s-OFDM BPSK	21.00 - 23.00
		1		21.00 - 23.00
		1		21.00 - 23.00
		135		21.00 - 23.00
		135		21.00 - 23.00
		135		21.00 - 23.00
		270		21.00 - 23.00
		1	DFT-s-OFDM QPSK	21.00 - 23.00
		1		21.00 - 23.00
		1		21.00 - 23.00
		135		21.00 - 23.00
		135		21.00 - 23.00
		135		21.00 - 23.00
		270		21.00 - 23.00
		1	DFT-s-OFDM 16QAM	21.00 - 23.00
		1	DFT-s-OFDM 64QAM	19.50 - 21.50
		1	DFT-s-OFDM 256QAM	17.50 - 19.50
		1	CP-OFDM QPSK	20.50 - 22.50
		1	CP-OFDM 16QAM	20.00 - 22.00
		1	CP-OFDM 64QAM	18.50 - 20.50
		1	CP-OFDM 256QAM	15.50 - 17.50

RF Power Range (N77(3700-3980)-DSI5-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N77(3700-3980)	10 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	15 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	20 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	25 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	30 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	40 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	50 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	60 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	70 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	80 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	90 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	100 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
		1		19.00 - 21.00
		1		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		270		19.00 - 21.00
		1	DFT-s-OFDM QPSK	19.00 - 21.00
		1		19.00 - 21.00
		1		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		270		19.00 - 21.00
		1	DFT-s-OFDM 16QAM	19.00 - 21.00
		1	DFT-s-OFDM 64QAM	19.00 - 21.00
		1	DFT-s-OFDM 256QAM	17.50 - 19.50
		1	CP-OFDM QPSK	19.00 - 21.00
		1	CP-OFDM 16QAM	19.00 - 21.00
		1	CP-OFDM 64QAM	18.50 - 20.50
		1	CP-OFDM 256QAM	15.50 - 17.50

RF Power Range (N78(3450-3550)- Full-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	15 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	20 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	25 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	30 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	40 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	50 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	60 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	70 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	80 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	90 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	100 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
		1		25.00 - 27.00
		1		25.00 - 27.00
		135		24.00 - 26.00
		135		25.00 - 27.00
		135		24.00 - 26.00
		270		24.00 - 26.00
		1	DFT-s-OFDM QPSK	25.00 - 27.00
		1		25.00 - 27.00
		1		25.00 - 27.00
		135		24.00 - 26.00
		135		25.00 - 27.00
		135		24.00 - 26.00
		270		24.00 - 26.00
		1	DFT-s-OFDM 16QAM	24.00 - 26.00
		1	DFT-s-OFDM 64QAM	22.50 - 24.50
		1	DFT-s-OFDM 256QAM	20.50 - 22.50
		1	CP-OFDM QPSK	23.50 - 25.50
		1	CP-OFDM 16QAM	23.00 - 25.00
		1	CP-OFDM 64QAM	21.50 - 23.50
		1	CP-OFDM 256QAM	18.50 - 20.50

RF Power Range (N78(3450-3550)-DSI1-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	15 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	20 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	25 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	30 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	40 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	50 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	60 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	70 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	80 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	90 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	100 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
		1		19.00 - 21.00
		1		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		270		19.00 - 21.00
		1	DFT-s-OFDM QPSK	19.00 - 21.00
		1		19.00 - 21.00
		1		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		270		19.00 - 21.00
		1	DFT-s-OFDM 16QAM	19.00 - 21.00
		1	DFT-s-OFDM 64QAM	19.00 - 21.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	19.00 - 21.00
		1	CP-OFDM 16QAM	19.00 - 21.00
		1	CP-OFDM 64QAM	19.00 - 21.00
		1	CP-OFDM 256QAM	18.50 - 20.50

RF Power Range (N78(3450-3550)-DSI2-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	15 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	20 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	25 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	30 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	40 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	50 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	60 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	70 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	80 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	90 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	100 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM QPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM 16QAM	18.00 - 20.00
		1	DFT-s-OFDM 64QAM	18.00 - 20.00
		1	DFT-s-OFDM 256QAM	18.00 - 20.00
		1	CP-OFDM QPSK	18.00 - 20.00
		1	CP-OFDM 16QAM	18.00 - 20.00
		1	CP-OFDM 64QAM	18.00 - 20.00
		1	CP-OFDM 256QAM	18.00 - 20.00

RF Power Range (N78(3450-3550)-DSI3-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3450-3550)	5 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	15 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	20 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	25 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	30 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	40 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	50 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	60 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	70 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	80 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	90 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	100 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM QPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM 16QAM	18.00 - 20.00
		1	DFT-s-OFDM 64QAM	18.00 - 20.00
		1	DFT-s-OFDM 256QAM	18.00 - 20.00
		1	CP-OFDM QPSK	18.00 - 20.00
		1	CP-OFDM 16QAM	18.00 - 20.00
		1	CP-OFDM 64QAM	18.00 - 20.00
		1	CP-OFDM 256QAM	18.00 - 20.00

RF Power Range (N78(3450-3550)-DSI4-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	15 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	20 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	25 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	30 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	40 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	50 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	60 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	70 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	80 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	90 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	100 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM QPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM 16QAM	18.00 - 20.00
		1	DFT-s-OFDM 64QAM	18.00 - 20.00
		1	DFT-s-OFDM 256QAM	18.00 - 20.00
		1	CP-OFDM QPSK	18.00 - 20.00
		1	CP-OFDM 16QAM	18.00 - 20.00
		1	CP-OFDM 64QAM	18.00 - 20.00
		1	CP-OFDM 256QAM	18.00 - 20.00

RF Power Range (N78(3450-3550)-DSI5-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	15 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	20 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	25 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	30 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	40 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	50 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	60 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	70 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	80 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	90 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	100 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM QPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM 16QAM	18.00 - 20.00
		1	DFT-s-OFDM 64QAM	18.00 - 20.00
		1	DFT-s-OFDM 256QAM	18.00 - 20.00
		1	CP-OFDM QPSK	18.00 - 20.00
		1	CP-OFDM 16QAM	18.00 - 20.00
		1	CP-OFDM 64QAM	18.00 - 20.00
		1	CP-OFDM 256QAM	18.00 - 20.00

RF Power Range (N78(3450-3550)- Full-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	15 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	20 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	25 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	30 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	40 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	50 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	60 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	70 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	80 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	90 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	100 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
		1		25.00 - 27.00
		1		25.00 - 27.00
		135		24.00 - 26.00
		135		25.00 - 27.00
		135		24.00 - 26.00
		270		24.00 - 26.00
		1	DFT-s-OFDM QPSK	25.00 - 27.00
		1		25.00 - 27.00
		1		25.00 - 27.00
		135		24.00 - 26.00
		135		25.00 - 27.00
		135		24.00 - 26.00
		270		24.00 - 26.00
		1	DFT-s-OFDM 16QAM	24.00 - 26.00
		1	DFT-s-OFDM 64QAM	22.50 - 24.50
		1	DFT-s-OFDM 256QAM	20.50 - 22.50
		1	CP-OFDM QPSK	23.50 - 25.50
		1	CP-OFDM 16QAM	23.00 - 25.00
		1	CP-OFDM 64QAM	21.50 - 23.50
		1	CP-OFDM 256QAM	18.50 - 20.50

RF Power Range (N78(3450-3550)-DSI1-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	15 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	20 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	25 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	30 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	40 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	50 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	60 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	70 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	80 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	90 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	100 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
		1		16.00 - 18.00
		1		16.00 - 18.00
		135		16.00 - 18.00
		135		16.00 - 18.00
		135		16.00 - 18.00
		270		16.00 - 18.00
		1	DFT-s-OFDM QPSK	16.00 - 18.00
		1		16.00 - 18.00
		1		16.00 - 18.00
		135		16.00 - 18.00
		135		16.00 - 18.00
		135		16.00 - 18.00
		270		16.00 - 18.00
		1	DFT-s-OFDM 16QAM	16.00 - 18.00
		1	DFT-s-OFDM 64QAM	16.00 - 18.00
		1	DFT-s-OFDM 256QAM	16.00 - 18.00
		1	CP-OFDM QPSK	16.00 - 18.00
		1	CP-OFDM 16QAM	16.00 - 18.00
		1	CP-OFDM 64QAM	16.00 - 18.00
		1	CP-OFDM 256QAM	16.00 - 18.00

RF Power Range (N78(3450-3550)-DSI2-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	15 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	20 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	25 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	30 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	40 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	50 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	60 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	70 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	80 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	90 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	100 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
		1		15.00 - 17.00
		1		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		270		15.00 - 17.00
		1	DFT-s-OFDM QPSK	15.00 - 17.00
		1		15.00 - 17.00
		1		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		270		15.00 - 17.00
		1	DFT-s-OFDM 16QAM	15.00 - 17.00
		1	DFT-s-OFDM 64QAM	15.00 - 17.00
		1	DFT-s-OFDM 256QAM	15.00 - 17.00
		1	CP-OFDM QPSK	15.00 - 17.00
		1	CP-OFDM 16QAM	15.00 - 17.00
		1	CP-OFDM 64QAM	15.00 - 17.00
		1	CP-OFDM 256QAM	15.00 - 17.00

RF Power Range (N78(3450-3550)-DSI3-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3450-3550)	5 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	15 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	20 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	25 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	30 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	40 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	50 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	60 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	70 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	80 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	90 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	100 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
		1		15.00 - 17.00
		1		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		270		15.00 - 17.00
		1	DFT-s-OFDM QPSK	15.00 - 17.00
		1		15.00 - 17.00
		1		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		270		15.00 - 17.00
		1	DFT-s-OFDM 16QAM	15.00 - 17.00
		1	DFT-s-OFDM 64QAM	15.00 - 17.00
		1	DFT-s-OFDM 256QAM	15.00 - 17.00
		1	CP-OFDM QPSK	15.00 - 17.00
		1	CP-OFDM 16QAM	15.00 - 17.00
		1	CP-OFDM 64QAM	15.00 - 17.00
		1	CP-OFDM 256QAM	15.00 - 17.00

RF Power Range (N78(3450-3550)-DSI4-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	15 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	20 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	25 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	30 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	40 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	50 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	60 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	70 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	80 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	90 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	100 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
		1		15.00 - 17.00
		1		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		270		15.00 - 17.00
		1	DFT-s-OFDM QPSK	15.00 - 17.00
		1		15.00 - 17.00
		1		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		270		15.00 - 17.00
		1	DFT-s-OFDM 16QAM	15.00 - 17.00
		1	DFT-s-OFDM 64QAM	15.00 - 17.00
		1	DFT-s-OFDM 256QAM	15.00 - 17.00
		1	CP-OFDM QPSK	15.00 - 17.00
		1	CP-OFDM 16QAM	15.00 - 17.00
		1	CP-OFDM 64QAM	15.00 - 17.00
		1	CP-OFDM 256QAM	15.00 - 17.00

RF Power Range (N78(3450-3550)-DSI5-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	15 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	20 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	25 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	30 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	40 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	50 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	60 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	70 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	80 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	90 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	100 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM QPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM 16QAM	17.00 - 19.00
		1	DFT-s-OFDM 64QAM	17.00 - 19.00
		1	DFT-s-OFDM 256QAM	17.00 - 19.00
		1	CP-OFDM QPSK	17.00 - 19.00
		1	CP-OFDM 16QAM	17.00 - 19.00
		1	CP-OFDM 64QAM	17.00 - 19.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N78(3450-3550)- Full-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	15 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	20 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	25 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	30 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	40 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	50 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	60 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	70 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	80 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	90 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	100 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
		1		25.50 - 27.50
		1		25.50 - 27.50
		135		24.50 - 26.50
		135		25.50 - 27.50
		135		24.50 - 26.50
		270		24.50 - 26.50
		1	DFT-s-OFDM QPSK	25.50 - 27.50
		1		25.50 - 27.50
		1		25.50 - 27.50
		135		24.50 - 26.50
		135		25.50 - 27.50
		135		24.50 - 26.50
		270		24.50 - 26.50
		1	DFT-s-OFDM 16QAM	24.50 - 26.50
		1	DFT-s-OFDM 64QAM	23.00 - 25.00
		1	DFT-s-OFDM 256QAM	21.00 - 23.00
		1	CP-OFDM QPSK	24.00 - 26.00
		1	CP-OFDM 16QAM	23.50 - 25.50
		1	CP-OFDM 64QAM	22.00 - 24.00
		1	CP-OFDM 256QAM	19.00 - 21.00

RF Power Range (N78(3450-3550)-DSI1-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	15 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	20 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	25 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	30 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	40 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	50 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	60 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	70 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	80 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	90 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	100 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM QPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM 16QAM	18.00 - 20.00
		1	DFT-s-OFDM 64QAM	18.00 - 20.00
		1	DFT-s-OFDM 256QAM	18.00 - 20.00
		1	CP-OFDM QPSK	18.00 - 20.00
		1	CP-OFDM 16QAM	18.00 - 20.00
		1	CP-OFDM 64QAM	18.00 - 20.00
		1	CP-OFDM 256QAM	18.00 - 20.00

RF Power Range (N78(3450-3550)-DSI2-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	15 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	20 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	25 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	30 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	40 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	50 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	60 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	70 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	80 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	90 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	100 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
		1		18.50 - 20.50
		1		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		270		18.50 - 20.50
		1	DFT-s-OFDM QPSK	18.50 - 20.50
		1		18.50 - 20.50
		1		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		270		18.50 - 20.50
		1	DFT-s-OFDM 16QAM	18.50 - 20.50
		1	DFT-s-OFDM 64QAM	18.50 - 20.50
		1	DFT-s-OFDM 256QAM	18.50 - 20.50
		1	CP-OFDM QPSK	18.50 - 20.50
		1	CP-OFDM 16QAM	18.50 - 20.50
		1	CP-OFDM 64QAM	18.50 - 20.50
		1	CP-OFDM 256QAM	18.50 - 20.50

RF Power Range (N78(3450-3550)-DSI3-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3450-3550)	5 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	15 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	20 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	25 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	30 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	40 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	50 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	60 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	70 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	80 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	90 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	100 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
		1		18.50 - 20.50
		1		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		270		18.50 - 20.50
		1	DFT-s-OFDM QPSK	18.50 - 20.50
		1		18.50 - 20.50
		1		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		270		18.50 - 20.50
		1	DFT-s-OFDM 16QAM	18.50 - 20.50
		1	DFT-s-OFDM 64QAM	18.50 - 20.50
		1	DFT-s-OFDM 256QAM	18.50 - 20.50
		1	CP-OFDM QPSK	18.50 - 20.50
		1	CP-OFDM 16QAM	18.50 - 20.50
		1	CP-OFDM 64QAM	18.50 - 20.50
		1	CP-OFDM 256QAM	18.50 - 20.50

RF Power Range (N78(3450-3550)-DSI4-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	15 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	20 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	25 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	30 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	40 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	50 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	60 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	70 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	80 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	90 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	100 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
		1		18.50 - 20.50
		1		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		270		18.50 - 20.50
		1	DFT-s-OFDM QPSK	18.50 - 20.50
		1		18.50 - 20.50
		1		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		270		18.50 - 20.50
		1	DFT-s-OFDM 16QAM	18.50 - 20.50
		1	DFT-s-OFDM 64QAM	18.50 - 20.50
		1	DFT-s-OFDM 256QAM	18.50 - 20.50
		1	CP-OFDM QPSK	18.50 - 20.50
		1	CP-OFDM 16QAM	18.50 - 20.50
		1	CP-OFDM 64QAM	18.50 - 20.50
		1	CP-OFDM 256QAM	18.50 - 20.50

RF Power Range (N78(3450-3550)-DSI5-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	15 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	20 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	25 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	30 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	40 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	50 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	60 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	70 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	80 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	90 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	100 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
		1		16.50 - 18.50
		1		16.50 - 18.50
		135		16.50 - 18.50
		135		16.50 - 18.50
		135		16.50 - 18.50
		270		16.50 - 18.50
		1	DFT-s-OFDM QPSK	16.50 - 18.50
		1		16.50 - 18.50
		1		16.50 - 18.50
		135		16.50 - 18.50
		135		16.50 - 18.50
		135		16.50 - 18.50
		270		16.50 - 18.50
		1	DFT-s-OFDM 16QAM	16.50 - 18.50
		1	DFT-s-OFDM 64QAM	16.50 - 18.50
		1	DFT-s-OFDM 256QAM	16.50 - 18.50
		1	CP-OFDM QPSK	16.50 - 18.50
		1	CP-OFDM 16QAM	16.50 - 18.50
		1	CP-OFDM 64QAM	16.50 - 18.50
		1	CP-OFDM 256QAM	16.50 - 18.50

RF Power Range (N78(3450-3550)(ENDC) - Full-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3450-3550)(ENDC)	10 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	15 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	20 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	25 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	30 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	40 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	50 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	60 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	70 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	80 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	90 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	100 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
		1		25.50 - 27.50
		1		25.50 - 27.50
		135		24.50 - 26.50
		135		25.50 - 27.50
		135		24.50 - 26.50
		270		24.50 - 26.50
		1	DFT-s-OFDM QPSK	25.50 - 27.50
		1		25.50 - 27.50
		1		25.50 - 27.50
		135		24.50 - 26.50
		135		25.50 - 27.50
		135		24.50 - 26.50
		270		24.50 - 26.50
		1	DFT-s-OFDM 16QAM	24.50 - 26.50
		1	DFT-s-OFDM 64QAM	23.00 - 25.00
		1	DFT-s-OFDM 256QAM	21.00 - 23.00
		1	CP-OFDM QPSK	24.00 - 26.00
		1	CP-OFDM 16QAM	23.50 - 25.50
		1	CP-OFDM 64QAM	22.00 - 24.00
		1	CP-OFDM 256QAM	19.00 - 21.00

RF Power Range (N78(3450-3550)(ENDC) -DSI1-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3450-3550)(ENDC)	10 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	15 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	20 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	25 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	30 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	40 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	50 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	60 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	70 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	80 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	90 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	100 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
		1		15.50 - 17.50
		1		15.50 - 17.50
		135		15.50 - 17.50
		135		15.50 - 17.50
		135		15.50 - 17.50
		270		15.50 - 17.50
		1	DFT-s-OFDM QPSK	15.50 - 17.50
		1		15.50 - 17.50
		1		15.50 - 17.50
		135		15.50 - 17.50
		135		15.50 - 17.50
		135		15.50 - 17.50
		270		15.50 - 17.50
		1	DFT-s-OFDM 16QAM	15.50 - 17.50
		1	DFT-s-OFDM 64QAM	15.50 - 17.50
		1	DFT-s-OFDM 256QAM	15.50 - 17.50
		1	CP-OFDM QPSK	15.50 - 17.50
		1	CP-OFDM 16QAM	15.50 - 17.50
		1	CP-OFDM 64QAM	15.50 - 17.50
		1	CP-OFDM 256QAM	15.50 - 17.50

RF Power Range (N78(3450-3550)(ENDC) -DSI2-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3450-3550)(ENDC)	10 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	15 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	20 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	25 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	30 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	40 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	50 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	60 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	70 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	80 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	90 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	100 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
		1		14.50 - 16.50
		1		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		270		14.50 - 16.50
		1	DFT-s-OFDM QPSK	14.50 - 16.50
		1		14.50 - 16.50
		1		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		270		14.50 - 16.50
		1	DFT-s-OFDM 16QAM	14.50 - 16.50
		1	DFT-s-OFDM 64QAM	14.50 - 16.50
		1	DFT-s-OFDM 256QAM	14.50 - 16.50
		1	CP-OFDM QPSK	14.50 - 16.50
		1	CP-OFDM 16QAM	14.50 - 16.50
		1	CP-OFDM 64QAM	14.50 - 16.50
		1	CP-OFDM 256QAM	14.50 - 16.50

RF Power Range (N78(3450-3550)(ENDC) -DSI3-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3450-3550)(ENDC)	5 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	15 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	20 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	25 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	30 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	40 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	50 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	60 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	70 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	80 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	90 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	100 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
		1		14.50 - 16.50
		1		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		270		14.50 - 16.50
		1	DFT-s-OFDM QPSK	14.50 - 16.50
		1		14.50 - 16.50
		1		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		270		14.50 - 16.50
		1	DFT-s-OFDM 16QAM	14.50 - 16.50
		1	DFT-s-OFDM 64QAM	14.50 - 16.50
		1	DFT-s-OFDM 256QAM	14.50 - 16.50
		1	CP-OFDM QPSK	14.50 - 16.50
		1	CP-OFDM 16QAM	14.50 - 16.50
		1	CP-OFDM 64QAM	14.50 - 16.50
		1	CP-OFDM 256QAM	14.50 - 16.50

RF Power Range (N78(3450-3550)(ENDC) -DSI4-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3450-3550)(ENDC)	10 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	15 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	20 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	25 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	30 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	40 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	50 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	60 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	70 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	80 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	90 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	100 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
		1		14.50 - 16.50
		1		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		270		14.50 - 16.50
		1	DFT-s-OFDM QPSK	14.50 - 16.50
		1		14.50 - 16.50
		1		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		270		14.50 - 16.50
		1	DFT-s-OFDM 16QAM	14.50 - 16.50
		1	DFT-s-OFDM 64QAM	14.50 - 16.50
		1	DFT-s-OFDM 256QAM	14.50 - 16.50
		1	CP-OFDM QPSK	14.50 - 16.50
		1	CP-OFDM 16QAM	14.50 - 16.50
		1	CP-OFDM 64QAM	14.50 - 16.50
		1	CP-OFDM 256QAM	14.50 - 16.50

RF Power Range (N78(3450-3550)(ENDC) -DSI5-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3450-3550)(ENDC)	10 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	15 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	20 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	25 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	30 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	40 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	50 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	60 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	70 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	80 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	90 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	100 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM QPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM 16QAM	17.00 - 19.00
		1	DFT-s-OFDM 64QAM	17.00 - 19.00
		1	DFT-s-OFDM 256QAM	17.00 - 19.00
		1	CP-OFDM QPSK	17.00 - 19.00
		1	CP-OFDM 16QAM	17.00 - 19.00
		1	CP-OFDM 64QAM	17.00 - 19.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N78(3450-3550) - Full-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	15 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	20 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	25 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	30 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	40 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	50 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	60 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	70 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	80 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	90 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	100 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
		1		22.00 - 24.00
		1		22.00 - 24.00
		135		21.00 - 23.00
		135		22.00 - 24.00
		135		21.00 - 23.00
		270		21.00 - 23.00
		1	DFT-s-OFDM QPSK	22.00 - 24.00
		1		22.00 - 24.00
		1		22.00 - 24.00
		135		21.00 - 23.00
		135		22.00 - 24.00
		135		21.00 - 23.00
		270		21.00 - 23.00
		1	DFT-s-OFDM 16QAM	21.00 - 23.00
		1	DFT-s-OFDM 64QAM	19.50 - 21.50
		1	DFT-s-OFDM 256QAM	17.50 - 19.50
		1	CP-OFDM QPSK	20.50 - 22.50
		1	CP-OFDM 16QAM	20.00 - 22.00
		1	CP-OFDM 64QAM	18.50 - 20.50
		1	CP-OFDM 256QAM	15.50 - 17.50

RF Power Range (N78(3450-3550) -DSI1-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	15 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	20 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	25 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	30 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	40 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	50 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	60 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	70 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	80 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	90 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	100 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
		1		22.00 - 24.00
		1		22.00 - 24.00
		135		21.00 - 23.00
		135		22.00 - 24.00
		135		21.00 - 23.00
		270		21.00 - 23.00
		1	DFT-s-OFDM QPSK	22.00 - 24.00
		1		22.00 - 24.00
		1		22.00 - 24.00
		135		21.00 - 23.00
		135		22.00 - 24.00
		135		21.00 - 23.00
		270		21.00 - 23.00
		1	DFT-s-OFDM 16QAM	21.00 - 23.00
		1	DFT-s-OFDM 64QAM	19.50 - 21.50
		1	DFT-s-OFDM 256QAM	17.50 - 19.50
		1	CP-OFDM QPSK	20.50 - 22.50
		1	CP-OFDM 16QAM	20.00 - 22.00
		1	CP-OFDM 64QAM	18.50 - 20.50
		1	CP-OFDM 256QAM	15.50 - 17.50

RF Power Range (N78(3450-3550) -DSI2-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	15 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	20 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	25 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	30 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	40 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	50 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	60 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	70 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	80 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	90 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	100 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
		1		20.50 - 22.50
		1		20.50 - 22.50
		135		20.50 - 22.50
		135		20.50 - 22.50
		135		20.50 - 22.50
		270		20.50 - 22.50
		1	DFT-s-OFDM QPSK	20.50 - 22.50
		1		20.50 - 22.50
		1		20.50 - 22.50
		135		20.50 - 22.50
		135		20.50 - 22.50
		135		20.50 - 22.50
		270		20.50 - 22.50
		1	DFT-s-OFDM 16QAM	20.50 - 22.50
		1	DFT-s-OFDM 64QAM	19.50 - 21.50
		1	DFT-s-OFDM 256QAM	17.50 - 19.50
		1	CP-OFDM QPSK	20.50 - 22.50
		1	CP-OFDM 16QAM	20.00 - 22.00
		1	CP-OFDM 64QAM	18.50 - 20.50
		1	CP-OFDM 256QAM	15.50 - 17.50

RF Power Range (N78(3450-3550) -DSI3-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3450-3550)	5 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	15 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	20 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	25 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	30 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	40 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	50 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	60 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	70 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	80 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	90 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	100 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM QPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM 16QAM	18.00 - 20.00
		1	DFT-s-OFDM 64QAM	18.00 - 20.00
		1	DFT-s-OFDM 256QAM	17.50 - 19.50
		1	CP-OFDM QPSK	18.00 - 20.00
		1	CP-OFDM 16QAM	18.00 - 20.00
		1	CP-OFDM 64QAM	18.00 - 20.00
		1	CP-OFDM 256QAM	15.50 - 17.50

RF Power Range (N78(3450-3550) -DSI4-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	15 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	20 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	25 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	30 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	40 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	50 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	60 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	70 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	80 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	90 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	100 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
		1		20.50 - 22.50
		1		20.50 - 22.50
		135		20.50 - 22.50
		135		20.50 - 22.50
		135		20.50 - 22.50
		270		20.50 - 22.50
		1	DFT-s-OFDM QPSK	20.50 - 22.50
		1		20.50 - 22.50
		1		20.50 - 22.50
		135		20.50 - 22.50
		135		20.50 - 22.50
		135		20.50 - 22.50
		270		20.50 - 22.50
		1	DFT-s-OFDM 16QAM	20.50 - 22.50
		1	DFT-s-OFDM 64QAM	19.50 - 21.50
		1	DFT-s-OFDM 256QAM	17.50 - 19.50
		1	CP-OFDM QPSK	20.50 - 22.50
		1	CP-OFDM 16QAM	20.00 - 22.00
		1	CP-OFDM 64QAM	18.50 - 20.50
		1	CP-OFDM 256QAM	15.50 - 17.50

RF Power Range (N78(3450-3550) -DSI5-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	15 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	20 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	25 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	30 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	40 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	50 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	60 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	70 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	80 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	90 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	100 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
		1		19.00 - 21.00
		1		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		270		19.00 - 21.00
		1	DFT-s-OFDM QPSK	19.00 - 21.00
		1		19.00 - 21.00
		1		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		270		19.00 - 21.00
		1	DFT-s-OFDM 16QAM	19.00 - 21.00
		1	DFT-s-OFDM 64QAM	19.00 - 21.00
		1	DFT-s-OFDM 256QAM	17.50 - 19.50
		1	CP-OFDM QPSK	19.00 - 21.00
		1	CP-OFDM 16QAM	19.00 - 21.00
		1	CP-OFDM 64QAM	18.50 - 20.50
		1	CP-OFDM 256QAM	15.50 - 17.50

RF Power Range (N78(3450-3550) - Full-ANT2)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	15 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	20 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	25 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	30 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	40 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	50 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	60 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	70 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	80 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	90 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	100 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
		1		23.00 - 25.00
		1		23.00 - 25.00
		135		22.00 - 24.00
		135		23.00 - 25.00
		135		22.00 - 24.00
		270		22.00 - 24.00
		1	DFT-s-OFDM QPSK	23.00 - 25.00
		1		23.00 - 25.00
		1		23.00 - 25.00
		135		22.00 - 24.00
		135		23.00 - 25.00
		135		22.00 - 24.00
		270		22.00 - 24.00
		1	DFT-s-OFDM 16QAM	22.00 - 24.00
		1	DFT-s-OFDM 64QAM	20.50 - 22.50
		1	DFT-s-OFDM 256QAM	18.50 - 20.50
		1	CP-OFDM QPSK	21.50 - 23.50
		1	CP-OFDM 16QAM	21.00 - 23.00
		1	CP-OFDM 64QAM	19.50 - 21.50
		1	CP-OFDM 256QAM	16.50 - 18.50

RF Power Range (N78(3450-3550) -DSI1-ANT2)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	15 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	20 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	25 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	30 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	40 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	50 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	60 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	70 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	80 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	90 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	100 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
		1		22.00 - 24.00
		1		22.00 - 24.00
		135		22.00 - 24.00
		135		22.00 - 24.00
		135		22.00 - 24.00
		270		22.00 - 24.00
		1	DFT-s-OFDM QPSK	22.00 - 24.00
		1		22.00 - 24.00
		1		22.00 - 24.00
		135		22.00 - 24.00
		135		22.00 - 24.00
		135		22.00 - 24.00
		270		22.00 - 24.00
		1	DFT-s-OFDM 16QAM	22.00 - 24.00
		1	DFT-s-OFDM 64QAM	20.50 - 22.50
		1	DFT-s-OFDM 256QAM	18.50 - 20.50
		1	CP-OFDM QPSK	21.50 - 23.50
		1	CP-OFDM 16QAM	21.00 - 23.00
		1	CP-OFDM 64QAM	19.50 - 21.50
		1	CP-OFDM 256QAM	16.50 - 18.50

RF Power Range (N78(3450-3550) -DSI2-ANT2)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	15 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	20 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	25 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	30 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	40 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	50 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	60 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	70 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	80 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	90 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	100 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
		1		18.50 - 20.50
		1		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		270		18.50 - 20.50
		1	DFT-s-OFDM QPSK	18.50 - 20.50
		1		18.50 - 20.50
		1		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		270		18.50 - 20.50
		1	DFT-s-OFDM 16QAM	18.50 - 20.50
		1	DFT-s-OFDM 64QAM	18.50 - 20.50
		1	DFT-s-OFDM 256QAM	18.50 - 20.50
		1	CP-OFDM QPSK	18.50 - 20.50
		1	CP-OFDM 16QAM	18.50 - 20.50
		1	CP-OFDM 64QAM	18.50 - 20.50
		1	CP-OFDM 256QAM	16.50 - 18.50

RF Power Range (N78(3450-3550) -DSI3-ANT2)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3450-3550)	5 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	15 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	20 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	25 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	30 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	40 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	50 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	60 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	70 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	80 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	90 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	100 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
		1		18.50 - 20.50
		1		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		270		18.50 - 20.50
		1	DFT-s-OFDM QPSK	18.50 - 20.50
		1		18.50 - 20.50
		1		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		270		18.50 - 20.50
		1	DFT-s-OFDM 16QAM	18.50 - 20.50
		1	DFT-s-OFDM 64QAM	18.50 - 20.50
		1	DFT-s-OFDM 256QAM	18.50 - 20.50
		1	CP-OFDM QPSK	18.50 - 20.50
		1	CP-OFDM 16QAM	18.50 - 20.50
		1	CP-OFDM 64QAM	18.50 - 20.50
		1	CP-OFDM 256QAM	16.50 - 18.50

RF Power Range (N78(3450-3550) -DSI4-ANT2)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	15 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	20 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	25 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	30 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	40 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	50 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	60 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	70 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	80 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	90 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	100 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
		1		18.50 - 20.50
		1		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		270		18.50 - 20.50
		1	DFT-s-OFDM QPSK	18.50 - 20.50
		1		18.50 - 20.50
		1		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		270		18.50 - 20.50
		1	DFT-s-OFDM 16QAM	18.50 - 20.50
		1	DFT-s-OFDM 64QAM	18.50 - 20.50
		1	DFT-s-OFDM 256QAM	18.50 - 20.50
		1	CP-OFDM QPSK	18.50 - 20.50
		1	CP-OFDM 16QAM	18.50 - 20.50
		1	CP-OFDM 64QAM	18.50 - 20.50
		1	CP-OFDM 256QAM	16.50 - 18.50

RF Power Range (N78(3450-3550) -DSI5-ANT2)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3450-3550)	10 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	15 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	20 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	25 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	30 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	40 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	50 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	60 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	70 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	80 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	90 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	100 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
		1		18.50 - 20.50
		1		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		270		18.50 - 20.50
		1	DFT-s-OFDM QPSK	18.50 - 20.50
		1		18.50 - 20.50
		1		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		270		18.50 - 20.50
		1	DFT-s-OFDM 16QAM	18.50 - 20.50
		1	DFT-s-OFDM 64QAM	18.50 - 20.50
		1	DFT-s-OFDM 256QAM	18.50 - 20.50
		1	CP-OFDM QPSK	18.50 - 20.50
		1	CP-OFDM 16QAM	18.50 - 20.50
		1	CP-OFDM 64QAM	18.50 - 20.50
		1	CP-OFDM 256QAM	16.50 - 18.50

RF Power Range (N78(3700-3980) - Full-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3700-3980)	10 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	15 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	20 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	25 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	30 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	40 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	50 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	60 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	70 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	80 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	90 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	100 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
		1		25.00 - 27.00
		1		25.00 - 27.00
		135		24.00 - 26.00
		135		25.00 - 27.00
		135		24.00 - 26.00
		270		24.00 - 26.00
		1	DFT-s-OFDM QPSK	25.00 - 27.00
		1		25.00 - 27.00
		1		25.00 - 27.00
		135		24.00 - 26.00
		135		25.00 - 27.00
		135		24.00 - 26.00
		270		24.00 - 26.00
		1	DFT-s-OFDM 16QAM	24.00 - 26.00
		1	DFT-s-OFDM 64QAM	22.50 - 24.50
		1	DFT-s-OFDM 256QAM	20.50 - 22.50
		1	CP-OFDM QPSK	23.50 - 25.50
		1	CP-OFDM 16QAM	23.00 - 25.00
		1	CP-OFDM 64QAM	21.50 - 23.50
		1	CP-OFDM 256QAM	18.50 - 20.50

RF Power Range (N78(3700-3980) -DSI1-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3700-3980)	10 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	15 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	20 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	25 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	30 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	40 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	50 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	60 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	70 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	80 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	90 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	100 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
		1		19.00 - 21.00
		1		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		270		19.00 - 21.00
		1	DFT-s-OFDM QPSK	19.00 - 21.00
		1		19.00 - 21.00
		1		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		270		19.00 - 21.00
		1	DFT-s-OFDM 16QAM	19.00 - 21.00
		1	DFT-s-OFDM 64QAM	19.00 - 21.00
		1	DFT-s-OFDM 256QAM	19.00 - 21.00
		1	CP-OFDM QPSK	19.00 - 21.00
		1	CP-OFDM 16QAM	19.00 - 21.00
		1	CP-OFDM 64QAM	19.00 - 21.00
		1	CP-OFDM 256QAM	18.50 - 20.50

RF Power Range (N78(3700-3980) -DSI2-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3700-3980)	10 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	15 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	20 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	25 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	30 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	40 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	50 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	60 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	70 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	80 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	90 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	100 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM QPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM 16QAM	18.00 - 20.00
		1	DFT-s-OFDM 64QAM	18.00 - 20.00
		1	DFT-s-OFDM 256QAM	18.00 - 20.00
		1	CP-OFDM QPSK	18.00 - 20.00
		1	CP-OFDM 16QAM	18.00 - 20.00
		1	CP-OFDM 64QAM	18.00 - 20.00
		1	CP-OFDM 256QAM	18.00 - 20.00

RF Power Range (N78(3700-3980) -DSI3-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3700-3980)	5 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	15 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	20 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	25 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	30 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	40 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	50 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	60 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	70 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	80 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	90 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	100 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM QPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM 16QAM	18.00 - 20.00
		1	DFT-s-OFDM 64QAM	18.00 - 20.00
		1	DFT-s-OFDM 256QAM	18.00 - 20.00
		1	CP-OFDM QPSK	18.00 - 20.00
		1	CP-OFDM 16QAM	18.00 - 20.00
		1	CP-OFDM 64QAM	18.00 - 20.00
		1	CP-OFDM 256QAM	18.00 - 20.00

RF Power Range (N78(3700-3980) -DSI4-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3700-3980)	10 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	15 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	20 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	25 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	30 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	40 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	50 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	60 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	70 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	80 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	90 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	100 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM QPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM 16QAM	18.00 - 20.00
		1	DFT-s-OFDM 64QAM	18.00 - 20.00
		1	DFT-s-OFDM 256QAM	18.00 - 20.00
		1	CP-OFDM QPSK	18.00 - 20.00
		1	CP-OFDM 16QAM	18.00 - 20.00
		1	CP-OFDM 64QAM	18.00 - 20.00
		1	CP-OFDM 256QAM	18.00 - 20.00

RF Power Range (N78(3700-3980) -DSI5-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3700-3980)	10 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	15 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	20 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	25 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	30 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	40 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	50 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	60 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	70 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	80 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	90 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	100 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM QPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM 16QAM	18.00 - 20.00
		1	DFT-s-OFDM 64QAM	18.00 - 20.00
		1	DFT-s-OFDM 256QAM	18.00 - 20.00
		1	CP-OFDM QPSK	18.00 - 20.00
		1	CP-OFDM 16QAM	18.00 - 20.00
		1	CP-OFDM 64QAM	18.00 - 20.00
		1	CP-OFDM 256QAM	18.00 - 20.00

RF Power Range (N78(3700-3980) (ENDC)- Full-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3700-3980) (ENDC)	10 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	15 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	20 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	25 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	30 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	40 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	50 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	60 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	70 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	80 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	90 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
	100 MHz	1	DFT-s-OFDM BPSK	25.00 - 27.00
		1		25.00 - 27.00
		1		25.00 - 27.00
		135		24.00 - 26.00
		135		25.00 - 27.00
		135		24.00 - 26.00
		270		24.00 - 26.00
		1	DFT-s-OFDM QPSK	25.00 - 27.00
		1		25.00 - 27.00
		1		25.00 - 27.00
		135		24.00 - 26.00
		135		25.00 - 27.00
		135		24.00 - 26.00
		270		24.00 - 26.00
		1	DFT-s-OFDM 16QAM	24.00 - 26.00
		1	DFT-s-OFDM 64QAM	22.50 - 24.50
		1	DFT-s-OFDM 256QAM	20.50 - 22.50
		1	CP-OFDM QPSK	23.50 - 25.50
		1	CP-OFDM 16QAM	23.00 - 25.00
		1	CP-OFDM 64QAM	21.50 - 23.50
		1	CP-OFDM 256QAM	18.50 - 20.50

RF Power Range (N78(3700-3980) (ENDC)-DSI1-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3700-3980) (ENDC)	10 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	15 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	20 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	25 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	30 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	40 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	50 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	60 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	70 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	80 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	90 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
	100 MHz	1	DFT-s-OFDM BPSK	16.00 - 18.00
		1		16.00 - 18.00
		1		16.00 - 18.00
		135		16.00 - 18.00
		135		16.00 - 18.00
		135		16.00 - 18.00
		270		16.00 - 18.00
		1	DFT-s-OFDM QPSK	16.00 - 18.00
		1		16.00 - 18.00
		1		16.00 - 18.00
		135		16.00 - 18.00
		135		16.00 - 18.00
		135		16.00 - 18.00
		270		16.00 - 18.00
		1	DFT-s-OFDM 16QAM	16.00 - 18.00
		1	DFT-s-OFDM 64QAM	16.00 - 18.00
		1	DFT-s-OFDM 256QAM	16.00 - 18.00
		1	CP-OFDM QPSK	16.00 - 18.00
		1	CP-OFDM 16QAM	16.00 - 18.00
		1	CP-OFDM 64QAM	16.00 - 18.00
		1	CP-OFDM 256QAM	16.00 - 18.00

RF Power Range (N78(3700-3980) (ENDC)-DSI2-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3700-3980) (ENDC)	10 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	15 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	20 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	25 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	30 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	40 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	50 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	60 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	70 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	80 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	90 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	100 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
		1		15.00 - 17.00
		1		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		270		15.00 - 17.00
		1	DFT-s-OFDM QPSK	15.00 - 17.00
		1		15.00 - 17.00
		1		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		270		15.00 - 17.00
		1	DFT-s-OFDM 16QAM	15.00 - 17.00
		1	DFT-s-OFDM 64QAM	15.00 - 17.00
		1	DFT-s-OFDM 256QAM	15.00 - 17.00
		1	CP-OFDM QPSK	15.00 - 17.00
		1	CP-OFDM 16QAM	15.00 - 17.00
		1	CP-OFDM 64QAM	15.00 - 17.00
		1	CP-OFDM 256QAM	15.00 - 17.00

RF Power Range (N78(3700-3980) (ENDC)-DSI3-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3700-3980) (ENDC)	5 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	15 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	20 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	25 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	30 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	40 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	50 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	60 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	70 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	80 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	90 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	100 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
		1		15.00 - 17.00
		1		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		270		15.00 - 17.00
		1	DFT-s-OFDM QPSK	15.00 - 17.00
		1		15.00 - 17.00
		1		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		270		15.00 - 17.00
		1	DFT-s-OFDM 16QAM	15.00 - 17.00
		1	DFT-s-OFDM 64QAM	15.00 - 17.00
		1	DFT-s-OFDM 256QAM	15.00 - 17.00
		1	CP-OFDM QPSK	15.00 - 17.00
		1	CP-OFDM 16QAM	15.00 - 17.00
		1	CP-OFDM 64QAM	15.00 - 17.00
		1	CP-OFDM 256QAM	15.00 - 17.00

RF Power Range (N78(3700-3980) (ENDC)-DSI4-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3700-3980) (ENDC)	10 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	15 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	20 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	25 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	30 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	40 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	50 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	60 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	70 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	80 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	90 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
	100 MHz	1	DFT-s-OFDM BPSK	15.00 - 17.00
		1		15.00 - 17.00
		1		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		270		15.00 - 17.00
		1	DFT-s-OFDM QPSK	15.00 - 17.00
		1		15.00 - 17.00
		1		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		135		15.00 - 17.00
		270		15.00 - 17.00
		1	DFT-s-OFDM 16QAM	15.00 - 17.00
		1	DFT-s-OFDM 64QAM	15.00 - 17.00
		1	DFT-s-OFDM 256QAM	15.00 - 17.00
		1	CP-OFDM QPSK	15.00 - 17.00
		1	CP-OFDM 16QAM	15.00 - 17.00
		1	CP-OFDM 64QAM	15.00 - 17.00
		1	CP-OFDM 256QAM	15.00 - 17.00

RF Power Range (N78(3700-3980) (ENDC)-DSI5-ANT7)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3700-3980) (ENDC)	10 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	15 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	20 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	25 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	30 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	40 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	50 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	60 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	70 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	80 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	90 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	100 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM QPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM 16QAM	17.00 - 19.00
		1	DFT-s-OFDM 64QAM	17.00 - 19.00
		1	DFT-s-OFDM 256QAM	17.00 - 19.00
		1	CP-OFDM QPSK	17.00 - 19.00
		1	CP-OFDM 16QAM	17.00 - 19.00
		1	CP-OFDM 64QAM	17.00 - 19.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N78(3700-3980)- Full-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3700-3980)	10 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	15 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	20 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	25 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	30 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	40 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	50 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	60 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	70 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	80 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	90 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	100 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
		1		25.50 - 27.50
		1		25.50 - 27.50
		135		24.50 - 26.50
		135		25.50 - 27.50
		135		24.50 - 26.50
		270		24.50 - 26.50
		1	DFT-s-OFDM QPSK	25.50 - 27.50
		1		25.50 - 27.50
		1		25.50 - 27.50
		135		24.50 - 26.50
		135		25.50 - 27.50
		135		24.50 - 26.50
		270		24.50 - 26.50
		1	DFT-s-OFDM 16QAM	24.50 - 26.50
		1	DFT-s-OFDM 64QAM	23.00 - 25.00
		1	DFT-s-OFDM 256QAM	21.00 - 23.00
		1	CP-OFDM QPSK	24.00 - 26.00
		1	CP-OFDM 16QAM	23.50 - 25.50
		1	CP-OFDM 64QAM	22.00 - 24.00
		1	CP-OFDM 256QAM	19.00 - 21.00

RF Power Range (N78(3700-3980)-DSI1-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3700-3980)	10 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	15 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	20 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	25 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	30 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	40 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	50 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	60 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	70 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	80 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	90 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	100 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM QPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM 16QAM	18.00 - 20.00
		1	DFT-s-OFDM 64QAM	18.00 - 20.00
		1	DFT-s-OFDM 256QAM	18.00 - 20.00
		1	CP-OFDM QPSK	18.00 - 20.00
		1	CP-OFDM 16QAM	18.00 - 20.00
		1	CP-OFDM 64QAM	18.00 - 20.00
		1	CP-OFDM 256QAM	18.00 - 20.00

RF Power Range (N78(3700-3980)-DSI2-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3700-3980)	10 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	15 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	20 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	25 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	30 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	40 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	50 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	60 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	70 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	80 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	90 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	100 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
		1		18.50 - 20.50
		1		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		270		18.50 - 20.50
		1	DFT-s-OFDM QPSK	18.50 - 20.50
		1		18.50 - 20.50
		1		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		270		18.50 - 20.50
		1	DFT-s-OFDM 16QAM	18.50 - 20.50
		1	DFT-s-OFDM 64QAM	18.50 - 20.50
		1	DFT-s-OFDM 256QAM	18.50 - 20.50
		1	CP-OFDM QPSK	18.50 - 20.50
		1	CP-OFDM 16QAM	18.50 - 20.50
		1	CP-OFDM 64QAM	18.50 - 20.50
		1	CP-OFDM 256QAM	18.50 - 20.50

RF Power Range (N78(3700-3980)-DSI3-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3700-3980)	5 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	15 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	20 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	25 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	30 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	40 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	50 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	60 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	70 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	80 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	90 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	100 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
		1		18.50 - 20.50
		1		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		270		18.50 - 20.50
		1	DFT-s-OFDM QPSK	18.50 - 20.50
		1		18.50 - 20.50
		1		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		270		18.50 - 20.50
		1	DFT-s-OFDM 16QAM	18.50 - 20.50
		1	DFT-s-OFDM 64QAM	18.50 - 20.50
		1	DFT-s-OFDM 256QAM	18.50 - 20.50
		1	CP-OFDM QPSK	18.50 - 20.50
		1	CP-OFDM 16QAM	18.50 - 20.50
		1	CP-OFDM 64QAM	18.50 - 20.50
		1	CP-OFDM 256QAM	18.50 - 20.50

RF Power Range (N78(3700-3980)-DSI4-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3700-3980)	10 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	15 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	20 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	25 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	30 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	40 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	50 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	60 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	70 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	80 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	90 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	100 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
		1		18.50 - 20.50
		1		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		270		18.50 - 20.50
		1	DFT-s-OFDM QPSK	18.50 - 20.50
		1		18.50 - 20.50
		1		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		270		18.50 - 20.50
		1	DFT-s-OFDM 16QAM	18.50 - 20.50
		1	DFT-s-OFDM 64QAM	18.50 - 20.50
		1	DFT-s-OFDM 256QAM	18.50 - 20.50
		1	CP-OFDM QPSK	18.50 - 20.50
		1	CP-OFDM 16QAM	18.50 - 20.50
		1	CP-OFDM 64QAM	18.50 - 20.50
		1	CP-OFDM 256QAM	18.50 - 20.50

RF Power Range (N78(3700-3980)-DSI5-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3700-3980)	10 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	15 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	20 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	25 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	30 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	40 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	50 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	60 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	70 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	80 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	90 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
	100 MHz	1	DFT-s-OFDM BPSK	16.50 - 18.50
		1		16.50 - 18.50
		1		16.50 - 18.50
		135		16.50 - 18.50
		135		16.50 - 18.50
		135		16.50 - 18.50
		270		16.50 - 18.50
		1	DFT-s-OFDM QPSK	16.50 - 18.50
		1		16.50 - 18.50
		1		16.50 - 18.50
		135		16.50 - 18.50
		135		16.50 - 18.50
		135		16.50 - 18.50
		270		16.50 - 18.50
		1	DFT-s-OFDM 16QAM	16.50 - 18.50
		1	DFT-s-OFDM 64QAM	16.50 - 18.50
		1	DFT-s-OFDM 256QAM	16.50 - 18.50
		1	CP-OFDM QPSK	16.50 - 18.50
		1	CP-OFDM 16QAM	16.50 - 18.50
		1	CP-OFDM 64QAM	16.50 - 18.50
		1	CP-OFDM 256QAM	16.50 - 18.50

RF Power Range (N78(3700-3980)(ENDC)(ENDC) - Full-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3700-3980)(ENDC)(ENDC)	10 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	15 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	20 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	25 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	30 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	40 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	50 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	60 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	70 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	80 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	90 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
	100 MHz	1	DFT-s-OFDM BPSK	25.50 - 27.50
		1		25.50 - 27.50
		1		25.50 - 27.50
		135		24.50 - 26.50
		135		25.50 - 27.50
		135		24.50 - 26.50
		270		24.50 - 26.50
		1	DFT-s-OFDM QPSK	25.50 - 27.50
		1		25.50 - 27.50
		1		25.50 - 27.50
		135		24.50 - 26.50
		135		25.50 - 27.50
		135		24.50 - 26.50
		270		24.50 - 26.50
		1	DFT-s-OFDM 16QAM	24.50 - 26.50
		1	DFT-s-OFDM 64QAM	23.00 - 25.00
		1	DFT-s-OFDM 256QAM	21.00 - 23.00
		1	CP-OFDM QPSK	24.00 - 26.00
		1	CP-OFDM 16QAM	23.50 - 25.50
		1	CP-OFDM 64QAM	22.00 - 24.00
		1	CP-OFDM 256QAM	19.00 - 21.00

RF Power Range (N78(3700-3980)(ENDC)(ENDC) -DSI1-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3700-3980)(ENDC)(ENDC)	10 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	15 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	20 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	25 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	30 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	40 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	50 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	60 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	70 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	80 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	90 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
	100 MHz	1	DFT-s-OFDM BPSK	15.50 - 17.50
		1		15.50 - 17.50
		1		15.50 - 17.50
		135		15.50 - 17.50
		135		15.50 - 17.50
		135		15.50 - 17.50
		270		15.50 - 17.50
		1	DFT-s-OFDM QPSK	15.50 - 17.50
		1		15.50 - 17.50
		1		15.50 - 17.50
		135		15.50 - 17.50
		135		15.50 - 17.50
		135		15.50 - 17.50
		270		15.50 - 17.50
		1	DFT-s-OFDM 16QAM	15.50 - 17.50
		1	DFT-s-OFDM 64QAM	15.50 - 17.50
		1	DFT-s-OFDM 256QAM	15.50 - 17.50
		1	CP-OFDM QPSK	15.50 - 17.50
		1	CP-OFDM 16QAM	15.50 - 17.50
		1	CP-OFDM 64QAM	15.50 - 17.50
		1	CP-OFDM 256QAM	15.50 - 17.50

RF Power Range (N78(3700-3980)(ENDC)(ENDC) -DSI2-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3700-3980)(ENDC)(ENDC)	10 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	15 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	20 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	25 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	30 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	40 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	50 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	60 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	70 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	80 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	90 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	100 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
		1		14.50 - 16.50
		1		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		270		14.50 - 16.50
		1	DFT-s-OFDM QPSK	14.50 - 16.50
		1		14.50 - 16.50
		1		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		270		14.50 - 16.50
		1	DFT-s-OFDM 16QAM	14.50 - 16.50
		1	DFT-s-OFDM 64QAM	14.50 - 16.50
		1	DFT-s-OFDM 256QAM	14.50 - 16.50
		1	CP-OFDM QPSK	14.50 - 16.50
		1	CP-OFDM 16QAM	14.50 - 16.50
		1	CP-OFDM 64QAM	14.50 - 16.50
		1	CP-OFDM 256QAM	14.50 - 16.50

RF Power Range (N78(3700-3980)(ENDC)(ENDC) -DSI3-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3700-3980)(ENDC)(ENDC)	5 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	15 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	20 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	25 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	30 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	40 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	50 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	60 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	70 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	80 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	90 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	100 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
		1		14.50 - 16.50
		1		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		270		14.50 - 16.50
		1	DFT-s-OFDM QPSK	14.50 - 16.50
		1		14.50 - 16.50
		1		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		270		14.50 - 16.50
		1	DFT-s-OFDM 16QAM	14.50 - 16.50
		1	DFT-s-OFDM 64QAM	14.50 - 16.50
		1	DFT-s-OFDM 256QAM	14.50 - 16.50
		1	CP-OFDM QPSK	14.50 - 16.50
		1	CP-OFDM 16QAM	14.50 - 16.50
		1	CP-OFDM 64QAM	14.50 - 16.50
		1	CP-OFDM 256QAM	14.50 - 16.50

RF Power Range (N78(3700-3980)(ENDC)(ENDC) -DSI4-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3700-3980)(ENDC)(ENDC)	10 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	15 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	20 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	25 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	30 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	40 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	50 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	60 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	70 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	80 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	90 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
	100 MHz	1	DFT-s-OFDM BPSK	14.50 - 16.50
		1		14.50 - 16.50
		1		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		270		14.50 - 16.50
		1	DFT-s-OFDM QPSK	14.50 - 16.50
		1		14.50 - 16.50
		1		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		135		14.50 - 16.50
		270		14.50 - 16.50
		1	DFT-s-OFDM 16QAM	14.50 - 16.50
		1	DFT-s-OFDM 64QAM	14.50 - 16.50
		1	DFT-s-OFDM 256QAM	14.50 - 16.50
		1	CP-OFDM QPSK	14.50 - 16.50
		1	CP-OFDM 16QAM	14.50 - 16.50
		1	CP-OFDM 64QAM	14.50 - 16.50
		1	CP-OFDM 256QAM	14.50 - 16.50

RF Power Range (N78(3700-3980)(ENDC)(ENDC) -DSI5-ANT5)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3700-3980)(ENDC)(ENDC)	10 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	15 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	20 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	25 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	30 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	40 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	50 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	60 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	70 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	80 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	90 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
	100 MHz	1	DFT-s-OFDM BPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM QPSK	17.00 - 19.00
		1		17.00 - 19.00
		1		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		135		17.00 - 19.00
		270		17.00 - 19.00
		1	DFT-s-OFDM 16QAM	17.00 - 19.00
		1	DFT-s-OFDM 64QAM	17.00 - 19.00
		1	DFT-s-OFDM 256QAM	17.00 - 19.00
		1	CP-OFDM QPSK	17.00 - 19.00
		1	CP-OFDM 16QAM	17.00 - 19.00
		1	CP-OFDM 64QAM	17.00 - 19.00
		1	CP-OFDM 256QAM	17.00 - 19.00

RF Power Range (N78(3700-3980) - Full-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3700-3980)	10 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	15 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	20 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	25 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	30 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	40 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	50 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	60 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	70 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	80 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	90 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	100 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
		1		22.00 - 24.00
		1		22.00 - 24.00
		135		21.00 - 23.00
		135		22.00 - 24.00
		135		21.00 - 23.00
		270		21.00 - 23.00
		1	DFT-s-OFDM QPSK	22.00 - 24.00
		1		22.00 - 24.00
		1		22.00 - 24.00
		135		21.00 - 23.00
		135		22.00 - 24.00
		135		21.00 - 23.00
		270		21.00 - 23.00
		1	DFT-s-OFDM 16QAM	21.00 - 23.00
		1	DFT-s-OFDM 64QAM	19.50 - 21.50
		1	DFT-s-OFDM 256QAM	17.50 - 19.50
		1	CP-OFDM QPSK	20.50 - 22.50
		1	CP-OFDM 16QAM	20.00 - 22.00
		1	CP-OFDM 64QAM	18.50 - 20.50
		1	CP-OFDM 256QAM	15.50 - 17.50

RF Power Range (N78(3700-3980) -DSI1-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3700-3980)	10 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	15 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	20 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	25 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	30 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	40 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	50 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	60 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	70 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	80 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	90 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	100 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
		1		22.00 - 24.00
		1		22.00 - 24.00
		135		21.00 - 23.00
		135		22.00 - 24.00
		135		21.00 - 23.00
		270		21.00 - 23.00
		1	DFT-s-OFDM QPSK	22.00 - 24.00
		1		22.00 - 24.00
		1		22.00 - 24.00
		135		21.00 - 23.00
		135		22.00 - 24.00
		135		21.00 - 23.00
		270		21.00 - 23.00
		1	DFT-s-OFDM 16QAM	21.00 - 23.00
		1	DFT-s-OFDM 64QAM	19.50 - 21.50
		1	DFT-s-OFDM 256QAM	17.50 - 19.50
		1	CP-OFDM QPSK	20.50 - 22.50
		1	CP-OFDM 16QAM	20.00 - 22.00
		1	CP-OFDM 64QAM	18.50 - 20.50
		1	CP-OFDM 256QAM	15.50 - 17.50

RF Power Range (N78(3700-3980) -DSI2-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3700-3980)	10 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	15 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	20 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	25 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	30 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	40 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	50 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	60 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	70 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	80 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	90 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	100 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
		1		20.50 - 22.50
		1		20.50 - 22.50
		135		20.50 - 22.50
		135		20.50 - 22.50
		135		20.50 - 22.50
		270		20.50 - 22.50
		1	DFT-s-OFDM QPSK	20.50 - 22.50
		1		20.50 - 22.50
		1		20.50 - 22.50
		135		20.50 - 22.50
		135		20.50 - 22.50
		135		20.50 - 22.50
		270		20.50 - 22.50
		1	DFT-s-OFDM 16QAM	20.50 - 22.50
		1	DFT-s-OFDM 64QAM	19.50 - 21.50
		1	DFT-s-OFDM 256QAM	17.50 - 19.50
		1	CP-OFDM QPSK	20.50 - 22.50
		1	CP-OFDM 16QAM	20.00 - 22.00
		1	CP-OFDM 64QAM	18.50 - 20.50
		1	CP-OFDM 256QAM	15.50 - 17.50

RF Power Range (N78(3700-3980) -DSI3-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3700-3980)	5 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	15 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	20 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	25 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	30 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	40 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	50 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	60 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	70 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	80 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	90 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
	100 MHz	1	DFT-s-OFDM BPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM QPSK	18.00 - 20.00
		1		18.00 - 20.00
		1		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		135		18.00 - 20.00
		270		18.00 - 20.00
		1	DFT-s-OFDM 16QAM	18.00 - 20.00
		1	DFT-s-OFDM 64QAM	18.00 - 20.00
		1	DFT-s-OFDM 256QAM	17.50 - 19.50
		1	CP-OFDM QPSK	18.00 - 20.00
		1	CP-OFDM 16QAM	18.00 - 20.00
		1	CP-OFDM 64QAM	18.00 - 20.00
		1	CP-OFDM 256QAM	15.50 - 17.50

RF Power Range (N78(3700-3980) -DSI4-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3700-3980)	10 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	15 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	20 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	25 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	30 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	40 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	50 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	60 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	70 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	80 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	90 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
	100 MHz	1	DFT-s-OFDM BPSK	20.50 - 22.50
		1		20.50 - 22.50
		1		20.50 - 22.50
		135		20.50 - 22.50
		135		20.50 - 22.50
		135		20.50 - 22.50
		270		20.50 - 22.50
		1	DFT-s-OFDM QPSK	20.50 - 22.50
		1		20.50 - 22.50
		1		20.50 - 22.50
		135		20.50 - 22.50
		135		20.50 - 22.50
		135		20.50 - 22.50
		270		20.50 - 22.50
		1	DFT-s-OFDM 16QAM	20.50 - 22.50
		1	DFT-s-OFDM 64QAM	19.50 - 21.50
		1	DFT-s-OFDM 256QAM	17.50 - 19.50
		1	CP-OFDM QPSK	20.50 - 22.50
		1	CP-OFDM 16QAM	20.00 - 22.00
		1	CP-OFDM 64QAM	18.50 - 20.50
		1	CP-OFDM 256QAM	15.50 - 17.50

RF Power Range (N78(3700-3980) -DSI5-ANT3)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3700-3980)	10 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	15 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	20 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	25 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	30 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	40 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	50 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	60 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	70 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	80 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	90 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
	100 MHz	1	DFT-s-OFDM BPSK	19.00 - 21.00
		1		19.00 - 21.00
		1		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		270		19.00 - 21.00
		1	DFT-s-OFDM QPSK	19.00 - 21.00
		1		19.00 - 21.00
		1		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		135		19.00 - 21.00
		270		19.00 - 21.00
		1	DFT-s-OFDM 16QAM	19.00 - 21.00
		1	DFT-s-OFDM 64QAM	19.00 - 21.00
		1	DFT-s-OFDM 256QAM	17.50 - 19.50
		1	CP-OFDM QPSK	19.00 - 21.00
		1	CP-OFDM 16QAM	19.00 - 21.00
		1	CP-OFDM 64QAM	18.50 - 20.50
		1	CP-OFDM 256QAM	15.50 - 17.50

RF Power Range (N78(3700-3980) - Full-ANT2)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3700-3980)	10 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	15 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	20 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	25 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	30 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	40 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	50 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	60 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	70 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	80 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	90 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
	100 MHz	1	DFT-s-OFDM BPSK	23.00 - 25.00
		1		23.00 - 25.00
		1		23.00 - 25.00
		135		22.00 - 24.00
		135		23.00 - 25.00
		135		22.00 - 24.00
		270		22.00 - 24.00
		1	DFT-s-OFDM QPSK	23.00 - 25.00
		1		23.00 - 25.00
		1		23.00 - 25.00
		135		22.00 - 24.00
		135		23.00 - 25.00
		135		22.00 - 24.00
		270		22.00 - 24.00
		1	DFT-s-OFDM 16QAM	22.00 - 24.00
		1	DFT-s-OFDM 64QAM	20.50 - 22.50
		1	DFT-s-OFDM 256QAM	18.50 - 20.50
		1	CP-OFDM QPSK	21.50 - 23.50
		1	CP-OFDM 16QAM	21.00 - 23.00
		1	CP-OFDM 64QAM	19.50 - 21.50
		1	CP-OFDM 256QAM	16.50 - 18.50

RF Power Range (N78(3700-3980) -DSI1-ANT2)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3700-3980)	10 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	15 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	20 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	25 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	30 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	40 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	50 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	60 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	70 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	80 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	90 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
	100 MHz	1	DFT-s-OFDM BPSK	22.00 - 24.00
		1		22.00 - 24.00
		1		22.00 - 24.00
		135		22.00 - 24.00
		135		22.00 - 24.00
		135		22.00 - 24.00
		270		22.00 - 24.00
		1	DFT-s-OFDM QPSK	22.00 - 24.00
		1		22.00 - 24.00
		1		22.00 - 24.00
		135		22.00 - 24.00
		135		22.00 - 24.00
		135		22.00 - 24.00
		270		22.00 - 24.00
		1	DFT-s-OFDM 16QAM	22.00 - 24.00
		1	DFT-s-OFDM 64QAM	20.50 - 22.50
		1	DFT-s-OFDM 256QAM	18.50 - 20.50
		1	CP-OFDM QPSK	21.50 - 23.50
		1	CP-OFDM 16QAM	21.00 - 23.00
		1	CP-OFDM 64QAM	19.50 - 21.50
		1	CP-OFDM 256QAM	16.50 - 18.50

RF Power Range (N78(3700-3980) -DSI2-ANT2)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3700-3980)	10 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	15 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	20 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	25 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	30 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	40 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	50 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	60 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	70 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	80 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	90 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	100 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
		1		18.50 - 20.50
		1		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		270		18.50 - 20.50
		1	DFT-s-OFDM QPSK	18.50 - 20.50
		1		18.50 - 20.50
		1		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		270		18.50 - 20.50
		1	DFT-s-OFDM 16QAM	18.50 - 20.50
		1	DFT-s-OFDM 64QAM	18.50 - 20.50
		1	DFT-s-OFDM 256QAM	18.50 - 20.50
		1	CP-OFDM QPSK	18.50 - 20.50
		1	CP-OFDM 16QAM	18.50 - 20.50
		1	CP-OFDM 64QAM	18.50 - 20.50
		1	CP-OFDM 256QAM	16.50 - 18.50

RF Power Range (N78(3700-3980) -DSI3-ANT2)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3700-3980)	5 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	15 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	20 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	25 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	30 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	40 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	50 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	60 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	70 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	80 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	90 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	100 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
		1		18.50 - 20.50
		1		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		270		18.50 - 20.50
		1	DFT-s-OFDM QPSK	18.50 - 20.50
		1		18.50 - 20.50
		1		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		270		18.50 - 20.50
		1	DFT-s-OFDM 16QAM	18.50 - 20.50
		1	DFT-s-OFDM 64QAM	18.50 - 20.50
		1	DFT-s-OFDM 256QAM	18.50 - 20.50
		1	CP-OFDM QPSK	18.50 - 20.50
		1	CP-OFDM 16QAM	18.50 - 20.50
		1	CP-OFDM 64QAM	18.50 - 20.50
		1	CP-OFDM 256QAM	16.50 - 18.50

RF Power Range (N78(3700-3980) -DSI4-ANT2)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3700-3980)	10 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	15 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	20 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	25 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	30 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	40 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	50 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	60 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	70 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	80 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	90 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	100 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
		1		18.50 - 20.50
		1		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		270		18.50 - 20.50
		1	DFT-s-OFDM QPSK	18.50 - 20.50
		1		18.50 - 20.50
		1		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		270		18.50 - 20.50
		1	DFT-s-OFDM 16QAM	18.50 - 20.50
		1	DFT-s-OFDM 64QAM	18.50 - 20.50
		1	DFT-s-OFDM 256QAM	18.50 - 20.50
		1	CP-OFDM QPSK	18.50 - 20.50
		1	CP-OFDM 16QAM	18.50 - 20.50
		1	CP-OFDM 64QAM	18.50 - 20.50
		1	CP-OFDM 256QAM	16.50 - 18.50

RF Power Range (N78(3700-3980) -DSI5-ANT2)

Band	Bandwidth	RB	Modulation	Range(dBm)
N78(3700-3980)	10 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	15 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	20 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	25 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	30 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	40 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	50 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	60 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	70 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	80 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	90 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
	100 MHz	1	DFT-s-OFDM BPSK	18.50 - 20.50
		1		18.50 - 20.50
		1		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		270		18.50 - 20.50
		1	DFT-s-OFDM QPSK	18.50 - 20.50
		1		18.50 - 20.50
		1		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		135		18.50 - 20.50
		270		18.50 - 20.50
		1	DFT-s-OFDM 16QAM	18.50 - 20.50
		1	DFT-s-OFDM 64QAM	18.50 - 20.50
		1	DFT-s-OFDM 256QAM	18.50 - 20.50
		1	CP-OFDM QPSK	18.50 - 20.50
		1	CP-OFDM 16QAM	18.50 - 20.50
		1	CP-OFDM 64QAM	18.50 - 20.50
		1	CP-OFDM 256QAM	16.50 - 18.50

RF Power Range (WIFI-Full-ANT6)

Band (GHz)	Mode	Channal	Frequency (MHz)	Range(dBm)
2.4	11b	1	2412	14.50 - 16.50
		6	2437	14.50 - 16.50
		11	2462	14.50 - 16.50
	11g	1	2412	14.50 - 16.50
		6	2437	14.50 - 16.50
		11	2462	14.50 - 16.50
	11n-HT20	1	2412	13.50 - 15.50
		6	2437	13.50 - 15.50
		11	2462	13.50 - 15.50

RF Power Range (WIFI-Leve1-ANT6)

Band (GHz)	Mode	Channal	Frequency (MHz)	Range(dBm)
2.4	11b	1	2412	12.50 - 14.50
		6	2437	12.50 - 14.50
		11	2462	12.50 - 14.50
	11g	1	2412	11.50 - 13.50
		6	2437	11.50 - 13.50
		11	2462	11.50 - 13.50
	11n-HT20	1	2412	11.50 - 13.50
		6	2437	11.50 - 13.50
		11	2462	11.50 - 13.50

RF Power Range (WIFI-Leve2-ANT6)

Band (GHz)	Mode	Channal	Frequency (MHz)	Range(dBm)
2.4	11b	1	2412	14.50 - 16.50
		6	2437	14.50 - 16.50
		11	2462	14.50 - 16.50
	11g	1	2412	14.50 - 16.50
		6	2437	14.50 - 16.50
		11	2462	14.50 - 16.50
	11n-HT20	1	2412	13.50 - 15.50
		6	2437	13.50 - 15.50
		11	2462	13.50 - 15.50

RF Power Range (WIFI-Full-ANT6)

Band (GHz)	Mode	Channel	Frequency (MHz)	Range(dBm)		
5.2	802.11a	36	5180	9.50	-	11.50
		44	5220	9.50	-	11.50
		48	5240	9.50	-	11.50
	802.11n(HT20)	36	5180	9.50	-	11.50
		44	5220	9.50	-	11.50
		48	5240	9.50	-	11.50
	802.11n(HT40)	38	5190	9.50	-	11.50
		46	5230	9.50	-	11.50
	802.11ac(VHT20)	36	5180	9.50	-	11.50
		44	5220	9.50	-	11.50
		48	5240	9.50	-	11.50
	802.11ac(VHT40)	38	5190	9.50	-	11.50
		46	5230	9.50	-	11.50
	802.11ac(VHT80)	42	5210	8.50	-	10.50
5.3	802.11a	52	5260	9.50	-	11.50
		60	5300	9.50	-	11.50
		64	5320	9.50	-	11.50
	802.11n(HT20)	52	5260	9.50	-	11.50
		60	5300	9.50	-	11.50
		64	5320	9.50	-	11.50
	802.11n(HT40)	54	5270	9.50	-	11.50
		62	5310	9.50	-	11.50
	802.11ac(VHT20)	52	5260	9.50	-	11.50
		60	5300	9.50	-	11.50
		64	5320	9.50	-	11.50
	802.11ac(VHT40)	54	5270	9.50	-	11.50
		62	5310	9.50	-	11.50
	802.11ac(VHT80)	58	5290	8.50	-	10.50
5.6	802.11a	100	5500	9.50	-	11.50
		116	5580	9.50	-	11.50
		140	5700	9.50	-	11.50
		144	5720	8.00	-	10.00
	802.11n(HT20)	100	5500	9.50	-	11.50
		116	5580	9.50	-	11.50
		140	5700	9.50	-	11.50
		144	5720	8.00	-	10.00
	802.11n(HT40)	102	5510	8.50	-	10.50
		110	5550	9.50	-	11.50
		118	5590	9.50	-	11.50
		134	5670	9.50	-	11.50
	802.11ac(VHT20)	100	5500	9.50	-	11.50
		116	5580	9.50	-	11.50
		140	5700	9.50	-	11.50
		144	5720	8.00	-	10.00
	802.11ac(VHT40)	102	5510	9.50	-	11.50
		118	5590	9.50	-	11.50
		134	5670	9.50	-	11.50
		142	5710	8.00	-	10.00
	802.11ac(VHT80)	106	5530	8.50	-	10.50
		122	5610	8.50	-	10.50
		138	5690	8.50	-	10.50
		144	5720	0.00	-	2.00
5.8	802.11a	149	5745	9.50	-	11.50
		157	5785	9.50	-	11.50
		165	5825	9.50	-	11.50
		144	5720	0.00	-	2.00
	802.11n(HT20)	149	5745	9.50	-	11.50
		157	5785	9.50	-	11.50
		165	5825	9.50	-	11.50
	802.11n(HT40)	142	5710	-4.00	-	-2.00
		151	5755	9.50	-	11.50
		159	5795	9.50	-	11.50
		144	5720	0.00	-	2.00

	802.11ac(VHT20)	149	5745	9.50	-	11.50
		157	5785	9.50	-	11.50
		165	5825	9.50	-	11.50
	802.11ac(VHT40)	142	5710	-4.00	-	-2.00
		151	5755	9.50	-	11.50
		159	5795	9.50	-	11.50
	802.11ac(VHT80)	138	5690	-7.00	-	-5.00
		155	5775	8.50	-	10.50

RF Power Range (WIFI-Level1-ANT6)

Band (GHz)	Mode	Channel	Frequency (MHz)	Range(dBm)		
5.2	802.11a	36	5180	9.50	-	11.50
		44	5220	9.50	-	11.50
		48	5240	9.50	-	11.50
	802.11n(HT20)	36	5180	9.50	-	11.50
		44	5220	9.50	-	11.50
		48	5240	9.50	-	11.50
	802.11n(HT40)	38	5190	9.50	-	11.50
		46	5230	9.50	-	11.50
	802.11ac(VHT20)	36	5180	9.50	-	11.50
		44	5220	9.50	-	11.50
		48	5240	9.50	-	11.50
	802.11ac(VHT40)	38	5190	9.50	-	11.50
		46	5230	9.50	-	11.50
	802.11ac(VHT80)	42	5210	8.50	-	10.50
5.3	802.11a	52	5260	9.50	-	11.50
		60	5300	9.50	-	11.50
		64	5320	9.50	-	11.50
	802.11n(HT20)	52	5260	9.50	-	11.50
		60	5300	9.50	-	11.50
		64	5320	9.50	-	11.50
	802.11n(HT40)	54	5270	9.50	-	11.50
		62	5310	9.50	-	11.50
	802.11ac(VHT20)	52	5260	9.50	-	11.50
		60	5300	9.50	-	11.50
		64	5320	9.50	-	11.50
	802.11ac(VHT40)	54	5270	9.50	-	11.50
		62	5310	9.50	-	11.50
	802.11ac(VHT80)	58	5290	8.50	-	10.50
5.6	802.11a	100	5500	9.50	-	11.50
		116	5580	9.50	-	11.50
		140	5700	9.50	-	11.50
		144	5720	8.00	-	10.00
	802.11n(HT20)	100	5500	9.50	-	11.50
		116	5580	9.50	-	11.50
		140	5700	9.50	-	11.50
		144	5720	8.00	-	10.00
	802.11n(HT40)	102	5510	8.50	-	10.50
		110	5550	9.50	-	11.50
		118	5590	9.50	-	11.50
		134	5670	9.50	-	11.50
		142	5710	8.00	-	10.00
	802.11ac(VHT20)	100	5500	9.50	-	11.50
		116	5580	9.50	-	11.50
		140	5700	9.50	-	11.50
		144	5720	8.00	-	10.00
	802.11ac(VHT40)	102	5510	9.50	-	11.50
		118	5590	9.50	-	11.50
		134	5670	9.50	-	11.50
		142	5710	8.00	-	10.00
	802.11ac(VHT80)	106	5530	8.50	-	10.50
		122	5610	8.50	-	10.50
		138	5690	8.50	-	10.50
		144	5720	0.00	-	2.00
5.8	802.11a	149	5745	9.50	-	11.50
		157	5785	9.50	-	11.50
		165	5825	9.50	-	11.50
		144	5720	0.00	-	2.00
	802.11n(HT20)	149	5745	9.50	-	11.50
		157	5785	9.50	-	11.50
		165	5825	9.50	-	11.50
	802.11n(HT40)	142	5710	-4.00	-	-2.00
		151	5755	9.50	-	11.50
		159	5795	9.50	-	11.50
		144	5720	0.00	-	2.00

	802.11ac(VHT20)	149	5745	9.50	-	11.50
		157	5785	9.50	-	11.50
		165	5825	9.50	-	11.50
	802.11ac(VHT40)	142	5710	-4.00	-	-2.00
		151	5755	9.50	-	11.50
		159	5795	9.50	-	11.50
	802.11ac(VHT80)	138	5690	-7.00	-	-5.00
		155	5775	8.50	-	10.50

RF Power Range (WIFI-Level2-ANT6)

Band (GHz)	Mode	Channel	Frequency (MHz)	Range(dBm)		
5.2	802.11a	36	5180	7.00	-	9.00
		44	5220	7.00	-	9.00
		48	5240	7.00	-	9.00
	802.11n(HT20)	36	5180	7.00	-	9.00
		44	5220	7.00	-	9.00
		48	5240	7.00	-	9.00
	802.11n(HT40)	38	5190	7.00	-	9.00
		46	5230	7.00	-	9.00
	802.11ac(VHT20)	36	5180	7.00	-	9.00
		44	5220	7.00	-	9.00
		48	5240	7.00	-	9.00
	802.11ac(VHT40)	38	5190	7.00	-	9.00
		46	5230	7.00	-	9.00
	802.11ac(VHT80)	42	5210	7.00	-	9.00
5.3	802.11a	52	5260	7.00	-	9.00
		60	5300	7.00	-	9.00
		64	5320	7.00	-	9.00
	802.11n(HT20)	52	5260	7.00	-	9.00
		60	5300	7.00	-	9.00
		64	5320	7.00	-	9.00
	802.11n(HT40)	54	5270	7.00	-	9.00
		62	5310	7.00	-	9.00
	802.11ac(VHT20)	52	5260	7.00	-	9.00
		60	5300	7.00	-	9.00
		64	5320	7.00	-	9.00
	802.11ac(VHT40)	54	5270	7.00	-	9.00
		62	5310	7.00	-	9.00
	802.11ac(VHT80)	58	5290	7.00	-	9.00
5.6	802.11a	100	5500	7.00	-	9.00
		116	5580	7.00	-	9.00
		140	5700	7.00	-	9.00
		144	5720	7.00	-	9.00
	802.11n(HT20)	100	5500	7.00	-	9.00
		116	5580	7.00	-	9.00
		140	5700	7.00	-	9.00
		144	5720	7.00	-	9.00
	802.11n(HT40)	102	5510	7.00	-	9.00
		110	5550	#VALUE!	-	/
		118	5590	7.00	-	9.00
		134	5670	7.00	-	9.00
	802.11ac(VHT20)	142	5710	7.00	-	9.00
		100	5500	7.00	-	9.00
		116	5580	7.00	-	9.00
		140	5700	7.00	-	9.00
	802.11ac(VHT40)	144	5720	7.00	-	9.00
		102	5510	7.00	-	9.00
		118	5590	7.00	-	9.00
		134	5670	7.00	-	9.00
	802.11ac(VHT80)	142	5710	7.00	-	9.00
		106	5530	7.00	-	9.00
		122	5610	7.00	-	9.00
		138	5690	7.00	-	9.00
5.8	802.11a	144	5720	0.00	-	2.00
		149	5745	7.00	-	9.00
		157	5785	7.00	-	9.00
		165	5825	7.00	-	9.00
	802.11n(HT20)	144	5720	0.00	-	2.00
		149	5745	7.00	-	9.00
		157	5785	7.00	-	9.00
		165	5825	7.00	-	9.00
	802.11n(HT40)	142	5710	-4.00	-	-2.00
		151	5755	7.00	-	9.00
		159	5795	7.00	-	9.00
		144	5720	0.00	-	2.00

	802.11ac(VHT20)	149	5745	7.00	-	9.00
		157	5785	7.00	-	9.00
		165	5825	7.00	-	9.00
	802.11ac(VHT40)	142	5710	-4.00	-	-2.00
		151	5755	7.00	-	9.00
		159	5795	7.00	-	9.00
	802.11ac(VHT80)	138	5690	-7.00	-	-5.00
		155	5775	7.00	-	9.00

RF Power Range (Bluetooth-ANT2)

Test Mode	Modulation	Channel number	Frequency(MHz)	Range(dBm)		
BT	N77(3450-3550)	0	2402	9.50	-	11.50
		39	2441	9.50	-	11.50
		78	2480	9.50	-	11.50
	2DH5	0	2402	8.50	-	10.50
		39	2441	8.50	-	10.50
		78	2480	8.50	-	10.50
	3DH5	0	2402	8.50	-	10.50
		39	2441	8.50	-	10.50
		78	2480	8.50	-	10.50
	BLE-1M	0	2402	4.50	-	6.50
		19	2440	4.50	-	6.50
		39	2480	4.50	-	6.50
	BLE-2M	1	2404	4.50	-	6.50
		19	2440	4.50	-	6.50
		38	2478	4.50	-	6.50