



3.20. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	6.61	13	Pass




3.21. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	4.5	13	Pass




3.22. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	4.31	13	Pass




3.23. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	5.53	13	Pass




3.24. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	5.06	13	Pass




3.25. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	7.69	13	Pass




3.26. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	6.19	13	Pass




3.27. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	6.56	13	Pass




3.28. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	6.42	13	Pass




3.29. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	7.27	13	Pass




3.30. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	6.61	13	Pass




4. n78(3450-3550)

4.1. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




4.2. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	4.22	13	Pass




4.3. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	5.48	13	Pass




4.4. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	4.78	13	Pass




4.5. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	7.55	13	Pass




4.6. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	5.86	13	Pass




4.7. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	6.61	13	Pass




4.8. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	6.37	13	Pass




4.9. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	7.27	13	Pass




4.10. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	6.56	13	Pass




4.11. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	4.5	13	Pass




4.12. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	4.31	13	Pass




4.13. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	5.67	13	Pass




4.14. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	5.06	13	Pass




4.15. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	7.73	13	Pass




4.16. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	6.09	13	Pass




4.17. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	6.61	13	Pass




4.18. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	6.47	13	Pass




4.19. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	7.31	13	Pass




4.20. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	6.56	13	Pass




4.21. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	4.55	13	Pass




4.22. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	4.36	13	Pass




4.23. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	5.53	13	Pass




4.24. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	5.06	13	Pass




4.25. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	7.69	13	Pass




4.26. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	6.14	13	Pass




4.27. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	6.75	13	Pass




4.28. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	6.42	13	Pass




4.29. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	7.31	13	Pass




4.30. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	6.61	13	Pass




5. n77(3700-3980)

5.1. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




5.2. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	4.36	13	Pass




5.3. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	5.58	13	Pass




5.4. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	5.3	13	Pass




5.5. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	7.83	13	Pass




5.6. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	6.33	13	Pass




5.7. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	6.66	13	Pass




5.8. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	6.56	13	Pass




5.9. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	7.36	13	Pass




5.10. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	6.56	13	Pass




5.11. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	20	4.55	13	Pass




5.12. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	20	4.12	13	Pass




5.13. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	20	5.67	13	Pass




5.14. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	20	4.64	13	Pass




5.15. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	20	7.36	13	Pass




5.16. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	20	5.67	13	Pass




5.17. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	20	6.66	13	Pass




5.18. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	20	6.14	13	Pass




5.19. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	20	7.36	13	Pass




5.20. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	20	6.66	13	Pass




5.21. Peak to Average Ratio for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	4.36	13	Pass




5.22. Peak to Average Ratio for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	3.98	13	Pass




5.23. Peak to Average Ratio for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	5.62	13	Pass




5.24. Peak to Average Ratio for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	4.55	13	Pass




5.25. Peak to Average Ratio for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	7.41	13	Pass




5.26. Peak to Average Ratio for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	5.58	13	Pass




5.27. Peak to Average Ratio for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	6.7	13	Pass




5.28. Peak to Average Ratio for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	6.14	13	Pass




5.29. Peak to Average Ratio for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	7.36	13	Pass




5.30. Peak to Average Ratio for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	6.66	13	Pass




6. n12 15kHz

6.1. Peak to Average Ratio for SA_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




6.2. Peak to Average Ratio for SA_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
706.5	0.1	18	4.45	13	Pass




6.3. Peak to Average Ratio for SA_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
706.5	0.1	18	4.45	13	Pass




6.4. Peak to Average Ratio for SA_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
706.5	0.1	18	5.3	13	Pass




6.5. Peak to Average Ratio for SA_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
706.5	0.1	18	5.34	13	Pass




6.6. Peak to Average Ratio for SA_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
706.5	0.1	18	6.19	13	Pass




6.7. Peak to Average Ratio for SA_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
706.5	0.1	18	6.19	13	Pass




6.8. Peak to Average Ratio for SA_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
706.5	0.1	18	6.42	13	Pass




6.9. Peak to Average Ratio for SA_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
706.5	0.1	18	5.95	13	Pass




6.10. Peak to Average Ratio for SA_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
706.5	0.1	18	6.52	13	Pass




6.11. Peak to Average Ratio for SA_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	18	4.08	13	Pass




6.12. Peak to Average Ratio for SA_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	18	4.41	13	Pass




6.13. Peak to Average Ratio for SA_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	18	4.5	13	Pass




6.14. Peak to Average Ratio for SA_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	18	5.3	13	Pass




6.15. Peak to Average Ratio for SA_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	18	5.34	13	Pass




6.16. Peak to Average Ratio for SA_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	18	6.14	13	Pass




6.17. Peak to Average Ratio for SA_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	18	6.23	13	Pass




6.18. Peak to Average Ratio for SA_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	18	6.47	13	Pass




6.19. Peak to Average Ratio for SA_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




6.20. Peak to Average Ratio for SA_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	18	6.52	13	Pass




6.21. Peak to Average Ratio for SA_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
708.5	0.1	18	4.22	13	Pass




6.22. Peak to Average Ratio for SA_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
708.5	0.1	18	4.36	13	Pass




6.23. Peak to Average Ratio for SA_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
708.5	0.1	18	4.55	13	Pass




6.24. Peak to Average Ratio for SA_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
708.5	0.1	18	5.34	13	Pass




6.25. Peak to Average Ratio for SA_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
708.5	0.1	18	5.44	13	Pass




6.26. Peak to Average Ratio for SA_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
708.5	0.1	18	6.19	13	Pass




6.27. Peak to Average Ratio for SA_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
708.5	0.1	18	6.42	13	Pass




6.28. Peak to Average Ratio for SA_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
708.5	0.1	18	6.42	13	Pass




6.29. Peak to Average Ratio for SA_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
708.5	0.1	18	6.09	13	Pass




6.30. Peak to Average Ratio for SA_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
708.5	0.1	18	6.52	13	Pass




5. n71 15kHz

5.31. Peak to Average Ratio for SA_Part22-24-27(Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




5.32. Peak to Average Ratio for SA_Part22-24-27(Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
673	0.1	20	4.55	13	Pass




5.33. Peak to Average Ratio for SA_Part22-24-27(Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
673	0.1	20	4.59	13	Pass




5.34. Peak to Average Ratio for SA_Part22-24-27(Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
673	0.1	20	5.48	13	Pass




5.35. Peak to Average Ratio for SA_Part22-24-27(Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
673	0.1	20	5.53	13	Pass




5.36. Peak to Average Ratio for SA_Part22-24-27(Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
673	0.1	20	6.33	13	Pass




5.37. Peak to Average Ratio for SA_Part22-24-27(Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
673	0.1	20	6.47	13	Pass




5.38. Peak to Average Ratio for SA_Part22-24-27(Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
673	0.1	20	6.66	13	Pass




5.39. Peak to Average Ratio for SA_Part22-24-27(Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
673	0.1	20	6.94	13	Pass




5.40. Peak to Average Ratio for SA_Part22-24-27(Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
673	0.1	20	6.8	13	Pass




5.41. Peak to Average Ratio for SA_Part22-24-27(Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
680.5	0.1	20	4.36	13	Pass




5.42. Peak to Average Ratio for SA_Part22-24-27(Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
680.5	0.1	20	4.36	13	Pass




5.43. Peak to Average Ratio for SA_Part22-24-27(Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
680.5	0.1	20	4.69	13	Pass




5.44. Peak to Average Ratio for SA_Part22-24-27(Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
680.5	0.1	20	5.48	13	Pass




5.45. Peak to Average Ratio for SA_Part22-24-27(Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
680.5	0.1	20	5.58	13	Pass




5.46. Peak to Average Ratio for SA_Part22-24-27(Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
680.5	0.1	20	6.37	13	Pass




5.47. Peak to Average Ratio for SA_Part22-24-27(Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
680.5	0.1	20	6.66	13	Pass




5.48. Peak to Average Ratio for SA_Part22-24-27(Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
680.5	0.1	20	6.61	13	Pass




5.49. Peak to Average Ratio for SA_Part22-24-27(Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
680.5	0.1	20	6.98	13	Pass




5.50. Peak to Average Ratio for SA_Part22-24-27(Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
680.5	0.1	20	6.7	13	Pass




5.51. Peak to Average Ratio for SA_Part22-24-27(Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
688	0.1	20	4.41	13	Pass




5.52. Peak to Average Ratio for SA_Part22-24-27(Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
688	0.1	20	4.5	13	Pass




5.53. Peak to Average Ratio for SA_Part22-24-27(Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
688	0.1	20	4.69	13	Pass




5.54. Peak to Average Ratio for SA_Part22-24-27(Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
688	0.1	20	5.53	13	Pass




5.55. Peak to Average Ratio for SA_Part22-24-27(Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
688	0.1	20	5.67	13	Pass




5.56. Peak to Average Ratio for SA_Part22-24-27(Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
688	0.1	20	6.33	13	Pass




5.57. Peak to Average Ratio for SA_Part22-24-27(Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
688	0.1	20	6.75	13	Pass




5.58. Peak to Average Ratio for SA_Part22-24-27(Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
688	0.1	20	6.61	13	Pass




5.59. Peak to Average Ratio for SA_Part22-24-27(Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
688	0.1	20	7.03	13	Pass



5.60. Peak to Average Ratio for SA_Part22-24-27(Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
688	0.1	20	6.8	13	Pass



8. n26 15kHz(824-849)


8.1. Peak to Average Ratio for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	3.89	13	Pass




8.2. Peak to Average Ratio for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	4.5	13	Pass




8.3. Peak to Average Ratio for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	4.27	13	Pass




8.4. Peak to Average Ratio for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	5.58	13	Pass




8.5. Peak to Average Ratio for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	5.16	13	Pass




8.6. Peak to Average Ratio for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	6.28	13	Pass




8.7. Peak to Average Ratio for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	6.05	13	Pass




8.8. Peak to Average Ratio for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	6.52	13	Pass




8.9. Peak to Average Ratio for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	6.7	13	Pass




8.10. Peak to Average Ratio for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	6.56	13	Pass




1.2. Peak to Average Ratio for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	3.98	13	Pass




8.11. Peak to Average Ratio for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	4.08	13	Pass




8.12. Peak to Average Ratio for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	4.5	13	Pass




8.13. Peak to Average Ratio for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	5.44	13	Pass




8.14. Peak to Average Ratio for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	5.34	13	Pass




8.15. Peak to Average Ratio for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	6.23	13	Pass




8.16. Peak to Average Ratio for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	6.19	13	Pass




8.17. Peak to Average Ratio for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	6.42	13	Pass




8.18. Peak to Average Ratio for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	6.7	13	Pass




8.19. Peak to Average Ratio for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	6.56	13	Pass




8.20. Peak to Average Ratio for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	4.12	13	Pass




8.21. Peak to Average Ratio for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	4.27	13	Pass




8.22. Peak to Average Ratio for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	4.41	13	Pass




8.23. Peak to Average Ratio for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	5.44	13	Pass




8.24. Peak to Average Ratio for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	5.34	13	Pass




8.25. Peak to Average Ratio for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	6.19	13	Pass




8.26. Peak to Average Ratio for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	6.33	13	Pass




8.27. Peak to Average Ratio for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	6.47	13	Pass




8.28. Peak to Average Ratio for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	6.8	13	Pass



8.29. Peak to Average Ratio for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	6.47	13	Pass



7. n78(3700-3800)


7.1. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	4.45	13	Pass




7.2. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	4.36	13	Pass




7.3. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	5.58	13	Pass




7.4. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	5.11	13	Pass




7.5. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	7.78	13	Pass




7.6. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)




7.7. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	6.61	13	Pass




7.8. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	6.52	13	Pass




7.9. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	7.31	13	Pass




7.10. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	6.61	13	Pass




7.11. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	20	4.59	13	Pass




7.12. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	20	4.31	13	Pass




7.13. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	20	5.72	13	Pass




7.14. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	20	4.92	13	Pass




7.15. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	20	7.64	13	Pass




7.16. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	20	6	13	Pass




7.17. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	20	6.89	13	Pass




7.18. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	20	6.52	13	Pass




7.19. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	20	7.36	13	Pass




7.20. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	20	6.61	13	Pass




7.21. Peak to Average Ratio for SA_Part22-24-27(Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3789.99	0.1	20	4.59	13	Pass



7.22. Peak to Average Ratio for SA_Part22-24-27(Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3789.99	0.1	20	4.17	13	Pass



7.23. Peak to Average Ratio for SA_Part22-24-27(Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3789.99	0.1	20	5.62	13	Pass

