

8.17. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
710	99	26	0.2	Peak	8.98	9.84	10	Pass




8.18. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:23790, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
710	99	26	0.2	Peak	8.94	9.75	10	Pass




8.19. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:23790, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
710	99	26	0.2	Peak	8.95	9.82	10	Pass




8.20. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:23790, Bandwidth:10, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
710	99	26	0.2	Peak	8.94	9.75	10	Pass




8.21. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.2	Peak	8.97	9.81	10	Pass




8.22. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.2	Peak	8.93	9.73	10	Pass




8.23. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:23800, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.2	Peak	8.96	9.84	10	Pass



8.24. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:23800, Bandwidth:10, Modulation:256QAM, RB Number:50, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.2	Peak	8.95	9.77	10	Pass



11. LTE_Band26(part22)


11.1. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
824.7	99	26	0.027	Peak	1.09	1.27	1.4	Pass




11.2. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26797, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
824.7	99	26	0.027	Peak	1.09	1.28	1.4	Pass




11.3. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26797, Bandwidth:1.4, Modulation:64QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
824.7	99	26	0.027	Peak	1.09	1.29	1.4	Pass




11.4. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26797, Bandwidth:1.4, Modulation:256QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
824.7	99	26	0.027	Peak	1.09	1.26	1.4	Pass




11.5. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.027	Peak	1.09	1.26	1.4	Pass




11.6. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26915, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.027	Peak	1.09	1.27	1.4	Pass




11.7. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26915, Bandwidth:1.4, Modulation:64QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.027	Peak	1.09	1.29	1.4	Pass




11.8. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26915, Bandwidth:1.4, Modulation:256QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.027	Peak	1.08	1.26	1.4	Pass




11.9. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.3	99	26	0.027	Peak	1.09	1.26	1.4	Pass




11.10. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:27033, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.3	99	26	0.027	Peak	1.1	1.25	1.4	Pass




11.11. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:27033, Bandwidth:1.4, Modulation:64QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.3	99	26	0.027	Peak	1.09	1.3	1.4	Pass




11.12. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:27033, Bandwidth:1.4, Modulation:256QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.3	99	26	0.027	Peak	1.08	1.25	1.4	Pass




11.13. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
825.5	99	26	0.062	Peak	2.68	2.95	3	Pass




11.14. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26805, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
825.5	99	26	0.062	Peak	2.69	2.95	3	Pass




11.15. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26805, Bandwidth:3, Modulation:64QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
825.5	99	26	0.062	Peak	2.69	2.94	3	Pass




11.16. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26805, Bandwidth:3, Modulation:256QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
825.5	99	26	0.062	Peak	2.69	2.96	3	Pass




11.17. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.062	Peak	2.68	2.94	3	Pass




11.18. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26915, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.062	Peak	2.69	2.95	3	Pass




11.19. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26915, Bandwidth:3, Modulation:64QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.062	Peak	2.69	2.93	3	Pass




11.20. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26915, Bandwidth:3, Modulation:256QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.062	Peak	2.69	2.95	3	Pass




11.21. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
847.5	99	26	0.062	Peak	2.68	2.94	3	Pass




11.22. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:27025, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
847.5	99	26	0.062	Peak	2.68	2.93	3	Pass




11.23. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:27025, Bandwidth:3, Modulation:64QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
847.5	99	26	0.062	Peak	2.68	2.93	3	Pass




11.24. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:27025, Bandwidth:3, Modulation:256QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
847.5	99	26	0.062	Peak	2.68	3.11	3	Pass




11.25. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.49	4.97	5	Pass




11.26. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26815, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.49	4.93	5	Pass




11.27. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26815, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.49	4.97	5	Pass




11.28. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26815, Bandwidth:5, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.48	4.9	5	Pass




11.29. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.48	4.96	5	Pass




11.30. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26915, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.48	4.91	5	Pass




11.31. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26915, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.48	4.95	5	Pass




11.32. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26915, Bandwidth:5, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.48	4.89	5	Pass




11.33. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.47	5.06	5	Pass




11.34. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:27015, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.47	4.97	5	Pass




11.35. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:27015, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.47	5.09	5	Pass




11.36. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:27015, Bandwidth:5, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.46	4.87	5	Pass




11.37. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.2	Peak	9	9.84	10	Pass




11.38. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26840, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.2	Peak	8.95	9.83	10	Pass




11.39. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26840, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.2	Peak	8.97	9.91	10	Pass




11.40. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26840, Bandwidth:10, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.2	Peak	8.97	9.76	10	Pass




11.41. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.2	Peak	8.97	9.8	10	Pass




11.42. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26915, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.2	Peak	8.95	9.74	10	Pass




11.43. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26915, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.2	Peak	8.94	9.8	10	Pass




11.44. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26915, Bandwidth:10, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.2	Peak	8.95	9.67	10	Pass




11.45. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.2	Peak	8.95	9.79	10	Pass




11.46. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26990, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.2	Peak	8.92	10.26	10	Pass




11.47. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26990, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.2	Peak	8.94	9.8	10	Pass




11.48. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26990, Bandwidth:10, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.2	Peak	8.93	9.7	10	Pass




11.49. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.3	Peak	13.46	14.71	15	Pass




11.50. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26865, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.3	Peak	13.45	14.63	15	Pass




11.51. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26865, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.3	Peak	13.47	14.7	15	Pass




11.52. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26865, Bandwidth:15, Modulation:256QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.3	Peak	13.46	14.57	15	Pass




11.53. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.3	Peak	13.41	14.67	15	Pass




11.54. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26915, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.3	Peak	13.42	14.62	15	Pass




11.55. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26915, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.3	Peak	13.42	14.69	15	Pass




11.56. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26915, Bandwidth:15, Modulation:256QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.3	Peak	13.42	14.51	15	Pass




11.57. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.3	Peak	13.4	14.59	15	Pass




11.58. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26965, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.3	Peak	13.39	14.61	15	Pass




11.59. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26965, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.3	Peak	13.38	14.61	15	Pass



11.60. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:26965, Bandwidth:15, Modulation:256QAM, RB Number:75, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.3	Peak	13.38	14.52	15	Pass



12. LTE_Band66


12.1. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1710.7	99	26	0.027	Peak	1.09	1.27	1.4	Pass




12.2. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1710.7	99	26	0.027	Peak	1.09	1.29	1.4	Pass




12.3. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:131979, Bandwidth:1.4, Modulation:64QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1710.7	99	26	0.027	Peak	1.09	1.3	1.4	Pass




12.4. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:131979, Bandwidth:1.4, Modulation:256QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1710.7	99	26	0.027	Peak	1.09	1.27	1.4	Pass




12.5. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.027	Peak	1.09	1.27	1.4	Pass




12.6. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132322, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.027	Peak	1.09	1.28	1.4	Pass




12.7. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132322, Bandwidth:1.4, Modulation:64QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.027	Peak	1.09	1.29	1.4	Pass




12.8. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132322, Bandwidth:1.4, Modulation:256QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.027	Peak	1.08	1.26	1.4	Pass




12.9. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1779.3	99	26	0.027	Peak	1.09	1.27	1.4	Pass




12.10. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1779.3	99	26	0.027	Peak	1.09	1.29	1.4	Pass




12.11. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132665, Bandwidth:1.4, Modulation:64QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1779.3	99	26	0.027	Peak	1.09	1.29	1.4	Pass




12.12. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132665, Bandwidth:1.4, Modulation:256QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1779.3	99	26	0.027	Peak	1.08	1.25	1.4	Pass




12.13. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1711.5	99	26	0.062	Peak	2.69	2.93	3	Pass




12.14. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:131987, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1711.5	99	26	0.062	Peak	2.69	2.95	3	Pass




12.15. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:131987, Bandwidth:3, Modulation:64QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1711.5	99	26	0.062	Peak	2.69	2.93	3	Pass




12.16. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:131987, Bandwidth:3, Modulation:256QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1711.5	99	26	0.062	Peak	2.69	2.95	3	Pass




12.17. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.062	Peak	2.68	2.93	3	Pass




12.18. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132322, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.062	Peak	2.69	2.94	3	Pass




12.19. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132322, Bandwidth:3, Modulation:64QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.062	Peak	2.69	2.94	3	Pass




12.20. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132322, Bandwidth:3, Modulation:256QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.062	Peak	2.69	2.97	3	Pass




12.21. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1778.5	99	26	0.062	Peak	2.68	2.95	3	Pass




12.22. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132657, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1778.5	99	26	0.062	Peak	2.69	2.94	3	Pass




12.23. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132657, Bandwidth:3, Modulation:64QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1778.5	99	26	0.062	Peak	2.69	2.94	3	Pass




12.24. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132657, Bandwidth:3, Modulation:256QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1778.5	99	26	0.062	Peak	2.69	2.96	3	Pass




12.25. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.49	4.97	5	Pass




12.26. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:131997, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.48	4.97	5	Pass




12.27. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:131997, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.49	4.94	5	Pass




12.28. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:131997, Bandwidth:5, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.48	4.9	5	Pass




12.29. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.1	Peak	4.49	4.97	5	Pass




12.30. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132322, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.1	Peak	4.49	4.91	5	Pass




12.31. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132322, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.1	Peak	4.48	5.09	5	Pass




12.32. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132322, Bandwidth:5, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.1	Peak	4.48	4.9	5	Pass




12.33. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1777.5	99	26	0.1	Peak	4.49	4.97	5	Pass




12.34. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132647, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1777.5	99	26	0.1	Peak	4.48	4.92	5	Pass




12.35. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132647, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1777.5	99	26	0.1	Peak	4.48	4.95	5	Pass




12.36. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132647, Bandwidth:5, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1777.5	99	26	0.1	Peak	4.47	4.89	5	Pass




12.37. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.2	Peak	8.97	9.81	10	Pass




12.38. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132022, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.2	Peak	8.95	9.72	10	Pass




12.39. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132022, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.2	Peak	8.95	9.8	10	Pass




12.40. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132022, Bandwidth:10, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.2	Peak	8.94	9.74	10	Pass




12.41. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.2	Peak	8.97	9.78	10	Pass




12.42. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132322, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.2	Peak	8.95	9.75	10	Pass




12.43. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132322, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.2	Peak	8.95	9.81	10	Pass




12.44. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132322, Bandwidth:10, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.2	Peak	8.95	9.75	10	Pass




12.45. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1775	99	26	0.2	Peak	8.97	9.78	10	Pass




12.46. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132622, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1775	99	26	0.2	Peak	8.93	9.7	10	Pass




12.47. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132622, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1775	99	26	0.2	Peak	8.95	9.8	10	Pass




12.48. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132622, Bandwidth:10, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1775	99	26	0.2	Peak	8.92	9.73	10	Pass




12.49. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.3	Peak	13.42	14.66	15	Pass




12.50. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132047, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.3	Peak	13.43	14.62	15	Pass




12.51. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132047, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.3	Peak	13.41	14.6	15	Pass




12.52. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132047, Bandwidth:15, Modulation:256QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.3	Peak	13.43	14.55	15	Pass




12.53. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.3	Peak	13.44	14.71	15	Pass




12.54. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132322, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.3	Peak	13.43	14.65	15	Pass




12.56. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132322, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.3	Peak	13.43	14.69	15	Pass




12.57. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132322, Bandwidth:15, Modulation:256QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.3	Peak	13.42	14.5	15	Pass




12.58. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1772.5	99	26	0.3	Peak	13.41	14.66	15	Pass




12.59. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132597, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1772.5	99	26	0.3	Peak	13.43	14.67	15	Pass




12.60. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132597, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1772.5	99	26	0.3	Peak	13.42	14.7	15	Pass




12.61. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132597, Bandwidth:15, Modulation:256QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1772.5	99	26	0.3	Peak	13.43	14.55	15	Pass




12.62. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.88	19.39	20	Pass




12.63. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132072, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.88	19.41	20	Pass




12.64. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132072, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.9	19.39	20	Pass




12.65. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132072, Bandwidth:20, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.86	19.27	20	Pass




12.66. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	17.9	19.38	20	Pass




12.67. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132322, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	17.9	19.43	20	Pass




12.68. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132322, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	17.91	19.39	20	Pass




12.69. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132322, Bandwidth:20, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	17.86	19.27	20	Pass




12.70. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1770	99	26	0.39	Peak	17.93	19.34	20	Pass




12.71. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132572, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1770	99	26	0.39	Peak	17.9	19.43	20	Pass




12.72. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132572, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1770	99	26	0.39	Peak	17.93	19.44	20	Pass



12.73. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132572, Bandwidth:20, Modulation:256QAM, RB Number:100, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1770	99	26	0.39	Peak	17.89	19.27	20	Pass



13. LTE_Band71


13.1. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
665.5	99	26	0.1	Peak	4.47	4.95	5	Pass




13.2. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133147, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
665.5	99	26	0.1	Peak	4.48	4.92	5	Pass




13.3. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133147, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
665.5	99	26	0.1	Peak	4.48	4.96	5	Pass




13.4. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133147, Bandwidth:5, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
665.5	99	26	0.1	Peak	4.47	4.88	5	Pass




13.5. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133297, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.1	Peak	4.48	4.96	5	Pass




13.6. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133297, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.1	Peak	4.49	4.92	5	Pass




13.7. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133297, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.1	Peak	4.48	4.97	5	Pass




13.8. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133297, Bandwidth:5, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.1	Peak	4.48	4.9	5	Pass




13.9. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133447, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
695.5	99	26	0.1	Peak	4.49	4.97	5	Pass




13.10. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133447, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
695.5	99	26	0.1	Peak	4.48	4.94	5	Pass




13.11. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133447, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
695.5	99	26	0.1	Peak	4.49	4.97	5	Pass




13.12. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133447, Bandwidth:5, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
695.5	99	26	0.1	Peak	4.48	4.9	5	Pass




13.13. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133172, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
668	99	26	0.2	Peak	8.98	10.56	10	Pass




13.14. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133172, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
668	99	26	0.2	Peak	8.94	9.74	10	Pass




13.15. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133172, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
668	99	26	0.2	Peak	8.95	9.81	10	Pass




13.16. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133172, Bandwidth:10, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
668	99	26	0.2	Peak	8.95	9.71	10	Pass




13.17. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133297, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.2	Peak	8.97	9.82	10	Pass




13.18. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133297, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.2	Peak	8.94	9.74	10	Pass




13.19. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133297, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.2	Peak	8.96	9.84	10	Pass




13.20. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133297, Bandwidth:10, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.2	Peak	8.94	9.75	10	Pass




13.21. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
693	99	26	0.2	Peak	8.98	9.83	10	Pass




13.22. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133422, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
693	99	26	0.2	Peak	8.95	9.76	10	Pass




13.23. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133422, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
693	99	26	0.2	Peak	8.95	9.8	10	Pass




13.24. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133422, Bandwidth:10, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
693	99	26	0.2	Peak	8.96	9.76	10	Pass




13.25. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
670.5	99	26	0.3	Peak	13.44	14.72	15	Pass




13.26. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133197, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
670.5	99	26	0.3	Peak	13.45	14.66	15	Pass




13.27. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133197, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
670.5	99	26	0.3	Peak	13.45	14.69	15	Pass




13.28. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133197, Bandwidth:15, Modulation:256QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
670.5	99	26	0.3	Peak	13.45	14.59	15	Pass




13.29. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133297, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.3	Peak	13.42	14.65	15	Pass




13.30. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133297, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.3	Peak	13.43	14.63	15	Pass




13.31. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133297, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.3	Peak	13.44	14.69	15	Pass




13.32. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133297, Bandwidth:15, Modulation:256QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.3	Peak	13.42	14.58	15	Pass




13.33. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
690.5	99	26	0.3	Peak	13.45	14.7	15	Pass




13.34. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133397, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
690.5	99	26	0.3	Peak	13.43	14.69	15	Pass




13.35. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133397, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
690.5	99	26	0.3	Peak	13.43	14.69	15	Pass




13.36. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133397, Bandwidth:15, Modulation:256QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
690.5	99	26	0.3	Peak	13.45	14.57	15	Pass




13.37. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
673	99	26	0.39	Peak	17.91	19.39	20	Pass




13.38. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133222, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
673	99	26	0.39	Peak	17.91	19.43	20	Pass




13.39. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133222, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
673	99	26	0.39	Peak	17.9	19.36	20	Pass




13.40. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133222, Bandwidth:20, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
673	99	26	0.39	Peak	17.91	19.21	20	Pass




13.41. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133322, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
683	99	26	0.39	Peak	17.92	19.41	20	Pass




13.42. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133322, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
683	99	26	0.39	Peak	17.91	19.42	20	Pass




13.43. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133322, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
683	99	26	0.39	Peak	17.91	19.37	20	Pass




13.44. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133322, Bandwidth:20, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
683	99	26	0.39	Peak	17.91	19.37	20	Pass




13.45. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
688	99	26	0.39	Peak	17.9	19.34	20	Pass




13.46. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133372, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
688	99	26	0.39	Peak	17.95	19.41	20	Pass




13.47. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133372, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
688	99	26	0.39	Peak	17.93	19.37	20	Pass



13.48. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:133372, Bandwidth:20, Modulation:256QAM, RB Number:100, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
688	99	26	0.39	Peak	17.93	19.31	20	Pass



14. LTE_Band38


14.1. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2572.5	99	26	0.1	Peak	4.52	5.64	5	Pass




14.2. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:37775, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2572.5	99	26	0.1	Peak	4.5	5.29	5	Pass




14.3. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:37775, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2572.5	99	26	0.1	Peak	4.51	5.51	5	Pass




14.4. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:37775, Bandwidth:5, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2572.5	99	26	0.1	Peak	4.5	5.57	5	Pass




14.5. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.1	Peak	4.51	5.73	5	Pass




14.6. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:38000, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.1	Peak	4.5	5.32	5	Pass




14.7. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:38000, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.1	Peak	4.51	5.51	5	Pass




14.8. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:38000, Bandwidth:5, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.1	Peak	4.5	5.79	5	Pass




14.9. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2617.5	99	26	0.1	Peak	4.51	5.68	5	Pass




14.10. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:38225, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2617.5	99	26	0.1	Peak	4.5	5.26	5	Pass




14.11. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:38225, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2617.5	99	26	0.1	Peak	4.51	5.5	5	Pass




14.12. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:38225, Bandwidth:5, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2617.5	99	26	0.1	Peak	4.5	5.58	5	Pass




14.13. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2575	99	26	0.2	Peak	9.01	10.73	10	Pass




14.14. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:37800, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2575	99	26	0.2	Peak	8.98	11.82	10	Pass




14.15. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:37800, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2575	99	26	0.2	Peak	9.05	11.46	10	Pass




14.16. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:37800, Bandwidth:10, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2575	99	26	0.2	Peak	8.99	10.5	10	Pass




14.17. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.2	Peak	9	10.77	10	Pass




14.18. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:38000, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.2	Peak	9	11.89	10	Pass




14.19. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:38000, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.2	Peak	9.04	11.47	10	Pass




14.20. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:38000, Bandwidth:10, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.2	Peak	8.99	10.49	10	Pass




14.21. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2615	99	26	0.2	Peak	8.99	10.57	10	Pass




14.22. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:38200, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2615	99	26	0.2	Peak	9	11.75	10	Pass




14.23. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:38200, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2615	99	26	0.2	Peak	9.04	11.44	10	Pass




14.24. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:38200, Bandwidth:10, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2615	99	26	0.2	Peak	8.99	10.49	10	Pass




14.25. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2577.5	99	26	0.3	Peak	13.51	16.46	15	Pass




14.26. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:37825, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2577.5	99	26	0.3	Peak	13.46	14.78	15	Pass




14.27. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:37825, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2577.5	99	26	0.3	Peak	13.51	17.94	15	Pass




14.28. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:37825, Bandwidth:15, Modulation:256QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2577.5	99	26	0.3	Peak	13.49	15.31	15	Pass




14.29. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.3	Peak	13.53	16.26	15	Pass




14.30. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:38000, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.3	Peak	13.47	14.79	15	Pass




14.31. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:38000, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.3	Peak	13.51	17.99	15	Pass




14.32. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:38000, Bandwidth:15, Modulation:256QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.3	Peak	13.48	15.36	15	Pass




14.33. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2612.5	99	26	0.3	Peak	13.53	16.52	15	Pass




14.34. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:38175, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2612.5	99	26	0.3	Peak	13.48	14.8	15	Pass




14.35. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:38175, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2612.5	99	26	0.3	Peak	13.51	17.97	15	Pass




14.36. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:38175, Bandwidth:15, Modulation:256QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2612.5	99	26	0.3	Peak	13.48	15.3	15	Pass




14.37. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2580	99	26	0.39	Peak	18.01	22.87	20	Pass




14.38. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:37850, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2580	99	26	0.39	Peak	17.99	24.2	20	Pass




14.39. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:37850, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2580	99	26	0.39	Peak	18.03	22.07	20	Pass




14.40. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:37850, Bandwidth:20, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2580	99	26	0.39	Peak	17.94	21.46	20	Pass




14.41. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.39	Peak	18.03	23	20	Pass




14.42. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:38000, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.39	Peak	17.99	24.13	20	Pass




14.43. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:38000, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.39	Peak	18.05	22.03	20	Pass




14.44. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:38000, Bandwidth:20, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.39	Peak	17.95	21.08	20	Pass




14.45. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2610	99	26	0.39	Peak	18.03	22.77	20	Pass




14.46. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:38150, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2610	99	26	0.39	Peak	18	24.13	20	Pass




14.47. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:38150, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2610	99	26	0.39	Peak	18.03	22.01	20	Pass



14.48. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:38150, Bandwidth:20, Modulation:256QAM, RB Number:100, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2610	99	26	0.39	Peak	17.94	21.28	20	Pass



15. LTE_Band41 full


15.1. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2498.5	99	26	0.1	Peak	4.51	5.66	5	Pass




15.2. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:39675, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2498.5	99	26	0.1	Peak	4.5	5.27	5	Pass




15.3. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:39675, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2498.5	99	26	0.1	Peak	4.51	5.47	5	Pass




15.4. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:39675, Bandwidth:5, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2498.5	99	26	0.1	Peak	4.49	5.55	5	Pass




15.5. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593	99	26	0.1	Peak	4.5	5.66	5	Pass




15.6. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:40620, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593	99	26	0.1	Peak	4.5	5.3	5	Pass




15.7. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:40620, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593	99	26	0.1	Peak	4.51	5.51	5	Pass




15.8. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:40620, Bandwidth:5, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593	99	26	0.1	Peak	4.49	5.6	5	Pass




15.9. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2687.5	99	26	0.1	Peak	4.51	5.76	5	Pass




15.10. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:41565, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2687.5	99	26	0.1	Peak	4.5	5.2	5	Pass




15.11. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:41565, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2687.5	99	26	0.1	Peak	4.51	5.49	5	Pass




15.12. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:41565, Bandwidth:5, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2687.5	99	26	0.1	Peak	4.5	5.58	5	Pass




15.13. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2501	99	26	0.2	Peak	9	10.53	10	Pass




15.14. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:39700, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2501	99	26	0.2	Peak	8.99	11.81	10	Pass




15.15. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:39700, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2501	99	26	0.2	Peak	9.03	11.42	10	Pass




15.16. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:39700, Bandwidth:10, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2501	99	26	0.2	Peak	8.99	10.44	10	Pass




15.17. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593	99	26	0.2	Peak	8.99	10.83	10	Pass




15.18. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:40620, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593	99	26	0.2	Peak	9	11.84	10	Pass




15.19. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:40620, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593	99	26	0.2	Peak	9.05	11.53	10	Pass




15.20. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:40620, Bandwidth:10, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593	99	26	0.2	Peak	8.98	10.45	10	Pass




15.21. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2685	99	26	0.2	Peak	9	10.43	10	Pass




15.22. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:41540, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2685	99	26	0.2	Peak	9	11.94	10	Pass




15.23. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:41540, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2685	99	26	0.2	Peak	9.03	11.4	10	Pass




15.24. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:41540, Bandwidth:10, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2685	99	26	0.2	Peak	8.99	10.33	10	Pass




15.25. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2503.5	99	26	0.3	Peak	13.51	16.39	15	Pass




15.26. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:39725, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2503.5	99	26	0.3	Peak	13.47	14.76	15	Pass




15.27. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:39725, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2503.5	99	26	0.3	Peak	13.5	17.13	15	Pass




15.28. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:39725, Bandwidth:15, Modulation:256QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2503.5	99	26	0.3	Peak	13.48	15.16	15	Pass




15.29. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593	99	26	0.3	Peak	13.53	16.44	15	Pass




15.30. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:40620, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593	99	26	0.3	Peak	13.48	14.79	15	Pass




15.31. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:40620, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593	99	26	0.3	Peak	13.52	17.98	15	Pass




15.32. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:40620, Bandwidth:15, Modulation:256QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593	99	26	0.3	Peak	13.49	15.27	15	Pass




15.33. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2682.5	99	26	0.3	Peak	13.52	19.72	15	Pass




15.34. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:41515, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2682.5	99	26	0.3	Peak	13.49	14.8	15	Pass




15.35. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:41515, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2682.5	99	26	0.3	Peak	13.49	16.91	15	Pass




15.36. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:41515, Bandwidth:15, Modulation:256QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2682.5	99	26	0.3	Peak	13.48	15.21	15	Pass




15.37. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2506	99	26	0.39	Peak	18.02	22.79	20	Pass




15.38. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:39750, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2506	99	26	0.39	Peak	17.99	24.44	20	Pass




15.39. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:39750, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2506	99	26	0.39	Peak	18	21.93	20	Pass




15.40. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:39750, Bandwidth:20, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2506	99	26	0.39	Peak	17.94	20.95	20	Pass




15.41. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593	99	26	0.39	Peak	18.04	22.92	20	Pass




15.42. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:40620, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593	99	26	0.39	Peak	18	24.14	20	Pass




15.43. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:40620, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593	99	26	0.39	Peak	18.05	22.11	20	Pass




15.44. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:40620, Bandwidth:20, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593	99	26	0.39	Peak	17.96	21.22	20	Pass




15.45. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2680	99	26	0.39	Peak	18.03	22.86	20	Pass




15.46. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:41490, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2680	99	26	0.39	Peak	18	26.81	20	Pass




15.47. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:41490, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2680	99	26	0.39	Peak	18.02	21.9	20	Pass



15.48. LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:41490, Bandwidth:20, Modulation:256QAM, RB Number:100, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2680	99	26	0.39	Peak	17.94	20.72	20	Pass



2. LTE_Band26(part90)


2.1. LTE Occupied Bandwidth_Part90(added 64QAM&256QAM)(NTNV)(Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
814.7	99	26	0.027	Peak	1.09	1.26	1.4	Pass




2.2. LTE Occupied Bandwidth_Part90(added 64QAM&256QAM)(NTNV)(Channel:26697, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
814.7	99	26	0.027	Peak	1.09	1.28	1.4	Pass




2.3. LTE Occupied Bandwidth_Part90(added 64QAM&256QAM)(NTNV)(Channel:26697, Bandwidth:1.4, Modulation:64QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
814.7	99	26	0.027	Peak	1.09	1.29	1.4	Pass




2.4. LTE Occupied Bandwidth_Part90(added 64QAM&256QAM)(NTNV)(Channel:26697, Bandwidth:1.4, Modulation:256QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
814.7	99	26	0.027	Peak	1.09	1.26	1.4	Pass




2.5. LTE Occupied Bandwidth_Part90(added 64QAM&256QAM)(NTNV)(Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.027	Peak	1.09	1.26	1.4	Pass




2.6. LTE Occupied Bandwidth_Part90(added 64QAM&256QAM)(NTNV)(Channel:26740, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.027	Peak	1.09	1.27	1.4	Pass




2.7. LTE Occupied Bandwidth_Part90(added 64QAM&256QAM)(NTNV)(Channel:26740, Bandwidth:1.4, Modulation:64QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.027	Peak	1.09	1.29	1.4	Pass




2.8. LTE Occupied Bandwidth_Part90(added 64QAM&256QAM)(NTNV)(Channel:26740, Bandwidth:1.4, Modulation:256QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.027	Peak	1.08	1.27	1.4	Pass




2.9. LTE Occupied Bandwidth_Part90(added 64QAM&256QAM)(NTNV)(Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
823.3	99	26	0.027	Peak	1.09	1.27	1.4	Pass




2.10. LTE Occupied Bandwidth_Part90(added 64QAM&256QAM)(NTNV)(Channel:26783, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
823.3	99	26	0.027	Peak	1.09	1.28	1.4	Pass




2.11. LTE Occupied Bandwidth_Part90(added 64QAM&256QAM)(NTNV)(Channel:26783, Bandwidth:1.4, Modulation:64QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
823.3	99	26	0.027	Peak	1.09	1.29	1.4	Pass




2.12. LTE Occupied Bandwidth_Part90(added 64QAM&256QAM)(NTNV)(Channel:26783, Bandwidth:1.4, Modulation:256QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
823.3	99	26	0.027	Peak	1.08	1.26	1.4	Pass




2.13. LTE Occupied Bandwidth_Part90(added 64QAM&256QAM)(NTNV)(Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
815.5	99	26	0.062	Peak	2.68	2.93	3	Pass




2.14. LTE Occupied Bandwidth_Part90(added 64QAM&256QAM)(NTNV)(Channel:26705, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
815.5	99	26	0.062	Peak	2.69	2.95	3	Pass




2.15. LTE Occupied Bandwidth_Part90(added 64QAM&256QAM)(NTNV)(Channel:26705, Bandwidth:3, Modulation:64QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
815.5	99	26	0.062	Peak	2.69	2.93	3	Pass




2.16. LTE Occupied Bandwidth_Part90(added 64QAM&256QAM)(NTNV)(Channel:26705, Bandwidth:3, Modulation:256QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
815.5	99	26	0.062	Peak	2.69	2.95	3	Pass




2.17. LTE Occupied Bandwidth_Part90(added 64QAM&256QAM)(NTNV)(Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.062	Peak	2.68	2.95	3	Pass




2.18. LTE Occupied Bandwidth_Part90(added 64QAM&256QAM)(NTNV)(Channel:26740, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.062	Peak	2.69	2.94	3	Pass




2.19. LTE Occupied Bandwidth_Part90(added 64QAM&256QAM)(NTNV)(Channel:26740, Bandwidth:3, Modulation:64QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.062	Peak	2.69	2.94	3	Pass




2.20. LTE Occupied Bandwidth_Part90(added 64QAM&256QAM)(NTNV)(Channel:26740, Bandwidth:3, Modulation:256QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.062	Peak	2.69	2.95	3	Pass




2.21. LTE Occupied Bandwidth_Part90(added 64QAM&256QAM)(NTNV)(Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
822.5	99	26	0.062	Peak	2.68	2.95	3	Pass




2.22. LTE Occupied Bandwidth_Part90(added 64QAM&256QAM)(NTNV)(Channel:26775, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
822.5	99	26	0.062	Peak	2.69	2.94	3	Pass




2.23. LTE Occupied Bandwidth_Part90(added 64QAM&256QAM)(NTNV)(Channel:26775, Bandwidth:3, Modulation:64QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
822.5	99	26	0.062	Peak	2.69	2.94	3	Pass




2.24. LTE Occupied Bandwidth_Part90(added 64QAM&256QAM)(NTNV)(Channel:26775, Bandwidth:3, Modulation:256QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
822.5	99	26	0.062	Peak	2.68	2.94	3	Pass




2.25. LTE Occupied Bandwidth_Part90(added 64QAM&256QAM)(NTNV)(Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
816.5	99	26	0.1	Peak	4.48	4.97	5	Pass




2.26. LTE Occupied Bandwidth_Part90(added 64QAM&256QAM)(NTNV)(Channel:26715, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
816.5	99	26	0.1	Peak	4.49	4.91	5	Pass




2.27. LTE Occupied Bandwidth_Part90(added 64QAM&256QAM)(NTNV)(Channel:26715, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
816.5	99	26	0.1	Peak	4.48	4.97	5	Pass




2.28. LTE Occupied Bandwidth_Part90(added 64QAM&256QAM)(NTNV)(Channel:26715, Bandwidth:5, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
816.5	99	26	0.1	Peak	4.48	4.89	5	Pass




2.29. LTE Occupied Bandwidth_Part90(added 64QAM&256QAM)(NTNV)(Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.1	Peak	4.48	4.96	5	Pass




2.30. LTE Occupied Bandwidth_Part90(added 64QAM&256QAM)(NTNV)(Channel:26740, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.1	Peak	4.47	4.93	5	Pass




2.31. LTE Occupied Bandwidth_Part90(added 64QAM&256QAM)(NTNV)(Channel:26740, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.1	Peak	4.47	4.92	5	Pass




2.32. LTE Occupied Bandwidth_Part90(added 64QAM&256QAM)(NTNV)(Channel:26740, Bandwidth:5, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.1	Peak	4.47	4.89	5	Pass




2.33. LTE Occupied Bandwidth_Part90(added 64QAM&256QAM)(NTNV)(Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
821.5	99	26	0.1	Peak	4.49	4.96	5	Pass




2.34. LTE Occupied Bandwidth_Part90(added 64QAM&256QAM)(NTNV)(Channel:26765, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
821.5	99	26	0.1	Peak	4.48	4.92	5	Pass




2.35. LTE Occupied Bandwidth_Part90(added 64QAM&256QAM)(NTNV)(Channel:26765, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
821.5	99	26	0.1	Peak	4.48	4.93	5	Pass




2.36. LTE Occupied Bandwidth_Part90(added 64QAM&256QAM)(NTNV)(Channel:26765, Bandwidth:5, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
821.5	99	26	0.1	Peak	4.48	4.89	5	Pass




2.37. LTE Occupied Bandwidth_Part90(added 64QAM&256QAM)(NTNV)(Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.2	Peak	8.96	9.78	10	Pass




2.38. LTE Occupied Bandwidth_Part90(added 64QAM&256QAM)(NTNV)(Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.2	Peak	8.93	9.69	10	Pass




2.39. LTE Occupied Bandwidth_Part90(added 64QAM&256QAM)(NTNV)(Channel:26740, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.2	Peak	8.93	9.77	10	Pass



2.40. LTE Occupied Bandwidth_Part90(added 64QAM&256QAM)(NTNV)(Channel:26740, Bandwidth:10, Modulation:256QAM, RB Number:50, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.2	Peak	8.93	9.71	10	Pass



1. CA_7C


1.1. LTE-A Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:1, Channel:21006|21150, Bandwidth:10|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535.3	99	26	0.62	Peak	27.87	29.71	30	Pass




1.2. LTE-A Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:2, Channel:21006|21150, Bandwidth:10|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535.3	99	26	0.62	Peak	27.78	29.54	30	Pass




1.3. LTE-A Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:3, Channel:21051|21195, Bandwidth:20|10MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2534.8	99	26	0.62	Peak	27.83	29.66	30	Pass




1.4. LTE-A Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:4, Channel:21051|21195, Bandwidth:20|10MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2534.8	99	26	0.62	Peak	27.81	29.59	30	Pass




1.5. LTE-A Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:5, Channel:21025|21175, Bandwidth:15|15MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.62	Peak	28.46	30.43	30	Pass




1.6. LTE-A Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:6, Channel:21025|21175, Bandwidth:15|15MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.62	Peak	28.45	30.45	30	Pass




1.7. LTE-A Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:7, Channel:21003|21174, Bandwidth:15|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535.1	99	26	0.68	Peak	32.79	35.19	35	Pass




1.8. LTE-A Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:8, Channel:21003|21174, Bandwidth:15|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535.1	99	26	0.68	Peak	32.69	34.86	35	Pass




1.9. LTE-A Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:9, Channel:21026|21197, Bandwidth:20|15MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2534.9	99	26	0.68	Peak	32.72	34.87	35	Pass




1.10. LTE-A Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:10, Channel:21026|21197, Bandwidth:20|15MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2534.9	99	26	0.68	Peak	32.74	34.82	35	Pass




1.11. LTE-A Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:11, Channel:21001|21199, Bandwidth:20|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.82	Peak	37.75	40.11	40	Pass



1.12. LTE-A Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:12, Channel:21001|21199, Bandwidth:20|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.82	Peak	37.7	40.21	40	Pass



2. CA_38C


2.1. LTE-A Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:1, Channel:37925|38075, Bandwidth:15|15MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.62	Peak	28.54	37.66	30	Pass




2.2. LTE-A Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:2, Channel:37925|38075, Bandwidth:15|15MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.62	Peak	28.59	37.05	30	Pass




2.3. LTE-A Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:3, Channel:37901|38099, Bandwidth:20|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.82	Peak	37.75	46.56	40	Pass



2.4. LTE-A Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:4, Channel:37901|38099, Bandwidth:20|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.82	Peak	37.75	45.65	40	Pass



2. n2


2.1. Occupied Bandwidth for SA_Part22-24-27(Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	Peak	4.51	4.96	5	Pass




2.2. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	Peak	4.49	4.94	5	Pass




2.3. Occupied Bandwidth for SA_Part22-24-27(Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.1	Peak	4.5	5	5	Pass




2.4. Occupied Bandwidth for SA_Part22-24-27(Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	Peak	4.5	4.93	5	Pass




2.5. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	Peak	4.5	4.97	5	Pass




2.6. Occupied Bandwidth for SA_Part22-24-27(Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.1	Peak	4.5	5	5	Pass




2.7. Occupied Bandwidth for SA_Part22-24-27(Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	Peak	4.5	4.97	5	Pass




2.8. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	Peak	4.51	4.95	5	Pass




2.9. Occupied Bandwidth for SA_Part22-24-27(Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.1	Peak	4.5	4.97	5	Pass




2.10. Occupied Bandwidth for SA_Part22-24-27(Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	Peak	4.48	4.92	5	Pass




2.11. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	Peak	4.49	4.95	5	Pass




2.12. Occupied Bandwidth for SA_Part22-24-27(Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.1	Peak	4.49	4.91	5	Pass




2.13. Occupied Bandwidth for SA_Part22-24-27(Channel:371000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1855	99	26	0.03	Peak	9.26	9.65	10	Pass




2.14. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.03	Peak	9.25	9.66	10	Pass




2.96. Occupied Bandwidth for SA_Part22-24-27(Channel:381000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.03	Peak	9.26	9.69	10	Pass




2.15. Occupied Bandwidth for SA_Part22-24-27(Channel:371000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1855	99	26	0.03	Peak	9.27	9.63	10	Pass




2.16. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.03	Peak	9.27	9.64	10	Pass




2.17. Occupied Bandwidth for SA_Part22-24-27(Channel:381000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.03	Peak	9.27	9.7	10	Pass




2.18. Occupied Bandwidth for SA_Part22-24-27(Channel:371000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1855	99	26	0.03	Peak	9.26	9.59	10	Pass




2.19. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.03	Peak	9.26	9.59	10	Pass




2.20. Occupied Bandwidth for SA_Part22-24-27(Channel:381000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.03	Peak	9.26	9.6	10	Pass




2.21. Occupied Bandwidth for SA_Part22-24-27(Channel:371000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1855	99	26	0.03	Peak	9.24	9.63	10	Pass




2.22. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.03	Peak	9.24	9.63	10	Pass




2.23. Occupied Bandwidth for SA_Part22-24-27(Channel:381000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.03	Peak	9.25	9.62	10	Pass




2.24. Occupied Bandwidth for SA_Part22-24-27(Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.03	Peak	14.08	14.53	15	Pass




2.25. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.03	Peak	14.09	14.52	15	Pass




2.26. Occupied Bandwidth for SA_Part22-24-27(Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1902.5	99	26	0.03	Peak	14.07	14.54	15	Pass




2.27. Occupied Bandwidth for SA_Part22-24-27(Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.03	Peak	14.09	14.5	15	Pass




2.28. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.03	Peak	14.07	14.48	15	Pass




2.29. Occupied Bandwidth for SA_Part22-24-27(Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1902.5	99	26	0.03	Peak	14.08	14.51	15	Pass




2.30. Occupied Bandwidth for SA_Part22-24-27(Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.03	Peak	14.1	14.54	15	Pass




2.31. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.03	Peak	14.11	14.51	15	Pass




2.32. Occupied Bandwidth for SA_Part22-24-27(Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1902.5	99	26	0.03	Peak	14.08	14.52	15	Pass




2.33. Occupied Bandwidth for SA_Part22-24-27(Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.03	Peak	14.09	14.53	15	Pass




2.34. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.03	Peak	14.07	14.49	15	Pass




2.35. Occupied Bandwidth for SA_Part22-24-27(Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1902.5	99	26	0.03	Peak	14.07	14.53	15	Pass




2.36. Occupied Bandwidth for SA_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.03	Peak	18.89	19.39	20	Pass




2.37. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.03	Peak	18.88	19.39	20	Pass




2.38. Occupied Bandwidth for SA_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1900	99	26	0.03	Peak	18.88	19.45	20	Pass




2.39. Occupied Bandwidth for SA_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.03	Peak	18.9	19.42	20	Pass




2.40. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.03	Peak	18.89	19.34	20	Pass




2.41. Occupied Bandwidth for SA_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1900	99	26	0.03	Peak	18.89	19.42	20	Pass




2.42. Occupied Bandwidth for SA_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.03	Peak	18.9	19.41	20	Pass




2.43. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.03	Peak	18.88	19.37	20	Pass




2.44. Occupied Bandwidth for SA_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1900	99	26	0.03	Peak	18.88	19.4	20	Pass




2.45. Occupied Bandwidth for SA_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.03	Peak	18.9	19.42	20	Pass




2.46. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.03	Peak	18.87	19.4	20	Pass




2.47. Occupied Bandwidth for SA_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1900	99	26	0.03	Peak	18.87	19.44	20	Pass




2.48. Occupied Bandwidth for SA_Part22-24-27(Channel:372500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1862.5	99	26	1	Peak	24.13	26.37	25	Pass




2.49. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	1	Peak	24.08	26.26	25	Pass




2.50. Occupied Bandwidth for SA_Part22-24-27(Channel:379500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1897.5	99	26	1	Peak	24.13	27.24	25	Pass




2.51. Occupied Bandwidth for SA_Part22-24-27(Channel:372500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1862.5	99	26	1	Peak	24.11	26.31	25	Pass




2.52. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	1	Peak	24.06	26.22	25	Pass




2.53. Occupied Bandwidth for SA_Part22-24-27(Channel:379500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1897.5	99	26	1	Peak	24.1	26.28	25	Pass




2.54. Occupied Bandwidth for SA_Part22-24-27(Channel:372500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1862.5	99	26	1	Peak	24.23	26.27	25	Pass




2.55. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	1	Peak	24.18	26.2	25	Pass




2.56. Occupied Bandwidth for SA_Part22-24-27(Channel:379500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1897.5	99	26	1	Peak	24.21	26.27	25	Pass




2.57. Occupied Bandwidth for SA_Part22-24-27(Channel:372500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1862.5	99	26	1	Peak	24.09	26.19	25	Pass




2.58. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	1	Peak	24.04	26.14	25	Pass




2.59. Occupied Bandwidth for SA_Part22-24-27(Channel:379500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1897.5	99	26	1	Peak	24.05	26.16	25	Pass




2.60. Occupied Bandwidth for SA_Part22-24-27(Channel:373000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1865	99	26	1	Peak	28.84	32.14	30	Pass




2.61. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	1	Peak	28.8	31.12	30	Pass




2.62. Occupied Bandwidth for SA_Part22-24-27(Channel:379000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1895	99	26	1	Peak	28.88	35.09	30	Pass




2.63. Occupied Bandwidth for SA_Part22-24-27(Channel:373000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1865	99	26	1	Peak	28.82	31.12	30	Pass




2.64. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	1	Peak	28.76	31.15	30	Pass




2.65. Occupied Bandwidth for SA_Part22-24-27(Channel:379000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1895	99	26	1	Peak	28.83	35.59	30	Pass




2.66. Occupied Bandwidth for SA_Part22-24-27(Channel:373000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1865	99	26	1	Peak	28.87	31.12	30	Pass




2.67. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	1	Peak	28.82	31.09	30	Pass




2.68. Occupied Bandwidth for SA_Part22-24-27(Channel:379000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1895	99	26	1	Peak	28.88	32.32	30	Pass




2.69. Occupied Bandwidth for SA_Part22-24-27(Channel:373000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1865	99	26	1	Peak	28.83	31.14	30	Pass




2.70. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	1	Peak	28.76	31	30	Pass




2.71. Occupied Bandwidth for SA_Part22-24-27(Channel:379000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1895	99	26	1	Peak	28.83	31.07	30	Pass




2.72. Occupied Bandwidth for SA_Part22-24-27(Channel:373500, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:188, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1867.5	99	26	1	Peak	33.85	36.19	35	Pass




2.73. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:188, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	1	Peak	33.84	36.12	35	Pass




2.74. Occupied Bandwidth for SA_Part22-24-27(Channel:378500, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:188, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1892.5	99	26	1	Peak	33.91	36.2	35	Pass




2.75. Occupied Bandwidth for SA_Part22-24-27(Channel:373500, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:188, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1867.5	99	26	1	Peak	33.92	36.27	35	Pass




2.76. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:188, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	1	Peak	33.91	39.4	35	Pass




2.77. Occupied Bandwidth for SA_Part22-24-27(Channel:378500, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:188, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1892.5	99	26	1	Peak	33.98	39.23	35	Pass




2.78. Occupied Bandwidth for SA_Part22-24-27(Channel:373500, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:188, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1867.5	99	26	1	Peak	33.81	36.19	35	Pass




2.79. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:188, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	1	Peak	33.79	36.11	35	Pass




2.80. Occupied Bandwidth for SA_Part22-24-27(Channel:378500, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:188, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1892.5	99	26	1	Peak	33.83	36.14	35	Pass




2.81. Occupied Bandwidth for SA_Part22-24-27(Channel:373500, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:188, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1867.5	99	26	1	Peak	33.63	36.08	35	Pass




2.82. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:188, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	1	Peak	33.6	36.03	35	Pass




2.83. Occupied Bandwidth for SA_Part22-24-27(Channel:378500, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:188, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1892.5	99	26	1	Peak	33.67	36.08	35	Pass




2.84. Occupied Bandwidth for SA_Part22-24-27(Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1870	99	26	1	Peak	38.73	41.19	40	Pass




2.85. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	1	Peak	38.72	41.18	40	Pass




2.86. Occupied Bandwidth for SA_Part22-24-27(Channel:378000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1890	99	26	1	Peak	38.78	41.16	40	Pass




2.87. Occupied Bandwidth for SA_Part22-24-27(Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1870	99	26	1	Peak	38.73	41.27	40	Pass




2.88. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	1	Peak	38.73	41.19	40	Pass




2.89. Occupied Bandwidth for SA_Part22-24-27(Channel:378000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1890	99	26	1	Peak	38.81	41.27	40	Pass




2.90. Occupied Bandwidth for SA_Part22-24-27(Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1870	99	26	1	Peak	38.64	41.19	40	Pass




2.91. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	1	Peak	38.66	41.18	40	Pass




2.92. Occupied Bandwidth for SA_Part22-24-27(Channel:378000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1890	99	26	1	Peak	38.71	41.2	40	Pass




2.93. Occupied Bandwidth for SA_Part22-24-27(Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1870	99	26	1	Peak	38.72	41.21	40	Pass




2.94. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	1	Peak	38.69	41.2	40	Pass



2.95. Occupied Bandwidth for SA_Part22-24-27(Channel:378000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1890	99	26	1	Peak	38.74	41.17	40	Pass



3. n5


3.1. Occupied Bandwidth for SA_Part22-24-27(Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.5	5.01	5	Pass




3.2. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.5	4.95	5	Pass




3.3. Occupied Bandwidth for SA_Part22-24-27(Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.48	4.97	5	Pass




3.4. Occupied Bandwidth for SA_Part22-24-27(Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.51	4.94	5	Pass




3.5. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.5	4.94	5	Pass




3.6. Occupied Bandwidth for SA_Part22-24-27(Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.49	5.3	5	Pass




3.7. Occupied Bandwidth for SA_Part22-24-27(Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.5	5.47	5	Pass




3.8. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.51	4.96	5	Pass




3.9. Occupied Bandwidth for SA_Part22-24-27(Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.49	5.64	5	Pass




3.10. Occupied Bandwidth for SA_Part22-24-27(Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.48	4.93	5	Pass




3.11. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.49	4.94	5	Pass




3.12. Occupied Bandwidth for SA_Part22-24-27(Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.46	4.93	5	Pass




3.13. Occupied Bandwidth for SA_Part22-24-27(Channel:165800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.03	Peak	9.27	9.67	10	Pass




3.14. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	9.25	9.66	10	Pass




3.15. Occupied Bandwidth for SA_Part22-24-27(Channel:168800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.03	Peak	9.23	9.63	10	Pass




3.16. Occupied Bandwidth for SA_Part22-24-27(Channel:165800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.03	Peak	9.28	9.7	10	Pass



3.17. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	9.27	9.64	10	Pass



3.18. Occupied Bandwidth for SA_Part22-24-27(Channel:168800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.03	Peak	9.24	9.62	10	Pass

