



3.19. Occupied Bandwidth for SA_Part22-24-27(Channel:165800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.03	Peak	9.27	9.61	10	Pass




3.20. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	9.26	9.57	10	Pass




3.21. Occupied Bandwidth for SA_Part22-24-27(Channel:168800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.03	Peak	9.24	9.56	10	Pass




3.22. Occupied Bandwidth for SA_Part22-24-27(Channel:165800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.03	Peak	9.25	9.63	10	Pass




3.23. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	9.24	9.59	10	Pass




3.24. Occupied Bandwidth for SA_Part22-24-27(Channel:168800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.03	Peak	9.22	9.59	10	Pass




3.25. Occupied Bandwidth for SA_Part22-24-27(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.03	Peak	14.09	14.49	15	Pass




3.26. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	14.08	14.52	15	Pass




3.27. Occupied Bandwidth for SA_Part22-24-27(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.03	Peak	14.03	14.47	15	Pass




3.28. Occupied Bandwidth for SA_Part22-24-27(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.03	Peak	14.09	14.53	15	Pass




3.29. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	14.08	14.52	15	Pass




3.30. Occupied Bandwidth for SA_Part22-24-27(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.03	Peak	14.04	14.54	15	Pass




3.31. Occupied Bandwidth for SA_Part22-24-27(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.03	Peak	14.11	14.49	15	Pass




3.32. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	14.11	14.51	15	Pass




3.33. Occupied Bandwidth for SA_Part22-24-27(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.03	Peak	14.07	14.53	15	Pass




3.34. Occupied Bandwidth for SA_Part22-24-27(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.03	Peak	14.09	14.53	15	Pass




3.35. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	14.07	14.49	15	Pass




3.36. Occupied Bandwidth for SA_Part22-24-27(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.03	Peak	14.05	14.43	15	Pass




3.37. Occupied Bandwidth for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
834	99	26	0.03	Peak	18.88	19.37	20	Pass




3.46. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	18.88	19.37	20	Pass




2.11. Occupied Bandwidth for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
839	99	26	0.03	Peak	18.81	19.31	20	Pass




3.39. Occupied Bandwidth for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
834	99	26	0.03	Peak	18.9	19.39	20	Pass




3.47. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	18.89	19.41	20	Pass




3.48. Occupied Bandwidth for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
839	99	26	0.03	Peak	18.85	19.4	20	Pass




3.40. Occupied Bandwidth for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
834	99	26	0.03	Peak	18.9	19.37	20	Pass




3.41. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	18.89	19.4	20	Pass




3.42. Occupied Bandwidth for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
839	99	26	0.03	Peak	18.83	19.34	20	Pass




3.43. Occupied Bandwidth for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
834	99	26	0.03	Peak	18.89	19.39	20	Pass




3.44. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	18.88	19.42	20	Pass




3.45. Occupied Bandwidth for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
839	99	26	0.03	Peak	18.82	19.34	20	Pass




2.7. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	1	Peak	24.11	29.77	25	Pass




2.8. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	1	Peak	24.08	26.21	25	Pass




2.9. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	1	Peak	24.09	26.17	25	Pass



2.10. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	1	Peak	24.04	26.16	25	Pass



4. n7


4.1. Occupied Bandwidth for SA_Part22-24-27(Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2502.5	99	26	0.1	Peak	4.5	4.94	5	Pass




4.2. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.1	Peak	4.5	4.96	5	Pass




4.3. Occupied Bandwidth for SA_Part22-24-27(Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2567.5	99	26	0.1	Peak	4.51	4.99	5	Pass




4.4. Occupied Bandwidth for SA_Part22-24-27(Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2502.5	99	26	0.1	Peak	4.5	4.93	5	Pass




4.5. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.1	Peak	4.5	4.94	5	Pass




4.6. Occupied Bandwidth for SA_Part22-24-27(Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2567.5	99	26	0.1	Peak	4.51	5.38	5	Pass




4.7. Occupied Bandwidth for SA_Part22-24-27(Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2502.5	99	26	0.1	Peak	4.52	5.42	5	Pass




4.8. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.1	Peak	4.52	4.96	5	Pass




4.9. Occupied Bandwidth for SA_Part22-24-27(Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2567.5	99	26	0.1	Peak	4.53	5.61	5	Pass




4.10. Occupied Bandwidth for SA_Part22-24-27(Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2502.5	99	26	0.1	Peak	4.49	4.95	5	Pass




4.11. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.1	Peak	4.5	4.97	5	Pass




4.12. Occupied Bandwidth for SA_Part22-24-27(Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2567.5	99	26	0.1	Peak	4.49	4.97	5	Pass




4.13. Occupied Bandwidth for SA_Part22-24-27(Channel:501000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2505	99	26	0.03	Peak	9.26	9.67	10	Pass




4.14. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.03	Peak	9.26	9.66	10	Pass




4.15. Occupied Bandwidth for SA_Part22-24-27(Channel:513000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2565	99	26	0.03	Peak	9.26	9.62	10	Pass




4.16. Occupied Bandwidth for SA_Part22-24-27(Channel:501000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2505	99	26	0.03	Peak	9.27	9.63	10	Pass




4.17. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.03	Peak	9.27	9.66	10	Pass




4.18. Occupied Bandwidth for SA_Part22-24-27(Channel:513000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2565	99	26	0.03	Peak	9.27	9.67	10	Pass




4.19. Occupied Bandwidth for SA_Part22-24-27(Channel:501000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2505	99	26	0.03	Peak	9.26	9.61	10	Pass




4.20. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.03	Peak	9.26	9.57	10	Pass




4.21. Occupied Bandwidth for SA_Part22-24-27(Channel:513000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2565	99	26	0.03	Peak	9.26	9.63	10	Pass




4.22. Occupied Bandwidth for SA_Part22-24-27(Channel:501000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2505	99	26	0.03	Peak	9.25	9.62	10	Pass




4.23. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.03	Peak	9.24	9.64	10	Pass




4.24. Occupied Bandwidth for SA_Part22-24-27(Channel:513000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2565	99	26	0.03	Peak	9.24	9.65	10	Pass




4.25. Occupied Bandwidth for SA_Part22-24-27(Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2507.5	99	26	0.03	Peak	14.07	14.51	15	Pass




4.26. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.03	Peak	14.09	14.53	15	Pass




4.27. Occupied Bandwidth for SA_Part22-24-27(Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2562.5	99	26	0.03	Peak	14.08	14.49	15	Pass




4.29. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.03	Peak	14.08	14.51	15	Pass




4.30. Occupied Bandwidth for SA_Part22-24-27(Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2562.5	99	26	0.03	Peak	14.08	14.54	15	Pass




4.31. Occupied Bandwidth for SA_Part22-24-27(Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2507.5	99	26	0.03	Peak	14.11	14.55	15	Pass




4.32. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.03	Peak	14.11	14.55	15	Pass




4.33. Occupied Bandwidth for SA_Part22-24-27(Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2562.5	99	26	0.03	Peak	14.09	14.52	15	Pass




4.34. Occupied Bandwidth for SA_Part22-24-27(Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2507.5	99	26	0.03	Peak	14.07	14.46	15	Pass




4.35. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.03	Peak	14.07	14.48	15	Pass




4.36. Occupied Bandwidth for SA_Part22-24-27(Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2562.5	99	26	0.03	Peak	14.06	14.5	15	Pass




4.37. Occupied Bandwidth for SA_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)




4.38. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.03	Peak	18.89	19.45	20	Pass




4.39. Occupied Bandwidth for SA_Part22-24-27(Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2560	99	26	0.03	Peak	18.87	19.4	20	Pass




4.40. Occupied Bandwidth for SA_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2510	99	26	0.03	Peak	18.89	19.44	20	Pass




4.41. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)




4.42. Occupied Bandwidth for SA_Part22-24-27(Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2560	99	26	0.03	Peak	18.89	19.41	20	Pass




4.43. Occupied Bandwidth for SA_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2510	99	26	0.03	Peak	18.89	19.34	20	Pass




4.44. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.03	Peak	18.9	19.4	20	Pass




4.45. Occupied Bandwidth for SA_Part22-24-27(Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2560	99	26	0.03	Peak	18.88	19.34	20	Pass




4.46. Occupied Bandwidth for SA_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2510	99	26	0.03	Peak	18.88	19.41	20	Pass




4.47. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.03	Peak	18.89	19.42	20	Pass




4.48. Occupied Bandwidth for SA_Part22-24-27(Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2560	99	26	0.03	Peak	18.88	19.38	20	Pass




4.49. Occupied Bandwidth for SA_Part22-24-27(Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2512.5	99	26	1	Peak	24.25	35.85	25	Pass




4.50. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	1	Peak	24.17	28.88	25	Pass




4.51. Occupied Bandwidth for SA_Part22-24-27(Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2557.5	99	26	1	Peak	24.29	40.53	25	Pass




4.52. Occupied Bandwidth for SA_Part22-24-27(Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2512.5	99	26	1	Peak	24.17	32.56	25	Pass




4.54. Occupied Bandwidth for SA_Part22-24-27(Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)




4.55. Occupied Bandwidth for SA_Part22-24-27(Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2512.5	99	26	1	Peak	24.23	26.35	25	Pass




4.56. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	1	Peak	24.19	26.2	25	Pass




4.57. Occupied Bandwidth for SA_Part22-24-27(Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2557.5	99	26	1	Peak	24.28	26.39	25	Pass




4.58. Occupied Bandwidth for SA_Part22-24-27(Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2512.5	99	26	1	Peak	24.04	26.18	25	Pass




4.59. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	1	Peak	24.03	26.16	25	Pass




4.60. Occupied Bandwidth for SA_Part22-24-27(Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2557.5	99	26	1	Peak	24.07	26.2	25	Pass




4.61. Occupied Bandwidth for SA_Part22-24-27(Channel:503000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2515	99	26	1	Peak	28.87	36.97	30	Pass




4.62. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	1	Peak	28.86	36.96	30	Pass




4.63. Occupied Bandwidth for SA_Part22-24-27(Channel:511000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2555	99	26	1	Peak	28.9	40.33	30	Pass




4.64. Occupied Bandwidth for SA_Part22-24-27(Channel:503000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2515	99	26	1	Peak	28.86	37.23	30	Pass




4.65. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:160, RB Position:0)




4.66. Occupied Bandwidth for SA_Part22-24-27(Channel:511000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2555	99	26	1	Peak	28.88	37.63	30	Pass




4.67. Occupied Bandwidth for SA_Part22-24-27(Channel:503000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2515	99	26	1	Peak	28.88	31.11	30	Pass




4.68. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	1	Peak	28.88	31.13	30	Pass




4.69. Occupied Bandwidth for SA_Part22-24-27(Channel:511000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2555	99	26	1	Peak	28.93	32.31	30	Pass




4.70. Occupied Bandwidth for SA_Part22-24-27(Channel:503000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2515	99	26	1	Peak	28.8	31.08	30	Pass




4.71. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	1	Peak	28.8	31.06	30	Pass




4.72. Occupied Bandwidth for SA_Part22-24-27(Channel:511000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2555	99	26	1	Peak	28.84	31.09	30	Pass




4.1. Occupied Bandwidth for SA_Part22-24-27(Channel:503500, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:188, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2517.5	99	26	1	Peak	33.86	38.57	35	Pass




4.2. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:188, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	1	Peak	33.92	37.18	35	Pass




4.3. Occupied Bandwidth for SA_Part22-24-27(Channel:510500, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:188, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2552.5	99	26	1	Peak	33.9	37.77	35	Pass




4.4. Occupied Bandwidth for SA_Part22-24-27(Channel:503500, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:188, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2517.5	99	26	1	Peak	33.92	36.37	35	Pass




4.5. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:188, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	1	Peak	33.99	36.44	35	Pass




4.6. Occupied Bandwidth for SA_Part22-24-27(Channel:510500, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:188, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2552.5	99	26	1	Peak	33.95	36.41	35	Pass




4.7. Occupied Bandwidth for SA_Part22-24-27(Channel:503500, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:188, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2517.5	99	26	1	Peak	33.86	36.19	35	Pass




4.8. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:188, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	1	Peak	33.91	36.18	35	Pass




4.9. Occupied Bandwidth for SA_Part22-24-27(Channel:510500, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:188, RB Position:0)




4.10. Occupied Bandwidth for SA_Part22-24-27(Channel:503500, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:188, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2517.5	99	26	1	Peak	33.62	36.1	35	Pass




4.11. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:188, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	1	Peak	33.7	36.09	35	Pass




4.12. Occupied Bandwidth for SA_Part22-24-27(Channel:510500, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:188, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2552.5	99	26	1	Peak	33.69	36.1	35	Pass




4.73. Occupied Bandwidth for SA_Part22-24-27(Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2520	99	26	1	Peak	38.8	41.19	40	Pass




4.74. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	1	Peak	38.89	42.34	40	Pass




4.75. Occupied Bandwidth for SA_Part22-24-27(Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2550	99	26	1	Peak	38.86	42.12	40	Pass




4.76. Occupied Bandwidth for SA_Part22-24-27(Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2520	99	26	1	Peak	38.82	41.37	40	Pass




4.77. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)




4.78. Occupied Bandwidth for SA_Part22-24-27(Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2550	99	26	1	Peak	38.87	41.34	40	Pass




4.79. Occupied Bandwidth for SA_Part22-24-27(Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2520	99	26	1	Peak	38.7	41.2	40	Pass




4.80. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)



4.81. Occupied Bandwidth for SA_Part22-24-27(Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)




4.82. Occupied Bandwidth for SA_Part22-24-27(Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)




4.83. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	1	Peak	38.81	41.21	40	Pass




4.84. Occupied Bandwidth for SA_Part22-24-27(Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)




4.85. Occupied Bandwidth for SA_Part22-24-27(Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2525	99	26	1	Peak	48.42	50.93	50	Pass




4.86. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	1	Peak	48.49	50.98	50	Pass




4.87. Occupied Bandwidth for SA_Part22-24-27(Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2545	99	26	1	Peak	48.5	51	50	Pass



4.88. Occupied Bandwidth for SA_Part22-24-27(Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)




4.89. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)




4.90. Occupied Bandwidth for SA_Part22-24-27(Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2545	99	26	1	Peak	48.59	68.94	50	Pass




4.91. Occupied Bandwidth for SA_Part22-24-27(Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)




4.92. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	1	Peak	48.34	50.99	50	Pass




4.93. Occupied Bandwidth for SA_Part22-24-27(Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2545	99	26	1	Peak	48.34	50.99	50	Pass




4.94. Occupied Bandwidth for SA_Part22-24-27(Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:270, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2525	99	26	1	Peak	48.22	50.95	50	Pass




4.95. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:270, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	1	Peak	48.33	51.02	50	Pass




4.96. Occupied Bandwidth for SA_Part22-24-27(Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:270, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2545	99	26	1	Peak	48.29	50.99	50	Pass




5. n71 15kHz

5.1. Occupied Bandwidth for SA_Part22-24-27(Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




5.2. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.1	Peak	4.49	4.95	5	Pass




5.3. Occupied Bandwidth for SA_Part22-24-27(Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
695.5	99	26	0.1	Peak	4.5	4.95	5	Pass




5.4. Occupied Bandwidth for SA_Part22-24-27(Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
665.5	99	26	0.1	Peak	4.5	4.92	5	Pass




5.5. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.1	Peak	4.5	4.89	5	Pass




5.6. Occupied Bandwidth for SA_Part22-24-27(Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
695.5	99	26	0.1	Peak	4.5	4.92	5	Pass




5.8. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.1	Peak	4.5	4.96	5	Pass




5.9. Occupied Bandwidth for SA_Part22-24-27(Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
695.5	99	26	0.1	Peak	4.52	4.95	5	Pass




5.10. Occupied Bandwidth for SA_Part22-24-27(Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
665.5	99	26	0.1	Peak	4.47	4.94	5	Pass




5.11. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.1	Peak	4.48	4.93	5	Pass




5.12. Occupied Bandwidth for SA_Part22-24-27(Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
695.5	99	26	0.1	Peak	4.5	4.95	5	Pass




5.13. Occupied Bandwidth for SA_Part22-24-27(Channel:133600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
668	99	26	0.03	Peak	9.26	9.66	10	Pass




5.14. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.03	Peak	9.26	9.66	10	Pass




5.15. Occupied Bandwidth for SA_Part22-24-27(Channel:138600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
693	99	26	0.03	Peak	9.27	9.65	10	Pass




5.16. Occupied Bandwidth for SA_Part22-24-27(Channel:133600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
668	99	26	0.03	Peak	9.26	9.68	10	Pass




5.17. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.03	Peak	9.27	9.66	10	Pass




5.18. Occupied Bandwidth for SA_Part22-24-27(Channel:138600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
693	99	26	0.03	Peak	9.27	9.68	10	Pass




5.19. Occupied Bandwidth for SA_Part22-24-27(Channel:133600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
668	99	26	0.03	Peak	9.26	9.59	10	Pass




5.20. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.03	Peak	9.26	9.62	10	Pass




5.21. Occupied Bandwidth for SA_Part22-24-27(Channel:138600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
693	99	26	0.03	Peak	9.27	9.64	10	Pass




5.22. Occupied Bandwidth for SA_Part22-24-27(Channel:133600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
668	99	26	0.03	Peak	9.25	9.61	10	Pass




5.23. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.03	Peak	9.25	9.64	10	Pass




5.24. Occupied Bandwidth for SA_Part22-24-27(Channel:138600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
693	99	26	0.03	Peak	9.25	9.65	10	Pass




5.25. Occupied Bandwidth for SA_Part22-24-27(Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
670.5	99	26	0.03	Peak	14.08	14.53	15	Pass




5.48. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.03	Peak	14.06	14.47	15	Pass




1.29. Occupied Bandwidth for SA_Part22-24-27(Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
690.5	99	26	0.03	Peak	14.08	14.55	15	Pass




--BLANK BELOW--

5.27. Occupied Bandwidth for SA_Part22-24-27(Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)




5.28. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.03	Peak	14.08	14.55	15	Pass




5.29. Occupied Bandwidth for SA_Part22-24-27(Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
690.5	99	26	0.03	Peak	14.08	14.53	15	Pass




5.30. Occupied Bandwidth for SA_Part22-24-27(Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
670.5	99	26	0.03	Peak	14.09	14.48	15	Pass




5.31. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.03	Peak	14.1	14.55	15	Pass




5.32. Occupied Bandwidth for SA_Part22-24-27(Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
690.5	99	26	0.03	Peak	14.09	14.52	15	Pass




5.33. Occupied Bandwidth for SA_Part22-24-27(Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
670.5	99	26	0.03	Peak	14.08	14.48	15	Pass




5.34. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.03	Peak	14.08	14.5	15	Pass




5.35. Occupied Bandwidth for SA_Part22-24-27(Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
690.5	99	26	0.03	Peak	14.07	14.48	15	Pass




5.36. Occupied Bandwidth for SA_Part22-24-27(Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
673	99	26	0.03	Peak	18.86	19.37	20	Pass




5.37. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.03	Peak	18.87	19.4	20	Pass




5.38. Occupied Bandwidth for SA_Part22-24-27(Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
688	99	26	0.03	Peak	18.89	19.4	20	Pass




5.39. Occupied Bandwidth for SA_Part22-24-27(Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
673	99	26	0.03	Peak	18.88	19.38	20	Pass




5.40. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)




5.41. Occupied Bandwidth for SA_Part22-24-27(Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
688	99	26	0.03	Peak	18.9	19.39	20	Pass




5.42. Occupied Bandwidth for SA_Part22-24-27(Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
673	99	26	0.03	Peak	18.88	19.37	20	Pass




5.43. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.03	Peak	18.88	19.34	20	Pass




5.44. Occupied Bandwidth for SA_Part22-24-27(Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
688	99	26	0.03	Peak	18.9	19.37	20	Pass




5.45. Occupied Bandwidth for SA_Part22-24-27(Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)




5.46. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.03	Peak	18.88	19.38	20	Pass




5.47. Occupied Bandwidth for SA_Part22-24-27(Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
688	99	26	0.03	Peak	18.9	19.4	20	Pass




1.1. Occupied Bandwidth for SA_Part22-24-27(Channel:135100, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)




1.2. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)




1.3. Occupied Bandwidth for SA_Part22-24-27(Channel:137100, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)



1.4. Occupied Bandwidth for SA_Part22-24-27(Channel:135100, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)




1.5. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)




1.6. Occupied Bandwidth for SA_Part22-24-27(Channel:137100, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
685.5	99	26	1	Peak	24.1	26.17	25	Pass




1.7. Occupied Bandwidth for SA_Part22-24-27(Channel:135100, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
675.5	99	26	1	Peak	24.13	26.23	25	Pass




1.8. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	1	Peak	24.14	26.22	25	Pass




1.9. Occupied Bandwidth for SA_Part22-24-27(Channel:137100, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
685.5	99	26	1	Peak	24.12	26.18	25	Pass




1.10. Occupied Bandwidth for SA_Part22-24-27(Channel:135100, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)




1.11. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	1	Peak	24.08	26.2	25	Pass




1.12. Occupied Bandwidth for SA_Part22-24-27(Channel:137100, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
685.5	99	26	1	Peak	24.07	26.17	25	Pass




1.13. Occupied Bandwidth for SA_Part22-24-27(Channel:135600, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
678	99	26	1	Peak	28.87	31.1	30	Pass




1.14. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	1	Peak	28.86	31.13	30	Pass




1.15. Occupied Bandwidth for SA_Part22-24-27(Channel:136600, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
683	99	26	1	Peak	28.83	31.11	30	Pass




1.16. Occupied Bandwidth for SA_Part22-24-27(Channel:135600, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:160, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
678	99	26	1	Peak	28.81	31.08	30	Pass




1.28. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:160, RB Position:0)



2.2. Occupied Bandwidth for SA_Part22-24-27(Channel:136600, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:160, RB Position:0)




1.18. Occupied Bandwidth for SA_Part22-24-27(Channel:135600, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:160, RB Position:0)




1.19. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	1	Peak	28.84	31.12	30	Pass




1.20. Occupied Bandwidth for SA_Part22-24-27(Channel:136600, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
683	99	26	1	Peak	28.8	31.12	30	Pass




1.21. Occupied Bandwidth for SA_Part22-24-27(Channel:135600, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:160, RB Position:0)




1.22. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	1	Peak	28.85	31.17	30	Pass




1.23. Occupied Bandwidth for SA_Part22-24-27(Channel:136600, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
683	99	26	1	Peak	28.82	31.15	30	Pass




1.24. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:188, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	1	Peak	33.9	42.33	35	Pass




1.25. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:188, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	1	Peak	33.88	40.9	35	Pass




1.26. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:188, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	1	Peak	33.85	36.15	35	Pass




1.27. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:188, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	1	Peak	33.71	36.14	35	Pass




1. n12 15kHz


1.1. Occupied Bandwidth for SA_Part22-24-27(Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




1.2. Occupied Bandwidth for SA_Part22-24-27(Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




1.3. Occupied Bandwidth for SA_Part22-24-27(Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)



1.4. Occupied Bandwidth for SA_Part22-24-27(Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)




1.5. Occupied Bandwidth for SA_Part22-24-27(Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)




1.6. Occupied Bandwidth for SA_Part22-24-27(Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
713.5	99	26	0.1	Peak	4.5	4.94	5	Pass




1.7. Occupied Bandwidth for SA_Part22-24-27(Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
701.5	99	26	0.1	Peak	4.51	4.95	5	Pass




1.8. Occupied Bandwidth for SA_Part22-24-27(Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.1	Peak	4.49	4.95	5	Pass




1.9. Occupied Bandwidth for SA_Part22-24-27(Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
713.5	99	26	0.1	Peak	4.49	4.95	5	Pass




1.10. Occupied Bandwidth for SA_Part22-24-27(Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
701.5	99	26	0.1	Peak	4.5	4.93	5	Pass




1.11. Occupied Bandwidth for SA_Part22-24-27(Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.1	Peak	4.49	4.94	5	Pass




1.13. Occupied Bandwidth for SA_Part22-24-27(Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
704	99	26	0.03	Peak	9.26	9.63	10	Pass




2.1. Occupied Bandwidth for SA_Part22-24-27(Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)




1.14. Occupied Bandwidth for SA_Part22-24-27(Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.03	Peak	9.25	9.66	10	Pass




1.15. Occupied Bandwidth for SA_Part22-24-27(Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
704	99	26	0.03	Peak	9.27	9.65	10	Pass




2.2. Occupied Bandwidth for SA_Part22-24-27(Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)




1.16. Occupied Bandwidth for SA_Part22-24-27(Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.03	Peak	9.27	9.66	10	Pass




1.17. Occupied Bandwidth for SA_Part22-24-27(Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
704	99	26	0.03	Peak	9.26	9.61	10	Pass




2.3. Occupied Bandwidth for SA_Part22-24-27(Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)




1.18. Occupied Bandwidth for SA_Part22-24-27(Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.03	Peak	9.26	9.59	10	Pass




1.19. Occupied Bandwidth for SA_Part22-24-27(Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
704	99	26	0.03	Peak	9.25	9.65	10	Pass




2.4. Occupied Bandwidth for SA_Part22-24-27(Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)




1.20. Occupied Bandwidth for SA_Part22-24-27(Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.03	Peak	9.24	9.63	10	Pass




1.21. Occupied Bandwidth for SA_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
706.5	99	26	0.03	Peak	14.07	14.49	15	Pass




1.22. Occupied Bandwidth for SA_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.03	Peak	14.08	14.51	15	Pass




1.23. Occupied Bandwidth for SA_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
708.5	99	26	0.03	Peak	14.07	14.52	15	Pass




1.24. Occupied Bandwidth for SA_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
706.5	99	26	0.03	Peak	14.07	14.51	15	Pass




1.25. Occupied Bandwidth for SA_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.03	Peak	14.08	14.54	15	Pass




1.26. Occupied Bandwidth for SA_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
708.5	99	26	0.03	Peak	14.08	14.54	15	Pass




1.27. Occupied Bandwidth for SA_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
706.5	99	26	0.03	Peak	14.11	14.54	15	Pass




1.28. Occupied Bandwidth for SA_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.03	Peak	14.09	14.53	15	Pass




1.29. Occupied Bandwidth for SA_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
708.5	99	26	0.03	Peak	14.09	14.57	15	Pass




1.30. Occupied Bandwidth for SA_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
706.5	99	26	0.03	Peak	14.07	14.49	15	Pass




1.31. Occupied Bandwidth for SA_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.03	Peak	14.06	14.5	15	Pass




1.32. Occupied Bandwidth for SA_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)




2. n66

2.1. Occupied Bandwidth for SA_Part22-24-27(Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




2.4. Occupied Bandwidth for SA_Part22-24-27(Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.5	4.93	5	Pass




2.6. Occupied Bandwidth for SA_Part22-24-27(Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1777.5	99	26	0.1	Peak	4.51	5.04	5	Pass




2.7. Occupied Bandwidth for SA_Part22-24-27(Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.51	5.29	5	Pass




2.8. Occupied Bandwidth for SA_Part22-24-27(Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.1	Peak	4.51	5.33	5	Pass




2.9. Occupied Bandwidth for SA_Part22-24-27(Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1777.5	99	26	0.1	Peak	4.51	5.49	5	Pass




2.10. Occupied Bandwidth for SA_Part22-24-27(Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.49	4.94	5	Pass




2.11. Occupied Bandwidth for SA_Part22-24-27(Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.1	Peak	4.49	4.94	5	Pass




2.12. Occupied Bandwidth for SA_Part22-24-27(Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1777.5	99	26	0.1	Peak	4.49	4.93	5	Pass




2.13. Occupied Bandwidth for SA_Part22-24-27(Channel:343000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.03	Peak	9.26	9.61	10	Pass




2.14. Occupied Bandwidth for SA_Part22-24-27(Channel:349000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.03	Peak	9.26	9.64	10	Pass




2.15. Occupied Bandwidth for SA_Part22-24-27(Channel:355000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1775	99	26	0.03	Peak	9.26	9.66	10	Pass




2.16. Occupied Bandwidth for SA_Part22-24-27(Channel:343000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.03	Peak	9.27	9.65	10	Pass




2.17. Occupied Bandwidth for SA_Part22-24-27(Channel:349000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.03	Peak	9.27	9.66	10	Pass




2.18. Occupied Bandwidth for SA_Part22-24-27(Channel:355000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1775	99	26	0.03	Peak	9.27	9.67	10	Pass




2.19. Occupied Bandwidth for SA_Part22-24-27(Channel:343000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.03	Peak	9.27	9.63	10	Pass




2.20. Occupied Bandwidth for SA_Part22-24-27(Channel:349000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.03	Peak	9.26	9.59	10	Pass




2.21. Occupied Bandwidth for SA_Part22-24-27(Channel:355000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1775	99	26	0.03	Peak	9.26	9.6	10	Pass




2.22. Occupied Bandwidth for SA_Part22-24-27(Channel:343000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.03	Peak	9.26	9.65	10	Pass




2.23. Occupied Bandwidth for SA_Part22-24-27(Channel:349000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.03	Peak	9.25	9.59	10	Pass




2.24. Occupied Bandwidth for SA_Part22-24-27(Channel:355000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1775	99	26	0.03	Peak	9.23	9.64	10	Pass




2.25. Occupied Bandwidth for SA_Part22-24-27(Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.03	Peak	14.08	14.53	15	Pass




2.26. Occupied Bandwidth for SA_Part22-24-27(Channel:349000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.03	Peak	14.08	14.51	15	Pass




2.27. Occupied Bandwidth for SA_Part22-24-27(Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1772.5	99	26	0.03	Peak	14.08	14.54	15	Pass




2.28. Occupied Bandwidth for SA_Part22-24-27(Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.03	Peak	14.08	14.51	15	Pass




2.29. Occupied Bandwidth for SA_Part22-24-27(Channel:349000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.03	Peak	14.08	14.55	15	Pass




2.30. Occupied Bandwidth for SA_Part22-24-27(Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1772.5	99	26	0.03	Peak	14.08	14.51	15	Pass




2.31. Occupied Bandwidth for SA_Part22-24-27(Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.03	Peak	14.1	14.5	15	Pass




2.32. Occupied Bandwidth for SA_Part22-24-27(Channel:349000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.03	Peak	14.1	14.49	15	Pass




2.33. Occupied Bandwidth for SA_Part22-24-27(Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1772.5	99	26	0.03	Peak	14.09	14.5	15	Pass




2.34. Occupied Bandwidth for SA_Part22-24-27(Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)




2.35. Occupied Bandwidth for SA_Part22-24-27(Channel:349000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.03	Peak	14.08	14.49	15	Pass




2.36. Occupied Bandwidth for SA_Part22-24-27(Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1772.5	99	26	0.03	Peak	14.08	14.53	15	Pass




2.37. Occupied Bandwidth for SA_Part22-24-27(Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.03	Peak	18.87	19.37	20	Pass




2.38. Occupied Bandwidth for SA_Part22-24-27(Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.03	Peak	18.89	19.43	20	Pass




2.39. Occupied Bandwidth for SA_Part22-24-27(Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1770	99	26	0.03	Peak	18.89	19.4	20	Pass




2.40. Occupied Bandwidth for SA_Part22-24-27(Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.03	Peak	18.88	19.42	20	Pass




2.41. Occupied Bandwidth for SA_Part22-24-27(Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.03	Peak	18.91	19.41	20	Pass




2.42. Occupied Bandwidth for SA_Part22-24-27(Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1770	99	26	0.03	Peak	18.91	19.43	20	Pass




2.43. Occupied Bandwidth for SA_Part22-24-27(Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)




2.44. Occupied Bandwidth for SA_Part22-24-27(Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.03	Peak	18.89	19.37	20	Pass




2.45. Occupied Bandwidth for SA_Part22-24-27(Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1770	99	26	0.03	Peak	18.9	19.4	20	Pass




2.46. Occupied Bandwidth for SA_Part22-24-27(Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)




2.47. Occupied Bandwidth for SA_Part22-24-27(Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.03	Peak	18.88	19.42	20	Pass




2.48. Occupied Bandwidth for SA_Part22-24-27(Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1770	99	26	0.03	Peak	18.89	19.45	20	Pass




2.49. Occupied Bandwidth for SA_Part22-24-27(Channel:344500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1722.5	99	26	1	Peak	24.2	33.31	25	Pass




2.50. Occupied Bandwidth for SA_Part22-24-27(Channel:349000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	1	Peak	24.19	31.85	25	Pass




2.51. Occupied Bandwidth for SA_Part22-24-27(Channel:353500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1767.5	99	26	1	Peak	24.19	29.24	25	Pass




2.52. Occupied Bandwidth for SA_Part22-24-27(Channel:344500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1722.5	99	26	1	Peak	24.17	27.66	25	Pass




2.53. Occupied Bandwidth for SA_Part22-24-27(Channel:349000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)




2.54. Occupied Bandwidth for SA_Part22-24-27(Channel:353500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)



2.55. Occupied Bandwidth for SA_Part22-24-27(Channel:344500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)




2.56. Occupied Bandwidth for SA_Part22-24-27(Channel:349000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)




2.57. Occupied Bandwidth for SA_Part22-24-27(Channel:353500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1767.5	99	26	1	Peak	24.23	26.23	25	Pass




2.58. Occupied Bandwidth for SA_Part22-24-27(Channel:344500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1722.5	99	26	1	Peak	24.07	26.18	25	Pass




2.59. Occupied Bandwidth for SA_Part22-24-27(Channel:349000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	1	Peak	24.06	26.17	25	Pass




2.60. Occupied Bandwidth for SA_Part22-24-27(Channel:353500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1767.5	99	26	1	Peak	24.08	26.26	25	Pass




2.61. Occupied Bandwidth for SA_Part22-24-27(Channel:345000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1725	99	26	1	Peak	28.89	32.13	30	Pass




2.62. Occupied Bandwidth for SA_Part22-24-27(Channel:349000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	1	Peak	28.91	36.85	30	Pass




2.63. Occupied Bandwidth for SA_Part22-24-27(Channel:353000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1765	99	26	1	Peak	28.88	33.17	30	Pass




2.64. Occupied Bandwidth for SA_Part22-24-27(Channel:345000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:160, RB Position:0)




2.65. Occupied Bandwidth for SA_Part22-24-27(Channel:349000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	1	Peak	28.86	33.73	30	Pass




2.66. Occupied Bandwidth for SA_Part22-24-27(Channel:353000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1765	99	26	1	Peak	28.84	32.08	30	Pass




2.67. Occupied Bandwidth for SA_Part22-24-27(Channel:345000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1725	99	26	1	Peak	28.92	31.14	30	Pass




2.68. Occupied Bandwidth for SA_Part22-24-27(Channel:349000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	1	Peak	28.93	33.28	30	Pass




2.69. Occupied Bandwidth for SA_Part22-24-27(Channel:353000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1765	99	26	1	Peak	28.89	31.1	30	Pass




2.70. Occupied Bandwidth for SA_Part22-24-27(Channel:345000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1725	99	26	1	Peak	28.83	31.06	30	Pass




2.71. Occupied Bandwidth for SA_Part22-24-27(Channel:349000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	1	Peak	28.81	31.07	30	Pass




2.72. Occupied Bandwidth for SA_Part22-24-27(Channel:353000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1765	99	26	1	Peak	28.83	31.06	30	Pass



1.1. Occupied Bandwidth for SA_Part22-24-27(Channel:345500, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:188, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1727.5	99	26	1	Peak	33.99	44.85	35	Pass



Measure

Meas Off

Channel Power

Occupied BW


ACP

Multi Carrier Power


Power Stat CCDF

More 1 of 2


1.2. Occupied Bandwidth for SA_Part22-24-27(Channel:349000, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:188, RB Position:0)




1.3. Occupied Bandwidth for SA_Part22-24-27(Channel:352500, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:188, RB Position:0)



1.4. Occupied Bandwidth for SA_Part22-24-27(Channel:345500, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:188, RB Position:0)




1.5. Occupied Bandwidth for SA_Part22-24-27(Channel:349000, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:188, RB Position:0)




1.6. Occupied Bandwidth for SA_Part22-24-27(Channel:352500, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:188, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1762.5	99	26	1	Peak	33.95	39.58	35	Pass




1.7. Occupied Bandwidth for SA_Part22-24-27(Channel:345500, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:188, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1727.5	99	26	1	Peak	33.98	44.02	35	Pass




1.8. Occupied Bandwidth for SA_Part22-24-27(Channel:349000, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:188, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	1	Peak	33.93	40.41	35	Pass




1.9. Occupied Bandwidth for SA_Part22-24-27(Channel:352500, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:188, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1762.5	99	26	1	Peak	33.91	36.19	35	Pass




1.10. Occupied Bandwidth for SA_Part22-24-27(Channel:345500, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:188, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1727.5	99	26	1	Peak	33.78	36.08	35	Pass




1.11. Occupied Bandwidth for SA_Part22-24-27(Channel:349000, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:188, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	1	Peak	33.73	36.1	35	Pass




1.12. Occupied Bandwidth for SA_Part22-24-27(Channel:352500, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:188, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1762.5	99	26	1	Peak	33.75	36.06	35	Pass




2.73. Occupied Bandwidth for SA_Part22-24-27(Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1730	99	26	1	Peak	38.81	41.2	40	Pass




2.75. Occupied Bandwidth for SA_Part22-24-27(Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1760	99	26	1	Peak	38.83	41.17	40	Pass




2.76. Occupied Bandwidth for SA_Part22-24-27(Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1730	99	26	1	Peak	38.79	41.28	40	Pass




2.77. Occupied Bandwidth for SA_Part22-24-27(Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	1	Peak	38.84	41.27	40	Pass




2.78. Occupied Bandwidth for SA_Part22-24-27(Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1760	99	26	1	Peak	38.87	41.3	40	Pass




2.79. Occupied Bandwidth for SA_Part22-24-27(Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1730	99	26	1	Peak	38.69	41.24	40	Pass




2.80. Occupied Bandwidth for SA_Part22-24-27(Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	1	Peak	38.72	41.28	40	Pass




2.81. Occupied Bandwidth for SA_Part22-24-27(Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1760	99	26	1	Peak	38.76	41.19	40	Pass




2.82. Occupied Bandwidth for SA_Part22-24-27(Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1730	99	26	1	Peak	38.73	41.19	40	Pass




2.83. Occupied Bandwidth for SA_Part22-24-27(Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	1	Peak	38.77	41.21	40	Pass




1.13. Occupied Bandwidth for SA_Part22-24-27(Channel:346500, Bandwidth:45, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:242, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	1	Peak	43.48	45.9	45	Pass




1.14. Occupied Bandwidth for SA_Part22-24-27(Channel:349000, Bandwidth:45, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:242, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	1	Peak	43.46	45.89	45	Pass




1.15. Occupied Bandwidth for SA_Part22-24-27(Channel:351500, Bandwidth:45, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:242, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1757.5	99	26	1	Peak	43.46	45.97	45	Pass




1.16. Occupied Bandwidth for SA_Part22-24-27(Channel:346500, Bandwidth:45, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:242, RB Position:0)




1.17. Occupied Bandwidth for SA_Part22-24-27(Channel:349000, Bandwidth:45, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:242, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	1	Peak	43.47	45.9	45	Pass




1.18. Occupied Bandwidth for SA_Part22-24-27(Channel:351500, Bandwidth:45, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:242, RB Position:0)




1.19. Occupied Bandwidth for SA_Part22-24-27(Channel:346500, Bandwidth:45, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:242, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	1	Peak	43.5	45.95	45	Pass




1.20. Occupied Bandwidth for SA_Part22-24-27(Channel:349000, Bandwidth:45, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:242, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	1	Peak	43.49	45.98	45	Pass




1.21. Occupied Bandwidth for SA_Part22-24-27(Channel:351500, Bandwidth:45, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:242, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1757.5	99	26	1	Peak	43.5	45.95	45	Pass




1.22. Occupied Bandwidth for SA_Part22-24-27(Channel:346500, Bandwidth:45, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:242, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	1	Peak	43.37	45.91	45	Pass




1.23. Occupied Bandwidth for SA_Part22-24-27(Channel:349000, Bandwidth:45, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:242, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	1	Peak	43.41	45.89	45	Pass




1.24. Occupied Bandwidth for SA_Part22-24-27(Channel:351500, Bandwidth:45, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:242, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1757.5	99	26	1	Peak	43.46	45.89	45	Pass




3. n26 15kHz(824-849)

3.1. Occupied Bandwidth for SA_Part22-24-27(Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




3.2. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.49	4.93	5	Pass




3.3. Occupied Bandwidth for SA_Part22-24-27(Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.48	5.01	5	Pass




3.4. Occupied Bandwidth for SA_Part22-24-27(Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.51	4.94	5	Pass




3.5. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.5	4.94	5	Pass




3.6. Occupied Bandwidth for SA_Part22-24-27(Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.49	5.3	5	Pass




3.7. Occupied Bandwidth for SA_Part22-24-27(Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.5	5.45	5	Pass




3.8. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.52	4.97	5	Pass




3.9. Occupied Bandwidth for SA_Part22-24-27(Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.49	5.69	5	Pass




3.10. Occupied Bandwidth for SA_Part22-24-27(Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.48	4.94	5	Pass




3.11. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.49	4.95	5	Pass




3.12. Occupied Bandwidth for SA_Part22-24-27(Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.46	4.92	5	Pass




3.13. Occupied Bandwidth for SA_Part22-24-27(Channel:165800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.03	Peak	9.27	9.68	10	Pass




3.14. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	9.25	9.65	10	Pass




3.15. Occupied Bandwidth for SA_Part22-24-27(Channel:168800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.03	Peak	9.23	9.62	10	Pass




3.16. Occupied Bandwidth for SA_Part22-24-27(Channel:165800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.03	Peak	9.28	9.67	10	Pass




3.17. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	9.27	9.67	10	Pass




3.18. Occupied Bandwidth for SA_Part22-24-27(Channel:168800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.03	Peak	9.24	9.61	10	Pass




3.19. Occupied Bandwidth for SA_Part22-24-27(Channel:165800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.03	Peak	9.27	9.6	10	Pass




3.20. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)




3.21. Occupied Bandwidth for SA_Part22-24-27(Channel:168800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.03	Peak	9.24	9.56	10	Pass




3.22. Occupied Bandwidth for SA_Part22-24-27(Channel:165800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.03	Peak	9.25	9.62	10	Pass




3.23. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	9.24	9.59	10	Pass




3.24. Occupied Bandwidth for SA_Part22-24-27(Channel:168800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.03	Peak	9.22	9.59	10	Pass




3.25. Occupied Bandwidth for SA_Part22-24-27(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.03	Peak	14.09	14.57	15	Pass




3.26. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	14.08	14.52	15	Pass




3.27. Occupied Bandwidth for SA_Part22-24-27(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.03	Peak	14.03	14.49	15	Pass




3.28. Occupied Bandwidth for SA_Part22-24-27(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.03	Peak	14.09	14.56	15	Pass




3.29. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	14.08	14.52	15	Pass




3.30. Occupied Bandwidth for SA_Part22-24-27(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.03	Peak	14.04	14.52	15	Pass




3.31. Occupied Bandwidth for SA_Part22-24-27(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.03	Peak	14.1	14.5	15	Pass




3.32. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	14.1	14.51	15	Pass




3.33. Occupied Bandwidth for SA_Part22-24-27(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.03	Peak	14.07	14.52	15	Pass




3.34. Occupied Bandwidth for SA_Part22-24-27(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.03	Peak	14.09	14.52	15	Pass




3.35. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	14.07	14.48	15	Pass




3.36. Occupied Bandwidth for SA_Part22-24-27(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.03	Peak	14.05	14.43	15	Pass




3.37. Occupied Bandwidth for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
834	99	26	0.03	Peak	18.88	19.36	20	Pass




3.1. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)




3.38. Occupied Bandwidth for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
839	99	26	0.03	Peak	18.81	19.37	20	Pass




3.2. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)




3.40. Occupied Bandwidth for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
839	99	26	0.03	Peak	18.82	19.42	20	Pass




3.41. Occupied Bandwidth for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
834	99	26	0.03	Peak	18.9	19.37	20	Pass




3.3. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)




3.42. Occupied Bandwidth for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
839	99	26	0.03	Peak	18.82	19.34	20	Pass




3.43. Occupied Bandwidth for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
834	99	26	0.03	Peak	18.89	19.39	20	Pass




3.4. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)




3.44. Occupied Bandwidth for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)




1.1. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)




1.2. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)



1.3. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)




1.4. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)




1. n41


1.1. Occupied Bandwidth for SA_Part22-24-27(Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)




1.2. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)




1.3. Occupied Bandwidth for SA_Part22-24-27(Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)



1.4. Occupied Bandwidth for SA_Part22-24-27(Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)




1.5. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)




1.6. Occupied Bandwidth for SA_Part22-24-27(Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2685	99	26	0.03	Peak	8.56	9.14	10	Pass




1.8. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	0.03	Peak	8.56	9.1	10	Pass




1.9. Occupied Bandwidth for SA_Part22-24-27(Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2685	99	26	0.03	Peak	8.57	9.07	10	Pass




1.10. Occupied Bandwidth for SA_Part22-24-27(Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2501.01	99	26	0.03	Peak	8.56	9.07	10	Pass




1.11. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	0.03	Peak	8.56	9.12	10	Pass




1.12. Occupied Bandwidth for SA_Part22-24-27(Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2685	99	26	0.03	Peak	8.56	9.02	10	Pass




1.13. Occupied Bandwidth for SA_Part22-24-27(Channel:500700, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2503.5	99	26	0.03	Peak	13.55	14.19	15	Pass




1.14. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	0.03	Peak	13.55	14.18	15	Pass




1.15. Occupied Bandwidth for SA_Part22-24-27(Channel:536496, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2682.48	99	26	0.03	Peak	13.55	14.18	15	Pass




1.16. Occupied Bandwidth for SA_Part22-24-27(Channel:500700, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2503.5	99	26	0.03	Peak	13.56	14.18	15	Pass




1.17. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:38, RB Position:0)




1.18. Occupied Bandwidth for SA_Part22-24-27(Channel:536496, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2682.48	99	26	0.03	Peak	13.58	14.25	15	Pass




1.19. Occupied Bandwidth for SA_Part22-24-27(Channel:500700, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2503.5	99	26	0.03	Peak	13.55	14.12	15	Pass




1.20. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	0.03	Peak	13.57	14.17	15	Pass




1.21. Occupied Bandwidth for SA_Part22-24-27(Channel:536496, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:38, RB Position:0)




1.22. Occupied Bandwidth for SA_Part22-24-27(Channel:500700, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2503.5	99	26	0.03	Peak	13.57	14.14	15	Pass




1.23. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	0.03	Peak	13.57	14.12	15	Pass




1.24. Occupied Bandwidth for SA_Part22-24-27(Channel:536496, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2682.48	99	26	0.03	Peak	13.56	14.18	15	Pass




1.25. Occupied Bandwidth for SA_Part22-24-27(Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2506.02	99	26	0.03	Peak	18.17	18.76	20	Pass




1.26. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	0.03	Peak	18.18	18.77	20	Pass




1.27. Occupied Bandwidth for SA_Part22-24-27(Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2679.99	99	26	0.03	Peak	18.19	18.88	20	Pass




1.28. Occupied Bandwidth for SA_Part22-24-27(Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)




1.29. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	0.03	Peak	18.17	18.78	20	Pass




1.30. Occupied Bandwidth for SA_Part22-24-27(Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2679.99	99	26	0.03	Peak	18.19	18.88	20	Pass




1.31. Occupied Bandwidth for SA_Part22-24-27(Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2506.02	99	26	0.03	Peak	18.17	18.78	20	Pass




1.32. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	0.03	Peak	18.17	18.75	20	Pass




1.33. Occupied Bandwidth for SA_Part22-24-27(Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2679.99	99	26	0.03	Peak	18.17	18.79	20	Pass




1.34. Occupied Bandwidth for SA_Part22-24-27(Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)




1.35. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	0.03	Peak	18.15	18.77	20	Pass




1.36. Occupied Bandwidth for SA_Part22-24-27(Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2679.99	99	26	0.03	Peak	18.16	18.8	20	Pass




3.1. Occupied Bandwidth for SA_Part22-24-27(Channel:501702, Bandwidth:25, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:65, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2508.51	99	26	1	Peak	23.6	25.72	25	Pass




3.2. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:25, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:65, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	23.59	25.68	25	Pass




3.3. Occupied Bandwidth for SA_Part22-24-27(Channel:535500, Bandwidth:25, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:65, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2677.5	99	26	1	Peak	23.69	28.84	25	Pass



3.4. Occupied Bandwidth for SA_Part22-24-27(Channel:501702, Bandwidth:25, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:65, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2508.51	99	26	1	Peak	23.78	34.19	25	Pass



3.5. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:25, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:65, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	23.74	25.8	25	Pass

