









Mode	1																																																															
	Band Edge																																																															
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																															
ANT	9																																																															
Pol.	Horizontal																																																															
Peak																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.70</td><td>54.42</td><td>74.00</td><td>-19.58</td><td>39.94</td><td>32.47</td><td>9.11</td><td>33.10</td><td>6.00</td><td>115</td><td>99 PEAK</td></tr><tr><td>2</td><td>2386.70</td><td>29.63</td><td>54.00</td><td>-24.37</td><td>15.15</td><td>32.47</td><td>9.11</td><td>33.10</td><td>6.00</td><td>115</td><td>99 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.70	54.42	74.00	-19.58	39.94	32.47	9.11	33.10	6.00	115	99 PEAK	2	2386.70	29.63	54.00	-24.37	15.15	32.47	9.11	33.10	6.00	115	99 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	2386.70	54.42	74.00	-19.58	39.94	32.47	9.11	33.10	6.00	115	99 PEAK																																																					
2	2386.70	29.63	54.00	-24.37	15.15	32.47	9.11	33.10	6.00	115	99 AVERAGE																																																					
																																																																
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>107.18</td><td>-----</td><td>-----</td><td>92.62</td><td>32.49</td><td>9.15</td><td>33.08</td><td>6.00</td><td>115</td><td>99 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>82.39</td><td>-----</td><td>-----</td><td>67.83</td><td>32.49</td><td>9.15</td><td>33.08</td><td>6.00</td><td>115</td><td>99 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	107.18	-----	-----	92.62	32.49	9.15	33.08	6.00	115	99 PEAK	2	2402.00	82.39	-----	-----	67.83	32.49	9.15	33.08	6.00	115	99 AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	2402.00	107.18	-----	-----	92.62	32.49	9.15	33.08	6.00	115	99 PEAK																																																					
2	2402.00	82.39	-----	-----	67.83	32.49	9.15	33.08	6.00	115	99 AVERAGE																																																					





Mode	1																																																																					
	Band Edge																																																																					
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																					
ANT	9																																																																					
Pol.	Vertical																																																																					
Peak																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2383.19</td><td>55.73</td><td>74.00</td><td>-18.27</td><td>41.26</td><td>32.47</td><td>9.10</td><td>33.10</td><td>6.00</td><td>399</td><td>81 PEAK</td></tr><tr><td>2</td><td>2383.19</td><td>30.94</td><td>54.00</td><td>-23.06</td><td>16.47</td><td>32.47</td><td>9.10</td><td>33.10</td><td>6.00</td><td>399</td><td>81 AVERAGE</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2383.19	55.73	74.00	-18.27	41.26	32.47	9.10	33.10	6.00	399	81 PEAK	2	2383.19	30.94	54.00	-23.06	16.47	32.47	9.10	33.10	6.00	399	81 AVERAGE
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	2383.19	55.73	74.00	-18.27	41.26	32.47	9.10	33.10	6.00	399	81 PEAK																																																											
2	2383.19	30.94	54.00	-23.06	16.47	32.47	9.10	33.10	6.00	399	81 AVERAGE																																																											
Fundamental																																																																						
Peak																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2402.00</td><td>103.26</td><td>-----</td><td>88.70</td><td>32.49</td><td>9.15</td><td>33.08</td><td>6.00</td><td>399</td><td>81 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>78.47</td><td>-----</td><td>63.91</td><td>32.49</td><td>9.15</td><td>33.08</td><td>6.00</td><td>399</td><td>81 AVERAGE</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2402.00	103.26	-----	88.70	32.49	9.15	33.08	6.00	399	81 PEAK	2	2402.00	78.47	-----	63.91	32.49	9.15	33.08	6.00	399	81 AVERAGE		
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	2402.00	103.26	-----	88.70	32.49	9.15	33.08	6.00	399	81 PEAK																																																												
2	2402.00	78.47	-----	63.91	32.49	9.15	33.08	6.00	399	81 AVERAGE																																																												





Mode	1																																																																																																
	Harmonic																																																																																																
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																
ANT	9																																																																																																
Pol.	Horizontal										Vertical																																																																																						
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4004.00</td><td>38.70</td><td>74.00</td><td>-35.30</td><td>57.35</td><td>34.40</td><td>11.39</td><td>64.44</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4004.00	38.70	74.00	-35.30	57.35	34.40	11.39	64.44	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4004.00</td><td>39.50</td><td>74.00</td><td>-34.50</td><td>58.15</td><td>34.40</td><td>11.39</td><td>64.44</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4004.00	39.50	74.00	-34.50	58.15	34.40	11.39	64.44	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4004.00	38.70	74.00	-35.30	57.35	34.40	11.39	64.44	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4004.00	39.50	74.00	-34.50	58.15	34.40	11.39	64.44	0.00	--	PEAK																																																																																						





Mode	2																																																																																																
	Harmonic																																																																																																
	2400-2483.5_Bluetooth BR_GFSK_CH39_2440MHz																																																																																																
ANT	9																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg	 Horizontal Polarization Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue signal line, a red limit line at 81.3 dBuV/m (FCC PART 15C), and a red average line at 48.8 dBuV/m (FCC PART 15C (AVG)). The signal level is approximately 41.61 dBuV/m at 4880.00 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>41.61</td><td>74.00</td><td>-32.39</td><td>59.93</td><td>34.40</td><td>11.55</td><td>64.27</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	41.61	74.00	-32.39	59.93	34.40	11.55	64.27	0.00	--	PEAK	 Vertical Polarization Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue signal line, a red limit line at 81.3 dBuV/m (FCC PART 15C), and a red average line at 48.8 dBuV/m (FCC PART 15C (AVG)). The signal level is approximately 41.09 dBuV/m at 4880.00 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>41.09</td><td>74.00</td><td>-32.91</td><td>59.41</td><td>34.40</td><td>11.55</td><td>64.27</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	41.09	74.00	-32.91	59.41	34.40	11.55	64.27	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4880.00	41.61	74.00	-32.39	59.93	34.40	11.55	64.27	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4880.00	41.09	74.00	-32.91	59.41	34.40	11.55	64.27	0.00	--	PEAK																																																																																						






Mode	3																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																													
ANT	9																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.72</td><td>62.04</td><td>74.00</td><td>-11.96</td><td>47.32</td><td>32.33</td><td>9.23</td><td>32.84</td><td>6.00</td><td>113</td><td>98</td><td>PEAK</td></tr><tr><td>2</td><td>2483.72</td><td>37.25</td><td>54.00</td><td>-16.75</td><td>22.53</td><td>32.33</td><td>9.23</td><td>32.84</td><td>6.00</td><td>113</td><td>98</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.72	62.04	74.00	-11.96	47.32	32.33	9.23	32.84	6.00	113	98	PEAK	2	2483.72	37.25	54.00	-16.75	22.53	32.33	9.23	32.84	6.00	113	98	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>106.73</td><td>-----</td><td>-----</td><td>92.04</td><td>32.32</td><td>9.23</td><td>32.86</td><td>6.00</td><td>113</td><td>98</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>81.94</td><td>-----</td><td>-----</td><td>67.25</td><td>32.32</td><td>9.23</td><td>32.86</td><td>6.00</td><td>113</td><td>98</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	106.73	-----	-----	92.04	32.32	9.23	32.86	6.00	113	98	PEAK	2	2480.00	81.94	-----	-----	67.25	32.32	9.23	32.86	6.00	113	98	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2483.72	62.04	74.00	-11.96	47.32	32.33	9.23	32.84	6.00	113	98	PEAK																																																																																																																		
2	2483.72	37.25	54.00	-16.75	22.53	32.33	9.23	32.84	6.00	113	98	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2480.00	106.73	-----	-----	92.04	32.32	9.23	32.86	6.00	113	98	PEAK																																																																																																																		
2	2480.00	81.94	-----	-----	67.25	32.32	9.23	32.86	6.00	113	98	AVERAGE																																																																																																																		



Mode	3																																																																					
	Band Edge																																																																					
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																					
ANT	9																																																																					
Pol.	Vertical																																																																					
Peak																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.54</td><td>59.72</td><td>74.00</td><td>-14.28</td><td>45.01</td><td>32.33</td><td>9.23</td><td>32.85</td><td>6.00</td><td>326</td><td>78 PEAK</td></tr><tr><td>2</td><td>2483.54</td><td>34.93</td><td>54.00</td><td>-19.07</td><td>20.22</td><td>32.33</td><td>9.23</td><td>32.85</td><td>6.00</td><td>326</td><td>78 AVERAGE</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2483.54	59.72	74.00	-14.28	45.01	32.33	9.23	32.85	6.00	326	78 PEAK	2	2483.54	34.93	54.00	-19.07	20.22	32.33	9.23	32.85	6.00	326	78 AVERAGE
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	2483.54	59.72	74.00	-14.28	45.01	32.33	9.23	32.85	6.00	326	78 PEAK																																																											
2	2483.54	34.93	54.00	-19.07	20.22	32.33	9.23	32.85	6.00	326	78 AVERAGE																																																											
																																																																						
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2480.00</td><td>103.20</td><td>-----</td><td>88.51</td><td>32.32</td><td>9.23</td><td>32.86</td><td>6.00</td><td>326</td><td>78</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>78.41</td><td>-----</td><td>63.72</td><td>32.32</td><td>9.23</td><td>32.86</td><td>6.00</td><td>326</td><td>78</td><td>AVERAGE</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2480.00	103.20	-----	88.51	32.32	9.23	32.86	6.00	326	78	PEAK	2	2480.00	78.41	-----	63.72	32.32	9.23	32.86	6.00	326	78	AVERAGE	
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	2480.00	103.20	-----	88.51	32.32	9.23	32.86	6.00	326	78	PEAK																																																											
2	2480.00	78.41	-----	63.72	32.32	9.23	32.86	6.00	326	78	AVERAGE																																																											



Mode	3																																																																																																
	Harmonic																																																																																																
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																
ANT	9																																																																																																
Pol.	Horizontal										Vertical																																																																																						
Peak Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>40.14</td><td>74.00</td><td>-33.86</td><td>58.37</td><td>34.38</td><td>11.72</td><td>64.33</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.14	74.00	-33.86	58.37	34.38	11.72	64.33	0.00	--	PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>40.55</td><td>74.00</td><td>-33.45</td><td>58.78</td><td>34.38</td><td>11.72</td><td>64.33</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.55	74.00	-33.45	58.78	34.38	11.72	64.33	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4960.00	40.14	74.00	-33.86	58.37	34.38	11.72	64.33	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4960.00	40.55	74.00	-33.45	58.78	34.38	11.72	64.33	0.00	--	PEAK																																																																																						







Mode	3																																																																																																																																																																																																																					
	30-1G																																																																																																																																																																																																																					
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																																																																																																					
ANT	9																																																																																																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																																																																																																															
Peak	Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a red limit line (Part 15C) and a blue signal line. Peaks are numbered 1 through 6. <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>34.12</td><td>23.11</td><td>40.00</td><td>-16.89</td><td>31.72</td><td>22.91</td><td>0.53</td><td>32.05</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>131.12</td><td>25.51</td><td>43.50</td><td>-17.99</td><td>38.34</td><td>17.61</td><td>1.59</td><td>32.03</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>262.80</td><td>20.13</td><td>46.00</td><td>-25.87</td><td>29.70</td><td>20.22</td><td>2.27</td><td>32.06</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>410.97</td><td>21.72</td><td>46.00</td><td>-24.28</td><td>28.69</td><td>22.31</td><td>2.87</td><td>32.15</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>564.71</td><td>25.72</td><td>46.00</td><td>-20.28</td><td>28.48</td><td>26.21</td><td>3.34</td><td>32.31</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>770.35</td><td>28.77</td><td>46.00</td><td>-17.23</td><td>28.51</td><td>28.45</td><td>3.91</td><td>32.10</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	34.12	23.11	40.00	-16.89	31.72	22.91	0.53	32.05	0.00	--- Peak	2	131.12	25.51	43.50	-17.99	38.34	17.61	1.59	32.03	0.00	--- Peak	3	262.80	20.13	46.00	-25.87	29.70	20.22	2.27	32.06	0.00	--- Peak	4	410.97	21.72	46.00	-24.28	28.69	22.31	2.87	32.15	0.00	--- Peak	5	564.71	25.72	46.00	-20.28	28.48	26.21	3.34	32.31	0.00	--- Peak	6	770.35	28.77	46.00	-17.23	28.51	28.45	3.91	32.10	0.00	--- Peak	Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a red limit line (Part 15C) and a blue signal line. Peaks are numbered 1 through 6. <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>58.13</td><td>31.14</td><td>40.00</td><td>-8.86</td><td>50.23</td><td>12.11</td><td>0.86</td><td>32.06</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>154.89</td><td>29.84</td><td>43.50</td><td>-13.66</td><td>43.43</td><td>16.71</td><td>1.73</td><td>32.03</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>182.53</td><td>27.07</td><td>43.50</td><td>-16.43</td><td>42.48</td><td>14.76</td><td>1.89</td><td>32.06</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>257.47</td><td>21.83</td><td>46.00</td><td>-24.17</td><td>31.80</td><td>19.84</td><td>2.24</td><td>32.05</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>493.18</td><td>24.12</td><td>46.00</td><td>-21.88</td><td>29.30</td><td>23.93</td><td>3.13</td><td>32.24</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>733.01</td><td>28.45</td><td>46.00</td><td>-17.55</td><td>28.89</td><td>27.99</td><td>3.82</td><td>32.25</td><td>0.00</td><td>--- Peak</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	58.13	31.14	40.00	-8.86	50.23	12.11	0.86	32.06	0.00	--- Peak	2	154.89	29.84	43.50	-13.66	43.43	16.71	1.73	32.03	0.00	--- Peak	3	182.53	27.07	43.50	-16.43	42.48	14.76	1.89	32.06	0.00	--- Peak	4	257.47	21.83	46.00	-24.17	31.80	19.84	2.24	32.05	0.00	--- Peak	5	493.18	24.12	46.00	-21.88	29.30	23.93	3.13	32.24	0.00	--- Peak	6	733.01	28.45	46.00	-17.55	28.89	27.99	3.82	32.25	0.00	--- Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																												
1	34.12	23.11	40.00	-16.89	31.72	22.91	0.53	32.05	0.00	--- Peak																																																																																																																																																																																																												
2	131.12	25.51	43.50	-17.99	38.34	17.61	1.59	32.03	0.00	--- Peak																																																																																																																																																																																																												
3	262.80	20.13	46.00	-25.87	29.70	20.22	2.27	32.06	0.00	--- Peak																																																																																																																																																																																																												
4	410.97	21.72	46.00	-24.28	28.69	22.31	2.87	32.15	0.00	--- Peak																																																																																																																																																																																																												
5	564.71	25.72	46.00	-20.28	28.48	26.21	3.34	32.31	0.00	--- Peak																																																																																																																																																																																																												
6	770.35	28.77	46.00	-17.23	28.51	28.45	3.91	32.10	0.00	--- Peak																																																																																																																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																												
1	58.13	31.14	40.00	-8.86	50.23	12.11	0.86	32.06	0.00	--- Peak																																																																																																																																																																																																												
2	154.89	29.84	43.50	-13.66	43.43	16.71	1.73	32.03	0.00	--- Peak																																																																																																																																																																																																												
3	182.53	27.07	43.50	-16.43	42.48	14.76	1.89	32.06	0.00	--- Peak																																																																																																																																																																																																												
4	257.47	21.83	46.00	-24.17	31.80	19.84	2.24	32.05	0.00	--- Peak																																																																																																																																																																																																												
5	493.18	24.12	46.00	-21.88	29.30	23.93	3.13	32.24	0.00	--- Peak																																																																																																																																																																																																												
6	733.01	28.45	46.00	-17.55	28.89	27.99	3.82	32.25	0.00	--- Peak																																																																																																																																																																																																												

Appendix D. Duty Cycle Plots

DH5 on time (One Pulse) Plot on Channel 39



DH5 on time (Count Pulses) Plot on Channel 39



Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.