

































Min emission bandwidth



Test Result B4



TestMode	Antenna	Freq(MHz)	6dB EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant9	5745	16.29	5736.85	5753.13	0.5	PASS
		5785	15.64	5776.87	5792.50	0.5	PASS
		5825	15.62	5816.87	5832.49	0.5	PASS
11AC20SISO	Ant9	5745	16.15	5737.00	5753.15	0.5	PASS
		5785	15.10	5777.44	5792.54	0.5	PASS
		5825	16.27	5816.85	5833.11	0.5	PASS
11AC40SISO	Ant9	5755	35.66	5737.10	5772.75	0.5	PASS
		5795	35.31	5777.25	5812.56	0.5	PASS
11AC80SISO	Ant9	5775	75.12	5737.44	5812.56	0.5	PASS






Test Graphs B4











Maximum power spectral density

Test Result


TestMode	Antenna	Freq(MHz)	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant9	5180	6.3	≤11.00	PASS
		5220	6.11	≤11.00	PASS
		5240	5.86	≤11.00	PASS
		5260	5.81	≤11.00	PASS
		5300	6.04	≤11.00	PASS
		5320	5.42	≤11.00	PASS
		5500	6.18	≤11.00	PASS
		5580	6.36	≤11.00	PASS
		5700	7.22	≤11.00	PASS
		5720_UNII-2C	7.32	≤11.00	PASS
		5720_UNII-3	2.81	≤30.00	PASS
		5745	4.46	≤30.00	PASS
		5785	4.2	≤30.00	PASS
		5825	3.84	≤30.00	PASS
11AC20SISO	Ant9	5180	5.31	≤11.00	PASS
		5220	5.17	≤11.00	PASS
		5240	4.86	≤11.00	PASS
		5260	4.87	≤11.00	PASS
		5300	5.17	≤11.00	PASS
		5320	4.42	≤11.00	PASS
		5500	5.06	≤11.00	PASS
		5580	5.41	≤11.00	PASS
		5700	6.16	≤11.00	PASS
		5720_UNII-2C	6.21	≤11.00	PASS
		5720_UNII-3	1.85	≤30.00	PASS
		5745	3.35	≤30.00	PASS
		5785	3.24	≤30.00	PASS
		5825	2.94	≤30.00	PASS
11AC40SISO	Ant9	5190	1.39	≤11.00	PASS
		5230	1.04	≤11.00	PASS
		5270	0.97	≤11.00	PASS
		5310	0.8	≤11.00	PASS
		5510	1.17	≤11.00	PASS
		5550	1.52	≤11.00	PASS
		5670	2.27	≤11.00	PASS
		5710_UNII-2C	1.88	≤11.00	PASS
		5710_UNII-3	-2.88	≤30.00	PASS
		5755	-0.65	≤30.00	PASS
		5795	-0.95	≤30.00	PASS
		5775	-4.75	≤30.00	PASS
11AC80SISO	Ant9	5210	-3.42	≤11.00	PASS
		5290	-3.48	≤11.00	PASS
		5530	-3.58	≤11.00	PASS
		5610	-2.94	≤11.00	PASS
		5690_UNII-2C	-2.14	≤11.00	PASS
		5690_UNII-3	-7.19	≤30.00	PASS
		5775	-4.75	≤30.00	PASS



Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.



2.The Duty Cycle Factor and is compensated in the graph.







Test Graphs













































































Appendix B. AC Conducted Emission Test Results

Test Engineer :	Buck zhao	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS

Condition : 15E RSS247-QP LISN-100334-L 2025 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.350	39.44	-19.52	58.96	19.30	9.65	10.49	QP
2	0.350	28.84	-20.12	48.96	8.70	9.65	10.49	Average
3	0.408	38.28	-19.40	57.68	18.20	9.59	10.49	QP
4	0.408	29.20	-18.48	47.68	9.12	9.59	10.49	Average
5	0.634	38.30	-17.70	56.00	18.20	9.59	10.51	QP
6	0.634	26.00	-20.00	46.00	5.90	9.59	10.51	Average
7	1.123	42.26	-13.74	56.00	22.11	9.59	10.56	QP
8	1.123	32.36	-13.64	46.00	12.21	9.59	10.56	Average
9	1.480	41.35	-14.65	56.00	21.20	9.60	10.55	QP
10	1.480	26.65	-19.35	46.00	6.50	9.60	10.55	Average
11	8.020	39.85	-20.15	60.00	19.53	9.77	10.55	QP
12	8.020	31.03	-18.97	50.00	10.71	9.77	10.55	Average
13	11.021	42.60	-17.40	60.00	22.20	9.85	10.55	QP
14	11.021	34.00	-16.00	50.00	13.60	9.85	10.55	Average
15	13.337	46.73	-13.27	60.00	26.30	9.86	10.57	QP
16 *	13.337	38.63	-11.37	50.00	18.20	9.86	10.57	Average



Test Engineer :	Buck zhao	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-100334-N 2025 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.173	36.62	-28.19	64.81	16.59	9.55	10.48	QP
2	0.173	28.12	-26.69	54.81	8.09	9.55	10.48	Average
3	0.217	35.30	-27.62	62.92	15.20	9.62	10.48	QP
4	0.217	26.60	-26.32	52.92	6.50	9.62	10.48	Average
5	0.387	38.59	-19.53	58.12	18.50	9.60	10.49	QP
6	0.387	27.29	-20.83	48.12	7.20	9.60	10.49	Average
7	0.694	34.82	-21.18	56.00	14.50	9.81	10.51	QP
8	0.694	29.52	-16.48	46.00	9.20	9.81	10.51	Average
9	1.310	37.07	-18.93	56.00	16.60	9.91	10.56	QP
10 *	1.310	30.97	-15.03	46.00	10.50	9.91	10.56	Average
11	4.848	38.32	-17.68	56.00	18.20	9.62	10.50	QP
12	4.848	29.62	-16.38	46.00	9.50	9.62	10.50	Average
13	13.623	37.20	-22.80	60.00	16.90	9.73	10.57	QP
14	13.623	30.50	-19.50	50.00	10.20	9.73	10.57	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C Radiated Spurious Emission Test Data

Test Engineer :	Jerry Xu	Relative Humidity :	41 ~ 42 %
		Temperature :	22 ~ 23 °C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	9	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	9	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	9	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	9	802.11a	52	5280	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	9	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	9	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	9	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	9	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	9	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	9	802.11ac VHT20	36	5180	MCS0	-	-
Mode 11	U-NII-1	5.15-5.25	9	802.11ac VHT20	44	5220	MCS0	-	-
Mode 12	U-NII-1	5.15-5.25	9	802.11ac VHT20	48	5240	MCS0	-	-
Mode 13	U-NII-2A	5.25-5.35	9	802.11ac VHT20	52	5280	MCS0	-	-
Mode 14	U-NII-2A	5.25-5.35	9	802.11ac VHT20	60	5300	MCS0	-	-
Mode 15	U-NII-2A	5.25-5.35	9	802.11ac VHT20	64	5320	MCS0	-	-
Mode 16	U-NII-2C	5.47-5.725	9	802.11ac VHT20	100	5500	MCS0	-	-
Mode 17	U-NII-2C	5.47-5.725	9	802.11ac VHT20	116	5580	MCS0	-	-
Mode 18	U-NII-2C	5.47-5.725	9	802.11ac VHT20	140	5700	MCS0	-	-
Mode 19	U-NII-1	5.15-5.25	9	802.11ac VHT40	38	5190	MCS0	-	-
Mode 20	U-NII-1	5.15-5.25	9	802.11ac VHT40	46	5230	MCS0	-	-
Mode 21	U-NII-2A	5.25-5.35	9	802.11ac VHT40	54	5270	MCS0	-	-
Mode 22	U-NII-2A	5.25-5.35	9	802.11ac VHT40	62	5310	MCS0	-	-
Mode 23	U-NII-2C	5.47-5.725	9	802.11ac VHT40	102	5510	MCS0	-	-
Mode 24	U-NII-2C	5.47-5.725	9	802.11ac VHT40	110	5550	MCS0	-	-
Mode 25	U-NII-2C	5.47-5.725	9	802.11ac VHT40	134	5670	MCS0	-	-
Mode 26	U-NII-1	5.15-5.25	9	802.11ac VHT80	42	5210	MCS0	-	-
Mode 27	U-NII-2A	5.25-5.35	9	802.11ac VHT80	58	5290	MCS0	-	-
Mode 28	U-NII-2C	5.47-5.725	9	802.11ac VHT80	106	5530	MCS0	-	-
Mode 29	U-NII-2C	5.47-5.725	9	802.11ac VHT80	122	5610	MCS0	-	-
Mode 30	U-NII-3	5.725-5.85	9	802.11a	149	5745	6Mbps	-	-
Mode 31	U-NII-3	5.725-5.85	9	802.11a	157	5785	6Mbps	-	-
Mode 32	U-NII-3	5.725-5.85	9	802.11a	165	5825	6Mbps	-	-
Mode 33	U-NII-3	5.725-5.85	9	802.11ac VHT20	149	5745	MCS0	-	-
Mode 34	U-NII-3	5.725-5.85	9	802.11ac VHT20	157	5785	MCS0	-	-
Mode 35	U-NII-3	5.725-5.85	9	802.11ac VHT20	165	5825	MCS0	-	-
Mode 36	U-NII-3	5.725-5.85	9	802.11ac VHT40	151	5755	MCS0	-	-
Mode 37	U-NII-3	5.725-5.85	9	802.11ac VHT40	159	5795	MCS0	-	-
Mode 38	U-NII-3	5.725-5.85	9	802.11ac VHT80	155	5775	MCS0	-	-
Mode 39	U-NII-2C	5.47-5.725	9	802.11a	144	5720	6Mbps	-	-
Mode 40	U-NII-2C	5.47-5.725	9	802.11ac VHT20	144	5720	MCS0	-	-
Mode 41	U-NII-2C	5.47-5.725	9	802.11ac VHT40	142	5710	MCS0	-	-
Mode 42	U-NII-2C	5.47-5.725	9	802.11ac VHT80	138	5690	MCS0	-	-







Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5146.55	45.70	54.00	-8.30	H	AVERAGE	Pass	Band Edge
1	802.11a	36	10360.00	46.64	68.20	-21.56	V	PEAK	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	10440.00	45.68	68.20	-22.52	H	PEAK	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	10480.00	47.18	68.20	-21.02	H	PEAK	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	10560.00	46.89	68.20	-21.31	V	PEAK	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	10600.00	46.64	74.00	-27.36	V	PEAK	Pass	Harmonic
6	802.11a	64	5352.55	45.53	54.00	-8.47	H	AVERAGE	Pass	Band Edge
6	802.11a	64	10640.00	46.78	74.00	-27.22	H	PEAK	Pass	Harmonic
7	802.11a	100	5458.09	45.50	54.00	-8.50	H	AVERAGE	Pass	Band Edge
7	802.11a	100	11000.00	46.54	74.00	-27.46	H	PEAK	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	11160.00	45.88	74.00	-28.12	H	PEAK	Pass	Harmonic
9	802.11a	140	5725.44	57.70	68.20	-10.50	H	PEAK	Pass	Band Edge
9	802.11a	140	11400.00	46.90	74.00	-27.10	H	PEAK	Pass	Harmonic
10	802.11ac VHT20	36	5147.95	46.56	54.00	-7.44	H	AVERAGE	Pass	Band Edge
10	802.11ac VHT20	36	10360.00	46.43	68.20	-21.77	V	PEAK	Pass	Harmonic
11	802.11ac VHT20	44	-	-	-	-	-	-	-	Band Edge
11	802.11ac VHT20	44	10440.00	46.57	68.20	-21.63	V	PEAK	Pass	Harmonic
12	802.11ac VHT20	48	-	-	-	-	-	-	-	Band Edge
12	802.11ac VHT20	48	10480.00	46.61	68.20	-21.59	V	PEAK	Pass	Harmonic
13	802.11ac VHT20	52	-	-	-	-	-	-	-	Band Edge
13	802.11ac VHT20	52	10560.00	46.66	68.20	-21.54	H	PEAK	Pass	Harmonic
14	802.11ac VHT20	60	-	-	-	-	-	-	-	Band Edge
14	802.11ac VHT20	60	10600.00	36.33	54.00	-17.67	H	AVERAGE	Pass	Harmonic
15	802.11ac VHT20	64	5352.14	45.37	54.00	-8.63	H	AVERAGE	Pass	Band Edge
15	802.11ac VHT20	64	10640.00	46.55	74.00	-27.45	H	PEAK	Pass	Harmonic
16	802.11ac VHT20	100	5456.01	45.65	54.00	-8.35	H	AVERAGE	Pass	Band Edge
16	802.11ac VHT20	100	11000.00	46.83	74.00	-27.17	V	PEAK	Pass	Harmonic
17	802.11ac VHT20	116	-	-	-	-	-	-	-	Band Edge
17	802.11ac VHT20	116	11160.00	46.00	74.00	-28.00	V	PEAK	Pass	Harmonic
18	802.11ac VHT20	140	5739.60	56.11	68.20	-12.09	H	PEAK	Pass	Band Edge
18	802.11ac VHT20	140	11400.00	46.29	74.00	-27.71	V	PEAK	Pass	Harmonic
19	802.11ac VHT40	38	5149.53	48.94	54.00	-5.06	H	AVERAGE	Pass	Band Edge
19	802.11ac VHT40	38	10380.00	45.80	68.20	-22.40	V	PEAK	Pass	Harmonic
20	802.11ac VHT40	46	-	-	-	-	-	-	-	Band Edge
20	802.11ac VHT40	46	10460.00	46.50	68.20	-21.70	H	PEAK	Pass	Harmonic
21	802.11ac VHT40	54	-	-	-	-	-	-	-	Band Edge
21	802.11ac VHT40	54	10540.00	46.49	68.20	-21.71	H	PEAK	Pass	Harmonic
22	802.11ac VHT40	62	5350.85	48.14	54.00	-5.86	H	AVERAGE	Pass	Band Edge
22	802.11ac VHT40	62	10620.00	44.66	74.00	-29.34	V	PEAK	Pass	Harmonic







23	802.11ac VHT40	102	5459.85	46.24	54.00	-7.76	H	AVERAGE	Pass	Band Edge
23	802.11ac VHT40	102	11020.00	45.73	74.00	-28.27	V	PEAK	Pass	Harmonic
24	802.11ac VHT40	110	-	-	-	-	-	-	-	Band Edge
24	802.11ac VHT40	110	11100.00	46.07	74.00	-27.93	H	PEAK	Pass	Harmonic
25	802.11ac VHT40	134	5451.69	44.01	54.00	-9.99	H	AVERAGE	Pass	Band Edge
25	802.11ac VHT40	134	11340.00	46.72	74.00	-27.28	H	PEAK	Pass	Harmonic
26	802.11ac VHT80	42	5148.25	48.57	54.00	-5.43	H	AVERAGE	Pass	Band Edge
26	802.11ac VHT80	42	10420.00	45.25	68.20	-22.95	H	PEAK	Pass	Harmonic
27	802.11ac VHT80	58	5354.15	48.37	54.00	-5.63	H	AVERAGE	Pass	Band Edge
27	802.11ac VHT80	58	10580.00	45.64	68.20	-22.56	H	PEAK	Pass	Harmonic
28	802.11ac VHT80	106	5457.77	48.24	54.00	-5.76	H	AVERAGE	Pass	Band Edge
28	802.11ac VHT80	106	11060.00	45.55	74.00	-28.45	V	PEAK	Pass	Harmonic
29	802.11ac VHT80	122	5453.13	44.58	54.00	-9.42	H	AVERAGE	Pass	Band Edge
29	802.11ac VHT80	122	11220.00	45.58	74.00	-28.42	H	PEAK	Pass	Harmonic
30	802.11a	149	5619.20	54.63	68.20	-13.57	V	PEAK	Pass	Band Edge
30	802.11a	149	11490.00	46.42	74.00	-27.58	H	PEAK	Pass	Harmonic
31	802.11a	157	-	-	-	-	-	-	-	Band Edge
31	802.11a	157	11570.00	46.69	74.00	-27.31	H	PEAK	Pass	Harmonic
32	802.11a	165	5978.80	55.13	68.20	-13.07	H	PEAK	Pass	Band Edge
32	802.11a	165	11650.00	46.38	74.00	-27.62	V	PEAK	Pass	Harmonic
33	802.11ac VHT20	149	5628.80	55.51	68.20	-12.69	V	PEAK	Pass	Band Edge
33	802.11ac VHT20	149	11490.00	35.85	54.00	-18.15	H	AVERAGE	Pass	Harmonic
34	802.11ac VHT20	157	-	-	-	-	-	-	-	Band Edge
34	802.11ac VHT20	157	11570.00	46.87	74.00	-27.13	H	PEAK	Pass	Harmonic
35	802.11ac VHT20	165	5957.20	56.25	68.20	-11.95	V	PEAK	Pass	Band Edge
35	802.11ac VHT20	165	11650.00	35.92	54.00	-18.08	H	AVERAGE	Pass	Harmonic
36	802.11ac VHT40	151	5606.82	55.46	68.20	-12.74	V	PEAK	Pass	Band Edge
36	802.11ac VHT40	151	11510.00	44.82	74.00	-29.18	V	PEAK	Pass	Harmonic
37	802.11ac VHT40	159	5973.60	56.15	68.20	-12.05	V	PEAK	Pass	Band Edge
37	802.11ac VHT40	159	11590.00	44.79	74.00	-29.21	V	PEAK	Pass	Harmonic
38	802.11ac VHT80	155	5603.60	55.71	68.20	-12.49	H	PEAK	Pass	Band Edge
38	802.11ac VHT80	155	11550.00	43.85	74.00	-30.15	V	PEAK	Pass	Harmonic
39	802.11a	144	-	-	-	-	-	-	-	Band Edge
39	802.11a	144	11440.00	46.60	74.00	-27.40	V	PEAK	Pass	Harmonic
40	802.11ac VHT20	144	-	-	-	-	-	-	-	Band Edge
40	802.11ac VHT20	144	11440.00	45.80	74.00	-28.20	V	PEAK	Pass	Harmonic
41	802.11ac VHT40	142	-	-	-	-	-	-	-	Band Edge
41	802.11ac VHT40	142	11420.00	45.02	74.00	-28.98	V	PEAK	Pass	Harmonic
42	802.11ac VHT80	138	-	-	-	-	-	-	-	Band Edge
42	802.11ac VHT80	138	11380.00	43.45	74.00	-30.55	V	PEAK	Pass	Harmonic





Mode	1																																																																																														
	Band Edge																																																																																														
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																														
ANT	9																																																																																														
Pol.	Horizontal					Fundamental																																																																																									
Peak																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5128.35</td><td>57.30</td><td>74.00</td><td>-16.70</td><td>42.60</td><td>34.40</td><td>11.90</td><td>31.60</td><td>0.00</td><td>102 120 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5128.35	57.30	74.00	-16.70	42.60	34.40	11.90	31.60	0.00	102 120 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>107.37</td><td>-----</td><td>-----</td><td>92.57</td><td>34.46</td><td>11.94</td><td>31.60</td><td>0.00</td><td>102 120 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	107.37	-----	-----	92.57	34.46	11.94	31.60	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5128.35	57.30	74.00	-16.70	42.60	34.40	11.90	31.60	0.00	102 120 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5180.00	107.37	-----	-----	92.57	34.46	11.94	31.60	0.00	102 120 PEAK																																																																																					
Avg																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.55</td><td>45.70</td><td>54.00</td><td>-8.30</td><td>30.99</td><td>34.40</td><td>11.91</td><td>31.60</td><td>0.00</td><td>102 120 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.55	45.70	54.00	-8.30	30.99	34.40	11.91	31.60	0.00	102 120 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>98.64</td><td>-----</td><td>-----</td><td>83.84</td><td>34.46</td><td>11.94</td><td>31.60</td><td>0.00</td><td>102 120 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	98.64	-----	-----	83.84	34.46	11.94	31.60	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5146.55	45.70	54.00	-8.30	30.99	34.40	11.91	31.60	0.00	102 120 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5180.00	98.64	-----	-----	83.84	34.46	11.94	31.60	0.00	102 120 AVERAGE																																																																																					





Mode	1																																																																																																																		
	Band Edge																																																																																																																		
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																		
ANT	9																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5138.25</td><td>54.96</td><td>74.00</td><td>-19.04</td><td>40.25</td><td>34.40</td><td>11.91</td><td>31.60</td><td>0.00</td><td>308</td><td>59</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5138.25	54.96	74.00	-19.04	40.25	34.40	11.91	31.60	0.00	308	59	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>102.38</td><td>-----</td><td>-----</td><td>87.58</td><td>34.46</td><td>11.94</td><td>31.60</td><td>0.00</td><td>308</td><td>59</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	102.38	-----	-----	87.58	34.46	11.94	31.60	0.00	308	59
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	5138.25	54.96	74.00	-19.04	40.25	34.40	11.91	31.60	0.00	308	59	PEAK																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	5180.00	102.38	-----	-----	87.58	34.46	11.94	31.60	0.00	308	59	PEAK																																																																																																							
Avg																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.45</td><td>45.07</td><td>54.00</td><td>-8.93</td><td>30.36</td><td>34.40</td><td>11.91</td><td>31.60</td><td>0.00</td><td>308</td><td>59</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5148.45	45.07	54.00	-8.93	30.36	34.40	11.91	31.60	0.00	308	59	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>93.91</td><td>-----</td><td>-----</td><td>79.11</td><td>34.46</td><td>11.94</td><td>31.60</td><td>0.00</td><td>308</td><td>59</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	93.91	-----	-----	79.11	34.46	11.94	31.60	0.00	308	59
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	5148.45	45.07	54.00	-8.93	30.36	34.40	11.91	31.60	0.00	308	59	AVERAGE																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	5180.00	93.91	-----	-----	79.11	34.46	11.94	31.60	0.00	308	59	AVERAGE																																																																																																							





Mode	1																																																																																																																
	Harmonic																																																																																																																
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																
ANT	9																																																																																																																
Pol.	Horizontal						Vertical																																																																																																										
Peak Avg																																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10360.00</td><td>45.86</td><td>68.20</td><td>-22.34</td><td>52.75</td><td>37.57</td><td>16.92</td><td>61.38</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10360.00	45.86	68.20	-22.34	52.75	37.57	16.92	61.38	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10360.00</td><td>46.64</td><td>68.20</td><td>-21.56</td><td>53.56</td><td>37.55</td><td>16.91</td><td>61.38</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10360.00	46.64	68.20	-21.56	53.56	37.55	16.91	61.38	0.00	--	--
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	10360.00	45.86	68.20	-22.34	52.75	37.57	16.92	61.38	0.00	--	--	PEAK																																																																																																					
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	10360.00	46.64	68.20	-21.56	53.56	37.55	16.91	61.38	0.00	--	--	PEAK																																																																																																					





Mode	2																																																																																																																																									
	Harmonic																																																																																																																																									
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																																																									
ANT	9																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																			
Peak Avg																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>10440.00</td><td>45.68</td><td>68.20</td><td>-22.52</td><td>52.40</td><td>37.69</td><td>16.98</td><td>61.39</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10440.00	45.68	68.20	-22.52	52.40	37.69	16.98	61.39								0.00									--	--									PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>10440.00</td><td>45.54</td><td>68.20</td><td>-22.66</td><td>52.27</td><td>37.68</td><td>16.98</td><td>61.39</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10440.00	45.54	68.20	-22.66	52.27	37.68	16.98	61.39								0.00									--	--									PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																		
1	10440.00	45.68	68.20	-22.52	52.40	37.69	16.98	61.39																																																																																																																																		
							0.00																																																																																																																																			
							--	--																																																																																																																																		
								PEAK																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																		
1	10440.00	45.54	68.20	-22.66	52.27	37.68	16.98	61.39																																																																																																																																		
							0.00																																																																																																																																			
							--	--																																																																																																																																		
								PEAK																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>10440.00</td><td>45.68</td><td>68.20</td><td>-22.52</td><td>52.40</td><td>37.69</td><td>16.98</td><td>61.39</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10440.00	45.68	68.20	-22.52	52.40	37.69	16.98	61.39								0.00									--	--									PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>10440.00</td><td>45.54</td><td>68.20</td><td>-22.66</td><td>52.27</td><td>37.68</td><td>16.98</td><td>61.39</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10440.00	45.54	68.20	-22.66	52.27	37.68	16.98	61.39								0.00									--	--									PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																		
1	10440.00	45.68	68.20	-22.52	52.40	37.69	16.98	61.39																																																																																																																																		
							0.00																																																																																																																																			
							--	--																																																																																																																																		
								PEAK																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																		
1	10440.00	45.54	68.20	-22.66	52.27	37.68	16.98	61.39																																																																																																																																		
							0.00																																																																																																																																			
							--	--																																																																																																																																		
								PEAK																																																																																																																																		





Mode	3																																																																																																
	Harmonic																																																																																																
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																
ANT	9																																																																																																
Pol.	Horizontal										Vertical																																																																																						
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10400.00</td><td>47.18</td><td>68.20</td><td>-21.02</td><td>53.80</td><td>37.77</td><td>17.01</td><td>61.40</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10400.00	47.18	68.20	-21.02	53.80	37.77	17.01	61.40	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10400.00</td><td>46.41</td><td>68.20</td><td>-21.79</td><td>53.01</td><td>37.78</td><td>17.02</td><td>61.40</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10400.00	46.41	68.20	-21.79	53.01	37.78	17.02	61.40	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	10400.00	47.18	68.20	-21.02	53.80	37.77	17.01	61.40	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	10400.00	46.41	68.20	-21.79	53.01	37.78	17.02	61.40	0.00	--	PEAK																																																																																						







Mode	4																																																																																																
	Harmonic																																																																																																
	U-NII-2A_5.25-5.35_802.11a_CH52_5280MHz																																																																																																
ANT	9																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10560.00</td><td>46.33</td><td>68.20</td><td>-21.87</td><td>52.81</td><td>37.74</td><td>17.07</td><td>61.29</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10560.00	46.33	68.20	-21.87	52.81	37.74	17.07	61.29	0.00	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10560.00</td><td>46.89</td><td>68.20</td><td>-21.31</td><td>53.36</td><td>37.73</td><td>17.08</td><td>61.28</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10560.00	46.89	68.20	-21.31	53.36	37.73	17.08	61.28	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	10560.00	46.33	68.20	-21.87	52.81	37.74	17.07	61.29	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	10560.00	46.89	68.20	-21.31	53.36	37.73	17.08	61.28	0.00	--	PEAK																																																																																						







Mode	5																																																																																																				
	Harmonic																																																																																																				
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																				
ANT	9																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>46.15</td><td>74.00</td><td>-27.85</td><td>52.57</td><td>37.70</td><td>17.10</td><td>61.22</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	46.15	74.00	-27.85	52.57	37.70	17.10	61.22	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>46.64</td><td>74.00</td><td>-27.36</td><td>53.06</td><td>37.70</td><td>17.10</td><td>61.22</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	46.64	74.00	-27.36	53.06	37.70	17.10	61.22	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	10600.00	46.15	74.00	-27.85	52.57	37.70	17.10	61.22	0.00	---	PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	10600.00	46.64	74.00	-27.36	53.06	37.70	17.10	61.22	0.00	---	PEAK																																																																																										





Mode	6																																																																																																		
	Band Edge																																																																																																		
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																		
ANT	9																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5364.25</td><td>55.12</td><td>74.00</td><td>-18.88</td><td>40.04</td><td>34.56</td><td>12.13</td><td>31.61</td><td>0.00</td><td>100</td><td>121</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5364.25	55.12	74.00	-18.88	40.04	34.56	12.13	31.61	0.00	100	121	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>105.81</td><td>-----</td><td>-----</td><td>90.84</td><td>34.50</td><td>12.08</td><td>31.61</td><td>0.00</td><td>100</td><td>121</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	105.81	-----	-----	90.84	34.50	12.08	31.61	0.00	100	121
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5364.25	55.12	74.00	-18.88	40.04	34.56	12.13	31.61	0.00	100	121	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	105.81	-----	-----	90.84	34.50	12.08	31.61	0.00	100	121	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.55</td><td>45.53</td><td>54.00</td><td>-8.47</td><td>30.51</td><td>34.51</td><td>12.12</td><td>31.61</td><td>0.00</td><td>100</td><td>121</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.55	45.53	54.00	-8.47	30.51	34.51	12.12	31.61	0.00	100	121	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>97.67</td><td>-----</td><td>-----</td><td>82.70</td><td>34.50</td><td>12.08</td><td>31.61</td><td>0.00</td><td>100</td><td>121</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	97.67	-----	-----	82.70	34.50	12.08	31.61	0.00	100	121
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5352.55	45.53	54.00	-8.47	30.51	34.51	12.12	31.61	0.00	100	121	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	97.67	-----	-----	82.70	34.50	12.08	31.61	0.00	100	121	AVERAGE																																																																																							







Mode	6																																																																																																		
	Band Edge																																																																																																		
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																		
ANT	9																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5385.05</td><td>53.70</td><td>74.00</td><td>-20.30</td><td>38.52</td><td>34.64</td><td>12.15</td><td>31.61</td><td>0.00</td><td>300</td><td>66</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5385.05	53.70	74.00	-20.30	38.52	34.64	12.15	31.61	0.00	300	66	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>100.74</td><td>-----</td><td>-----</td><td>85.78</td><td>34.50</td><td>12.07</td><td>31.61</td><td>0.00</td><td>300</td><td>66</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	100.74	-----	-----	85.78	34.50	12.07	31.61	0.00	300	66
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5385.05	53.70	74.00	-20.30	38.52	34.64	12.15	31.61	0.00	300	66	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	100.74	-----	-----	85.78	34.50	12.07	31.61	0.00	300	66	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5351.65</td><td>43.81</td><td>54.00</td><td>-10.19</td><td>28.79</td><td>34.51</td><td>12.12</td><td>31.61</td><td>0.00</td><td>300</td><td>66</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.65	43.81	54.00	-10.19	28.79	34.51	12.12	31.61	0.00	300	66	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>93.16</td><td>-----</td><td>-----</td><td>78.19</td><td>34.50</td><td>12.08</td><td>31.61</td><td>0.00</td><td>300</td><td>66</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	93.16	-----	-----	78.19	34.50	12.08	31.61	0.00	300	66
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5351.65	43.81	54.00	-10.19	28.79	34.51	12.12	31.61	0.00	300	66	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	93.16	-----	-----	78.19	34.50	12.08	31.61	0.00	300	66	AVERAGE																																																																																							



		6																																																										
Mode		Harmonic																																																										
		U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																										
ANT		9																																																										
Pol.		Horizontal																																																										
Peak Avg																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>46.78</td><td>74.00</td><td>-27.22</td><td>53.02</td><td>37.78</td><td>17.13</td><td>61.15</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10640.00	46.78	74.00	-27.22	53.02	37.78	17.13	61.15	0.00	--	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	10640.00	46.78	74.00	-27.22	53.02	37.78	17.13	61.15	0.00	--	-- PEAK																																																	
		Vertical																																																										
Peak Avg																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>46.49</td><td>74.00</td><td>-27.51</td><td>52.73</td><td>37.78</td><td>17.13</td><td>61.15</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10640.00	46.49	74.00	-27.51	52.73	37.78	17.13	61.15	0.00	--	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	10640.00	46.49	74.00	-27.51	52.73	37.78	17.13	61.15	0.00	--	-- PEAK																																																	



Mode	7																																																																																																															
	Band Edge																																																																																																															
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																															
ANT	9																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5455.69</td><td>54.80</td><td>74.00</td><td>-19.20</td><td>39.40</td><td>34.79</td><td>12.23</td><td>31.62</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr><tr><td>2</td><td>5466.25</td><td>57.12</td><td>68.20</td><td>-11.08</td><td>41.73</td><td>34.77</td><td>12.24</td><td>31.62</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.69	54.80	74.00	-19.20	39.40	34.79	12.23	31.62	0.00	100	118	PEAK	2	5466.25	57.12	68.20	-11.08	41.73	34.77	12.24	31.62	0.00	100	118	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>107.12</td><td>-----</td><td>-----</td><td>91.75</td><td>34.71</td><td>12.28</td><td>31.62</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	107.12	-----	-----	91.75	34.71	12.28	31.62	0.00	100	118
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5455.69	54.80	74.00	-19.20	39.40	34.79	12.23	31.62	0.00	100	118	PEAK																																																																																																				
2	5466.25	57.12	68.20	-11.08	41.73	34.77	12.24	31.62	0.00	100	118	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	107.12	-----	-----	91.75	34.71	12.28	31.62	0.00	100	118	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.09</td><td>45.50</td><td>54.00</td><td>-8.50</td><td>30.11</td><td>34.78</td><td>12.23</td><td>31.62</td><td>0.00</td><td>100</td><td>118</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.09	45.50	54.00	-8.50	30.11	34.78	12.23	31.62	0.00	100	118	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>99.58</td><td>-----</td><td>-----</td><td>84.21</td><td>34.71</td><td>12.28</td><td>31.62</td><td>0.00</td><td>100</td><td>118</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	99.58	-----	-----	84.21	34.71	12.28	31.62	0.00	100	118	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5458.09	45.50	54.00	-8.50	30.11	34.78	12.23	31.62	0.00	100	118	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	99.58	-----	-----	84.21	34.71	12.28	31.62	0.00	100	118	AVERAGE																																																																																																				