

|      |                   |      |      |         |      |       |       |       |   |      |
|------|-------------------|------|------|---------|------|-------|-------|-------|---|------|
| NTNV | 802.11a           | MIMO | 6535 | /       | /    | 4.81  | 5.18  | 8.01  | / | Pass |
|      |                   |      | 6695 | /       | /    | 4.72  | 4.86  | 7.80  | / | Pass |
|      |                   |      | 6855 | /       | /    | 5.63  | 3.75  | 7.80  | / | Pass |
|      | 802.11ax (HEW20)  | MIMO | 6535 | RU242   | Left | 5.14  | 5.58  | 8.38  | / | Pass |
|      |                   |      | 6695 | RU242   | Left | 6.05  | 5.68  | 8.88  | / | Pass |
|      |                   |      | 6855 | RU242   | Left | 6.20  | 4.41  | 8.41  | / | Pass |
|      | 802.11ax (HEW40)  | MIMO | 6565 | RU484   | Left | 8.21  | 7.95  | 11.09 | / | Pass |
|      |                   |      | 6685 | RU484   | Left | 8.35  | 8.63  | 11.50 | / | Pass |
|      |                   |      | 6845 | RU484   | Left | 7.98  | 7.79  | 10.90 | / | Pass |
|      | 802.11ax (HEW80)  | MIMO | 6625 | RU996   | Left | 10.62 | 10.83 | 13.74 | / | Pass |
|      |                   |      | 6705 | RU996   | Left | 10.47 | 10.81 | 13.66 | / | Pass |
|      |                   |      | 6785 | RU996   | Left | 10.84 | 11.37 | 14.12 | / | Pass |
|      | 802.11ax (HEW160) | MIMO | 6665 | 2xRU996 | Left | 11.03 | 11.10 | 14.08 | / | Pass |

### 3.1.6 EIRP

| ENV  | Mode              | TX Type | Frequency (MHz) | RU      | RU Pos | Maximum Average Conducted Output Power (dBm) |       | Gain (dBi) |      | E.I.R.P (dBm) |       |       |       | Verdict |
|------|-------------------|---------|-----------------|---------|--------|----------------------------------------------|-------|------------|------|---------------|-------|-------|-------|---------|
|      |                   |         |                 |         |        | ANT0                                         | ANT1  | ANT0       | ANT1 | ANT0          | ANT1  | MIMO  | Limit |         |
| NTNV | 802.11a           | MIMO    | 6535            | /       | /      | 4.81                                         | 5.18  | 0.92       | 0.9  | 5.73          | 6.08  | 8.92  | <=24  | Pass    |
|      |                   |         | 6695            | /       | /      | 4.72                                         | 4.86  | 0.92       | 0.9  | 5.64          | 5.76  | 8.71  | <=24  | Pass    |
|      |                   |         | 6855            | /       | /      | 5.63                                         | 3.75  | 0.92       | 0.9  | 6.55          | 4.65  | 8.71  | <=24  | Pass    |
|      | 802.11ax (HEW20)  | MIMO    | 6535            | RU242   | Left   | 5.14                                         | 5.58  | 0.92       | 0.9  | 6.06          | 6.48  | 9.29  | <=24  | Pass    |
|      |                   |         | 6695            | RU242   | Left   | 6.05                                         | 5.68  | 0.92       | 0.9  | 6.97          | 6.58  | 9.79  | <=24  | Pass    |
|      |                   |         | 6855            | RU242   | Left   | 6.20                                         | 4.41  | 0.92       | 0.9  | 7.12          | 5.31  | 9.32  | <=24  | Pass    |
|      | 802.11ax (HEW40)  | MIMO    | 6565            | RU484   | Left   | 8.21                                         | 7.95  | 0.92       | 0.9  | 9.13          | 8.85  | 12.00 | <=24  | Pass    |
|      |                   |         | 6685            | RU484   | Left   | 8.35                                         | 8.63  | 0.92       | 0.9  | 9.27          | 9.53  | 12.41 | <=24  | Pass    |
|      |                   |         | 6845            | RU484   | Left   | 7.98                                         | 7.79  | 0.92       | 0.9  | 8.90          | 8.69  | 11.81 | <=24  | Pass    |
|      | 802.11ax (HEW80)  | MIMO    | 6625            | RU996   | Left   | 10.62                                        | 10.83 | 0.92       | 0.9  | 11.54         | 11.73 | 14.65 | <=24  | Pass    |
|      |                   |         | 6705            | RU996   | Left   | 10.47                                        | 10.81 | 0.92       | 0.9  | 11.39         | 11.71 | 14.56 | <=24  | Pass    |
|      |                   |         | 6785            | RU996   | Left   | 10.84                                        | 11.37 | 0.92       | 0.9  | 11.76         | 12.27 | 15.03 | <=24  | Pass    |
|      | 802.11ax (HEW160) | MIMO    | 6665            | 2xRU996 | Left   | 11.03                                        | 11.10 | 0.92       | 0.9  | 11.95         | 12.00 | 14.99 | <=24  | Pass    |

### 3.1.7 Power

| ENV  | Mode    | TX Type | Frequency (MHz) | RU | RU Pos | Maximum Average Conducted Output Power (dBm) |      |      |       | Verdict |
|------|---------|---------|-----------------|----|--------|----------------------------------------------|------|------|-------|---------|
|      |         |         |                 |    |        | ANT0                                         | ANT1 | MIMO | Limit |         |
| NTNV | 802.11a | MIMO    | 6895            | /  | /      | 6.37                                         | 5.03 | 8.76 | /     | Pass    |
|      |         |         | 6995            | /  | /      | 5.86                                         | 5.62 | 8.75 | /     | Pass    |
|      |         |         | 7095            | /  | /      | 5.29                                         | 5.45 | 8.38 | /     | Pass    |

|  |                      |      |      |         |      |       |       |       |   |      |
|--|----------------------|------|------|---------|------|-------|-------|-------|---|------|
|  | 802.11ax<br>(HEW20)  | MIMO | 6895 | RU242   | Left | 5.51  | 5.56  | 8.55  | / | Pass |
|  |                      |      | 6995 | RU242   | Left | 6.41  | 6.01  | 9.22  | / | Pass |
|  |                      |      | 7095 | RU242   | Left | 5.80  | 5.94  | 8.88  | / | Pass |
|  | 802.11ax<br>(HEW40)  | MIMO | 6925 | RU484   | Left | 10.41 | 9.04  | 12.79 | / | Pass |
|  |                      |      | 7005 | RU484   | Left | 9.85  | 9.43  | 12.66 | / | Pass |
|  |                      |      | 7085 | RU484   | Left | 8.96  | 9.09  | 12.04 | / | Pass |
|  | 802.11ax<br>(HEW80)  | MIMO | 6945 | RU996   | Left | 12.27 | 11.11 | 14.74 | / | Pass |
|  |                      |      | 7025 | RU996   | Left | 11.97 | 11.30 | 14.66 | / | Pass |
|  | 802.11ax<br>(HEW160) | MIMO | 6985 | 2xRU996 | Left | 11.77 | 11.07 | 14.44 | / | Pass |

### 3.1.8 EIRP

| ENV  | Mode                 | TX Type | Frequency (MHz) | RU      | RU Pos | Maximum Average Conducted Output Power (dBm) |       | Gain (dBi) |      | E.I.R.P (dBm) |       |       |       | Verdict |
|------|----------------------|---------|-----------------|---------|--------|----------------------------------------------|-------|------------|------|---------------|-------|-------|-------|---------|
|      |                      |         |                 |         |        | ANT0                                         | ANT1  | ANT0       | ANT1 | ANT0          | ANT1  | MIMO  | Limit |         |
| NTNV | 802.11a              | MIMO    | 6895            | /       | /      | 6.37                                         | 5.03  | -1.1       | 1    | 5.27          | 6.03  | 8.68  | <=24  | Pass    |
|      |                      |         | 6995            | /       | /      | 5.86                                         | 5.62  | -1.1       | 1    | 4.76          | 6.62  | 8.80  | <=24  | Pass    |
|      |                      |         | 7095            | /       | /      | 5.29                                         | 5.45  | -1.1       | 1    | 4.19          | 6.45  | 8.48  | <=24  | Pass    |
|      | 802.11ax<br>(HEW20)  | MIMO    | 6895            | RU242   | Left   | 5.51                                         | 5.56  | -1.1       | 1    | 4.41          | 6.56  | 8.63  | <=24  | Pass    |
|      |                      |         | 6995            | RU242   | Left   | 6.41                                         | 6.01  | -1.1       | 1    | 5.31          | 7.01  | 9.25  | <=24  | Pass    |
|      |                      |         | 7095            | RU242   | Left   | 5.80                                         | 5.94  | -1.1       | 1    | 4.70          | 6.94  | 8.97  | <=24  | Pass    |
|      | 802.11ax<br>(HEW40)  | MIMO    | 6925            | RU484   | Left   | 10.41                                        | 9.04  | -1.1       | 1    | 9.31          | 10.04 | 12.70 | <=24  | Pass    |
|      |                      |         | 7005            | RU484   | Left   | 9.85                                         | 9.43  | -1.1       | 1    | 8.75          | 10.43 | 12.68 | <=24  | Pass    |
|      |                      |         | 7085            | RU484   | Left   | 8.96                                         | 9.09  | -1.1       | 1    | 7.86          | 10.09 | 12.13 | <=24  | Pass    |
|      | 802.11ax<br>(HEW80)  | MIMO    | 6945            | RU996   | Left   | 12.27                                        | 11.11 | -1.1       | 1    | 11.17         | 12.11 | 14.67 | <=24  | Pass    |
|      |                      |         | 7025            | RU996   | Left   | 11.97                                        | 11.30 | -1.1       | 1    | 10.87         | 12.30 | 14.65 | <=24  | Pass    |
|      | 802.11ax<br>(HEW160) | MIMO    | 6985            | 2xRU996 | Left   | 11.77                                        | 11.07 | -1.1       | 1    | 10.67         | 12.07 | 14.44 | <=24  | Pass    |

### 3.1.9 Power

| ENV  | Mode                | TX Type | Frequency (MHz) | RU      | RU Pos | Maximum Average Conducted Output Power (dBm) |       |       |       | Verdict |
|------|---------------------|---------|-----------------|---------|--------|----------------------------------------------|-------|-------|-------|---------|
|      |                     |         |                 |         |        | ANT0                                         | ANT1  | MIMO  | Limit |         |
| NTNV | 802.11a             | MIMO    | 6875            | /       | /      | 5.84                                         | 3.95  | 8.01  | /     | Pass    |
|      | 802.11ax<br>(HEW20) | MIMO    | 6875            | RU242   | Left   | 6.23                                         | 4.31  | 8.39  | /     | Pass    |
|      | 802.11ax<br>(HEW40) | MIMO    | 6885            | RU484   | Left   | 9.23                                         | 7.81  | 11.59 | /     | Pass    |
|      | 802.11ax<br>(HEW80) | MIMO    | 6865            | RU996   | Left   | 12.25                                        | 10.93 | 14.65 | /     | Pass    |
|      | 802.11ax            | MIMO    | 6825            | 2xRU996 | Left   | 11.70                                        | 11.36 | 14.54 | /     | Pass    |

|  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |
|--|----------|--|--|--|--|--|--|--|--|--|--|--|--|--|
|  | (HEW160) |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |

### 3.1.10 EIRP

| ENV  | Mode              | TX Type | Frequency (MHz) | RU      | RU Pos | Maximum Average Conducted Output Power (dBm) |       | Gain (dBi) |      | E.I.R.P (dBm) |       |       |       | Verdict |
|------|-------------------|---------|-----------------|---------|--------|----------------------------------------------|-------|------------|------|---------------|-------|-------|-------|---------|
|      |                   |         |                 |         |        | ANT0                                         | ANT1  | ANT0       | ANT1 | ANT0          | ANT1  | MIMO  | Limit |         |
| NTNV | 802.11a           | MIMO    | 6875            | /       | /      | 5.84                                         | 3.95  | 0.92       | 1    | 6.76          | 4.95  | 8.96  | <=24  | Pass    |
|      | 802.11ax (HEW20)  | MIMO    | 6875            | RU242   | Left   | 6.23                                         | 4.31  | 0.92       | 1    | 7.15          | 5.31  | 9.34  | <=24  | Pass    |
|      | 802.11ax (HEW40)  | MIMO    | 6885            | RU484   | Left   | 9.23                                         | 7.81  | 0.92       | 1    | 10.15         | 8.81  | 12.54 | <=24  | Pass    |
|      | 802.11ax (HEW80)  | MIMO    | 6865            | RU996   | Left   | 12.25                                        | 10.93 | 0.92       | 1    | 13.17         | 11.93 | 15.60 | <=24  | Pass    |
|      | 802.11ax (HEW160) | MIMO    | 6825            | 2xRU996 | Left   | 11.70                                        | 11.36 | 0.92       | 1    | 12.62         | 12.36 | 15.50 | <=24  | Pass    |

### 3.1.11 Power

| ENV  | Mode              | TX Type | Frequency (MHz) | RU      | RU Pos | Maximum Average Conducted Output Power (dBm) |       |       |       | Verdict |
|------|-------------------|---------|-----------------|---------|--------|----------------------------------------------|-------|-------|-------|---------|
|      |                   |         |                 |         |        | ANT0                                         | ANT1  | MIMO  | Limit |         |
| NTNV | 802.11ax (HEW40)  | MIMO    | 6525            | RU484   | Left   | 8.36                                         | 8.80  | 11.60 | /     | Pass    |
|      | 802.11ax (HEW80)  | MIMO    | 6545            | RU996   | Left   | 11.14                                        | 11.42 | 14.29 | /     | Pass    |
|      | 802.11ax (HEW160) | MIMO    | 6505            | 2xRU996 | Left   | 10.84                                        | 11.19 | 14.03 | /     | Pass    |
|      |                   |         |                 |         |        |                                              |       |       |       |         |

### 3.1.12 EIRP

| ENV  | Mode              | TX Type | Frequency (MHz) | RU      | RU Pos | Maximum Average Conducted Output Power (dBm) |       | Gain (dBi) |      | E.I.R.P (dBm) |       |       |       | Verdict |
|------|-------------------|---------|-----------------|---------|--------|----------------------------------------------|-------|------------|------|---------------|-------|-------|-------|---------|
|      |                   |         |                 |         |        | ANT0                                         | ANT1  | ANT0       | ANT1 | ANT0          | ANT1  | MIMO  | Limit |         |
| NTNV | 802.11ax (HEW40)  | MIMO    | 6525            | RU484   | Left   | 8.36                                         | 8.80  | 0.92       | 0.9  | 9.28          | 9.70  | 12.51 | <=24  | Pass    |
|      | 802.11ax (HEW80)  | MIMO    | 6545            | RU996   | Left   | 11.14                                        | 11.42 | 0.92       | 0.9  | 12.06         | 12.32 | 15.20 | <=24  | Pass    |
|      | 802.11ax (HEW160) | MIMO    | 6505            | 2xRU996 | Left   | 10.84                                        | 11.19 | 0.92       | 0.9  | 11.76         | 12.09 | 14.94 | <=24  | Pass    |

## 4. Maximum Power Spectral Density

### 4.1 Test Result

#### 4.1.1 PSD

| ENV  | Mode              | TX Type | Frequency (MHz) | RU      | RU Pos | Maximum PSD (dBm/MHz) |       |       |       | Verdict |
|------|-------------------|---------|-----------------|---------|--------|-----------------------|-------|-------|-------|---------|
|      |                   |         |                 |         |        | ANT0                  | ANT1  | MIMO  | Limit |         |
| NTNV | 802.11a           | MIMO    | 5955            | /       | /      | -6.23                 | -6.42 | -3.52 | /     | Pass    |
|      |                   |         | 6175            | /       | /      | -6.22                 | -6.33 | -3.46 | /     | Pass    |
|      |                   |         | 6415            | /       | /      | -5.87                 | -6.34 | -3.43 | /     | Pass    |
|      | 802.11ax (HEW20)  | MIMO    | 5955            | RU242   | Left   | -5.63                 | -6.45 | -3.20 | /     | Pass    |
|      |                   |         | 6175            | RU242   | Left   | -5.74                 | -5.62 | -2.92 | /     | Pass    |
|      |                   |         | 6415            | RU242   | Left   | -5.27                 | -5.96 | -3.11 | /     | Pass    |
|      | 802.11ax (HEW40)  | MIMO    | 5965            | RU484   | Left   | -6.34                 | -6.18 | -3.49 | /     | Pass    |
|      |                   |         | 6165            | RU484   | Left   | -6.79                 | -6.05 | -3.84 | /     | Pass    |
|      |                   |         | 6405            | RU484   | Left   | -6.51                 | -5.50 | -3.10 | /     | Pass    |
|      | 802.11ax (HEW80)  | MIMO    | 5985            | RU996   | Left   | -5.56                 | -5.99 | -3.06 | /     | Pass    |
|      |                   |         | 6145            | RU996   | Left   | -5.85                 | -6.10 | -3.31 | /     | Pass    |
|      |                   |         | 6385            | RU996   | Left   | -5.47                 | -5.72 | -2.78 | /     | Pass    |
|      | 802.11ax (HEW160) | MIMO    | 6025            | 2xRU996 | Left   | -8.80                 | -7.86 | -5.58 | /     | Pass    |
|      |                   |         | 6185            | 2xRU996 | Left   | -9.16                 | -7.67 | -5.78 | /     | Pass    |
|      |                   |         | 6345            | 2xRU996 | Left   | -8.01                 | -7.21 | -4.83 | /     | Pass    |

#### 4.1.2 E.I.R.PSD

| ENV  | Mode              | TX Type | Frequency (MHz) | RU      | RU Pos | Maximum PSD (dBm/MHz) |       | Gain (dBi) |      | Maximum E.I.R.PSD (dBm/MHz) |       |       |       | Verdict |
|------|-------------------|---------|-----------------|---------|--------|-----------------------|-------|------------|------|-----------------------------|-------|-------|-------|---------|
|      |                   |         |                 |         |        | ANT0                  | ANT1  | ANT0       | ANT1 | ANT0                        | ANT1  | MIMO  | Limit |         |
| NTNV | 802.11a           | MIMO    | 5955            | /       | /      | -6.23                 | -6.42 | 0.75       | 1.4  | -5.48                       | -5.02 | -2.23 | <=-1  | Pass    |
|      |                   |         | 6175            | /       | /      | -6.22                 | -6.33 | 0.75       | 1.4  | -5.47                       | -4.93 | -2.18 | <=-1  | Pass    |
|      |                   |         | 6415            | /       | /      | -5.87                 | -6.34 | 0.75       | 1.4  | -5.12                       | -4.94 | -2.02 | <=-1  | Pass    |
|      | 802.11ax (HEW20)  | MIMO    | 5955            | RU242   | Left   | -5.63                 | -6.45 | 0.75       | 1.4  | -4.88                       | -5.05 | -1.95 | <=-1  | Pass    |
|      |                   |         | 6175            | RU242   | Left   | -5.74                 | -5.62 | 0.75       | 1.4  | -4.99                       | -4.22 | -1.58 | <=-1  | Pass    |
|      |                   |         | 6415            | RU242   | Left   | -5.27                 | -5.96 | 0.75       | 1.4  | -4.52                       | -4.56 | -1.53 | <=-1  | Pass    |
|      | 802.11ax (HEW40)  | MIMO    | 5965            | RU484   | Left   | -6.34                 | -6.18 | 0.75       | 1.4  | -5.59                       | -4.78 | -2.16 | <=-1  | Pass    |
|      |                   |         | 6165            | RU484   | Left   | -6.79                 | -6.05 | 0.75       | 1.4  | -6.04                       | -4.65 | -2.28 | <=-1  | Pass    |
|      |                   |         | 6405            | RU484   | Left   | -6.51                 | -5.50 | 0.75       | 1.4  | -5.76                       | -4.10 | -1.84 | <=-1  | Pass    |
|      | 802.11ax (HEW80)  | MIMO    | 5985            | RU996   | Left   | -5.56                 | -5.99 | 0.75       | 1.4  | -4.81                       | -4.59 | -1.69 | <=-1  | Pass    |
|      |                   |         | 6145            | RU996   | Left   | -5.85                 | -6.10 | 0.75       | 1.4  | -5.10                       | -4.70 | -1.89 | <=-1  | Pass    |
|      |                   |         | 6385            | RU996   | Left   | -5.47                 | -5.72 | 0.75       | 1.4  | -4.72                       | -4.32 | -1.51 | <=-1  | Pass    |
|      | 802.11ax (HEW160) | MIMO    | 6025            | 2xRU996 | Left   | -8.80                 | -7.86 | 0.75       | 1.4  | -8.05                       | -6.46 | -4.17 | <=-1  | Pass    |
|      |                   |         | 6185            | 2xRU996 | Left   | -9.16                 | -7.67 | 0.75       | 1.4  | -8.41                       | -6.27 | -4.20 | <=-1  | Pass    |
|      |                   |         | 6345            | 2xRU996 | Left   | -8.01                 | -7.21 | 0.75       | 1.4  | -7.26                       | -5.81 | -3.46 | <=-1  | Pass    |

#### 4.1.3 PSD

| ENV  | Mode             | TX Type | Frequency (MHz) | RU    | RU Pos | Maximum PSD (dBm/MHz) |       |       |       | Verdict |
|------|------------------|---------|-----------------|-------|--------|-----------------------|-------|-------|-------|---------|
|      |                  |         |                 |       |        | ANT0                  | ANT1  | MIMO  | Limit |         |
| NTNV | 802.11a          | MIMO    | 6435            | /     | /      | -5.34                 | -6.24 | -3.02 | /     | Pass    |
|      |                  |         | 6475            | /     | /      | -5.36                 | -5.68 | -2.93 | /     | Pass    |
|      |                  |         | 6515            | /     | /      | -5.87                 | -5.54 | -3.05 | /     | Pass    |
|      | 802.11ax (HEW20) | MIMO    | 6435            | RU242 | Left   | -5.38                 | -5.97 | -3.00 | /     | Pass    |
|      |                  |         | 6475            | RU242 | Left   | -5.21                 | -5.62 | -2.83 | /     | Pass    |
|      |                  |         | 6515            | RU242 | Left   | -5.46                 | -5.77 | -2.94 | /     | Pass    |
|      | 802.11ax (HEW40) | MIMO    | 6445            | RU484 | Left   | -4.85                 | -6.26 | -2.86 | /     | Pass    |
|      |                  |         | 6485            | RU484 | Left   | -5.11                 | -5.81 | -2.67 | /     | Pass    |
|      | 802.11ax (HEW80) | MIMO    | 6465            | RU996 | Left   | -5.41                 | -5.83 | -3.00 | /     | Pass    |

#### 4.1.4 E.I.R.PSD

| ENV  | Mode             | TX Type | Frequency (MHz) | RU    | RU Pos | Maximum PSD (dBm/MHz) |       | Gain (dBi) |      | Maximum E.I.R.PSD (dBm/MHz) |       |       |       | Verdict |
|------|------------------|---------|-----------------|-------|--------|-----------------------|-------|------------|------|-----------------------------|-------|-------|-------|---------|
|      |                  |         |                 |       |        | ANT0                  | ANT1  | ANT0       | ANT1 | ANT0                        | ANT1  | MIMO  | Limit |         |
| NTNV | 802.11a          | MIMO    | 6435            | /     | /      | -5.34                 | -6.24 | 0.8        | 0.8  | -4.54                       | -5.44 | -1.96 | <=-1  | Pass    |
|      |                  |         | 6475            | /     | /      | -5.36                 | -5.68 | 0.8        | 0.8  | -4.56                       | -4.88 | -1.71 | <=-1  | Pass    |
|      |                  |         | 6515            | /     | /      | -5.87                 | -5.54 | 0.8        | 0.8  | -5.07                       | -4.74 | -1.89 | <=-1  | Pass    |
|      | 802.11ax (HEW20) | MIMO    | 6435            | RU242 | Left   | -5.38                 | -5.97 | 0.8        | 0.8  | -4.58                       | -5.17 | -1.85 | <=-1  | Pass    |
|      |                  |         | 6475            | RU242 | Left   | -5.21                 | -5.62 | 0.8        | 0.8  | -4.41                       | -4.82 | -1.60 | <=-1  | Pass    |
|      |                  |         | 6515            | RU242 | Left   | -5.46                 | -5.77 | 0.8        | 0.8  | -4.66                       | -4.97 | -1.80 | <=-1  | Pass    |
|      | 802.11ax (HEW40) | MIMO    | 6445            | RU484 | Left   | -4.85                 | -6.26 | 0.8        | 0.8  | -4.05                       | -5.46 | -1.69 | <=-1  | Pass    |
|      |                  |         | 6485            | RU484 | Left   | -5.11                 | -5.81 | 0.8        | 0.8  | -4.31                       | -5.01 | -1.64 | <=-1  | Pass    |
|      | 802.11ax (HEW80) | MIMO    | 6465            | RU996 | Left   | -5.41                 | -5.83 | 0.8        | 0.8  | -4.61                       | -5.03 | -1.80 | <=-1  | Pass    |

#### 4.1.5 PSD

| ENV  | Mode              | TX Type | Frequency (MHz) | RU      | RU Pos | Maximum PSD (dBm/MHz) |       |       |       | Verdict |
|------|-------------------|---------|-----------------|---------|--------|-----------------------|-------|-------|-------|---------|
|      |                   |         |                 |         |        | ANT0                  | ANT1  | MIMO  | Limit |         |
| NTNV | 802.11a           | MIMO    | 6535            | /       | /      | -5.80                 | -5.71 | -3.18 | /     | Pass    |
|      |                   |         | 6695            | /       | /      | -5.78                 | -6.03 | -3.04 | /     | Pass    |
|      |                   |         | 6855            | /       | /      | -5.14                 | -7.18 | -3.18 | /     | Pass    |
|      | 802.11ax (HEW20)  | MIMO    | 6535            | RU242   | Left   | -5.82                 | -5.76 | -3.18 | /     | Pass    |
|      |                   |         | 6695            | RU242   | Left   | -5.28                 | -6.28 | -2.77 | /     | Pass    |
|      |                   |         | 6855            | RU242   | Left   | -4.55                 | -6.62 | -2.61 | /     | Pass    |
|      | 802.11ax (HEW40)  | MIMO    | 6565            | RU484   | Left   | -5.69                 | -6.40 | -3.52 | /     | Pass    |
|      |                   |         | 6685            | RU484   | Left   | -5.56                 | -5.70 | -3.02 | /     | Pass    |
|      |                   |         | 6845            | RU484   | Left   | -5.77                 | -6.36 | -3.33 | /     | Pass    |
|      | 802.11ax (HEW80)  | MIMO    | 6625            | RU996   | Left   | -5.29                 | -5.89 | -2.80 | /     | Pass    |
|      |                   |         | 6705            | RU996   | Left   | -5.73                 | -5.70 | -2.91 | /     | Pass    |
|      |                   |         | 6785            | RU996   | Left   | -5.78                 | -6.06 | -3.07 | /     | Pass    |
|      | 802.11ax (HEW160) | MIMO    | 6665            | 2xRU996 | Left   | -7.68                 | -6.88 | -5.17 | /     | Pass    |

#### 4.1.6 E.I.R.PSD

| ENV  | Mode              | TX Type | Frequency (MHz) | RU      | RU Pos | Maximum PSD (dBm/MHz) |       | Gain (dBi) |      | Maximum E.I.R.PSD (dBm/MHz) |       |       |       | Verdict |
|------|-------------------|---------|-----------------|---------|--------|-----------------------|-------|------------|------|-----------------------------|-------|-------|-------|---------|
|      |                   |         |                 |         |        | ANT0                  | ANT1  | ANT0       | ANT1 | ANT0                        | ANT1  | MIMO  | Limit |         |
| NTNV | 802.11a           | MIMO    | 6535            | /       | /      | -5.80                 | -5.71 | 0.92       | 0.9  | -4.88                       | -4.81 | -1.83 | <=-1  | Pass    |
|      |                   |         | 6695            | /       | /      | -5.78                 | -6.03 | 0.92       | 0.9  | -4.86                       | -5.13 | -1.98 | <=-1  | Pass    |
|      |                   |         | 6855            | /       | /      | -5.14                 | -7.18 | 0.92       | 0.9  | -4.22                       | -6.28 | -2.12 | <=-1  | Pass    |
|      | 802.11ax (HEW20)  | MIMO    | 6535            | RU242   | Left   | -5.82                 | -5.76 | 0.92       | 0.9  | -4.90                       | -4.86 | -1.87 | <=-1  | Pass    |
|      |                   |         | 6695            | RU242   | Left   | -5.28                 | -6.28 | 0.92       | 0.9  | -4.36                       | -5.38 | -1.83 | <=-1  | Pass    |
|      |                   |         | 6855            | RU242   | Left   | -4.55                 | -6.62 | 0.92       | 0.9  | -3.63                       | -5.72 | -1.54 | <=-1  | Pass    |
|      | 802.11ax (HEW40)  | MIMO    | 6565            | RU484   | Left   | -5.69                 | -6.40 | 0.92       | 0.9  | -4.77                       | -5.50 | -2.11 | <=-1  | Pass    |
|      |                   |         | 6685            | RU484   | Left   | -5.56                 | -5.70 | 0.92       | 0.9  | -4.64                       | -4.80 | -1.71 | <=-1  | Pass    |
|      |                   |         | 6845            | RU484   | Left   | -5.77                 | -6.36 | 0.92       | 0.9  | -4.85                       | -5.46 | -2.13 | <=-1  | Pass    |
|      | 802.11ax (HEW80)  | MIMO    | 6625            | RU996   | Left   | -5.29                 | -5.89 | 0.92       | 0.9  | -4.37                       | -4.99 | -1.66 | <=-1  | Pass    |
|      |                   |         | 6705            | RU996   | Left   | -5.73                 | -5.70 | 0.92       | 0.9  | -4.81                       | -4.80 | -1.79 | <=-1  | Pass    |
|      |                   |         | 6785            | RU996   | Left   | -5.78                 | -6.06 | 0.92       | 0.9  | -4.86                       | -5.16 | -2.00 | <=-1  | Pass    |
|      | 802.11ax (HEW160) | MIMO    | 6665            | 2xRU996 | Left   | -7.68                 | -6.88 | 0.92       | 0.9  | -6.76                       | -5.98 | -3.34 | <=-1  | Pass    |

#### 4.1.7 PSD

| ENV  | Mode              | TX Type | Frequency (MHz) | RU      | RU Pos | Maximum PSD (dBm/MHz) |       |       |       | Verdict |
|------|-------------------|---------|-----------------|---------|--------|-----------------------|-------|-------|-------|---------|
|      |                   |         |                 |         |        | ANT0                  | ANT1  | MIMO  | Limit |         |
| NTNV | 802.11a           | MIMO    | 6895            | /       | /      | -4.35                 | -5.86 | -2.25 | /     | Pass    |
|      |                   |         | 6995            | /       | /      | -4.68                 | -5.19 | -2.35 | /     | Pass    |
|      |                   |         | 7095            | /       | /      | -5.36                 | -5.44 | -2.72 | /     | Pass    |
|      | 802.11ax (HEW20)  | MIMO    | 6895            | RU242   | Left   | -5.34                 | -5.46 | -2.59 | /     | Pass    |
|      |                   |         | 6995            | RU242   | Left   | -4.65                 | -4.94 | -2.34 | /     | Pass    |
|      |                   |         | 7095            | RU242   | Left   | -5.05                 | -5.48 | -2.65 | /     | Pass    |
|      | 802.11ax (HEW40)  | MIMO    | 6925            | RU484   | Left   | -3.53                 | -5.19 | -1.72 | /     | Pass    |
|      |                   |         | 7005            | RU484   | Left   | -4.35                 | -4.74 | -1.95 | /     | Pass    |
|      |                   |         | 7085            | RU484   | Left   | -4.92                 | -5.16 | -2.32 | /     | Pass    |
|      | 802.11ax (HEW80)  | MIMO    | 6945            | RU996   | Left   | -4.29                 | -5.36 | -2.23 | /     | Pass    |
|      |                   |         | 7025            | RU996   | Left   | -4.43                 | -5.24 | -2.18 | /     | Pass    |
|      | 802.11ax (HEW160) | MIMO    | 6985            | 2xRU996 | Left   | -7.59                 | -8.18 | -5.33 | /     | Pass    |

#### 4.1.8 E.I.R.PSD

| ENV  | Mode             | TX Type | Frequency (MHz) | RU    | RU Pos | Maximum PSD (dBm/MHz) |       | Gain (dBi) |      | Maximum E.I.R.PSD (dBm/MHz) |       |       |       | Verdict |
|------|------------------|---------|-----------------|-------|--------|-----------------------|-------|------------|------|-----------------------------|-------|-------|-------|---------|
|      |                  |         |                 |       |        | ANT0                  | ANT1  | ANT0       | ANT1 | ANT0                        | ANT1  | MIMO  | Limit |         |
| NTNV | 802.11a          | MIMO    | 6895            | /     | /      | -4.35                 | -5.86 | -1.1       | 1    | -5.45                       | -4.86 | -2.13 | <=-1  | Pass    |
|      |                  |         | 6995            | /     | /      | -4.68                 | -5.19 | -1.1       | 1    | -5.78                       | -4.19 | -1.90 | <=-1  | Pass    |
|      |                  |         | 7095            | /     | /      | -5.36                 | -5.44 | -1.1       | 1    | -6.46                       | -4.44 | -2.32 | <=-1  | Pass    |
|      | 802.11ax (HEW20) | MIMO    | 6895            | RU242 | Left   | -5.34                 | -5.46 | -1.1       | 1    | -6.44                       | -4.46 | -2.33 | <=-1  | Pass    |
|      |                  |         | 6995            | RU242 | Left   | -4.65                 | -4.94 | -1.1       | 1    | -5.75                       | -3.94 | -1.74 | <=-1  | Pass    |
|      |                  |         | 7095            | RU242 | Left   | -5.05                 | -5.48 | -1.1       | 1    | -6.15                       | -4.48 | -2.22 | <=-1  | Pass    |

|  |                      |      |      |         |      |       |       |      |   |       |       |       |      |      |
|--|----------------------|------|------|---------|------|-------|-------|------|---|-------|-------|-------|------|------|
|  | 802.11ax<br>(HEW40)  | MIMO | 6925 | RU484   | Left | -3.53 | -5.19 | -1.1 | 1 | -4.63 | -4.19 | -1.39 | <=-1 | Pass |
|  |                      |      | 7005 | RU484   | Left | -4.35 | -4.74 | -1.1 | 1 | -5.45 | -3.74 | -1.50 | <=-1 | Pass |
|  |                      |      | 7085 | RU484   | Left | -4.92 | -5.16 | -1.1 | 1 | -6.02 | -4.16 | -1.98 | <=-1 | Pass |
|  | 802.11ax<br>(HEW80)  | MIMO | 6945 | RU996   | Left | -4.29 | -5.36 | -1.1 | 1 | -5.39 | -4.36 | -1.83 | <=-1 | Pass |
|  |                      |      | 7025 | RU996   | Left | -4.43 | -5.24 | -1.1 | 1 | -5.53 | -4.24 | -1.83 | <=-1 | Pass |
|  | 802.11ax<br>(HEW160) | MIMO | 6985 | 2xRU996 | Left | -7.59 | -8.18 | -1.1 | 1 | -8.69 | -7.18 | -4.86 | <=-1 | Pass |

#### 4.1.9 PSD

| ENV  | Mode                 | TX Type | Frequency (MHz) | RU      | RU Pos | Maximum PSD (dBm/MHz) |       |       |       | Verdict |
|------|----------------------|---------|-----------------|---------|--------|-----------------------|-------|-------|-------|---------|
|      |                      |         |                 |         |        | ANT0                  | ANT1  | MIMO  | Limit |         |
| NTNV | 802.11a              | MIMO    | 6875            | /       | /      | -5.06                 | -6.94 | -3.04 | /     | Pass    |
|      | 802.11ax<br>(HEW20)  | MIMO    | 6875            | RU242   | Left   | -4.85                 | -6.69 | -2.83 | /     | Pass    |
|      | 802.11ax<br>(HEW40)  | MIMO    | 6885            | RU484   | Left   | -5.07                 | -6.61 | -2.82 | /     | Pass    |
|      | 802.11ax<br>(HEW80)  | MIMO    | 6865            | RU996   | Left   | -4.79                 | -6.39 | -2.58 | /     | Pass    |
|      | 802.11ax<br>(HEW160) | MIMO    | 6825            | 2xRU996 | Left   | -7.32                 | -8.78 | -5.07 | /     | Pass    |

#### 4.1.10 E.I.R.PSD

| ENV  | Mode                 | TX Type | Frequency (MHz) | RU      | RU Pos | Maximum PSD (dBm/MHz) |       | Gain (dBi) |      | Maximum E.I.R.PSD (dBm/MHz) |       |       |       | Verdict |
|------|----------------------|---------|-----------------|---------|--------|-----------------------|-------|------------|------|-----------------------------|-------|-------|-------|---------|
|      |                      |         |                 |         |        | ANT0                  | ANT1  | ANT0       | ANT1 | ANT0                        | ANT1  | MIMO  | Limit |         |
| NTNV | 802.11a              | MIMO    | 6875            | /       | /      | -5.06                 | -6.94 | 0.92       | 1    | -4.14                       | -5.94 | -1.94 | <=-1  | Pass    |
|      | 802.11ax<br>(HEW20)  | MIMO    | 6875            | RU242   | Left   | -4.85                 | -6.69 | 0.92       | 1    | -3.93                       | -5.69 | -1.71 | <=-1  | Pass    |
|      | 802.11ax<br>(HEW40)  | MIMO    | 6885            | RU484   | Left   | -5.07                 | -6.61 | 0.92       | 1    | -4.15                       | -5.61 | -1.81 | <=-1  | Pass    |
|      | 802.11ax<br>(HEW80)  | MIMO    | 6865            | RU996   | Left   | -4.79                 | -6.39 | 0.92       | 1    | -3.87                       | -5.39 | -1.55 | <=-1  | Pass    |
|      | 802.11ax<br>(HEW160) | MIMO    | 6825            | 2xRU996 | Left   | -7.32                 | -8.78 | 0.92       | 1    | -6.40                       | -7.78 | -4.03 | <=-1  | Pass    |

#### 4.1.11 PSD


| ENV  | Mode                 | TX Type | Frequency (MHz) | RU      | RU Pos | Maximum PSD (dBm/MHz) |       |       |       | Verdict |
|------|----------------------|---------|-----------------|---------|--------|-----------------------|-------|-------|-------|---------|
|      |                      |         |                 |         |        | ANT0                  | ANT1  | MIMO  | Limit |         |
| NTNV | 802.11ax<br>(HEW40)  | MIMO    | 6525            | RU484   | Left   | -5.54                 | -5.79 | -2.77 | /     | Pass    |
|      | 802.11ax<br>(HEW80)  | MIMO    | 6545            | RU996   | Left   | -5.66                 | -6.03 | -3.28 | /     | Pass    |
|      | 802.11ax<br>(HEW160) | MIMO    | 6505            | 2xRU996 | Left   | -8.96                 | -6.76 | -4.94 | /     | Pass    |

#### 4.1.12 E.I.R.PSD


| ENV  | Mode              | TX Type | Frequency (MHz) | RU      | RU Pos | Maximum PSD (dBm/MHz) |       | Gain (dBi) |      | Maximum E.I.R.PSD (dBm/MHz) |       |       |       | Verdict |
|------|-------------------|---------|-----------------|---------|--------|-----------------------|-------|------------|------|-----------------------------|-------|-------|-------|---------|
|      |                   |         |                 |         |        | ANT0                  | ANT1  | ANT0       | ANT1 | ANT0                        | ANT1  | MIMO  | Limit |         |
| NTNV | 802.11ax (HEW40)  | MIMO    | 6525            | RU484   | Left   | -5.54                 | -5.79 | 0.92       | 0.9  | -4.62                       | -4.89 | -1.74 | <=-1  | Pass    |
|      | 802.11ax (HEW80)  | MIMO    | 6545            | RU996   | Left   | -5.66                 | -6.03 | 0.92       | 0.9  | -4.74                       | -5.13 | -1.92 | <=-1  | Pass    |
|      | 802.11ax (HEW160) | MIMO    | 6505            | 2xRU996 | Left   | -8.96                 | -6.76 | 0.92       | 0.9  | -8.04                       | -5.86 | -3.80 | <=-1  | Pass    |

4.2 Test Graph


4.2.1 PSD




# 802.11a LCH 5955MHz\_MIMO\_NTNV




# 802.11a MCH 6175MHz\_Ant0\_NTNV




# 802.11a\_MCH\_6175MHz\_Ant1\_NTNV




# 802.11a\_MCH\_6175MHz\_MIMO\_NTNV




802.11a\_HCH\_6415MHz\_Ant0\_NTNV




802.11a\_HCH\_6415MHz\_Ant1\_NTNV




# 802.11a\_HCH\_6415MHz\_MIMO\_NTNV




# 802.11ax(HEW20)\_LCH\_5955MHz\_RU242\_Left\_Ant0\_NTNV




802.11ax(HEW20)\_LCH\_5955MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HEW20)\_LCH\_5955MHz\_RU242\_Left\_MIMO\_NTNV




# 802.11ax(HEW20)\_MCH\_6175MHz\_RU242\_Left\_Ant0\_NTNV




# 802.11ax(HEW20)\_MCH\_6175MHz\_RU242\_Left\_Ant1\_NTNV




# 802.11ax(HEW20)\_MCH\_6175MHz\_RU242\_Left\_MIMO\_NTNV




# 802.11ax(HEW20)\_HCH\_6415MHz\_RU242\_Left\_Ant0\_NTNV




# 802.11ax(HEW20)\_HCH\_6415MHz\_RU242\_Left\_Ant1\_NTNV




# 802.11ax(HEW20)\_HCH\_6415MHz\_RU242\_Left\_MIMO\_NTNV




# 802.11ax(HEW40)\_LCH\_5965MHz\_RU484\_Left\_Ant0\_NTNV




# 802.11ax(HEW40)\_LCH\_5965MHz\_RU484\_Left\_Ant1\_NTNV




# 802.11ax(HEW40)\_LCH\_5965MHz\_RU484\_Left\_MIMO\_NTNV




# 802.11ax(HEW40)\_MCH\_6165MHz\_RU484\_Left\_Ant0\_NTNV




# 802.11ax(HEW40)\_MCH\_6165MHz\_RU484\_Left\_Ant1\_NTNV




# 802.11ax(HEW40)\_MCH\_6165MHz\_RU484\_Left\_MIMO\_NTNV




# 802.11ax(HEW40)\_HCH\_6405MHz\_RU484\_Left\_Ant0\_NTNV




# 802.11ax(HEW40)\_HCH\_6405MHz\_RU484\_Left\_Ant1\_NTNV




# 802.11ax(HEW40)\_HCH\_6405MHz\_RU484\_Left\_MIMO\_NTNV




# 802.11ax(HEW80)\_LCH\_5985MHz\_RU996\_Left\_Ant0\_NTNV




# 802.11ax(HEW80)\_LCH\_5985MHz\_RU996\_Left\_Ant1\_NTNV




# 802.11ax(HEW80)\_LCH\_5985MHz\_RU996\_Left\_MIMO\_NTNV




802.11ax(HEW80)\_MCH\_6145MHz\_RU996\_Left\_Ant0\_NTNV




802.11ax(HEW80)\_MCH\_6145MHz\_RU996\_Left\_Ant1\_NTNV




# 802.11ax(HEW80)\_MCH\_6145MHz\_RU996\_Left\_MIMO\_NTNV




# 802.11ax(HEW80)\_HCH\_6385MHz\_RU996\_Left\_Ant0\_NTNV




# 802.11ax(HEW80) HCH\_6385MHz\_RU996\_Left\_Ant1\_NTNV




# 802.11ax(HEW80) HCH\_6385MHz\_RU996\_Left\_MIMO\_NTNV




# 802.11ax(HEW160)\_LCH\_6025MHz\_2xRU996\_Left\_Ant0\_NTNV




# 802.11ax(HEW160)\_LCH\_6025MHz\_2xRU996\_Left\_Ant1\_NTNV




# 802.11ax(HEW160)\_LCH\_6025MHz\_2xRU996\_Left\_MIMO\_NTNV




# 802.11ax(HEW160)\_MCH\_6185MHz\_2xRU996\_Left\_Ant0\_NTNV




802.11ax(HEW160)\_MCH\_6185MHz\_2xRU996\_Left\_Ant1\_NTNV




802.11ax(HEW160)\_MCH\_6185MHz\_2xRU996\_Left\_MIMO\_NTNV




802.11ax(HEW160)\_HCH\_6345MHz\_2xRU996\_Left\_Ant0\_NTNV




802.11ax(HEW160)\_HCH\_6345MHz\_2xRU996\_Left\_Ant1\_NTNV




802.11ax(HEW160)\_HCH\_6345MHz\_2xRU996\_Left\_MIMO\_NTNV




4.2.2 E.I.R.PSD




# 802.11a LCH 5955MHz\_MIMO\_NTNV




# 802.11a MCH 6175MHz\_Ant0\_NTNV




# 802.11a\_MCH\_6175MHz\_Ant1\_NTNV




# 802.11a\_MCH\_6175MHz\_MIMO\_NTNV




# 802.11a\_HCH\_6415MHz\_Ant0\_NTNV




# 802.11a\_HCH\_6415MHz\_Ant1\_NTNV




# 802.11a\_HCH\_6415MHz\_MIMO\_NTNV




# 802.11ax(HEW20)\_LCH\_5955MHz\_RU242\_Left\_Ant0\_NTNV




802.11ax(HEW20)\_LCH\_5955MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HEW20)\_LCH\_5955MHz\_RU242\_Left\_MIMO\_NTNV




802.11ax(HEW20)\_MCH\_6175MHz\_RU242\_Left\_Ant0\_NTNV




802.11ax(HEW20)\_MCH\_6175MHz\_RU242\_Left\_Ant1\_NTNV




# 802.11ax(HEW20)\_MCH\_6175MHz\_RU242\_Left\_MIMO\_NTNV




# 802.11ax(HEW20)\_HCH\_6415MHz\_RU242\_Left\_Ant0\_NTNV




# 802.11ax(HEW20)\_HCH\_6415MHz\_RU242\_Left\_Ant1\_NTNV




# 802.11ax(HEW20)\_HCH\_6415MHz\_RU242\_Left\_MIMO\_NTNV




# 802.11ax(HEW40)\_LCH\_5965MHz\_RU484\_Left\_Ant0\_NTNV




# 802.11ax(HEW40)\_LCH\_5965MHz\_RU484\_Left\_Ant1\_NTNV




# 802.11ax(HEW40)\_LCH\_5965MHz\_RU484\_Left\_MIMO\_NTNV




# 802.11ax(HEW40)\_MCH\_6165MHz\_RU484\_Left\_Ant0\_NTNV




# 802.11ax(HEW40)\_MCH\_6165MHz\_RU484\_Left\_Ant1\_NTNV




# 802.11ax(HEW40)\_MCH\_6165MHz\_RU484\_Left\_MIMO\_NTNV




# 802.11ax(HEW40)\_HCH\_6405MHz\_RU484\_Left\_Ant0\_NTNV




# 802.11ax(HEW40)\_HCH\_6405MHz\_RU484\_Left\_Ant1\_NTNV




802.11ax(HEW40) HCH 6405MHz RU484 Left MIMO NTN




802.11ax(HEW80) LCH 5985MHz RU996 Left Ant0 NTN




802.11ax(HEW80)\_LCH\_5985MHz\_RU996\_Left\_Ant1\_NTNV



802.11ax(HEW80)\_LCH\_5985MHz\_RU996\_Left\_MIMO\_NTNV



802.11ax(HEW80)\_MCH\_6145MHz\_RU996\_Left\_Ant0\_NTNV



802.11ax(HEW80)\_MCH\_6145MHz\_RU996\_Left\_Ant1\_NTNV

