



ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 5,320.700       | 94.08              |                    |                 | 43.49           | H            | 40.1          | 1.00               |
| 5  | 5,350.000       | 44.62              | 54.00              | 9.38            | 43.55           | H            | 40.1          | 1.00               |
| 5  | 5,355.500       | 44.48              | 54.00              | 9.52            | 43.55           | H            | 40.1          | 1.00               |





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

| Rg | Frequency [MHz] | PK+ Level [dBμV/m] | PK+ Limit [dBμV/m] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 5,318.000       | 109.55             |                    |                 | 43.49           | V            | 41.4          | 1.00               |
| 5  | 5,350.000       | 59.50              | 74.00              | 14.50           | 43.55           | V            | 268.5         | 1.00               |
| 5  | 5,353.700       | 59.33              | 74.00              | 14.67           | 43.55           | V            | 268.5         | 1.00               |






## ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M

| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 5,321.000       | 97.83              |                    |                 | 43.49           | V            | 269.6         | 1.00               |
| 5  | 5,350.000       | 45.07              | 54.00              | 8.93            | 43.55           | V            | 269.6         | 1.00               |
| 5  | 5,352.800       | 45.12              | 54.00              | 8.88            | 43.55           | V            | 269.6         | 1.00               |



## REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5320MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 5,260.800       | 90.89              |                    |                 | 43.63           | H            | 42.5          | 1.00               |
| 4  | 5,350.000       | 44.43              | 54.00              | 9.57            | 43.55           | H            | 129.8         | 2.00               |
| 4  | 5,355.800       | 44.30              | 54.00              | 9.70            | 43.55           | H            | 129.8         | 2.00               |





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


| Rg | Frequency [MHz] | PK+ Level [dBμV/m] | PK+ Limit [dBμV/m] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 5,258.900       | 108.39             |                    |                 | 43.64           | V            | 275.6         | 1.00               |
| 4  | 5,350.000       | 58.32              | 74.00              | 15.68           | 43.55           | V            | 359           | 2.00               |
| 4  | 5,352.000       | 59.00              | 74.00              | 15.00           | 43.55           | V            | 317.5         | 2.00               |





## ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M

| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 5,258.425       | 95.58              |                    |                 | 43.64           | V            | 275.6         | 1.00               |
| 4  | 5,350.000       | 44.40              | 54.00              | 9.60            | 43.55           | V            | 355.5         | 2.00               |
| 4  | 5,356.275       | 44.39              | 54.00              | 9.61            | 43.55           | V            | 0.9           | 2.00               |



## REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5260MHz: Fundamental frequency.



|                 |               |          |              |
|-----------------|---------------|----------|--------------|
| CHANNEL         | TX Channel 60 | DETECTOR | Peak (PK)    |
| FREQUENCY RANGE | 1GHz ~ 40GHz  | FUNCTION | Average (AV) |

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


| Rg | Frequency [MHz] | PK+ Level [dB $\mu$ V/m] | PK+ Limit [dB $\mu$ V/m] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------------|--------------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 5,301.800       | 100.93                   |                          |                 | 43.46           | H            | 43.7          | 1.00               |
| 5  | 5,350.000       | 58.28                    | 74.00                    | 15.72           | 43.55           | H            | 272.2         | 2.00               |
| 5  | 5,357.000       | 59.67                    | 74.00                    | 14.33           | 43.55           | H            | 91.6          | 1.00               |





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 5,300.900       | 87.74              |                    |                 | 43.45           | H            | 337.5         | 1.00               |
| 5  | 5,350.000       | 44.48              | 54.00              | 9.52            | 43.55           | H            | 40.2          | 2.00               |
| 5  | 5,356.100       | 44.24              | 54.00              | 9.76            | 43.55           | H            | 40.2          | 2.00               |






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

| Rg | Frequency [MHz] | PK+ Level [dBμV/m] | PK+ Limit [dBμV/m] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 5,301.200       | 105.88             |                    |                 | 43.45           | V            | 274.4         | 1.00               |
| 5  | 5,350.400       | 58.15              | 74.00              | 15.85           | 43.55           | V            | 180           | 1.00               |
| 5  | 5,352.500       | 59.43              | 74.00              | 14.57           | 43.55           | V            | 274.4         | 1.00               |



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 5,300.600       | 95.50              |                    |                 | 43.45           | V            | 280.3         | 1.00               |
| 5  | 5,350.000       | 44.39              | 54.00              | 9.61            | 43.55           | V            | 176.6         | 2.00               |
| 5  | 5,354.600       | 44.37              | 54.00              | 9.63            | 43.55           | V            | 129.8         | 2.00               |

**REMARKS:**


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5300MHz: Fundamental frequency.



|                 |               |                      |              |
|-----------------|---------------|----------------------|--------------|
| CHANNEL         | TX Channel 64 | DETECTOR<br>FUNCTION | Peak (PK)    |
| FREQUENCY RANGE | 1GHz ~ 40GHz  |                      | Average (AV) |

**=ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


| Rg | Frequency [MHz] | PK+ Level [dBμV/m] | PK+ Limit [dBμV/m] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 6  | 5,321.200       | 101.89             |                    |                 | 43.49           | H            | 40.2          | 1.00               |
| 6  | 5,350.000       | 58.38              | 74.00              | 15.62           | 43.55           | H            | 273.3         | 2.00               |
| 6  | 5,359.200       | 59.24              | 74.00              | 14.76           | 43.55           | H            | 355           | 2.00               |





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 6  | 5,320.800       | 86.95              |                    |                 | 43.49           | H            | 182.4         | 1.00               |
| 6  | 5,350.000       | 44.42              | 54.00              | 9.58            | 43.55           | H            | 138.2         | 2.00               |
| 6  | 5,354.000       | 44.41              | 54.00              | 9.59            | 43.55           | H            | 92.8          | 2.00               |





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


| Rg | Frequency [MHz] | PK+ Level [dBμV/m] | PK+ Limit [dBμV/m] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 6  | 5,321.600       | 106.80             |                    |                 | 43.50           | V            | 268.4         | 1.00               |
| 6  | 5,350.000       | 59.22              | 74.00              | 14.78           | 43.55           | V            | 359.1         | 1.00               |
| 6  | 5,359.200       | 59.57              | 74.00              | 14.43           | 43.55           | V            | 0.9           | 2.00               |






## ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M

| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 6  | 5,320.800       | 94.32              |                    |                 | 43.49           | V            | 266           | 1.00               |
| 6  | 5,350.000       | 44.46              | 54.00              | 9.54            | 43.55           | V            | 92.9          | 2.00               |
| 6  | 5,354.800       | 44.44              | 54.00              | 9.56            | 43.55           | V            | 92.9          | 2.00               |



## REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5320MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 3  | 5,267.500       | 87.74              |                    |                 | 43.60           | H            | 86.8          | 1.00               |
| 3  | 5,350.000       | 44.37              | 54.00              | 9.63            | 43.55           | H            | 132.2         | 2.00               |
| 3  | 5,353.667       | 44.34              | 54.00              | 9.66            | 43.55           | H            | 39            | 2.00               |





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


| Rg | Frequency [MHz] | PK+ Level [dBμV/m] | PK+ Limit [dBμV/m] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 3  | 5,268.230       | 104.19             |                    |                 | 43.60           | V            | 271.9         | 1.00               |
| 3  | 5,350.000       | 57.95              | 74.00              | 16.05           | 43.55           | V            | 355.6         | 2.00               |
| 3  | 5,445.700       | 58.95              | 74.00              | 15.05           | 44.04           | V            | 319.8         | 1.00               |





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 3  | 5,268.600       | 92.61              |                    |                 | 43.59           | V            | 273.1         | 1.00               |
| 3  | 5,350.000       | 44.54              | 54.00              | 9.46            | 43.55           | V            | 85.8          | 2.00               |
| 3  | 5,350.733       | 44.47              | 54.00              | 9.53            | 43.55           | V            | 85.8          | 2.00               |



REMARKS:


- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor  
Margin value = Limit value- Emission level.
- 5270MHz: Fundamental frequency.



|                 |               |                      |              |
|-----------------|---------------|----------------------|--------------|
| CHANNEL         | TX Channel 62 | DETECTOR<br>FUNCTION | Peak (PK)    |
| FREQUENCY RANGE | 1GHz ~ 40GHz  |                      | Average (AV) |

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


| Rg | Frequency [MHz] | PK+ Level [dBμV/m] | PK+ Limit [dBμV/m] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 5,308.000       | 98.45              |                    |                 | 43.47           | H            | 131           | 2.00               |
| 4  | 5,350.000       | 58.99              | 74.00              | 15.01           | 43.55           | H            | 5.1           | 1.00               |
| 4  | 5,363.500       | 59.20              | 74.00              | 14.80           | 43.55           | H            | 224.3         | 2.00               |





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 5,308.000       | 87.62              |                    |                 | 43.47           | H            | 131           | 2.00               |
| 4  | 5,350.000       | 44.86              | 54.00              | 9.14            | 43.55           | H            | 354.9         | 2.00               |
| 4  | 5,350.500       | 44.81              | 54.00              | 9.19            | 43.55           | H            | 354.9         | 2.00               |





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

| Rg | Frequency [MHz] | PK+ Level [dBμV/m] | PK+ Limit [dBμV/m] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 5,312.500       | 103.41             |                    |                 | 43.48           | V            | 275.6         | 1.00               |
| 4  | 5,350.000       | 60.37              | 74.00              | 13.63           | 43.55           | V            | 359           | 1.00               |
| 4  | 5,350.500       | 60.28              | 74.00              | 13.72           | 43.55           | V            | 230.2         | 1.00               |




**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 5,306.500       | 91.20              |                    |                 | 43.47           | V            | 275.6         | 1.00               |
| 4  | 5,350.000       | 45.97              | 54.00              | 8.03            | 43.55           | V            | 41.4          | 1.00               |
| 4  | 5,350.500       | 45.78              | 54.00              | 8.22            | 43.55           | V            | 318.7         | 2.00               |

**REMARKS:**

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5310MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 5,260.800       | 89.66              |                    |                 | 43.63           | H            | 42.6          | 1.00               |
| 4  | 5,350.100       | 44.35              | 54.00              | 9.65            | 43.55           | H            | 0.9           | 2.00               |
| 4  | 5,352.000       | 44.30              | 54.00              | 9.70            | 43.55           | H            | 131           | 2.00               |






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

| Rg | Frequency [MHz] | PK+ Level [dBμV/m] | PK+ Limit [dBμV/m] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 5,257.480       | 108.23             |                    |                 | 43.65           | V            | 276.8         | 1.00               |
| 4  | 5,350.000       | 58.76              | 74.00              | 15.24           | 43.55           | V            | 355           | 2.00               |
| 4  | 5,355.325       | 59.84              | 74.00              | 14.16           | 43.55           | V            | 137           | 1.00               |



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 5,257.950       | 96.35              |                    |                 | 43.64           | V            | 275.6         | 1.00               |
| 4  | 5,350.000       | 44.44              | 54.00              | 9.56            | 43.55           | V            | 36.6          | 2.00               |
| 4  | 5,354.380       | 44.39              | 54.00              | 9.61            | 43.55           | V            | 0.9           | 2.00               |

**REMARKS:**

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5260MHz: Fundamental frequency.