

EUT EXTERNAL PHOTOS


FRONT VIEW OF EUT




REAR VIEW OF EUT




LEFT VIEW OF EUT



RIGHT VIEW OF EUT




TOP VIEW OF EUT



BOTTOM VIEW OF EUT



Adapter 1



Close up




USB Cable 1 - B26320



USB Cable 2 - H26320



USB Cable 3 - K26320



USB Cable 4 - L26320



Ancillary Equipment

Ancillary Equipment 1	Battery 1	
	Brand Name	MI
	Model No.	BM3U
	Serial No.	N/A
	Capacitance	Rated: 3920mAh Typical: 3995mAh
	Rated Voltage	3.93 V
	Limited Voltage	4.53 V
	Manufacturer	Zhejiang Sunwoda Electronic Co., Ltd.
Ancillary Equipment 2	Battery 2	
	Brand Name	MI
	Model No.	BM3V
	Serial No.	N/A
	Capacitance	Rated: 3430mAh Typical: 3505mAh
	Rated Voltage	3.93 V
	Limited Voltage	4.53 V
	Manufacturer	Zhejiang Sunwoda Electronic Co., Ltd.
Ancillary Equipment 3	Adapter 1	
	Brand Name	MI
	Model No.	MDY-15-EV (US Plug)
	Serial No.	N/A
	Rated Input	100-240V~ 50/60Hz, 1.7A
	Rated Output	5.0V= 3.0A 15.0W or 5.0-20.0V= 6.2-3.25A(67W Max)
	Manufacturer	Xiaomi Communications Co., Ltd.
Ancillary Equipment 4	USB Cable 1	
	Model No.	B26320
	Length (Approx.)	1.0 m
Ancillary Equipment 5	USB Cable 2	
	Model No.	H26320
	Length (Approx.)	1.0 m
Ancillary Equipment 6	USB Cable 3	
	Model No.	K26320
	Length (Approx.)	1.0 m
Ancillary Equipment 7	USB Cable 4	
	Model No.	L26320
	Length (Approx.)	1.0 m
Note 1: Letter in () means plug type.		
Note 2: All USB Cables are tested, only the worst data of B26320 shown in this report.		

--BLANK BELOW--