



ax40\_5190MHz\_RU\_Full\_Chain 0



ProjectNo.:XMDN240206-08079E-RF Testert: Alice Tan  
Date: 7.APR.2024 14:32:25


ax40\_5230MHz\_RU\_Full\_Chain 0



ProjectNo.:XMDN240206-08079E-RF Testert: Alice Tan  
Date: 7.APR.2024 14:33:21


## 5250-5350 MHz

ax80\_5210MHz\_RU\_Full\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Testert: Alice Tan  
Date: 7.APR.2024 14:37:32

a\_5260MHz\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Testert: Alice Tan  
Date: 7.APR.2024 15:53:50

a\_5280MHz\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Testert: Alice Tan  
Date: 7.APR.2024 15:55:08

a\_5320MHz\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Testert: Alice Tan  
Date: 7.APR.2024 15:56:24


n20\_5260MHz\_Chain 0




n20\_5280MHz\_Chain 0




n20\_5320MHz\_Chain 0




n40\_5270MHz\_Chain 0




n40\_5310MHz\_Chain 0




ac80\_5290MHz\_Chain 0




ax20\_5260MHz\_RU\_Full\_Chain 0




ax20\_5280MHz\_RU\_Full\_Chain 0




ax20\_5320MHz\_RU\_Full\_Chain 0




ax40\_5270MHz\_RU\_Full\_Chain 0



ax40\_5310MHz\_RU\_Full\_Chain 0




ax80\_5290MHz\_RU\_Full\_Chain 0




## 5470-5725 MHz


a\_5500MHz\_Chain 0




a\_5580MHz\_Chain 0




a\_5700MHz\_Chain 0




a\_5720MHz\_Chain 0




n20\_5500MHz\_Chain 0




n20\_5580MHz\_Chain 0




n20\_5700MHz\_Chain 0




n20\_5720MHz\_Chain 0




n40\_5510MHz\_Chain 0




n40\_5550MHz\_Chain 0




n40\_5670MHz\_Chain 0




n40\_5710MHz\_Chain 0




ac80\_5530MHz\_Chain 0




ac80\_5610MHz\_Chain 0




ac80\_5690MHz\_Chain 0




ax20\_5500MHz\_RU\_Full\_Chain 0




ax20\_5580MHz\_RU\_Full\_Chain 0



ax20\_5700MHz\_RU\_Full\_Chain 0




ax20\_5720MHz\_RU\_Full\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Tester: Alice Tan  
Date: 7.APR.2024 17:44:21

ax40\_5510MHz\_RU\_Full\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Tester: Alice Tan  
Date: 7.APR.2024 17:47:42

ax40\_5550MHz\_RU\_Full\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Tester: Alice Tan  
Date: 7.APR.2024 17:49:16

ax40\_5670MHz\_RU\_Full\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Tester: Alice Tan  
Date: 7.APR.2024 17:50:33

ax40\_5710MHz\_RU\_Full\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Tester: Alice Tan  
Date: 7.APR.2024 17:51:27

ax80\_5530MHz\_RU\_Full\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Tester: Alice Tan  
Date: 7.APR.2024 17:54:53

ax80\_5610MHz\_RU\_Full\_Chain 0




ax80\_5690MHz\_RU\_Full\_Chain 0




5725-5850 MHz


a\_5745MHz\_Chain 0




a\_5785MHz\_Chain 0




a\_5825MHz\_Chain 0




n20\_5745MHz\_Chain 0




n20\_5785MHz\_Chain 0




n20\_5825MHz\_Chain 0




n40\_5755MHz\_Chain 0




n40\_5795MHz\_Chain 0




ac80\_5775MHz\_Chain 0



ax20\_5745MHz\_RU\_Full\_Chain 0




ax20\_5785MHz\_RU\_Full\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Tester:Alice Tan  
Date: 7.APR.2024 18:22:11

ax20\_5825MHz\_RU\_Full\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Tester:Alice Tan  
Date: 7.APR.2024 18:23:51

ax40\_5755MHz\_RU\_Full\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Tester:Alice Tan  
Date: 7.APR.2024 18:24:40

ax40\_5795MHz\_RU\_Full\_Chain 0



ProjectNo.:XMDN240206-08079E-RF Tester:Alice Tan  
Date: 7.APR.2024 18:25:16

ax80\_5775MHz\_RU\_Full\_Chain 0



ProjectNo.:XMDN240206-08079E-RF Tester:Alice Tan  
Date: 7.APR.2024 18:26:30

**5.6 Maximum Conducted Output Power**

|                    |           |                     |                   |
|--------------------|-----------|---------------------|-------------------|
| <b>Serial No.:</b> | 2HP4-1    | <b>Test Date:</b>   | 2024/4/7-2024/4/8 |
| <b>Test Site:</b>  | RF        | <b>Test Mode:</b>   | Transmitting      |
| <b>Tester:</b>     | Alice Tan | <b>Test Result:</b> | Pass              |

**Environmental Conditions:**

|                             |           |                                  |       |                               |             |
|-----------------------------|-----------|----------------------------------|-------|-------------------------------|-------------|
| <b>Temperature:</b><br>(°C) | 25.9~26.8 | <b>Relative Humidity:</b><br>(%) | 52~53 | <b>ATM Pressure:</b><br>(kPa) | 100.4~100.5 |
|-----------------------------|-----------|----------------------------------|-------|-------------------------------|-------------|

**Test Equipment List and Details:**

| Manufacturer | Description               | Model           | Serial Number | Calibration Date | Calibration Due Date |
|--------------|---------------------------|-----------------|---------------|------------------|----------------------|
| Agilent      | USB Wideband Power Sensor | U2022XA         | MY54170006    | 2023/10/18       | 2024/10/17           |
| Eastsheep    | Coaxial Attenuator        | 5W-N-JK-6G-10dB | F-08-EM488    | 2023/9/10        | 2024/9/9             |

\* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

**Test Data:****5150-5250 MHz:**

| Mode                 | Average Conducted Output Power (dBm) |           | EIRP (dBm) |                   | Result |
|----------------------|--------------------------------------|-----------|------------|-------------------|--------|
|                      | Result                               | FCC Limit | Result     | Limit For RSS-247 |        |
| a_5180MHz_Chain 0    | 11.87                                | 24        | 16.08      | 22.25             | Pass   |
| a_5200MHz_Chain 0    | 12.19                                | 24        | 16.4       | 22.25             | Pass   |
| a_5240MHz_Chain 0    | 12.21                                | 24        | 16.42      | 22.25             | Pass   |
| n20_5180MHz_Chain 0  | 11.59                                | 24        | 15.8       | 22.55             | Pass   |
| n20_5200MHz_Chain 0  | 11.9                                 | 24        | 16.11      | 22.56             | Pass   |
| n20_5240MHz_Chain 0  | 12.01                                | 24        | 16.22      | 22.55             | Pass   |
| n40_5190MHz_Chain 0  | 11.55                                | 24        | 15.76      | 23.00             | Pass   |
| n40_5230MHz_Chain 0  | 11.8                                 | 24        | 16.01      | 23.00             | Pass   |
| ac80_5210MHz_Chain 0 | 11.54                                | 24        | 15.75      | 23.00             | Pass   |
| ax20_5180MHz_Chain 0 | 11.51                                | 24        | 15.72      | 22.83             | Pass   |
| ax20_5200MHz_Chain 0 | 11.97                                | 24        | 16.18      | 22.82             | Pass   |
| ax20_5240MHz_Chain 0 | 11.64                                | 24        | 15.85      | 22.83             | Pass   |
| ax40_5190MHz_Chain 0 | 11.93                                | 24        | 16.14      | 23.00             | Pass   |
| ax40_5230MHz_Chain 0 | 11.95                                | 24        | 16.16      | 23.00             | Pass   |
| ax80_5210MHz_Chain 0 | 11.73                                | 24        | 15.94      | 23.00             | Pass   |

**5250-5350 MHz:**

| Mode                 | Average Conducted Output Power (dBm) |           |               | EIRP (dBm) |                   | Result |
|----------------------|--------------------------------------|-----------|---------------|------------|-------------------|--------|
|                      | Result                               | FCC Limit | RSS-247 Limit | Result     | Limit For RSS-247 |        |
| a_5260MHz_Chain 0    | 10.03                                | 24        | 23.25         | 14.24      | 29.25             | Pass   |
| a_5280MHz_Chain 0    | 9.9                                  | 24        | 23.25         | 14.11      | 29.25             | Pass   |
| a_5320MHz_Chain 0    | 9.58                                 | 24        | 23.25         | 13.79      | 29.25             | Pass   |
| n20_5260MHz_Chain 0  | <b>11.44</b>                         | 24        | 23.55         | 15.65      | 29.55             | Pass   |
| n20_5280MHz_Chain 0  | 11.3                                 | 24        | 23.56         | 15.51      | 29.56             | Pass   |
| n20_5320MHz_Chain 0  | 10.94                                | 24        | 23.58         | 15.15      | 29.58             | Pass   |
| n40_5270MHz_Chain 0  | 11.32                                | 24        | 24.00         | 15.53      | 30.00             | Pass   |
| n40_5310MHz_Chain 0  | 10.99                                | 24        | 24.00         | 15.2       | 30.00             | Pass   |
| ac80_5290MHz_Chain 0 | 9.84                                 | 24        | 24.00         | 14.05      | 30.00             | Pass   |
| ax20_5260MHz_Chain 0 | 11.2                                 | 24        | 23.82         | 15.41      | 29.82             | Pass   |
| ax20_5280MHz_Chain 0 | 11.07                                | 24        | 23.82         | 15.28      | 29.82             | Pass   |
| ax20_5320MHz_Chain 0 | 10.73                                | 24        | 23.82         | 14.94      | 29.82             | Pass   |
| ax40_5270MHz_Chain 0 | 9.56                                 | 24        | 24.00         | 13.77      | 30.00             | Pass   |
| ax40_5310MHz_Chain 0 | 9.58                                 | 24        | 24.00         | 13.79      | 30.00             | Pass   |
| ax80_5290MHz_Chain 0 | 9.62                                 | 24        | 24.00         | 13.83      | 30.00             | Pass   |

**5470-5725 MHz:**

| Mode                                                                                                                                                                                    | Average Conducted Output Power (dBm) |           |               | EIRP (dBm) |                   | Result |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|-----------|---------------|------------|-------------------|--------|
|                                                                                                                                                                                         | Result                               | FCC Limit | RSS-247 Limit | Result     | Limit For RSS-247 |        |
| a_5500MHz_Chain 0                                                                                                                                                                       | 7.59                                 | 23.55     | 22.82         | 14.04      | 29.27             | Pass   |
| a_5580MHz_Chain 0                                                                                                                                                                       | 8.55                                 | 23.55     | 22.84         | 15         | 29.29             | Pass   |
| a_5700MHz_Chain 0                                                                                                                                                                       | 7.51                                 | 23.55     | 22.84         | 13.96      | 29.29             | Pass   |
| a_5720MHz_Chain 0                                                                                                                                                                       | 7.33                                 | 23.55     | 22.84         | 13.78      | 29.29             | Pass   |
| n20_5500MHz_Chain 0                                                                                                                                                                     | 9.18                                 | 23.55     | 23.13         | 15.63      | 29.58             | Pass   |
| n20_5580MHz_Chain 0                                                                                                                                                                     | 10.01                                | 23.55     | 23.13         | 16.46      | 29.58             | Pass   |
| n20_5700MHz_Chain 0                                                                                                                                                                     | 8.98                                 | 23.55     | 23.14         | 15.43      | 29.59             | Pass   |
| n20_5720MHz_Chain 0                                                                                                                                                                     | 8.77                                 | 23.55     | 23.14         | 15.22      | 29.59             | Pass   |
| n40_5510MHz_Chain 0                                                                                                                                                                     | 9.12                                 | 23.55     | 23.55         | 15.57      | 30.00             | Pass   |
| n40_5550MHz_Chain 0                                                                                                                                                                     | 9.99                                 | 23.55     | 23.55         | 16.44      | 30.00             | Pass   |
| n40_5670MHz_Chain 0                                                                                                                                                                     | 9.37                                 | 23.55     | 23.55         | 15.82      | 30.00             | Pass   |
| n40_5710MHz_Chain 0                                                                                                                                                                     | 8.86                                 | 23.55     | 23.55         | 15.31      | 30.00             | Pass   |
| ac80_5530MHz_Chain 0                                                                                                                                                                    | 10.75                                | 23.55     | 23.55         | 17.2       | 30.00             | Pass   |
| ac80_5610MHz_Chain 0                                                                                                                                                                    | <b>11.06</b>                         | 23.55     | 23.55         | 17.51      | 30.00             | Pass   |
| ac80_5690MHz_Chain 0                                                                                                                                                                    | 10.73                                | 23.55     | 23.55         | 17.18      | 30.00             | Pass   |
| ax20_5500MHz_Chain 0                                                                                                                                                                    | 7.1                                  | 23.55     | 23.39         | 13.55      | 29.84             | Pass   |
| ax20_5580MHz_Chain 0                                                                                                                                                                    | 8.04                                 | 23.55     | 23.39         | 14.49      | 29.84             | Pass   |
| ax20_5700MHz_Chain 0                                                                                                                                                                    | 6.9                                  | 23.55     | 23.41         | 13.35      | 29.86             | Pass   |
| ax20_5720MHz_Chain 0                                                                                                                                                                    | 6.71                                 | 23.55     | 22.82         | 13.16      | 29.27             | Pass   |
| ax40_5510MHz_Chain 0                                                                                                                                                                    | 7.16                                 | 23.55     | 23.55         | 13.61      | 30.00             | Pass   |
| ax40_5550MHz_Chain 0                                                                                                                                                                    | 7.94                                 | 23.55     | 23.55         | 14.39      | 30.00             | Pass   |
| ax40_5670MHz_Chain 0                                                                                                                                                                    | 7.36                                 | 23.55     | 23.55         | 13.81      | 30.00             | Pass   |
| ax40_5710MHz_Chain 0                                                                                                                                                                    | 6.83                                 | 23.55     | 23.55         | 13.28      | 30.00             | Pass   |
| ax80_5530MHz_Chain 0                                                                                                                                                                    | 8.75                                 | 23.55     | 23.55         | 15.2       | 30.00             | Pass   |
| ax80_5610MHz_Chain 0                                                                                                                                                                    | 9.07                                 | 23.55     | 23.55         | 15.52      | 30.00             | Pass   |
| ax80_5690MHz_Chain 0                                                                                                                                                                    | 7.88                                 | 23.55     | 23.55         | 14.33      | 30.00             | Pass   |
| Note:<br>FCC Limit=24-6.45+6dBm=23.55dBm<br>RSS-247 Limit=Min(24,11 + 10 log10(99% emission bandwidth))-6.45+6dBm<br>Limit For RSS-247=Min(30,11 + 10 log10(99% emission bandwidth))dBm |                                      |           |               |            |                   |        |

| 5725-5850 MHz        |                                      |             |        |
|----------------------|--------------------------------------|-------------|--------|
| Mode                 | Average Conducted Output Power (dBm) | Limit (dBm) | Result |
| a_5745MHz_Chain 0    | 8.28                                 | 30          | Pass   |
| a_5785MHz_Chain 0    | 8.17                                 | 30          | Pass   |
| a_5825MHz_Chain 0    | 7.88                                 | 30          | Pass   |
| n20_5745MHz_Chain 0  | 9.77                                 | 30          | Pass   |
| n20_5785MHz_Chain 0  | 9.7                                  | 30          | Pass   |
| n20_5825MHz_Chain 0  | 9.38                                 | 30          | Pass   |
| n40_5755MHz_Chain 0  | 10.67                                | 30          | Pass   |
| n40_5795MHz_Chain 0  | 10.61                                | 30          | Pass   |
| ac80_5775MHz_Chain 0 | 12.91                                | 30          | Pass   |
| ax20_5745MHz_Chain 0 | 9.57                                 | 30          | Pass   |
| ax20_5785MHz_Chain 0 | 9.44                                 | 30          | Pass   |
| ax20_5825MHz_Chain 0 | 9.18                                 | 30          | Pass   |
| ax40_5755MHz_Chain 0 | 10.47                                | 30          | Pass   |
| ax40_5795MHz_Chain 0 | 10.46                                | 30          | Pass   |
| ax80_5775MHz_Chain 0 | 12.71                                | 30          | Pass   |

**5.7 Maximum power spectral density**

|                    |           |                     |              |
|--------------------|-----------|---------------------|--------------|
| <b>Serial No.:</b> | 2HP4-1    | <b>Test Date:</b>   | 2024/04/08   |
| <b>Test Site:</b>  | RF        | <b>Test Mode:</b>   | Transmitting |
| <b>Tester:</b>     | Alice Tan | <b>Test Result:</b> | Pass         |

**Environmental Conditions:**

|                             |      |                                  |    |                               |       |
|-----------------------------|------|----------------------------------|----|-------------------------------|-------|
| <b>Temperature:</b><br>(°C) | 25.9 | <b>Relative Humidity:</b><br>(%) | 52 | <b>ATM Pressure:</b><br>(kPa) | 100.4 |
|-----------------------------|------|----------------------------------|----|-------------------------------|-------|

**Test Equipment List and Details:**

| Manufacturer | Description        | Model           | Serial Number | Calibration Date | Calibration Due Date |
|--------------|--------------------|-----------------|---------------|------------------|----------------------|
| R&S          | Spectrum Analyzer  | FSV40           | 101589        | 2023/10/18       | 2024/10/17           |
| Eastsheep    | Coaxial Attenuator | 5W-N-JK-6G-10dB | F-08-EM488    | 2023/09/10       | 2024/09/09           |

*\* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).*

**Test Data:****5150-5250 MHz:**

| Mode                 | Value (dBm/MHz) | Duty Cycle Factor (dB) | PSD (dBm/MHz) | FCC Limit (dBm/MHz) | EIRP (dBm/MHz) | EIRP PSD Limit for RSS-247 (dBm/MHz) | Result |
|----------------------|-----------------|------------------------|---------------|---------------------|----------------|--------------------------------------|--------|
| a_5180MHz_Chain 0    | -1.99           | 2.39                   | 0.4           | 11.00               | 4.61           | 10.00                                | Pass   |
| a_5200MHz_Chain 0    | -2.81           | 2.39                   | -0.42         | 11.00               | 3.79           | 10.00                                | Pass   |
| a_5240MHz_Chain 0    | -2.35           | 2.39                   | 0.04          | 11.00               | 4.25           | 10.00                                | Pass   |
| n20_5180MHz_Chain 0  | -1.27           | 0.8                    | -0.47         | 11.00               | 3.74           | 10.00                                | Pass   |
| n20_5200MHz_Chain 0  | -1.38           | 0.8                    | -0.58         | 11.00               | 3.63           | 10.00                                | Pass   |
| n20_5240MHz_Chain 0  | -1.92           | 0.79                   | -1.13         | 11.00               | 3.08           | 10.00                                | Pass   |
| n40_5190MHz_Chain 0  | -4.43           | 0.83                   | -3.6          | 11.00               | 0.61           | 10.00                                | Pass   |
| n40_5230MHz_Chain 0  | -4.59           | 0.83                   | -3.76         | 11.00               | 0.45           | 10.00                                | Pass   |
| ac80_5210MHz_Chain 0 | -7.86           | 0.89                   | -6.97         | 11.00               | -2.76          | 10.00                                | Pass   |
| ax20_5180MHz_Chain 0 | -1.89           | 1.02                   | -0.87         | 11.00               | 3.34           | 10.00                                | Pass   |
| ax20_5200MHz_Chain 0 | -1.84           | 1.02                   | -0.82         | 11.00               | 3.39           | 10.00                                | Pass   |
| ax20_5240MHz_Chain 0 | -1.93           | 1.02                   | -0.91         | 11.00               | 3.3            | 10.00                                | Pass   |
| ax40_5190MHz_Chain 0 | -5.10           | 1.02                   | -4.08         | 11.00               | 0.13           | 10.00                                | Pass   |
| ax40_5230MHz_Chain 0 | -4.90           | 1.02                   | -3.88         | 11.00               | 0.33           | 10.00                                | Pass   |
| ax80_5210MHz_Chain 0 | -7.74           | 1.06                   | -6.68         | 11.00               | -2.47          | 10.00                                | Pass   |

**5250-5350 MHz**

| Mode                         | Value (dBm/MHz) | Duty Cycle Factor (dB) | PSD (dBm/MHz) | Limit (dBm/MHz) | Result |
|------------------------------|-----------------|------------------------|---------------|-----------------|--------|
| a_5260MHz_Chain 0            | -1.59           | 2.39                   | 0.8           | 11.00           | Pass   |
| a_5280MHz_Chain 0            | -1.20           | 2.39                   | 1.19          | 11.00           | Pass   |
| a_5320MHz_Chain 0            | -2.67           | 2.39                   | -0.28         | 11.00           | Pass   |
| n20_5260MHz_Chain 0          | -1.27           | 0.8                    | -0.47         | 11.00           | Pass   |
| n20_5280MHz_Chain 0          | -1.26           | 0.8                    | -0.46         | 11.00           | Pass   |
| n20_5320MHz_Chain 0          | -1.76           | 0.79                   | -0.97         | 11.00           | Pass   |
| n40_5270MHz_Chain 0          | -4.35           | 0.83                   | -3.52         | 11.00           | Pass   |
| n40_5310MHz_Chain 0          | -4.60           | 0.83                   | -3.77         | 11.00           | Pass   |
| ac80_5290MHz_Chain 0         | -9.38           | 0.89                   | -8.49         | 11.00           | Pass   |
| ax20_5260MHz_RU_Full_Chain 0 | -1.14           | 1.02                   | -0.12         | 11.00           | Pass   |
| ax20_5280MHz_RU_Full_Chain 0 | -1.85           | 1.02                   | -0.83         | 11.00           | Pass   |
| ax20_5320MHz_RU_Full_Chain 0 | -2.09           | 1.02                   | -1.07         | 11.00           | Pass   |
| ax40_5270MHz_RU_Full_Chain 0 | -6.63           | 1.02                   | -5.61         | 11.00           | Pass   |
| ax40_5310MHz_RU_Full_Chain 0 | -5.81           | 1.02                   | -4.79         | 11.00           | Pass   |
| ax80_5290MHz_RU_Full_Chain 0 | -8.85           | 1.06                   | -7.79         | 11.00           | Pass   |

**5470-5725 MHz**


| Mode                         | Value (dBm/MHz) | Duty Cycle Factor (dB) | PSD (dBm/MHz) | Limit (dBm/MHz) | Result |
|------------------------------|-----------------|------------------------|---------------|-----------------|--------|
| a 5500MHz Chain 0            | -4.72           | 2.39                   | -2.33         | 10.55           | Pass   |
| a 5580MHz Chain 0            | -3.18           | 2.39                   | -0.79         | 10.55           | Pass   |
| a 5700MHz Chain 0            | -4.87           | 2.39                   | -2.48         | 10.55           | Pass   |
| a 5720MHz Chain 0            | -5.42           | 2.39                   | -3.03         | 10.55           | Pass   |
| n20 5500MHz Chain 0          | -4.40           | 0.8                    | -3.6          | 10.55           | Pass   |
| n20 5580MHz Chain 0          | -3.20           | 0.8                    | -2.4          | 10.55           | Pass   |
| n20 5700MHz Chain 0          | -4.58           | 0.8                    | -3.78         | 10.55           | Pass   |
| n20 5720MHz Chain 0          | -5.03           | 0.8                    | -4.23         | 10.55           | Pass   |
| n40 5510MHz Chain 0          | -7.59           | 0.83                   | -6.76         | 10.55           | Pass   |
| n40 5550MHz Chain 0          | -6.20           | 0.83                   | -5.37         | 10.55           | Pass   |
| n40 5670MHz Chain 0          | -6.99           | 0.83                   | -6.16         | 10.55           | Pass   |
| n40 5710MHz Chain 0          | -7.89           | 0.83                   | -7.06         | 10.55           | Pass   |
| ac80 5530MHz Chain 0         | -8.56           | 0.89                   | -7.67         | 10.55           | Pass   |
| ac80 5610MHz Chain 0         | -7.82           | 0.89                   | -6.93         | 10.55           | Pass   |
| ac80 5690MHz Chain 0         | -8.73           | 0.89                   | -7.84         | 10.55           | Pass   |
| ax20 5500MHz_RU_Full_Chain 0 | -6.67           | 1.02                   | -5.65         | 10.55           | Pass   |
| ax20 5580MHz_RU_Full_Chain 0 | -5.64           | 1.02                   | -4.62         | 10.55           | Pass   |
| ax20 5700MHz_RU_Full_Chain 0 | -6.93           | 1.02                   | -5.91         | 10.55           | Pass   |
| ax20 5720MHz_RU_Full_Chain 0 | -7.30           | 1.02                   | -6.28         | 10.55           | Pass   |
| ax40 5510MHz_RU_Full_Chain 0 | -9.41           | 1.02                   | -8.39         | 10.55           | Pass   |
| ax40 5550MHz_RU_Full_Chain 0 | -8.58           | 1.02                   | -7.56         | 10.55           | Pass   |
| ax40 5670MHz_RU_Full_Chain 0 | -8.99           | 1.02                   | -7.97         | 10.55           | Pass   |
| ax40 5710MHz_RU_Full_Chain 0 | -9.86           | 1.02                   | -8.84         | 10.55           | Pass   |
| ax80 5530MHz_RU_Full_Chain 0 | -10.99          | 1.06                   | -9.93         | 10.55           | Pass   |
| ax80 5610MHz_RU_Full_Chain 0 | -10.25          | 1.06                   | -9.19         | 10.55           | Pass   |
| ax80 5690MHz_RU_Full_Chain 0 | -11.26          | 1.06                   | -10.2         | 10.55           | Pass   |

**5725-5850 MHz**


| Mode                         | Value (dBm/500kHz) | Duty Cycle Factor (dB) | PSD (dBm/500kHz) | Limit (dBm/500kHz) | Result |
|------------------------------|--------------------|------------------------|------------------|--------------------|--------|
| a 5745MHz Chain 0            | -8.19              | 2.39                   | -5.8             | 30.00              | Pass   |
| a 5785MHz Chain 0            | -9.64              | 2.39                   | -7.25            | 30.00              | Pass   |
| a 5825MHz Chain 0            | -8.14              | 2.39                   | -5.75            | 30.00              | Pass   |
| n20 5745MHz Chain 0          | -6.91              | 0.8                    | -6.11            | 30.00              | Pass   |
| n20 5785MHz Chain 0          | -6.99              | 0.8                    | -6.19            | 30.00              | Pass   |
| n20 5825MHz Chain 0          | -7.00              | 0.8                    | -6.2             | 30.00              | Pass   |
| n40 5755MHz Chain 0          | -9.09              | 0.83                   | -8.26            | 30.00              | Pass   |
| n40 5795MHz Chain 0          | -8.98              | 0.83                   | -8.15            | 30.00              | Pass   |
| ac80 5775MHz Chain 0         | -9.67              | 0.89                   | -8.78            | 30.00              | Pass   |
| ax20 5745MHz_RU_Full_Chain 0 | -7.24              | 1.02                   | -6.22            | 30.00              | Pass   |
| ax20 5785MHz_RU_Full_Chain 0 | -7.56              | 1.02                   | -6.54            | 30.00              | Pass   |
| ax20 5825MHz_RU_Full_Chain 0 | -7.32              | 1.02                   | -6.3             | 30.00              | Pass   |
| ax40 5755MHz_RU_Full_Chain 0 | -9.28              | 1.02                   | -8.26            | 30.00              | Pass   |
| ax40 5795MHz_RU_Full_Chain 0 | -9.33              | 1.02                   | -8.31            | 30.00              | Pass   |
| ax80 5775MHz_RU_Full_Chain 0 | -9.67              | 1.06                   | -8.61            | 30.00              | Pass   |

## 5150-5250 MHz


a\_5180MHz\_Chain 0




a\_5200MHz\_Chain 0




a\_5240MHz\_Chain 0




n20\_5180MHz\_Chain 0




n20\_5200MHz\_Chain 0



n20\_5240MHz\_Chain 0




n40\_5190MHz\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Tester: Alice Tan  
Date: 8.APR.2024 11:45:56

n40\_5230MHz\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Tester: Alice Tan  
Date: 8.APR.2024 11:46:20

ac80\_5210MHz\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Tester: Alice Tan  
Date: 8.APR.2024 11:46:55

ax20\_5180MHz\_RU\_Full\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Tester: Alice Tan  
Date: 8.APR.2024 11:47:21

ax20\_5200MHz\_RU\_Full\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Tester: Alice Tan  
Date: 8.APR.2024 11:47:59

ax20\_5240MHz\_RU\_Full\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Tester: Alice Tan  
Date: 8.APR.2024 11:48:23

ax40\_5190MHz\_RU\_Full\_Chain 0



ProjectNo.:XMDN240206-08079E-RF Tester:Alice Tan  
Date: 8.APR.2024 11:48:48


ax40\_5230MHz\_RU\_Full\_Chain 0



ProjectNo.:XMDN240206-08079E-RF Tester:Alice Tan  
Date: 8.APR.2024 11:49:12


## 5250-5350 MHz

ax80\_5210MHz\_RU\_Full\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Tester:Alice Tan  
Date: 8.APR.2024 11:49:41

a\_5260MHz\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Tester:Alice Tan  
Date: 8.APR.2024 11:52:00

a\_5280MHz\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Tester:Alice Tan  
Date: 8.APR.2024 11:52:36

a\_5320MHz\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Tester:Alice Tan  
Date: 8.APR.2024 13:46:08

n20\_5260MHz\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Tester:Alice Tan  
Date: 8.APR.2024 11:53:50

n20\_5280MHz\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Tester:Alice Tan  
Date: 8.APR.2024 11:54:27

n20\_5320MHz\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Tester:Alice Tan  
Date: 8.APR.2024 11:54:51

n40\_5270MHz\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Tester:Alice Tan  
Date: 8.APR.2024 11:55:29

n40\_5310MHz\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Tester:Alice Tan  
Date: 8.APR.2024 11:56:00

ac80\_5290MHz\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Tester:Alice Tan  
Date: 8.APR.2024 11:56:34

ax20\_5260MHz\_RU\_Full\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Tester:Alice Tan  
Date: 8.APR.2024 11:57:03

ax20\_5280MHz\_RU\_Full\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Tester:Alice Tan  
Date: 8.APR.2024 11:57:35

ax20\_5320MHz\_RU\_Full\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Tester:Alice Tan  
Date: 8.APR.2024 11:58:03

ax40\_5270MHz\_RU\_Full\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Tester:Alice Tan  
Date: 8.APR.2024 11:58:29

ax40\_5310MHz\_RU\_Full\_Chain 0



ProjectNo.:XMDN240206-08079E-RF Tester:Alice Tan  
Date: 8.APR.2024 11:58:51


ax80\_5290MHz\_RU\_Full\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Tester:Alice Tan  
Date: 8.APR.2024 11:59:12

## 5470-5725 MHz


a\_5500MHz\_Chain 0




a\_5580MHz\_Chain 0




a\_5700MHz\_Chain 0




a\_5720MHz\_Chain 0




n20\_5500MHz\_Chain 0



n20\_5580MHz\_Chain 0




n20\_5700MHz\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Tester:Alice Tan  
Date: 8.APR.2024 13:13:10

n20\_5720MHz\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Tester:Alice Tan  
Date: 8.APR.2024 13:13:38

n40\_5510MHz\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Tester:Alice Tan  
Date: 8.APR.2024 13:14:48

n40\_5550MHz\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Tester:Alice Tan  
Date: 8.APR.2024 13:15:24

n40\_5670MHz\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Tester:Alice Tan  
Date: 8.APR.2024 13:15:48

n40\_5710MHz\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Tester:Alice Tan  
Date: 8.APR.2024 13:16:11

ac80\_5530MHz\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Tester:Alice Tan  
Date: 8.APR.2024 13:17:41

ac80\_5610MHz\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Tester:Alice Tan  
Date: 8.APR.2024 13:18:19

ac80\_5690MHz\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Tester:Alice Tan  
Date: 8.APR.2024 13:18:59

ax20\_5500MHz\_RU\_Full\_Chain 0




ProjectNo.:XMDN240206-08079E-RF Tester:Alice Tan  
Date: 8.APR.2024 13:20:20

ax20\_5580MHz\_RU\_Full\_Chain 0



ProjectNo.:XMDN240206-08079E-RF Tester:Alice Tan  
Date: 8.APR.2024 13:21:09

ax20\_5700MHz\_RU\_Full\_Chain 0



ProjectNo.:XMDN240206-08079E-RF Tester:Alice Tan  
Date: 8.APR.2024 13:22:07