













		3																																																																																																																																														
Mode	Harmonic																																																																																																																																															
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																																																															
ANT	1																																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																																									
Peak Avg																																																																																																																																																
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>46.69</td><td>68.20</td><td>-21.51</td><td>56.77</td><td>37.58</td><td>17.65</td><td>65.31</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>46.63</td><td>74.00</td><td>-27.37</td><td>49.02</td><td>40.26</td><td>21.71</td><td>64.36</td><td>0.00</td><td>300</td><td>360 PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>36.75</td><td>54.00</td><td>-17.25</td><td>39.10</td><td>40.29</td><td>21.72</td><td>64.36</td><td>0.00</td><td>300</td><td>360 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	46.69	68.20	-21.51	56.77	37.58	17.65	65.31	0.00	--	PEAK	2	15720.00	46.63	74.00	-27.37	49.02	40.26	21.71	64.36	0.00	300	360 PEAK	3	15720.00	36.75	54.00	-17.25	39.10	40.29	21.72	64.36	0.00	300	360 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>45.26</td><td>68.20</td><td>-22.94</td><td>55.34</td><td>37.58</td><td>17.65</td><td>65.31</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>46.60</td><td>74.00</td><td>-27.40</td><td>48.99</td><td>40.26</td><td>21.71</td><td>64.36</td><td>0.00</td><td>100</td><td>360 PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>36.81</td><td>54.00</td><td>-17.19</td><td>39.18</td><td>40.28</td><td>21.71</td><td>64.36</td><td>0.00</td><td>100</td><td>360 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	45.26	68.20	-22.94	55.34	37.58	17.65	65.31	0.00	--	PEAK	2	15720.00	46.60	74.00	-27.40	48.99	40.26	21.71	64.36	0.00	100	360 PEAK	3	15720.00	36.81	54.00	-17.19	39.18	40.28	21.71	64.36	0.00	100	360 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																						
1	10480.00	46.69	68.20	-21.51	56.77	37.58	17.65	65.31	0.00	--	PEAK																																																																																																																																					
2	15720.00	46.63	74.00	-27.37	49.02	40.26	21.71	64.36	0.00	300	360 PEAK																																																																																																																																					
3	15720.00	36.75	54.00	-17.25	39.10	40.29	21.72	64.36	0.00	300	360 AVERAGE																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																						
1	10480.00	45.26	68.20	-22.94	55.34	37.58	17.65	65.31	0.00	--	PEAK																																																																																																																																					
2	15720.00	46.60	74.00	-27.40	48.99	40.26	21.71	64.36	0.00	100	360 PEAK																																																																																																																																					
3	15720.00	36.81	54.00	-17.19	39.18	40.28	21.71	64.36	0.00	100	360 AVERAGE																																																																																																																																					





	4																																																					
Mode	Band Edge																																																					
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_5180MHz																																																					
ANT	1																																																					
Pol.	Horizontal						Fundamental																																															
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5119.55</td><td>57.35</td><td>74.00</td><td>-16.65</td><td>40.88</td><td>34.22</td><td>12.47</td><td>30.22</td><td>0.00</td><td>100</td><td>304 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5119.55	57.35	74.00	-16.65	40.88	34.22	12.47	30.22	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5119.55	57.35	74.00	-16.65	40.88	34.22	12.47	30.22	0.00	100	304 PEAK																																											
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5180.00</td><td>95.69</td><td>-----</td><td>-----</td><td>79.11</td><td>34.22</td><td>12.55</td><td>30.19</td><td>0.00</td><td>100</td><td>304 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5180.00	95.69	-----	-----	79.11	34.22	12.55	30.19	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5180.00	95.69	-----	-----	79.11	34.22	12.55	30.19	0.00	100	304 PEAK																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5104.85</td><td>46.43</td><td>54.00</td><td>-7.57</td><td>29.91</td><td>34.28</td><td>12.46</td><td>30.22</td><td>0.00</td><td>100</td><td>304 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5104.85	46.43	54.00	-7.57	29.91	34.28	12.46	30.22	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5104.85	46.43	54.00	-7.57	29.91	34.28	12.46	30.22	0.00	100	304 AVERAGE																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5180.00</td><td>87.42</td><td>-----</td><td>-----</td><td>70.84</td><td>34.22</td><td>12.55</td><td>30.19</td><td>0.00</td><td>100</td><td>304 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5180.00	87.42	-----	-----	70.84	34.22	12.55	30.19	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5180.00	87.42	-----	-----	70.84	34.22	12.55	30.19	0.00	100	304 AVERAGE																																											





	4																																																					
Mode	Band Edge																																																					
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_5180MHz																																																					
ANT	1																																																					
Pol.	Vertical						Fundamental																																															
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.55</td><td>58.36</td><td>74.00</td><td>-15.64</td><td>41.94</td><td>34.11</td><td>12.51</td><td>30.20</td><td>0.00</td><td>280</td><td>195</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	1	5147.55	58.36	74.00	-15.64	41.94	34.11	12.51	30.20	0.00	280	195
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																													
1	5147.55	58.36	74.00	-15.64	41.94	34.11	12.51	30.20	0.00	280	195	PEAK																																										
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>106.73</td><td>-----</td><td>-----</td><td>90.15</td><td>34.22</td><td>12.55</td><td>30.19</td><td>0.00</td><td>280</td><td>195</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	1	5180.00	106.73	-----	-----	90.15	34.22	12.55	30.19	0.00	280	195
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																													
1	5180.00	106.73	-----	-----	90.15	34.22	12.55	30.19	0.00	280	195	PEAK																																										
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.95</td><td>47.90</td><td>54.00</td><td>-6.10</td><td>31.49</td><td>34.10</td><td>12.51</td><td>30.20</td><td>0.00</td><td>280</td><td>195</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	1	5149.95	47.90	54.00	-6.10	31.49	34.10	12.51	30.20	0.00	280	195
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																													
1	5149.95	47.90	54.00	-6.10	31.49	34.10	12.51	30.20	0.00	280	195	AVERAGE																																										
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>98.60</td><td>-----</td><td>-----</td><td>82.02</td><td>34.22</td><td>12.55</td><td>30.19</td><td>0.00</td><td>280</td><td>195</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	1	5180.00	98.60	-----	-----	82.02	34.22	12.55	30.19	0.00	280	195
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																													
1	5180.00	98.60	-----	-----	82.02	34.22	12.55	30.19	0.00	280	195	AVERAGE																																										





	4																																																																																																																																			
Mode	Harmonic																																																																																																																																			
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_5180MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																													
Peak Avg																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>45.28</td><td>68.20</td><td>-22.92</td><td>55.71</td><td>37.46</td><td>17.56</td><td>65.45</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15540.00</td><td>46.46</td><td>74.00</td><td>-27.54</td><td>49.16</td><td>40.04</td><td>21.56</td><td>64.30</td><td>0.00</td><td>300</td><td>360 PEAK</td></tr><tr><td>3</td><td>15540.00</td><td>36.00</td><td>54.00</td><td>-18.00</td><td>38.68</td><td>40.05</td><td>21.57</td><td>64.30</td><td>0.00</td><td>300</td><td>360 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	45.28	68.20	-22.92	55.71	37.46	17.56	65.45	0.00	--	PEAK	2	15540.00	46.46	74.00	-27.54	49.16	40.04	21.56	64.30	0.00	300	360 PEAK	3	15540.00	36.00	54.00	-18.00	38.68	40.05	21.57	64.30	0.00	300	360 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>56.18</td><td>68.20</td><td>-12.02</td><td>66.61</td><td>37.46</td><td>17.56</td><td>65.45</td><td>0.00</td><td>300</td><td>360 PEAK</td></tr><tr><td>2</td><td>15540.00</td><td>45.65</td><td>74.00</td><td>-28.35</td><td>48.35</td><td>40.04</td><td>21.56</td><td>64.30</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	56.18	68.20	-12.02	66.61	37.46	17.56	65.45	0.00	300	360 PEAK	2	15540.00	45.65	74.00	-28.35	48.35	40.04	21.56	64.30	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	10360.00	45.28	68.20	-22.92	55.71	37.46	17.56	65.45	0.00	--	PEAK																																																																																																																									
2	15540.00	46.46	74.00	-27.54	49.16	40.04	21.56	64.30	0.00	300	360 PEAK																																																																																																																									
3	15540.00	36.00	54.00	-18.00	38.68	40.05	21.57	64.30	0.00	300	360 AVERAGE																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	10360.00	56.18	68.20	-12.02	66.61	37.46	17.56	65.45	0.00	300	360 PEAK																																																																																																																									
2	15540.00	45.65	74.00	-28.35	48.35	40.04	21.56	64.30	0.00	--	PEAK																																																																																																																									







	5																																																																																																																																																							
Mode	Harmonic																																																																																																																																																							
	U-NII-1_5.15-5.25_802.11ac VHT20_CH44_5220MHz																																																																																																																																																							
ANT	1																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																								
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10440.00</td><td>45.09</td><td>68.20</td><td>-23.11</td><td>55.28</td><td>37.54</td><td>17.62</td><td>65.35</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>45.49</td><td>74.00</td><td>-28.51</td><td>48.01</td><td>40.16</td><td>21.66</td><td>64.34</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10440.00	45.09	68.20	-23.11	55.28	37.54	17.62	65.35	0.00	--	--	PEAK	2	15660.00	45.49	74.00	-28.51	48.01	40.16	21.66	64.34	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10440.00</td><td>44.37</td><td>68.20</td><td>-23.83</td><td>54.56</td><td>37.54</td><td>17.62</td><td>65.35</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>46.08</td><td>74.00</td><td>-27.92</td><td>48.60</td><td>40.16</td><td>21.66</td><td>64.34</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>36.12</td><td>54.00</td><td>-17.88</td><td>38.66</td><td>40.15</td><td>21.65</td><td>64.34</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10440.00	44.37	68.20	-23.83	54.56	37.54	17.62	65.35	0.00	--	--	PEAK	2	15660.00	46.08	74.00	-27.92	48.60	40.16	21.66	64.34	0.00	100	360	PEAK	3	15660.00	36.12	54.00	-17.88	38.66	40.15	21.65	64.34	0.00	100	360
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																													
1	10440.00	45.09	68.20	-23.11	55.28	37.54	17.62	65.35	0.00	--	--	PEAK																																																																																																																																												
2	15660.00	45.49	74.00	-28.51	48.01	40.16	21.66	64.34	0.00	--	--	PEAK																																																																																																																																												
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																													
1	10440.00	44.37	68.20	-23.83	54.56	37.54	17.62	65.35	0.00	--	--	PEAK																																																																																																																																												
2	15660.00	46.08	74.00	-27.92	48.60	40.16	21.66	64.34	0.00	100	360	PEAK																																																																																																																																												
3	15660.00	36.12	54.00	-17.88	38.66	40.15	21.65	64.34	0.00	100	360	AVERAGE																																																																																																																																												





Mode	6																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-1_5.15-5.25_802.11ac VHT20_CH48_5240MHz																																																																																																																									
ANT	1																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10480.00</td><td>46.17</td><td>68.20</td><td>-22.03</td><td>56.25</td><td>37.58</td><td>17.65</td><td>65.31</td><td>0.00 -- -- PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>46.33</td><td>74.00</td><td>-27.67</td><td>48.72</td><td>40.26</td><td>21.71</td><td>64.36</td><td>0.00 300 360 PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>36.77</td><td>54.00</td><td>-17.23</td><td>39.12</td><td>40.29</td><td>21.72</td><td>64.36</td><td>0.00 300 360 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10480.00	46.17	68.20	-22.03	56.25	37.58	17.65	65.31	0.00 -- -- PEAK	2	15720.00	46.33	74.00	-27.67	48.72	40.26	21.71	64.36	0.00 300 360 PEAK	3	15720.00	36.77	54.00	-17.23	39.12	40.29	21.72	64.36	0.00 300 360 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10480.00</td><td>44.64</td><td>68.20</td><td>-23.56</td><td>54.72</td><td>37.58</td><td>17.65</td><td>65.31</td><td>0.00 -- -- PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>46.10</td><td>74.00</td><td>-27.90</td><td>48.49</td><td>40.26</td><td>21.71</td><td>64.36</td><td>0.00 100 360 PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>36.79</td><td>54.00</td><td>-17.21</td><td>39.14</td><td>40.29</td><td>21.72</td><td>64.36</td><td>0.00 100 360 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10480.00	44.64	68.20	-23.56	54.72	37.58	17.65	65.31	0.00 -- -- PEAK	2	15720.00	46.10	74.00	-27.90	48.49	40.26	21.71	64.36	0.00 100 360 PEAK	3	15720.00	36.79	54.00	-17.21	39.14	40.29	21.72	64.36	0.00 100 360 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																		
1	10480.00	46.17	68.20	-22.03	56.25	37.58	17.65	65.31	0.00 -- -- PEAK																																																																																																																	
2	15720.00	46.33	74.00	-27.67	48.72	40.26	21.71	64.36	0.00 300 360 PEAK																																																																																																																	
3	15720.00	36.77	54.00	-17.23	39.12	40.29	21.72	64.36	0.00 300 360 AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																		
1	10480.00	44.64	68.20	-23.56	54.72	37.58	17.65	65.31	0.00 -- -- PEAK																																																																																																																	
2	15720.00	46.10	74.00	-27.90	48.49	40.26	21.71	64.36	0.00 100 360 PEAK																																																																																																																	
3	15720.00	36.79	54.00	-17.21	39.14	40.29	21.72	64.36	0.00 100 360 AVERAGE																																																																																																																	







	7																																																																																																												
Mode	Band Edge - L																																																																																																												
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																																																																												
ANT	1																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.89</td><td>57.38</td><td>74.00</td><td>-16.62</td><td>40.85</td><td>34.30</td><td>12.45</td><td>30.22</td><td>0.00</td><td>124</td><td>324</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	1	5190.89	57.38	74.00	-16.62	40.85	34.30	12.45	30.22	0.00	124	324	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>86.50</td><td>-----</td><td>-----</td><td>69.86</td><td>34.26</td><td>12.56</td><td>30.18</td><td>0.00</td><td>124</td><td>324</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	1	5190.00	86.50	-----	-----	69.86	34.26	12.56	30.18	0.00	124	324
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																																				
1	5190.89	57.38	74.00	-16.62	40.85	34.30	12.45	30.22	0.00	124	324	PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																																				
1	5190.00	86.50	-----	-----	69.86	34.26	12.56	30.18	0.00	124	324	PEAK																																																																																																	
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5192.81</td><td>46.50</td><td>54.00</td><td>-7.50</td><td>29.98</td><td>34.29</td><td>12.45</td><td>30.22</td><td>0.00</td><td>124</td><td>324</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	1	5192.81	46.50	54.00	-7.50	29.98	34.29	12.45	30.22	0.00	124	324	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>80.44</td><td>-----</td><td>-----</td><td>63.80</td><td>34.26</td><td>12.56</td><td>30.18</td><td>0.00</td><td>124</td><td>324</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	1	5190.00	80.44	-----	-----	63.80	34.26	12.56	30.18	0.00	124	324
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																																				
1	5192.81	46.50	54.00	-7.50	29.98	34.29	12.45	30.22	0.00	124	324	AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																																				
1	5190.00	80.44	-----	-----	63.80	34.26	12.56	30.18	0.00	124	324	AVERAGE																																																																																																	





	7																																																							
Mode	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5377.79</td><td>55.78</td><td>74.00</td><td>-18.22</td><td>38.39</td><td>34.51</td><td>12.98</td><td>30.10</td><td>0.00</td><td>124</td><td>324</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5377.79	55.78	74.00	-18.22	38.39	34.51	12.98	30.10	0.00	124	324	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5377.79	55.78	74.00	-18.22	38.39	34.51	12.98	30.10	0.00	124	324	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5448.53</td><td>45.84</td><td>54.00</td><td>-8.16</td><td>28.25</td><td>34.60</td><td>13.06</td><td>30.07</td><td>0.00</td><td>124</td><td>324</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.53	45.84	54.00	-8.16	28.25	34.60	13.06	30.07	0.00	124	324	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5448.53	45.84	54.00	-8.16	28.25	34.60	13.06	30.07	0.00	124	324	AVERAGE																																												





	7																																																						
Mode	Band Edge - L																																																						
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																						
ANT	1																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5139.77</td><td>57.80</td><td>74.00</td><td>-16.20</td><td>41.37</td><td>34.14</td><td>12.50</td><td>30.21</td><td>0.00</td><td>286</td><td>199</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5139.77	57.80	74.00	-16.20	41.37	34.14	12.50	30.21	0.00	286	199
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5139.77	57.80	74.00	-16.20	41.37	34.14	12.50	30.21	0.00	286	199	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>101.72</td><td>-----</td><td>-----</td><td>85.08</td><td>34.26</td><td>12.56</td><td>30.18</td><td>0.00</td><td>286</td><td>199</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	101.72	-----	-----	85.08	34.26	12.56	30.18	0.00	286	199
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5190.00	101.72	-----	-----	85.08	34.26	12.56	30.18	0.00	286	199	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>47.59</td><td>54.00</td><td>-6.41</td><td>31.18</td><td>34.10</td><td>12.51</td><td>30.20</td><td>0.00</td><td>286</td><td>199</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	47.59	54.00	-6.41	31.18	34.10	12.51	30.20	0.00	286	199
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5150.00	47.59	54.00	-6.41	31.18	34.10	12.51	30.20	0.00	286	199	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>80.19</td><td>-----</td><td>-----</td><td>63.51</td><td>34.29</td><td>12.57</td><td>30.18</td><td>0.00</td><td>286</td><td>199</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	80.19	-----	-----	63.51	34.29	12.57	30.18	0.00	286	199
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5190.00	80.19	-----	-----	63.51	34.29	12.57	30.18	0.00	286	199	AVERAGE																																											







	7																																																						
Mode	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																						
ANT	1																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5427.20</td><td>55.50</td><td>74.00</td><td>-18.50</td><td>37.93</td><td>34.60</td><td>13.05</td><td>30.08</td><td>0.00</td><td>286</td><td>199</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5427.20	55.50	74.00	-18.50	37.93	34.60	13.05	30.08	0.00	286	199	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5427.20	55.50	74.00	-18.50	37.93	34.60	13.05	30.08	0.00	286	199	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5451.77</td><td>45.82</td><td>54.00</td><td>-8.18</td><td>28.23</td><td>34.60</td><td>13.06</td><td>30.07</td><td>0.00</td><td>286</td><td>199</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.77	45.82	54.00	-8.18	28.23	34.60	13.06	30.07	0.00	286	199	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5451.77	45.82	54.00	-8.18	28.23	34.60	13.06	30.07	0.00	286	199	AVERAGE																																											



	7																																																																													
Mode	Harmonic																																																																													
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																																													
ANT	1																																																																													
Pol.	Horizontal						Vertical																																																																							
Peak Avg																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>18380.00</td><td>44.36</td><td>68.20</td><td>-23.84</td><td>54.73</td><td>37.48</td><td>17.57</td><td>65.42</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15570.00</td><td>46.60</td><td>74.00</td><td>-27.40</td><td>49.26</td><td>40.07</td><td>21.58</td><td>64.31</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>3</td><td>15570.00</td><td>37.15</td><td>54.00</td><td>-16.85</td><td>39.79</td><td>40.08</td><td>21.59</td><td>64.31</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	18380.00	44.36	68.20	-23.84	54.73	37.48	17.57	65.42	0.00	--	PEAK	2	15570.00	46.60	74.00	-27.40	49.26	40.07	21.58	64.31	0.00	100	0 PEAK	3	15570.00	37.15	54.00	-16.85	39.79	40.08	21.59	64.31	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	18380.00	44.36	68.20	-23.84	54.73	37.48	17.57	65.42	0.00	--	PEAK																																																																			
2	15570.00	46.60	74.00	-27.40	49.26	40.07	21.58	64.31	0.00	100	0 PEAK																																																																			
3	15570.00	37.15	54.00	-16.85	39.79	40.08	21.59	64.31	0.00	100	0 AVERAGE																																																																			







		8																																																					
Mode	Band Edge - L																																																						
	U-NII-1_5.15-5.25_802.11ac VHT40_CH46_5230MHz																																																						
ANT	1																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5104.73</td><td>57.18</td><td>74.00</td><td>-16.82</td><td>40.66</td><td>34.28</td><td>12.46</td><td>30.22</td><td>0.00</td><td>300</td><td>191</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5104.73	57.18	74.00	-16.82	40.66	34.28	12.46	30.22	0.00	300	191
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5104.73	57.18	74.00	-16.82	40.66	34.28	12.46	30.22	0.00	300	191	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>86.01</td><td>-----</td><td>-----</td><td>69.20</td><td>34.35</td><td>12.63</td><td>30.17</td><td>0.00</td><td>300</td><td>191</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	86.01	-----	-----	69.20	34.35	12.63	30.17	0.00	300	191
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5230.00	86.01	-----	-----	69.20	34.35	12.63	30.17	0.00	300	191	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5100.25</td><td>46.53</td><td>54.00</td><td>-7.47</td><td>30.00</td><td>34.30</td><td>12.45</td><td>30.22</td><td>0.00</td><td>300</td><td>191</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5100.25	46.53	54.00	-7.47	30.00	34.30	12.45	30.22	0.00	300	191
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5100.25	46.53	54.00	-7.47	30.00	34.30	12.45	30.22	0.00	300	191	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>76.62</td><td>-----</td><td>-----</td><td>59.81</td><td>34.35</td><td>12.63</td><td>30.17</td><td>0.00</td><td>300</td><td>191</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	76.62	-----	-----	59.81	34.35	12.63	30.17	0.00	300	191
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5230.00	76.62	-----	-----	59.81	34.35	12.63	30.17	0.00	300	191	AVERAGE																																											





	8																																																				
Mode	Band Edge - R																																																				
	U-NII-1_5.15-5.25_802.11ac VHT40_CH46_5230MHz																																																				
ANT	1																																																				
Pol.	Horizontal						Fundamental																																														
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5399.74</td><td>55.88</td><td>74.00</td><td>-18.12</td><td>38.34</td><td>34.60</td><td>13.03</td><td>30.09</td><td>0.00</td><td>300</td><td>191</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5399.74	55.88	74.00	-18.12	38.34	34.60	13.03	30.09	0.00	300	191	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5399.74	55.88	74.00	-18.12	38.34	34.60	13.03	30.09	0.00	300	191	PEAK																																									
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5395.24</td><td>45.33</td><td>54.00</td><td>-8.67</td><td>27.83</td><td>34.58</td><td>13.02</td><td>30.10</td><td>0.00</td><td>300</td><td>191</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5395.24	45.33	54.00	-8.67	27.83	34.58	13.02	30.10	0.00	300	191	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5395.24	45.33	54.00	-8.67	27.83	34.58	13.02	30.10	0.00	300	191	AVERAGE																																									





	8																																																																																																													
Mode	Band Edge - L																																																																																																													
	U-NII-1_5.15-5.25_802.11ac VHT40_CH46_5230MHz																																																																																																													
ANT	1																																																																																																													
Pol.	Vertical						Fundamental																																																																																																							
Peak	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5103.29</td><td>56.95</td><td>74.00</td><td>-17.05</td><td>40.43</td><td>34.29</td><td>12.45</td><td>30.22</td><td>0.00</td><td>300</td><td>182 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5103.29	56.95	74.00	-17.05	40.43	34.29	12.45	30.22	0.00	300	182 PEAK	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5230.00</td><td>102.36</td><td>-----</td><td>-----</td><td>85.57</td><td>34.34</td><td>12.62</td><td>30.17</td><td>0.00</td><td>300</td><td>182 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5230.00	102.36	-----	-----	85.57	34.34	12.62	30.17	0.00	300	182 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5103.29	56.95	74.00	-17.05	40.43	34.29	12.45	30.22	0.00	300	182 PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5230.00	102.36	-----	-----	85.57	34.34	12.62	30.17	0.00	300	182 PEAK																																																																																																			
Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5100.57</td><td>46.52</td><td>54.00</td><td>-7.48</td><td>29.99</td><td>34.30</td><td>12.45</td><td>30.22</td><td>0.00</td><td>300</td><td>182 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5100.57	46.52	54.00	-7.48	29.99	34.30	12.45	30.22	0.00	300	182 AVERAGE	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5230.00</td><td>93.11</td><td>-----</td><td>-----</td><td>76.30</td><td>34.35</td><td>12.63</td><td>30.17</td><td>0.00</td><td>300</td><td>182 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5230.00	93.11	-----	-----	76.30	34.35	12.63	30.17	0.00	300	182 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5100.57	46.52	54.00	-7.48	29.99	34.30	12.45	30.22	0.00	300	182 AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5230.00	93.11	-----	-----	76.30	34.35	12.63	30.17	0.00	300	182 AVERAGE																																																																																																			







	8																																														
Mode	Band Edge - R																																														
	U-NII-1_5.15-5.25_802.11ac VHT40_CH46_5230MHz																																														
ANT	1																																														
Pol.	Vertical						Fundamental																																								
Peak	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5376.52</td><td>55.66</td><td>74.00</td><td>-18.34</td><td>38.27</td><td>34.51</td><td>12.98</td><td>30.10</td><td>0.00</td><td>300</td><td>182</td><td>PEAK</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5376.52	55.66	74.00	-18.34	38.27	34.51	12.98	30.10	0.00	300	182	PEAK	Blank				
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1 5376.52	55.66	74.00	-18.34	38.27	34.51	12.98	30.10	0.00	300	182	PEAK																																				
Avg	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5397.76</td><td>45.33</td><td>54.00</td><td>-8.67</td><td>27.82</td><td>34.59</td><td>13.02</td><td>30.10</td><td>0.00</td><td>300</td><td>182</td><td>AVERAGE</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5397.76	45.33	54.00	-8.67	27.82	34.59	13.02	30.10	0.00	300	182	AVERAGE	Blank				
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1 5397.76	45.33	54.00	-8.67	27.82	34.59	13.02	30.10	0.00	300	182	AVERAGE																																				



Mode	8																																																																																																																																			
	Harmonic																																																																																																																																			
	U-NII-1_5.15-5.25_802.11ac VHT40_CH46_5230MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																													
Peak Avg																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10460.00</td><td>45.22</td><td>68.20</td><td>-22.98</td><td>55.35</td><td>37.56</td><td>17.64</td><td>65.33</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15690.00</td><td>45.88</td><td>74.00</td><td>-28.12</td><td>48.36</td><td>40.19</td><td>21.68</td><td>64.35</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10460.00	45.22	68.20	-22.98	55.35	37.56	17.64	65.33	0.00	--	PEAK	2	15690.00	45.88	74.00	-28.12	48.36	40.19	21.68	64.35	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10460.00</td><td>44.47</td><td>68.20</td><td>-23.73</td><td>54.60</td><td>37.56</td><td>17.64</td><td>65.33</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15690.00</td><td>46.41</td><td>74.00</td><td>-27.59</td><td>48.89</td><td>40.19</td><td>21.68</td><td>64.35</td><td>0.00</td><td>100</td><td>360 PEAK</td></tr><tr><td>3</td><td>15690.00</td><td>36.30</td><td>54.00</td><td>-17.70</td><td>38.72</td><td>40.23</td><td>21.70</td><td>64.35</td><td>0.00</td><td>100</td><td>360 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10460.00	44.47	68.20	-23.73	54.60	37.56	17.64	65.33	0.00	--	PEAK	2	15690.00	46.41	74.00	-27.59	48.89	40.19	21.68	64.35	0.00	100	360 PEAK	3	15690.00	36.30	54.00	-17.70	38.72	40.23	21.70	64.35	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	10460.00	45.22	68.20	-22.98	55.35	37.56	17.64	65.33	0.00	--	PEAK																																																																																																																									
2	15690.00	45.88	74.00	-28.12	48.36	40.19	21.68	64.35	0.00	--	PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	10460.00	44.47	68.20	-23.73	54.60	37.56	17.64	65.33	0.00	--	PEAK																																																																																																																									
2	15690.00	46.41	74.00	-27.59	48.89	40.19	21.68	64.35	0.00	100	360 PEAK																																																																																																																									
3	15690.00	36.30	54.00	-17.70	38.72	40.23	21.70	64.35	0.00	100	360 AVERAGE																																																																																																																									







	9																																																																																																												
Mode	Band Edge - L																																																																																																												
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																												
ANT	1																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5121.21</td><td>57.60</td><td>74.00</td><td>-16.40</td><td>41.12</td><td>34.22</td><td>12.48</td><td>30.22</td><td>0.00</td><td>111</td><td>323</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	1	5121.21	57.60	74.00	-16.40	41.12	34.22	12.48	30.22	0.00	111	323	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>87.34</td><td>-----</td><td>-----</td><td>70.58</td><td>34.33</td><td>12.60</td><td>30.17</td><td>0.00</td><td>111</td><td>323</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	1	5210.00	87.34	-----	-----	70.58	34.33	12.60	30.17	0.00	111	323
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																																				
1	5121.21	57.60	74.00	-16.40	41.12	34.22	12.48	30.22	0.00	111	323	PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																																				
1	5210.00	87.34	-----	-----	70.58	34.33	12.60	30.17	0.00	111	323	PEAK																																																																																																	
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5142.81</td><td>47.21</td><td>54.00</td><td>-6.79</td><td>30.79</td><td>34.13</td><td>12.50</td><td>30.21</td><td>0.00</td><td>111</td><td>323</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	1	5142.81	47.21	54.00	-6.79	30.79	34.13	12.50	30.21	0.00	111	323	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>79.08</td><td>-----</td><td>-----</td><td>62.32</td><td>34.33</td><td>12.60</td><td>30.17</td><td>0.00</td><td>111</td><td>323</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	1	5210.00	79.08	-----	-----	62.32	34.33	12.60	30.17	0.00	111	323
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																																				
1	5142.81	47.21	54.00	-6.79	30.79	34.13	12.50	30.21	0.00	111	323	AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																																				
1	5210.00	79.08	-----	-----	62.32	34.33	12.60	30.17	0.00	111	323	AVERAGE																																																																																																	





	9																																													
Mode	Band Edge - R																																													
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																													
ANT	1																																													
Pol.	Horizontal					Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5371.84</td><td>55.56</td><td>74.00</td><td>-18.44</td><td>38.21</td><td>34.49</td><td>12.97</td><td>30.11</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5371.84	55.56	74.00	-18.44	38.21	34.49	12.97	30.11	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																						
1	5371.84	55.56	74.00	-18.44	38.21	34.49	12.97	30.11																																						
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5364.46</td><td>46.00</td><td>54.00</td><td>-8.00</td><td>28.70</td><td>34.46</td><td>12.95</td><td>30.11</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5364.46	46.00	54.00	-8.00	28.70	34.46	12.95	30.11	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																						
1	5364.46	46.00	54.00	-8.00	28.70	34.46	12.95	30.11																																						





	9																																																				
Mode	Band Edge - L																																																				
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																				
ANT	1																																																				
Pol.	Vertical						Fundamental																																														
Peak																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.53</td><td>59.72</td><td>74.00</td><td>-14.28</td><td>43.31</td><td>34.10</td><td>12.51</td><td>30.20</td><td>0.00</td><td>252</td><td>0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.53	59.72	74.00	-14.28	43.31	34.10	12.51	30.20	0.00	252
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5149.53	59.72	74.00	-14.28	43.31	34.10	12.51	30.20	0.00	252	0 PEAK																																										
Peak																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>96.22</td><td>-----</td><td>-----</td><td>79.46</td><td>34.33</td><td>12.60</td><td>30.17</td><td>0.00</td><td>252</td><td>0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	96.22	-----	-----	79.46	34.33	12.60	30.17	0.00	252
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5210.00	96.22	-----	-----	79.46	34.33	12.60	30.17	0.00	252	0 PEAK																																										
Avg																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.37</td><td>47.90</td><td>54.00</td><td>-6.10</td><td>31.49</td><td>34.10</td><td>12.51</td><td>30.20</td><td>0.00</td><td>252</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.37	47.90	54.00	-6.10	31.49	34.10	12.51	30.20	0.00	252
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5149.37	47.90	54.00	-6.10	31.49	34.10	12.51	30.20	0.00	252	0 AVERAGE																																										
Avg																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>87.05</td><td>-----</td><td>-----</td><td>70.29</td><td>34.33</td><td>12.60</td><td>30.17</td><td>0.00</td><td>252</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	87.05	-----	-----	70.29	34.33	12.60	30.17	0.00	252
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5210.00	87.05	-----	-----	70.29	34.33	12.60	30.17	0.00	252	0 AVERAGE																																										



	9																																														
Mode	Band Edge - R																																														
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																														
ANT	1																																														
Pol.	Vertical						Fundamental																																								
Peak	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5393.00</td><td>56.37</td><td>74.00</td><td>-17.63</td><td>38.87</td><td>34.58</td><td>13.02</td><td>30.10</td><td>0.00</td><td>252</td><td>0</td><td>PEAK</td></tr></table>						Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5393.00	56.37	74.00	-17.63	38.87	34.58	13.02	30.10	0.00	252	0	PEAK	Blank				
Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1 5393.00	56.37	74.00	-17.63	38.87	34.58	13.02	30.10	0.00	252	0	PEAK																																				
Avg	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5391.64</td><td>46.30</td><td>54.00</td><td>-7.70</td><td>28.82</td><td>34.57</td><td>13.01</td><td>30.10</td><td>0.00</td><td>252</td><td>0</td><td>AVERAGE</td></tr></table>						Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5391.64	46.30	54.00	-7.70	28.82	34.57	13.01	30.10	0.00	252	0	AVERAGE	Blank				
Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1 5391.64	46.30	54.00	-7.70	28.82	34.57	13.01	30.10	0.00	252	0	AVERAGE																																				



		9																																																																																																																																		
Mode	Harmonic																																																																																																																																			
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																													
Peak Avg																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>43.82</td><td>68.20</td><td>-24.38</td><td>54.00</td><td>37.52</td><td>17.60</td><td>65.38</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15630.00</td><td>45.83</td><td>74.00</td><td>-28.17</td><td>48.40</td><td>40.13</td><td>21.63</td><td>64.33</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	43.82	68.20	-24.38	54.00	37.52	17.60	65.38	0.00	--	PEAK	2	15630.00	45.83	74.00	-28.17	48.40	40.13	21.63	64.33	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>43.93</td><td>68.20</td><td>-24.27</td><td>54.19</td><td>37.52</td><td>17.60</td><td>65.38</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15630.00</td><td>46.10</td><td>74.00</td><td>-27.90</td><td>48.67</td><td>40.13</td><td>21.63</td><td>64.33</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>3</td><td>15630.00</td><td>37.87</td><td>54.00</td><td>-16.13</td><td>40.49</td><td>40.10</td><td>21.60</td><td>64.32</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	43.93	68.20	-24.27	54.19	37.52	17.60	65.38	0.00	--	PEAK	2	15630.00	46.10	74.00	-27.90	48.67	40.13	21.63	64.33	0.00	300	0 PEAK	3	15630.00	37.87	54.00	-16.13	40.49	40.10	21.60	64.32	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	10420.00	43.82	68.20	-24.38	54.00	37.52	17.60	65.38	0.00	--	PEAK																																																																																																																									
2	15630.00	45.83	74.00	-28.17	48.40	40.13	21.63	64.33	0.00	--	PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	10420.00	43.93	68.20	-24.27	54.19	37.52	17.60	65.38	0.00	--	PEAK																																																																																																																									
2	15630.00	46.10	74.00	-27.90	48.67	40.13	21.63	64.33	0.00	300	0 PEAK																																																																																																																									
3	15630.00	37.87	54.00	-16.13	40.49	40.10	21.60	64.32	0.00	300	0 AVERAGE																																																																																																																									







Mode	10																																																																																																																																															
	Harmonic																																																																																																																																															
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																																																																															
ANT	1																																																																																																																																															
Pol.	Horizontal					Vertical																																																																																																																																										
Peak Avg																																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>44.89</td><td>68.20</td><td>-23.31</td><td>54.06</td><td>37.60</td><td>17.69</td><td>65.26</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15780.00</td><td>46.06</td><td>74.00</td><td>-27.94</td><td>48.24</td><td>40.44</td><td>21.76</td><td>64.38</td><td>0.00</td><td>100</td><td>PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>36.47</td><td>54.00</td><td>-17.53</td><td>38.68</td><td>40.41</td><td>21.75</td><td>64.37</td><td>0.00</td><td>100</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	44.89	68.20	-23.31	54.06	37.60	17.69	65.26	0.00	--	PEAK	2	15780.00	46.06	74.00	-27.94	48.24	40.44	21.76	64.38	0.00	100	PEAK	3	15780.00	36.47	54.00	-17.53	38.68	40.41	21.75	64.37	0.00	100	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>46.18</td><td>68.20</td><td>-22.02</td><td>56.15</td><td>37.60</td><td>17.69</td><td>65.26</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15780.00</td><td>47.20</td><td>74.00</td><td>-26.80</td><td>49.38</td><td>40.44</td><td>21.76</td><td>64.38</td><td>0.00</td><td>300</td><td>PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>37.01</td><td>54.00</td><td>-16.99</td><td>39.21</td><td>40.42</td><td>21.75</td><td>64.37</td><td>0.00</td><td>300</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	46.18	68.20	-22.02	56.15	37.60	17.69	65.26	0.00	--	PEAK	2	15780.00	47.20	74.00	-26.80	49.38	40.44	21.76	64.38	0.00	300	PEAK	3	15780.00	37.01	54.00	-16.99	39.21	40.42	21.75	64.37	0.00	300	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																						
1	10520.00	44.89	68.20	-23.31	54.06	37.60	17.69	65.26	0.00	--	PEAK																																																																																																																																					
2	15780.00	46.06	74.00	-27.94	48.24	40.44	21.76	64.38	0.00	100	PEAK																																																																																																																																					
3	15780.00	36.47	54.00	-17.53	38.68	40.41	21.75	64.37	0.00	100	AVERAGE																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																						
1	10520.00	46.18	68.20	-22.02	56.15	37.60	17.69	65.26	0.00	--	PEAK																																																																																																																																					
2	15780.00	47.20	74.00	-26.80	49.38	40.44	21.76	64.38	0.00	300	PEAK																																																																																																																																					
3	15780.00	37.01	54.00	-16.99	39.21	40.42	21.75	64.37	0.00	300	AVERAGE																																																																																																																																					







Mode	11																																																																																																																																																
	Harmonic																																																																																																																																																
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																																																																
ANT	1																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																										
Peak Avg																																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>43.84</td><td>68.20</td><td>-24.36</td><td>53.66</td><td>37.60</td><td>17.75</td><td>65.17</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>15900.00</td><td>46.78</td><td>74.00</td><td>-27.22</td><td>48.94</td><td>40.40</td><td>21.86</td><td>64.42</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>3</td><td>15900.00</td><td>36.30</td><td>54.00</td><td>-17.70</td><td>38.46</td><td>40.40</td><td>21.86</td><td>64.42</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10600.00	43.84	68.20	-24.36	53.66	37.60	17.75	65.17	0.00	--	-- PEAK	2	15900.00	46.78	74.00	-27.22	48.94	40.40	21.86	64.42	0.00	100	0 PEAK	3	15900.00	36.30	54.00	-17.70	38.46	40.40	21.86	64.42	0.00	100	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>45.22</td><td>68.20</td><td>-22.98</td><td>55.04</td><td>37.60</td><td>17.75</td><td>65.17</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>15900.00</td><td>46.22</td><td>74.00</td><td>-27.78</td><td>48.38</td><td>40.40</td><td>21.86</td><td>64.42</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>3</td><td>15900.00</td><td>36.67</td><td>54.00</td><td>-17.33</td><td>38.82</td><td>40.41</td><td>21.85</td><td>64.41</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10600.00	45.22	68.20	-22.98	55.04	37.60	17.75	65.17	0.00	--	-- PEAK	2	15900.00	46.22	74.00	-27.78	48.38	40.40	21.86	64.42	0.00	300	0 PEAK	3	15900.00	36.67	54.00	-17.33	38.82	40.41	21.85	64.41	0.00	300	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																							
1	10600.00	43.84	68.20	-24.36	53.66	37.60	17.75	65.17	0.00	--	-- PEAK																																																																																																																																						
2	15900.00	46.78	74.00	-27.22	48.94	40.40	21.86	64.42	0.00	100	0 PEAK																																																																																																																																						
3	15900.00	36.30	54.00	-17.70	38.46	40.40	21.86	64.42	0.00	100	0 AVERAGE																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																							
1	10600.00	45.22	68.20	-22.98	55.04	37.60	17.75	65.17	0.00	--	-- PEAK																																																																																																																																						
2	15900.00	46.22	74.00	-27.78	48.38	40.40	21.86	64.42	0.00	300	0 PEAK																																																																																																																																						
3	15900.00	36.67	54.00	-17.33	38.82	40.41	21.85	64.41	0.00	300	0 AVERAGE																																																																																																																																						





	12																																																						
Mode	Band Edge																																																						
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																						
ANT	1																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5377.95</td><td>56.30</td><td>74.00</td><td>-17.70</td><td>38.91</td><td>34.51</td><td>12.98</td><td>30.10</td><td>0.00</td><td>101</td><td>305</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5377.95	56.30	74.00	-17.70	38.91	34.51	12.98	30.10	0.00	101	305
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5377.95	56.30	74.00	-17.70	38.91	34.51	12.98	30.10	0.00	101	305	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>97.99</td><td>-----</td><td>-----</td><td>80.89</td><td>34.40</td><td>12.83</td><td>30.13</td><td>0.00</td><td>101</td><td>305</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	97.99	-----	-----	80.89	34.40	12.83	30.13	0.00	101	305
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	97.99	-----	-----	80.89	34.40	12.83	30.13	0.00	101	305	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5399.35</td><td>45.49</td><td>54.00</td><td>-8.51</td><td>27.95</td><td>34.60</td><td>13.03</td><td>30.09</td><td>0.00</td><td>101</td><td>305</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5399.35	45.49	54.00	-8.51	27.95	34.60	13.03	30.09	0.00	101	305
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5399.35	45.49	54.00	-8.51	27.95	34.60	13.03	30.09	0.00	101	305	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>89.68</td><td>-----</td><td>-----</td><td>72.57</td><td>34.40</td><td>12.84</td><td>30.13</td><td>0.00</td><td>101</td><td>305</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	89.68	-----	-----	72.57	34.40	12.84	30.13	0.00	101	305
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	89.68	-----	-----	72.57	34.40	12.84	30.13	0.00	101	305	AVERAGE																																											





	12																																																					
Mode	Band Edge																																																					
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																					
ANT	1																																																					
Pol.	Vertical						Fundamental																																															
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5352.45</td><td>56.91</td><td>74.00</td><td>-17.09</td><td>39.69</td><td>34.41</td><td>12.92</td><td>30.11</td><td>0.00</td><td>287</td><td>0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5352.45	56.91	74.00	-17.09	39.69	34.41	12.92	30.11	0.00	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5352.45	56.91	74.00	-17.09	39.69	34.41	12.92	30.11	0.00	287	0 PEAK																																											
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5320.00</td><td>105.00</td><td>-----</td><td>-----</td><td>88.69</td><td>34.40</td><td>12.84</td><td>30.13</td><td>0.00</td><td>287</td><td>0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5320.00	105.00	-----	-----	88.69	34.40	12.84	30.13	0.00	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5320.00	105.00	-----	-----	88.69	34.40	12.84	30.13	0.00	287	0 PEAK																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5350.05</td><td>46.69</td><td>54.00</td><td>-7.31</td><td>29.49</td><td>34.40</td><td>12.92</td><td>30.12</td><td>0.00</td><td>287</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5350.05	46.69	54.00	-7.31	29.49	34.40	12.92	30.12	0.00	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5350.05	46.69	54.00	-7.31	29.49	34.40	12.92	30.12	0.00	287	0 AVERAGE																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5320.00</td><td>97.71</td><td>-----</td><td>-----</td><td>88.60</td><td>34.40</td><td>12.84</td><td>30.13</td><td>0.00</td><td>287</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5320.00	97.71	-----	-----	88.60	34.40	12.84	30.13	0.00	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5320.00	97.71	-----	-----	88.60	34.40	12.84	30.13	0.00	287	0 AVERAGE																																											



		12																																																																																								
Mode	Harmonic																																																																																									
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																									
ANT	1																																																																																									
Pol.	Horizontal																																																																																									
Peak Avg																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>7091.56</td><td>43.32</td><td>68.20</td><td>-24.88</td><td>57.52</td><td>35.77</td><td>14.53</td><td>64.50</td><td>0.00 -- -- PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>44.43</td><td>74.00</td><td>-29.57</td><td>54.13</td><td>37.64</td><td>17.78</td><td>65.12</td><td>0.00 -- -- PEAK</td></tr><tr><td>3</td><td>15960.00</td><td>46.22</td><td>74.00</td><td>-27.78</td><td>48.23</td><td>40.52</td><td>21.91</td><td>64.44</td><td>0.00 100 0 PEAK</td></tr><tr><td>4</td><td>15960.00</td><td>36.35</td><td>54.00</td><td>-17.65</td><td>38.34</td><td>40.54</td><td>21.91</td><td>64.44</td><td>0.00 100 0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	7091.56	43.32	68.20	-24.88	57.52	35.77	14.53	64.50	0.00 -- -- PEAK	2	10640.00	44.43	74.00	-29.57	54.13	37.64	17.78	65.12	0.00 -- -- PEAK	3	15960.00	46.22	74.00	-27.78	48.23	40.52	21.91	64.44	0.00 100 0 PEAK	4	15960.00	36.35	54.00	-17.65	38.34	40.54	21.91	64.44	0.00 100 0 AVERAGE									
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																	
1	7091.56	43.32	68.20	-24.88	57.52	35.77	14.53	64.50	0.00 -- -- PEAK																																																																																	
2	10640.00	44.43	74.00	-29.57	54.13	37.64	17.78	65.12	0.00 -- -- PEAK																																																																																	
3	15960.00	46.22	74.00	-27.78	48.23	40.52	21.91	64.44	0.00 100 0 PEAK																																																																																	
4	15960.00	36.35	54.00	-17.65	38.34	40.54	21.91	64.44	0.00 100 0 AVERAGE																																																																																	
Vertical																																																																																										
																																																																																										
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>7091.56</td><td>43.41</td><td>68.20</td><td>-24.79</td><td>57.61</td><td>35.77</td><td>14.53</td><td>64.50</td><td>0.00 -- -- PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>51.12</td><td>74.00</td><td>-22.88</td><td>60.82</td><td>37.64</td><td>17.78</td><td>65.12</td><td>0.00 300 125 PEAK</td></tr><tr><td>3</td><td>10640.00</td><td>41.64</td><td>54.00</td><td>-12.36</td><td>51.34</td><td>37.64</td><td>17.78</td><td>65.12</td><td>0.00 300 125 AVERAGE</td></tr><tr><td>4</td><td>15960.00</td><td>46.73</td><td>74.00</td><td>-27.27</td><td>48.74</td><td>40.52</td><td>21.91</td><td>64.44</td><td>0.00 300 125 PEAK</td></tr><tr><td>5</td><td>15960.00</td><td>36.75</td><td>54.00</td><td>-17.25</td><td>38.74</td><td>40.54</td><td>21.91</td><td>64.44</td><td>0.00 300 125 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	7091.56	43.41	68.20	-24.79	57.61	35.77	14.53	64.50	0.00 -- -- PEAK	2	10640.00	51.12	74.00	-22.88	60.82	37.64	17.78	65.12	0.00 300 125 PEAK	3	10640.00	41.64	54.00	-12.36	51.34	37.64	17.78	65.12	0.00 300 125 AVERAGE	4	15960.00	46.73	74.00	-27.27	48.74	40.52	21.91	64.44	0.00 300 125 PEAK	5	15960.00	36.75	54.00	-17.25	38.74	40.54	21.91	64.44	0.00 300 125 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																		
1	7091.56	43.41	68.20	-24.79	57.61	35.77	14.53	64.50	0.00 -- -- PEAK																																																																																	
2	10640.00	51.12	74.00	-22.88	60.82	37.64	17.78	65.12	0.00 300 125 PEAK																																																																																	
3	10640.00	41.64	54.00	-12.36	51.34	37.64	17.78	65.12	0.00 300 125 AVERAGE																																																																																	
4	15960.00	46.73	74.00	-27.27	48.74	40.52	21.91	64.44	0.00 300 125 PEAK																																																																																	
5	15960.00	36.75	54.00	-17.25	38.74	40.54	21.91	64.44	0.00 300 125 AVERAGE																																																																																	



		13																																																																																						
Mode	Harmonic																																																																																							
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH52_5260MHz																																																																																							
ANT	1																																																																																							
Pol.	Horizontal																																																																																							
Peak Avg																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7013.33</td><td>43.29</td><td>68.20</td><td>-24.91</td><td>57.56</td><td>35.53</td><td>14.46</td><td>64.26</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>2</td><td>10520.00</td><td>44.18</td><td>68.20</td><td>-24.02</td><td>54.15</td><td>37.60</td><td>17.69</td><td>65.26</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>46.85</td><td>74.00</td><td>-27.15</td><td>49.03</td><td>40.44</td><td>21.76</td><td>64.38</td><td>0.00</td><td>100 360 PEAK</td></tr><tr><td>4</td><td>15780.00</td><td>36.67</td><td>54.00</td><td>-17.33</td><td>38.88</td><td>40.41</td><td>21.75</td><td>64.37</td><td>0.00</td><td>100 360 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7013.33	43.29	68.20	-24.91	57.56	35.53	14.46	64.26	0.00	-- -- PEAK	2	10520.00	44.18	68.20	-24.02	54.15	37.60	17.69	65.26	0.00	-- -- PEAK	3	15780.00	46.85	74.00	-27.15	49.03	40.44	21.76	64.38	0.00	100 360 PEAK	4	15780.00	36.67	54.00	-17.33	38.88	40.41	21.75	64.37	0.00	100 360 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																															
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	7013.33	43.29	68.20	-24.91	57.56	35.53	14.46	64.26	0.00	-- -- PEAK																																																																														
2	10520.00	44.18	68.20	-24.02	54.15	37.60	17.69	65.26	0.00	-- -- PEAK																																																																														
3	15780.00	46.85	74.00	-27.15	49.03	40.44	21.76	64.38	0.00	100 360 PEAK																																																																														
4	15780.00	36.67	54.00	-17.33	38.88	40.41	21.75	64.37	0.00	100 360 AVERAGE																																																																														
Vertical																																																																																								
																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7013.33</td><td>52.93</td><td>68.20</td><td>-15.27</td><td>67.20</td><td>35.53</td><td>14.46</td><td>64.26</td><td>0.00</td><td>294 331 PEAK</td></tr><tr><td>2</td><td>10520.00</td><td>47.30</td><td>68.20</td><td>-20.90</td><td>57.27</td><td>37.60</td><td>17.69</td><td>65.26</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>47.22</td><td>74.00</td><td>-26.78</td><td>49.40</td><td>40.44</td><td>21.76</td><td>64.38</td><td>0.00</td><td>294 331 PEAK</td></tr><tr><td>4</td><td>15780.00</td><td>36.85</td><td>54.00</td><td>-17.15</td><td>39.06</td><td>40.41</td><td>21.75</td><td>64.37</td><td>0.00</td><td>294 331 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7013.33	52.93	68.20	-15.27	67.20	35.53	14.46	64.26	0.00	294 331 PEAK	2	10520.00	47.30	68.20	-20.90	57.27	37.60	17.69	65.26	0.00	-- -- PEAK	3	15780.00	47.22	74.00	-26.78	49.40	40.44	21.76	64.38	0.00	294 331 PEAK	4	15780.00	36.85	54.00	-17.15	39.06	40.41	21.75	64.37	0.00	294 331 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	7013.33	52.93	68.20	-15.27	67.20	35.53	14.46	64.26	0.00	294 331 PEAK																																																																														
2	10520.00	47.30	68.20	-20.90	57.27	37.60	17.69	65.26	0.00	-- -- PEAK																																																																														
3	15780.00	47.22	74.00	-26.78	49.40	40.44	21.76	64.38	0.00	294 331 PEAK																																																																														
4	15780.00	36.85	54.00	-17.15	39.06	40.41	21.75	64.37	0.00	294 331 AVERAGE																																																																														

Mode

14

Harmonic

U-NII-2A_5.25-5.35_802.11ac_VHT20_CH60_5300MHz

ANT

1

Pol.

Horizontal

Vertical

Peak

Avg

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

7000

9200

11400

13600

15800

18000

Frequency (MHz)

U-NII-1-U-NII-2A-U-NII-2C

U-NII-1-U-NII-2A-U-NII-2C(AVG)

2

3

	Limit	Read	Ant	Cable Preamp	Aux	APos	TPos	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	
1 7066.67	42.74	68.28	-25.46	56.98	35.67	14.51	64.42	0.00 -- -- PEAK
2 10600.00	43.91	68.28	-24.29	53.73	37.60	17.75	65.17	0.00 -- -- PEAK
3 15900.00	45.98	74.00	-28.02	48.14	40.40	21.86	64.42	0.00 -- -- PEAK

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

7000

9200

11400

13600

15800

18000

Frequency (MHz)

U-NII-1-U-NII-2A-U-NII-2C

U-NII-1-U-NII-2A-U-NII-2C(AVG)

1

2





4

	Limit	Read	Ant	Cable Preamp	Aux	APos	TPos	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	
1 7066.67	52.90	68.20	-15.30	67.14	35.67	14.51	64.42	0.00 286 300 PEAK
2 10600.00	46.78	68.28	-21.42	56.60	37.60	17.75	65.17	0.00 286 300 PEAK
3 10600.00	37.60	54.00	-16.40	47.42	37.60	17.75	65.17	0.00 286 300 AVERAGE
4 15900.00	46.74	74.00	-27.26	48.90	40.40	21.86	64.42	0.00 286 300 PEAK
5 15900.00	36.57	54.00	-17.43	38.73	40.40	21.86	64.42	0.00 286 300 AVERAGE





	15																																																						
Mode	Band Edge																																																						
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH64_5320MHz																																																						
ANT	1																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>97.16</td><td>-----</td><td>-----</td><td>80.06</td><td>34.40</td><td>12.83</td><td>30.13</td><td>0.00</td><td>101</td><td>306</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	97.16	-----	-----	80.06	34.40	12.83	30.13	0.00	101	306
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	97.16	-----	-----	80.06	34.40	12.83	30.13	0.00	101	306	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.05</td><td>45.48</td><td>54.00</td><td>-8.52</td><td>27.94</td><td>34.60</td><td>13.03</td><td>30.09</td><td>0.00</td><td>101</td><td>306</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.05	45.48	54.00	-8.52	27.94	34.60	13.03	30.09	0.00	101	306
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.05	45.48	54.00	-8.52	27.94	34.60	13.03	30.09	0.00	101	306	AVERAGE																																											







	15																																																						
Mode	Band Edge																																																						
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH64_5320MHz																																																						
ANT	1																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5357.05</td><td>56.31</td><td>74.00</td><td>-17.69</td><td>39.06</td><td>34.43</td><td>12.93</td><td>30.11</td><td>0.00</td><td>300</td><td>213</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5357.05	56.31	74.00	-17.69	39.06	34.43	12.93	30.11	0.00	300	213
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5357.05	56.31	74.00	-17.69	39.06	34.43	12.93	30.11	0.00	300	213	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>105.01</td><td>-----</td><td>-----</td><td>87.90</td><td>34.40</td><td>12.84</td><td>30.13</td><td>0.00</td><td>300</td><td>213</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	105.01	-----	-----	87.90	34.40	12.84	30.13	0.00	300	213
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	105.01	-----	-----	87.90	34.40	12.84	30.13	0.00	300	213	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>46.13</td><td>54.00</td><td>-7.87</td><td>28.94</td><td>34.40</td><td>12.91</td><td>30.12</td><td>0.00</td><td>300</td><td>213</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	46.13	54.00	-7.87	28.94	34.40	12.91	30.12	0.00	300	213
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.00	46.13	54.00	-7.87	28.94	34.40	12.91	30.12	0.00	300	213	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>97.01</td><td>-----</td><td>-----</td><td>79.90</td><td>34.40</td><td>12.84</td><td>30.13</td><td>0.00</td><td>300</td><td>213</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	97.01	-----	-----	79.90	34.40	12.84	30.13	0.00	300	213
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	97.01	-----	-----	79.90	34.40	12.84	30.13	0.00	300	213	AVERAGE																																											



		15																																																																																																																																																																			
Mode	Harmonic																																																																																																																																																																				
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH64_5320MHz																																																																																																																																																																				
ANT	1																																																																																																																																																																				
Pol.	Horizontal								Vertical																																																																																																																																																												
Peak Avg																																																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>7093.33</td><td>43.29</td><td>68.20</td><td>-24.91</td><td>57.50</td><td>35.77</td><td>14.53</td><td>64.51</td><td>0.00 -- -- PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>44.50</td><td>74.00</td><td>-29.50</td><td>54.20</td><td>37.64</td><td>17.78</td><td>65.12</td><td>0.00 -- -- PEAK</td></tr><tr><td>3</td><td>15960.00</td><td>47.08</td><td>74.00</td><td>-26.92</td><td>49.09</td><td>40.52</td><td>21.91</td><td>64.44</td><td>0.00 100 360 PEAK</td></tr><tr><td>4</td><td>15960.00</td><td>36.37</td><td>54.00</td><td>-17.63</td><td>38.36</td><td>40.54</td><td>21.91</td><td>64.44</td><td>0.00 100 360 AVERAGE</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	7093.33	43.29	68.20	-24.91	57.50	35.77	14.53	64.51	0.00 -- -- PEAK	2	10640.00	44.50	74.00	-29.50	54.20	37.64	17.78	65.12	0.00 -- -- PEAK	3	15960.00	47.08	74.00	-26.92	49.09	40.52	21.91	64.44	0.00 100 360 PEAK	4	15960.00	36.37	54.00	-17.63	38.36	40.54	21.91	64.44	0.00 100 360 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>7093.33</td><td>52.09</td><td>68.20</td><td>-16.11</td><td>66.30</td><td>35.77</td><td>14.53</td><td>64.51</td><td>0.00 300 303 PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>47.51</td><td>74.00</td><td>-26.49</td><td>57.21</td><td>37.64</td><td>17.78</td><td>65.12</td><td>0.00 300 303 PEAK</td></tr><tr><td>3</td><td>10640.00</td><td>37.47</td><td>54.00</td><td>-16.53</td><td>47.17</td><td>37.64</td><td>17.78</td><td>65.12</td><td>0.00 300 303 AVERAGE</td></tr><tr><td>4</td><td>15960.00</td><td>46.88</td><td>74.00</td><td>-27.12</td><td>48.89</td><td>40.52</td><td>21.91</td><td>64.44</td><td>0.00 300 303 PEAK</td></tr><tr><td>5</td><td>15960.00</td><td>36.63</td><td>54.00</td><td>-17.37</td><td>38.64</td><td>40.52</td><td>21.91</td><td>64.44</td><td>0.00 300 303 AVERAGE</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	7093.33	52.09	68.20	-16.11	66.30	35.77	14.53	64.51	0.00 300 303 PEAK	2	10640.00	47.51	74.00	-26.49	57.21	37.64	17.78	65.12	0.00 300 303 PEAK	3	10640.00	37.47	54.00	-16.53	47.17	37.64	17.78	65.12	0.00 300 303 AVERAGE	4	15960.00	46.88	74.00	-27.12	48.89	40.52	21.91	64.44	0.00 300 303 PEAK	5	15960.00	36.63	54.00	-17.37	38.64	40.52	21.91	64.44
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																													
1	7093.33	43.29	68.20	-24.91	57.50	35.77	14.53	64.51	0.00 -- -- PEAK																																																																																																																																																												
2	10640.00	44.50	74.00	-29.50	54.20	37.64	17.78	65.12	0.00 -- -- PEAK																																																																																																																																																												
3	15960.00	47.08	74.00	-26.92	49.09	40.52	21.91	64.44	0.00 100 360 PEAK																																																																																																																																																												
4	15960.00	36.37	54.00	-17.63	38.36	40.54	21.91	64.44	0.00 100 360 AVERAGE																																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																													
1	7093.33	52.09	68.20	-16.11	66.30	35.77	14.53	64.51	0.00 300 303 PEAK																																																																																																																																																												
2	10640.00	47.51	74.00	-26.49	57.21	37.64	17.78	65.12	0.00 300 303 PEAK																																																																																																																																																												
3	10640.00	37.47	54.00	-16.53	47.17	37.64	17.78	65.12	0.00 300 303 AVERAGE																																																																																																																																																												
4	15960.00	46.88	74.00	-27.12	48.89	40.52	21.91	64.44	0.00 300 303 PEAK																																																																																																																																																												
5	15960.00	36.63	54.00	-17.37	38.64	40.52	21.91	64.44	0.00 300 303 AVERAGE																																																																																																																																																												







	16																																																						
Mode	Band Edge - L																																																						
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH54_5270MHz																																																						
ANT	1																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5022.28</td><td>58.29</td><td>74.00</td><td>-15.71</td><td>42.05</td><td>34.14</td><td>12.36</td><td>30.26</td><td>0.00</td><td>101</td><td>306</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5022.28	58.29	74.00	-15.71	42.05	34.14	12.36	30.26	0.00	101	306
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5022.28	58.29	74.00	-15.71	42.05	34.14	12.36	30.26	0.00	101	306	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5043.07</td><td>47.00</td><td>54.00</td><td>-7.00</td><td>30.68</td><td>34.19</td><td>12.38</td><td>30.25</td><td>0.00</td><td>101</td><td>306</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5043.07	47.00	54.00	-7.00	30.68	34.19	12.38	30.25	0.00	101	306
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5043.07	47.00	54.00	-7.00	30.68	34.19	12.38	30.25	0.00	101	306	AVERAGE																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>96.31</td><td>-----</td><td>-----</td><td>79.34</td><td>34.40</td><td>12.72</td><td>30.15</td><td>0.00</td><td>101</td><td>306</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	96.31	-----	-----	79.34	34.40	12.72	30.15	0.00	101	306
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5270.00	96.31	-----	-----	79.34	34.40	12.72	30.15	0.00	101	306	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>88.64</td><td>-----</td><td>-----</td><td>71.66</td><td>34.40</td><td>12.73</td><td>30.15</td><td>0.00</td><td>101</td><td>306</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	88.64	-----	-----	71.66	34.40	12.73	30.15	0.00	101	306
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5270.00	88.64	-----	-----	71.66	34.40	12.73	30.15	0.00	101	306	AVERAGE																																											



	16																																										
Mode	Band Edge - R																																										
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH54_5270MHz																																										
ANT	1																																										
Pol.	Horizontal					Fundamental																																					
Peak	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5408.00</td><td>56.05</td><td>74.00</td><td>-17.95</td><td>38.50</td><td>34.60</td><td>13.04</td><td>30.09</td><td>0.00</td><td>101</td><td>306 PEAK</td></tr></table>					Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5408.00	56.05	74.00	-17.95	38.50	34.60	13.04	30.09	0.00	101	306 PEAK	Blank				
Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																	
1 5408.00	56.05	74.00	-17.95	38.50	34.60	13.04	30.09	0.00	101	306 PEAK																																	
Avg	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5452.69</td><td>46.28</td><td>54.00</td><td>-7.72</td><td>28.70</td><td>34.59</td><td>13.06</td><td>30.07</td><td>0.00</td><td>101</td><td>306 AVERAGE</td></tr></table>					Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5452.69	46.28	54.00	-7.72	28.70	34.59	13.06	30.07	0.00	101	306 AVERAGE	Blank				
Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																	
1 5452.69	46.28	54.00	-7.72	28.70	34.59	13.06	30.07	0.00	101	306 AVERAGE																																	





	16																																																			
Mode	Band Edge - L																																																			
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH54_5270MHz																																																			
ANT	1																																																			
Pol.	Vertical						Fundamental																																													
Peak																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5047.12</td><td>58.63</td><td>74.00</td><td>-15.37</td><td>42.30</td><td>34.19</td><td>12.39</td><td>30.25</td><td>0.00</td><td>266</td><td>0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	1	5047.12	58.63	74.00	-15.37	42.30	34.19	12.39	30.25	0.00	266
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																											
1	5047.12	58.63	74.00	-15.37	42.30	34.19	12.39	30.25	0.00	266	0 PEAK																																									
Fundamental																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>105.18</td><td>-----</td><td>-----</td><td>88.21</td><td>34.40</td><td>12.72</td><td>30.15</td><td>0.00</td><td>266</td><td>0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	1	5270.00	105.18	-----	-----	88.21	34.40	12.72	30.15	0.00	266
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																											
1	5270.00	105.18	-----	-----	88.21	34.40	12.72	30.15	0.00	266	0 PEAK																																									
Avg																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5075.47</td><td>46.96</td><td>54.00</td><td>-7.04</td><td>30.53</td><td>34.25</td><td>12.42</td><td>30.24</td><td>0.00</td><td>266</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	1	5075.47	46.96	54.00	-7.04	30.53	34.25	12.42	30.24	0.00	266
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																											
1	5075.47	46.96	54.00	-7.04	30.53	34.25	12.42	30.24	0.00	266	0 AVERAGE																																									
Avg																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>96.68</td><td>-----</td><td>-----</td><td>79.71</td><td>34.40</td><td>12.72</td><td>30.15</td><td>0.00</td><td>266</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	1	5270.00	96.68	-----	-----	79.71	34.40	12.72	30.15	0.00	266
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																											
1	5270.00	96.68	-----	-----	79.71	34.40	12.72	30.15	0.00	266	0 AVERAGE																																									







	16																																											
Mode	Band Edge - R																																											
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH54_5270MHz																																											
ANT	1																																											
Pol.	Vertical						Fundamental																																					
Peak	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5366.81</td><td>57.45</td><td>74.00</td><td>-16.55</td><td>40.14</td><td>34.47</td><td>12.95</td><td>30.11</td><td>0.00</td><td>266</td><td>0 PEAK</td></tr></table>						Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5366.81	57.45	74.00	-16.55	40.14	34.47	12.95	30.11	0.00	266	0 PEAK	Blank				
Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1 5366.81	57.45	74.00	-16.55	40.14	34.47	12.95	30.11	0.00	266	0 PEAK																																		
Avg	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5350.00</td><td>46.56</td><td>54.00</td><td>-7.44</td><td>29.36</td><td>34.40</td><td>12.92</td><td>30.12</td><td>0.00</td><td>266</td><td>0 AVERAGE</td></tr></table>						Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5350.00	46.56	54.00	-7.44	29.36	34.40	12.92	30.12	0.00	266	0 AVERAGE	Blank				
Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1 5350.00	46.56	54.00	-7.44	29.36	34.40	12.92	30.12	0.00	266	0 AVERAGE																																		





		16																																																																																																																																																										
Mode	Harmonic																																																																																																																																																											
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH54_5270MHz																																																																																																																																																											
ANT	1																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																					
Peak Avg																																																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7093.00</td><td>42.62</td><td>68.20</td><td>-25.58</td><td>56.82</td><td>35.77</td><td>14.53</td><td>64.50</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10540.00</td><td>45.10</td><td>68.20</td><td>-23.10</td><td>55.04</td><td>37.60</td><td>17.70</td><td>65.24</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>15810.00</td><td>45.84</td><td>74.00</td><td>-28.16</td><td>47.96</td><td>40.49</td><td>21.78</td><td>64.39</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7093.00	42.62	68.20	-25.58	56.82	35.77	14.53	64.50	0.00	--	PEAK	2	10540.00	45.10	68.20	-23.10	55.04	37.60	17.70	65.24	0.00	--	PEAK	3	15810.00	45.84	74.00	-28.16	47.96	40.49	21.78	64.39	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7093.00</td><td>51.02</td><td>68.20</td><td>-17.18</td><td>65.22</td><td>35.77</td><td>14.53</td><td>64.50</td><td>0.00</td><td>300</td><td>302 PEAK</td></tr><tr><td>2</td><td>10540.00</td><td>44.47</td><td>68.20</td><td>-23.73</td><td>54.41</td><td>37.60</td><td>17.70</td><td>65.24</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>15810.00</td><td>46.10</td><td>74.00</td><td>-27.90</td><td>48.22</td><td>40.49</td><td>21.78</td><td>64.39</td><td>0.00</td><td>300</td><td>302 PEAK</td></tr><tr><td>4</td><td>15810.00</td><td>36.57</td><td>54.00</td><td>-17.43</td><td>38.70</td><td>40.48</td><td>21.77</td><td>64.38</td><td>0.00</td><td>300</td><td>302 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7093.00	51.02	68.20	-17.18	65.22	35.77	14.53	64.50	0.00	300	302 PEAK	2	10540.00	44.47	68.20	-23.73	54.41	37.60	17.70	65.24	0.00	--	PEAK	3	15810.00	46.10	74.00	-27.90	48.22	40.49	21.78	64.39	0.00	300	302 PEAK	4	15810.00	36.57	54.00	-17.43	38.70	40.48	21.77	64.38	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	7093.00	42.62	68.20	-25.58	56.82	35.77	14.53	64.50	0.00	--	PEAK																																																																																																																																																	
2	10540.00	45.10	68.20	-23.10	55.04	37.60	17.70	65.24	0.00	--	PEAK																																																																																																																																																	
3	15810.00	45.84	74.00	-28.16	47.96	40.49	21.78	64.39	0.00	--	PEAK																																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	7093.00	51.02	68.20	-17.18	65.22	35.77	14.53	64.50	0.00	300	302 PEAK																																																																																																																																																	
2	10540.00	44.47	68.20	-23.73	54.41	37.60	17.70	65.24	0.00	--	PEAK																																																																																																																																																	
3	15810.00	46.10	74.00	-27.90	48.22	40.49	21.78	64.39	0.00	300	302 PEAK																																																																																																																																																	
4	15810.00	36.57	54.00	-17.43	38.70	40.48	21.77	64.38	0.00	300	302 AVERAGE																																																																																																																																																	



	17																																																						
Mode	Band Edge - L																																																						
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																						
ANT	1																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5117.85</td><td>57.20</td><td>74.00</td><td>-16.80</td><td>40.72</td><td>34.23</td><td>12.47</td><td>30.22</td><td>0.00</td><td>100</td><td>306</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5117.85	57.20	74.00	-16.80	40.72	34.23	12.47	30.22	0.00	100	306
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5117.85	57.20	74.00	-16.80	40.72	34.23	12.47	30.22	0.00	100	306	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5101.53</td><td>46.77</td><td>54.00</td><td>-7.23</td><td>30.25</td><td>34.29</td><td>12.45</td><td>30.22</td><td>0.00</td><td>100</td><td>306</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5101.53	46.77	54.00	-7.23	30.25	34.29	12.45	30.22	0.00	100	306
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5101.53	46.77	54.00	-7.23	30.25	34.29	12.45	30.22	0.00	100	306	AVERAGE																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>91.22</td><td>-----</td><td>-----</td><td>74.12</td><td>34.40</td><td>12.83</td><td>30.13</td><td>0.00</td><td>100</td><td>306</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	91.22	-----	-----	74.12	34.40	12.83	30.13	0.00	100	306
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5310.00	91.22	-----	-----	74.12	34.40	12.83	30.13	0.00	100	306	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>81.97</td><td>-----</td><td>-----</td><td>64.87</td><td>34.40</td><td>12.83</td><td>30.13</td><td>0.00</td><td>100</td><td>306</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	81.97	-----	-----	64.87	34.40	12.83	30.13	0.00	100	306
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5310.00	81.97	-----	-----	64.87	34.40	12.83	30.13	0.00	100	306	AVERAGE																																											



	17																																																				
Mode	Band Edge - R																																																				
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																				
ANT	1																																																				
Pol.	Horizontal						Fundamental																																														
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5378.75</td><td>55.91</td><td>74.00</td><td>-18.09</td><td>38.51</td><td>34.52</td><td>12.98</td><td>30.10</td><td>0.00</td><td>100</td><td>306</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5378.75	55.91	74.00	-18.09	38.51	34.52	12.98	30.10	0.00	100	306	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																												
1	5378.75	55.91	74.00	-18.09	38.51	34.52	12.98	30.10	0.00	100	306	PEAK																																									
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5395.55</td><td>45.81</td><td>54.00</td><td>-8.19</td><td>28.31</td><td>34.58</td><td>13.02</td><td>30.10</td><td>0.00</td><td>100</td><td>306</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5395.55	45.81	54.00	-8.19	28.31	34.58	13.02	30.10	0.00	100	306	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																												
1	5395.55	45.81	54.00	-8.19	28.31	34.58	13.02	30.10	0.00	100	306	AVERAGE																																									



	17																																																						
Mode	Band Edge - L																																																						
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																						
ANT	1																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5143.77</td><td>56.48</td><td>74.00</td><td>-17.52</td><td>40.07</td><td>34.12</td><td>12.50</td><td>30.21</td><td>0.00</td><td>260</td><td>0</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.77	56.48	74.00	-17.52	40.07	34.12	12.50	30.21	0.00	260	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5143.77	56.48	74.00	-17.52	40.07	34.12	12.50	30.21	0.00	260	0	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5102.01</td><td>46.91</td><td>54.00</td><td>-7.09</td><td>30.39</td><td>34.29</td><td>12.45</td><td>30.22</td><td>0.00</td><td>260</td><td>0</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5102.01	46.91	54.00	-7.09	30.39	34.29	12.45	30.22	0.00	260	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5102.01	46.91	54.00	-7.09	30.39	34.29	12.45	30.22	0.00	260	0	AVERAGE																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>98.56</td><td>-----</td><td>-----</td><td>81.49</td><td>34.40</td><td>12.81</td><td>30.14</td><td>0.00</td><td>260</td><td>0</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	98.56	-----	-----	81.49	34.40	12.81	30.14	0.00	260	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5310.00	98.56	-----	-----	81.49	34.40	12.81	30.14	0.00	260	0	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>89.86</td><td>-----</td><td>-----</td><td>72.79</td><td>34.40</td><td>12.81</td><td>30.14</td><td>0.00</td><td>260</td><td>0</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	89.86	-----	-----	72.79	34.40	12.81	30.14	0.00	260	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5310.00	89.86	-----	-----	72.79	34.40	12.81	30.14	0.00	260	0	AVERAGE																																											