











	17																																																				
Mode	Band Edge - R																																																				
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																				
ANT	1																																																				
Pol.	Vertical						Fundamental																																														
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5350.25</td><td>57.46</td><td>74.00</td><td>-16.54</td><td>40.26</td><td>34.40</td><td>12.92</td><td>30.12</td><td>0.00</td><td>260</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5350.25	57.46	74.00	-16.54	40.26	34.40	12.92	30.12	0.00	260	0 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5350.25	57.46	74.00	-16.54	40.26	34.40	12.92	30.12	0.00	260	0 PEAK																																										
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5350.05</td><td>47.83</td><td>54.00</td><td>-6.17</td><td>30.63</td><td>34.40</td><td>12.92</td><td>30.12</td><td>0.00</td><td>260</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5350.05	47.83	54.00	-6.17	30.63	34.40	12.92	30.12	0.00	260	0 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5350.05	47.83	54.00	-6.17	30.63	34.40	12.92	30.12	0.00	260	0 AVERAGE																																										



Mode	17																																																																																																																																																
	Harmonic																																																																																																																																																
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																																																																																																																
ANT	1																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																										
Peak Avg																																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7079.82</td><td>42.98</td><td>68.20</td><td>-25.22</td><td>57.20</td><td>35.72</td><td>14.52</td><td>64.46</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10620.00</td><td>44.21</td><td>74.00</td><td>-29.79</td><td>53.96</td><td>37.62</td><td>17.77</td><td>65.14</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>15930.00</td><td>45.62</td><td>74.00</td><td>-28.38</td><td>47.71</td><td>40.46</td><td>21.88</td><td>64.43</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7079.82	42.98	68.20	-25.22	57.20	35.72	14.52	64.46	0.00	--	PEAK	2	10620.00	44.21	74.00	-29.79	53.96	37.62	17.77	65.14	0.00	--	PEAK	3	15930.00	45.62	74.00	-28.38	47.71	40.46	21.88	64.43	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7079.82</td><td>52.25</td><td>68.20</td><td>-15.95</td><td>66.47</td><td>35.72</td><td>14.52</td><td>64.46</td><td>0.00</td><td>288</td><td>300 PEAK</td></tr><tr><td>2</td><td>10620.00</td><td>44.93</td><td>74.00</td><td>-29.07</td><td>54.68</td><td>37.62</td><td>17.77</td><td>65.14</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>15930.00</td><td>45.75</td><td>74.00</td><td>-28.25</td><td>47.84</td><td>40.46</td><td>21.88</td><td>64.43</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7079.82	52.25	68.20	-15.95	66.47	35.72	14.52	64.46	0.00	288	300 PEAK	2	10620.00	44.93	74.00	-29.07	54.68	37.62	17.77	65.14	0.00	--	PEAK	3	15930.00	45.75	74.00	-28.25	47.84	40.46	21.88	64.43	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																							
1	7079.82	42.98	68.20	-25.22	57.20	35.72	14.52	64.46	0.00	--	PEAK																																																																																																																																						
2	10620.00	44.21	74.00	-29.79	53.96	37.62	17.77	65.14	0.00	--	PEAK																																																																																																																																						
3	15930.00	45.62	74.00	-28.38	47.71	40.46	21.88	64.43	0.00	--	PEAK																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																							
1	7079.82	52.25	68.20	-15.95	66.47	35.72	14.52	64.46	0.00	288	300 PEAK																																																																																																																																						
2	10620.00	44.93	74.00	-29.07	54.68	37.62	17.77	65.14	0.00	--	PEAK																																																																																																																																						
3	15930.00	45.75	74.00	-28.25	47.84	40.46	21.88	64.43	0.00	--	PEAK																																																																																																																																						







	18																																																						
Mode	Band Edge - L																																																						
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																						
ANT	1																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5144.41</td><td>57.25</td><td>74.00</td><td>-16.75</td><td>40.84</td><td>34.12</td><td>12.50</td><td>30.21</td><td>0.00</td><td>100</td><td>305</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.41	57.25	74.00	-16.75	40.84	34.12	12.50	30.21	0.00	100	305
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5144.41	57.25	74.00	-16.75	40.84	34.12	12.50	30.21	0.00	100	305	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>85.12</td><td>-----</td><td>-----</td><td>68.08</td><td>34.40</td><td>12.78</td><td>30.14</td><td>0.00</td><td>100</td><td>305</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	85.12	-----	-----	68.08	34.40	12.78	30.14	0.00	100	305
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5290.00	85.12	-----	-----	68.08	34.40	12.78	30.14	0.00	100	305	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5101.69</td><td>47.16</td><td>54.00</td><td>-6.84</td><td>30.64</td><td>34.29</td><td>12.45</td><td>30.22</td><td>0.00</td><td>100</td><td>305</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5101.69	47.16	54.00	-6.84	30.64	34.29	12.45	30.22	0.00	100	305
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5101.69	47.16	54.00	-6.84	30.64	34.29	12.45	30.22	0.00	100	305	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>76.14</td><td>-----</td><td>-----</td><td>59.10</td><td>34.40</td><td>12.78</td><td>30.14</td><td>0.00</td><td>100</td><td>305</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	76.14	-----	-----	59.10	34.40	12.78	30.14	0.00	100	305
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5290.00	76.14	-----	-----	59.10	34.40	12.78	30.14	0.00	100	305	AVERAGE																																											





	18																																																							
Mode	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5378.25</td><td>55.92</td><td>74.00</td><td>-18.08</td><td>38.53</td><td>34.51</td><td>12.98</td><td>30.10</td><td>0.00</td><td>100</td><td>305</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	5378.25	55.92	74.00	-18.08	38.53	34.51	12.98	30.10	0.00	100	305	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																														
1	5378.25	55.92	74.00	-18.08	38.53	34.51	12.98	30.10	0.00	100	305	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5381.25</td><td>46.38</td><td>54.00</td><td>-7.62</td><td>28.96</td><td>34.53</td><td>12.99</td><td>30.10</td><td>0.00</td><td>100</td><td>305</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	5381.25	46.38	54.00	-7.62	28.96	34.53	12.99	30.10	0.00	100	305	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																														
1	5381.25	46.38	54.00	-7.62	28.96	34.53	12.99	30.10	0.00	100	305	AVERAGE																																												





	18																																																				
Mode	Band Edge - L																																																				
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																				
ANT	1																																																				
Pol.	Vertical						Fundamental																																														
Peak																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5110.65</td><td>57.98</td><td>74.00</td><td>-16.02</td><td>41.48</td><td>34.26</td><td>12.46</td><td>30.22</td><td>0.00</td><td>278</td><td>0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5110.65	57.98	74.00	-16.02	41.48	34.26	12.46	30.22	0.00	278
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5110.65	57.98	74.00	-16.02	41.48	34.26	12.46	30.22	0.00	278	0 PEAK																																										
Avg																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5110.97</td><td>47.29</td><td>54.00</td><td>-6.71</td><td>30.79</td><td>34.26</td><td>12.46</td><td>30.22</td><td>0.00</td><td>278</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5110.97	47.29	54.00	-6.71	30.79	34.26	12.46	30.22	0.00	278
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5110.97	47.29	54.00	-6.71	30.79	34.26	12.46	30.22	0.00	278	0 AVERAGE																																										
Peak																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>92.66</td><td>-----</td><td>-----</td><td>75.65</td><td>34.40</td><td>12.76</td><td>30.15</td><td>0.00</td><td>278</td><td>0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	92.66	-----	-----	75.65	34.40	12.76	30.15	0.00	278
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5290.00	92.66	-----	-----	75.65	34.40	12.76	30.15	0.00	278	0 PEAK																																										
Avg																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>84.97</td><td>-----</td><td>-----</td><td>67.93</td><td>34.40</td><td>12.78</td><td>30.14</td><td>0.00</td><td>278</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	84.97	-----	-----	67.93	34.40	12.78	30.14	0.00	278
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5290.00	84.97	-----	-----	67.93	34.40	12.78	30.14	0.00	278	0 AVERAGE																																										







	18																																																					
Mode	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																					
ANT	1																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5364.25</td><td>56.30</td><td>74.00</td><td>-17.70</td><td>39.00</td><td>34.46</td><td>12.95</td><td>30.11</td><td>0.00</td><td>278</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5364.25	56.30	74.00	-17.70	39.00	34.46	12.95	30.11	0.00	278	0 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5364.25	56.30	74.00	-17.70	39.00	34.46	12.95	30.11	0.00	278	0 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.65</td><td>47.53</td><td>54.00</td><td>-6.47</td><td>30.31</td><td>34.41</td><td>12.92</td><td>30.11</td><td>0.00</td><td>278</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.65	47.53	54.00	-6.47	30.31	34.41	12.92	30.11	0.00	278	0 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5352.65	47.53	54.00	-6.47	30.31	34.41	12.92	30.11	0.00	278	0 AVERAGE																																											







Mode	18																																																																											
	Harmonic																																																																											
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																											
ANT	1																																																																											
Pol.	Horizontal								Vertical																																																																			
Peak Avg																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>7053.16</td><td>44.51</td><td>68.20</td><td>-23.69</td><td>58.78</td><td>35.61</td><td>14.50</td><td>64.38</td><td>0.00 -- -- PEAK</td></tr><tr><td>2</td><td>10580.00</td><td>43.89</td><td>68.20</td><td>-24.31</td><td>53.74</td><td>37.60</td><td>17.74</td><td>65.19</td><td>0.00 -- -- PEAK</td></tr><tr><td>3</td><td>15870.00</td><td>45.65</td><td>74.00</td><td>-28.35</td><td>47.00</td><td>40.43</td><td>21.83</td><td>64.41</td><td>0.00 -- -- PEAK</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	7053.16	44.51	68.20	-23.69	58.78	35.61	14.50	64.38	0.00 -- -- PEAK	2	10580.00	43.89	68.20	-24.31	53.74	37.60	17.74	65.19	0.00 -- -- PEAK	3	15870.00	45.65	74.00	-28.35	47.00	40.43	21.83	64.41	0.00 -- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																				
1	7053.16	44.51	68.20	-23.69	58.78	35.61	14.50	64.38	0.00 -- -- PEAK																																																																			
2	10580.00	43.89	68.20	-24.31	53.74	37.60	17.74	65.19	0.00 -- -- PEAK																																																																			
3	15870.00	45.65	74.00	-28.35	47.00	40.43	21.83	64.41	0.00 -- -- PEAK																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>7053.16</td><td>53.14</td><td>68.20</td><td>-15.06</td><td>67.41</td><td>35.61</td><td>14.50</td><td>64.38</td><td>0.00 206 299 PEAK</td></tr><tr><td>2</td><td>10580.00</td><td>43.96</td><td>68.20</td><td>-24.24</td><td>53.81</td><td>37.60</td><td>17.74</td><td>65.19</td><td>0.00 -- -- PEAK</td></tr><tr><td>3</td><td>15870.00</td><td>45.93</td><td>74.00</td><td>-28.07</td><td>48.00</td><td>40.43</td><td>21.83</td><td>64.41</td><td>0.00 -- -- PEAK</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	7053.16	53.14	68.20	-15.06	67.41	35.61	14.50	64.38	0.00 206 299 PEAK	2	10580.00	43.96	68.20	-24.24	53.81	37.60	17.74	65.19	0.00 -- -- PEAK	3	15870.00	45.93	74.00	-28.07	48.00	40.43	21.83	64.41	0.00 -- -- PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																				
1	7053.16	53.14	68.20	-15.06	67.41	35.61	14.50	64.38	0.00 206 299 PEAK																																																																			
2	10580.00	43.96	68.20	-24.24	53.81	37.60	17.74	65.19	0.00 -- -- PEAK																																																																			
3	15870.00	45.93	74.00	-28.07	48.00	40.43	21.83	64.41	0.00 -- -- PEAK																																																																			





	19																																																																			
Mode	Band Edge																																																																			
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																			
ANT	1																																																																			
Pol.	Horizontal						Fundamental																																																													
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5395.05</td><td>56.16</td><td>74.00</td><td>-17.84</td><td>30.66</td><td>34.58</td><td>13.02</td><td>30.10</td><td>0.00</td><td>100</td><td>303</td><td>PEAK</td></tr><tr><td>2</td><td>5462.89</td><td>56.62</td><td>68.20</td><td>-11.58</td><td>39.05</td><td>34.57</td><td>13.07</td><td>30.07</td><td>0.00</td><td>100</td><td>303</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5395.05	56.16	74.00	-17.84	30.66	34.58	13.02	30.10	0.00	100	303	PEAK	2	5462.89	56.62	68.20	-11.58	39.05	34.57	13.07	30.07	0.00	100	303
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5395.05	56.16	74.00	-17.84	30.66	34.58	13.02	30.10	0.00	100	303	PEAK																																																								
2	5462.89	56.62	68.20	-11.58	39.05	34.57	13.07	30.07	0.00	100	303	PEAK																																																								
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5455.21</td><td>45.93</td><td>54.00</td><td>-8.07</td><td>28.35</td><td>34.59</td><td>13.06</td><td>30.07</td><td>0.00</td><td>100</td><td>303</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.21	45.93	54.00	-8.07	28.35	34.59	13.06	30.07	0.00	100	303	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5455.21	45.93	54.00	-8.07	28.35	34.59	13.06	30.07	0.00	100	303	AVERAGE																																																								
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>94.21</td><td>-----</td><td>-----</td><td>76.66</td><td>34.51</td><td>13.09</td><td>30.05</td><td>0.00</td><td>100</td><td>303</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	94.21	-----	-----	76.66	34.51	13.09	30.05	0.00	100	303	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	94.21	-----	-----	76.66	34.51	13.09	30.05	0.00	100	303	PEAK																																																								
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>85.71</td><td>-----</td><td>-----</td><td>68.16</td><td>34.51</td><td>13.09</td><td>30.05</td><td>0.00</td><td>100</td><td>303</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	85.71	-----	-----	68.16	34.51	13.09	30.05	0.00	100	303	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	85.71	-----	-----	68.16	34.51	13.09	30.05	0.00	100	303	AVERAGE																																																								





	19																																																																																																																											
Mode	Band Edge																																																																																																																											
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																											
ANT	1																																																																																																																											
Pol.	Vertical						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5441.29</td><td>56.55</td><td>74.00</td><td>-17.45</td><td>38.98</td><td>34.68</td><td>13.05</td><td>30.08</td><td>0.00</td><td>278</td><td>181</td><td>PEAK</td></tr><tr><td>2</td><td>5463.69</td><td>56.23</td><td>68.20</td><td>-11.97</td><td>38.66</td><td>34.57</td><td>13.07</td><td>30.07</td><td>0.00</td><td>278</td><td>181</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5441.29	56.55	74.00	-17.45	38.98	34.68	13.05	30.08	0.00	278	181	PEAK	2	5463.69	56.23	68.20	-11.97	38.66	34.57	13.07	30.07	0.00	278	181	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>106.21</td><td>-----</td><td>-----</td><td>88.66</td><td>34.52</td><td>13.08</td><td>30.05</td><td>0.00</td><td>278</td><td>181</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	106.21	-----	-----	88.66	34.52	13.08	30.05	0.00	278	181
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5441.29	56.55	74.00	-17.45	38.98	34.68	13.05	30.08	0.00	278	181	PEAK																																																																																																																
2	5463.69	56.23	68.20	-11.97	38.66	34.57	13.07	30.07	0.00	278	181	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5500.00	106.21	-----	-----	88.66	34.52	13.08	30.05	0.00	278	181	PEAK																																																																																																																
Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.85</td><td>46.43</td><td>54.00</td><td>-7.57</td><td>28.85</td><td>34.58</td><td>13.07</td><td>30.07</td><td>0.00</td><td>278</td><td>181</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.85	46.43	54.00	-7.57	28.85	34.58	13.07	30.07	0.00	278	181	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>98.22</td><td>-----</td><td>-----</td><td>88.67</td><td>34.51</td><td>13.09</td><td>30.05</td><td>0.00</td><td>278</td><td>181</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	98.22	-----	-----	88.67	34.51	13.09	30.05	0.00	278	181	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5459.85	46.43	54.00	-7.57	28.85	34.58	13.07	30.07	0.00	278	181	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5500.00	98.22	-----	-----	88.67	34.51	13.09	30.05	0.00	278	181	AVERAGE																																																																																																																



		19																																																																																																																																																					
Mode	Harmonic																																																																																																																																																						
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																																																						
ANT	1																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.33</td><td>46.61</td><td>74.00</td><td>-27.39</td><td>61.39</td><td>35.73</td><td>14.73</td><td>65.24</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>7333.33</td><td>42.47</td><td>54.00</td><td>-11.53</td><td>57.25</td><td>35.73</td><td>14.73</td><td>65.24</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr><tr><td>3</td><td>11000.00</td><td>45.04</td><td>74.00</td><td>-28.96</td><td>53.06</td><td>37.80</td><td>18.00</td><td>64.70</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7333.33	46.61	74.00	-27.39	61.39	35.73	14.73	65.24	0.00	300	0	PEAK	2	7333.33	42.47	54.00	-11.53	57.25	35.73	14.73	65.24	0.00	300	0	AVERAGE	3	11000.00	45.04	74.00	-28.96	53.06	37.80	18.00	64.70	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.33</td><td>51.47</td><td>74.00</td><td>-22.53</td><td>66.25</td><td>35.73</td><td>14.73</td><td>65.24</td><td>0.00</td><td>300</td><td>280</td><td>PEAK</td></tr><tr><td>2</td><td>7333.33</td><td>49.81</td><td>54.00</td><td>-4.19</td><td>64.59</td><td>35.73</td><td>14.73</td><td>65.24</td><td>0.00</td><td>300</td><td>280</td><td>AVERAGE</td></tr><tr><td>3</td><td>11000.00</td><td>45.82</td><td>74.00</td><td>-28.18</td><td>54.64</td><td>37.80</td><td>18.00</td><td>64.70</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7333.33	51.47	74.00	-22.53	66.25	35.73	14.73	65.24	0.00	300	280	PEAK	2	7333.33	49.81	54.00	-4.19	64.59	35.73	14.73	65.24	0.00	300	280	AVERAGE	3	11000.00	45.82	74.00	-28.18	54.64	37.80	18.00	64.70	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	7333.33	46.61	74.00	-27.39	61.39	35.73	14.73	65.24	0.00	300	0	PEAK																																																																																																																																											
2	7333.33	42.47	54.00	-11.53	57.25	35.73	14.73	65.24	0.00	300	0	AVERAGE																																																																																																																																											
3	11000.00	45.04	74.00	-28.96	53.06	37.80	18.00	64.70	0.00	--	--	PEAK																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	7333.33	51.47	74.00	-22.53	66.25	35.73	14.73	65.24	0.00	300	280	PEAK																																																																																																																																											
2	7333.33	49.81	54.00	-4.19	64.59	35.73	14.73	65.24	0.00	300	280	AVERAGE																																																																																																																																											
3	11000.00	45.82	74.00	-28.18	54.64	37.80	18.00	64.70	0.00	--	--	PEAK																																																																																																																																											






		20																																																																																																																																																																																	
Mode	Harmonic																																																																																																																																																																																		
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																																																																																																		
ANT	1																																																																																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																																																																																												
Peak Avg																																																																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7440.00</td><td>49.93</td><td>74.00</td><td>-24.07</td><td>64.78</td><td>35.80</td><td>14.92</td><td>65.57</td><td>0.00</td><td>383</td><td>42</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>47.45</td><td>54.00</td><td>-6.55</td><td>62.30</td><td>35.80</td><td>14.92</td><td>65.57</td><td>0.00</td><td>383</td><td>42</td><td>AVERAGE</td></tr><tr><td>3</td><td>11160.00</td><td>47.33</td><td>74.00</td><td>-26.67</td><td>55.68</td><td>37.96</td><td>18.20</td><td>64.51</td><td>0.00</td><td>383</td><td>42</td><td>PEAK</td></tr><tr><td>4</td><td>11160.00</td><td>36.66</td><td>54.00</td><td>-17.34</td><td>45.01</td><td>37.96</td><td>18.20</td><td>64.51</td><td>0.00</td><td>383</td><td>42</td><td>AVERAGE</td></tr></table> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7440.00</td><td>53.26</td><td>74.00</td><td>-20.74</td><td>68.11</td><td>35.80</td><td>14.92</td><td>65.57</td><td>0.00</td><td>301</td><td>287</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>51.87</td><td>54.00</td><td>-2.13</td><td>66.72</td><td>35.80</td><td>14.92</td><td>65.57</td><td>0.00</td><td>301</td><td>287</td><td>AVERAGE</td></tr><tr><td>3</td><td>11160.00</td><td>45.62</td><td>74.00</td><td>-28.38</td><td>53.97</td><td>37.96</td><td>18.20</td><td>64.51</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7440.00	49.93	74.00	-24.07	64.78	35.80	14.92	65.57	0.00	383	42	PEAK	2	7440.00	47.45	54.00	-6.55	62.30	35.80	14.92	65.57	0.00	383	42	AVERAGE	3	11160.00	47.33	74.00	-26.67	55.68	37.96	18.20	64.51	0.00	383	42	PEAK	4	11160.00	36.66	54.00	-17.34	45.01	37.96	18.20	64.51	0.00	383	42	AVERAGE		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7440.00	53.26	74.00	-20.74	68.11	35.80	14.92	65.57	0.00	301	287	PEAK	2	7440.00	51.87	54.00	-2.13	66.72	35.80	14.92	65.57	0.00	301	287	AVERAGE	3	11160.00	45.62	74.00	-28.38	53.97	37.96	18.20	64.51	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																								
1	7440.00	49.93	74.00	-24.07	64.78	35.80	14.92	65.57	0.00	383	42	PEAK																																																																																																																																																																							
2	7440.00	47.45	54.00	-6.55	62.30	35.80	14.92	65.57	0.00	383	42	AVERAGE																																																																																																																																																																							
3	11160.00	47.33	74.00	-26.67	55.68	37.96	18.20	64.51	0.00	383	42	PEAK																																																																																																																																																																							
4	11160.00	36.66	54.00	-17.34	45.01	37.96	18.20	64.51	0.00	383	42	AVERAGE																																																																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																								
1	7440.00	53.26	74.00	-20.74	68.11	35.80	14.92	65.57	0.00	301	287	PEAK																																																																																																																																																																							
2	7440.00	51.87	54.00	-2.13	66.72	35.80	14.92	65.57	0.00	301	287	AVERAGE																																																																																																																																																																							
3	11160.00	45.62	74.00	-28.38	53.97	37.96	18.20	64.51	0.00	--	--	PEAK																																																																																																																																																																							





		21																																																						
Mode	Band Edge																																																							
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5759.76</td><td>57.43</td><td>68.20</td><td>-10.77</td><td>38.79</td><td>34.72</td><td>14.12</td><td>30.20</td><td>0.00</td><td>278</td><td>75</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5759.76	57.43	68.20	-10.77	38.79	34.72	14.12	30.20	0.00	278	75	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5759.76	57.43	68.20	-10.77	38.79	34.72	14.12	30.20	0.00	278	75	PEAK																																												
Avg	Blank						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>88.60</td><td>-----</td><td>-----</td><td>70.36</td><td>34.60</td><td>13.73</td><td>30.09</td><td>0.00</td><td>278</td><td>75</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	88.60	-----	-----	70.36	34.60	13.73	30.09	0.00	278	75	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5700.00	88.60	-----	-----	70.36	34.60	13.73	30.09	0.00	278	75	AVERAGE																																												







		21																																																						
Mode	Band Edge																																																							
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.04</td><td>60.28</td><td>68.28</td><td>-7.92</td><td>41.86</td><td>34.65</td><td>13.91</td><td>30.14</td><td>0.00</td><td>301</td><td>113</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.04	60.28	68.28	-7.92	41.86	34.65	13.91	30.14	0.00	301	113
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5725.04	60.28	68.28	-7.92	41.86	34.65	13.91	30.14	0.00	301	113	PEAK																																												
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>105.81</td><td>-----</td><td>-----</td><td>87.57</td><td>34.60</td><td>13.73</td><td>30.09</td><td>0.00</td><td>301</td><td>113</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	105.81	-----	-----	87.57	34.60	13.73	30.09	0.00	301	113
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5700.00	105.81	-----	-----	87.57	34.60	13.73	30.09	0.00	301	113	PEAK																																												
Avg	Blank																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>97.48</td><td>-----</td><td>-----</td><td>79.24</td><td>34.60</td><td>13.73</td><td>30.09</td><td>0.00</td><td>301</td><td>113</td><td>AVERAGE</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	97.48	-----	-----	79.24	34.60	13.73	30.09	0.00	301	113
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5700.00	97.48	-----	-----	79.24	34.60	13.73	30.09	0.00	301	113	AVERAGE																																												







		21																																																																																																																																																																		
Mode	Harmonic																																																																																																																																																																			
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																																																																			
ANT	1																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																													
Peak Avg																																																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7598.10</td><td>42.56</td><td>74.00</td><td>-31.44</td><td>58.01</td><td>35.70</td><td>14.76</td><td>65.91</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>46.17</td><td>74.00</td><td>-27.83</td><td>53.90</td><td>38.00</td><td>18.50</td><td>64.23</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>11400.00</td><td>36.29</td><td>54.00</td><td>-17.71</td><td>44.00</td><td>38.00</td><td>18.51</td><td>64.22</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7598.10	42.56	74.00	-31.44	58.01	35.70	14.76	65.91	0.00	--	--	PEAK	2	11400.00	46.17	74.00	-27.83	53.90	38.00	18.50	64.23	0.00	100	0	PEAK	3	11400.00	36.29	54.00	-17.71	44.00	38.00	18.51	64.22	0.00	100	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7598.10</td><td>52.69</td><td>74.00</td><td>-21.31</td><td>68.14</td><td>35.70</td><td>14.76</td><td>65.91</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>7598.10</td><td>50.83</td><td>54.00</td><td>-3.17</td><td>66.28</td><td>35.70</td><td>14.76</td><td>65.91</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr><tr><td>3</td><td>11400.00</td><td>46.04</td><td>74.00</td><td>-27.96</td><td>53.77</td><td>38.00</td><td>18.50</td><td>64.23</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>4</td><td>11400.00</td><td>36.49</td><td>54.00</td><td>-17.51</td><td>44.20</td><td>38.00</td><td>18.51</td><td>64.22</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7598.10	52.69	74.00	-21.31	68.14	35.70	14.76	65.91	0.00	300	0	PEAK	2	7598.10	50.83	54.00	-3.17	66.28	35.70	14.76	65.91	0.00	300	0	AVERAGE	3	11400.00	46.04	74.00	-27.96	53.77	38.00	18.50	64.23	0.00	300	0	PEAK	4	11400.00	36.49	54.00	-17.51	44.20	38.00	18.51	64.22	0.00	300	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	7598.10	42.56	74.00	-31.44	58.01	35.70	14.76	65.91	0.00	--	--	PEAK																																																																																																																																																								
2	11400.00	46.17	74.00	-27.83	53.90	38.00	18.50	64.23	0.00	100	0	PEAK																																																																																																																																																								
3	11400.00	36.29	54.00	-17.71	44.00	38.00	18.51	64.22	0.00	100	0	AVERAGE																																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	7598.10	52.69	74.00	-21.31	68.14	35.70	14.76	65.91	0.00	300	0	PEAK																																																																																																																																																								
2	7598.10	50.83	54.00	-3.17	66.28	35.70	14.76	65.91	0.00	300	0	AVERAGE																																																																																																																																																								
3	11400.00	46.04	74.00	-27.96	53.77	38.00	18.50	64.23	0.00	300	0	PEAK																																																																																																																																																								
4	11400.00	36.49	54.00	-17.51	44.20	38.00	18.51	64.22	0.00	300	0	AVERAGE																																																																																																																																																								





	22																																																																																																			
Mode	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_5500MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal	Fundamental																																																																																																		
Peak	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5436.01</td><td>56.42</td><td>74.00</td><td>-17.58</td><td>30.05</td><td>34.60</td><td>13.05</td><td>30.08</td><td>0.00</td><td>265</td><td>321 PEAK</td></tr><tr><td>2</td><td>5467.53</td><td>55.58</td><td>68.20</td><td>-12.62</td><td>30.01</td><td>34.56</td><td>13.07</td><td>30.06</td><td>0.00</td><td>265</td><td>321 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5436.01	56.42	74.00	-17.58	30.05	34.60	13.05	30.08	0.00	265	321 PEAK	2	5467.53	55.58	68.20	-12.62	30.01	34.56	13.07	30.06	0.00	265	321 PEAK	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>97.12</td><td>-----</td><td>-----</td><td>79.57</td><td>34.51</td><td>13.09</td><td>30.05</td><td>0.00</td><td>265</td><td>321 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	97.12	-----	-----	79.57	34.51	13.09	30.05	0.00	265	321 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5436.01	56.42	74.00	-17.58	30.05	34.60	13.05	30.08	0.00	265	321 PEAK																																																																																									
2	5467.53	55.58	68.20	-12.62	30.01	34.56	13.07	30.06	0.00	265	321 PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5500.00	97.12	-----	-----	79.57	34.51	13.09	30.05	0.00	265	321 PEAK																																																																																									
Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5453.61</td><td>45.89</td><td>54.00</td><td>-8.11</td><td>28.31</td><td>34.59</td><td>13.06</td><td>30.07</td><td>0.00</td><td>265</td><td>321 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.61	45.89	54.00	-8.11	28.31	34.59	13.06	30.07	0.00	265	321 AVERAGE	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>87.88</td><td>-----</td><td>-----</td><td>70.33</td><td>34.51</td><td>13.09</td><td>30.05</td><td>0.00</td><td>265</td><td>321 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	87.88	-----	-----	70.33	34.51	13.09	30.05	0.00	265	321 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5453.61	45.89	54.00	-8.11	28.31	34.59	13.06	30.07	0.00	265	321 AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5500.00	87.88	-----	-----	70.33	34.51	13.09	30.05	0.00	265	321 AVERAGE																																																																																									





	22																																																																																																																												
Mode	Band Edge																																																																																																																												
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_5500MHz																																																																																																																												
ANT	1																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																						
Peak	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5398.25</td><td>56.07</td><td>74.00</td><td>-17.93</td><td>38.60</td><td>34.56</td><td>13.01</td><td>30.10</td><td>0.00</td><td>274</td><td>180</td><td>PEAK</td></tr><tr><td>2</td><td>5469.61</td><td>57.46</td><td>68.20</td><td>-10.74</td><td>39.89</td><td>34.56</td><td>13.07</td><td>30.06</td><td>0.00</td><td>274</td><td>180</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5398.25	56.07	74.00	-17.93	38.60	34.56	13.01	30.10	0.00	274	180	PEAK	2	5469.61	57.46	68.20	-10.74	39.89	34.56	13.07	30.06	0.00	274	180	PEAK	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>105.94</td><td>-----</td><td>-----</td><td>88.39</td><td>34.51</td><td>13.09</td><td>30.05</td><td>0.00</td><td>274</td><td>180</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	105.94	-----	-----	88.39	34.51	13.09	30.05	0.00	274	180	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5398.25	56.07	74.00	-17.93	38.60	34.56	13.01	30.10	0.00	274	180	PEAK																																																																																																																	
2	5469.61	57.46	68.20	-10.74	39.89	34.56	13.07	30.06	0.00	274	180	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5500.00	105.94	-----	-----	88.39	34.51	13.09	30.05	0.00	274	180	PEAK																																																																																																																	
Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5449.13</td><td>46.38</td><td>54.00</td><td>-7.62</td><td>28.79</td><td>34.60</td><td>13.06</td><td>30.07</td><td>0.00</td><td>274</td><td>180</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5449.13	46.38	54.00	-7.62	28.79	34.60	13.06	30.07	0.00	274	180	AVERAGE	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>97.87</td><td>-----</td><td>-----</td><td>80.32</td><td>34.51</td><td>13.09</td><td>30.05</td><td>0.00</td><td>274</td><td>180</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	97.87	-----	-----	80.32	34.51	13.09	30.05	0.00	274	180	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5449.13	46.38	54.00	-7.62	28.79	34.60	13.06	30.07	0.00	274	180	AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5500.00	97.87	-----	-----	80.32	34.51	13.09	30.05	0.00	274	180	AVERAGE																																																																																																																	






		22																																																																																																																								
Mode	Harmonic																																																																																																																									
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_5500MHz																																																																																																																									
ANT	1																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7333.33	41.46	74.00	-32.54	56.24	35.73	14.73	65.24	0.00	--	PEAK	2	11000.00	45.19	74.00	-28.81	54.01	37.80	18.00	64.70	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.33</td><td>51.85</td><td>74.00</td><td>-22.15</td><td>66.63</td><td>35.73</td><td>14.73</td><td>65.24</td><td>0.00</td><td>300</td><td>280 PEAK</td></tr><tr><td>2</td><td>7333.33</td><td>49.87</td><td>54.00</td><td>-4.13</td><td>64.65</td><td>35.73</td><td>14.73</td><td>65.24</td><td>0.00</td><td>300</td><td>280 AVERAGE</td></tr><tr><td>3</td><td>11000.00</td><td>44.95</td><td>74.00</td><td>-29.05</td><td>53.77</td><td>37.80</td><td>18.00</td><td>64.70</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7333.33	51.85	74.00	-22.15	66.63	35.73	14.73	65.24	0.00	300	280 PEAK	2	7333.33	49.87	54.00	-4.13	64.65	35.73	14.73	65.24	0.00	300	280 AVERAGE	3	11000.00	44.95	74.00	-29.05	53.77	37.80	18.00	64.70	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	7333.33	41.46	74.00	-32.54	56.24	35.73	14.73	65.24	0.00	--	PEAK																																																																																																															
2	11000.00	45.19	74.00	-28.81	54.01	37.80	18.00	64.70	0.00	--	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	7333.33	51.85	74.00	-22.15	66.63	35.73	14.73	65.24	0.00	300	280 PEAK																																																																																																															
2	7333.33	49.87	54.00	-4.13	64.65	35.73	14.73	65.24	0.00	300	280 AVERAGE																																																																																																															
3	11000.00	44.95	74.00	-29.05	53.77	37.80	18.00	64.70	0.00	--	PEAK																																																																																																															






		23																																																																																																																																																																																
Mode	Harmonic																																																																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH116_5580MHz																																																																																																																																																																																	
ANT	1																																																																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																																																																											
Peak Avg																																																																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7440.00</td><td>50.30</td><td>74.00</td><td>-23.70</td><td>65.15</td><td>35.00</td><td>14.92</td><td>65.57</td><td>0.00</td><td>400</td><td>50</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>48.13</td><td>54.00</td><td>-5.87</td><td>62.98</td><td>35.00</td><td>14.92</td><td>65.57</td><td>0.00</td><td>400</td><td>50</td><td>AVERAGE</td></tr><tr><td>3</td><td>11160.00</td><td>46.60</td><td>74.00</td><td>-27.40</td><td>54.95</td><td>37.96</td><td>18.20</td><td>64.51</td><td>0.00</td><td>400</td><td>50</td><td>PEAK</td></tr><tr><td>4</td><td>11160.00</td><td>38.67</td><td>54.00</td><td>-15.33</td><td>47.02</td><td>37.96</td><td>18.20</td><td>64.51</td><td>0.00</td><td>400</td><td>50</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7440.00	50.30	74.00	-23.70	65.15	35.00	14.92	65.57	0.00	400	50	PEAK	2	7440.00	48.13	54.00	-5.87	62.98	35.00	14.92	65.57	0.00	400	50	AVERAGE	3	11160.00	46.60	74.00	-27.40	54.95	37.96	18.20	64.51	0.00	400	50	PEAK	4	11160.00	38.67	54.00	-15.33	47.02	37.96	18.20	64.51	0.00	400	50	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7440.00</td><td>51.88</td><td>74.00</td><td>-22.12</td><td>66.73</td><td>35.00</td><td>14.92</td><td>65.57</td><td>0.00</td><td>300</td><td>129</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>50.10</td><td>54.00</td><td>-3.90</td><td>64.95</td><td>35.00</td><td>14.92</td><td>65.57</td><td>0.00</td><td>300</td><td>129</td><td>AVERAGE</td></tr><tr><td>3</td><td>11160.00</td><td>47.25</td><td>74.00</td><td>-26.75</td><td>55.60</td><td>37.96</td><td>18.20</td><td>64.51</td><td>0.00</td><td>300</td><td>129</td><td>PEAK</td></tr><tr><td>4</td><td>11160.00</td><td>39.94</td><td>54.00</td><td>-14.06</td><td>48.29</td><td>37.96</td><td>18.20</td><td>64.51</td><td>0.00</td><td>300</td><td>129</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7440.00	51.88	74.00	-22.12	66.73	35.00	14.92	65.57	0.00	300	129	PEAK	2	7440.00	50.10	54.00	-3.90	64.95	35.00	14.92	65.57	0.00	300	129	AVERAGE	3	11160.00	47.25	74.00	-26.75	55.60	37.96	18.20	64.51	0.00	300	129	PEAK	4	11160.00	39.94	54.00	-14.06	48.29	37.96	18.20	64.51	0.00	300	129	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																									
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																							
1	7440.00	50.30	74.00	-23.70	65.15	35.00	14.92	65.57	0.00	400	50	PEAK																																																																																																																																																																						
2	7440.00	48.13	54.00	-5.87	62.98	35.00	14.92	65.57	0.00	400	50	AVERAGE																																																																																																																																																																						
3	11160.00	46.60	74.00	-27.40	54.95	37.96	18.20	64.51	0.00	400	50	PEAK																																																																																																																																																																						
4	11160.00	38.67	54.00	-15.33	47.02	37.96	18.20	64.51	0.00	400	50	AVERAGE																																																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	7440.00	51.88	74.00	-22.12	66.73	35.00	14.92	65.57	0.00	300	129	PEAK																																																																																																																																																																						
2	7440.00	50.10	54.00	-3.90	64.95	35.00	14.92	65.57	0.00	300	129	AVERAGE																																																																																																																																																																						
3	11160.00	47.25	74.00	-26.75	55.60	37.96	18.20	64.51	0.00	300	129	PEAK																																																																																																																																																																						
4	11160.00	39.94	54.00	-14.06	48.29	37.96	18.20	64.51	0.00	300	129	AVERAGE																																																																																																																																																																						



	24																																																																																							
Mode	Band Edge																																																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																																							
ANT	1																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a signal peaking around 5746.72 MHz. A red line indicates the limit at 65.0 dBuV/m. A blue line indicates the read level at 57.67 dBuV/m. A table below the plot shows the test results. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5746.72</td><td>57.67</td><td>68.20</td><td>-10.53</td><td>39.11</td><td>34.69</td><td>14.05</td><td>30.18</td><td>0.00</td><td>271</td><td>77 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5746.72	57.67	68.20	-10.53	39.11	34.69	14.05	30.18	0.00	271	77 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a signal peaking around 5700.00 MHz. A red line indicates the limit at 65.0 dBuV/m. A blue line indicates the read level at 97.07 dBuV/m. A table below the plot shows the test results. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>97.07</td><td>-----</td><td>-----</td><td>78.83</td><td>34.60</td><td>13.73</td><td>30.09</td><td>0.00</td><td>271</td><td>77 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	97.07	-----	-----	78.83	34.60	13.73	30.09	0.00	271	77 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5746.72	57.67	68.20	-10.53	39.11	34.69	14.05	30.18	0.00	271	77 PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5700.00	97.07	-----	-----	78.83	34.60	13.73	30.09	0.00	271	77 PEAK																																																																													
Avg	Blank	 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a signal peaking around 5700.00 MHz. A red line indicates the limit at 65.0 dBuV/m. A blue line indicates the read level at 88.96 dBuV/m. A table below the plot shows the test results. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>88.96</td><td>-----</td><td>-----</td><td>70.72</td><td>34.60</td><td>13.73</td><td>30.09</td><td>0.00</td><td>271</td><td>77 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	88.96	-----	-----	70.72	34.60	13.73	30.09	0.00	271	77 AVERAGE																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5700.00	88.96	-----	-----	70.72	34.60	13.73	30.09	0.00	271	77 AVERAGE																																																																													



	24																																																																																							
Mode	Band Edge																																																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																																							
ANT	1																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a signal peaking around 5700 MHz. A red line indicates the limit at 65.0 dBuV/m. A blue line indicates the peak at 112 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.60</td><td>59.92</td><td>68.20</td><td>-8.28</td><td>41.49</td><td>34.65</td><td>13.92</td><td>30.14</td><td>0.00</td><td>300</td><td>112 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.60	59.92	68.20	-8.28	41.49	34.65	13.92	30.14	0.00	300	112 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a signal peaking around 5700 MHz. A red line indicates the limit at 65.0 dBuV/m. A blue line indicates the peak at 112 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>105.39</td><td>-----</td><td>-----</td><td>87.12</td><td>34.60</td><td>13.77</td><td>30.10</td><td>0.00</td><td>300</td><td>112 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	105.39	-----	-----	87.12	34.60	13.77	30.10	0.00	300	112 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5725.60	59.92	68.20	-8.28	41.49	34.65	13.92	30.14	0.00	300	112 PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5700.00	105.39	-----	-----	87.12	34.60	13.77	30.10	0.00	300	112 PEAK																																																																													
Avg	Blank	 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a signal peaking around 5700 MHz. A red line indicates the limit at 65.0 dBuV/m. A blue line indicates the average at 112 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>97.19</td><td>-----</td><td>-----</td><td>78.95</td><td>34.60</td><td>13.73</td><td>30.09</td><td>0.00</td><td>300</td><td>112 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	97.19	-----	-----	78.95	34.60	13.73	30.09	0.00	300	112 AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5700.00	97.19	-----	-----	78.95	34.60	13.73	30.09	0.00	300	112 AVERAGE																																																																													

24

Mode

Harmonic

U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz

ANT

1

Pol.

Horizontal

Vertical

Peak

Avg

Level (dBuV/m)

U-NII-1-U-NII-2A-U-NII-2C

U-NII-1-U-NII-2A-U-NII-2C(AVG)

Frequency (MHz)

	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1 7598.10	43.33	74.00	-30.67	58.78	35.70	14.76	65.91	0.00	--	--	PEAK
2 11400.00	45.86	74.00	-28.14	53.59	38.00	18.50	64.23	0.00	--	--	PEAK

Level (dBuV/m)





U-NII-1-U-NII-2A-U-NII-2C

U-NII-1-U-NII-2A-U-NII-2C(AVG)


Frequency (MHz)

	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1 7598.10	52.59	74.00	-21.41	68.04	35.70	14.76	65.91	0.00	300	0	PEAK
2 7598.10	50.92	54.00	-3.08	66.37	35.70	14.76	65.91	0.00	300	0	AVERAGE
3 11400.00	52.16	74.00	-21.84	59.89	38.00	18.50	64.23	0.00	335	233	PEAK
4 11400.00	40.74	54.00	-13.26	48.47	38.00	18.50	64.23	0.00	335	233	AVERAGE







	25																																																																	
Mode	Band Edge - L																																																																	
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																	
ANT	1																																																																	
Pol.	Horizontal						Fundamental																																																											
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.01</td><td>56.04</td><td>74.00</td><td>-17.96</td><td>38.46</td><td>34.59</td><td>13.06</td><td>30.07</td><td>0.00</td><td>234</td><td>322 PEAK</td></tr><tr><td>2</td><td>5463.05</td><td>57.73</td><td>68.20</td><td>-10.47</td><td>40.16</td><td>34.57</td><td>13.07</td><td>30.07</td><td>0.00</td><td>234</td><td>322 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.01	56.04	74.00	-17.96	38.46	34.59	13.06	30.07	0.00	234	322 PEAK	2	5463.05	57.73	68.20	-10.47	40.16	34.57	13.07	30.07	0.00	234
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5456.01	56.04	74.00	-17.96	38.46	34.59	13.06	30.07	0.00	234	322 PEAK																																																							
2	5463.05	57.73	68.20	-10.47	40.16	34.57	13.07	30.07	0.00	234	322 PEAK																																																							
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.68</td><td>46.43</td><td>54.00</td><td>-7.57</td><td>28.85</td><td>34.58</td><td>13.07</td><td>30.07</td><td>0.00</td><td>234</td><td>322 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.68	46.43	54.00	-7.57	28.85	34.58	13.07	30.07	0.00	234	322 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5459.68	46.43	54.00	-7.57	28.85	34.58	13.07	30.07	0.00	234	322 AVERAGE																																																							
																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>92.09</td><td>-----</td><td>-----</td><td>74.54</td><td>34.50</td><td>13.10</td><td>30.05</td><td>0.00</td><td>234</td><td>322 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	92.09	-----	-----	74.54	34.50	13.10	30.05	0.00	234	322 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5510.00	92.09	-----	-----	74.54	34.50	13.10	30.05	0.00	234	322 PEAK																																																							
																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>83.03</td><td>-----</td><td>-----</td><td>65.49</td><td>34.50</td><td>13.09</td><td>30.05</td><td>0.00</td><td>234</td><td>322 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	83.03	-----	-----	65.49	34.50	13.09	30.05	0.00	234	322 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5510.00	83.03	-----	-----	65.49	34.50	13.09	30.05	0.00	234	322 AVERAGE																																																							




Mode	25																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																						
ANT	1																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5752.88</td><td>57.34</td><td>68.20</td><td>-10.86</td><td>38.74</td><td>34.71</td><td>14.08</td><td>30.19</td><td>0.00</td><td>234</td><td>322</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5752.88	57.34	68.20	-10.86	38.74	34.71	14.08	30.19	0.00	234	322	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5752.88	57.34	68.20	-10.86	38.74	34.71	14.08	30.19	0.00	234	322	PEAK																																											






	25																																																																																																																								
Mode	Band Edge - L																																																																																																																								
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																																																																								
ANT	1																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																		
Peak																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.89</td><td>57.61</td><td>74.00</td><td>-16.39</td><td>40.02</td><td>34.60</td><td>13.06</td><td>30.07</td><td>0.00</td><td>300</td><td>176 PEAK</td></tr><tr><td>2</td><td>5465.61</td><td>61.57</td><td>68.20</td><td>-6.63</td><td>44.00</td><td>34.57</td><td>13.07</td><td>30.07</td><td>0.00</td><td>300</td><td>176 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.89	57.61	74.00	-16.39	40.02	34.60	13.06	30.07	0.00	300	176 PEAK	2	5465.61	61.57	68.20	-6.63	44.00	34.57	13.07	30.07	0.00	300	176 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>100.12</td><td>-----</td><td>-----</td><td>82.58</td><td>34.50</td><td>13.09</td><td>30.05</td><td>0.00</td><td>300</td><td>176 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	100.12	-----	-----	82.58	34.50	13.09	30.05	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5458.89	57.61	74.00	-16.39	40.02	34.60	13.06	30.07	0.00	300	176 PEAK																																																																																																														
2	5465.61	61.57	68.20	-6.63	44.00	34.57	13.07	30.07	0.00	300	176 PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5510.00	100.12	-----	-----	82.58	34.50	13.09	30.05	0.00	300	176 PEAK																																																																																																														
Avg																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5460.00</td><td>47.95</td><td>54.00</td><td>-6.05</td><td>30.37</td><td>34.58</td><td>13.07</td><td>30.07</td><td>0.00</td><td>300</td><td>176 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	47.95	54.00	-6.05	30.37	34.58	13.07	30.07	0.00	300	176 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>92.22</td><td>-----</td><td>-----</td><td>74.67</td><td>34.50</td><td>13.10</td><td>30.05</td><td>0.00</td><td>300</td><td>176 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	92.22	-----	-----	74.67	34.50	13.10	30.05	0.00	300	176 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5460.00	47.95	54.00	-6.05	30.37	34.58	13.07	30.07	0.00	300	176 AVERAGE																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5510.00	92.22	-----	-----	74.67	34.50	13.10	30.05	0.00	300	176 AVERAGE																																																																																																														







Mode	25																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																					
ANT	1																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.20</td><td>57.57</td><td>68.20</td><td>-10.63</td><td>39.13</td><td>34.65</td><td>13.93</td><td>30.14</td><td>0.00</td><td>300</td><td>176</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.20	57.57	68.20	-10.63	39.13	34.65	13.93	30.14	0.00	300	176	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5727.20	57.57	68.20	-10.63	39.13	34.65	13.93	30.14	0.00	300	176	PEAK																																										




		25																																																																																																																																								
Mode	Harmonic																																																																																																																																									
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																			
Peak Avg																																																																																																																																										
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7346.67</td><td>42.40</td><td>74.00</td><td>-31.60</td><td>57.23</td><td>35.71</td><td>14.74</td><td>65.28</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11020.00</td><td>45.33</td><td>74.00</td><td>-28.67</td><td>54.08</td><td>37.82</td><td>18.10</td><td>64.67</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7346.67	42.40	74.00	-31.60	57.23	35.71	14.74	65.28	0.00	--	--	PEAK	2	11020.00	45.33	74.00	-28.67	54.08	37.82	18.10	64.67	0.00	--	--	PEAK	<table><thead><tr><th></th><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7346.67</td><td>51.62</td><td>74.00</td><td>-22.38</td><td>66.45</td><td>35.71</td><td>14.74</td><td>65.28</td><td>0.00</td><td>288</td><td>292</td><td>PEAK</td></tr><tr><td>2</td><td>7346.67</td><td>49.65</td><td>54.00</td><td>-4.35</td><td>64.48</td><td>35.71</td><td>14.74</td><td>65.28</td><td>0.00</td><td>288</td><td>292</td><td>AVERAGE</td></tr><tr><td>3</td><td>11020.00</td><td>46.69</td><td>74.00</td><td>-27.31</td><td>55.44</td><td>37.82</td><td>18.10</td><td>64.67</td><td>0.00</td><td>288</td><td>292</td><td>PEAK</td></tr><tr><td>4</td><td>11020.00</td><td>37.46</td><td>54.00</td><td>-16.54</td><td>46.21</td><td>37.82</td><td>18.10</td><td>64.67</td><td>0.00</td><td>288</td><td>292</td><td>AVERAGE</td></tr></tbody></table>								Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7346.67	51.62	74.00	-22.38	66.45	35.71	14.74	65.28	0.00	288	292	PEAK	2	7346.67	49.65	54.00	-4.35	64.48	35.71	14.74	65.28	0.00	288	292	AVERAGE	3	11020.00	46.69	74.00	-27.31	55.44	37.82	18.10	64.67	0.00	288	292	PEAK	4	11020.00	37.46	54.00	-16.54	46.21	37.82	18.10	64.67	0.00	288	292
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	7346.67	42.40	74.00	-31.60	57.23	35.71	14.74	65.28	0.00	--	--	PEAK																																																																																																																														
2	11020.00	45.33	74.00	-28.67	54.08	37.82	18.10	64.67	0.00	--	--	PEAK																																																																																																																														
	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	7346.67	51.62	74.00	-22.38	66.45	35.71	14.74	65.28	0.00	288	292	PEAK																																																																																																																														
2	7346.67	49.65	54.00	-4.35	64.48	35.71	14.74	65.28	0.00	288	292	AVERAGE																																																																																																																														
3	11020.00	46.69	74.00	-27.31	55.44	37.82	18.10	64.67	0.00	288	292	PEAK																																																																																																																														
4	11020.00	37.46	54.00	-16.54	46.21	37.82	18.10	64.67	0.00	288	292	AVERAGE																																																																																																																														









	27																																																																		
Mode	Band Edge - L																																																																		
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																		
ANT	1																																																																		
Pol.	Horizontal						Fundamental																																																												
Peak																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5369.45</td><td>56.52</td><td>74.00</td><td>-17.48</td><td>39.19</td><td>34.48</td><td>12.96</td><td>30.11</td><td>0.00</td><td>282</td><td>65 PEAK</td></tr><tr><td>2</td><td>5464.65</td><td>56.23</td><td>68.20</td><td>-11.97</td><td>38.66</td><td>34.57</td><td>13.07</td><td>30.07</td><td>0.00</td><td>282</td><td>65 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5369.45	56.52	74.00	-17.48	39.19	34.48	12.96	30.11	0.00	282	65 PEAK	2	5464.65	56.23	68.20	-11.97	38.66	34.57	13.07	30.07	0.00	282
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5369.45	56.52	74.00	-17.48	39.19	34.48	12.96	30.11	0.00	282	65 PEAK																																																								
2	5464.65	56.23	68.20	-11.97	38.66	34.57	13.07	30.07	0.00	282	65 PEAK																																																								
Avg																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5448.49</td><td>46.71</td><td>54.00</td><td>-7.29</td><td>29.12</td><td>34.60</td><td>13.06</td><td>30.07</td><td>0.00</td><td>282</td><td>65 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.49	46.71	54.00	-7.29	29.12	34.60	13.06	30.07	0.00	282	65 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5448.49	46.71	54.00	-7.29	29.12	34.60	13.06	30.07	0.00	282	65 AVERAGE																																																								
Peak																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>82.90</td><td>-----</td><td>-----</td><td>65.35</td><td>34.50</td><td>13.10</td><td>30.05</td><td>0.00</td><td>282</td><td>65 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	82.90	-----	-----	65.35	34.50	13.10	30.05	0.00	282	65 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5530.00	82.90	-----	-----	65.35	34.50	13.10	30.05	0.00	282	65 PEAK																																																								
Avg																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>74.00</td><td>-----</td><td>-----</td><td>56.44</td><td>34.50</td><td>13.10</td><td>30.04</td><td>0.00</td><td>282</td><td>65 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	74.00	-----	-----	56.44	34.50	13.10	30.04	0.00	282	65 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5530.00	74.00	-----	-----	56.44	34.50	13.10	30.04	0.00	282	65 AVERAGE																																																								




Mode	27																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																					
ANT	1																																					
Pol.	Horizontal	Fundamental																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5737.20</td><td>56.89</td><td>68.20</td><td>-11.31</td><td>38.39</td><td>34.67</td><td>13.99</td><td>30.16</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5737.20	56.89	68.20	-11.31	38.39	34.67	13.99	30.16	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5737.20	56.89	68.20	-11.31	38.39	34.67	13.99	30.16																														





	27																																																																
Mode	Band Edge - L																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																
ANT	1																																																																
Pol.	Vertical						Fundamental																																																										
Peak																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5449.93</td><td>56.71</td><td>74.00</td><td>-17.29</td><td>39.12</td><td>34.60</td><td>13.06</td><td>30.07</td><td>0.00</td><td>300 0 PEAK</td></tr><tr><td>2</td><td>5462.41</td><td>56.47</td><td>68.20</td><td>-11.73</td><td>38.89</td><td>34.58</td><td>13.07</td><td>30.07</td><td>0.00</td><td>300 0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5449.93	56.71	74.00	-17.29	39.12	34.60	13.06	30.07	0.00	300 0 PEAK	2	5462.41	56.47	68.20	-11.73	38.89	34.58	13.07	30.07	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5449.93	56.71	74.00	-17.29	39.12	34.60	13.06	30.07	0.00	300 0 PEAK																																																							
2	5462.41	56.47	68.20	-11.73	38.89	34.58	13.07	30.07	0.00	300 0 PEAK																																																							
Avg																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.41</td><td>47.81</td><td>54.00</td><td>-6.19</td><td>30.23</td><td>34.58</td><td>13.07</td><td>30.07</td><td>0.00</td><td>300 0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.41	47.81	54.00	-6.19	30.23	34.58	13.07	30.07	0.00	300 0 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5458.41	47.81	54.00	-6.19	30.23	34.58	13.07	30.07	0.00	300 0 AVERAGE																																																							
Peak																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>92.39</td><td>-----</td><td>-----</td><td>74.00</td><td>34.50</td><td>13.12</td><td>30.03</td><td>0.00</td><td>300 0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	92.39	-----	-----	74.00	34.50	13.12	30.03	0.00	300 0 PEAK										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5530.00	92.39	-----	-----	74.00	34.50	13.12	30.03	0.00	300 0 PEAK																																																							
Avg																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>83.69</td><td>-----</td><td>-----</td><td>66.12</td><td>34.50</td><td>13.11</td><td>30.04</td><td>0.00</td><td>300 0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	83.69	-----	-----	66.12	34.50	13.11	30.04	0.00	300 0 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5530.00	83.69	-----	-----	66.12	34.50	13.11	30.04	0.00	300 0 AVERAGE																																																							







Mode	27																																																															
	Band Edge - R																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																															
ANT	1																																																															
Pol.	Vertical					Fundamental																																																										
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5726.64</td><td>57.35</td><td>68.20</td><td>-10.85</td><td>38.92</td><td>34.65</td><td>13.92</td><td>30.14</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>300</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5726.64	57.35	68.20	-10.85	38.92	34.65	13.92	30.14								0.00	300									0 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																								
1	5726.64	57.35	68.20	-10.85	38.92	34.65	13.92	30.14																																																								
							0.00	300																																																								
								0 PEAK																																																								



	27																																																																																																																																			
Mode	Harmonic																																																																																																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																													
Peak Avg																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7373.33</td><td>43.19</td><td>74.00</td><td>-30.81</td><td>58.24</td><td>35.75</td><td>14.56</td><td>65.36</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11060.00</td><td>45.69</td><td>74.00</td><td>-28.31</td><td>54.26</td><td>37.86</td><td>18.20</td><td>64.63</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7373.33	43.19	74.00	-30.81	58.24	35.75	14.56	65.36	0.00	--	PEAK	2	11060.00	45.69	74.00	-28.31	54.26	37.86	18.20	64.63	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7373.33</td><td>52.16</td><td>74.00</td><td>-21.84</td><td>67.21</td><td>35.75</td><td>14.56</td><td>65.36</td><td>0.00</td><td>285</td><td>181 PEAK</td></tr><tr><td>2</td><td>7373.33</td><td>49.44</td><td>54.00</td><td>-4.56</td><td>64.49</td><td>35.75</td><td>14.56</td><td>65.36</td><td>0.00</td><td>285</td><td>181 AVERAGE</td></tr><tr><td>3</td><td>11060.00</td><td>46.03</td><td>74.00</td><td>-27.97</td><td>54.60</td><td>37.86</td><td>18.20</td><td>64.63</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7373.33	52.16	74.00	-21.84	67.21	35.75	14.56	65.36	0.00	285	181 PEAK	2	7373.33	49.44	54.00	-4.56	64.49	35.75	14.56	65.36	0.00	285	181 AVERAGE	3	11060.00	46.03	74.00	-27.97	54.60	37.86	18.20	64.63	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	7373.33	43.19	74.00	-30.81	58.24	35.75	14.56	65.36	0.00	--	PEAK																																																																																																																									
2	11060.00	45.69	74.00	-28.31	54.26	37.86	18.20	64.63	0.00	--	PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	7373.33	52.16	74.00	-21.84	67.21	35.75	14.56	65.36	0.00	285	181 PEAK																																																																																																																									
2	7373.33	49.44	54.00	-4.56	64.49	35.75	14.56	65.36	0.00	285	181 AVERAGE																																																																																																																									
3	11060.00	46.03	74.00	-27.97	54.60	37.86	18.20	64.63	0.00	--	PEAK																																																																																																																									







	28																																																																																																						
Mode	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5436.97</td><td>56.43</td><td>74.00</td><td>-17.57</td><td>30.06</td><td>34.60</td><td>13.05</td><td>30.08</td><td>0.00</td><td>114</td><td>261</td><td>PEAK</td></tr><tr><td>2</td><td>5462.09</td><td>55.87</td><td>68.20</td><td>-12.33</td><td>38.29</td><td>34.58</td><td>13.07</td><td>30.07</td><td>0.00</td><td>114</td><td>261</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5436.97	56.43	74.00	-17.57	30.06	34.60	13.05	30.08	0.00	114	261	PEAK	2	5462.09	55.87	68.20	-12.33	38.29	34.58	13.07	30.07	0.00	114	261	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>89.58</td><td>-----</td><td>-----</td><td>71.00</td><td>34.53</td><td>13.25</td><td>30.00</td><td>0.00</td><td>114</td><td>261</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	89.58	-----	-----	71.00	34.53	13.25	30.00	0.00	114	261	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5436.97	56.43	74.00	-17.57	30.06	34.60	13.05	30.08	0.00	114	261	PEAK																																																																																											
2	5462.09	55.87	68.20	-12.33	38.29	34.58	13.07	30.07	0.00	114	261	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5610.00	89.58	-----	-----	71.00	34.53	13.25	30.00	0.00	114	261	PEAK																																																																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.57</td><td>46.79</td><td>54.00</td><td>-7.21</td><td>29.21</td><td>34.59</td><td>13.06</td><td>30.07</td><td>0.00</td><td>114</td><td>261</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.57	46.79	54.00	-7.21	29.21	34.59	13.06	30.07	0.00	114	261	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>82.06</td><td>-----</td><td>-----</td><td>64.32</td><td>34.52</td><td>13.22</td><td>30.00</td><td>0.00</td><td>114</td><td>261</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	82.06	-----	-----	64.32	34.52	13.22	30.00	0.00	114	261	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5454.57	46.79	54.00	-7.21	29.21	34.59	13.06	30.07	0.00	114	261	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5610.00	82.06	-----	-----	64.32	34.52	13.22	30.00	0.00	114	261	AVERAGE																																																																																											



Mode	28																																																			
	Band Edge - R																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																			
ANT	1																																																			
Pol.	Horizontal						Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5754.64</td><td>57.72</td><td>68.20</td><td>-10.48</td><td>39.11</td><td>34.71</td><td>14.09</td><td>30.19</td><td>0.00</td><td>114</td><td>261 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5754.64	57.72	68.20	-10.48	39.11	34.71	14.09	30.19	0.00	114	261 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5754.64	57.72	68.20	-10.48	39.11	34.71	14.09	30.19	0.00	114	261 PEAK																																									





	28																																																																																																						
Mode	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Vertical	Fundamental																																																																																																					
Peak	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5446.41</td><td>56.00</td><td>74.00</td><td>-18.00</td><td>38.41</td><td>34.60</td><td>13.06</td><td>30.07</td><td>0.00</td><td>278</td><td>168</td><td>PEAK</td></tr><tr><td>2</td><td>5461.93</td><td>55.53</td><td>68.20</td><td>-12.67</td><td>37.95</td><td>34.58</td><td>13.07</td><td>30.07</td><td>0.00</td><td>278</td><td>168</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5446.41	56.00	74.00	-18.00	38.41	34.60	13.06	30.07	0.00	278	168	PEAK	2	5461.93	55.53	68.20	-12.67	37.95	34.58	13.07	30.07	0.00	278	168	PEAK	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>100.05</td><td>-----</td><td>-----</td><td>82.31</td><td>34.52</td><td>13.22</td><td>30.00</td><td>0.00</td><td>278</td><td>168</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	100.05	-----	-----	82.31	34.52	13.22	30.00	0.00	278	168	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5446.41	56.00	74.00	-18.00	38.41	34.60	13.06	30.07	0.00	278	168	PEAK																																																																																											
2	5461.93	55.53	68.20	-12.67	37.95	34.58	13.07	30.07	0.00	278	168	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5610.00	100.05	-----	-----	82.31	34.52	13.22	30.00	0.00	278	168	PEAK																																																																																											
Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5437.77</td><td>46.66</td><td>54.00</td><td>-7.34</td><td>29.09</td><td>34.60</td><td>13.05</td><td>30.08</td><td>0.00</td><td>278</td><td>168</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5437.77	46.66	54.00	-7.34	29.09	34.60	13.05	30.08	0.00	278	168	AVERAGE	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>92.26</td><td>-----</td><td>-----</td><td>74.52</td><td>34.52</td><td>13.22</td><td>30.00</td><td>0.00</td><td>278</td><td>168</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	92.26	-----	-----	74.52	34.52	13.22	30.00	0.00	278	168	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5437.77	46.66	54.00	-7.34	29.09	34.60	13.05	30.08	0.00	278	168	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5610.00	92.26	-----	-----	74.52	34.52	13.22	30.00	0.00	278	168	AVERAGE																																																																																											







Mode	28																																																				
	Band Edge - R																																																				
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																				
ANT	1																																																				
Pol.	Vertical					Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5744.16</td><td>57.46</td><td>68.20</td><td>-10.74</td><td>38.91</td><td>34.69</td><td>14.03</td><td>30.17</td><td>0.00</td><td>278</td><td>168</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5744.16	57.46	68.20	-10.74	38.91	34.69	14.03	30.17	0.00	278	168	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5744.16	57.46	68.20	-10.74	38.91	34.69	14.03	30.17	0.00	278	168	PEAK																																									




	28																																																																																																																																				
Mode	Harmonic																																																																																																																																				
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																																																				
ANT	1																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																														
Peak Avg																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7400.00</td><td>42.60</td><td>74.00</td><td>-31.40</td><td>57.09</td><td>35.74</td><td>14.66</td><td>65.69</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11220.00</td><td>45.99</td><td>74.00</td><td>-28.01</td><td>54.11</td><td>37.98</td><td>18.34</td><td>64.44</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7400.00	42.60	74.00	-31.40	57.09	35.74	14.66	65.69	0.00	--	PEAK	2	11220.00	45.99	74.00	-28.01	54.11	37.98	18.34	64.44	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7400.00</td><td>52.47</td><td>74.00</td><td>-21.53</td><td>67.76</td><td>35.74</td><td>14.66</td><td>65.69</td><td>0.00</td><td>300</td><td>100 PEAK</td></tr><tr><td>2</td><td>7400.00</td><td>50.73</td><td>54.00</td><td>-3.27</td><td>66.02</td><td>35.74</td><td>14.66</td><td>65.69</td><td>0.00</td><td>300</td><td>100 AVERAGE</td></tr><tr><td>3</td><td>11220.00</td><td>46.98</td><td>74.00</td><td>-27.02</td><td>55.10</td><td>37.98</td><td>18.34</td><td>64.44</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7400.00	52.47	74.00	-21.53	67.76	35.74	14.66	65.69	0.00	300	100 PEAK	2	7400.00	50.73	54.00	-3.27	66.02	35.74	14.66	65.69	0.00	300	100 AVERAGE	3	11220.00	46.98	74.00	-27.02	55.10	37.98	18.34	64.44	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	7400.00	42.60	74.00	-31.40	57.09	35.74	14.66	65.69	0.00	--	PEAK																																																																																																																										
2	11220.00	45.99	74.00	-28.01	54.11	37.98	18.34	64.44	0.00	--	PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	7400.00	52.47	74.00	-21.53	67.76	35.74	14.66	65.69	0.00	300	100 PEAK																																																																																																																										
2	7400.00	50.73	54.00	-3.27	66.02	35.74	14.66	65.69	0.00	300	100 AVERAGE																																																																																																																										
3	11220.00	46.98	74.00	-27.02	55.10	37.98	18.34	64.44	0.00	--	PEAK																																																																																																																										







	29																																																																																																																									
Mode	Band Edge - L																																																																																																																									
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH134_5670MHz																																																																																																																									
ANT	1																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																			
Peak																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5448.01</td><td>55.87</td><td>74.00</td><td>-18.13</td><td>38.28</td><td>34.60</td><td>13.06</td><td>30.07</td><td>0.00</td><td>100</td><td>261 PEAK</td></tr><tr><td>2</td><td>5467.05</td><td>55.81</td><td>68.20</td><td>-12.39</td><td>38.24</td><td>34.57</td><td>13.07</td><td>30.07</td><td>0.00</td><td>100</td><td>261 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.01	55.87	74.00	-18.13	38.28	34.60	13.06	30.07	0.00	100	261 PEAK	2	5467.05	55.81	68.20	-12.39	38.24	34.57	13.07	30.07	0.00	100	261 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>86.52</td><td>-----</td><td>-----</td><td>68.43</td><td>34.60</td><td>13.51</td><td>30.02</td><td>0.00</td><td>100</td><td>261 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5670.00	86.52	-----	-----	68.43	34.60	13.51	30.02	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5448.01	55.87	74.00	-18.13	38.28	34.60	13.06	30.07	0.00	100	261 PEAK																																																																																																															
2	5467.05	55.81	68.20	-12.39	38.24	34.57	13.07	30.07	0.00	100	261 PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	5670.00	86.52	-----	-----	68.43	34.60	13.51	30.02	0.00	100	261 PEAK																																																																																																															
Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5452.81</td><td>46.69</td><td>54.00</td><td>-7.31</td><td>29.11</td><td>34.59</td><td>13.06</td><td>30.07</td><td>0.00</td><td>100</td><td>261 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.81	46.69	54.00	-7.31	29.11	34.59	13.06	30.07	0.00	100	261 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>77.82</td><td>-----</td><td>-----</td><td>59.73</td><td>34.60</td><td>13.51</td><td>30.02</td><td>0.00</td><td>100</td><td>261 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5670.00	77.82	-----	-----	59.73	34.60	13.51	30.02	0.00	100	261 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5452.81	46.69	54.00	-7.31	29.11	34.59	13.06	30.07	0.00	100	261 AVERAGE																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	5670.00	77.82	-----	-----	59.73	34.60	13.51	30.02	0.00	100	261 AVERAGE																																																																																																															




Mode	29																																											
	Band Edge - R																																											
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH134_5670MHz																																											
ANT	1																																											
Pol.	Horizontal	Fundamental																																										
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5740.64</td><td>57.85</td><td>68.20</td><td>-10.35</td><td>39.33</td><td>34.68</td><td>14.01</td><td>30.17</td><td>0.00</td><td>100</td><td>261 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5740.64	57.85	68.20	-10.35	39.33	34.68	14.01	30.17	0.00	100	261 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5740.64	57.85	68.20	-10.35	39.33	34.68	14.01	30.17	0.00	100	261 PEAK																																	






	29																																																																																																																																		
Mode	Band Edge - L																																																																																																																																		
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH134_5670MHz																																																																																																																																		
ANT	1																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5375.53</td><td>56.13</td><td>74.00</td><td>-17.87</td><td>38.76</td><td>34.58</td><td>12.97</td><td>30.10</td><td>0.00</td><td>273</td><td>167 PEAK</td></tr><tr><td>2</td><td>5464.33</td><td>55.86</td><td>68.20</td><td>-12.34</td><td>38.29</td><td>34.57</td><td>13.07</td><td>30.07</td><td>0.00</td><td>273</td><td>167 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5375.53	56.13	74.00	-17.87	38.76	34.58	12.97	30.10	0.00	273	167 PEAK	2	5464.33	55.86	68.20	-12.34	38.29	34.57	13.07	30.07	0.00	273	167 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5670.00</td><td>95.86</td><td>-----</td><td>-----</td><td>77.73</td><td>34.60</td><td>13.58</td><td>30.05</td><td>0.00</td><td>273</td><td>167 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5670.00	95.86	-----	-----	77.73	34.60	13.58	30.05	0.00	273
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	5375.53	56.13	74.00	-17.87	38.76	34.58	12.97	30.10	0.00	273	167 PEAK																																																																																																																								
2	5464.33	55.86	68.20	-12.34	38.29	34.57	13.07	30.07	0.00	273	167 PEAK																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	5670.00	95.86	-----	-----	77.73	34.60	13.58	30.05	0.00	273	167 PEAK																																																																																																																								
Avg																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5453.45</td><td>46.64</td><td>54.00</td><td>-7.36</td><td>29.06</td><td>34.59</td><td>13.06</td><td>30.07</td><td>0.00</td><td>273</td><td>167 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5453.45	46.64	54.00	-7.36	29.06	34.59	13.06	30.07	0.00	273	167 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5670.00</td><td>87.32</td><td>-----</td><td>-----</td><td>69.18</td><td>34.60</td><td>13.58</td><td>30.04</td><td>0.00</td><td>273</td><td>167 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5670.00	87.32	-----	-----	69.18	34.60	13.58	30.04	0.00	273	167 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	5453.45	46.64	54.00	-7.36	29.06	34.59	13.06	30.07	0.00	273	167 AVERAGE																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	5670.00	87.32	-----	-----	69.18	34.60	13.58	30.04	0.00	273	167 AVERAGE																																																																																																																								



Mode	29																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH134_5670MHz																																																					
ANT	1																																																					
Pol.	Vertical					Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.28</td><td>61.62</td><td>68.20</td><td>-6.58</td><td>43.07</td><td>34.69</td><td>14.04</td><td>30.18</td><td>0.00</td><td>273</td><td>167</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.28	61.62	68.20	-6.58	43.07	34.69	14.04	30.18	0.00	273	167	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5745.28	61.62	68.20	-6.58	43.07	34.69	14.04	30.18	0.00	273	167	PEAK																																										






		29																																																																																																																																		
Mode	Harmonic																																																																																																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH134_5670MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Horizontal					Vertical																																																																																																																														
Peak Avg																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7560.00</td><td>42.56</td><td>74.00</td><td>-31.44</td><td>57.90</td><td>35.78</td><td>14.73</td><td>65.85</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11340.00</td><td>45.97</td><td>74.00</td><td>-28.03</td><td>53.88</td><td>37.94</td><td>18.45</td><td>64.30</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7560.00	42.56	74.00	-31.44	57.90	35.78	14.73	65.85	0.00	--	PEAK	2	11340.00	45.97	74.00	-28.03	53.88	37.94	18.45	64.30	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7560.00</td><td>53.21</td><td>74.00</td><td>-20.79</td><td>68.55</td><td>35.78</td><td>14.73</td><td>65.85</td><td>0.00</td><td>298</td><td>101 PEAK</td></tr><tr><td>2</td><td>7560.00</td><td>52.20</td><td>54.00</td><td>-1.80</td><td>67.54</td><td>35.78</td><td>14.73</td><td>65.85</td><td>0.00</td><td>298</td><td>101 AVERAGE</td></tr><tr><td>3</td><td>11340.00</td><td>46.28</td><td>74.00</td><td>-27.72</td><td>54.19</td><td>37.94</td><td>18.45</td><td>64.30</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7560.00	53.21	74.00	-20.79	68.55	35.78	14.73	65.85	0.00	298	101 PEAK	2	7560.00	52.20	54.00	-1.80	67.54	35.78	14.73	65.85	0.00	298	101 AVERAGE	3	11340.00	46.28	74.00	-27.72	54.19	37.94	18.45	64.30	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	7560.00	42.56	74.00	-31.44	57.90	35.78	14.73	65.85	0.00	--	PEAK																																																																																																																									
2	11340.00	45.97	74.00	-28.03	53.88	37.94	18.45	64.30	0.00	--	PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	7560.00	53.21	74.00	-20.79	68.55	35.78	14.73	65.85	0.00	298	101 PEAK																																																																																																																									
2	7560.00	52.20	54.00	-1.80	67.54	35.78	14.73	65.85	0.00	298	101 AVERAGE																																																																																																																									
3	11340.00	46.28	74.00	-27.72	54.19	37.94	18.45	64.30	0.00	--	PEAK																																																																																																																									





	30																																																																																																																																																																			
Mode	Harmonic																																																																																																																																																																			
	U-NII-2C_5.47-5.725_802.11a_CH144_5720MHz																																																																																																																																																																			
ANT	1																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																													
Peak Avg																																																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7626.65</td><td>58.17</td><td>74.00</td><td>-23.83</td><td>65.48</td><td>35.86</td><td>14.79</td><td>65.96</td><td>0.00</td><td>300</td><td>143</td><td>PEAK</td></tr><tr><td>2</td><td>7626.65</td><td>47.74</td><td>54.00</td><td>-6.26</td><td>63.05</td><td>35.86</td><td>14.79</td><td>65.96</td><td>0.00</td><td>300</td><td>143</td><td>AVERAGE</td></tr><tr><td>3</td><td>11440.00</td><td>46.61</td><td>74.00</td><td>-27.39</td><td>54.25</td><td>38.00</td><td>18.54</td><td>64.18</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.65	58.17	74.00	-23.83	65.48	35.86	14.79	65.96	0.00	300	143	PEAK	2	7626.65	47.74	54.00	-6.26	63.05	35.86	14.79	65.96	0.00	300	143	AVERAGE	3	11440.00	46.61	74.00	-27.39	54.25	38.00	18.54	64.18	0.00	--	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7626.65</td><td>54.68</td><td>74.00</td><td>-19.32</td><td>69.99</td><td>35.86</td><td>14.79</td><td>65.96</td><td>0.00</td><td>294</td><td>194</td><td>PEAK</td></tr><tr><td>2</td><td>7626.65</td><td>52.98</td><td>54.00</td><td>-1.02</td><td>68.29</td><td>35.86</td><td>14.79</td><td>65.96</td><td>0.00</td><td>294</td><td>194</td><td>AVERAGE</td></tr><tr><td>3</td><td>11440.00</td><td>55.07</td><td>74.00</td><td>-18.93</td><td>62.71</td><td>38.00</td><td>18.54</td><td>64.18</td><td>0.00</td><td>340</td><td>54</td><td>PEAK</td></tr><tr><td>4</td><td>11440.00</td><td>44.97</td><td>54.00</td><td>-9.03</td><td>52.61</td><td>38.00</td><td>18.54</td><td>64.18</td><td>0.00</td><td>340</td><td>54</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.65	54.68	74.00	-19.32	69.99	35.86	14.79	65.96	0.00	294	194	PEAK	2	7626.65	52.98	54.00	-1.02	68.29	35.86	14.79	65.96	0.00	294	194	AVERAGE	3	11440.00	55.07	74.00	-18.93	62.71	38.00	18.54	64.18	0.00	340	54	PEAK	4	11440.00	44.97	54.00	-9.03	52.61	38.00	18.54	64.18	0.00	340	54
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	7626.65	58.17	74.00	-23.83	65.48	35.86	14.79	65.96	0.00	300	143	PEAK																																																																																																																																																								
2	7626.65	47.74	54.00	-6.26	63.05	35.86	14.79	65.96	0.00	300	143	AVERAGE																																																																																																																																																								
3	11440.00	46.61	74.00	-27.39	54.25	38.00	18.54	64.18	0.00	--	--	PEAK																																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	7626.65	54.68	74.00	-19.32	69.99	35.86	14.79	65.96	0.00	294	194	PEAK																																																																																																																																																								
2	7626.65	52.98	54.00	-1.02	68.29	35.86	14.79	65.96	0.00	294	194	AVERAGE																																																																																																																																																								
3	11440.00	55.07	74.00	-18.93	62.71	38.00	18.54	64.18	0.00	340	54	PEAK																																																																																																																																																								
4	11440.00	44.97	54.00	-9.03	52.61	38.00	18.54	64.18	0.00	340	54	AVERAGE																																																																																																																																																								



	31																																																																																																																																									
Mode	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5625.60</td><td>56.77</td><td>68.20</td><td>-11.43</td><td>38.91</td><td>34.55</td><td>13.31</td><td>30.00</td><td>0.00</td><td>299</td><td>80</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>55.02</td><td>68.50</td><td>-13.48</td><td>36.97</td><td>34.60</td><td>13.46</td><td>30.01</td><td>0.00</td><td>299</td><td>80</td><td>PEAK</td></tr><tr><td>3</td><td>5700.40</td><td>54.27</td><td>105.41</td><td>-51.14</td><td>36.01</td><td>34.60</td><td>13.76</td><td>30.10</td><td>0.00</td><td>299</td><td>80</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>54.88</td><td>110.90</td><td>-56.02</td><td>36.49</td><td>34.64</td><td>13.88</td><td>30.13</td><td>0.00</td><td>299</td><td>80</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5625.60	56.77	68.20	-11.43	38.91	34.55	13.31	30.00	0.00	299	80	PEAK	2	5650.40	55.02	68.50	-13.48	36.97	34.60	13.46	30.01	0.00	299	80	PEAK	3	5700.40	54.27	105.41	-51.14	36.01	34.60	13.76	30.10	0.00	299	80	PEAK	4	5720.00	54.88	110.90	-56.02	36.49	34.64	13.88	30.13	0.00	299	80	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>97.09</td><td>-----</td><td>-----</td><td>78.54</td><td>34.69</td><td>14.04</td><td>30.18</td><td>0.00</td><td>299</td><td>80</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	97.09	-----	-----	78.54	34.69	14.04	30.18	0.00	299	80
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5625.60	56.77	68.20	-11.43	38.91	34.55	13.31	30.00	0.00	299	80	PEAK																																																																																																																														
2	5650.40	55.02	68.50	-13.48	36.97	34.60	13.46	30.01	0.00	299	80	PEAK																																																																																																																														
3	5700.40	54.27	105.41	-51.14	36.01	34.60	13.76	30.10	0.00	299	80	PEAK																																																																																																																														
4	5720.00	54.88	110.90	-56.02	36.49	34.64	13.88	30.13	0.00	299	80	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5745.00	97.09	-----	-----	78.54	34.69	14.04	30.18	0.00	299	80	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>89.22</td><td>-----</td><td>-----</td><td>70.67</td><td>34.69</td><td>14.04</td><td>30.18</td><td>0.00</td><td>299</td><td>80</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	89.22	-----	-----	70.67	34.69	14.04	30.18	0.00	299	80	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5745.00	89.22	-----	-----	70.67	34.69	14.04	30.18	0.00	299	80	AVERAGE																																																																																																																														



Mode	31																																																																																																																																
	Band Edge																																																																																																																																
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																
ANT	1																																																																																																																																
Pol.	Vertical	Fundamental																																																																																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5632.80</td><td>57.41</td><td>68.20</td><td>-10.79</td><td>39.48</td><td>34.57</td><td>13.35</td><td>29.99</td><td>0.00</td><td>328</td><td>113</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>54.37</td><td>68.20</td><td>-13.83</td><td>36.33</td><td>34.60</td><td>13.45</td><td>30.01</td><td>0.00</td><td>328</td><td>113</td><td>PEAK</td></tr><tr><td>3</td><td>5701.20</td><td>56.76</td><td>105.64</td><td>-48.88</td><td>38.49</td><td>34.60</td><td>13.77</td><td>30.10</td><td>0.00</td><td>328</td><td>113</td><td>PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>61.74</td><td>112.72</td><td>-50.98</td><td>43.34</td><td>34.64</td><td>13.89</td><td>30.13</td><td>0.00</td><td>328</td><td>113</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5632.80	57.41	68.20	-10.79	39.48	34.57	13.35	29.99	0.00	328	113	PEAK	2	5650.00	54.37	68.20	-13.83	36.33	34.60	13.45	30.01	0.00	328	113	PEAK	3	5701.20	56.76	105.64	-48.88	38.49	34.60	13.77	30.10	0.00	328	113	PEAK	4	5720.80	61.74	112.72	-50.98	43.34	34.64	13.89	30.13	0.00	328	113	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>102.88</td><td>-----</td><td>-----</td><td>84.29</td><td>34.70</td><td>14.00</td><td>30.19</td><td>0.00</td><td>328</td><td>113</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	102.88	-----	-----	84.29	34.70	14.00	30.19	0.00	328	113	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5632.80	57.41	68.20	-10.79	39.48	34.57	13.35	29.99	0.00	328	113	PEAK																																																																																																																					
2	5650.00	54.37	68.20	-13.83	36.33	34.60	13.45	30.01	0.00	328	113	PEAK																																																																																																																					
3	5701.20	56.76	105.64	-48.88	38.49	34.60	13.77	30.10	0.00	328	113	PEAK																																																																																																																					
4	5720.80	61.74	112.72	-50.98	43.34	34.64	13.89	30.13	0.00	328	113	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5745.00	102.88	-----	-----	84.29	34.70	14.00	30.19	0.00	328	113	PEAK																																																																																																																					
Avg	Blank	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>96.40</td><td>-----</td><td>-----</td><td>77.85</td><td>34.69</td><td>14.04</td><td>30.18</td><td>0.00</td><td>328</td><td>113</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	96.40	-----	-----	77.85	34.69	14.04	30.18	0.00	328	113	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5745.00	96.40	-----	-----	77.85	34.69	14.04	30.18	0.00	328	113	AVERAGE																																																																																																																					