








	31																																																																																																																																																																																
Mode	Harmonic																																																																																																																																																																																
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																																																																
ANT	1																																																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																																																										
Peak Avg																																																																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7660.00</td><td>47.56</td><td>74.00</td><td>-26.44</td><td>65.33</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>300</td><td>154</td><td>Peak</td></tr><tr><td>2</td><td>11490.00</td><td>44.91</td><td>74.00</td><td>-29.09</td><td>56.71</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>17234.40</td><td>48.58</td><td>68.20</td><td>-19.62</td><td>51.68</td><td>41.03</td><td>20.16</td><td>64.29</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7660.00	47.56	74.00	-26.44	65.33	36.02	13.07	66.86	0.00	300	154	Peak	2	11490.00	44.91	74.00	-29.09	56.71	38.18	16.36	66.34	0.00	--	--	PEAK	3	17234.40	48.58	68.20	-19.62	51.68	41.03	20.16	64.29	0.00	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.98</td><td>53.68</td><td>74.00</td><td>-20.32</td><td>71.45</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>321</td><td>204</td><td>PEAK</td></tr><tr><td>2</td><td>7659.98</td><td>52.24</td><td>54.00</td><td>-1.76</td><td>70.01</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>321</td><td>204</td><td>AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>51.92</td><td>74.00</td><td>-22.08</td><td>63.72</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>300</td><td>60</td><td>PEAK</td></tr><tr><td>4</td><td>11490.00</td><td>41.59</td><td>54.00</td><td>-12.41</td><td>53.39</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>300</td><td>60</td><td>AVERAGE</td></tr><tr><td>5</td><td>17232.93</td><td>52.05</td><td>68.20</td><td>-16.15</td><td>55.15</td><td>41.03</td><td>20.16</td><td>64.29</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7659.98	53.68	74.00	-20.32	71.45	36.02	13.07	66.86	0.00	321	204	PEAK	2	7659.98	52.24	54.00	-1.76	70.01	36.02	13.07	66.86	0.00	321	204	AVERAGE	3	11490.00	51.92	74.00	-22.08	63.72	38.18	16.36	66.34	0.00	300	60	PEAK	4	11490.00	41.59	54.00	-12.41	53.39	38.18	16.36	66.34	0.00	300	60	AVERAGE	5	17232.93	52.05	68.20	-16.15	55.15	41.03	20.16	64.29	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																							
1	7660.00	47.56	74.00	-26.44	65.33	36.02	13.07	66.86	0.00	300	154	Peak																																																																																																																																																																					
2	11490.00	44.91	74.00	-29.09	56.71	38.18	16.36	66.34	0.00	--	--	PEAK																																																																																																																																																																					
3	17234.40	48.58	68.20	-19.62	51.68	41.03	20.16	64.29	0.00	--	--	Peak																																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																							
1	7659.98	53.68	74.00	-20.32	71.45	36.02	13.07	66.86	0.00	321	204	PEAK																																																																																																																																																																					
2	7659.98	52.24	54.00	-1.76	70.01	36.02	13.07	66.86	0.00	321	204	AVERAGE																																																																																																																																																																					
3	11490.00	51.92	74.00	-22.08	63.72	38.18	16.36	66.34	0.00	300	60	PEAK																																																																																																																																																																					
4	11490.00	41.59	54.00	-12.41	53.39	38.18	16.36	66.34	0.00	300	60	AVERAGE																																																																																																																																																																					
5	17232.93	52.05	68.20	-16.15	55.15	41.03	20.16	64.29	0.00	--	--	Peak																																																																																																																																																																					



		32																																																																																																																																				
Mode	Harmonic																																																																																																																																					
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																					
ANT	1																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																															
Peak Avg																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7713.31</td><td>42.68</td><td>74.00</td><td>-31.32</td><td>60.32</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>44.41</td><td>74.00</td><td>-29.59</td><td>56.13</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7713.31	42.68	74.00	-31.32	60.32	36.13	13.12	66.89	0.00	--	PEAK	2	11570.00	44.41	74.00	-29.59	56.13	38.20	16.41	66.33	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7713.31</td><td>54.53</td><td>74.00</td><td>-19.47</td><td>72.17</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>300</td><td>283 PEAK</td></tr><tr><td>2</td><td>7713.31</td><td>53.11</td><td>54.00</td><td>-0.89</td><td>70.75</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>300</td><td>283 AVERAGE</td></tr><tr><td>3</td><td>11570.00</td><td>46.86</td><td>74.00</td><td>-27.14</td><td>58.58</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7713.31	54.53	74.00	-19.47	72.17	36.13	13.12	66.89	0.00	300	283 PEAK	2	7713.31	53.11	54.00	-0.89	70.75	36.13	13.12	66.89	0.00	300	283 AVERAGE	3	11570.00	46.86	74.00	-27.14	58.58	38.20	16.41	66.33	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	7713.31	42.68	74.00	-31.32	60.32	36.13	13.12	66.89	0.00	--	PEAK																																																																																																																											
2	11570.00	44.41	74.00	-29.59	56.13	38.20	16.41	66.33	0.00	--	PEAK																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	7713.31	54.53	74.00	-19.47	72.17	36.13	13.12	66.89	0.00	300	283 PEAK																																																																																																																											
2	7713.31	53.11	54.00	-0.89	70.75	36.13	13.12	66.89	0.00	300	283 AVERAGE																																																																																																																											
3	11570.00	46.86	74.00	-27.14	58.58	38.20	16.41	66.33	0.00	--	PEAK																																																																																																																											







	33																																																																																																																																
Mode	Band Edge																																																																																																																																
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																
ANT	1																																																																																																																																
Pol.	Horizontal	Fundamental																																																																																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>55.01</td><td>111.36</td><td>-56.35</td><td>36.40</td><td>34.83</td><td>14.15</td><td>30.37</td><td>0.00</td><td>267</td><td>78</td><td>PEAK</td></tr><tr><td>2</td><td>5871.20</td><td>57.24</td><td>106.36</td><td>-49.12</td><td>38.61</td><td>34.93</td><td>14.08</td><td>30.38</td><td>0.00</td><td>267</td><td>78</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>55.25</td><td>68.35</td><td>-13.10</td><td>36.70</td><td>35.10</td><td>13.86</td><td>30.41</td><td>0.00</td><td>267</td><td>78</td><td>PEAK</td></tr><tr><td>4</td><td>5943.60</td><td>56.81</td><td>68.20</td><td>-11.39</td><td>38.34</td><td>35.10</td><td>13.78</td><td>30.41</td><td>0.00</td><td>267</td><td>78</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	55.01	111.36	-56.35	36.40	34.83	14.15	30.37	0.00	267	78	PEAK	2	5871.20	57.24	106.36	-49.12	38.61	34.93	14.08	30.38	0.00	267	78	PEAK	3	5924.80	55.25	68.35	-13.10	36.70	35.10	13.86	30.41	0.00	267	78	PEAK	4	5943.60	56.81	68.20	-11.39	38.34	35.10	13.78	30.41	0.00	267	78	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>96.28</td><td>-----</td><td>-----</td><td>77.53</td><td>34.80</td><td>14.27</td><td>30.32</td><td>0.00</td><td>267</td><td>78</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	96.28	-----	-----	77.53	34.80	14.27	30.32	0.00	267	78	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5854.00	55.01	111.36	-56.35	36.40	34.83	14.15	30.37	0.00	267	78	PEAK																																																																																																																					
2	5871.20	57.24	106.36	-49.12	38.61	34.93	14.08	30.38	0.00	267	78	PEAK																																																																																																																					
3	5924.80	55.25	68.35	-13.10	36.70	35.10	13.86	30.41	0.00	267	78	PEAK																																																																																																																					
4	5943.60	56.81	68.20	-11.39	38.34	35.10	13.78	30.41	0.00	267	78	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5825.00	96.28	-----	-----	77.53	34.80	14.27	30.32	0.00	267	78	PEAK																																																																																																																					
Avg	Blank	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>88.92</td><td>-----</td><td>-----</td><td>70.17</td><td>34.80</td><td>14.27</td><td>30.32</td><td>0.00</td><td>267</td><td>78</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	88.92	-----	-----	70.17	34.80	14.27	30.32	0.00	267	78	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5825.00	88.92	-----	-----	70.17	34.80	14.27	30.32	0.00	267	78	AVERAGE																																																																																																																					



	33																																																																																																																																
Mode	Band Edge																																																																																																																																
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																
ANT	1																																																																																																																																
Pol.	Vertical	Fundamental																																																																																																																															
Peak	Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue measured signal with four peaks labeled 1, 2, 3, and 4. Peak 1 is at 5854.00 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>55.13</td><td>111.36</td><td>-56.23</td><td>36.52</td><td>34.83</td><td>14.15</td><td>30.37</td><td>0.00</td><td>304</td><td>113</td><td>PEAK</td></tr><tr><td>2</td><td>5874.40</td><td>56.46</td><td>105.47</td><td>-49.01</td><td>37.83</td><td>34.95</td><td>14.06</td><td>30.38</td><td>0.00</td><td>304</td><td>113</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>55.37</td><td>69.23</td><td>-13.86</td><td>36.81</td><td>35.10</td><td>13.86</td><td>30.40</td><td>0.00</td><td>304</td><td>113</td><td>PEAK</td></tr><tr><td>4</td><td>5965.20</td><td>57.33</td><td>68.20</td><td>-10.87</td><td>38.97</td><td>35.10</td><td>13.69</td><td>30.43</td><td>0.00</td><td>304</td><td>113</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	55.13	111.36	-56.23	36.52	34.83	14.15	30.37	0.00	304	113	PEAK	2	5874.40	56.46	105.47	-49.01	37.83	34.95	14.06	30.38	0.00	304	113	PEAK	3	5923.60	55.37	69.23	-13.86	36.81	35.10	13.86	30.40	0.00	304	113	PEAK	4	5965.20	57.33	68.20	-10.87	38.97	35.10	13.69	30.43	0.00	304	113	PEAK	Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal with a single peak labeled 1 at 5825.00 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>102.71</td><td>-----</td><td>-----</td><td>83.99</td><td>34.80</td><td>14.25</td><td>30.33</td><td>0.00</td><td>304</td><td>113</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	102.71	-----	-----	83.99	34.80	14.25	30.33	0.00	304	113	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5854.00	55.13	111.36	-56.23	36.52	34.83	14.15	30.37	0.00	304	113	PEAK																																																																																																																					
2	5874.40	56.46	105.47	-49.01	37.83	34.95	14.06	30.38	0.00	304	113	PEAK																																																																																																																					
3	5923.60	55.37	69.23	-13.86	36.81	35.10	13.86	30.40	0.00	304	113	PEAK																																																																																																																					
4	5965.20	57.33	68.20	-10.87	38.97	35.10	13.69	30.43	0.00	304	113	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5825.00	102.71	-----	-----	83.99	34.80	14.25	30.33	0.00	304	113	PEAK																																																																																																																					
Avg	Blank	Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal with a single peak labeled 1 at 5825.00 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>95.78</td><td>-----</td><td>-----</td><td>77.03</td><td>34.80</td><td>14.27</td><td>30.32</td><td>0.00</td><td>304</td><td>113</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	95.78	-----	-----	77.03	34.80	14.27	30.32	0.00	304	113	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5825.00	95.78	-----	-----	77.03	34.80	14.27	30.32	0.00	304	113	AVERAGE																																																																																																																					






	33																																																																																																																								
Mode	Harmonic																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																								
ANT	1																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.67</td><td>48.14</td><td>68.20</td><td>-20.06</td><td>63.57</td><td>35.83</td><td>14.93</td><td>66.19</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>46.03</td><td>74.00</td><td>-27.97</td><td>53.47</td><td>38.20</td><td>18.72</td><td>64.36</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7766.67	48.14	68.20	-20.06	63.57	35.83	14.93	66.19	0.00	--	PEAK	2	11650.00	46.03	74.00	-27.97	53.47	38.20	18.72	64.36	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.67</td><td>55.96</td><td>68.20</td><td>-12.24</td><td>71.39</td><td>35.83</td><td>14.93</td><td>66.19</td><td>0.00</td><td>245</td><td>269 PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>46.42</td><td>74.00</td><td>-27.58</td><td>53.86</td><td>38.20</td><td>18.72</td><td>64.36</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7766.67	55.96	68.20	-12.24	71.39	35.83	14.93	66.19	0.00	245	269 PEAK	2	11650.00	46.42	74.00	-27.58	53.86	38.20	18.72	64.36	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	7766.67	48.14	68.20	-20.06	63.57	35.83	14.93	66.19	0.00	--	PEAK																																																																																																														
2	11650.00	46.03	74.00	-27.97	53.47	38.20	18.72	64.36	0.00	--	PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	7766.67	55.96	68.20	-12.24	71.39	35.83	14.93	66.19	0.00	245	269 PEAK																																																																																																														
2	11650.00	46.42	74.00	-27.58	53.86	38.20	18.72	64.36	0.00	--	PEAK																																																																																																														





	34																																																																																																																																
Mode	Band Edge																																																																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																																
ANT	1																																																																																																																																
Pol.	Horizontal	Fundamental																																																																																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5647.60</td><td>57.80</td><td>68.20</td><td>-10.40</td><td>39.76</td><td>34.60</td><td>13.44</td><td>30.00</td><td>0.00</td><td>301</td><td>79</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>55.19</td><td>68.50</td><td>-13.31</td><td>37.14</td><td>34.60</td><td>13.46</td><td>30.01</td><td>0.00</td><td>301</td><td>79</td><td>PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>55.24</td><td>105.30</td><td>-50.06</td><td>36.98</td><td>34.60</td><td>13.76</td><td>30.10</td><td>0.00</td><td>301</td><td>79</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>56.99</td><td>111.81</td><td>-54.82</td><td>38.60</td><td>34.64</td><td>13.88</td><td>30.13</td><td>0.00</td><td>301</td><td>79</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5647.60	57.80	68.20	-10.40	39.76	34.60	13.44	30.00	0.00	301	79	PEAK	2	5650.40	55.19	68.50	-13.31	37.14	34.60	13.46	30.01	0.00	301	79	PEAK	3	5700.00	55.24	105.30	-50.06	36.98	34.60	13.76	30.10	0.00	301	79	PEAK	4	5720.40	56.99	111.81	-54.82	38.60	34.64	13.88	30.13	0.00	301	79	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>96.01</td><td>-----</td><td>-----</td><td>77.46</td><td>34.69</td><td>14.04</td><td>30.18</td><td>0.00</td><td>301</td><td>79</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	96.01	-----	-----	77.46	34.69	14.04	30.18	0.00	301	79	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5647.60	57.80	68.20	-10.40	39.76	34.60	13.44	30.00	0.00	301	79	PEAK																																																																																																																					
2	5650.40	55.19	68.50	-13.31	37.14	34.60	13.46	30.01	0.00	301	79	PEAK																																																																																																																					
3	5700.00	55.24	105.30	-50.06	36.98	34.60	13.76	30.10	0.00	301	79	PEAK																																																																																																																					
4	5720.40	56.99	111.81	-54.82	38.60	34.64	13.88	30.13	0.00	301	79	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5745.00	96.01	-----	-----	77.46	34.69	14.04	30.18	0.00	301	79	PEAK																																																																																																																					
Avg	Blank	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>88.73</td><td>-----</td><td>-----</td><td>70.18</td><td>34.69</td><td>14.04</td><td>30.18</td><td>0.00</td><td>301</td><td>79</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	88.73	-----	-----	70.18	34.69	14.04	30.18	0.00	301	79	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5745.00	88.73	-----	-----	70.18	34.69	14.04	30.18	0.00	301	79	AVERAGE																																																																																																																					



	34																																																																																																																																
Mode	Band Edge																																																																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																																
ANT	1																																																																																																																																
Pol.	Vertical	Fundamental																																																																																																																															
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5618.00</td><td>57.13</td><td>68.20</td><td>-11.07</td><td>39.33</td><td>34.54</td><td>13.26</td><td>30.00</td><td>0.00</td><td>313</td><td>112</td><td>PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>56.71</td><td>69.09</td><td>-12.38</td><td>38.66</td><td>34.60</td><td>13.46</td><td>30.01</td><td>0.00</td><td>313</td><td>112</td><td>PEAK</td></tr><tr><td>3</td><td>5701.20</td><td>58.72</td><td>105.64</td><td>-46.92</td><td>40.45</td><td>34.60</td><td>13.77</td><td>30.10</td><td>0.00</td><td>313</td><td>112</td><td>PEAK</td></tr><tr><td>4</td><td>5722.00</td><td>68.77</td><td>115.46</td><td>-46.69</td><td>50.38</td><td>34.64</td><td>13.89</td><td>30.14</td><td>0.00</td><td>313</td><td>112</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5618.00	57.13	68.20	-11.07	39.33	34.54	13.26	30.00	0.00	313	112	PEAK	2	5651.20	56.71	69.09	-12.38	38.66	34.60	13.46	30.01	0.00	313	112	PEAK	3	5701.20	58.72	105.64	-46.92	40.45	34.60	13.77	30.10	0.00	313	112	PEAK	4	5722.00	68.77	115.46	-46.69	50.38	34.64	13.89	30.14	0.00	313	112	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.54</td><td>-----</td><td>-----</td><td>84.99</td><td>34.69</td><td>14.04</td><td>30.18</td><td>0.00</td><td>313</td><td>112</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	103.54	-----	-----	84.99	34.69	14.04	30.18	0.00	313	112	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5618.00	57.13	68.20	-11.07	39.33	34.54	13.26	30.00	0.00	313	112	PEAK																																																																																																																					
2	5651.20	56.71	69.09	-12.38	38.66	34.60	13.46	30.01	0.00	313	112	PEAK																																																																																																																					
3	5701.20	58.72	105.64	-46.92	40.45	34.60	13.77	30.10	0.00	313	112	PEAK																																																																																																																					
4	5722.00	68.77	115.46	-46.69	50.38	34.64	13.89	30.14	0.00	313	112	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5745.00	103.54	-----	-----	84.99	34.69	14.04	30.18	0.00	313	112	PEAK																																																																																																																					
Avg	Blank	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>95.82</td><td>-----</td><td>-----</td><td>77.27</td><td>34.69</td><td>14.04</td><td>30.18</td><td>0.00</td><td>313</td><td>112</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	95.82	-----	-----	77.27	34.69	14.04	30.18	0.00	313	112	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5745.00	95.82	-----	-----	77.27	34.69	14.04	30.18	0.00	313	112	AVERAGE																																																																																																																					



	34																																																																																																																																																																							
Mode	Harmonic																																																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																																																																							
ANT	1																																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																																	
Peak Avg																																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7660.00</td><td>46.32</td><td>74.00</td><td>-27.68</td><td>64.09</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11490.00</td><td>44.39</td><td>74.00</td><td>-29.61</td><td>56.19</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>17235.00</td><td>48.54</td><td>68.20</td><td>-19.66</td><td>51.65</td><td>41.03</td><td>20.15</td><td>64.29</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7660.00	46.32	74.00	-27.68	64.09	36.02	13.07	66.86	0.00	--	Peak	2	11490.00	44.39	74.00	-29.61	56.19	38.18	16.36	66.34	0.00	--	PEAK	3	17235.00	48.54	68.20	-19.66	51.65	41.03	20.15	64.29	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.98</td><td>53.79</td><td>74.00</td><td>-20.21</td><td>71.56</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>320</td><td>204 PEAK</td></tr><tr><td>2</td><td>7659.98</td><td>52.28</td><td>54.00</td><td>-1.72</td><td>70.05</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>320</td><td>204 AVERAGE</td></tr><tr><td>3</td><td>11488.73</td><td>48.92</td><td>74.00</td><td>-25.08</td><td>60.73</td><td>38.18</td><td>16.35</td><td>66.34</td><td>0.00</td><td>100</td><td>25 Peak</td></tr><tr><td>4</td><td>11488.73</td><td>43.56</td><td>54.00</td><td>-10.44</td><td>55.37</td><td>38.18</td><td>16.35</td><td>66.34</td><td>0.00</td><td>100</td><td>25 Average</td></tr><tr><td>5</td><td>17235.00</td><td>51.38</td><td>68.20</td><td>-16.82</td><td>54.48</td><td>41.04</td><td>20.16</td><td>64.30</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7659.98	53.79	74.00	-20.21	71.56	36.02	13.07	66.86	0.00	320	204 PEAK	2	7659.98	52.28	54.00	-1.72	70.05	36.02	13.07	66.86	0.00	320	204 AVERAGE	3	11488.73	48.92	74.00	-25.08	60.73	38.18	16.35	66.34	0.00	100	25 Peak	4	11488.73	43.56	54.00	-10.44	55.37	38.18	16.35	66.34	0.00	100	25 Average	5	17235.00	51.38	68.20	-16.82	54.48	41.04	20.16	64.30	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																														
1	7660.00	46.32	74.00	-27.68	64.09	36.02	13.07	66.86	0.00	--	Peak																																																																																																																																																													
2	11490.00	44.39	74.00	-29.61	56.19	38.18	16.36	66.34	0.00	--	PEAK																																																																																																																																																													
3	17235.00	48.54	68.20	-19.66	51.65	41.03	20.15	64.29	0.00	--	PEAK																																																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																														
1	7659.98	53.79	74.00	-20.21	71.56	36.02	13.07	66.86	0.00	320	204 PEAK																																																																																																																																																													
2	7659.98	52.28	54.00	-1.72	70.05	36.02	13.07	66.86	0.00	320	204 AVERAGE																																																																																																																																																													
3	11488.73	48.92	74.00	-25.08	60.73	38.18	16.35	66.34	0.00	100	25 Peak																																																																																																																																																													
4	11488.73	43.56	54.00	-10.44	55.37	38.18	16.35	66.34	0.00	100	25 Average																																																																																																																																																													
5	17235.00	51.38	68.20	-16.82	54.48	41.04	20.16	64.30	0.00	--	PEAK																																																																																																																																																													







		35																																																																																																																																																																																																									
Mode	Harmonic																																																																																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT20_CH157_5785MHz																																																																																																																																																																																																										
ANT	1																																																																																																																																																																																																										
Pol.	Horizontal												Vertical																																																																																																																																																																																														
Peak Avg																																																																																																																																																																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>7713.31</td><td>49.82</td><td>74.00</td><td>-24.18</td><td>67.46</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>357</td><td>152</td><td>PEAK</td></tr><tr><td>2</td><td>7713.31</td><td>47.19</td><td>54.00</td><td>-6.81</td><td>64.83</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>357</td><td>152</td><td>AVERAGE</td></tr><tr><td>3</td><td>11570.00</td><td>45.04</td><td>74.00</td><td>-28.96</td><td>56.76</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>17355.00</td><td>51.75</td><td>68.20</td><td>-16.45</td><td>54.81</td><td>41.10</td><td>20.24</td><td>64.40</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	7713.31	49.82	74.00	-24.18	67.46	36.13	13.12	66.89	0.00	357	152	PEAK	2	7713.31	47.19	54.00	-6.81	64.83	36.13	13.12	66.89	0.00	357	152	AVERAGE	3	11570.00	45.04	74.00	-28.96	56.76	38.20	16.41	66.33	0.00	--	--	PEAK	4	17355.00	51.75	68.20	-16.45	54.81	41.10	20.24	64.40	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>7713.31</td><td>54.31</td><td>74.00</td><td>-19.69</td><td>71.95</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>304</td><td>202</td><td>PEAK</td></tr><tr><td>2</td><td>7713.31</td><td>52.99</td><td>54.00</td><td>-1.01</td><td>70.63</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>304</td><td>202</td><td>AVERAGE</td></tr><tr><td>3</td><td>11570.00</td><td>45.42</td><td>74.00</td><td>-28.58</td><td>57.14</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>17355.00</td><td>49.55</td><td>68.20</td><td>-18.65</td><td>52.62</td><td>41.10</td><td>20.24</td><td>64.41</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	7713.31	54.31	74.00	-19.69	71.95	36.13	13.12	66.89	0.00	304	202	PEAK	2	7713.31	52.99	54.00	-1.01	70.63	36.13	13.12	66.89	0.00	304	202	AVERAGE	3	11570.00	45.42	74.00	-28.58	57.14	38.20	16.41	66.33	0.00	--	--	PEAK	4	17355.00	49.55	68.20	-18.65	52.62	41.10	20.24	64.41	0.00	--	--
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																	
1	7713.31	49.82	74.00	-24.18	67.46	36.13	13.12	66.89	0.00	357	152	PEAK																																																																																																																																																																																															
2	7713.31	47.19	54.00	-6.81	64.83	36.13	13.12	66.89	0.00	357	152	AVERAGE																																																																																																																																																																																															
3	11570.00	45.04	74.00	-28.96	56.76	38.20	16.41	66.33	0.00	--	--	PEAK																																																																																																																																																																																															
4	17355.00	51.75	68.20	-16.45	54.81	41.10	20.24	64.40	0.00	--	--	PEAK																																																																																																																																																																																															
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																	
1	7713.31	54.31	74.00	-19.69	71.95	36.13	13.12	66.89	0.00	304	202	PEAK																																																																																																																																																																																															
2	7713.31	52.99	54.00	-1.01	70.63	36.13	13.12	66.89	0.00	304	202	AVERAGE																																																																																																																																																																																															
3	11570.00	45.42	74.00	-28.58	57.14	38.20	16.41	66.33	0.00	--	--	PEAK																																																																																																																																																																																															
4	17355.00	49.55	68.20	-18.65	52.62	41.10	20.24	64.41	0.00	--	--	PEAK																																																																																																																																																																																															





	36																																																																																																																																
Mode	Band Edge																																																																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																																
ANT	1																																																																																																																																
Pol.	Horizontal	Fundamental																																																																																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.60</td><td>58.75</td><td>114.09</td><td>-55.34</td><td>40.15</td><td>34.82</td><td>14.15</td><td>30.37</td><td>0.00</td><td>267</td><td>77</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>55.65</td><td>105.58</td><td>-49.93</td><td>37.02</td><td>34.94</td><td>14.07</td><td>30.38</td><td>0.00</td><td>267</td><td>77</td><td>PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>57.03</td><td>69.53</td><td>-12.50</td><td>38.47</td><td>35.10</td><td>13.86</td><td>30.40</td><td>0.00</td><td>267</td><td>77</td><td>PEAK</td></tr><tr><td>4</td><td>5946.00</td><td>57.15</td><td>68.20</td><td>-11.05</td><td>38.70</td><td>35.10</td><td>13.77</td><td>30.42</td><td>0.00</td><td>267</td><td>77</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.60	58.75	114.09	-55.34	40.15	34.82	14.15	30.37	0.00	267	77	PEAK	2	5874.00	55.65	105.58	-49.93	37.02	34.94	14.07	30.38	0.00	267	77	PEAK	3	5923.20	57.03	69.53	-12.50	38.47	35.10	13.86	30.40	0.00	267	77	PEAK	4	5946.00	57.15	68.20	-11.05	38.70	35.10	13.77	30.42	0.00	267	77	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>97.28</td><td>-----</td><td>-----</td><td>78.53</td><td>34.80</td><td>14.27</td><td>30.32</td><td>0.00</td><td>267</td><td>77</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	97.28	-----	-----	78.53	34.80	14.27	30.32	0.00	267	77	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5853.60	58.75	114.09	-55.34	40.15	34.82	14.15	30.37	0.00	267	77	PEAK																																																																																																																					
2	5874.00	55.65	105.58	-49.93	37.02	34.94	14.07	30.38	0.00	267	77	PEAK																																																																																																																					
3	5923.20	57.03	69.53	-12.50	38.47	35.10	13.86	30.40	0.00	267	77	PEAK																																																																																																																					
4	5946.00	57.15	68.20	-11.05	38.70	35.10	13.77	30.42	0.00	267	77	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5825.00	97.28	-----	-----	78.53	34.80	14.27	30.32	0.00	267	77	PEAK																																																																																																																					
Avg	Blank	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>88.43</td><td>-----</td><td>-----</td><td>69.68</td><td>34.80</td><td>14.27</td><td>30.32</td><td>0.00</td><td>267</td><td>77</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	88.43	-----	-----	69.68	34.80	14.27	30.32	0.00	267	77	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5825.00	88.43	-----	-----	69.68	34.80	14.27	30.32	0.00	267	77	AVERAGE																																																																																																																					



		36																																																																																									
Mode	Band Edge																																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																										
ANT	1																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak																																																																																											
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>53.89</td><td>111.36</td><td>-57.47</td><td>35.28</td><td>34.83</td><td>14.15</td><td>30.37</td><td>0.00</td><td>302</td><td>112</td><td>PEAK</td></tr><tr><td>2</td><td>5870.40</td><td>57.34</td><td>106.59</td><td>-49.25</td><td>38.72</td><td>34.92</td><td>14.08</td><td>30.38</td><td>0.00</td><td>302</td><td>112</td><td>PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>55.92</td><td>69.53</td><td>-13.61</td><td>37.36</td><td>35.10</td><td>13.86</td><td>30.40</td><td>0.00</td><td>302</td><td>112</td><td>PEAK</td></tr><tr><td>4</td><td>5988.00</td><td>57.61</td><td>68.20</td><td>-10.59</td><td>39.35</td><td>35.10</td><td>13.60</td><td>30.44</td><td>0.00</td><td>302</td><td>112</td><td>PEAK</td></tr></tbody></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5854.00	53.89	111.36	-57.47	35.28	34.83	14.15	30.37	0.00	302	112	PEAK	2	5870.40	57.34	106.59	-49.25	38.72	34.92	14.08	30.38	0.00	302	112	PEAK	3	5923.20	55.92	69.53	-13.61	37.36	35.10	13.86	30.40	0.00	302	112	PEAK	4	5988.00	57.61	68.20	-10.59	39.35	35.10	13.60	30.44	0.00	302	112
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	5854.00	53.89	111.36	-57.47	35.28	34.83	14.15	30.37	0.00	302	112	PEAK																																																																															
2	5870.40	57.34	106.59	-49.25	38.72	34.92	14.08	30.38	0.00	302	112	PEAK																																																																															
3	5923.20	55.92	69.53	-13.61	37.36	35.10	13.86	30.40	0.00	302	112	PEAK																																																																															
4	5988.00	57.61	68.20	-10.59	39.35	35.10	13.60	30.44	0.00	302	112	PEAK																																																																															
Avg																																																																																											
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>103.26</td><td>-----</td><td>-----</td><td>-----</td><td>84.51</td><td>34.80</td><td>14.27</td><td>30.32</td><td>0.00</td><td>302</td><td>112</td><td>PEAK</td></tr></tbody></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	103.26	-----	-----	-----	84.51	34.80	14.27	30.32	0.00	302	112	PEAK																																					
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	5825.00	103.26	-----	-----	-----	84.51	34.80	14.27	30.32	0.00	302	112	PEAK																																																																														
Blank																																																																																											
																																																																																											
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>94.91</td><td>-----</td><td>-----</td><td>-----</td><td>76.16</td><td>34.80</td><td>14.27</td><td>30.32</td><td>0.00</td><td>302</td><td>112</td><td>AVERAGE</td></tr></tbody></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	94.91	-----	-----	-----	76.16	34.80	14.27	30.32	0.00	302	112	AVERAGE																																					
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	5825.00	94.91	-----	-----	-----	76.16	34.80	14.27	30.32	0.00	302	112	AVERAGE																																																																														






		36																																																																																																																																		
Mode	Harmonic																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																													
Peak Avg																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.67</td><td>42.85</td><td>68.20</td><td>-25.35</td><td>58.28</td><td>35.83</td><td>14.93</td><td>66.19</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>46.41</td><td>74.00</td><td>-27.59</td><td>53.85</td><td>38.20</td><td>18.72</td><td>64.36</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7766.67	42.85	68.20	-25.35	58.28	35.83	14.93	66.19	0.00	--	PEAK	2	11650.00	46.41	74.00	-27.59	53.85	38.20	18.72	64.36	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.67</td><td>56.13</td><td>68.20</td><td>-12.07</td><td>71.56</td><td>35.83</td><td>14.93</td><td>66.19</td><td>0.00</td><td>246</td><td>269 PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>52.91</td><td>74.00</td><td>-21.09</td><td>60.35</td><td>38.20</td><td>18.72</td><td>64.36</td><td>0.00</td><td>300</td><td>327 PEAK</td></tr><tr><td>3</td><td>11650.00</td><td>41.99</td><td>54.00</td><td>-12.01</td><td>49.43</td><td>38.20</td><td>18.72</td><td>64.36</td><td>0.00</td><td>300</td><td>327 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7766.67	56.13	68.20	-12.07	71.56	35.83	14.93	66.19	0.00	246	269 PEAK	2	11650.00	52.91	74.00	-21.09	60.35	38.20	18.72	64.36	0.00	300	327 PEAK	3	11650.00	41.99	54.00	-12.01	49.43	38.20	18.72	64.36	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	7766.67	42.85	68.20	-25.35	58.28	35.83	14.93	66.19	0.00	--	PEAK																																																																																																																									
2	11650.00	46.41	74.00	-27.59	53.85	38.20	18.72	64.36	0.00	--	PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	7766.67	56.13	68.20	-12.07	71.56	35.83	14.93	66.19	0.00	246	269 PEAK																																																																																																																									
2	11650.00	52.91	74.00	-21.09	60.35	38.20	18.72	64.36	0.00	300	327 PEAK																																																																																																																									
3	11650.00	41.99	54.00	-12.01	49.43	38.20	18.72	64.36	0.00	300	327 AVERAGE																																																																																																																									




		37																																																																																																																																														
Mode	Harmonic																																																																																																																																															
	U-NII-2C_U-NII-2C_802.11ac VHT40_CH142_5710MHz																																																																																																																																															
ANT	1																																																																																																																																															
Pol.	Horizontal					Vertical																																																																																																																																										
Peak Avg																																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7613.33</td><td>42.76</td><td>74.00</td><td>-31.24</td><td>58.15</td><td>35.78</td><td>14.77</td><td>65.94</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>47.50</td><td>74.00</td><td>-26.50</td><td>55.18</td><td>38.00</td><td>18.52</td><td>64.20</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>3</td><td>11420.00</td><td>37.42</td><td>54.00</td><td>-16.58</td><td>45.08</td><td>38.00</td><td>18.53</td><td>64.19</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7613.33	42.76	74.00	-31.24	58.15	35.78	14.77	65.94	0.00	--	-- PEAK	2	11420.00	47.50	74.00	-26.50	55.18	38.00	18.52	64.20	0.00	100	0 PEAK	3	11420.00	37.42	54.00	-16.58	45.08	38.00	18.53	64.19	0.00	100	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7613.31</td><td>54.19</td><td>74.00</td><td>-19.81</td><td>69.58</td><td>35.78</td><td>14.77</td><td>65.94</td><td>0.00</td><td>304</td><td>201 PEAK</td></tr><tr><td>2</td><td>7613.31</td><td>53.06</td><td>54.00</td><td>-0.94</td><td>68.45</td><td>35.78</td><td>14.77</td><td>65.94</td><td>0.00</td><td>304</td><td>201 AVERAGE</td></tr><tr><td>3</td><td>11420.00</td><td>47.42</td><td>74.00</td><td>-26.58</td><td>55.10</td><td>38.00</td><td>18.52</td><td>64.20</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7613.31	54.19	74.00	-19.81	69.58	35.78	14.77	65.94	0.00	304	201 PEAK	2	7613.31	53.06	54.00	-0.94	68.45	35.78	14.77	65.94	0.00	304	201 AVERAGE	3	11420.00	47.42	74.00	-26.58	55.10	38.00	18.52	64.20	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1	7613.33	42.76	74.00	-31.24	58.15	35.78	14.77	65.94	0.00	--	-- PEAK																																																																																																																																					
2	11420.00	47.50	74.00	-26.50	55.18	38.00	18.52	64.20	0.00	100	0 PEAK																																																																																																																																					
3	11420.00	37.42	54.00	-16.58	45.08	38.00	18.53	64.19	0.00	100	0 AVERAGE																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1	7613.31	54.19	74.00	-19.81	69.58	35.78	14.77	65.94	0.00	304	201 PEAK																																																																																																																																					
2	7613.31	53.06	54.00	-0.94	68.45	35.78	14.77	65.94	0.00	304	201 AVERAGE																																																																																																																																					
3	11420.00	47.42	74.00	-26.58	55.10	38.00	18.52	64.20	0.00	--	-- PEAK																																																																																																																																					






	38																																																																																																																																
Mode	Band Edge - L																																																																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																																
ANT	1																																																																																																																																
Pol.	Horizontal	Fundamental																																																																																																																															
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5605.89</td><td>57.10</td><td>68.20</td><td>-11.10</td><td>39.40</td><td>34.51</td><td>13.19</td><td>30.00</td><td>0.00</td><td>300</td><td>81</td><td>PEAK</td></tr><tr><td>2</td><td>5650.07</td><td>55.75</td><td>68.25</td><td>-12.50</td><td>37.70</td><td>34.60</td><td>13.46</td><td>30.01</td><td>0.00</td><td>300</td><td>81</td><td>PEAK</td></tr><tr><td>3</td><td>5714.86</td><td>63.20</td><td>109.46</td><td>-46.26</td><td>44.84</td><td>34.63</td><td>13.85</td><td>30.12</td><td>0.00</td><td>300</td><td>81</td><td>PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>62.57</td><td>111.19</td><td>-48.62</td><td>44.18</td><td>34.64</td><td>13.88</td><td>30.13</td><td>0.00</td><td>300</td><td>81</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5605.89	57.10	68.20	-11.10	39.40	34.51	13.19	30.00	0.00	300	81	PEAK	2	5650.07	55.75	68.25	-12.50	37.70	34.60	13.46	30.01	0.00	300	81	PEAK	3	5714.86	63.20	109.46	-46.26	44.84	34.63	13.85	30.12	0.00	300	81	PEAK	4	5720.13	62.57	111.19	-48.62	44.18	34.64	13.88	30.13	0.00	300	81	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>94.11</td><td>-----</td><td>-----</td><td>75.48</td><td>34.72</td><td>14.11</td><td>30.20</td><td>0.00</td><td>300</td><td>81</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	94.11	-----	-----	75.48	34.72	14.11	30.20	0.00	300	81	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5605.89	57.10	68.20	-11.10	39.40	34.51	13.19	30.00	0.00	300	81	PEAK																																																																																																																					
2	5650.07	55.75	68.25	-12.50	37.70	34.60	13.46	30.01	0.00	300	81	PEAK																																																																																																																					
3	5714.86	63.20	109.46	-46.26	44.84	34.63	13.85	30.12	0.00	300	81	PEAK																																																																																																																					
4	5720.13	62.57	111.19	-48.62	44.18	34.64	13.88	30.13	0.00	300	81	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5755.00	94.11	-----	-----	75.48	34.72	14.11	30.20	0.00	300	81	PEAK																																																																																																																					
Avg	Blank	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>86.23</td><td>-----</td><td>-----</td><td>67.64</td><td>34.70</td><td>14.00</td><td>30.19</td><td>0.00</td><td>300</td><td>81</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	86.23	-----	-----	67.64	34.70	14.00	30.19	0.00	300	81	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5755.00	86.23	-----	-----	67.64	34.70	14.00	30.19	0.00	300	81	AVERAGE																																																																																																																					




Mode	38																																																																																
	Band Edge - R																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																
ANT	1																																																																																
Pol.	Horizontal	Fundamental																																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.45</td><td>56.29</td><td>112.15</td><td>-55.86</td><td>37.68</td><td>34.83</td><td>14.15</td><td>30.37</td><td>0.00</td><td>300</td><td>81 PEAK</td></tr><tr><td>2</td><td>5870.25</td><td>57.94</td><td>106.63</td><td>-48.69</td><td>39.32</td><td>34.92</td><td>14.08</td><td>30.38</td><td>0.00</td><td>300</td><td>81 PEAK</td></tr><tr><td>3</td><td>5921.34</td><td>56.64</td><td>70.91</td><td>-14.27</td><td>38.07</td><td>35.10</td><td>13.87</td><td>30.40</td><td>0.00</td><td>300</td><td>81 PEAK</td></tr><tr><td>4</td><td>5939.28</td><td>57.92</td><td>68.20</td><td>-10.28</td><td>39.43</td><td>35.10</td><td>13.80</td><td>30.41</td><td>0.00</td><td>300</td><td>81 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.45	56.29	112.15	-55.86	37.68	34.83	14.15	30.37	0.00	300	81 PEAK	2	5870.25	57.94	106.63	-48.69	39.32	34.92	14.08	30.38	0.00	300	81 PEAK	3	5921.34	56.64	70.91	-14.27	38.07	35.10	13.87	30.40	0.00	300	81 PEAK	4	5939.28	57.92	68.20	-10.28	39.43	35.10	13.80	30.41	0.00	300	81 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5854.45	56.29	112.15	-55.86	37.68	34.83	14.15	30.37	0.00	300	81 PEAK																																																																						
2	5870.25	57.94	106.63	-48.69	39.32	34.92	14.08	30.38	0.00	300	81 PEAK																																																																						
3	5921.34	56.64	70.91	-14.27	38.07	35.10	13.87	30.40	0.00	300	81 PEAK																																																																						
4	5939.28	57.92	68.20	-10.28	39.43	35.10	13.80	30.41	0.00	300	81 PEAK																																																																						





	38																																																																																																																																
Mode	Band Edge - L																																																																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																																
ANT	1																																																																																																																																
Pol.	Vertical	Fundamental																																																																																																																															
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5637.20</td><td>57.91</td><td>68.20</td><td>-10.29</td><td>39.95</td><td>34.57</td><td>13.38</td><td>29.99</td><td>0.00</td><td>326</td><td>112</td><td>PEAK</td></tr><tr><td>2</td><td>5650.38</td><td>56.29</td><td>68.48</td><td>-12.19</td><td>38.24</td><td>34.60</td><td>13.46</td><td>30.01</td><td>0.00</td><td>326</td><td>112</td><td>PEAK</td></tr><tr><td>3</td><td>5713.62</td><td>69.57</td><td>109.11</td><td>-39.54</td><td>51.22</td><td>34.63</td><td>13.84</td><td>30.12</td><td>0.00</td><td>326</td><td>112</td><td>PEAK</td></tr><tr><td>4</td><td>5721.21</td><td>72.06</td><td>113.66</td><td>-41.60</td><td>53.66</td><td>34.64</td><td>13.89</td><td>30.13</td><td>0.00</td><td>326</td><td>112</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5637.20	57.91	68.20	-10.29	39.95	34.57	13.38	29.99	0.00	326	112	PEAK	2	5650.38	56.29	68.48	-12.19	38.24	34.60	13.46	30.01	0.00	326	112	PEAK	3	5713.62	69.57	109.11	-39.54	51.22	34.63	13.84	30.12	0.00	326	112	PEAK	4	5721.21	72.06	113.66	-41.60	53.66	34.64	13.89	30.13	0.00	326	112	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>102.70</td><td>-----</td><td>-----</td><td>84.07</td><td>34.72</td><td>14.11</td><td>30.20</td><td>0.00</td><td>326</td><td>112</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	102.70	-----	-----	84.07	34.72	14.11	30.20	0.00	326	112	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5637.20	57.91	68.20	-10.29	39.95	34.57	13.38	29.99	0.00	326	112	PEAK																																																																																																																					
2	5650.38	56.29	68.48	-12.19	38.24	34.60	13.46	30.01	0.00	326	112	PEAK																																																																																																																					
3	5713.62	69.57	109.11	-39.54	51.22	34.63	13.84	30.12	0.00	326	112	PEAK																																																																																																																					
4	5721.21	72.06	113.66	-41.60	53.66	34.64	13.89	30.13	0.00	326	112	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5755.00	102.70	-----	-----	84.07	34.72	14.11	30.20	0.00	326	112	PEAK																																																																																																																					
Avg	Blank	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>93.82</td><td>-----</td><td>-----</td><td>75.23</td><td>34.70</td><td>14.00</td><td>30.19</td><td>0.00</td><td>326</td><td>112</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	93.82	-----	-----	75.23	34.70	14.00	30.19	0.00	326	112	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5755.00	93.82	-----	-----	75.23	34.70	14.00	30.19	0.00	326	112	AVERAGE																																																																																																																					






Mode	38																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																														
ANT	1																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.67</td><td>57.78</td><td>113.93</td><td>-56.15</td><td>39.18</td><td>34.82</td><td>14.15</td><td>30.37</td><td>0.00</td><td>326</td><td>112</td><td>PEAK</td></tr><tr><td>2</td><td>5874.34</td><td>57.09</td><td>105.48</td><td>-48.39</td><td>38.45</td><td>34.95</td><td>14.07</td><td>30.38</td><td>0.00</td><td>326</td><td>112</td><td>PEAK</td></tr><tr><td>3</td><td>5923.48</td><td>57.42</td><td>69.32</td><td>-11.90</td><td>38.86</td><td>35.10</td><td>13.86</td><td>30.40</td><td>0.00</td><td>326</td><td>112</td><td>PEAK</td></tr><tr><td>4</td><td>5941.03</td><td>57.42</td><td>68.20</td><td>-10.78</td><td>38.94</td><td>35.10</td><td>13.79</td><td>30.41</td><td>0.00</td><td>326</td><td>112</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.67	57.78	113.93	-56.15	39.18	34.82	14.15	30.37	0.00	326	112	PEAK	2	5874.34	57.09	105.48	-48.39	38.45	34.95	14.07	30.38	0.00	326	112	PEAK	3	5923.48	57.42	69.32	-11.90	38.86	35.10	13.86	30.40	0.00	326	112	PEAK	4	5941.03	57.42	68.20	-10.78	38.94	35.10	13.79	30.41	0.00	326	112	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5853.67	57.78	113.93	-56.15	39.18	34.82	14.15	30.37	0.00	326	112	PEAK																																																																																			
2	5874.34	57.09	105.48	-48.39	38.45	34.95	14.07	30.38	0.00	326	112	PEAK																																																																																			
3	5923.48	57.42	69.32	-11.90	38.86	35.10	13.86	30.40	0.00	326	112	PEAK																																																																																			
4	5941.03	57.42	68.20	-10.78	38.94	35.10	13.79	30.41	0.00	326	112	PEAK																																																																																			




		38																																																																																											
Mode	Harmonic																																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																												
ANT	1																																																																																												
Pol.	Horizontal																																																																																												
Peak Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7673.20</td><td>48.81</td><td>74.00</td><td>-25.19</td><td>66.55</td><td>36.05</td><td>13.08</td><td>66.87</td><td>0.00</td><td>300</td><td>142</td><td>Peak</td></tr><tr><td>2</td><td>7673.20</td><td>45.67</td><td>54.00</td><td>-8.33</td><td>63.41</td><td>36.05</td><td>13.08</td><td>66.87</td><td>0.00</td><td>300</td><td>142</td><td>Average</td></tr><tr><td>3</td><td>11518.00</td><td>44.88</td><td>74.00</td><td>-29.12</td><td>56.64</td><td>38.20</td><td>16.37</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>17265.00</td><td>48.70</td><td>68.20</td><td>-19.50</td><td>51.78</td><td>41.05</td><td>20.17</td><td>64.30</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7673.20	48.81	74.00	-25.19	66.55	36.05	13.08	66.87	0.00	300	142	Peak	2	7673.20	45.67	54.00	-8.33	63.41	36.05	13.08	66.87	0.00	300	142	Average	3	11518.00	44.88	74.00	-29.12	56.64	38.20	16.37	66.33	0.00	--	--	PEAK	4	17265.00	48.70	68.20	-19.50	51.78	41.05	20.17	64.30	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7673.20	48.81	74.00	-25.19	66.55	36.05	13.08	66.87	0.00	300	142	Peak																																																																																	
2	7673.20	45.67	54.00	-8.33	63.41	36.05	13.08	66.87	0.00	300	142	Average																																																																																	
3	11518.00	44.88	74.00	-29.12	56.64	38.20	16.37	66.33	0.00	--	--	PEAK																																																																																	
4	17265.00	48.70	68.20	-19.50	51.78	41.05	20.17	64.30	0.00	--	--	PEAK																																																																																	
Vertical																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7673.31</td><td>54.38</td><td>74.00</td><td>-19.62</td><td>72.12</td><td>36.05</td><td>13.08</td><td>66.87</td><td>0.00</td><td>292</td><td>201</td><td>PEAK</td></tr><tr><td>2</td><td>7673.31</td><td>52.70</td><td>54.00</td><td>-1.30</td><td>70.44</td><td>36.05</td><td>13.08</td><td>66.87</td><td>0.00</td><td>292</td><td>201</td><td>AVERAGE</td></tr><tr><td>3</td><td>11518.00</td><td>45.62</td><td>74.00</td><td>-28.38</td><td>57.38</td><td>38.20</td><td>16.37</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>17265.00</td><td>50.29</td><td>68.20</td><td>-17.91</td><td>53.37</td><td>41.07</td><td>20.18</td><td>64.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7673.31	54.38	74.00	-19.62	72.12	36.05	13.08	66.87	0.00	292	201	PEAK	2	7673.31	52.70	54.00	-1.30	70.44	36.05	13.08	66.87	0.00	292	201	AVERAGE	3	11518.00	45.62	74.00	-28.38	57.38	38.20	16.37	66.33	0.00	--	--	PEAK	4	17265.00	50.29	68.20	-17.91	53.37	41.07	20.18	64.33	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7673.31	54.38	74.00	-19.62	72.12	36.05	13.08	66.87	0.00	292	201	PEAK																																																																																	
2	7673.31	52.70	54.00	-1.30	70.44	36.05	13.08	66.87	0.00	292	201	AVERAGE																																																																																	
3	11518.00	45.62	74.00	-28.38	57.38	38.20	16.37	66.33	0.00	--	--	PEAK																																																																																	
4	17265.00	50.29	68.20	-17.91	53.37	41.07	20.18	64.33	0.00	--	--	PEAK																																																																																	






	39																																																																																																																																																						
Mode	Band Edge - L																																																																																																																																																						
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																																																						
ANT	1																																																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																																																
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red line for the limit and a blue line for the measured signal. The signal is below the limit across the entire frequency range. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5638.80</td><td>58.51</td><td>68.20</td><td>-9.69</td><td>40.53</td><td>34.58</td><td>13.39</td><td>29.99</td><td>0.00</td><td>300</td><td>78</td><td>PEAK</td></tr><tr><td>2</td><td>5650.80</td><td>55.56</td><td>68.80</td><td>-13.24</td><td>37.51</td><td>34.60</td><td>13.46</td><td>30.01</td><td>0.00</td><td>300</td><td>78</td><td>PEAK</td></tr><tr><td>3</td><td>5781.60</td><td>55.39</td><td>105.75</td><td>-50.36</td><td>37.12</td><td>34.60</td><td>13.77</td><td>30.10</td><td>0.00</td><td>300</td><td>78</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>57.75</td><td>110.90</td><td>-53.15</td><td>39.36</td><td>34.64</td><td>13.88</td><td>30.13</td><td>0.00</td><td>300</td><td>78</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5638.80	58.51	68.20	-9.69	40.53	34.58	13.39	29.99	0.00	300	78	PEAK	2	5650.80	55.56	68.80	-13.24	37.51	34.60	13.46	30.01	0.00	300	78	PEAK	3	5781.60	55.39	105.75	-50.36	37.12	34.60	13.77	30.10	0.00	300	78	PEAK	4	5720.00	57.75	110.90	-53.15	39.36	34.64	13.88	30.13	0.00	300	78	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red line for the limit and a blue line for the measured signal. The signal is below the limit across the entire frequency range. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>95.30</td><td>-----</td><td>-----</td><td>76.40</td><td>34.80</td><td>14.37</td><td>30.27</td><td>0.00</td><td>300</td><td>78</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	95.30	-----	-----	76.40	34.80	14.37	30.27	0.00	300	78	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	5638.80	58.51	68.20	-9.69	40.53	34.58	13.39	29.99	0.00	300	78	PEAK																																																																																																																																											
2	5650.80	55.56	68.80	-13.24	37.51	34.60	13.46	30.01	0.00	300	78	PEAK																																																																																																																																											
3	5781.60	55.39	105.75	-50.36	37.12	34.60	13.77	30.10	0.00	300	78	PEAK																																																																																																																																											
4	5720.00	57.75	110.90	-53.15	39.36	34.64	13.88	30.13	0.00	300	78	PEAK																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	5795.00	95.30	-----	-----	76.40	34.80	14.37	30.27	0.00	300	78	PEAK																																																																																																																																											
Avg	Blank												 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red line for the limit and a blue line for the measured signal. The signal is below the limit across the entire frequency range. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>86.38</td><td>-----</td><td>-----</td><td>67.48</td><td>34.80</td><td>14.37</td><td>30.27</td><td>0.00</td><td>300</td><td>78</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	86.38	-----	-----	67.48	34.80	14.37	30.27	0.00	300	78	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	5795.00	86.38	-----	-----	67.48	34.80	14.37	30.27	0.00	300	78	AVERAGE																																																																																																																																											




Mode	39																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																				
ANT	1																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>54.91</td><td>111.36</td><td>-56.45</td><td>36.30</td><td>34.83</td><td>14.15</td><td>30.37</td><td>0.00</td><td>300</td><td>78</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>55.60</td><td>105.36</td><td>-49.76</td><td>36.97</td><td>34.95</td><td>14.06</td><td>30.38</td><td>0.00</td><td>300</td><td>78</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>56.94</td><td>68.94</td><td>-12.00</td><td>38.38</td><td>35.10</td><td>13.86</td><td>30.40</td><td>0.00</td><td>300</td><td>78</td><td>PEAK</td></tr><tr><td>4</td><td>5926.00</td><td>56.95</td><td>68.20</td><td>-11.25</td><td>38.41</td><td>35.10</td><td>13.85</td><td>30.41</td><td>0.00</td><td>300</td><td>78</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	54.91	111.36	-56.45	36.30	34.83	14.15	30.37	0.00	300	78	PEAK	2	5874.00	55.60	105.36	-49.76	36.97	34.95	14.06	30.38	0.00	300	78	PEAK	3	5924.00	56.94	68.94	-12.00	38.38	35.10	13.86	30.40	0.00	300	78	PEAK	4	5926.00	56.95	68.20	-11.25	38.41	35.10	13.85	30.41	0.00	300	78	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.00	54.91	111.36	-56.45	36.30	34.83	14.15	30.37	0.00	300	78	PEAK																																																																									
2	5874.00	55.60	105.36	-49.76	36.97	34.95	14.06	30.38	0.00	300	78	PEAK																																																																									
3	5924.00	56.94	68.94	-12.00	38.38	35.10	13.86	30.40	0.00	300	78	PEAK																																																																									
4	5926.00	56.95	68.20	-11.25	38.41	35.10	13.85	30.41	0.00	300	78	PEAK																																																																									





	39																																																																																																																															
Mode	Band Edge - L																																																																																																																															
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																															
ANT	1																																																																																																																															
Pol.	Vertical						Fundamental																																																																																																																									
Peak																																																																																																																																
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5634.00</td><td>56.72</td><td>68.20</td><td>-11.48</td><td>38.78</td><td>34.57</td><td>13.36</td><td>29.99</td><td>0.00</td><td>321</td><td>113</td><td>PEAK</td></tr><tr><td>2</td><td>5650.80</td><td>55.31</td><td>68.80</td><td>-13.49</td><td>37.26</td><td>34.60</td><td>13.46</td><td>30.01</td><td>0.00</td><td>321</td><td>113</td><td>PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>54.61</td><td>105.30</td><td>-50.69</td><td>36.35</td><td>34.60</td><td>13.76</td><td>30.10</td><td>0.00</td><td>321</td><td>113</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>56.90</td><td>110.90</td><td>-54.00</td><td>38.51</td><td>34.64</td><td>13.88</td><td>30.13</td><td>0.00</td><td>321</td><td>113</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5634.00	56.72	68.20	-11.48	38.78	34.57	13.36	29.99	0.00	321	113	PEAK	2	5650.80	55.31	68.80	-13.49	37.26	34.60	13.46	30.01	0.00	321	113	PEAK	3	5700.00	54.61	105.30	-50.69	36.35	34.60	13.76	30.10	0.00	321	113	PEAK	4	5720.00	56.90	110.90	-54.00	38.51	34.64	13.88	30.13	0.00	321	113	PEAK	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>101.88</td><td>-----</td><td>-----</td><td>82.98</td><td>34.80</td><td>14.37</td><td>30.27</td><td>0.00</td><td>321</td><td>113</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5795.00	101.88	-----	-----	82.98	34.80	14.37	30.27	0.00	321	113
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																				
1	5634.00	56.72	68.20	-11.48	38.78	34.57	13.36	29.99	0.00	321	113	PEAK																																																																																																																				
2	5650.80	55.31	68.80	-13.49	37.26	34.60	13.46	30.01	0.00	321	113	PEAK																																																																																																																				
3	5700.00	54.61	105.30	-50.69	36.35	34.60	13.76	30.10	0.00	321	113	PEAK																																																																																																																				
4	5720.00	56.90	110.90	-54.00	38.51	34.64	13.88	30.13	0.00	321	113	PEAK																																																																																																																				
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																				
1	5795.00	101.88	-----	-----	82.98	34.80	14.37	30.27	0.00	321	113	PEAK																																																																																																																				
Avg	Blank																																																																																																																															
							<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>93.18</td><td>-----</td><td>-----</td><td>74.28</td><td>34.80</td><td>14.37</td><td>30.27</td><td>0.00</td><td>321</td><td>113</td><td>AVERAGE</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5795.00	93.18	-----	-----	74.28	34.80	14.37	30.27	0.00	321	113	AVERAGE																																																																													
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																				
1	5795.00	93.18	-----	-----	74.28	34.80	14.37	30.27	0.00	321	113	AVERAGE																																																																																																																				





Mode	39																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																				
ANT	1																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>54.80</td><td>111.36</td><td>-56.48</td><td>36.27</td><td>34.83</td><td>14.15</td><td>30.37</td><td>0.00</td><td>321</td><td>113</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>55.72</td><td>105.36</td><td>-49.64</td><td>37.09</td><td>34.95</td><td>14.06</td><td>30.38</td><td>0.00</td><td>321</td><td>113</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>55.44</td><td>68.94</td><td>-13.50</td><td>36.88</td><td>35.10</td><td>13.86</td><td>30.40</td><td>0.00</td><td>321</td><td>113</td><td>PEAK</td></tr><tr><td>4</td><td>5960.00</td><td>58.00</td><td>68.20</td><td>-10.20</td><td>39.61</td><td>35.10</td><td>13.71</td><td>30.42</td><td>0.00</td><td>321</td><td>113</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	54.80	111.36	-56.48	36.27	34.83	14.15	30.37	0.00	321	113	PEAK	2	5874.00	55.72	105.36	-49.64	37.09	34.95	14.06	30.38	0.00	321	113	PEAK	3	5924.00	55.44	68.94	-13.50	36.88	35.10	13.86	30.40	0.00	321	113	PEAK	4	5960.00	58.00	68.20	-10.20	39.61	35.10	13.71	30.42	0.00	321	113	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.00	54.80	111.36	-56.48	36.27	34.83	14.15	30.37	0.00	321	113	PEAK																																																																									
2	5874.00	55.72	105.36	-49.64	37.09	34.95	14.06	30.38	0.00	321	113	PEAK																																																																									
3	5924.00	55.44	68.94	-13.50	36.88	35.10	13.86	30.40	0.00	321	113	PEAK																																																																									
4	5960.00	58.00	68.20	-10.20	39.61	35.10	13.71	30.42	0.00	321	113	PEAK																																																																									






		39																																																																																																																																																																						
Mode	Harmonic																																																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																																																																							
ANT	1																																																																																																																																																																							
Pol.	Horizontal					Vertical																																																																																																																																																																		
Peak Avg																																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7726.73</td><td>47.60</td><td>74.00</td><td>-26.40</td><td>65.21</td><td>36.15</td><td>13.13</td><td>66.89</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11590.00</td><td>44.97</td><td>74.00</td><td>-29.03</td><td>56.68</td><td>38.20</td><td>16.42</td><td>66.33</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>17385.00</td><td>48.53</td><td>68.20</td><td>-19.67</td><td>51.60</td><td>41.10</td><td>20.26</td><td>64.43</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7726.65</td><td>54.58</td><td>74.00</td><td>-19.42</td><td>72.19</td><td>36.15</td><td>13.13</td><td>66.89</td><td>0.00</td><td>300</td><td>202 PEAK</td></tr><tr><td>2</td><td>7726.65</td><td>52.88</td><td>54.00</td><td>-1.12</td><td>70.49</td><td>36.15</td><td>13.13</td><td>66.89</td><td>0.00</td><td>300</td><td>202 AVERAGE</td></tr><tr><td>3</td><td>11590.00</td><td>51.38</td><td>74.00</td><td>-22.62</td><td>63.09</td><td>38.20</td><td>16.42</td><td>66.33</td><td>0.00</td><td>326</td><td>67 PEAK</td></tr><tr><td>4</td><td>11590.00</td><td>41.56</td><td>54.00</td><td>-12.44</td><td>53.27</td><td>38.20</td><td>16.42</td><td>66.33</td><td>0.00</td><td>326</td><td>67 AVERAGE</td></tr><tr><td>5</td><td>17385.00</td><td>51.62</td><td>68.20</td><td>-16.58</td><td>54.69</td><td>41.10</td><td>20.26</td><td>64.43</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7726.73	47.60	74.00	-26.40	65.21	36.15	13.13	66.89	0.00	--	Peak	2	11590.00	44.97	74.00	-29.03	56.68	38.20	16.42	66.33	0.00	--	PEAK	3	17385.00	48.53	68.20	-19.67	51.60	41.10	20.26	64.43	0.00	--	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7726.65	54.58	74.00	-19.42	72.19	36.15	13.13	66.89	0.00	300	202 PEAK	2	7726.65	52.88	54.00	-1.12	70.49	36.15	13.13	66.89	0.00	300	202 AVERAGE	3	11590.00	51.38	74.00	-22.62	63.09	38.20	16.42	66.33	0.00	326	67 PEAK	4	11590.00	41.56	54.00	-12.44	53.27	38.20	16.42	66.33	0.00	326	67 AVERAGE	5	17385.00	51.62	68.20	-16.58	54.69	41.10	20.26	64.43	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																														
1	7726.73	47.60	74.00	-26.40	65.21	36.15	13.13	66.89	0.00	--	Peak																																																																																																																																																													
2	11590.00	44.97	74.00	-29.03	56.68	38.20	16.42	66.33	0.00	--	PEAK																																																																																																																																																													
3	17385.00	48.53	68.20	-19.67	51.60	41.10	20.26	64.43	0.00	--	PEAK																																																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																														
1	7726.65	54.58	74.00	-19.42	72.19	36.15	13.13	66.89	0.00	300	202 PEAK																																																																																																																																																													
2	7726.65	52.88	54.00	-1.12	70.49	36.15	13.13	66.89	0.00	300	202 AVERAGE																																																																																																																																																													
3	11590.00	51.38	74.00	-22.62	63.09	38.20	16.42	66.33	0.00	326	67 PEAK																																																																																																																																																													
4	11590.00	41.56	54.00	-12.44	53.27	38.20	16.42	66.33	0.00	326	67 AVERAGE																																																																																																																																																													
5	17385.00	51.62	68.20	-16.58	54.69	41.10	20.26	64.43	0.00	--	PEAK																																																																																																																																																													




	40																																																																																																																																			
Mode	Harmonic																																																																																																																																			
	U-NII-2C_U-NII-2C_802.11ac VHT80_CH138_5690MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																													
Peak Avg																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7586.67</td><td>43.09</td><td>74.00</td><td>-30.91</td><td>58.50</td><td>35.73</td><td>14.75</td><td>65.89</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11380.00</td><td>46.67</td><td>74.00</td><td>-27.33</td><td>54.46</td><td>37.98</td><td>18.48</td><td>64.25</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7586.67	43.09	74.00	-30.91	58.50	35.73	14.75	65.89	0.00	--	PEAK	2	11380.00	46.67	74.00	-27.33	54.46	37.98	18.48	64.25	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7586.67</td><td>54.22</td><td>74.00</td><td>-19.78</td><td>69.63</td><td>35.73</td><td>14.75</td><td>65.89</td><td>0.00</td><td>296</td><td>100 PEAK</td></tr><tr><td>2</td><td>7586.67</td><td>53.07</td><td>54.00</td><td>-0.93</td><td>68.48</td><td>35.73</td><td>14.75</td><td>65.89</td><td>0.00</td><td>296</td><td>100 AVERAGE</td></tr><tr><td>3</td><td>11380.00</td><td>45.99</td><td>74.00</td><td>-28.01</td><td>53.78</td><td>37.98</td><td>18.48</td><td>64.25</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7586.67	54.22	74.00	-19.78	69.63	35.73	14.75	65.89	0.00	296	100 PEAK	2	7586.67	53.07	54.00	-0.93	68.48	35.73	14.75	65.89	0.00	296	100 AVERAGE	3	11380.00	45.99	74.00	-28.01	53.78	37.98	18.48	64.25	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	7586.67	43.09	74.00	-30.91	58.50	35.73	14.75	65.89	0.00	--	PEAK																																																																																																																									
2	11380.00	46.67	74.00	-27.33	54.46	37.98	18.48	64.25	0.00	--	PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	7586.67	54.22	74.00	-19.78	69.63	35.73	14.75	65.89	0.00	296	100 PEAK																																																																																																																									
2	7586.67	53.07	54.00	-0.93	68.48	35.73	14.75	65.89	0.00	296	100 AVERAGE																																																																																																																									
3	11380.00	45.99	74.00	-28.01	53.78	37.98	18.48	64.25	0.00	--	PEAK																																																																																																																									






Mode	41																																																																																																																																
	Band Edge - L																																																																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																
ANT	1																																																																																																																																
Pol.	Horizontal	Fundamental																																																																																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5629.20</td><td>57.87</td><td>68.20</td><td>-10.33</td><td>39.97</td><td>34.56</td><td>13.33</td><td>29.99</td><td>0.00</td><td>275</td><td>79</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>55.17</td><td>68.50</td><td>-13.33</td><td>37.12</td><td>34.60</td><td>13.46</td><td>30.01</td><td>0.00</td><td>275</td><td>79</td><td>PEAK</td></tr><tr><td>3</td><td>5704.80</td><td>61.02</td><td>106.65</td><td>-45.63</td><td>42.72</td><td>34.61</td><td>13.79</td><td>30.10</td><td>0.00</td><td>275</td><td>79</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>62.54</td><td>110.90</td><td>-48.36</td><td>44.15</td><td>34.64</td><td>13.88</td><td>30.13</td><td>0.00</td><td>275</td><td>79</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5629.20	57.87	68.20	-10.33	39.97	34.56	13.33	29.99	0.00	275	79	PEAK	2	5650.40	55.17	68.50	-13.33	37.12	34.60	13.46	30.01	0.00	275	79	PEAK	3	5704.80	61.02	106.65	-45.63	42.72	34.61	13.79	30.10	0.00	275	79	PEAK	4	5720.00	62.54	110.90	-48.36	44.15	34.64	13.88	30.13	0.00	275	79	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>90.84</td><td>-----</td><td>-----</td><td>72.13</td><td>34.74</td><td>14.19</td><td>30.22</td><td>0.00</td><td>275</td><td>79</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	90.84	-----	-----	72.13	34.74	14.19	30.22	0.00	275	79	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5629.20	57.87	68.20	-10.33	39.97	34.56	13.33	29.99	0.00	275	79	PEAK																																																																																																																					
2	5650.40	55.17	68.50	-13.33	37.12	34.60	13.46	30.01	0.00	275	79	PEAK																																																																																																																					
3	5704.80	61.02	106.65	-45.63	42.72	34.61	13.79	30.10	0.00	275	79	PEAK																																																																																																																					
4	5720.00	62.54	110.90	-48.36	44.15	34.64	13.88	30.13	0.00	275	79	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5775.00	90.84	-----	-----	72.13	34.74	14.19	30.22	0.00	275	79	PEAK																																																																																																																					
Avg	Blank	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>82.44</td><td>-----</td><td>-----</td><td>63.73</td><td>34.74</td><td>14.19</td><td>30.22</td><td>0.00</td><td>275</td><td>79</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	82.44	-----	-----	63.73	34.74	14.19	30.22	0.00	275	79	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5775.00	82.44	-----	-----	63.73	34.74	14.19	30.22	0.00	275	79	AVERAGE																																																																																																																					




Mode	41																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																				
ANT	1																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>55.04</td><td>111.36</td><td>-56.32</td><td>36.43</td><td>34.83</td><td>14.15</td><td>30.37</td><td>0.00</td><td>275</td><td>79</td><td>PEAK</td></tr><tr><td>2</td><td>5868.00</td><td>59.82</td><td>107.26</td><td>-47.44</td><td>41.20</td><td>34.91</td><td>14.09</td><td>30.38</td><td>0.00</td><td>275</td><td>79</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>55.70</td><td>68.64</td><td>-12.94</td><td>37.14</td><td>35.10</td><td>13.86</td><td>30.40</td><td>0.00</td><td>275</td><td>79</td><td>PEAK</td></tr><tr><td>4</td><td>5932.00</td><td>56.34</td><td>68.20</td><td>-11.86</td><td>37.82</td><td>35.10</td><td>13.83</td><td>30.41</td><td>0.00</td><td>275</td><td>79</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	55.04	111.36	-56.32	36.43	34.83	14.15	30.37	0.00	275	79	PEAK	2	5868.00	59.82	107.26	-47.44	41.20	34.91	14.09	30.38	0.00	275	79	PEAK	3	5924.40	55.70	68.64	-12.94	37.14	35.10	13.86	30.40	0.00	275	79	PEAK	4	5932.00	56.34	68.20	-11.86	37.82	35.10	13.83	30.41	0.00	275	79	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.00	55.04	111.36	-56.32	36.43	34.83	14.15	30.37	0.00	275	79	PEAK																																																																									
2	5868.00	59.82	107.26	-47.44	41.20	34.91	14.09	30.38	0.00	275	79	PEAK																																																																									
3	5924.40	55.70	68.64	-12.94	37.14	35.10	13.86	30.40	0.00	275	79	PEAK																																																																									
4	5932.00	56.34	68.20	-11.86	37.82	35.10	13.83	30.41	0.00	275	79	PEAK																																																																									





	41																																																																																																																																
Mode	Band Edge - L																																																																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																
ANT	1																																																																																																																																
Pol.	Vertical	Fundamental																																																																																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5631.60</td><td>57.44</td><td>68.20</td><td>-10.76</td><td>39.53</td><td>34.56</td><td>13.34</td><td>29.99</td><td>0.00</td><td>309</td><td>111</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>54.82</td><td>68.20</td><td>-13.38</td><td>36.78</td><td>34.60</td><td>13.45</td><td>30.01</td><td>0.00</td><td>309</td><td>111</td><td>PEAK</td></tr><tr><td>3</td><td>5786.00</td><td>69.50</td><td>106.98</td><td>-37.48</td><td>51.20</td><td>34.61</td><td>13.80</td><td>30.11</td><td>0.00</td><td>309</td><td>111</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>68.89</td><td>111.81</td><td>-42.92</td><td>50.50</td><td>34.64</td><td>13.88</td><td>30.13</td><td>0.00</td><td>309</td><td>111</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5631.60	57.44	68.20	-10.76	39.53	34.56	13.34	29.99	0.00	309	111	PEAK	2	5650.00	54.82	68.20	-13.38	36.78	34.60	13.45	30.01	0.00	309	111	PEAK	3	5786.00	69.50	106.98	-37.48	51.20	34.61	13.80	30.11	0.00	309	111	PEAK	4	5720.40	68.89	111.81	-42.92	50.50	34.64	13.88	30.13	0.00	309	111	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>97.36</td><td>-----</td><td>-----</td><td>78.62</td><td>34.75</td><td>14.22</td><td>30.23</td><td>0.00</td><td>309</td><td>111</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	97.36	-----	-----	78.62	34.75	14.22	30.23	0.00	309	111	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5631.60	57.44	68.20	-10.76	39.53	34.56	13.34	29.99	0.00	309	111	PEAK																																																																																																																					
2	5650.00	54.82	68.20	-13.38	36.78	34.60	13.45	30.01	0.00	309	111	PEAK																																																																																																																					
3	5786.00	69.50	106.98	-37.48	51.20	34.61	13.80	30.11	0.00	309	111	PEAK																																																																																																																					
4	5720.40	68.89	111.81	-42.92	50.50	34.64	13.88	30.13	0.00	309	111	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5775.00	97.36	-----	-----	78.62	34.75	14.22	30.23	0.00	309	111	PEAK																																																																																																																					
Avg	Blank	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>89.77</td><td>-----</td><td>-----</td><td>71.06</td><td>34.74</td><td>14.19</td><td>30.22</td><td>0.00</td><td>309</td><td>111</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	89.77	-----	-----	71.06	34.74	14.19	30.22	0.00	309	111	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5775.00	89.77	-----	-----	71.06	34.74	14.19	30.22	0.00	309	111	AVERAGE																																																																																																																					







Mode	41																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																				
ANT	1																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>60.35</td><td>111.36</td><td>-51.01</td><td>41.74</td><td>34.83</td><td>14.15</td><td>30.37</td><td>0.00</td><td>309</td><td>111</td><td>PEAK</td></tr><tr><td>2</td><td>5872.80</td><td>59.65</td><td>105.92</td><td>-46.27</td><td>41.02</td><td>34.94</td><td>14.07</td><td>30.38</td><td>0.00</td><td>309</td><td>111</td><td>PEAK</td></tr><tr><td>3</td><td>5922.80</td><td>56.26</td><td>69.83</td><td>-13.57</td><td>37.69</td><td>35.10</td><td>13.87</td><td>30.40</td><td>0.00</td><td>309</td><td>111</td><td>PEAK</td></tr><tr><td>4</td><td>5943.20</td><td>58.51</td><td>68.20</td><td>-9.69</td><td>40.04</td><td>35.10</td><td>13.78</td><td>30.41</td><td>0.00</td><td>309</td><td>111</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	60.35	111.36	-51.01	41.74	34.83	14.15	30.37	0.00	309	111	PEAK	2	5872.80	59.65	105.92	-46.27	41.02	34.94	14.07	30.38	0.00	309	111	PEAK	3	5922.80	56.26	69.83	-13.57	37.69	35.10	13.87	30.40	0.00	309	111	PEAK	4	5943.20	58.51	68.20	-9.69	40.04	35.10	13.78	30.41	0.00	309	111	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.80	60.35	111.36	-51.01	41.74	34.83	14.15	30.37	0.00	309	111	PEAK																																																																									
2	5872.80	59.65	105.92	-46.27	41.02	34.94	14.07	30.38	0.00	309	111	PEAK																																																																									
3	5922.80	56.26	69.83	-13.57	37.69	35.10	13.87	30.40	0.00	309	111	PEAK																																																																									
4	5943.20	58.51	68.20	-9.69	40.04	35.10	13.78	30.41	0.00	309	111	PEAK																																																																									







	41																																																																																																																																																			
Mode	Harmonic																																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																																			
ANT	1																																																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																																																		
Peak Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7700.33</td><td>47.69</td><td>74.00</td><td>-26.31</td><td>65.36</td><td>36.10</td><td>13.11</td><td>66.88</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11550.00</td><td>44.73</td><td>74.00</td><td>-29.27</td><td>56.47</td><td>38.20</td><td>16.39</td><td>66.33</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>17325.00</td><td>47.60</td><td>68.20</td><td>-20.60</td><td>50.65</td><td>41.10</td><td>20.21</td><td>64.36</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7700.33	47.69	74.00	-26.31	65.36	36.10	13.11	66.88	0.00	--	Peak	2	11550.00	44.73	74.00	-29.27	56.47	38.20	16.39	66.33	0.00	--	PEAK	3	17325.00	47.60	68.20	-20.60	50.65	41.10	20.21	64.36	0.00	--	PEAK	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7699.98</td><td>54.62</td><td>74.00</td><td>-19.38</td><td>72.29</td><td>36.10</td><td>13.11</td><td>66.88</td><td>0.00</td><td>307</td><td>204 PEAK</td></tr><tr><td>2</td><td>7699.98</td><td>52.92</td><td>54.00</td><td>-1.08</td><td>70.59</td><td>36.10</td><td>13.11</td><td>66.88</td><td>0.00</td><td>307</td><td>204 AVERAGE</td></tr><tr><td>3</td><td>11550.00</td><td>45.78</td><td>74.00</td><td>-28.22</td><td>57.52</td><td>38.20</td><td>16.39</td><td>66.33</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>17325.00</td><td>48.14</td><td>68.20</td><td>-20.06</td><td>51.20</td><td>41.10</td><td>20.22</td><td>64.38</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7699.98	54.62	74.00	-19.38	72.29	36.10	13.11	66.88	0.00	307	204 PEAK	2	7699.98	52.92	54.00	-1.08	70.59	36.10	13.11	66.88	0.00	307	204 AVERAGE	3	11550.00	45.78	74.00	-28.22	57.52	38.20	16.39	66.33	0.00	--	PEAK	4	17325.00	48.14	68.20	-20.06	51.20	41.10	20.22	64.38	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																										
1	7700.33	47.69	74.00	-26.31	65.36	36.10	13.11	66.88	0.00	--	Peak																																																																																																																																									
2	11550.00	44.73	74.00	-29.27	56.47	38.20	16.39	66.33	0.00	--	PEAK																																																																																																																																									
3	17325.00	47.60	68.20	-20.60	50.65	41.10	20.21	64.36	0.00	--	PEAK																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																										
1	7699.98	54.62	74.00	-19.38	72.29	36.10	13.11	66.88	0.00	307	204 PEAK																																																																																																																																									
2	7699.98	52.92	54.00	-1.08	70.59	36.10	13.11	66.88	0.00	307	204 AVERAGE																																																																																																																																									
3	11550.00	45.78	74.00	-28.22	57.52	38.20	16.39	66.33	0.00	--	PEAK																																																																																																																																									
4	17325.00	48.14	68.20	-20.06	51.20	41.10	20.22	64.38	0.00	--	PEAK																																																																																																																																									





Co-location

		43																																																						
Mode	Band Edge																																																							
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																							
ANT	1																																																							
Pol.	Horizontal					Fundamental																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>49.79</td><td>74.00</td><td>-24.21</td><td>40.91</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>100</td><td>193 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	49.79	74.00	-24.21	40.91	32.47	7.26	36.85	6.00	100	193 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2483.50	49.79	74.00	-24.21	40.91	32.47	7.26	36.85	6.00	100	193 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.46</td><td>39.30</td><td>54.00</td><td>-14.70</td><td>30.41</td><td>32.47</td><td>7.26</td><td>36.84</td><td>6.00</td><td>100</td><td>193 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.46	39.30	54.00	-14.70	30.41	32.47	7.26	36.84	6.00	100	193 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2487.46	39.30	54.00	-14.70	30.41	32.47	7.26	36.84	6.00	100	193 AVERAGE																																													
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>92.78</td><td>-----</td><td>-----</td><td>83.93</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>100</td><td>193 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	92.78	-----	-----	83.93	32.46	7.25	36.86	6.00	100	193 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2480.00	92.78	-----	-----	83.93	32.46	7.25	36.86	6.00	100	193 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>91.88</td><td>-----</td><td>-----</td><td>83.03</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>100</td><td>193 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	91.88	-----	-----	83.03	32.46	7.25	36.86	6.00	100	193 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2480.00	91.88	-----	-----	83.03	32.46	7.25	36.86	6.00	100	193 AVERAGE																																													






		43																																																				
Mode	Band Edge																																																					
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																					
ANT	1																																																					
Pol.	Vertical						Fundamental																																															
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>52.71</td><td>74.00</td><td>-21.29</td><td>43.83</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>263</td><td>195</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	1	2483.62	52.71	74.00	-21.29	43.83	32.47	7.26	36.85	6.00	263	195
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																													
1	2483.62	52.71	74.00	-21.29	43.83	32.47	7.26	36.85	6.00	263	195	PEAK																																										
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>95.50</td><td>-----</td><td>-----</td><td>86.65</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>263</td><td>195</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	1	2480.00	95.50	-----	-----	86.65	32.46	7.25	36.86	6.00	263	195
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																													
1	2480.00	95.50	-----	-----	86.65	32.46	7.25	36.86	6.00	263	195	PEAK																																										
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.34</td><td>39.44</td><td>54.00</td><td>-14.56</td><td>30.56</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>263</td><td>195</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	1	2484.34	39.44	54.00	-14.56	30.56	32.47	7.26	36.85	6.00	263	195
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																													
1	2484.34	39.44	54.00	-14.56	30.56	32.47	7.26	36.85	6.00	263	195	AVERAGE																																										
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>94.98</td><td>-----</td><td>-----</td><td>86.13</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>263</td><td>195</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	1	2480.00	94.98	-----	-----	86.13	32.46	7.25	36.86	6.00	263	195
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																													
1	2480.00	94.98	-----	-----	86.13	32.46	7.25	36.86	6.00	263	195	AVERAGE																																										




Mode	43																																																																																															
	Harmonic																																																																																															
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.19</td><td>74.00</td><td>-34.81</td><td>60.16</td><td>34.22</td><td>10.40</td><td>65.59</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	39.19	74.00	-34.81	60.16	34.22	10.40	65.59	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.25</td><td>74.00</td><td>-33.75</td><td>61.22</td><td>34.22</td><td>10.40</td><td>65.59</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.25	74.00	-33.75	61.22	34.22	10.40	65.59	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	4960.00	39.19	74.00	-34.81	60.16	34.22	10.40	65.59	0.00	--	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	4960.00	40.25	74.00	-33.75	61.22	34.22	10.40	65.59	0.00	--	PEAK																																																																																					






	43																																																																																																																																																																			
Mode	Band Edge - L																																																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																																																			
ANT	1																																																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5600.40</td><td>52.47</td><td>68.20</td><td>-15.73</td><td>42.66</td><td>34.83</td><td>11.00</td><td>36.02</td><td>0.00</td><td>313</td><td>133</td><td>PEAK</td></tr><tr><td>2</td><td>5654.40</td><td>51.39</td><td>71.48</td><td>-20.09</td><td>41.62</td><td>34.88</td><td>11.08</td><td>36.19</td><td>0.00</td><td>313</td><td>133</td><td>PEAK</td></tr><tr><td>3</td><td>5715.60</td><td>52.47</td><td>109.67</td><td>-57.20</td><td>43.52</td><td>34.94</td><td>11.16</td><td>37.15</td><td>0.00</td><td>313</td><td>133</td><td>PEAK</td></tr><tr><td>4</td><td>5721.20</td><td>49.84</td><td>113.64</td><td>-63.80</td><td>40.96</td><td>34.94</td><td>11.17</td><td>37.23</td><td>0.00</td><td>313</td><td>133</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5600.40	52.47	68.20	-15.73	42.66	34.83	11.00	36.02	0.00	313	133	PEAK	2	5654.40	51.39	71.48	-20.09	41.62	34.88	11.08	36.19	0.00	313	133	PEAK	3	5715.60	52.47	109.67	-57.20	43.52	34.94	11.16	37.15	0.00	313	133	PEAK	4	5721.20	49.84	113.64	-63.80	40.96	34.94	11.17	37.23	0.00	313	133	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2482.00</td><td>84.83</td><td>-----</td><td>-----</td><td>81.97</td><td>32.46</td><td>7.25</td><td>36.85</td><td>0.00</td><td>313</td><td>133</td><td>Peak</td></tr><tr><td>2</td><td>5785.00</td><td>95.60</td><td>-----</td><td>-----</td><td>87.61</td><td>35.01</td><td>11.26</td><td>38.28</td><td>0.00</td><td>313</td><td>133</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	84.83	-----	-----	81.97	32.46	7.25	36.85	0.00	313	133	Peak	2	5785.00	95.60	-----	-----	87.61	35.01	11.26	38.28	0.00	313	133	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1	5600.40	52.47	68.20	-15.73	42.66	34.83	11.00	36.02	0.00	313	133	PEAK																																																																																																																																																								
2	5654.40	51.39	71.48	-20.09	41.62	34.88	11.08	36.19	0.00	313	133	PEAK																																																																																																																																																								
3	5715.60	52.47	109.67	-57.20	43.52	34.94	11.16	37.15	0.00	313	133	PEAK																																																																																																																																																								
4	5721.20	49.84	113.64	-63.80	40.96	34.94	11.17	37.23	0.00	313	133	PEAK																																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1	2482.00	84.83	-----	-----	81.97	32.46	7.25	36.85	0.00	313	133	Peak																																																																																																																																																								
2	5785.00	95.60	-----	-----	87.61	35.01	11.26	38.28	0.00	313	133	PEAK																																																																																																																																																								
Avg	Blank												<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2482.00</td><td>83.47</td><td>-----</td><td>-----</td><td>80.61</td><td>32.46</td><td>7.25</td><td>36.85</td><td>0.00</td><td>313</td><td>133</td><td>AVERAGE</td></tr><tr><td>2</td><td>5785.00</td><td>86.66</td><td>-----</td><td>-----</td><td>78.67</td><td>35.01</td><td>11.26</td><td>38.28</td><td>0.00</td><td>313</td><td>133</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	83.47	-----	-----	80.61	32.46	7.25	36.85	0.00	313	133	AVERAGE	2	5785.00	86.66	-----	-----	78.67	35.01	11.26	38.28	0.00	313	133	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1	2482.00	83.47	-----	-----	80.61	32.46	7.25	36.85	0.00	313	133	AVERAGE																																																																																																																																																								
2	5785.00	86.66	-----	-----	78.67	35.01	11.26	38.28	0.00	313	133	AVERAGE																																																																																																																																																								




Mode	43																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																														
ANT	1																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5850.00</td><td>53.75</td><td>120.48</td><td>-66.73</td><td>46.63</td><td>35.06</td><td>11.33</td><td>39.27</td><td>0.00</td><td>313</td><td>133</td><td>PEAK</td></tr><tr><td>2</td><td>5856.00</td><td>50.70</td><td>110.62</td><td>-59.92</td><td>43.62</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>313</td><td>133</td><td>PEAK</td></tr><tr><td>3</td><td>5910.40</td><td>51.95</td><td>79.00</td><td>-27.05</td><td>44.68</td><td>35.12</td><td>11.39</td><td>39.24</td><td>0.00</td><td>313</td><td>133</td><td>PEAK</td></tr><tr><td>4</td><td>5985.60</td><td>50.98</td><td>68.20</td><td>-17.22</td><td>43.45</td><td>35.19</td><td>11.46</td><td>39.12</td><td>0.00</td><td>313</td><td>133</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5850.00	53.75	120.48	-66.73	46.63	35.06	11.33	39.27	0.00	313	133	PEAK	2	5856.00	50.70	110.62	-59.92	43.62	35.07	11.34	39.33	0.00	313	133	PEAK	3	5910.40	51.95	79.00	-27.05	44.68	35.12	11.39	39.24	0.00	313	133	PEAK	4	5985.60	50.98	68.20	-17.22	43.45	35.19	11.46	39.12	0.00	313	133	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5850.00	53.75	120.48	-66.73	46.63	35.06	11.33	39.27	0.00	313	133	PEAK																																																																																			
2	5856.00	50.70	110.62	-59.92	43.62	35.07	11.34	39.33	0.00	313	133	PEAK																																																																																			
3	5910.40	51.95	79.00	-27.05	44.68	35.12	11.39	39.24	0.00	313	133	PEAK																																																																																			
4	5985.60	50.98	68.20	-17.22	43.45	35.19	11.46	39.12	0.00	313	133	PEAK																																																																																			



	43																																																																																																																																																																	
Mode	Band Edge - L																																																																																																																																																																	
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																																																	
ANT	1																																																																																																																																																																	
Pol.	Vertical						Fundamental																																																																																																																																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5639.20</td><td>52.89</td><td>68.20</td><td>-15.31</td><td>42.92</td><td>34.87</td><td>11.06</td><td>35.96</td><td>0.00</td><td>300</td><td>263</td><td>PEAK</td></tr><tr><td>2</td><td>5656.40</td><td>52.59</td><td>72.97</td><td>-20.38</td><td>42.85</td><td>34.88</td><td>11.08</td><td>36.22</td><td>0.00</td><td>300</td><td>263</td><td>PEAK</td></tr><tr><td>3</td><td>5711.20</td><td>56.62</td><td>108.44</td><td>-51.82</td><td>47.61</td><td>34.93</td><td>11.16</td><td>37.08</td><td>0.00</td><td>300</td><td>263</td><td>PEAK</td></tr><tr><td>4</td><td>5722.40</td><td>51.49</td><td>116.37</td><td>-64.88</td><td>42.63</td><td>34.94</td><td>11.17</td><td>37.25</td><td>0.00</td><td>300</td><td>263</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5639.20	52.89	68.20	-15.31	42.92	34.87	11.06	35.96	0.00	300	263	PEAK	2	5656.40	52.59	72.97	-20.38	42.85	34.88	11.08	36.22	0.00	300	263	PEAK	3	5711.20	56.62	108.44	-51.82	47.61	34.93	11.16	37.08	0.00	300	263	PEAK	4	5722.40	51.49	116.37	-64.88	42.63	34.94	11.17	37.25	0.00	300	263	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2482.00</td><td>92.84</td><td>-----</td><td>89.98</td><td>32.46</td><td>7.25</td><td>36.85</td><td>0.00</td><td>300</td><td>263</td><td>Peak</td></tr><tr><td>2</td><td>5785.00</td><td>102.33</td><td>-----</td><td>94.34</td><td>35.01</td><td>11.26</td><td>38.28</td><td>0.00</td><td>300</td><td>263</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	92.84	-----	89.98	32.46	7.25	36.85	0.00	300	263	Peak	2	5785.00	102.33	-----	94.34	35.01	11.26	38.28	0.00	300	263	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																								
1	5639.20	52.89	68.20	-15.31	42.92	34.87	11.06	35.96	0.00	300	263	PEAK																																																																																																																																																						
2	5656.40	52.59	72.97	-20.38	42.85	34.88	11.08	36.22	0.00	300	263	PEAK																																																																																																																																																						
3	5711.20	56.62	108.44	-51.82	47.61	34.93	11.16	37.08	0.00	300	263	PEAK																																																																																																																																																						
4	5722.40	51.49	116.37	-64.88	42.63	34.94	11.17	37.25	0.00	300	263	PEAK																																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																								
1	2482.00	92.84	-----	89.98	32.46	7.25	36.85	0.00	300	263	Peak																																																																																																																																																							
2	5785.00	102.33	-----	94.34	35.01	11.26	38.28	0.00	300	263	PEAK																																																																																																																																																							
Avg	Blank												<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2482.00</td><td>91.47</td><td>-----</td><td>88.61</td><td>32.46</td><td>7.25</td><td>36.85</td><td>0.00</td><td>300</td><td>263</td><td>AVERAGE</td></tr><tr><td>2</td><td>5785.00</td><td>91.98</td><td>-----</td><td>83.99</td><td>35.01</td><td>11.26</td><td>38.28</td><td>0.00</td><td>300</td><td>263</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	91.47	-----	88.61	32.46	7.25	36.85	0.00	300	263	AVERAGE	2	5785.00	91.98	-----	83.99	35.01	11.26	38.28	0.00	300	263	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																								
1	2482.00	91.47	-----	88.61	32.46	7.25	36.85	0.00	300	263	AVERAGE																																																																																																																																																							
2	5785.00	91.98	-----	83.99	35.01	11.26	38.28	0.00	300	263	AVERAGE																																																																																																																																																							






Mode	43																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																				
ANT	1																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.20</td><td>54.31</td><td>115.00</td><td>-60.69</td><td>47.21</td><td>35.07</td><td>11.33</td><td>39.30</td><td>0.00</td><td>300</td><td>263</td><td>Peak</td></tr><tr><td>2</td><td>5862.80</td><td>53.62</td><td>108.71</td><td>-55.09</td><td>46.52</td><td>35.08</td><td>11.34</td><td>39.32</td><td>0.00</td><td>300</td><td>263</td><td>PEAK</td></tr><tr><td>3</td><td>5883.20</td><td>50.59</td><td>99.19</td><td>-48.60</td><td>43.41</td><td>35.10</td><td>11.36</td><td>39.28</td><td>0.00</td><td>300</td><td>263</td><td>PEAK</td></tr><tr><td>4</td><td>5945.20</td><td>50.55</td><td>68.20</td><td>-17.65</td><td>43.16</td><td>35.15</td><td>11.42</td><td>39.18</td><td>0.00</td><td>300</td><td>263</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.20	54.31	115.00	-60.69	47.21	35.07	11.33	39.30	0.00	300	263	Peak	2	5862.80	53.62	108.71	-55.09	46.52	35.08	11.34	39.32	0.00	300	263	PEAK	3	5883.20	50.59	99.19	-48.60	43.41	35.10	11.36	39.28	0.00	300	263	PEAK	4	5945.20	50.55	68.20	-17.65	43.16	35.15	11.42	39.18	0.00	300	263	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5853.20	54.31	115.00	-60.69	47.21	35.07	11.33	39.30	0.00	300	263	Peak																																																																									
2	5862.80	53.62	108.71	-55.09	46.52	35.08	11.34	39.32	0.00	300	263	PEAK																																																																									
3	5883.20	50.59	99.19	-48.60	43.41	35.10	11.36	39.28	0.00	300	263	PEAK																																																																									
4	5945.20	50.55	68.20	-17.65	43.16	35.15	11.42	39.18	0.00	300	263	PEAK																																																																									




		43																																																																																																																																																																																													
Mode	Harmonic																																																																																																																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																																																																														
ANT	1																																																																																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																																																																																								
Peak Avg																																																																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7713.53</td><td>51.63</td><td>74.00</td><td>-22.37</td><td>69.27</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>348</td><td>231</td><td>Peak</td></tr><tr><td>2</td><td>7713.53</td><td>50.39</td><td>54.00</td><td>-3.61</td><td>68.03</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>348</td><td>231</td><td>Average</td></tr><tr><td>3</td><td>11570.00</td><td>45.44</td><td>74.00</td><td>-28.56</td><td>57.16</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7713.53	51.63	74.00	-22.37	69.27	36.13	13.12	66.89	0.00	348	231	Peak	2	7713.53	50.39	54.00	-3.61	68.03	36.13	13.12	66.89	0.00	348	231	Average	3	11570.00	45.44	74.00	-28.56	57.16	38.20	16.41	66.33	0.00	--	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7049.13</td><td>45.38</td><td>68.20</td><td>-22.82</td><td>62.87</td><td>35.60</td><td>12.52</td><td>65.61</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7713.53</td><td>54.43</td><td>74.00</td><td>-19.57</td><td>72.07</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>272</td><td>94</td><td>Peak</td></tr><tr><td>3</td><td>7713.53</td><td>52.91</td><td>54.00</td><td>-1.09</td><td>70.55</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>272</td><td>94</td><td>Average</td></tr><tr><td>4</td><td>11570.00</td><td>47.40</td><td>74.00</td><td>-26.60</td><td>59.12</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>5</td><td>11570.00</td><td>35.39</td><td>54.00</td><td>-18.61</td><td>47.11</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr><tr><td>6</td><td>17355.00</td><td>48.04</td><td>68.20</td><td>-19.36</td><td>51.90</td><td>41.10</td><td>20.24</td><td>64.40</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7049.13	45.38	68.20	-22.82	62.87	35.60	12.52	65.61	0.00	--	--	Peak	2	7713.53	54.43	74.00	-19.57	72.07	36.13	13.12	66.89	0.00	272	94	Peak	3	7713.53	52.91	54.00	-1.09	70.55	36.13	13.12	66.89	0.00	272	94	Average	4	11570.00	47.40	74.00	-26.60	59.12	38.20	16.41	66.33	0.00	300	0	PEAK	5	11570.00	35.39	54.00	-18.61	47.11	38.20	16.41	66.33	0.00	300	0	AVERAGE	6	17355.00	48.04	68.20	-19.36	51.90	41.10	20.24	64.40	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																					
1	7713.53	51.63	74.00	-22.37	69.27	36.13	13.12	66.89	0.00	348	231	Peak																																																																																																																																																																																			
2	7713.53	50.39	54.00	-3.61	68.03	36.13	13.12	66.89	0.00	348	231	Average																																																																																																																																																																																			
3	11570.00	45.44	74.00	-28.56	57.16	38.20	16.41	66.33	0.00	--	--	PEAK																																																																																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																					
1	7049.13	45.38	68.20	-22.82	62.87	35.60	12.52	65.61	0.00	--	--	Peak																																																																																																																																																																																			
2	7713.53	54.43	74.00	-19.57	72.07	36.13	13.12	66.89	0.00	272	94	Peak																																																																																																																																																																																			
3	7713.53	52.91	54.00	-1.09	70.55	36.13	13.12	66.89	0.00	272	94	Average																																																																																																																																																																																			
4	11570.00	47.40	74.00	-26.60	59.12	38.20	16.41	66.33	0.00	300	0	PEAK																																																																																																																																																																																			
5	11570.00	35.39	54.00	-18.61	47.11	38.20	16.41	66.33	0.00	300	0	AVERAGE																																																																																																																																																																																			
6	17355.00	48.04	68.20	-19.36	51.90	41.10	20.24	64.40	0.00	--	--	PEAK																																																																																																																																																																																			






	44																																																																																																																																																																			
Mode	Band Edge - L																																																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																																																			
ANT	1																																																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5630.00</td><td>51.59</td><td>68.20</td><td>-16.61</td><td>41.66</td><td>34.86</td><td>11.04</td><td>35.97</td><td>0.00</td><td>300</td><td>136</td><td>PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>51.73</td><td>69.39</td><td>-17.66</td><td>41.92</td><td>34.88</td><td>11.07</td><td>36.14</td><td>0.00</td><td>300</td><td>136</td><td>PEAK</td></tr><tr><td>3</td><td>5704.00</td><td>50.63</td><td>106.42</td><td>-55.79</td><td>41.51</td><td>34.93</td><td>11.15</td><td>36.96</td><td>0.00</td><td>300</td><td>136</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>49.07</td><td>111.81</td><td>-62.74</td><td>40.18</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>300</td><td>136</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5630.00	51.59	68.20	-16.61	41.66	34.86	11.04	35.97	0.00	300	136	PEAK	2	5651.60	51.73	69.39	-17.66	41.92	34.88	11.07	36.14	0.00	300	136	PEAK	3	5704.00	50.63	106.42	-55.79	41.51	34.93	11.15	36.96	0.00	300	136	PEAK	4	5720.40	49.07	111.81	-62.74	40.18	34.94	11.17	37.22	0.00	300	136	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2535.00</td><td>98.37</td><td>-----</td><td>-----</td><td>95.37</td><td>32.43</td><td>7.34</td><td>36.77</td><td>0.00</td><td>300</td><td>136</td><td>PEAK</td></tr><tr><td>2</td><td>5785.00</td><td>98.37</td><td>68.20</td><td>30.17</td><td>95.38</td><td>32.45</td><td>7.32</td><td>36.78</td><td>0.00</td><td>300</td><td>136</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2535.00	98.37	-----	-----	95.37	32.43	7.34	36.77	0.00	300	136	PEAK	2	5785.00	98.37	68.20	30.17	95.38	32.45	7.32	36.78	0.00	300	136	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1	5630.00	51.59	68.20	-16.61	41.66	34.86	11.04	35.97	0.00	300	136	PEAK																																																																																																																																																								
2	5651.60	51.73	69.39	-17.66	41.92	34.88	11.07	36.14	0.00	300	136	PEAK																																																																																																																																																								
3	5704.00	50.63	106.42	-55.79	41.51	34.93	11.15	36.96	0.00	300	136	PEAK																																																																																																																																																								
4	5720.40	49.07	111.81	-62.74	40.18	34.94	11.17	37.22	0.00	300	136	PEAK																																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1	2535.00	98.37	-----	-----	95.37	32.43	7.34	36.77	0.00	300	136	PEAK																																																																																																																																																								
2	5785.00	98.37	68.20	30.17	95.38	32.45	7.32	36.78	0.00	300	136	PEAK																																																																																																																																																								
Avg	Blank												<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2535.00</td><td>89.55</td><td>-----</td><td>-----</td><td>86.55</td><td>32.43</td><td>7.34</td><td>36.77</td><td>0.00</td><td>300</td><td>136</td><td>AVERAGE</td></tr><tr><td>2</td><td>5785.00</td><td>89.55</td><td>122.30</td><td>-32.75</td><td>81.52</td><td>35.00</td><td>11.26</td><td>38.23</td><td>0.00</td><td>300</td><td>136</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2535.00	89.55	-----	-----	86.55	32.43	7.34	36.77	0.00	300	136	AVERAGE	2	5785.00	89.55	122.30	-32.75	81.52	35.00	11.26	38.23	0.00	300	136	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1	2535.00	89.55	-----	-----	86.55	32.43	7.34	36.77	0.00	300	136	AVERAGE																																																																																																																																																								
2	5785.00	89.55	122.30	-32.75	81.52	35.00	11.26	38.23	0.00	300	136	AVERAGE																																																																																																																																																								




	44																																																																																														
Mode	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																														
ANT	1																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>48.84</td><td>111.36</td><td>-62.52</td><td>41.76</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>300</td><td>136</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>47.57</td><td>105.36</td><td>-57.79</td><td>40.43</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>300</td><td>136</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>47.40</td><td>68.94</td><td>-21.54</td><td>40.09</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>300</td><td>136</td><td>PEAK</td></tr><tr><td>4</td><td>5925.00</td><td>50.24</td><td>68.20</td><td>-17.96</td><td>42.91</td><td>35.14</td><td>11.40</td><td>39.21</td><td>0.00</td><td>300</td><td>136</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	48.84	111.36	-62.52	41.76	35.07	11.34	39.33	0.00	300	136	PEAK	2	5874.00	47.57	105.36	-57.79	40.43	35.09	11.35	39.30	0.00	300	136	PEAK	3	5924.00	47.40	68.94	-21.54	40.09	35.13	11.40	39.22	0.00	300	136	PEAK	4	5925.00	50.24	68.20	-17.96	42.91	35.14	11.40	39.21	0.00	300	136	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.00	48.84	111.36	-62.52	41.76	35.07	11.34	39.33	0.00	300	136	PEAK																																																																																			
2	5874.00	47.57	105.36	-57.79	40.43	35.09	11.35	39.30	0.00	300	136	PEAK																																																																																			
3	5924.00	47.40	68.94	-21.54	40.09	35.13	11.40	39.22	0.00	300	136	PEAK																																																																																			
4	5925.00	50.24	68.20	-17.96	42.91	35.14	11.40	39.21	0.00	300	136	PEAK																																																																																			





	44																																																																																																																																																										
Mode	Band Edge - L																																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																																										
ANT	1																																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5603.60</td><td>51.35</td><td>68.20</td><td>-16.85</td><td>41.52</td><td>34.83</td><td>11.01</td><td>36.01</td><td>0.00</td><td>300</td><td>197 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>48.73</td><td>68.20</td><td>-19.47</td><td>38.90</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>300</td><td>197 PEAK</td></tr><tr><td>3</td><td>5785.20</td><td>50.19</td><td>106.76</td><td>-56.57</td><td>41.09</td><td>34.93</td><td>11.15</td><td>36.98</td><td>0.00</td><td>300</td><td>197 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>50.29</td><td>112.72</td><td>-62.43</td><td>41.41</td><td>34.94</td><td>11.17</td><td>37.23</td><td>0.00</td><td>300</td><td>197 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5603.60	51.35	68.20	-16.85	41.52	34.83	11.01	36.01	0.00	300	197 PEAK	2	5650.00	48.73	68.20	-19.47	38.90	34.88	11.07	36.12	0.00	300	197 PEAK	3	5785.20	50.19	106.76	-56.57	41.09	34.93	11.15	36.98	0.00	300	197 PEAK	4	5720.00	50.29	112.72	-62.43	41.41	34.94	11.17	37.23	0.00	300	197 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2536.00</td><td>100.48</td><td>-----</td><td>97.48</td><td>32.43</td><td>7.34</td><td>36.77</td><td>0.00</td><td>300</td><td>197 PEAK</td></tr><tr><td>2</td><td>5785.00</td><td>104.44</td><td>122.30</td><td>-17.86</td><td>96.37</td><td>35.00</td><td>11.26</td><td>38.19</td><td>0.00</td><td>300</td><td>197 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2536.00	100.48	-----	97.48	32.43	7.34	36.77	0.00	300	197 PEAK	2	5785.00	104.44	122.30	-17.86	96.37	35.00	11.26	38.19	0.00	300	197 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																	
1	5603.60	51.35	68.20	-16.85	41.52	34.83	11.01	36.01	0.00	300	197 PEAK																																																																																																																																																
2	5650.00	48.73	68.20	-19.47	38.90	34.88	11.07	36.12	0.00	300	197 PEAK																																																																																																																																																
3	5785.20	50.19	106.76	-56.57	41.09	34.93	11.15	36.98	0.00	300	197 PEAK																																																																																																																																																
4	5720.00	50.29	112.72	-62.43	41.41	34.94	11.17	37.23	0.00	300	197 PEAK																																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																	
1	2536.00	100.48	-----	97.48	32.43	7.34	36.77	0.00	300	197 PEAK																																																																																																																																																	
2	5785.00	104.44	122.30	-17.86	96.37	35.00	11.26	38.19	0.00	300	197 PEAK																																																																																																																																																
Avg	Blank						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2536.00</td><td>92.16</td><td>-----</td><td>89.16</td><td>32.43</td><td>7.34</td><td>36.77</td><td>0.00</td><td>300</td><td>197 AVERAGE</td></tr><tr><td>2</td><td>5785.00</td><td>95.62</td><td>122.30</td><td>-26.68</td><td>87.55</td><td>35.00</td><td>11.26</td><td>38.19</td><td>0.00</td><td>300</td><td>197 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2536.00	92.16	-----	89.16	32.43	7.34	36.77	0.00	300	197 AVERAGE	2	5785.00	95.62	122.30	-26.68	87.55	35.00	11.26	38.19	0.00	300	197 AVERAGE																																																																																										
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																	
1	2536.00	92.16	-----	89.16	32.43	7.34	36.77	0.00	300	197 AVERAGE																																																																																																																																																	
2	5785.00	95.62	122.30	-26.68	87.55	35.00	11.26	38.19	0.00	300	197 AVERAGE																																																																																																																																																



Mode	44																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																														
ANT	1																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>47.48</td><td>111.36</td><td>-63.88</td><td>40.40</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>300</td><td>197</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>48.02</td><td>105.36</td><td>-57.34</td><td>40.88</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>300</td><td>197</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>47.27</td><td>68.35</td><td>-21.08</td><td>39.96</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>300</td><td>197</td><td>PEAK</td></tr><tr><td>4</td><td>5944.40</td><td>49.39</td><td>68.20</td><td>-18.81</td><td>42.00</td><td>35.15</td><td>11.42</td><td>39.18</td><td>0.00</td><td>300</td><td>197</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	47.48	111.36	-63.88	40.40	35.07	11.34	39.33	0.00	300	197	PEAK	2	5874.00	48.02	105.36	-57.34	40.88	35.09	11.35	39.30	0.00	300	197	PEAK	3	5924.00	47.27	68.35	-21.08	39.96	35.13	11.40	39.22	0.00	300	197	PEAK	4	5944.40	49.39	68.20	-18.81	42.00	35.15	11.42	39.18	0.00	300	197	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.00	47.48	111.36	-63.88	40.40	35.07	11.34	39.33	0.00	300	197	PEAK																																																																																			
2	5874.00	48.02	105.36	-57.34	40.88	35.09	11.35	39.30	0.00	300	197	PEAK																																																																																			
3	5924.00	47.27	68.35	-21.08	39.96	35.13	11.40	39.22	0.00	300	197	PEAK																																																																																			
4	5944.40	49.39	68.20	-18.81	42.00	35.15	11.42	39.18	0.00	300	197	PEAK																																																																																			




Mode	44																																																																																														
	Harmonic																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																														
ANT	1																																																																																														
Pol.	Horizontal						Vertical																																																																																								
Peak Avg																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7713.14</td><td>51.06</td><td>74.00</td><td>-22.94</td><td>68.70</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>359</td><td>235</td><td>PEAK</td></tr><tr><td>2</td><td>7713.14</td><td>48.24</td><td>54.00</td><td>-5.76</td><td>65.88</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>359</td><td>235</td><td>AVERAGE</td></tr><tr><td>3</td><td>11570.00</td><td>45.10</td><td>74.00</td><td>-28.90</td><td>56.82</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7713.14	51.06	74.00	-22.94	68.70	36.13	13.12	66.89	0.00	359	235	PEAK	2	7713.14	48.24	54.00	-5.76	65.88	36.13	13.12	66.89	0.00	359	235	AVERAGE	3	11570.00	45.10	74.00	-28.90	56.82	38.20	16.41	66.33	0.00	--	--	PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	7713.14	51.06	74.00	-22.94	68.70	36.13	13.12	66.89	0.00	359	235	PEAK																																																																																			
2	7713.14	48.24	54.00	-5.76	65.88	36.13	13.12	66.89	0.00	359	235	AVERAGE																																																																																			
3	11570.00	45.10	74.00	-28.90	56.82	38.20	16.41	66.33	0.00	--	--	PEAK																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7713.14</td><td>52.95</td><td>74.00</td><td>-21.05</td><td>70.59</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>271</td><td>177</td><td>PEAK</td></tr><tr><td>2</td><td>7713.14</td><td>50.90</td><td>54.00</td><td>-3.10</td><td>68.54</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>271</td><td>177</td><td>AVERAGE</td></tr><tr><td>3</td><td>11570.00</td><td>48.42</td><td>74.00</td><td>-25.58</td><td>60.14</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>271</td><td>177</td><td>PEAK</td></tr><tr><td>4</td><td>11570.00</td><td>38.55</td><td>54.00</td><td>-15.45</td><td>50.27</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>271</td><td>177</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7713.14	52.95	74.00	-21.05	70.59	36.13	13.12	66.89	0.00	271	177	PEAK	2	7713.14	50.90	54.00	-3.10	68.54	36.13	13.12	66.89	0.00	271	177	AVERAGE	3	11570.00	48.42	74.00	-25.58	60.14	38.20	16.41	66.33	0.00	271	177	PEAK	4	11570.00	38.55	54.00	-15.45	50.27	38.20	16.41	66.33	0.00	271	177	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	7713.14	52.95	74.00	-21.05	70.59	36.13	13.12	66.89	0.00	271	177	PEAK																																																																																			
2	7713.14	50.90	54.00	-3.10	68.54	36.13	13.12	66.89	0.00	271	177	AVERAGE																																																																																			
3	11570.00	48.42	74.00	-25.58	60.14	38.20	16.41	66.33	0.00	271	177	PEAK																																																																																			
4	11570.00	38.55	54.00	-15.45	50.27	38.20	16.41	66.33	0.00	271	177	AVERAGE																																																																																			



Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	97.94	2.065	0.484	0.51KHz
802.11ac VHT20	98.16	-	-	10HZ
802.11ac VHT40	96.32	0.949	1.053	1.1KHz
802.11ac VHT80	92.73	0.462	2.163	2.2KHz


802.11a




Date: 5.AUG.2024 16:40:52



802.11ac VHT20




802.11ac VHT40





802.11ac VHT80



Date: 5.AUG.2024 16:48:17