



惠州市创华实业有限公司

HUIZHOU SHI CHUANGHUA INDUSTRIAL CO., LTD.

承认书

PRODUCT SPECIFICATION FOR APPROVAL

客户/CUSTOMER NO : 074A

客户料号/CUSTOMER P/N: ZX02000418

客户型号/ PAX Description : P30- Contactless antenna-050605

产品描述/DESCRIPTION : PVC coated copper winding adhesive backing,
3mm solder at the end;

版 本/version : A1

产品编号/PART NUMBER : 190740300001

客户确认签章/CUSTOMER APPROVED SIGNATURE

检 查 (TESTER)	审 核 (CHD. BY)	批 准 (APPD. BY)

请确认后七天内回签, 如不回签则视贵司默认接收, 且在发生品质异议时按此份标准执行.

Please confirm and send it back with signature within 7days. If no sign back, we will assume your acceptance. And if there is any quality dissent, two parties will execute according to this agreement.

日 期 DATE	制 作 MADE. BY	审 核 CHD. BY	批 准 APPD. BY	版 本 REV	页 码 PAGE
October 10, 2025	鲁红阳	康荣忠	曹后川	A1	1/6

惠州市创华实业有限公司/ HUIZHOU SHI CHUANGHUA INDUSTRIAL CO., LTD.

地址: 惠州市惠城区小金口街道办事处金叶街 62 号 B 栋

联系电话: 0752-3106952

传 真: 0752-5313208

 惠州市创华实业有限公司 HUIZHOU SHI CHUANGHUA INDUSTRIAL CO., LTD.				客户料号 CUSTOMER PART NO	ZX02000418
				产品类型 PRODUCT TYPE	P30
				日 期 DATE	October 10, 2025
产品编号 PART NUMBER	190740300001	版 本 version	A1	页 码 PAGE	2/6

变更申请记录

CHANGE REQUEST RECORD

版 本 version	变 更 内 容 CHANGE THE CONTENT	日 期 DATE	制 作 PRODUCER
A0	FIRST ISSUE	June 13, 2025	鲁红阳
A1	Drawing update	August 28, 2025	鲁红阳
制 作/MADE. BY			



客户料号
CUSTOMER PART NO

ZX02000418

产品类型
PRODUCT TYPE

P30

DATE:

October 10, 2025

产品编号
PART NUMBER

190740300001


版本
version

A1

页 码
PAGE

3/6

一、外观图/EXTERNAL VIEW



备注:

1、单位: mm;未标注正负公差 0.15mm;

Unit: mm; Unmarked positive and negative tolerance 0.15 mm;

2、材质: $\phi 0.18\text{mm}$ 漆包铜线, 0.15mm 厚 PVC 哑白, 带背胶, 末端焊锡 3mm;

Material: $\phi 0.18$ mm enameled copper wire, 0.15 mm thick PVC off-white, with back glue, 3 mm solder at the end;

3、铜线不可与 PVC 片材分离:

copper wire must not be separated from the PVC sheet

4、漆包线绕 1 圈；

The enameled wire is wound 1 turn:

5、符合 Rohs 要求:

Complies with Rohs requirements:


6、产品包装运输过程中不得变形、不散落/不变形,需有包装说明要求;

The product packaging must not deform, scatter/deform during transportation, and must have packaging instructions;

制作/MADE BY

 惠州市创华实业有限公司 HUIZHOU SHI CHUANGHUA INDUSTRIAL CO., LTD.				客户料号 CUSTOMER PART NO	ZX02000418
				产品类型 PRODUCT TYPE	P30
				日期 DATE	October 10, 2025
产品编号 PART NUMBER	190740300001	版本 version	A1	页 码 PAGE	4/6

二、原理图/ SCHEMATIC DIAGRAM:



● PHASE POINT

三、绕线结构/WINDING STRUCTURE

绕组 WIND	起--始 Start-Finish	绕规 WIRE GUAGSE	圈数 TURN	胶带 Tape	挡墙	铁氟龙套管 TFL TUBE		REMARKING 备注
						START	FINIS H	
N1	S--F	2UEW-B ϕ 0.18*1P	1TS		/			按 资 料 According to the materials

注意：排线整齐，不可堆线，交叉打结；
NOTE:The wires should be neatly arranged, no stacking or crossing, and no knots should be tied;

四．主要功能、性能、结构、技术参数

Main functions, performance, structure, and technical

- 1.主要功能：使用电流范围：0-350mA / Current range used: 0-350mA
使用电压范围：1~12V /Voltage range used: 1~12V
使用频率范围：3MHZ~30MHz / Frequency range used: 3MHZ~30MHz
直流电阻：3Ω MAX 25℃ /DC resistance: 3Ω MAX 25℃
- 2.使用环境温度：-20℃--40℃/Use ambient temperature: -20℃--40℃
- 3.引出端子：/Pogo pin:
- 4.散热条件：自然冷却/Heat dissipation condition: natural cooling;
- 5.温升：无要求/Temperature rise: no requirements
耐压：300VAC/ Dielectric strength: 300 VAC
绝缘方式：B级绝缘/ Insulation mode: B grade insulation;
- 8.气压：无要求/Air pressure: no requirements
- 9.震动：无要求/Vibration: no requirements
- 10.盐雾：无要求/Salt spray: no requirements
- 11.安装方式：接触导通/Installation method: contact conduction
- 12.产品重量：/Product weight:
- 13.标识：无要求/Marking: no requirements

制 作/MADE. BY	
--------------	--

 惠州市创华实业有限公司 HUIZHOU SHI CHUANGHUA INDUSTRIAL CO., LTD.				客户料号 CUSTOMER PART NO	ZX02000418
				产品类型 PRODUCT TYPE	P30
				日期 DATE	October 10, 2025
产品编号 PART NUMBER	190740300001	版本 version	A1	页 码 PAGE	5/6

五、材料表/MATERIAL LIST

一、外观图/EXTERNAL VIEW							
序号 NO	名称 ITEM	材料 (MATERIAL)					
		制造商 MANUFACTURER	材料描述 MATERIAL DESCRIPTION	型号TYPE	TEMP. RATING FLAME CLASS	UL NO	USE
1	WIRE	BOLUO FENGCHING MAGNET WIRE CO., LTD	Φ0.18mm	2UEW	130℃	E172395	WIRE
2	INSULATION SLICES	Heyuan poly plastic technology co. LTD	T0.15mm 哑白PVC T0.15mm; dull white PVC		80℃		INSULATION SLICES

六、包装规格Packaging Specifications

吸塑盒+纸箱，包装方式待确认后提供图片

Blister box carton, packaging method to be provided with pictures after confirmation.

制 作/MADE. BY	
--------------	--



ZX02000418

P30

October 10, 2025

190740300001

A1

6/6

温度 temperatur e		湿度 Humi dity			仪器类型/Instrument type						型号 Model
项目 Project	DCR				电感测试仪器/Inductance test instrument;						CH1062
绕组 Winding	S-F	N1			漏感测试仪器/Leakage sensing instrument;						
测试条件 Test conditions	AT25 ℃				电阻测试仪器/Resistance testing instrument;						502BC
规格范围 测试值 序号	小于3Ω Less than 3Ω				耐压测试仪器/Pressure test instrument						19053
					相位匝比测试仪器/Phase winding ratio test instrument						
					外观 appeara nce	尺寸size					圈数 Number of circles
					237.94 ±0.20	228.50 ±0.20	3 ±0.20	0.75 ±0.20	0.6± 0.20	1TS	
1	OK	OK	OK	OK		OK	OK	OK	OK	OK	OK
2	OK	OK	OK	OK		OK	OK	OK	OK	OK	OK
3	OK	OK	OK	OK		OK	OK	OK	OK	OK	OK
4	OK	OK	OK	OK		OK	OK	OK	OK	OK	OK
5	OK	OK	OK	OK		OK	OK	OK	OK	OK	OK
6	OK	OK	OK	OK		OK	OK	OK	OK	OK	OK
7	OK	OK	OK	OK		OK	OK	OK	OK	OK	OK
8	OK	OK	OK	OK		OK	OK	OK	OK	OK	OK
9	OK	OK	OK	OK		OK	OK	OK	OK	OK	OK
10	OK	OK	OK	OK		OK	OK	OK	OK	OK	OK
备注 Note											
制 作/MADE. BY											