

Frequency Stability

GPRS

GPRS 850

Test Conditions		Frequency Deviation						Verdict
Power (VDC)	Temperature (°C)	LCH 824.2 MHz		MCH 836.6 MHz		HCH 848.8 MHz		
		Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	
7.2	0	-4.65	±2060.5	-4.16	±2091.5	13.95	±2122	Pass
	+10	-6.84		-5.71		11.43		
	+20	-6.42		-5.97		9.81		
	+25	5.33		-7.07		13.11		
	+30	-11.43		-5.81		10.69		
	+40	-10.88		-5.97		11.43		
	+50	-8.68		-6.04		9.52		
8.4	+25	7.07		-5.71		9.85		
6.0	+25	-4.55		-5.84		9.49		

GPRS 1900

Test Conditions		Frequency Deviation						Verdict
Power (VDC)	Temperature (°C)	LCH 1850.2 MHz		MCH 1880 MHz		HCH 1909.8 MHz		
		Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	
7.2	0	-10.33	±4625.5	-16.76	±4700.0	15.79	±4774.5	Pass
	+10	-9.98		16.85		13.11		
	+20	-10.85		16.4		15.34		
	+25	-13.08		-15.21		14.98		
	+30	-12.04		-16.92		16.72		
	+40	-9.81		16.5		18.73		
	+50	-12.2		-16.95		17.76		
8.4	+25	-12.49		14.82		18.73		
6.0	+25	-10.98		16.95		19.86		

EGPRS

EGPRS 850

Test Conditions		Frequency Deviation						Verdict
Power (VDC)	Temperature (°C)	LCH 824.2 MHz		MCH 836.6 MHz		HCH 848.8 MHz		
		Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	
7.2	0	14.85	±2060.5	12.88	±2091.5	-7.75	±2122	Pass
	+10	8.36		7.94		-16.08		
	+20	-9.4		7.65		-14.72		
	+25	-6.36		6.97		-14.4		
	+30	9.27		11.11		-13.4		
	+40	8.07		7.2		-8.56		
	+50	13.85		-10.07		-8.27		
8.4	+25	12.53		-4.84		-14.56		
6.0	+25	9.17		6.49		-14.79		

EGPRS 1900

Test Conditions		Frequency Deviation						Verdict
Power (VDC)	Temperature (°C)	LCH 1850.2 MHz		MCH 1880 MHz		HCH 1909.8 MHz		
		Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	
7.2	0	12.4	±4625.5	-20.95	±4700.0	-11.53	±4774.5	Pass
	+10	20.63		12.69		13.11		
	+20	-9.62		14.14		-13.17		
	+25	10.17		12.07		-10.11		
	+30	9.75		-19.53		13.46		
	+40	21.47		23.41		-10.62		
	+50	19.79		14.53		-68.19		
8.4	+25	22.79		20.05		-9.98		
6.0	+25	19.6		14.43		14.01		

WCDMA

WCDMA Band 2

Test Conditions		Frequency Deviation						Verdict
Power (VDC)	Temperature (°C)	LCH 1852.4 MHz		MCH 1880 MHz		HCH 1907.6 MHz		
		Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	
7.2	0	2.76	±4631	-1.19	±4700	1.14	±4769	Pass
	+10	0.63		1.82		1.55		
	+20	-1.38		0.82		1.75		
	+25	-2.15		0.82		0.49		
	+30	-9.21		1.56		3.09		
	+40	4.05		0.54		2.15		
	+50	2.2		2.75		2.91		
8.4	+25	-10		1.66		1.68		
6.0	+25	-11.37		4.56		1.23		

WCDMA Band 4

Test Conditions		Frequency Deviation						Verdict
Power (VDC)	Temperature (°C)	LCH 1712.4 MHz		MCH 1732.4 MHz		HCH 1752.6 MHz		
		Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	
7.2	0	-3.81	±4281	0.99	±4331	9.26	±4381.5	Pass
	+10	1.78		0.52		14.89		
	+20	1.69		0.01		13.24		
	+25	-1.6		-0.34		11.88		
	+30	-0.46		0.31		10.69		
	+40	-0.71		3.09		3.95		
	+50	1.06		1.42		3.81		
8.4	+25	2.23		0.87		1.37		
6.0	+25	1.54		1.51		0.9		

WCDMA Band B5

Test Conditions		Frequency Deviation						Verdict
Power (VDC)	Temperature (°C)	LCH 826.4 MHz		MCH 836.4 MHz		HCH 846.6 MHz		
		Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	
7.2	0	-0.96	±2066	-1.45	±2091	-1.5	±2116.5	Pass
	+10	0.04		-1.17		2.04		
	+20	2.02		-1.92		-0.21		
	+25	1.37		-2.21		-0.3		
	+30	1.66		-2.32		0.06		
	+40	0.69		-2.85		-0.56		
	+50	1.17		-3.08		-1.17		
8.4	+25	0.44		-3.35		-0.3		
6.0	+25	1.42		-2.42		-0.64		

LTE

LTE Band 2 QPSK 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 1880 MHz		
		Value(Hz)	Limits (Hz)	
7.2	0	-6.07	±4700	Pass
	+10	-6.81		
	+20	-4.56		
	+25	-2.76		
	+30	-1.6		
	+40	-0.66		
	+50	0.74		
8.4	+25	2.69	±4700	Pass
6.0	+25	-6.07		

LTE Band 2 16QAM 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 1880 MHz		
		Value(Hz)	Limits (Hz)	
7.2	0	-6.72	±4700	Pass
	+10	-6.49		
	+20	-3.45		
	+25	-3.43		
	+30	-0.54		
	+40	0.1		
	+50	2.49		
8.4	+25	1.85	±4700	Pass
6.0	+25	-6.72		

LTE Band 4 QPSK 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 1732.5 MHz		
		Value(Hz)	Limits (Hz)	
7.2	0	9.06	±4331.25	Pass
	+10	5.72		
	+20	4.88		
	+25	5.41		
	+30	7.15		
	+40	7.97		
	+50	7.84		
8.4	+25	8.5	±4331.25	Pass
6.0	+25	9.06		

LTE Band 4 16QAM 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 1732.5 MHz		
		Value(Hz)	Limits (Hz)	
7.2	0	7.25	±4331.25	Pass
	+10	5.24		
	+20	5.05		
	+25	6.22		
	+30	6.37		
	+40	7.75		
	+50	8.25		
8.4	+25	8.41	±4331.25	Pass
6.0	+25	7.25		

LTE Band 5 QPSK 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 836.5 MHz		
		Value(Hz)	Limits (Hz)	
7.2	0	4.11	±2091.25	Pass
	+10	2.85		
	+20	2.76		
	+25	2.22		
	+30	2.69		
	+40	2.8		
	+50	3.79		
8.4	+25	3.81	±2091.25	Pass
6.0	+25	4.11		

LTE Band 5 16QAM 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 836.5 MHz		
		Value(Hz)	Limits (Hz)	
7.2	0	3.82	±2091.25	Pass
	+10	2.26		
	+20	2.33		
	+25	2.25		
	+30	2.93		
	+40	3.18		
	+50	3.82		
8.4	+25	3.93	±2091.25	Pass
6.0	+25	3.82		

LTE Band 7 QPSK 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 2535 MHz		
		Value(Hz)	Limits (Hz)	
7.2	0	14.06	±6337.5	Pass
	+10	8.96		
	+20	8.23		
	+25	9.71		
	+30	11.19		
	+40	13.78		
	+50	15.01		
8.4	+25	15.89	±6337.5	Pass
6.0	+25	14.06		

LTE Band 7 16-QAM 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 2535 MHz		
		Value(Hz)	Limits (Hz)	
7.2	0	12.03	±6337.5	Pass
	+10	9.5		
	+20	8.51		
	+25	10.6		
	+30	11.72		
	+40	13.15		
	+50	14.32		
8.4	+25	15.11	±6337.5	Pass
6.0	+25	12.03		

LTE Band 38 QPSK 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 2595 MHz		
		Value(Hz)	Limits (Hz)	
7.2	0	-6.55	±6487.5	Pass
	+10	-11.42		
	+20	-14.59		
	+25	-15.29		
	+30	-15.56		
	+40	-15.05		
	+50	-15.32		
8.4	+25	-16.32	±6487.5	Pass
6.0	+25	-6.55		

LTE Band 38 16QAM 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 2595 MHz		
		Value(Hz)	Limits (Hz)	
7.2	-20	-6.54	±6487.5	Pass
	-10	-13.18		
	0	-14.29		
	+10	-14.48		
	+20	-14.09		
	+25	-15.28		
	+30	-16.06		
8.4	+25	-18.01	±6487.5	Pass
6.0	+25	-6.54		

1. GPRS_GSM850

1.1 GPRS Frequency Stability_Part22-24(0 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	5	Static	-4.65	-2060.5	2060.5	Pass
190	5	Static	-4.16	-2091.5	2091.5	Pass
251	5	Static	-7.75	-2122	2122	Pass

1.2 GPRS Frequency Stability_Part22-24(10 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	5	Static	-6.84	-2060.5	2060.5	Pass
190	5	Static	-5.71	-2091.5	2091.5	Pass
251	5	Static	-16.08	-2122	2122	Pass

1.3 GPRS Frequency Stability_Part22-24(20 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	5	Static	-6.42	-2060.5	2060.5	Pass
190	5	Static	-5.97	-2091.5	2091.5	Pass
251	5	Static	-14.72	-2122	2122	Pass

1.4 GPRS Frequency Stability_Part22-24(25 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	5	Static	5.33	-2060.5	2060.5	Pass
190	5	Static	-7.07	-2091.5	2091.5	Pass
251	5	Static	-14.4	-2122	2122	Pass

1.5 GPRS Frequency Stability_Part22-24(30 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	5	Static	-11.43	-2060.5	2060.5	Pass
190	5	Static	-5.81	-2091.5	2091.5	Pass
251	5	Static	-13.4	-2122	2122	Pass

1.6 GPRS Frequency Stability_Part22-24(40 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	5	Static	-10.88	-2060.5	2060.5	Pass
190	5	Static	-5.97	-2091.5	2091.5	Pass
251	5	Static	-8.56	-2122	2122	Pass

1.7 GPRS Frequency Stability_Part22-24(50 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	5	Static	-8.68	-2060.5	2060.5	Pass
190	5	Static	-6.04	-2091.5	2091.5	Pass
251	5	Static	-8.27	-2122	2122	Pass

1.8 GPRS Frequency Stability_Part22-24(NTHV)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	5	Static	7.07	-2060.5	2060.5	Pass
190	5	Static	-5.71	-2091.5	2091.5	Pass
251	5	Static	-14.56	-2122	2122	Pass

1.9 GPRS Frequency Stability_Part22-24(NTLV)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	5	Static	-4.55	-2060.5	2060.5	Pass
190	5	Static	-5.84	-2091.5	2091.5	Pass
251	5	Static	-14.79	-2122	2122	Pass

2. GPRS_PCS

2.1 GPRS Frequency Stability_Part22-24(0 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	0	Static	-10.33	-4625.5	4625.5	Pass
661	0	Static	-16.76	-4700	4700	Pass
810	0	Static	-11.53	-4774.5	4774.5	Pass

2.2 GPRS Frequency Stability_Part22-24(10 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	0	Static	-9.98	-4625.5	4625.5	Pass
661	0	Static	16.85	-4700	4700	Pass
810	0	Static	13.11	-4774.5	4774.5	Pass

2.3 GPRS Frequency Stability_Part22-24(20 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	0	Static	-10.85	-4625.5	4625.5	Pass
661	0	Static	16.4	-4700	4700	Pass
810	0	Static	-13.17	-4774.5	4774.5	Pass

2.4 GPRS Frequency Stability_Part22-24(25 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	0	Static	-13.08	-4625.5	4625.5	Pass
661	0	Static	-15.21	-4700	4700	Pass
810	0	Static	-10.11	-4774.5	4774.5	Pass

2.5 GPRS Frequency Stability_Part22-24(30 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	0	Static	-12.04	-4625.5	4625.5	Pass
661	0	Static	-16.92	-4700	4700	Pass
810	0	Static	13.46	-4774.5	4774.5	Pass

2.6 GPRS Frequency Stability_Part22-24(40 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	0	Static	-9.81	-4625.5	4625.5	Pass
661	0	Static	16.5	-4700	4700	Pass
810	0	Static	-10.62	-4774.5	4774.5	Pass

2.7 GPRS Frequency Stability_Part22-24(50 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	0	Static	-12.2	-4625.5	4625.5	Pass
661	0	Static	-16.95	-4700	4700	Pass
810	0	Static	-68.19	-4774.5	4774.5	Pass

2.8 GPRS Frequency Stability_Part22-24(NTHV)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	0	Static	-12.49	-4625.5	4625.5	Pass
661	0	Static	14.82	-4700	4700	Pass
810	0	Static	-9.98	-4774.5	4774.5	Pass

2.9 GPRS Frequency Stability_Part22-24(NTLV)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	0	Static	-10.98	-4625.5	4625.5	Pass
661	0	Static	16.95	-4700	4700	Pass
810	0	Static	14.01	-4774.5	4774.5	Pass

1. EGPRS_GSM850

1.1 EGPRS Frequency Stability_Part22-24(0 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	8	Static	14.85	-2060.5	2060.5	Pass
190	8	Static	12.88	-2091.5	2091.5	Pass
251	8	Static	13.95	-2122	2122	Pass

1.2 EGPRS Frequency Stability_Part22-24(10 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	8	Static	8.36	-2060.5	2060.5	Pass
190	8	Static	7.94	-2091.5	2091.5	Pass
251	8	Static	11.43	-2122	2122	Pass

1.3 EGPRS Frequency Stability_Part22-24(20 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	8	Static	-9.4	-2060.5	2060.5	Pass
190	8	Static	7.65	-2091.5	2091.5	Pass
251	8	Static	9.81	-2122	2122	Pass

1.4 EGPRS Frequency Stability_Part22-24(25 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	8	Static	-6.36	-2060.5	2060.5	Pass
190	8	Static	6.97	-2091.5	2091.5	Pass
251	8	Static	13.11	-2122	2122	Pass

1.5 EGPRS Frequency Stability_Part22-24(30 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	8	Static	9.27	-2060.5	2060.5	Pass
190	8	Static	11.11	-2091.5	2091.5	Pass
251	8	Static	10.69	-2122	2122	Pass

1.6 EGPRS Frequency Stability_Part22-24(40 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	8	Static	8.07	-2060.5	2060.5	Pass
190	8	Static	7.2	-2091.5	2091.5	Pass
251	8	Static	11.43	-2122	2122	Pass

1.7 EGPRS Frequency Stability_Part22-24(50 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	8	Static	13.85	-2060.5	2060.5	Pass
190	8	Static	-10.07	-2091.5	2091.5	Pass
251	8	Static	9.52	-2122	2122	Pass

1.8 EGPRS Frequency Stability_Part22-24(NTHV)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	8	Static	12.53	-2060.5	2060.5	Pass
190	8	Static	-4.84	-2091.5	2091.5	Pass
251	8	Static	9.85	-2122	2122	Pass

1.9 EGPRS Frequency Stability_Part22-24(NTLV)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	8	Static	9.17	-2060.5	2060.5	Pass
190	8	Static	6.49	-2091.5	2091.5	Pass
251	8	Static	9.49	-2122	2122	Pass

2. EGPRS_PCS

2.1 EGPRS Frequency Stability_Part22-24(0 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	2	Static	12.4	-4625.5	4625.5	Pass
661	2	Static	-20.95	-4700	4700	Pass
810	2	Static	15.79	-4774.5	4774.5	Pass

2.2 EGPRS Frequency Stability_Part22-24(10 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	2	Static	20.63	-4625.5	4625.5	Pass
661	2	Static	12.69	-4700	4700	Pass
810	2	Static	13.11	-4774.5	4774.5	Pass

2.3 EGPRS Frequency Stability_Part22-24(20 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	2	Static	-9.62	-4625.5	4625.5	Pass
661	2	Static	14.14	-4700	4700	Pass
810	2	Static	15.34	-4774.5	4774.5	Pass

2.4 EGPRS Frequency Stability_Part22-24(25 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	2	Static	10.17	-4625.5	4625.5	Pass
661	2	Static	12.07	-4700	4700	Pass
810	2	Static	14.98	-4774.5	4774.5	Pass

2.5 EGPRS Frequency Stability_Part22-24(30 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	2	Static	9.75	-4625.5	4625.5	Pass
661	2	Static	-19.53	-4700	4700	Pass
810	2	Static	16.72	-4774.5	4774.5	Pass

2.6 EGPRS Frequency Stability_Part22-24(40 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	2	Static	21.47	-4625.5	4625.5	Pass
661	2	Static	23.41	-4700	4700	Pass
810	2	Static	18.73	-4774.5	4774.5	Pass

2.7 EGPRS Frequency Stability_Part22-24(50 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	2	Static	19.79	-4625.5	4625.5	Pass
661	2	Static	14.53	-4700	4700	Pass
810	2	Static	17.76	-4774.5	4774.5	Pass

2.8 EGPRS Frequency Stability_Part22-24(NTHV)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	2	Static	22.79	-4625.5	4625.5	Pass
661	2	Static	20.05	-4700	4700	Pass
810	2	Static	18.73	-4774.5	4774.5	Pass

2.9 EGPRS Frequency Stability_Part22-24(NTLV)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	2	Static	19.6	-4625.5	4625.5	Pass
661	2	Static	14.43	-4700	4700	Pass
810	2	Static	19.86	-4774.5	4774.5	Pass

1. WCDMA_Band2

1.1 WCDMA Frequency Stability_Part22-24-27(0 Degree)

UL Channel		Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
9262		-4631	4631	2.76	Pass
9400		-4700	4700	-1.19	Pass
9538		-4769	4769	1.14	Pass

1.2 WCDMA Frequency Stability_Part22-24-27(10 Degree)

UL Channel		Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
9262		-4631	4631	0.63	Pass
9400		-4700	4700	1.82	Pass
9538		-4769	4769	1.55	Pass

1.3 WCDMA Frequency Stability_Part22-24-27(20 Degree)

UL Channel		Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
9262		-4631	4631	-1.38	Pass
9400		-4700	4700	0.82	Pass
9538		-4769	4769	1.75	Pass

1.4 WCDMA Frequency Stability_Part22-24-27(25 Degree)

UL Channel		Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
9262		-4631	4631	-2.15	Pass
9400		-4700	4700	0.82	Pass
9538		-4769	4769	0.49	Pass

1.5 WCDMA Frequency Stability_Part22-24-27(30 Degree)

UL Channel		Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
9262		-4631	4631	-9.21	Pass
9400		-4700	4700	1.56	Pass
9538		-4769	4769	3.09	Pass

1.6 WCDMA Frequency Stability_Part22-24-27(40 Degree)

UL Channel		Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
9262		-4631	4631	4.05	Pass
9400		-4700	4700	0.54	Pass
9538		-4769	4769	2.15	Pass

1.7 WCDMA Frequency Stability_Part22-24-27(50 Degree)

UL Channel		Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
9262		-4631	4631	2.2	Pass
9400		-4700	4700	2.75	Pass
9538		-4769	4769	2.91	Pass

1.8 WCDMA Frequency Stability_Part22-24-27(NTHV)

UL Channel		Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
9262		-4631	4631	-10	Pass
9400		-4700	4700	1.66	Pass
9538		-4769	4769	1.68	Pass

1.9 WCDMA Frequency Stability_Part22-24-27(NTLV)

UL Channel		Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
9262		-4631	4631	-11.37	Pass
9400		-4700	4700	4.56	Pass
9538		-4769	4769	1.23	Pass

2. WCDMA_Band4

2.1 WCDMA Frequency Stability_Part22-24-27(0 Degree)

UL Channel		Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
1312		-4281	4281	-3.81	Pass
1412		-4331	4331	0.99	Pass
1513		-4381.5	4381.5	9.26	Pass

2.2 WCDMA Frequency Stability_Part22-24-27(10 Degree)

UL Channel		Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
1312		-4281	4281	1.78	Pass
1412		-4331	4331	0.52	Pass
1513		-4381.5	4381.5	14.89	Pass

2.3 WCDMA Frequency Stability_Part22-24-27(20 Degree)

UL Channel		Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
1312		-4281	4281	1.69	Pass
1412		-4331	4331	0.01	Pass
1513		-4381.5	4381.5	13.24	Pass

2.4 WCDMA Frequency Stability_Part22-24-27(25 Degree)

UL Channel		Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
1312		-4281	4281	-1.6	Pass
1412		-4331	4331	-0.34	Pass
1513		-4381.5	4381.5	11.88	Pass

2.5 WCDMA Frequency Stability_Part22-24-27(30 Degree)

UL Channel		Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
1312		-4281	4281	-0.46	Pass
1412		-4331	4331	0.31	Pass
1513		-4381.5	4381.5	10.69	Pass

2.6 WCDMA Frequency Stability_Part22-24-27(40 Degree)

UL Channel		Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
1312		-4281	4281	-0.71	Pass
1412		-4331	4331	3.09	Pass
1513		-4381.5	4381.5	3.95	Pass

2.7 WCDMA Frequency Stability_Part22-24-27(50 Degree)

UL Channel		Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
1312		-4281	4281	1.06	Pass
1412		-4331	4331	1.42	Pass
1513		-4381.5	4381.5	3.81	Pass

2.8 WCDMA Frequency Stability_Part22-24-27(NTHV)

UL Channel		Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
1312		-4281	4281	2.23	Pass
1412		-4331	4331	0.87	Pass
1513		-4381.5	4381.5	1.37	Pass

2.9 WCDMA Frequency Stability_Part22-24-27(NTLV)

UL Channel		Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
1312		-4281	4281	1.54	Pass
1412		-4331	4331	1.51	Pass
1513		-4381.5	4381.5	0.9	Pass

3. WCDMA_Band5

3.1 WCDMA Frequency Stability_Part22-24-27(0 Degree)

UL Channel		Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
4132		-2066	2066	-0.96	Pass
4182		-2091	2091	-1.45	Pass
4233		-2116.5	2116.5	-1.5	Pass

3.2 WCDMA Frequency Stability_Part22-24-27(10 Degree)

UL Channel		Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
4132		-2066	2066	0.04	Pass
4182		-2091	2091	-1.17	Pass
4233		-2116.5	2116.5	2.04	Pass

3.3 WCDMA Frequency Stability_Part22-24-27(20 Degree)

UL Channel		Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
4132		-2066	2066	2.02	Pass
4182		-2091	2091	-1.92	Pass
4233		-2116.5	2116.5	-0.21	Pass

3.4 WCDMA Frequency Stability_Part22-24-27(25 Degree)

UL Channel		Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
4132		-2066	2066	1.37	Pass
4182		-2091	2091	-2.21	Pass
4233		-2116.5	2116.5	-0.3	Pass

3.5 WCDMA Frequency Stability_Part22-24-27(30 Degree)

UL Channel		Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
4132		-2066	2066	1.66	Pass
4182		-2091	2091	-2.32	Pass
4233		-2116.5	2116.5	0.06	Pass

3.6 WCDMA Frequency Stability_Part22-24-27(40 Degree)

UL Channel		Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
4132		-2066	2066	0.69	Pass
4182		-2091	2091	-2.85	Pass
4233		-2116.5	2116.5	-0.56	Pass

3.7 WCDMA Frequency Stability_Part22-24-27(50 Degree)

UL Channel		Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
4132		-2066	2066	1.17	Pass
4182		-2091	2091	-3.08	Pass
4233		-2116.5	2116.5	-1.17	Pass

3.8 WCDMA Frequency Stability_Part22-24-27(NTHV)

UL Channel		Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
4132		-2066	2066	0.44	Pass
4182		-2091	2091	-3.35	Pass
4233		-2116.5	2116.5	-0.3	Pass

3.9 WCDMA Frequency Stability_Part22-24-27(NTLV)

UL Channel		Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
4132		-2066	2066	1.42	Pass
4182		-2091	2091	-2.42	Pass
4233		-2116.5	2116.5	-0.64	Pass

1. LTE_Band2

1.1 LTE Frequency Stability_Part22-24-27(0 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
18900	10	QPSK	50	LOW	-4700	4700	-6.07	Pass
18900	10	Q16	50	LOW	-4700	4700	-6.72	Pass

1.2 LTE Frequency Stability_Part22-24-27(10 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
18900	10	QPSK	50	LOW	-4700	4700	-6.81	Pass
18900	10	Q16	50	LOW	-4700	4700	-6.49	Pass

1.3 LTE Frequency Stability_Part22-24-27(20 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
18900	10	QPSK	50	LOW	-4700	4700	-4.56	Pass
18900	10	Q16	50	LOW	-4700	4700	-3.45	Pass

1.4 LTE Frequency Stability_Part22-24-27(30 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
18900	10	QPSK	50	LOW	-4700	4700	-2.76	Pass
18900	10	Q16	50	LOW	-4700	4700	-3.43	Pass

1.5 LTE Frequency Stability_Part22-24-27(40 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
18900	10	QPSK	50	LOW	-4700	4700	-1.6	Pass
18900	10	Q16	50	LOW	-4700	4700	-0.54	Pass

1.6 LTE Frequency Stability_Part22-24-27(50 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
18900	10	QPSK	50	LOW	-4700	4700	-0.66	Pass
18900	10	Q16	50	LOW	-4700	4700	0.1	Pass

1.7 LTE Frequency Stability_Part22-24-27(NTHV)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
18900	10	QPSK	50	LOW	-4700	4700	0.74	Pass
18900	10	Q16	50	LOW	-4700	4700	2.49	Pass

1.8 LTE Frequency Stability_Part22-24-27(NTLV)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
18900	10	QPSK	50	LOW	-4700	4700	2.69	Pass
18900	10	Q16	50	LOW	-4700	4700	1.85	Pass

2. LTE_Band4

2.1 LTE Frequency Stability_Part22-24-27(0 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20175	10	QPSK	50	LOW	-4331.25	4331.25	9.06	Pass
20175	10	Q16	50	LOW	-4331.25	4331.25	7.25	Pass

2.2 LTE Frequency Stability_Part22-24-27(10 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20175	10	QPSK	50	LOW	-4331.25	4331.25	5.72	Pass
20175	10	Q16	50	LOW	-4331.25	4331.25	5.24	Pass

2.3 LTE Frequency Stability_Part22-24-27(20 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20175	10	QPSK	50	LOW	-4331.25	4331.25	4.88	Pass
20175	10	Q16	50	LOW	-4331.25	4331.25	5.05	Pass

2.4 LTE Frequency Stability_Part22-24-27(30 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20175	10	QPSK	50	LOW	-4331.25	4331.25	5.41	Pass
20175	10	Q16	50	LOW	-4331.25	4331.25	6.22	Pass

2.5 LTE Frequency Stability_Part22-24-27(40 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20175	10	QPSK	50	LOW	-4331.25	4331.25	7.15	Pass
20175	10	Q16	50	LOW	-4331.25	4331.25	6.37	Pass

2.6 LTE Frequency Stability_Part22-24-27(50 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20175	10	QPSK	50	LOW	-4331.25	4331.25	7.97	Pass
20175	10	Q16	50	LOW	-4331.25	4331.25	7.75	Pass

2.7 LTE Frequency Stability_Part22-24-27(NTHV)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20175	10	QPSK	50	LOW	-4331.25	4331.25	7.84	Pass
20175	10	Q16	50	LOW	-4331.25	4331.25	8.25	Pass

2.8 LTE Frequency Stability_Part22-24-27(NTLV)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20175	10	QPSK	50	LOW	-4331.25	4331.25	8.5	Pass
20175	10	Q16	50	LOW	-4331.25	4331.25	8.41	Pass

3. LTE_Band5

3.1 LTE Frequency Stability_Part22-24-27(0 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20525	10	QPSK	50	LOW	-2091.25	2091.25	4.11	Pass
20525	10	Q16	50	LOW	-2091.25	2091.25	3.82	Pass

3.2 LTE Frequency Stability_Part22-24-27(10 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20525	10	QPSK	50	LOW	-2091.25	2091.25	2.85	Pass
20525	10	Q16	50	LOW	-2091.25	2091.25	2.26	Pass

3.3 LTE Frequency Stability_Part22-24-27(20 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20525	10	QPSK	50	LOW	-2091.25	2091.25	2.76	Pass
20525	10	Q16	50	LOW	-2091.25	2091.25	2.33	Pass

3.4 LTE Frequency Stability_Part22-24-27(30 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20525	10	QPSK	50	LOW	-2091.25	2091.25	2.22	Pass
20525	10	Q16	50	LOW	-2091.25	2091.25	2.25	Pass

3.5 LTE Frequency Stability_Part22-24-27(40 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20525	10	QPSK	50	LOW	-2091.25	2091.25	2.69	Pass
20525	10	Q16	50	LOW	-2091.25	2091.25	2.93	Pass

3.6 LTE Frequency Stability_Part22-24-27(50 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20525	10	QPSK	50	LOW	-2091.25	2091.25	2.8	Pass
20525	10	Q16	50	LOW	-2091.25	2091.25	3.18	Pass

3.7 LTE Frequency Stability_Part22-24-27(NTHV)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20525	10	QPSK	50	LOW	-2091.25	2091.25	3.79	Pass
20525	10	Q16	50	LOW	-2091.25	2091.25	3.82	Pass

3.8 LTE Frequency Stability_Part22-24-27(NTLV)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20525	10	QPSK	50	LOW	-2091.25	2091.25	3.81	Pass
20525	10	Q16	50	LOW	-2091.25	2091.25	3.93	Pass

4. LTE_Band7

4.1 LTE Frequency Stability_Part22-24-27(0 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
21100	10	QPSK	50	LOW	-6337.5	6337.5	14.06	Pass
21100	10	Q16	50	LOW	-6337.5	6337.5	12.03	Pass

4.2 LTE Frequency Stability_Part22-24-27(10 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
21100	10	QPSK	50	LOW	-6337.5	6337.5	8.96	Pass
21100	10	Q16	50	LOW	-6337.5	6337.5	9.5	Pass

4.3 LTE Frequency Stability_Part22-24-27(20 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
21100	10	QPSK	50	LOW	-6337.5	6337.5	8.23	Pass
21100	10	Q16	50	LOW	-6337.5	6337.5	8.51	Pass

4.4 LTE Frequency Stability_Part22-24-27(30 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
21100	10	QPSK	50	LOW	-6337.5	6337.5	9.71	Pass
21100	10	Q16	50	LOW	-6337.5	6337.5	10.6	Pass

4.5 LTE Frequency Stability_Part22-24-27(40 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
21100	10	QPSK	50	LOW	-6337.5	6337.5	11.19	Pass
21100	10	Q16	50	LOW	-6337.5	6337.5	11.72	Pass

4.6 LTE Frequency Stability_Part22-24-27(50 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
21100	10	QPSK	50	LOW	-6337.5	6337.5	13.78	Pass
21100	10	Q16	50	LOW	-6337.5	6337.5	13.15	Pass

4.7 LTE Frequency Stability_Part22-24-27(NTHV)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
21100	10	QPSK	50	LOW	-6337.5	6337.5	15.01	Pass
21100	10	Q16	50	LOW	-6337.5	6337.5	14.32	Pass

4.8 LTE Frequency Stability_Part22-24-27(NTLV)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
21100	10	QPSK	50	LOW	-6337.5	6337.5	15.89	Pass
21100	10	Q16	50	LOW	-6337.5	6337.5	15.11	Pass

5. LTE_Band38

5.1 LTE Frequency Stability_Part22-24-27(0 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
38000	10	QPSK	50	LOW	-6487.5	6487.5	-6.55	Pass
38000	10	Q16	50	LOW	-6487.5	6487.5	-6.54	Pass

5.2 LTE Frequency Stability_Part22-24-27(10 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
38000	10	QPSK	50	LOW	-6487.5	6487.5	-11.42	Pass
38000	10	Q16	50	LOW	-6487.5	6487.5	-13.18	Pass

5.3 LTE Frequency Stability_Part22-24-27(20 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
38000	10	QPSK	50	LOW	-6487.5	6487.5	-14.59	Pass
38000	10	Q16	50	LOW	-6487.5	6487.5	-14.29	Pass

5.4 LTE Frequency Stability_Part22-24-27(30 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
38000	10	QPSK	50	LOW	-6487.5	6487.5	-15.29	Pass
38000	10	Q16	50	LOW	-6487.5	6487.5	-14.48	Pass

5.5 LTE Frequency Stability_Part22-24-27(40 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
38000	10	QPSK	50	LOW	-6487.5	6487.5	-15.56	Pass
38000	10	Q16	50	LOW	-6487.5	6487.5	-14.09	Pass

5.6 LTE Frequency Stability_Part22-24-27(50 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
38000	10	QPSK	50	LOW	-6487.5	6487.5	-15.05	Pass
38000	10	Q16	50	LOW	-6487.5	6487.5	-15.28	Pass

5.7 LTE Frequency Stability_Part22-24-27(NTHV)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
38000	10	QPSK	50	LOW	-6487.5	6487.5	-15.32	Pass
38000	10	Q16	50	LOW	-6487.5	6487.5	-16.06	Pass

5.8 LTE Frequency Stability_Part22-24-27(NTLV)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
38000	10	QPSK	50	LOW	-6487.5	6487.5	-16.32	Pass
38000	10	Q16	50	LOW	-6487.5	6487.5	-18.01	Pass

--BLANK BELOW--