


Spurious Emission at Antenna Terminals


4.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-58.81	-25	33.81	Pass	401
0.15	30	0.01	RMS	0.16	-68.26	-25	43.26	Pass	2986
30	1000	0.1	RMS	992.595	-61.41	-25	36.41	Pass	9701
1000	2560	1	RMS	2553	-43.46	-25	18.46	Pass	1561
2560	2630	1	RMS	2570.675	22.88	60	37.12	Pass	401
2630	3000	1	RMS	2902.875	-46.38	-25	21.38	Pass	401
3000	12000	1	RMS	11954	-50.01	-25	25.01	Pass	9002
12000	26500	1	RMS	25498	-51.07	-25	26.07	Pass	14502




4.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-60.05	-25	35.05	Pass	401
0.15	30	0.01	RMS	0.21	-68.33	-25	43.33	Pass	2986
30	1000	0.1	RMS	975.984	-61.65	-25	36.65	Pass	9701
1000	2560	1	RMS	2560	-48.01	-25	23.01	Pass	1561
2560	2630	1	RMS	2590.625	23.21	60	36.79	Pass	401
2630	3000	1	RMS	2901.025	-46.34	-25	21.34	Pass	401
3000	12000	1	RMS	11979	-49.96	-25	24.96	Pass	9002
12000	26500	1	RMS	25499	-51	-25	26	Pass	14502




4.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-59.07	-25	34.07	Pass	401
0.15	30	0.01	RMS	0.15	-68.76	-25	43.76	Pass	2986
30	1000	0.1	RMS	846.9	-61.49	-25	36.49	Pass	9701
1000	2560	1	RMS	2558	-48.02	-25	23.02	Pass	1561
2560	2630	1	RMS	2590.625	22.91	60	37.09	Pass	401
2630	3000	1	RMS	2901.025	-46.39	-25	21.39	Pass	401
3000	12000	1	RMS	11967	-50.03	-25	25.03	Pass	9002
12000	26500	1	RMS	25501	-50.91	-25	25.91	Pass	14502




4.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-59.47	-25	34.47	Pass	401
0.15	30	0.01	RMS	0.15	-68.01	-25	43.01	Pass	2986
30	1000	0.1	RMS	836.4	-61.54	-25	36.54	Pass	9701
1000	2560	1	RMS	2487	-47.49	-25	22.49	Pass	1561
2560	2630	1	RMS	2610.4	22.64	60	37.36	Pass	401
2630	3000	1	RMS	2630.925	-46.26	-25	21.26	Pass	401
3000	12000	1	RMS	11949	-49.95	-25	24.95	Pass	9002
12000	26500	1	RMS	25501	-51.04	-25	26.04	Pass	14502




4.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.42	-25	31.42	Pass	401
0.15	30	0.01	RMS	0.2	-68.62	-25	43.62	Pass	2986
30	1000	0.1	RMS	867.012	-61.58	-25	36.58	Pass	9701
1000	2560	1	RMS	2487	-47.83	-25	22.83	Pass	1561
2560	2630	1	RMS	2610.575	22.95	60	37.05	Pass	401
2630	3000	1	RMS	2630	-45.49	-25	20.49	Pass	401
3000	12000	1	RMS	11950	-50.04	-25	25.04	Pass	9002
12000	26500	1	RMS	25520	-51.05	-25	26.05	Pass	14502




4.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.34	-25	37.34	Pass	401
0.15	30	0.01	RMS	0.15	-68.66	-25	43.66	Pass	2986
30	1000	0.1	RMS	610.1	-61.35	-25	36.35	Pass	9701
1000	2560	1	RMS	2558	-39.86	-25	14.86	Pass	1561
2560	2630	1	RMS	2570.675	22.94	60	37.06	Pass	401
2630	3000	1	RMS	2702.15	-45.67	-25	20.67	Pass	401
3000	12000	1	RMS	11953	-49.98	-25	24.98	Pass	9002
12000	26500	1	RMS	25501	-51.08	-25	26.08	Pass	14502




4.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-59.5	-25	34.5	Pass	401
0.15	30	0.01	RMS	0.16	-68.26	-25	43.26	Pass	2986
30	1000	0.1	RMS	852.302	-61.45	-25	36.45	Pass	9701
1000	2560	1	RMS	2557	-41.36	-25	16.36	Pass	1561
2560	2630	1	RMS	2570.85	22.94	60	37.06	Pass	401
2630	3000	1	RMS	2702.15	-45.68	-25	20.68	Pass	401
3000	12000	1	RMS	11948	-49.95	-25	24.95	Pass	9002
12000	26500	1	RMS	25499	-50.92	-25	25.92	Pass	14502




4.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.08	-25	37.08	Pass	401
0.15	30	0.01	RMS	0.18	-67.75	-25	42.75	Pass	2986
30	1000	0.1	RMS	856.905	-61.52	-25	36.52	Pass	9701
1000	2560	1	RMS	2560	-47.7	-25	22.7	Pass	1561
2560	2630	1	RMS	2588.175	22.87	60	37.13	Pass	401
2630	3000	1	RMS	2901.95	-46.35	-25	21.35	Pass	401
3000	12000	1	RMS	11951	-50	-25	25	Pass	9002
12000	26500	1	RMS	25500	-51.02	-25	26.02	Pass	14502




4.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-58.03	-25	33.03	Pass	401
0.15	30	0.01	RMS	0.15	-66.92	-25	41.92	Pass	2986
30	1000	0.1	RMS	870.414	-61.48	-25	36.48	Pass	9701
1000	2560	1	RMS	2559	-47.72	-25	22.72	Pass	1561
2560	2630	1	RMS	2588.35	22.77	60	37.23	Pass	401
2630	3000	1	RMS	2901.025	-46.37	-25	21.37	Pass	401
3000	12000	1	RMS	11949	-50	-25	25	Pass	9002
12000	26500	1	RMS	25511	-51.04	-25	26.04	Pass	14502




4.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-60.58	-25	35.58	Pass	401
0.15	30	0.01	RMS	0.15	-67.94	-25	42.94	Pass	2986
30	1000	0.1	RMS	878.419	-61.42	-25	36.42	Pass	9701
1000	2560	1	RMS	2484	-46.51	-25	21.51	Pass	1561
2560	2630	1	RMS	2605.675	23.24	60	36.76	Pass	401
2630	3000	1	RMS	2631.85	-36.94	-25	11.94	Pass	401
3000	12000	1	RMS	11961	-49.95	-25	24.95	Pass	9002
12000	26500	1	RMS	25516	-51	-25	26	Pass	14502




4.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.72	-25	31.72	Pass	401
0.15	30	0.01	RMS	0.15	-68	-25	43	Pass	2986
30	1000	0.1	RMS	851.101	-61.46	-25	36.46	Pass	9701
1000	2560	1	RMS	2482	-45.78	-25	20.78	Pass	1561
2560	2630	1	RMS	2605.675	22.07	60	37.93	Pass	401
2630	3000	1	RMS	2631.85	-39.36	-25	14.36	Pass	401
3000	12000	1	RMS	11951	-49.98	-25	24.98	Pass	9002
12000	26500	1	RMS	25495	-51.03	-25	26.03	Pass	14502




4.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.04	-25	36.04	Pass	401
0.15	30	0.01	RMS	0.15	-67.59	-25	42.59	Pass	2986
30	1000	0.1	RMS	993.095	-61.56	-25	36.56	Pass	9701
1000	2560	1	RMS	2553	-40.76	-25	15.76	Pass	1561
2560	2630	1	RMS	2571.025	22.98	60	37.02	Pass	401
2630	3000	1	RMS	2702.15	-43.48	-25	18.48	Pass	401
3000	12000	1	RMS	11975	-49.98	-25	24.98	Pass	9002
12000	26500	1	RMS	25503	-51.05	-25	26.05	Pass	14502




4.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-60.72	-25	35.72	Pass	401
0.15	30	0.01	RMS	0.16	-67.85	-25	42.85	Pass	2986
30	1000	0.1	RMS	610.4	-61.48	-25	36.48	Pass	9701
1000	2560	1	RMS	2535	-38.54	-25	13.54	Pass	1561
2560	2630	1	RMS	2571.025	24.01	60	35.99	Pass	401
2630	3000	1	RMS	2702.15	-43.73	-25	18.73	Pass	401
3000	12000	1	RMS	11947	-50.02	-25	25.02	Pass	9002
12000	26500	1	RMS	25514	-51.05	-25	26.05	Pass	14502




4.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-61.36	-25	36.36	Pass	401
0.15	30	0.01	RMS	0.16	-68.46	-25	43.46	Pass	2986
30	1000	0.1	RMS	902.435	-61.45	-25	36.45	Pass	9701
1000	2560	1	RMS	2550	-40.97	-25	15.97	Pass	1561
2560	2630	1	RMS	2586.075	23.56	60	36.44	Pass	401
2630	3000	1	RMS	2900.1	-46.35	-25	21.35	Pass	401
3000	12000	1	RMS	11976	-50	-25	25	Pass	9002
12000	26500	1	RMS	25500	-50.99	-25	25.99	Pass	14502




4.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-61.5	-25	36.5	Pass	401
0.15	30	0.01	RMS	0.16	-68.32	-25	43.32	Pass	2986
30	1000	0.1	RMS	833.4	-61.61	-25	36.61	Pass	9701
1000	2560	1	RMS	2551	-41.47	-25	16.47	Pass	1561
2560	2630	1	RMS	2585.9	22.6	60	37.4	Pass	401
2630	3000	1	RMS	2900.1	-46.36	-25	21.36	Pass	401
3000	12000	1	RMS	11951	-50.01	-25	25.01	Pass	9002
12000	26500	1	RMS	25508	-50.99	-25	25.99	Pass	14502




4.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-60.48	-25	35.48	Pass	401
0.15	30	0.01	RMS	0.2	-68.43	-25	43.43	Pass	2986
30	1000	0.1	RMS	837.8	-61.64	-25	36.64	Pass	9701
1000	2560	1	RMS	2554	-48.29	-25	23.29	Pass	1561
2560	2630	1	RMS	2600.95	23.54	60	36.46	Pass	401
2630	3000	1	RMS	2636.475	-36.4	-25	11.4	Pass	401
3000	12000	1	RMS	11963	-49.98	-25	24.98	Pass	9002
12000	26500	1	RMS	25507	-51.02	-25	26.02	Pass	14502



4.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.99	-25	32.99	Pass	401
0.15	30	0.01	RMS	0.23	-68.98	-25	43.98	Pass	2986
30	1000	0.1	RMS	881.021	-61.51	-25	36.51	Pass	9701
1000	2560	1	RMS	2560	-48.25	-25	23.25	Pass	1561
2560	2630	1	RMS	2600.95	23.35	60	36.65	Pass	401
2630	3000	1	RMS	2636.475	-36.15	-25	11.15	Pass	401
3000	12000	1	RMS	11970	-49.95	-25	24.95	Pass	9002
12000	26500	1	RMS	25489	-51.07	-25	26.07	Pass	14502



5. LTE_Band5


5.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.47	-13	60.47	Pass	401
0.15	30	0.01	RMS	0.15	-77.55	-13	64.55	Pass	2986
30	814	0.1	RMS	813.6	-69.68	-13	56.68	Pass	7841
814	860	0.1	RMS	824.3	14.84	60	45.16	Pass	461
860	1000	0.1	RMS	934.9	-69.97	-13	56.97	Pass	1401
1000	3000	1	RMS	1648	-52.26	-13	39.26	Pass	2001
3000	10000	1	RMS	9704	-45.5	-13	32.5	Pass	7001




5.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.25	-13	56.25	Pass	401
0.15	30	0.01	RMS	0.15	-77.38	-13	64.38	Pass	2986
30	814	0.1	RMS	813.6	-69.65	-13	56.65	Pass	7841
814	860	0.1	RMS	824.3	14.95	60	45.05	Pass	461
860	1000	0.1	RMS	990.8	-69.96	-13	56.96	Pass	1401
1000	3000	1	RMS	1648	-52.09	-13	39.09	Pass	2001
3000	10000	1	RMS	9704	-45.5	-13	32.5	Pass	7001




5.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.32	-13	60.32	Pass	401
0.15	30	0.01	RMS	0.16	-77.86	-13	64.86	Pass	2986
30	814	0.1	RMS	805.6	-70.33	-13	57.33	Pass	7841
814	860	0.1	RMS	836.1	14.87	60	45.13	Pass	461
860	1000	0.1	RMS	974.2	-70.02	-13	57.02	Pass	1401
1000	3000	1	RMS	1672	-51.78	-13	38.78	Pass	2001
3000	10000	1	RMS	9710	-45.59	-13	32.59	Pass	7001




5.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.18	-13	58.18	Pass	401
0.15	30	0.01	RMS	0.16	-77.57	-13	64.57	Pass	2986
30	814	0.1	RMS	804.1	-70.41	-13	57.41	Pass	7841
814	860	0.1	RMS	836.1	14.94	60	45.06	Pass	461
860	1000	0.1	RMS	972.1	-69.94	-13	56.94	Pass	1401
1000	3000	1	RMS	1672	-51.32	-13	38.32	Pass	2001
3000	10000	1	RMS	9704	-45.63	-13	32.63	Pass	7001




5.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.82	-13	59.82	Pass	401
0.15	30	0.01	RMS	0.17	-77.66	-13	64.66	Pass	2986
30	814	0.1	RMS	806.3	-70.41	-13	57.41	Pass	7841
814	860	0.1	RMS	847.9	14.97	60	45.03	Pass	461
860	1000	0.1	RMS	968.6	-69.97	-13	56.97	Pass	1401
1000	3000	1	RMS	1695	-50.18	-13	37.18	Pass	2001
3000	10000	1	RMS	9698	-45.48	-13	32.48	Pass	7001




5.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.69	-13	56.69	Pass	401
0.15	30	0.01	RMS	0.15	-77.78	-13	64.78	Pass	2986
30	814	0.1	RMS	811.5	-70.39	-13	57.39	Pass	7841
814	860	0.1	RMS	847.9	14.85	60	45.15	Pass	461
860	1000	0.1	RMS	917.7	-69.94	-13	56.94	Pass	1401
1000	3000	1	RMS	1695	-49.77	-13	36.77	Pass	2001
3000	10000	1	RMS	9701	-45.63	-13	32.63	Pass	7001




5.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.48	-13	60.48	Pass	401
0.15	30	0.01	RMS	0.15	-78.11	-13	65.11	Pass	2986
30	814	0.1	RMS	813.5	-69.95	-13	56.95	Pass	7841
814	860	0.1	RMS	824.2	15.17	60	44.83	Pass	461
860	1000	0.1	RMS	933.8	-70.04	-13	57.04	Pass	1401
1000	3000	1	RMS	1648	-52.1	-13	39.1	Pass	2001
3000	10000	1	RMS	9704	-45.59	-13	32.59	Pass	7001




5.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.49	-13	57.49	Pass	401
0.15	30	0.01	RMS	0.15	-78.03	-13	65.03	Pass	2986
30	814	0.1	RMS	813.5	-70.21	-13	57.21	Pass	7841
814	860	0.1	RMS	824.2	14.4	60	45.6	Pass	461
860	1000	0.1	RMS	932.3	-69.92	-13	56.92	Pass	1401
1000	3000	1	RMS	1648	-52.66	-13	39.66	Pass	2001
3000	10000	1	RMS	9701	-45.45	-13	32.45	Pass	7001




5.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.68	-13	62.68	Pass	401
0.15	30	0.01	RMS	0.15	-77.58	-13	64.58	Pass	2986
30	814	0.1	RMS	813	-70.41	-13	57.41	Pass	7841
814	860	0.1	RMS	835.2	15.14	60	44.86	Pass	461
860	1000	0.1	RMS	960.4	-70.02	-13	57.02	Pass	1401
1000	3000	1	RMS	1670	-51.14	-13	38.14	Pass	2001
3000	10000	1	RMS	9700	-45.55	-13	32.55	Pass	7001




5.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.5	-13	57.5	Pass	401
0.15	30	0.01	RMS	0.15	-77.55	-13	64.55	Pass	2986
30	814	0.1	RMS	782.9	-70.51	-13	57.51	Pass	7841
814	860	0.1	RMS	835.2	14.47	60	45.53	Pass	461
860	1000	0.1	RMS	935.3	-70.06	-13	57.06	Pass	1401
1000	3000	1	RMS	1670	-51.71	-13	38.71	Pass	2001
3000	10000	1	RMS	9699	-45.56	-13	32.56	Pass	7001




5.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.6	-13	59.6	Pass	401
0.15	30	0.01	RMS	0.16	-77.83	-13	64.83	Pass	2986
30	814	0.1	RMS	813.7	-70.33	-13	57.33	Pass	7841
814	860	0.1	RMS	846.2	15.24	60	44.76	Pass	461
860	1000	0.1	RMS	879.4	-69.98	-13	56.98	Pass	1401
1000	3000	1	RMS	1692	-50.42	-13	37.42	Pass	2001
3000	10000	1	RMS	9700	-45.53	-13	32.53	Pass	7001




5.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.82	-13	57.82	Pass	401
0.15	30	0.01	RMS	0.19	-78.12	-13	65.12	Pass	2986
30	814	0.1	RMS	808.3	-70.26	-13	57.26	Pass	7841
814	860	0.1	RMS	846.2	14.26	60	45.74	Pass	461
860	1000	0.1	RMS	935.9	-69.98	-13	56.98	Pass	1401
1000	3000	1	RMS	1692	-51.6	-13	38.6	Pass	2001
3000	10000	1	RMS	9700	-45.58	-13	32.58	Pass	7001




5.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.83	-13	60.83	Pass	401
0.15	30	0.01	RMS	0.15	-77.29	-13	64.29	Pass	2986
30	814	0.1	RMS	813.6	-69.97	-13	56.97	Pass	7841
814	860	0.1	RMS	824.3	14.94	60	45.06	Pass	461
860	1000	0.1	RMS	944.7	-70.04	-13	57.04	Pass	1401
1000	3000	1	RMS	1648	-52.62	-13	39.62	Pass	2001
3000	10000	1	RMS	9700	-45.56	-13	32.56	Pass	7001




5.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.69	-13	59.69	Pass	401
0.15	30	0.01	RMS	0.15	-78.09	-13	65.09	Pass	2986
30	814	0.1	RMS	813.6	-69.94	-13	56.94	Pass	7841
814	860	0.1	RMS	824.3	13.85	60	46.15	Pass	461
860	1000	0.1	RMS	943	-70.02	-13	57.02	Pass	1401
1000	3000	1	RMS	1648	-53.66	-13	40.66	Pass	2001
3000	10000	1	RMS	9699	-45.51	-13	32.51	Pass	7001




5.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.59	-13	58.59	Pass	401
0.15	30	0.01	RMS	0.16	-77.75	-13	64.75	Pass	2986
30	814	0.1	RMS	810.1	-70.31	-13	57.31	Pass	7841
814	860	0.1	RMS	834.3	15.07	60	44.93	Pass	461
860	1000	0.1	RMS	992.8	-70.06	-13	57.06	Pass	1401
1000	3000	1	RMS	1668	-51.14	-13	38.14	Pass	2001
3000	10000	1	RMS	9701	-45.56	-13	32.56	Pass	7001




5.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.19	-13	59.19	Pass	401
0.15	30	0.01	RMS	0.15	-77.6	-13	64.6	Pass	2986
30	814	0.1	RMS	802.1	-70.45	-13	57.45	Pass	7841
814	860	0.1	RMS	834.3	14.66	60	45.34	Pass	461
860	1000	0.1	RMS	961	-70	-13	57	Pass	1401
1000	3000	1	RMS	1668	-51.41	-13	38.41	Pass	2001
3000	10000	1	RMS	9691	-45.61	-13	32.61	Pass	7001




5.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73	-13	60	Pass	401
0.15	30	0.01	RMS	0.16	-77.55	-13	64.55	Pass	2986
30	814	0.1	RMS	813.1	-70.49	-13	57.49	Pass	7841
814	860	0.1	RMS	844.3	15.22	60	44.78	Pass	461
860	1000	0.1	RMS	941.1	-70.04	-13	57.04	Pass	1401
1000	3000	1	RMS	1688	-51.29	-13	38.29	Pass	2001
3000	10000	1	RMS	9702	-45.54	-13	32.54	Pass	7001




5.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.23	-13	58.23	Pass	401
0.15	30	0.01	RMS	0.16	-78.1	-13	65.1	Pass	2986
30	814	0.1	RMS	813.2	-70.39	-13	57.39	Pass	7841
814	860	0.1	RMS	844.3	14.93	60	45.07	Pass	461
860	1000	0.1	RMS	938.6	-69.98	-13	56.98	Pass	1401
1000	3000	1	RMS	1688	-51.81	-13	38.81	Pass	2001
3000	10000	1	RMS	9702	-45.53	-13	32.53	Pass	7001




5.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.91	-13	60.91	Pass	401
0.15	30	0.01	RMS	0.15	-78.75	-13	65.75	Pass	2986
30	814	0.1	RMS	813.9	-69.82	-13	56.82	Pass	7841
814	860	0.1	RMS	824.6	15.47	60	44.53	Pass	461
860	1000	0.1	RMS	986.8	-70.05	-13	57.05	Pass	1401
1000	3000	1	RMS	1649	-53.02	-13	40.02	Pass	2001
3000	10000	1	RMS	9700	-45.58	-13	32.58	Pass	7001




5.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.09	-13	57.09	Pass	401
0.15	30	0.01	RMS	0.15	-78.3	-13	65.3	Pass	2986
30	814	0.1	RMS	813.9	-69.74	-13	56.74	Pass	7841
814	860	0.1	RMS	824.6	15.1	60	44.9	Pass	461
860	1000	0.1	RMS	934.1	-69.97	-13	56.97	Pass	1401
1000	3000	1	RMS	1649	-53.44	-13	40.44	Pass	2001
3000	10000	1	RMS	9700	-45.54	-13	32.54	Pass	7001




5.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-75.46	-13	62.46	Pass	401
0.15	30	0.01	RMS	0.19	-78.2	-13	65.2	Pass	2986
30	814	0.1	RMS	812.9	-70.46	-13	57.46	Pass	7841
814	860	0.1	RMS	832.1	15.6	60	44.4	Pass	461
860	1000	0.1	RMS	981.8	-69.86	-13	56.86	Pass	1401
1000	3000	1	RMS	1664	-51.71	-13	38.71	Pass	2001
3000	10000	1	RMS	9699	-45.53	-13	32.53	Pass	7001




5.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.14	-13	58.14	Pass	401
0.15	30	0.01	RMS	0.15	-77.83	-13	64.83	Pass	2986
30	814	0.1	RMS	809.2	-70.5	-13	57.5	Pass	7841
814	860	0.1	RMS	832.1	15.02	60	44.98	Pass	461
860	1000	0.1	RMS	930.9	-70.03	-13	57.03	Pass	1401
1000	3000	1	RMS	1664	-52.27	-13	39.27	Pass	2001
3000	10000	1	RMS	9700	-45.53	-13	32.53	Pass	7001




5.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.76	-13	61.76	Pass	401
0.15	30	0.01	RMS	0.15	-76.72	-13	63.72	Pass	2986
30	814	0.1	RMS	813	-70.32	-13	57.32	Pass	7841
814	860	0.1	RMS	839.6	15.43	60	44.57	Pass	461
860	1000	0.1	RMS	999.1	-69.99	-13	56.99	Pass	1401
1000	3000	1	RMS	1679	-52.11	-13	39.11	Pass	2001
3000	10000	1	RMS	9701	-45.5	-13	32.5	Pass	7001



5.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.75	-13	59.75	Pass	401
0.15	30	0.01	RMS	0.17	-78.43	-13	65.43	Pass	2986
30	814	0.1	RMS	808	-70.29	-13	57.29	Pass	7841
814	860	0.1	RMS	839.6	14.62	60	45.38	Pass	461
860	1000	0.1	RMS	962.5	-69.99	-13	56.99	Pass	1401
1000	3000	1	RMS	1679	-52.45	-13	39.45	Pass	2001
3000	10000	1	RMS	9710	-45.51	-13	32.51	Pass	7001



--BLANK BELOW--